


6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9222G	46.94	68.20	-21.26	5.93	3	Vertical	8	2.36	41.01	34.20	6.26	34.53
AV	6.4822G	84.53	Inf	-Inf	7.14	3	Vertical	8	2.36	77.39	35.13	6.48	34.47
AV	7.178G	49.81	68.20	-18.39	8.89	3	Vertical	8	2.36	40.92	36.91	6.74	34.76
PK	5.8564G	57.83	88.20	-30.37	5.73	3	Vertical	8	2.36	52.10	34.03	6.23	34.53
PK	6.4752G	94.36	Inf	-Inf	7.11	3	Vertical	8	2.36	87.25	35.10	6.48	34.47
PK	7.1598G	61.52	88.20	-26.68	8.82	3	Vertical	8	2.36	52.70	36.84	6.74	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.918G	46.95	68.20	-21.25	5.93	3	Horizontal	175	2.95	41.02	34.20	6.26	34.53
AV	6.4766G	78.40	Inf	-Inf	7.12	3	Horizontal	175	2.95	71.28	35.11	6.48	34.47
AV	7.1766G	49.81	68.20	-18.39	8.89	3	Horizontal	175	2.95	40.92	36.91	6.74	34.76
PK	5.848G	58.11	88.20	-30.09	5.69	3	Horizontal	175	2.95	52.42	34.00	6.22	34.53
PK	6.471G	88.44	Inf	-Inf	7.08	3	Horizontal	175	2.95	81.36	35.08	6.47	34.47
PK	7.143G	60.43	88.20	-27.77	8.73	3	Horizontal	175	2.95	51.70	36.76	6.73	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97588G	43.35	68.20	-24.85	15.53	3	Vertical	20	2.74	27.82	40.08	9.00	33.55
PK	12.96884G	55.93	88.20	-32.27	15.51	3	Vertical	20	2.74	40.42	40.07	9.00	33.56

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97656G	43.31	68.20	-24.89	15.53	3	Horizontal	310	2.00	27.78	40.08	9.00	33.55
PK	12.96452G	55.40	88.20	-32.80	15.49	3	Horizontal	310	2.00	39.91	40.06	9.00	33.57

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	46.96	68.20	-21.24	5.93	3	Vertical	343	2.39	41.03	34.20	6.26	34.53
AV	6.5278G	84.30	Inf	-Inf	7.44	3	Vertical	343	2.39	76.86	35.42	6.51	34.49
AV	7.1942G	49.96	68.20	-18.24	8.97	3	Vertical	343	2.39	40.99	36.98	6.75	34.76
PK	5.8516G	58.64	88.20	-29.56	5.71	3	Vertical	343	2.39	52.93	34.01	6.23	34.53
PK	6.5376G	94.16	Inf	-Inf	7.52	3	Vertical	343	2.39	86.64	35.50	6.51	34.49
PK	7.1466G	60.84	88.20	-27.36	8.75	3	Vertical	343	2.39	52.09	36.78	6.73	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	46.90	68.20	-21.30	5.93	3	Horizontal	177	2.85	40.97	34.20	6.26	34.53
AV	6.5082G	77.21	Inf	-Inf	7.29	3	Horizontal	177	2.85	69.92	35.27	6.49	34.47
AV	7.2194G	50.03	68.20	-18.17	9.03	3	Horizontal	177	2.85	41.00	37.04	6.76	34.77
PK	5.9216G	58.61	88.20	-29.59	5.93	3	Horizontal	177	2.85	52.68	34.20	6.26	34.53
PK	6.5152G	87.34	Inf	-Inf	7.34	3	Horizontal	177	2.85	80.00	35.32	6.50	34.48
PK	7.1704G	62.33	88.20	-25.87	8.86	3	Horizontal	177	2.85	53.47	36.88	6.74	34.76

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06944G	43.25	68.20	-24.95	15.59	3	Vertical	72	1.37	27.66	39.96	9.03	33.40
PK	13.03164G	55.62	88.20	-32.58	15.60	3	Vertical	72	1.37	40.02	40.04	9.02	33.46

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06704G	43.24	68.20	-24.96	15.60	3	Horizontal	79	1.49	27.64	39.97	9.03	33.40
PK	13.03592G	54.32	88.20	-33.88	15.60	3	Horizontal	79	1.49	38.72	40.03	9.02	33.45

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5686G	84.75	Inf	-Inf	7.69	3	Vertical	347	2.37	77.06	35.67	6.53	34.51
AV	7.165G	49.71	68.20	-18.49	8.84	3	Vertical	347	2.37	40.87	36.86	6.74	34.76
PK	6.5806G	95.06	Inf	-Inf	7.75	3	Vertical	347	2.37	87.31	35.72	6.54	34.51
PK	7.165G	60.00	88.20	-28.20	8.84	3	Vertical	347	2.37	51.16	36.86	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5758G	78.12	Inf	-Inf	7.73	3	Horizontal	180	2.99	70.39	35.70	6.54	34.51
AV	7.1626G	49.75	68.20	-18.45	8.83	3	Horizontal	180	2.99	40.92	36.85	6.74	34.76
PK	6.577G	88.01	Inf	-Inf	7.74	3	Horizontal	180	2.99	80.27	35.71	6.54	34.51
PK	7.1506G	60.76	88.20	-27.44	8.77	3	Horizontal	180	2.99	51.99	36.80	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13524G	43.29	68.20	-24.91	15.70	3	Vertical	301	1.17	27.59	39.94	9.05	33.29
PK	13.11748G	55.42	88.20	-32.78	15.65	3	Vertical	301	1.17	39.77	39.92	9.05	33.32

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15G	43.31	68.20	-24.89	15.75	3	Horizontal	82	1.01	27.56	39.95	9.06	33.26
PK	13.13376G	55.25	88.20	-32.95	15.69	3	Horizontal	82	1.01	39.56	39.93	9.05	33.29

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	86.02	Inf	-Inf	7.99	3	Vertical	345	2.31	78.03	36.00	6.56	34.57
AV	7.184G	49.86	68.20	-18.34	8.92	3	Vertical	345	2.31	40.94	36.94	6.74	34.76
PK	6.671G	96.29	Inf	-Inf	8.00	3	Vertical	345	2.31	88.29	36.00	6.56	34.56
PK	7.146G	60.83	88.20	-27.37	8.75	3	Vertical	345	2.31	52.08	36.78	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.672G	79.47	Inf	-Inf	8.00	3	Horizontal	182	2.78	71.47	36.00	6.56	34.56
AV	7.182G	49.85	68.20	-18.35	8.91	3	Horizontal	182	2.78	40.94	36.93	6.74	34.76
PK	6.699G	89.62	Inf	-Inf	7.98	3	Horizontal	182	2.78	81.64	36.00	6.56	34.58
PK	7.135G	60.72	88.20	-27.48	8.68	3	Horizontal	182	2.78	52.04	36.71	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38996G	43.49	54.00	-10.51	16.52	3	Vertical	67	1.20	26.97	40.26	9.13	32.87
PK	13.3886G	55.34	74.00	-18.66	16.51	3	Vertical	67	1.20	38.83	40.25	9.13	32.87

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38824G	43.49	54.00	-10.51	16.51	3	Horizontal	323	1.27	26.98	40.25	9.13	32.87
PK	13.35708G	54.87	74.00	-19.13	16.33	3	Horizontal	323	1.27	38.54	40.13	9.12	32.92



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8282G	85.39	Inf	-Inf	7.88	3	Vertical	347	2.32	77.51	35.94	6.59	34.65
AV	7.1943G	49.91	68.20	-18.29	8.97	3	Vertical	347	2.32	40.94	36.98	6.75	34.76
PK	6.838G	96.47	Inf	-Inf	7.87	3	Vertical	347	2.32	88.60	35.92	6.60	34.65
PK	7.1719G	61.91	88.20	-26.29	8.87	3	Vertical	347	2.32	53.04	36.89	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8443G	75.87	Inf	-Inf	7.85	3	Horizontal	26	2.35	68.02	35.91	6.60	34.66
AV	7.195G	49.98	68.20	-18.22	8.97	3	Horizontal	26	2.35	41.01	36.98	6.75	34.76
PK	6.8373G	86.56	Inf	-Inf	7.88	3	Horizontal	26	2.35	78.68	35.93	6.60	34.65
PK	7.1943G	61.48	88.20	-26.72	8.97	3	Horizontal	26	2.35	52.51	36.98	6.75	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6834G	44.55	68.20	-23.65	16.68	3	Vertical	360	2.32	27.87	40.22	9.22	32.76
PK	13.69868G	56.79	88.20	-31.41	16.65	3	Vertical	360	2.32	40.14	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.671G	44.12	68.20	-24.08	16.69	3	Horizontal	171	2.01	27.43	40.23	9.21	32.75
PK	13.69644G	55.91	88.20	-32.29	16.66	3	Horizontal	171	2.01	39.25	40.20	9.22	32.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8717G	84.20	Inf	-Inf	7.85	3	Vertical	349	2.37	76.35	35.90	6.62	34.67
AV	7.1951G	50.06	68.20	-18.14	8.97	3	Vertical	349	2.37	41.09	36.98	6.75	34.76
PK	6.8766G	94.84	Inf	-Inf	7.85	3	Vertical	349	2.37	86.99	35.90	6.62	34.67
PK	7.2147G	61.68	88.20	-26.52	9.02	3	Vertical	349	2.37	52.66	37.03	6.76	34.77

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8689G	75.97	Inf	-Inf	7.84	3	Horizontal	27	2.38	68.13	35.90	6.61	34.67
AV	7.2042G	50.07	68.20	-18.13	9.00	3	Horizontal	27	2.38	41.07	37.01	6.75	34.76
PK	6.8696G	86.49	Inf	-Inf	7.84	3	Horizontal	27	2.38	78.65	35.90	6.61	34.67
PK	7.2189G	60.97	88.20	-27.23	9.03	3	Horizontal	27	2.38	51.94	37.04	6.76	34.77


6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9082G	84.14	Inf	-Inf	7.86	3	Vertical	347	2.35	76.28	35.92	6.63	34.69
AV	7.198G	50.09	68.20	-18.11	8.98	3	Vertical	347	2.35	41.11	36.99	6.75	34.76
PK	6.9184G	95.11	Inf	-Inf	7.88	3	Vertical	347	2.35	87.23	35.94	6.64	34.70
PK	7.1254G	61.85	88.20	-26.35	8.61	3	Vertical	347	2.35	53.24	36.65	6.72	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9076G	75.22	Inf	-Inf	7.86	3	Horizontal	37	1.00	67.36	35.92	6.63	34.69
AV	7.2052G	50.00	68.20	-18.20	9.00	3	Horizontal	37	1.00	41.00	37.01	6.75	34.76
PK	6.9088G	87.65	Inf	-Inf	7.86	3	Horizontal	37	1.00	79.79	35.92	6.63	34.69
PK	7.156G	62.07	88.20	-26.13	8.79	3	Horizontal	37	1.00	53.28	36.82	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84896G	43.93	68.20	-24.27	16.59	3	Vertical	0	2.47	27.34	40.15	9.26	32.82
PK	13.84916G	56.63	88.20	-31.57	16.59	3	Vertical	0	2.47	40.04	40.15	9.26	32.82

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83236G	43.59	68.20	-24.61	16.61	3	Horizontal	57	2.77	26.98	40.17	9.26	32.82
PK	13.86516G	56.05	88.20	-32.15	16.57	3	Horizontal	57	2.77	39.48	40.13	9.27	32.83

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9885G	83.57	Inf	-Inf	7.94	3	Vertical	348	2.39	75.63	36.00	6.67	34.73
AV	7.1517G	49.79	68.20	-18.41	8.78	3	Vertical	348	2.39	41.01	36.81	6.73	34.76
PK	6.9918G	94.53	Inf	-Inf	7.94	3	Vertical	348	2.39	86.59	36.00	6.68	34.74
PK	7.1361G	60.85	88.20	-27.35	8.69	3	Vertical	348	2.39	52.16	36.72	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9873G	74.38	Inf	-Inf	7.94	3	Horizontal	27	2.43	66.44	36.00	6.67	34.73
AV	7.152G	49.69	68.20	-18.51	8.78	3	Horizontal	27	2.43	40.91	36.81	6.73	34.76
PK	6.9873G	84.94	Inf	-Inf	7.94	3	Horizontal	27	2.43	77.00	36.00	6.67	34.73
PK	7.1487G	60.75	88.20	-27.45	8.76	3	Horizontal	27	2.43	51.99	36.79	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0202G	44.28	68.20	-23.92	16.78	3	Vertical	165	1.30	27.50	40.36	9.32	32.90
PK	13.99568G	56.94	88.20	-31.26	16.72	3	Vertical	165	1.30	40.22	40.29	9.31	32.88

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.02804G	44.11	68.20	-24.09	16.79	3	Horizontal	206	1.95	27.32	40.38	9.32	32.91
PK	13.99324G	55.18	88.20	-33.02	16.72	3	Horizontal	206	1.95	38.46	40.29	9.31	32.88



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.082G	82.98	Inf	-Inf	8.35	3	Vertical	353	2.31	74.63	36.39	6.71	34.75
AV	7.2287G	50.01	68.20	-18.19	9.06	3	Vertical	353	2.31	40.95	37.06	6.77	34.77
PK	7.0922G	93.80	Inf	-Inf	8.41	3	Vertical	353	2.31	85.39	36.45	6.71	34.75
PK	7.1618G	61.28	88.20	-26.92	8.83	3	Vertical	353	2.31	52.45	36.85	6.74	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0982G	76.30	Inf	-Inf	8.45	3	Horizontal	188	2.85	67.85	36.49	6.71	34.75
AV	7.1969G	50.05	68.20	-18.15	8.98	3	Horizontal	188	2.85	41.07	36.99	6.75	34.76
PK	7.0775G	87.12	Inf	-Inf	8.33	3	Horizontal	188	2.85	78.79	36.37	6.71	34.75
PK	7.2095G	61.39	88.20	-26.81	9.01	3	Horizontal	188	2.85	52.38	37.02	6.76	34.77

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16496G	44.61	68.20	-23.59	16.94	3	Vertical	96	1.22	27.67	40.66	9.36	33.08
PK	14.18952G	56.42	88.20	-31.78	16.95	3	Vertical	96	1.22	39.47	40.69	9.37	33.11

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15656G	44.38	68.20	-23.82	16.95	3	Horizontal	280	1.47	27.43	40.66	9.36	33.07
PK	14.15984G	56.35	88.20	-31.85	16.94	3	Horizontal	280	1.47	39.41	40.66	9.36	33.08

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	46.38	68.20	-21.82	5.93	3	Vertical	10	2.44	40.45	34.20	6.26	34.53
AV	5.983G	84.86	Inf	-Inf	5.90	3	Vertical	10	2.44	78.96	34.13	6.29	34.52
PK	5.9095G	57.87	88.20	-30.33	5.92	3	Vertical	10	2.44	51.95	34.20	6.25	34.53
PK	5.979G	95.30	Inf	-Inf	5.91	3	Vertical	10	2.44	89.39	34.14	6.29	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9045G	45.89	68.20	-22.31	5.92	3	Horizontal	186	2.70	39.97	34.20	6.25	34.53
AV	5.9675G	79.01	Inf	-Inf	5.93	3	Horizontal	186	2.70	73.08	34.17	6.28	34.52
PK	5.8675G	57.36	88.20	-30.84	5.77	3	Horizontal	186	2.70	51.59	34.07	6.23	34.53
PK	5.9705G	89.49	Inf	-Inf	5.93	3	Horizontal	186	2.70	83.56	34.16	6.29	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97353G	43.33	54.00	-10.67	12.65	3	Vertical	108	2.54	30.68	38.67	8.70	34.72
PK	11.97329G	55.20	74.00	-18.80	12.65	3	Vertical	108	2.54	42.55	38.67	8.70	34.72

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97333G	43.31	54.00	-10.69	12.65	3	Horizontal	40	2.53	30.66	38.67	8.70	34.72
PK	11.96895G	55.19	74.00	-18.81	12.65	3	Horizontal	40	2.53	42.54	38.67	8.70	34.72

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.884G	45.88	68.20	-22.32	5.85	3	Vertical	353	2.43	40.03	34.14	6.24	34.53
AV	6.1432G	85.46	Inf	-Inf	6.01	3	Vertical	353	2.43	79.45	34.19	6.33	34.51
PK	5.8792G	57.18	88.20	-31.02	5.83	3	Vertical	353	2.43	51.35	34.12	6.24	34.53
PK	6.1594G	96.21	Inf	-Inf	6.03	3	Vertical	353	2.43	90.18	34.20	6.33	34.50

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	45.84	68.20	-22.36	5.93	3	Horizontal	186	3.00	39.91	34.20	6.26	34.53
AV	6.1468G	78.32	Inf	-Inf	6.01	3	Horizontal	186	3.00	72.31	34.19	6.33	34.51
PK	5.9146G	57.38	88.20	-30.82	5.93	3	Horizontal	186	3.00	51.45	34.20	6.26	34.53
PK	6.1318G	88.90	Inf	-Inf	5.98	3	Horizontal	186	3.00	82.92	34.16	6.33	34.51

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29218G	44.28	54.00	-9.72	13.18	3	Vertical	233	1.87	31.10	38.91	8.80	34.53
PK	12.28567G	56.84	74.00	-17.16	13.18	3	Vertical	233	1.87	43.66	38.91	8.80	34.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28764G	44.33	54.00	-9.67	13.18	3	Horizontal	346	2.53	31.15	38.91	8.80	34.53
PK	12.28641G	55.93	74.00	-18.07	13.18	3	Horizontal	346	2.53	42.75	38.91	8.80	34.53

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	45.76	68.20	-22.44	5.92	3	Vertical	15	2.48	39.84	34.20	6.25	34.53
AV	6.3646G	84.59	Inf	-Inf	6.59	3	Vertical	15	2.48	78.00	34.66	6.41	34.48
PK	5.8726G	56.57	88.20	-31.63	5.80	3	Vertical	15	2.48	50.77	34.09	6.24	34.53
PK	6.3694G	95.46	Inf	-Inf	6.62	3	Vertical	15	2.48	88.84	34.68	6.42	34.48

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	45.81	68.20	-22.39	5.92	3	Horizontal	181	2.84	39.89	34.20	6.25	34.53
AV	6.3778G	77.88	Inf	-Inf	6.65	3	Horizontal	181	2.84	71.23	34.71	6.42	34.48
PK	5.8906G	57.08	88.20	-31.12	5.88	3	Horizontal	181	2.84	51.20	34.16	6.25	34.53
PK	6.3766G	88.49	Inf	-Inf	6.65	3	Horizontal	181	2.84	81.84	34.71	6.42	34.48

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77206G	44.79	68.20	-23.41	14.37	3	Vertical	317	2.80	30.42	39.34	8.94	33.91
PK	12.76827G	56.58	88.20	-31.62	14.37	3	Vertical	317	2.80	42.21	39.34	8.94	33.91

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77449G	44.80	68.20	-23.40	14.39	3	Horizontal	281	1.68	30.41	39.35	8.94	33.90
PK	12.7674G	56.65	88.20	-31.55	14.36	3	Horizontal	281	1.68	42.29	39.33	8.94	33.91



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	45.86	68.20	-22.34	5.92	3	Vertical	11	2.49	39.94	34.20	6.25	34.53
AV	6.4636G	85.00	Inf	-Inf	7.05	3	Vertical	11	2.49	77.95	35.05	6.47	34.47
AV	7.1566G	48.58	68.20	-19.62	8.80	3	Vertical	11	2.49	39.78	36.83	6.73	34.76
PK	5.7748G	57.60	88.20	-30.60	5.44	3	Vertical	11	2.49	52.16	33.80	6.18	34.54
PK	6.4594G	95.17	Inf	-Inf	7.04	3	Vertical	11	2.49	88.13	35.04	6.47	34.47
PK	7.1328G	59.51	88.20	-28.69	8.67	3	Vertical	11	2.49	50.84	36.70	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	45.87	68.20	-22.33	5.93	3	Horizontal	174	2.97	39.94	34.20	6.26	34.53
AV	6.458G	77.96	Inf	-Inf	7.02	3	Horizontal	174	2.97	70.94	35.03	6.46	34.47
AV	7.1636G	48.58	68.20	-19.62	8.83	3	Horizontal	174	2.97	39.75	36.85	6.74	34.76
PK	5.8756G	58.09	88.20	-30.11	5.81	3	Horizontal	174	2.97	52.28	34.10	6.24	34.53
PK	6.4594G	89.43	Inf	-Inf	7.04	3	Horizontal	174	2.97	82.39	35.04	6.47	34.47
PK	7.151G	58.51	88.20	-29.69	8.77	3	Horizontal	174	2.97	49.74	36.80	6.73	34.76


6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9052G	45.80	68.20	-22.40	5.92	3	Vertical	20	2.29	39.88	34.20	6.25	34.53
AV	6.538G	84.92	Inf	-Inf	7.52	3	Vertical	20	2.29	77.40	35.50	6.51	34.49
AV	7.2044G	48.77	68.20	-19.43	9.00	3	Vertical	20	2.29	39.77	37.01	6.75	34.76
PK	5.8786G	57.04	88.20	-31.16	5.82	3	Vertical	20	2.29	51.22	34.11	6.24	34.53
PK	6.5408G	95.02	Inf	-Inf	7.55	3	Vertical	20	2.29	87.47	35.53	6.51	34.49
PK	7.2156G	60.50	88.20	-27.70	9.02	3	Vertical	20	2.29	51.48	37.03	6.76	34.77

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	45.86	68.20	-22.34	5.92	3	Horizontal	182	2.78	39.94	34.20	6.25	34.53
AV	6.5436G	77.19	Inf	-Inf	7.58	3	Horizontal	182	2.78	69.61	35.55	6.52	34.49
AV	7.2408G	48.85	68.20	-19.35	9.09	3	Horizontal	182	2.78	39.76	37.08	6.78	34.77
PK	5.859G	56.81	88.20	-31.39	5.74	3	Horizontal	182	2.78	51.07	34.04	6.23	34.53
PK	6.5492G	86.63	Inf	-Inf	7.61	3	Horizontal	182	2.78	79.02	35.59	6.52	34.50
PK	7.2394G	60.32	88.20	-27.88	9.09	3	Horizontal	182	2.78	51.23	37.08	6.78	34.77

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12544G	43.33	68.20	-24.87	15.68	3	Vertical	232	2.58	27.65	39.93	9.05	33.30
PK	13.08432G	55.10	88.20	-33.10	15.60	3	Vertical	232	2.58	39.50	39.93	9.04	33.37

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1232G	43.34	68.20	-24.86	15.66	3	Horizontal	139	1.11	27.68	39.92	9.05	33.31
PK	13.06072G	54.70	88.20	-33.50	15.60	3	Horizontal	139	1.11	39.10	39.98	9.03	33.41

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6502G	85.58	Inf	-Inf	8.01	3	Vertical	1	2.36	77.57	36.00	6.56	34.55
AV	7.1962G	48.78	68.20	-19.42	8.97	3	Vertical	1	2.36	39.81	36.98	6.75	34.76
PK	6.6334G	95.50	Inf	-Inf	7.95	3	Vertical	1	2.36	87.55	35.93	6.56	34.54
PK	7.1794G	59.63	88.20	-28.57	8.90	3	Vertical	1	2.36	50.73	36.92	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.643G	78.13	Inf	-Inf	7.98	3	Horizontal	182	3.00	70.15	35.97	6.56	34.55
AV	7.1938G	48.82	68.20	-19.38	8.97	3	Horizontal	182	3.00	39.85	36.98	6.75	34.76
PK	6.6502G	87.96	Inf	-Inf	8.01	3	Horizontal	182	3.00	79.95	36.00	6.56	34.55
PK	7.1878G	59.89	88.20	-28.31	8.94	3	Horizontal	182	3.00	50.95	36.95	6.75	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2244G	43.33	68.20	-24.87	15.92	3	Vertical	68	2.58	27.41	39.98	9.08	33.14
PK	13.2556G	55.11	74.00	-18.89	15.94	3	Vertical	68	2.58	39.17	39.94	9.09	33.09

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.224G	43.34	68.20	-24.86	15.92	3	Horizontal	42	1.84	27.42	39.98	9.08	33.14
PK	13.2684G	55.09	74.00	-18.91	15.95	3	Horizontal	42	1.84	39.14	39.93	9.09	33.07

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	86.48	Inf	-Inf	7.99	3	Vertical	5	2.44	78.49	36.00	6.56	34.57
AV	7.203G	48.84	68.20	-19.36	9.00	3	Vertical	5	2.44	39.84	37.01	6.75	34.76
PK	6.692G	96.15	Inf	-Inf	7.99	3	Vertical	5	2.44	88.16	36.00	6.56	34.57
PK	7.169G	60.59	88.20	-27.61	8.86	3	Vertical	5	2.44	51.73	36.88	6.74	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.707G	78.93	Inf	-Inf	7.99	3	Horizontal	183	2.73	70.94	36.00	6.57	34.58
AV	7.2G	48.83	68.20	-19.37	8.99	3	Horizontal	183	2.73	39.84	37.00	6.75	34.76
PK	6.711G	89.53	Inf	-Inf	7.99	3	Horizontal	183	2.73	81.54	36.00	6.57	34.58
PK	7.148G	60.27	88.20	-27.93	8.76	3	Horizontal	183	2.73	51.51	36.79	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7689G	88.48	Inf	-Inf	7.96	3	Vertical	11	2.35	80.52	36.00	6.58	34.62
AV	7.1322G	48.54	68.20	-19.66	8.66	3	Vertical	11	2.35	39.88	36.69	6.73	34.76
PK	6.7668G	98.67	Inf	-Inf	7.97	3	Vertical	11	2.35	90.70	36.00	6.58	34.61
PK	7.1322G	59.54	88.20	-28.66	8.66	3	Vertical	11	2.35	50.88	36.69	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7696G	80.22	Inf	-Inf	7.96	3	Horizontal	182	2.48	72.26	36.00	6.58	34.62
AV	7.1329G	48.60	68.20	-19.60	8.67	3	Horizontal	182	2.48	39.93	36.70	6.73	34.76
PK	6.778G	90.19	Inf	-Inf	7.96	3	Horizontal	182	2.48	82.23	36.00	6.58	34.62
PK	7.128G	60.01	88.20	-28.19	8.63	3	Horizontal	182	2.48	51.38	36.67	6.72	34.76



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.54568G	44.41	68.20	-23.79	16.81	3	Horizontal	311	1.50	27.60	40.35	9.17	32.71
PK	13.58392G	56.80	88.20	-31.40	16.79	3	Horizontal	311	1.50	40.01	40.32	9.19	32.72

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.55088G	44.45	68.20	-23.75	16.82	3	Horizontal	0	1.46	27.63	40.35	9.18	32.71
PK	13.54928G	56.44	88.20	-31.76	16.81	3	Horizontal	0	1.46	39.63	40.35	9.17	32.71

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8433G	87.12	Inf	-Inf	7.85	3	Vertical	12	2.32	79.27	35.91	6.60	34.66
AV	7.2024G	48.92	68.20	-19.28	8.99	3	Vertical	12	2.32	39.93	37.00	6.75	34.76
PK	6.879G	98.18	Inf	-Inf	7.85	3	Vertical	12	2.32	90.33	35.90	6.62	34.67
PK	7.1982G	60.41	88.20	-27.79	8.98	3	Vertical	12	2.32	51.43	36.99	6.75	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8426G	78.64	Inf	-Inf	7.85	3	Horizontal	179	2.69	70.79	35.91	6.60	34.66
AV	7.1898G	48.94	68.20	-19.26	8.95	3	Horizontal	179	2.69	39.99	36.96	6.75	34.76
PK	6.8566G	90.16	Inf	-Inf	7.85	3	Horizontal	179	2.69	82.31	35.90	6.61	34.66
PK	7.2122G	59.85	88.20	-28.35	9.01	3	Horizontal	179	2.69	50.84	37.02	6.76	34.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.692G	43.95	68.20	-24.25	16.67	3	Horizontal	335	1.50	27.28	40.21	9.22	32.76
PK	13.71504G	57.20	88.20	-31.00	16.65	3	Horizontal	335	1.50	40.55	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69208G	43.93	68.20	-24.27	16.67	3	Horizontal	319	1.50	27.26	40.21	9.22	32.76
PK	13.71664G	56.04	88.20	-32.16	16.65	3	Horizontal	319	1.50	39.39	40.20	9.22	32.77

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9294G	86.30	Inf	-Inf	7.90	3	Vertical	360	2.28	78.40	35.96	6.64	34.70
AV	7.2012G	48.94	68.20	-19.26	8.99	3	Vertical	360	2.28	39.95	37.00	6.75	34.76
PK	6.9456G	97.45	Inf	-Inf	7.93	3	Vertical	360	2.28	89.52	35.99	6.65	34.71
PK	7.152G	60.34	88.20	-27.86	8.78	3	Vertical	360	2.28	51.56	36.81	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.921G	77.67	Inf	-Inf	7.88	3	Horizontal	170	3.00	69.79	35.94	6.64	34.70
AV	7.2042G	48.98	68.20	-19.22	9.00	3	Horizontal	170	3.00	39.98	37.01	6.75	34.76
PK	6.948G	88.91	Inf	-Inf	7.94	3	Horizontal	170	3.00	80.97	36.00	6.65	34.71
PK	7.2342G	60.99	88.20	-27.21	9.07	3	Horizontal	170	3.00	51.92	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93G	43.87	68.20	-24.33	16.60	3	Horizontal	259	1.72	27.27	40.16	9.29	32.85
PK	13.91744G	55.93	88.20	-32.27	16.57	3	Horizontal	259	1.72	39.36	40.13	9.29	32.85

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9296G	43.84	68.20	-24.36	16.60	3	Horizontal	156	1.50	27.24	40.16	9.29	32.85
PK	13.89272G	55.88	88.20	-32.32	16.55	3	Horizontal	156	1.50	39.33	40.11	9.28	32.84

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0403G	85.60	Inf	-Inf	8.11	3	Vertical	348	2.35	77.49	36.16	6.69	34.74
AV	7.1744G	48.86	68.20	-19.34	8.88	3	Vertical	348	2.35	39.98	36.90	6.74	34.76
PK	7.0313G	96.06	Inf	-Inf	8.08	3	Vertical	348	2.35	87.98	36.13	6.69	34.74
PK	7.1726G	60.53	88.20	-27.67	8.87	3	Vertical	348	2.35	51.66	36.89	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0439G	76.74	Inf	-Inf	8.13	3	Horizontal	184	3.00	68.61	36.18	6.70	34.75
AV	7.1726G	48.85	68.20	-19.35	8.87	3	Horizontal	184	3.00	39.98	36.89	6.74	34.76
PK	7.0271G	88.48	Inf	-Inf	8.06	3	Horizontal	184	3.00	80.42	36.11	6.69	34.74
PK	7.1669G	60.01	88.20	-28.19	8.85	3	Horizontal	184	3.00	51.16	36.87	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.12504G	44.38	68.20	-23.82	16.95	3	Horizontal	71	1.22	27.43	40.63	9.35	33.03
PK	14.00792G	56.25	88.20	-31.95	16.74	3	Horizontal	71	1.22	39.51	40.32	9.31	32.89

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.12376G	44.53	68.20	-23.67	16.94	3	Horizontal	133	1.50	27.59	40.62	9.35	33.03
PK	13.98392G	56.54	88.20	-31.66	16.71	3	Horizontal	133	1.50	39.83	40.27	9.31	32.87

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.85	68.20	-19.35	5.93	3	Vertical	0	2.38	42.92	34.20	6.26	34.53
AV	5.9725G	87.83	Inf	-Inf	5.93	3	Vertical	0	2.38	81.90	34.16	6.29	34.52
PK	5.8455G	59.13	88.20	-29.07	5.68	3	Vertical	0	2.38	53.45	33.99	6.22	34.53
PK	5.9735G	99.23	Inf	-Inf	5.92	3	Vertical	0	2.38	93.31	34.15	6.29	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9055G	47.17	68.20	-21.03	5.92	3	Horizontal	178	2.82	41.25	34.20	6.25	34.53
AV	5.9785G	81.72	Inf	-Inf	5.91	3	Horizontal	178	2.82	75.81	34.14	6.29	34.52
PK	5.899G	58.12	88.20	-30.08	5.92	3	Horizontal	178	2.82	52.20	34.20	6.25	34.53
PK	5.9745G	92.54	Inf	-Inf	5.92	3	Horizontal	178	2.82	86.62	34.15	6.29	34.52



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.10856G	42.19	54.00	-11.81	13.18	3	Horizontal	231	1.50	29.01	39.09	8.74	34.65
PK	12.09704G	54.10	74.00	-19.90	13.17	3	Horizontal	231	1.50	40.93	39.09	8.74	34.66

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.10584G	42.23	54.00	-11.77	13.17	3	Horizontal	358	1.50	29.06	39.09	8.74	34.66
PK	12.1004G	53.52	74.00	-20.48	13.18	3	Horizontal	358	1.50	40.34	39.10	8.74	34.66

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8946G	46.36	68.20	-21.84	5.90	3	Vertical	349	2.56	40.46	34.18	6.25	34.53
AV	6.2218G	90.06	Inf	-Inf	6.14	3	Vertical	349	2.56	83.92	34.29	6.35	34.50
PK	5.805G	57.54	88.20	-30.66	5.57	3	Vertical	349	2.56	51.97	33.91	6.20	34.54
PK	6.2058G	100.05	Inf	-Inf	6.06	3	Vertical	349	2.56	93.99	34.22	6.34	34.50

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	46.02	68.20	-22.18	5.93	3	Horizontal	185	3.00	40.09	34.20	6.26	34.53
AV	6.2258G	83.28	Inf	-Inf	6.15	3	Horizontal	185	3.00	77.13	34.30	6.35	34.50
PK	5.9122G	57.19	88.20	-31.01	5.93	3	Horizontal	185	3.00	51.26	34.20	6.26	34.53
PK	6.2282G	94.05	Inf	-Inf	6.16	3	Horizontal	185	3.00	87.89	34.31	6.35	34.50

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29528G	42.50	54.00	-11.50	13.28	3	Horizontal	196	1.50	29.22	39.00	8.80	34.52
PK	12.33192G	54.15	74.00	-19.85	13.31	3	Horizontal	196	1.50	40.84	39.00	8.81	34.50

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30424G	42.50	54.00	-11.50	13.28	3	Horizontal	11	1.02	29.22	39.00	8.80	34.52
PK	12.38632G	53.81	74.00	-20.19	13.37	3	Horizontal	11	1.02	40.44	39.00	8.83	34.46

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	45.98	68.20	-22.22	5.91	3	Vertical	349	2.46	40.07	34.19	6.25	34.53
AV	6.3006G	89.89	Inf	-Inf	6.30	3	Vertical	349	2.46	83.59	34.40	6.39	34.49
PK	5.8398G	56.62	88.20	-31.58	5.67	3	Vertical	349	2.46	50.95	33.98	6.22	34.53
PK	6.3342G	100.52	Inf	-Inf	6.45	3	Vertical	349	2.46	94.07	34.54	6.40	34.49

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	45.96	68.20	-22.24	5.92	3	Horizontal	181	2.77	40.04	34.20	6.25	34.53
AV	6.2922G	81.42	Inf	-Inf	6.29	3	Horizontal	181	2.77	75.13	34.40	6.38	34.49
PK	5.8986G	57.52	88.20	-30.68	5.91	3	Horizontal	181	2.77	51.61	34.19	6.25	34.53
PK	6.3042G	91.32	Inf	-Inf	6.32	3	Horizontal	181	2.77	85.00	34.42	6.39	34.49

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76024G	43.22	68.20	-24.98	14.69	3	Horizontal	343	1.52	28.53	39.68	8.94	33.93
PK	12.71736G	54.61	88.20	-33.59	14.48	3	Horizontal	343	1.52	40.13	39.55	8.93	34.00

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76568G	43.15	68.20	-25.05	14.72	3	Horizontal	283	2.15	28.43	39.70	8.94	33.92
PK	12.7308G	54.70	88.20	-33.50	14.54	3	Horizontal	283	2.15	40.16	39.59	8.93	33.98

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9072G	46.04	68.20	-22.16	5.92	3	Vertical	353	2.47	40.12	34.20	6.25	34.53
AV	6.5344G	88.22	Inf	-Inf	7.50	3	Vertical	353	2.47	80.72	35.48	6.51	34.49
AV	7.198G	48.91	68.20	-19.29	8.98	3	Vertical	353	2.47	39.93	36.99	6.75	34.76
PK	5.8918G	57.28	88.20	-30.92	5.89	3	Vertical	353	2.47	51.39	34.17	6.25	34.53
PK	6.5484G	98.48	Inf	-Inf	7.61	3	Vertical	353	2.47	90.87	35.59	6.52	34.50
PK	7.1924G	59.89	88.20	-28.31	8.96	3	Vertical	353	2.47	50.93	36.97	6.75	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	45.96	68.20	-22.24	5.91	3	Horizontal	179	3.00	40.05	34.19	6.25	34.53
AV	6.4602G	80.94	Inf	-Inf	7.04	3	Horizontal	179	3.00	73.90	35.04	6.47	34.47
AV	7.2036G	49.07	68.20	-19.13	9.00	3	Horizontal	179	3.00	40.07	37.01	6.75	34.76
PK	5.8806G	57.10	88.20	-31.10	5.83	3	Horizontal	179	3.00	51.27	34.12	6.24	34.53
PK	6.4602G	91.00	Inf	-Inf	7.04	3	Horizontal	179	3.00	83.96	35.04	6.47	34.47
PK	7.163G	59.28	88.20	-28.92	8.83	3	Horizontal	179	3.00	50.45	36.85	6.74	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0884G	43.80	68.20	-24.40	15.59	3	Horizontal	57	1.72	28.21	39.92	9.04	33.37
PK	12.9324G	55.51	88.20	-32.69	15.39	3	Horizontal	57	1.72	40.12	40.03	8.99	33.63

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01304G	43.79	68.20	-24.41	15.59	3	Horizontal	192	1.50	28.20	40.07	9.01	33.49
PK	13.05816G	56.09	88.20	-32.11	15.60	3	Horizontal	192	1.50	40.49	39.98	9.03	33.41

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6991G	89.24	Inf	-Inf	7.98	3	Vertical	351	2.34	81.26	36.00	6.56	34.58
AV	7.2106G	49.13	68.20	-19.07	9.01	3	Vertical	351	2.34	40.12	37.02	6.76	34.77
PK	6.709G	99.40	Inf	-Inf	7.99	3	Vertical	351	2.34	91.41	36.00	6.57	34.58
PK	7.1963G	59.60	88.20	-28.60	8.98	3	Vertical	351	2.34	50.62	36.99	6.75	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6375G	81.21	Inf	-Inf	7.97	3	Horizontal	178	2.90	73.24	35.95	6.56	34.54
AV	7.2007G	48.98	68.20	-19.22	8.99	3	Horizontal	178	2.90	39.99	37.00	6.75	34.76
PK	6.6551G	91.98	Inf	-Inf	8.01	3	Horizontal	178	2.90	83.97	36.00	6.56	34.55
PK	7.2029G	59.37	88.20	-28.83	9.00	3	Horizontal	178	2.90	50.37	37.01	6.75	34.76



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39288G	44.08	54.00	-9.92	16.53	3	Horizontal	284	2.37	27.55	40.27	9.13	32.87
PK	13.29064G	55.70	74.00	-18.30	15.98	3	Horizontal	284	2.37	39.72	39.91	9.10	33.03

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39768G	43.97	54.00	-10.03	16.56	3	Horizontal	201	1.50	27.41	40.29	9.13	32.86
PK	13.25448G	55.42	74.00	-18.58	15.95	3	Horizontal	201	1.50	39.47	39.95	9.09	33.09

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7778G	90.81	Inf	-Inf	7.96	3	Vertical	352	2.44	82.85	36.00	6.58	34.62
AV	7.1842G	49.13	68.20	-19.07	8.92	3	Vertical	352	2.44	40.21	36.94	6.74	34.76
PK	6.7762G	101.22	Inf	-Inf	7.96	3	Vertical	352	2.44	93.26	36.00	6.58	34.62
PK	7.2194G	59.69	88.20	-28.51	9.03	3	Vertical	352	2.44	50.66	37.04	6.76	34.77

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7746G	81.78	Inf	-Inf	7.96	3	Horizontal	175	2.96	73.82	36.00	6.58	34.62
AV	7.2082G	49.06	68.20	-19.14	9.02	3	Horizontal	175	2.96	40.04	37.02	6.76	34.76
PK	6.7994G	92.94	Inf	-Inf	7.95	3	Horizontal	175	2.96	84.99	36.00	6.58	34.63
PK	7.1794G	59.54	88.20	-28.66	8.90	3	Horizontal	175	2.96	50.64	36.92	6.74	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5868G	44.67	68.20	-23.53	16.78	3	Horizontal	319	1.50	27.89	40.31	9.19	32.72
PK	13.6996G	56.15	88.20	-32.05	16.65	3	Horizontal	319	1.50	39.50	40.20	9.22	32.77

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.58888G	44.66	68.20	-23.54	16.78	3	Horizontal	360	2.20	27.88	40.31	9.19	32.72
PK	13.67128G	56.21	88.20	-31.99	16.68	3	Horizontal	360	2.20	39.53	40.23	9.21	32.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9335G	86.24	Inf	-Inf	7.92	3	Vertical	17	2.30	78.32	35.97	6.65	34.70
AV	7.128G	51.22	68.20	-16.98	8.63	3	Vertical	17	2.30	42.59	36.67	6.72	34.76
PK	6.9415G	97.14	Inf	-Inf	7.92	3	Vertical	17	2.30	89.22	35.98	6.65	34.71
PK	7.175G	61.95	88.20	-26.25	8.88	3	Vertical	17	2.30	53.07	36.90	6.74	34.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9335G	77.07	Inf	-Inf	7.92	3	Horizontal	177	2.90	69.15	35.97	6.65	34.70
AV	7.2015G	49.20	68.20	-19.00	8.99	3	Horizontal	177	2.90	40.21	37.00	6.75	34.76
PK	7.036G	88.25	Inf	-Inf	8.09	3	Horizontal	177	2.90	80.16	36.14	6.69	34.74
PK	7.172G	61.66	88.20	-26.54	8.87	3	Horizontal	177	2.90	52.79	36.89	6.74	34.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04488G	44.60	68.20	-23.60	16.82	3	Horizontal	167	1.50	27.78	40.43	9.32	32.93
PK	13.998G	56.58	88.20	-31.62	16.73	3	Horizontal	167	1.50	39.85	40.30	9.31	32.88

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04728G	44.56	68.20	-23.64	16.82	3	Horizontal	171	1.66	27.74	40.44	9.32	32.94
PK	13.9588G	56.06	88.20	-32.14	16.66	3	Horizontal	171	1.66	39.40	40.22	9.30	32.86



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	12.37677G	43.63	54.00	-10.37	3	Horizontal	0	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	12.37878G	43.54	54.00	-10.46	3	Vertical	164	2.08
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	AV	12.3132G	43.73	54.00	-10.27	3	Vertical	54	2.84
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	AV	12.31256G	43.75	54.00	-10.25	3	Vertical	6	1.67
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	AV	12.3252G	43.72	54.00	-10.28	3	Horizontal	210	2.83
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	AV	12.31032G	43.70	54.00	-10.30	3	Vertical	245	1.48
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	12.31096G	43.71	54.00	-10.29	3	Horizontal	234	1.72
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	12.31128G	43.76	54.00	-10.24	3	Vertical	42	2.13
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	12.31048G	43.71	54.00	-10.29	3	Horizontal	267	2.16
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	AV	11.9258G	41.76	54.00	-12.24	3	Horizontal	247	2.56
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	AV	11.92502G	41.76	54.00	-12.24	3	Vertical	90	2.76
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	AV	11.92424G	41.97	54.00	-12.03	3	Vertical	347	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	Pass	AV	12.02988G	42.18	54.00	-11.82	3	Vertical	2	2.37
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	Pass	AV	12.0282G	42.20	54.00	-11.80	3	Vertical	270	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	AV	12.02832G	42.23	54.00	-11.77	3	Vertical	170	1.46
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	Pass	AV	12.09944G	42.34	54.00	-11.66	3	Vertical	110	2.09
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	Pass	AV	12.1388G	42.34	54.00	-11.66	3	Horizontal	325	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	AV	12.14456G	42.35	54.00	-11.65	3	Vertical	164	1.26
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	7.1646G	50.71	68.20	-17.49	3	Horizontal	193	2.84
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	7.1736G	50.69	68.20	-17.51	3	Horizontal	174	3.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	AV	7.2066G	50.62	68.20	-17.58	3	Vertical	353	2.38
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	AV	7.1582G	50.61	68.20	-17.59	3	Horizontal	178	2.98
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	AV	7.1702G	50.65	68.20	-17.55	3	Vertical	350	2.37
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	AV	7.215G	50.65	68.20	-17.55	3	Horizontal	177	2.89
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	7.2066G	50.66	68.20	-17.54	3	Vertical	350	2.48
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	7.215G	50.54	68.20	-17.66	3	Horizontal	170	2.96
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	7.1688G	50.49	68.20	-17.71	3	Vertical	1	2.48
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	AV	5.9086G	48.11	68.20	-20.09	3	Horizontal	187	2.46
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	AV	5.9038G	48.12	68.20	-20.08	3	Vertical	22	2.33
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	AV	5.9074G	47.96	68.20	-20.24	3	Horizontal	175	3.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	Pass	AV	7.165G	50.89	68.20	-17.31	3	Horizontal	332	1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	Pass	AV	7.1552G	50.95	68.20	-17.25	3	Vertical	12	2.38
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	AV	7.1636G	50.68	68.20	-17.52	3	Vertical	0	2.36
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	Pass	AV	7.205G	50.52	68.20	-17.68	3	Horizontal	193	3.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	Pass	AV	7.1882G	50.43	68.20	-17.77	3	Horizontal	178	2.39
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	AV	7.205G	50.48	68.20	-17.72	3	Vertical	20	2.45
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	13.39549G	44.83	54.00	-9.17	3	Horizontal	317	2.80
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	13.39546G	45.12	54.00	-8.88	3	Horizontal	138	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	AV	7.175G	50.58	68.20	-17.62	3	Horizontal	325	1.01
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	AV	7.176G	50.65	68.20	-17.55	3	Horizontal	176	2.70
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	AV	7.158G	50.71	68.20	-17.49	3	Vertical	349	2.53
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	AV	7.2182G	50.72	68.20	-17.48	3	Vertical	17	2.52
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	7.2126G	50.71	68.20	-17.49	3	Vertical	354	2.48
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	AV	7.168G	50.67	68.20	-17.53	3	Vertical	21	2.43
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	7.17G	50.68	68.20	-17.52	3	Vertical	18	2.42
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	7.165G	50.55	68.20	-17.65	3	Horizontal	178	2.65
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	7.2182G	50.57	68.20	-17.63	3	Horizontal	175	2.66
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	AV	7.188G	51.05	68.20	-17.15	3	Vertical	1	2.55
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	AV	7.1698G	51.02	68.20	-17.18	3	Vertical	23	2.53
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	AV	7.146G	50.86	68.20	-17.34	3	Vertical	20	2.34
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	AV	7.1322G	50.70	68.20	-17.50	3	Horizontal	332	1.08
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	AV	7.1301G	50.68	68.20	-17.52	3	Horizontal	181	2.60
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	AV	7.1322G	50.59	68.20	-17.61	3	Vertical	348	2.31
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	Pass	AV	7.1954G	50.50	68.20	-17.70	3	Horizontal	328	1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	Pass	AV	7.2234G	50.65	68.20	-17.55	3	Vertical	23	2.36
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	Pass	AV	7.2002G	50.64	68.20	-17.56	3	Vertical	15	2.36
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	7.2417G	50.87	68.20	-17.33	3	Horizontal	324	1.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	7.1715G	50.80	68.20	-17.40	3	Vertical	16	2.31
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	AV	7.1255G	56.49	68.20	-11.71	3	Vertical	347	2.43
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	AV	7.1255G	53.18	68.20	-15.02	3	Vertical	16	2.26
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	AV	7.1255G	55.88	68.20	-12.32	3	Vertical	345	2.39
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	AV	7.1255G	53.10	68.20	-15.10	3	Vertical	10	2.38
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	7.1255G	57.53	68.20	-10.67	3	Vertical	343	1.32
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	AV	7.1255G	54.35	68.20	-13.85	3	Vertical	22	2.02
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	7.1255G	55.03	68.20	-13.17	3	Vertical	346	2.42
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	7.1255G	54.50	68.20	-13.70	3	Vertical	345	2.39
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	7.1255G	58.31	68.20	-9.89	3	Vertical	341	1.34
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	AV	7.2239G	50.94	68.20	-17.26	3	Horizontal	186	2.66
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	AV	7.1996G	50.98	68.20	-17.22	3	Vertical	16	2.32
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	AV	7.2197G	50.86	68.20	-17.34	3	Vertical	344	2.30
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	AV	7.1618G	50.79	68.20	-17.41	3	Vertical	346	2.40
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	AV	7.1717G	50.74	68.20	-17.46	3	Vertical	15	2.35
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	AV	7.175G	50.82	68.20	-17.38	3	Horizontal	183	2.59
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	Pass	AV	7.207G	49.88	68.20	-18.32	3	Vertical	345	2.35
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	Pass	AV	7.201G	49.81	68.20	-18.39	3	Vertical	17	2.38
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	Pass	AV	7.217G	49.83	68.20	-18.37	3	Vertical	346	2.47



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)RU 26.#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.91G	46.89	68.20	-21.31	3	Vertical	341	2.48
5955MHz	Pass	AV	5.9466G	81.61	Inf	-Inf	3	Vertical	341	2.48
5955MHz	Pass	PK	5.8506G	58.79	88.20	-29.41	3	Vertical	341	2.48
5955MHz	Pass	PK	5.9472G	92.54	Inf	-Inf	3	Vertical	341	2.48
5955MHz	Pass	AV	5.9124G	46.92	68.20	-21.28	3	Horizontal	191	2.64
5955MHz	Pass	AV	5.9466G	75.42	Inf	-Inf	3	Horizontal	191	2.64
5955MHz	Pass	PK	5.8644G	58.65	88.20	-29.55	3	Horizontal	191	2.64
5955MHz	Pass	PK	5.9466G	86.34	Inf	-Inf	3	Horizontal	191	2.64
5955MHz	Pass	AV	11.91341G	41.51	54.00	-12.49	3	Vertical	24	1.99
5955MHz	Pass	PK	11.91268G	53.91	74.00	-20.09	3	Vertical	24	1.99
5955MHz	Pass	AV	11.91473G	41.51	54.00	-12.49	3	Horizontal	347	1.55
5955MHz	Pass	PK	11.9121G	54.02	74.00	-19.98	3	Horizontal	347	1.55
6195MHz	Pass	AV	5.90292G	47.81	68.20	-20.39	3	Vertical	345	2.42
6195MHz	Pass	AV	6.18708G	92.11	Inf	-Inf	3	Vertical	345	2.42
6195MHz	Pass	AV	7.15988G	50.62	68.20	-17.58	3	Vertical	345	2.42
6195MHz	Pass	PK	5.89652G	58.89	88.20	-29.31	3	Vertical	345	2.42
6195MHz	Pass	PK	6.18708G	103.23	Inf	-Inf	3	Vertical	345	2.42
6195MHz	Pass	PK	7.14964G	62.04	88.20	-26.16	3	Vertical	345	2.42
6195MHz	Pass	AV	5.89524G	47.86	68.20	-20.34	3	Horizontal	199	2.61
6195MHz	Pass	AV	6.18708G	84.08	Inf	-Inf	3	Horizontal	199	2.61
6195MHz	Pass	AV	7.15476G	50.64	68.20	-17.56	3	Horizontal	199	2.61
6195MHz	Pass	PK	5.90036G	59.45	88.20	-28.75	3	Horizontal	199	2.61
6195MHz	Pass	PK	6.18708G	94.23	Inf	-Inf	3	Horizontal	199	2.61
6195MHz	Pass	PK	7.14964G	61.23	88.20	-26.97	3	Horizontal	199	2.61
6195MHz	Pass	AV	12.37632G	43.56	54.00	-10.44	3	Vertical	189	1.08
6195MHz	Pass	PK	12.39759G	55.54	74.00	-18.46	3	Vertical	189	1.08
6195MHz	Pass	AV	12.37677G	43.63	54.00	-10.37	3	Horizontal	0	1.50
6195MHz	Pass	PK	12.3762G	55.87	74.00	-18.13	3	Horizontal	0	1.50
6415MHz	Pass	AV	5.9074G	47.74	68.20	-20.46	3	Vertical	356	2.52
6415MHz	Pass	AV	6.4066G	86.15	Inf	-Inf	3	Vertical	356	2.52
6415MHz	Pass	PK	5.845G	59.57	88.20	-28.63	3	Vertical	356	2.52
6415MHz	Pass	PK	6.4066G	95.02	Inf	-Inf	3	Vertical	356	2.52
6415MHz	Pass	AV	5.9086G	47.77	68.20	-20.43	3	Horizontal	328	1.06
6415MHz	Pass	AV	6.4066G	76.16	Inf	-Inf	3	Horizontal	328	1.06
6415MHz	Pass	PK	5.8258G	59.38	88.20	-28.82	3	Horizontal	328	1.06
6415MHz	Pass	PK	6.4066G	85.31	Inf	-Inf	3	Horizontal	328	1.06
6415MHz	Pass	AV	12.84251G	44.35	68.20	-23.85	3	Vertical	17	1.80
6415MHz	Pass	PK	12.83351G	56.97	88.20	-31.23	3	Vertical	17	1.80
6415MHz	Pass	AV	12.84182G	44.34	68.20	-23.86	3	Horizontal	277	1.13
6415MHz	Pass	PK	12.84305G	56.89	88.20	-31.31	3	Horizontal	277	1.13
6435MHz	Pass	AV	5.895G	47.79	68.20	-20.41	3	Vertical	354	2.55
6435MHz	Pass	AV	6.4266G	86.72	Inf	-Inf	3	Vertical	354	2.55
6435MHz	Pass	PK	5.8806G	59.55	88.20	-28.65	3	Vertical	354	2.55
6435MHz	Pass	PK	6.4266G	96.74	Inf	-Inf	3	Vertical	354	2.55
6435MHz	Pass	AV	5.8998G	47.76	68.20	-20.44	3	Horizontal	186	2.72
6435MHz	Pass	AV	6.4266G	78.44	Inf	-Inf	3	Horizontal	186	2.72
6435MHz	Pass	PK	5.8806G	59.75	88.20	-28.45	3	Horizontal	186	2.72
6435MHz	Pass	PK	6.4266G	89.14	Inf	-Inf	3	Horizontal	186	2.72
6435MHz	Pass	AV	12.86566G	44.33	68.20	-23.87	3	Vertical	65	2.15
6435MHz	Pass	PK	12.86774G	56.58	88.20	-31.62	3	Vertical	65	2.15
6435MHz	Pass	AV	12.85557G	44.36	68.20	-23.84	3	Horizontal	199	1.50
6435MHz	Pass	PK	12.85587G	56.34	88.20	-31.86	3	Horizontal	199	1.50
6475MHz	Pass	AV	5.8996G	47.74	68.20	-20.46	3	Vertical	352	2.46
6475MHz	Pass	AV	6.4666G	87.38	Inf	-Inf	3	Vertical	352	2.46
6475MHz	Pass	AV	7.1638G	50.61	68.20	-17.59	3	Vertical	352	2.46
6475MHz	Pass	PK	5.8128G	59.09	88.20	-29.11	3	Vertical	352	2.46
6475MHz	Pass	PK	6.4666G	96.71	Inf	-Inf	3	Vertical	352	2.46
6475MHz	Pass	PK	7.1596G	61.65	88.20	-26.55	3	Vertical	352	2.46
6475MHz	Pass	AV	5.8842G	47.70	68.20	-20.50	3	Horizontal	331	1.01
6475MHz	Pass	AV	6.4666G	77.96	Inf	-Inf	3	Horizontal	331	1.01





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	7.1708G	50.62	68.20	-17.58	3	Horizontal	331	1.01
6475MHz	Pass	PK	5.8884G	59.17	88.20	-29.03	3	Horizontal	331	1.01
6475MHz	Pass	PK	6.4666G	88.05	Inf	-Inf	3	Horizontal	331	1.01
6475MHz	Pass	PK	7.1666G	62.74	88.20	-25.46	3	Horizontal	331	1.01
6475MHz	Pass	AV	12.94532G	44.45	68.20	-23.75	3	Vertical	240	1.50
6475MHz	Pass	PK	12.9521G	56.96	88.20	-31.24	3	Vertical	240	1.50
6475MHz	Pass	AV	12.95591G	44.45	68.20	-23.75	3	Horizontal	163	1.08
6475MHz	Pass	PK	12.95438G	56.44	88.20	-31.76	3	Horizontal	163	1.08
6515MHz	Pass	AV	5.9032G	47.83	68.20	-20.37	3	Vertical	348	2.52
6515MHz	Pass	AV	6.5066G	88.94	Inf	-Inf	3	Vertical	348	2.52
6515MHz	Pass	AV	7.2108G	50.64	68.20	-17.56	3	Vertical	348	2.52
6515MHz	Pass	PK	5.906G	59.32	88.20	-28.88	3	Vertical	348	2.52
6515MHz	Pass	PK	6.5066G	97.71	Inf	-Inf	3	Vertical	348	2.52
6515MHz	Pass	PK	7.1562G	61.19	88.20	-27.01	3	Vertical	348	2.52
6515MHz	Pass	AV	5.9004G	47.83	68.20	-20.37	3	Horizontal	193	2.84
6515MHz	Pass	AV	6.5066G	80.35	Inf	-Inf	3	Horizontal	193	2.84
6515MHz	Pass	AV	7.1646G	50.71	68.20	-17.49	3	Horizontal	193	2.84
6515MHz	Pass	PK	5.899G	59.09	88.20	-29.11	3	Horizontal	193	2.84
6515MHz	Pass	PK	6.5066G	88.85	Inf	-Inf	3	Horizontal	193	2.84
6515MHz	Pass	PK	7.1604G	62.37	88.20	-25.83	3	Horizontal	193	2.84
6515MHz	Pass	AV	13.04209G	44.69	68.20	-23.51	3	Vertical	358.1	1.50
6515MHz	Pass	PK	13.03867G	56.95	88.20	-31.25	3	Vertical	358.1	1.50
6515MHz	Pass	AV	13.01761G	44.67	68.20	-23.53	3	Horizontal	265	2.07
6515MHz	Pass	PK	13.02187G	57.17	88.20	-31.03	3	Horizontal	265	2.07
6535MHz	Pass	AV	5.8952G	47.76	68.20	-20.44	3	Vertical	352	2.36
6535MHz	Pass	AV	6.5266G	86.72	Inf	-Inf	3	Vertical	352	2.36
6535MHz	Pass	AV	7.2182G	50.65	68.20	-17.55	3	Vertical	352	2.36
6535MHz	Pass	PK	5.856G	59.16	88.20	-29.04	3	Vertical	352	2.36
6535MHz	Pass	PK	6.5266G	96.28	Inf	-Inf	3	Vertical	352	2.36
6535MHz	Pass	PK	7.1552G	61.85	88.20	-26.35	3	Vertical	352	2.36
6535MHz	Pass	AV	5.9022G	47.77	68.20	-20.43	3	Horizontal	328	1.07
6535MHz	Pass	AV	6.5266G	77.13	Inf	-Inf	3	Horizontal	328	1.07
6535MHz	Pass	AV	7.221G	50.67	68.20	-17.53	3	Horizontal	328	1.07
6535MHz	Pass	PK	5.8882G	58.94	88.20	-29.26	3	Horizontal	328	1.07
6535MHz	Pass	PK	6.5266G	86.01	Inf	-Inf	3	Horizontal	328	1.07
6535MHz	Pass	PK	7.2336G	61.64	88.20	-26.56	3	Horizontal	328	1.07
6535MHz	Pass	AV	13.06847G	44.67	68.20	-23.53	3	Vertical	222	2.89
6535MHz	Pass	PK	13.08266G	57.16	88.20	-31.04	3	Vertical	222	2.89
6535MHz	Pass	AV	13.06424G	44.67	68.20	-23.53	3	Horizontal	316	1.24
6535MHz	Pass	PK	13.06232G	56.92	88.20	-31.28	3	Horizontal	316	1.24
6695MHz	Pass	AV	6.687G	88.07	Inf	-Inf	3	Vertical	345	2.47
6695MHz	Pass	AV	7.187G	50.66	68.20	-17.54	3	Vertical	345	2.47
6695MHz	Pass	PK	6.687G	98.00	Inf	-Inf	3	Vertical	345	2.47
6695MHz	Pass	PK	7.152G	62.15	88.20	-26.05	3	Vertical	345	2.47
6695MHz	Pass	AV	6.687G	79.34	Inf	-Inf	3	Horizontal	328	1.00
6695MHz	Pass	AV	7.192G	50.64	68.20	-17.56	3	Horizontal	328	1.00
6695MHz	Pass	PK	6.686G	88.60	Inf	-Inf	3	Horizontal	328	1.00
6695MHz	Pass	PK	7.169G	61.42	88.20	-26.78	3	Horizontal	328	1.00
6695MHz	Pass	AV	13.39888G	44.82	54.00	-9.18	3	Vertical	120	1.50
6695MHz	Pass	PK	13.3798G	57.33	74.00	-16.67	3	Vertical	120	1.50
6695MHz	Pass	AV	13.39549G	44.83	54.00	-9.17	3	Horizontal	317	2.80
6695MHz	Pass	PK	13.39849G	57.19	74.00	-16.81	3	Horizontal	317	2.80
6895MHz	Pass	AV	6.8866G	81.53	Inf	-Inf	3	Vertical	348	2.53
6895MHz	Pass	AV	7.2233G	50.72	68.20	-17.48	3	Vertical	348	2.53
6895MHz	Pass	PK	6.8866G	92.31	Inf	-Inf	3	Vertical	348	2.53
6895MHz	Pass	PK	7.1344G	61.87	88.20	-26.33	3	Vertical	348	2.53
6895MHz	Pass	AV	6.8866G	71.44	Inf	-Inf	3	Horizontal	326	1.12
6895MHz	Pass	AV	7.2338G	50.85	68.20	-17.35	3	Horizontal	326	1.12
6895MHz	Pass	PK	6.8866G	81.09	Inf	-Inf	3	Horizontal	326	1.12
6895MHz	Pass	PK	7.2366G	62.18	88.20	-26.02	3	Horizontal	326	1.12
6895MHz	Pass	AV	13.8002G	45.48	68.20	-22.72	3	Vertical	360	1.50
6895MHz	Pass	PK	13.80404G	58.84	88.20	-29.36	3	Vertical	360	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6895MHz	Pass	AV	13.80227G	45.47	68.20	-22.73	3	Horizontal	249	2.04
6895MHz	Pass	PK	13.7756G	57.37	88.20	-30.83	3	Horizontal	249	2.04
6995MHz	Pass	AV	6.9865G	80.86	Inf	-Inf	3	Vertical	347	2.26
6995MHz	Pass	AV	7.2085G	50.79	68.20	-17.41	3	Vertical	347	2.26
6995MHz	Pass	PK	6.9865G	91.90	Inf	-Inf	3	Vertical	347	2.26
6995MHz	Pass	PK	7.1655G	62.78	88.20	-25.42	3	Vertical	347	2.26
6995MHz	Pass	AV	6.9865G	72.33	Inf	-Inf	3	Horizontal	326	1.00
6995MHz	Pass	AV	7.2245G	50.78	68.20	-17.42	3	Horizontal	326	1.00
6995MHz	Pass	PK	6.986G	83.24	Inf	-Inf	3	Horizontal	326	1.00
6995MHz	Pass	PK	7.2G	62.61	88.20	-25.59	3	Horizontal	326	1.00
6995MHz	Pass	AV	14.0041G	45.91	68.20	-22.29	3	Vertical	196	1.00
6995MHz	Pass	PK	13.97734G	58.18	88.20	-30.02	3	Vertical	196	1.00
6995MHz	Pass	AV	14.00488G	45.89	68.20	-22.31	3	Horizontal	330	1.50
6995MHz	Pass	PK	13.99513G	58.41	88.20	-29.79	3	Horizontal	330	1.50
7095MHz	Pass	AV	7.0866G	85.12	Inf	-Inf	3	Vertical	344	2.48
7095MHz	Pass	AV	7.2363G	50.82	68.20	-17.38	3	Vertical	344	2.48
7095MHz	Pass	PK	7.0869G	97.59	Inf	-Inf	3	Vertical	344	2.48
7095MHz	Pass	PK	7.215G	62.73	88.20	-25.47	3	Vertical	344	2.48
7095MHz	Pass	AV	7.0866G	76.02	Inf	-Inf	3	Horizontal	324	1.00
7095MHz	Pass	AV	7.2417G	50.87	68.20	-17.33	3	Horizontal	324	1.00
7095MHz	Pass	PK	7.0866G	86.93	Inf	-Inf	3	Horizontal	324	1.00
7095MHz	Pass	PK	7.1991G	62.90	88.20	-25.30	3	Horizontal	324	1.00
7095MHz	Pass	AV	14.20088G	46.10	68.20	-22.10	3	Vertical	58	1.50
7095MHz	Pass	PK	14.19974G	58.28	88.20	-29.92	3	Vertical	58	1.50
7095MHz	Pass	AV	14.2009G	46.10	68.20	-22.10	3	Horizontal	73	1.50
7095MHz	Pass	PK	14.19084G	58.23	88.20	-29.97	3	Horizontal	73	1.50
7115MHz										
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9055G	46.84	68.20	-21.36	3	Vertical	15	2.52
5955MHz	Pass	AV	5.9469G	82.98	Inf	-Inf	3	Vertical	15	2.52
5955MHz	Pass	PK	5.9196G	58.26	88.20	-29.94	3	Vertical	15	2.52
5955MHz	Pass	PK	5.9469G	93.79	Inf	-Inf	3	Vertical	15	2.52
5955MHz	Pass	AV	5.916G	46.87	68.20	-21.33	3	Horizontal	179	2.89
5955MHz	Pass	AV	5.9469G	75.85	Inf	-Inf	3	Horizontal	179	2.89
5955MHz	Pass	PK	5.9205G	58.44	88.20	-29.76	3	Horizontal	179	2.89
5955MHz	Pass	PK	5.9469G	86.56	Inf	-Inf	3	Horizontal	179	2.89
5955MHz	Pass	AV	11.91023G	41.52	54.00	-12.48	3	Vertical	341	1.82
5955MHz	Pass	PK	11.90944G	53.63	74.00	-20.37	3	Vertical	341	1.82
5955MHz	Pass	AV	11.9106G	41.50	54.00	-12.50	3	Horizontal	302	2.22
5955MHz	Pass	PK	11.9094G	54.21	74.00	-19.79	3	Horizontal	302	2.22
6195MHz	Pass	AV	5.89396G	47.85	68.20	-20.35	3	Vertical	14	2.58
6195MHz	Pass	AV	6.18708G	83.80	Inf	-Inf	3	Vertical	14	2.58
6195MHz	Pass	AV	7.1586G	50.63	68.20	-17.57	3	Vertical	14	2.58
6195MHz	Pass	PK	5.92468G	59.12	88.20	-29.08	3	Vertical	14	2.58
6195MHz	Pass	PK	6.1858G	93.50	Inf	-Inf	3	Vertical	14	2.58
6195MHz	Pass	PK	7.1522G	61.50	88.20	-26.70	3	Vertical	14	2.58
6195MHz	Pass	AV	5.90292G	47.88	68.20	-20.32	3	Horizontal	174	2.89
6195MHz	Pass	AV	6.18708G	76.96	Inf	-Inf	3	Horizontal	174	2.89
6195MHz	Pass	AV	7.165G	50.66	68.20	-17.54	3	Horizontal	174	2.89
6195MHz	Pass	PK	5.91316G	58.63	88.20	-29.57	3	Horizontal	174	2.89
6195MHz	Pass	PK	6.18708G	87.41	Inf	-Inf	3	Horizontal	174	2.89
6195MHz	Pass	PK	7.14964G	61.42	88.20	-26.78	3	Horizontal	174	2.89
6195MHz	Pass	AV	12.37878G	43.54	54.00	-10.46	3	Vertical	164	2.08
6195MHz	Pass	PK	12.38109G	55.57	74.00	-18.43	3	Vertical	164	2.08
6195MHz	Pass	AV	12.37509G	43.46	54.00	-10.54	3	Horizontal	195	2.07
6195MHz	Pass	PK	12.38391G	55.51	74.00	-18.49	3	Horizontal	195	2.07
6415MHz	Pass	AV	5.9026G	47.78	68.20	-20.42	3	Vertical	21	2.38
6415MHz	Pass	AV	6.4066G	86.54	Inf	-Inf	3	Vertical	21	2.38
6415MHz	Pass	PK	5.9014G	59.53	88.20	-28.67	3	Vertical	21	2.38
6415MHz	Pass	PK	6.4066G	96.53	Inf	-Inf	3	Vertical	21	2.38
6415MHz	Pass	AV	5.8966G	47.77	68.20	-20.43	3	Horizontal	173	2.85
6415MHz	Pass	AV	6.4066G	79.50	Inf	-Inf	3	Horizontal	173	2.85



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6415MHz	Pass	PK	5.9182G	59.79	88.20	-28.41	3	Horizontal	173	2.85
6415MHz	Pass	PK	6.4066G	89.50	Inf	-Inf	3	Horizontal	173	2.85
6415MHz	Pass	AV	12.84347G	44.29	68.20	-23.91	3	Vertical	145	1.50
6415MHz	Pass	PK	12.84428G	56.26	88.20	-31.94	3	Vertical	145	1.50
6415MHz	Pass	AV	12.83702G	44.29	68.20	-23.91	3	Horizontal	293	1.46
6415MHz	Pass	PK	12.8381G	56.69	88.20	-31.51	3	Horizontal	293	1.46
6435MHz	Pass	AV	5.9094G	47.82	68.20	-20.38	3	Vertical	12	2.37
6435MHz	Pass	AV	6.4266G	86.56	Inf	-Inf	3	Vertical	12	2.37
6435MHz	Pass	PK	5.8926G	59.91	88.20	-28.29	3	Vertical	12	2.37
6435MHz	Pass	PK	6.4266G	96.78	Inf	-Inf	3	Vertical	12	2.37
6435MHz	Pass	AV	5.8998G	47.80	68.20	-20.40	3	Horizontal	166	3.00
6435MHz	Pass	AV	6.4266G	79.19	Inf	-Inf	3	Horizontal	166	3.00
6435MHz	Pass	PK	5.8818G	59.31	88.20	-28.89	3	Horizontal	166	3.00
6435MHz	Pass	PK	6.4266G	89.25	Inf	-Inf	3	Horizontal	166	3.00
6435MHz	Pass	AV	12.85524G	44.33	68.20	-23.87	3	Vertical	3	1.27
6435MHz	Pass	PK	12.8721G	56.94	88.20	-31.26	3	Vertical	3	1.27
6435MHz	Pass	AV	12.85557G	44.35	68.20	-23.85	3	Horizontal	336.1	1.50
6435MHz	Pass	PK	12.88479G	56.81	88.20	-31.39	3	Horizontal	336.1	1.50
6475MHz	Pass	AV	5.9108G	47.77	68.20	-20.43	3	Vertical	17	2.48
6475MHz	Pass	AV	6.4666G	87.82	Inf	-Inf	3	Vertical	17	2.48
6475MHz	Pass	AV	7.1554G	50.61	68.20	-17.59	3	Vertical	17	2.48
6475MHz	Pass	PK	5.9164G	59.14	88.20	-29.06	3	Vertical	17	2.48
6475MHz	Pass	PK	6.4666G	99.18	Inf	-Inf	3	Vertical	17	2.48
6475MHz	Pass	PK	7.175G	61.58	88.20	-26.62	3	Vertical	17	2.48
6475MHz	Pass	AV	5.8996G	47.77	68.20	-20.43	3	Horizontal	174	3.00
6475MHz	Pass	AV	6.4666G	80.22	Inf	-Inf	3	Horizontal	174	3.00
6475MHz	Pass	AV	7.1736G	50.69	68.20	-17.51	3	Horizontal	174	3.00
6475MHz	Pass	PK	5.8884G	59.41	88.20	-28.79	3	Horizontal	174	3.00
6475MHz	Pass	PK	6.4666G	90.13	Inf	-Inf	3	Horizontal	174	3.00
6475MHz	Pass	PK	7.1274G	61.29	88.20	-26.91	3	Horizontal	174	3.00
6475MHz	Pass	AV	12.9569G	44.43	68.20	-23.77	3	Vertical	100	1.50
6475MHz	Pass	PK	12.94364G	57.62	88.20	-30.58	3	Vertical	100	1.50
6475MHz	Pass	AV	12.95582G	44.43	68.20	-23.77	3	Horizontal	332	1.50
6475MHz	Pass	PK	12.94253G	56.96	88.20	-31.24	3	Horizontal	332	1.50
6515MHz	Pass	AV	5.9018G	47.75	68.20	-20.45	3	Vertical	16	2.43
6515MHz	Pass	AV	6.5066G	90.29	Inf	-Inf	3	Vertical	16	2.43
6515MHz	Pass	AV	7.166G	50.65	68.20	-17.55	3	Vertical	16	2.43
6515MHz	Pass	PK	5.9186G	59.24	88.20	-28.96	3	Vertical	16	2.43
6515MHz	Pass	PK	6.5066G	100.19	Inf	-Inf	3	Vertical	16	2.43
6515MHz	Pass	PK	7.208G	62.46	88.20	-25.74	3	Vertical	16	2.43
6515MHz	Pass	AV	5.8864G	47.81	68.20	-20.39	3	Horizontal	175	2.92
6515MHz	Pass	AV	6.5066G	82.52	Inf	-Inf	3	Horizontal	175	2.92
6515MHz	Pass	AV	7.1744G	50.64	68.20	-17.56	3	Horizontal	175	2.92
6515MHz	Pass	PK	5.822G	59.08	88.20	-29.12	3	Horizontal	175	2.92
6515MHz	Pass	PK	6.5066G	92.55	Inf	-Inf	3	Horizontal	175	2.92
6515MHz	Pass	PK	7.194G	62.21	88.20	-25.99	3	Horizontal	175	2.92
6515MHz	Pass	AV	13.04311G	44.51	68.20	-23.69	3	Vertical	359	1.48
6515MHz	Pass	PK	13.04479G	56.50	88.20	-31.70	3	Vertical	359	1.48
6515MHz	Pass	AV	13.0153G	44.50	68.20	-23.70	3	Horizontal	358	2.34
6515MHz	Pass	PK	13.02139G	56.48	88.20	-31.72	3	Horizontal	358	2.34
6535MHz	Pass	AV	5.9106G	47.88	68.20	-20.32	3	Vertical	16	2.42
6535MHz	Pass	AV	6.5266G	88.80	Inf	-Inf	3	Vertical	16	2.42
6535MHz	Pass	AV	7.2196G	50.73	68.20	-17.47	3	Vertical	16	2.42
6535MHz	Pass	PK	5.9218G	59.50	88.20	-28.70	3	Vertical	16	2.42
6535MHz	Pass	PK	6.5266G	99.93	Inf	-Inf	3	Vertical	16	2.42
6535MHz	Pass	PK	7.1972G	63.81	88.20	-24.39	3	Vertical	16	2.42
6535MHz	Pass	AV	5.8994G	47.82	68.20	-20.38	3	Horizontal	174	3.00
6535MHz	Pass	AV	6.5266G	81.14	Inf	-Inf	3	Horizontal	174	3.00
6535MHz	Pass	AV	7.2G	50.67	68.20	-17.53	3	Horizontal	174	3.00
6535MHz	Pass	PK	5.8812G	59.04	88.20	-29.16	3	Horizontal	174	3.00
6535MHz	Pass	PK	6.5266G	90.25	Inf	-Inf	3	Horizontal	174	3.00
6535MHz	Pass	PK	7.1566G	62.08	88.20	-26.12	3	Horizontal	174	3.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6535MHz	Pass	AV	13.06121G	44.65	68.20	-23.55	3	Vertical	165	1.50
6535MHz	Pass	PK	13.064G	57.18	88.20	-31.02	3	Vertical	165	1.50
6535MHz	Pass	AV	13.06571G	44.67	68.20	-23.53	3	Horizontal	163	1.55
6535MHz	Pass	PK	13.07576G	56.97	88.20	-31.23	3	Horizontal	163	1.55
6695MHz	Pass	AV	6.687G	88.23	Inf	-Inf	3	Vertical	24	2.46
6695MHz	Pass	AV	7.174G	50.61	68.20	-17.59	3	Vertical	24	2.46
6695MHz	Pass	PK	6.687G	98.45	Inf	-Inf	3	Vertical	24	2.46
6695MHz	Pass	PK	7.14G	61.98	88.20	-26.22	3	Vertical	24	2.46
6695MHz	Pass	AV	6.687G	80.33	Inf	-Inf	3	Horizontal	177	2.83
6695MHz	Pass	AV	7.184G	50.58	68.20	-17.62	3	Horizontal	177	2.83
6695MHz	Pass	PK	6.687G	91.22	Inf	-Inf	3	Horizontal	177	2.83
6695MHz	Pass	PK	7.142G	61.27	88.20	-26.93	3	Horizontal	177	2.83
6695MHz	Pass	AV	13.39357G	45.08	54.00	-8.92	3	Vertical	40	1.50
6695MHz	Pass	PK	13.40104G	57.21	88.20	-30.99	3	Vertical	40	1.50
6695MHz	Pass	AV	13.39546G	45.12	54.00	-8.88	3	Horizontal	138	1.50
6695MHz	Pass	PK	13.38724G	57.60	74.00	-16.40	3	Horizontal	138	1.50
6895MHz	Pass	AV	6.8866G	87.79	Inf	-Inf	3	Vertical	16	2.31
6895MHz	Pass	AV	7.1715G	50.80	68.20	-17.40	3	Vertical	16	2.31
6895MHz	Pass	PK	6.8866G	98.57	Inf	-Inf	3	Vertical	16	2.31
6895MHz	Pass	PK	7.2058G	62.01	88.20	-26.19	3	Vertical	16	2.31
6895MHz	Pass	AV	6.8866G	80.08	Inf	-Inf	3	Horizontal	173	2.62
6895MHz	Pass	AV	7.2009G	50.69	68.20	-17.51	3	Horizontal	173	2.62
6895MHz	Pass	PK	6.8859G	90.37	Inf	-Inf	3	Horizontal	173	2.62
6895MHz	Pass	PK	7.1379G	61.71	88.20	-26.49	3	Horizontal	173	2.62
6895MHz	Pass	AV	13.80188G	45.74	68.20	-22.46	3	Vertical	263	2.73
6895MHz	Pass	PK	13.79256G	58.40	88.20	-29.80	3	Vertical	263	2.73
6895MHz	Pass	AV	13.80152G	45.73	68.20	-22.47	3	Horizontal	205	1.10
6895MHz	Pass	PK	13.79144G	58.01	88.20	-30.19	3	Horizontal	205	1.10
6995MHz	Pass	AV	6.9865G	84.47	Inf	-Inf	3	Vertical	25	2.53
6995MHz	Pass	AV	7.168G	50.74	68.20	-17.46	3	Vertical	25	2.53
6995MHz	Pass	PK	6.987G	96.08	Inf	-Inf	3	Vertical	25	2.53
6995MHz	Pass	PK	7.236G	62.46	88.20	-25.74	3	Vertical	25	2.53
6995MHz	Pass	AV	6.9865G	76.54	Inf	-Inf	3	Horizontal	174	2.90
6995MHz	Pass	AV	7.228G	50.74	68.20	-17.46	3	Horizontal	174	2.90
6995MHz	Pass	PK	6.9865G	88.14	Inf	-Inf	3	Horizontal	174	2.90
6995MHz	Pass	PK	7.2315G	62.28	88.20	-25.92	3	Horizontal	174	2.90
6995MHz	Pass	AV	14.00335G	46.11	68.20	-22.09	3	Vertical	194	1.80
6995MHz	Pass	PK	13.97908G	58.34	88.20	-29.86	3	Vertical	194	1.80
6995MHz	Pass	AV	14.00338G	46.11	68.20	-22.09	3	Horizontal	269	1.50
6995MHz	Pass	PK	13.9867G	58.51	88.20	-29.69	3	Horizontal	269	1.50
7095MHz	Pass	AV	7.0866G	81.11	Inf	-Inf	3	Vertical	19	2.38
7095MHz	Pass	AV	7.2351G	50.68	68.20	-17.52	3	Vertical	19	2.38
7095MHz	Pass	PK	7.0866G	92.90	Inf	-Inf	3	Vertical	19	2.38
7095MHz	Pass	PK	7.2345G	63.26	88.20	-24.94	3	Vertical	19	2.38
7095MHz	Pass	AV	7.0869G	70.85	Inf	-Inf	3	Horizontal	38	1.05
7095MHz	Pass	AV	7.233G	50.72	68.20	-17.48	3	Horizontal	38	1.05
7095MHz	Pass	PK	7.0866G	82.22	Inf	-Inf	3	Horizontal	38	1.05
7095MHz	Pass	PK	7.2432G	62.79	88.20	-25.41	3	Horizontal	38	1.05
7095MHz	Pass	AV	14.20137G	46.36	68.20	-21.84	3	Vertical	1	1.50
7095MHz	Pass	PK	14.17551G	58.65	88.20	-29.55	3	Vertical	1	1.50
7095MHz	Pass	AV	14.20092G	46.37	68.20	-21.83	3	Horizontal	340	1.50
7095MHz	Pass	PK	14.2001G	58.63	88.20	-29.57	3	Horizontal	340	1.50
7115MHz										
802.11ax HEW20_Nss1_(MCS0)RU 26#RU 0_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8956G	46.29	68.20	-21.91	3	Vertical	355	2.40
5955MHz	Pass	AV	5.9469G	80.81	Inf	-Inf	3	Vertical	355	2.40
5955MHz	Pass	PK	5.9052G	58.94	88.20	-29.26	3	Vertical	355	2.40
5955MHz	Pass	PK	5.9466G	91.10	Inf	-Inf	3	Vertical	355	2.40
5955MHz	Pass	AV	5.874G	46.30	68.20	-21.90	3	Horizontal	174	3.00
5955MHz	Pass	AV	5.9469G	74.11	Inf	-Inf	3	Horizontal	174	3.00
5955MHz	Pass	PK	5.8788G	58.07	88.20	-30.13	3	Horizontal	174	3.00
5955MHz	Pass	PK	5.9463G	84.67	Inf	-Inf	3	Horizontal	174	3.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5955MHz	Pass	AV	11.91463G	41.78	54.00	-12.22	3	Vertical	97	2.38
5955MHz	Pass	PK	11.90647G	54.58	74.00	-19.42	3	Vertical	97	2.38
5955MHz	Pass	AV	11.913G	41.75	54.00	-12.25	3	Horizontal	53	1.80
5955MHz	Pass	PK	11.90611G	54.35	74.00	-19.65	3	Horizontal	53	1.80
6195MHz	Pass	AV	5.8978G	47.83	68.20	-20.37	3	Vertical	346	2.41
6195MHz	Pass	AV	6.18708G	89.40	Inf	-Inf	3	Vertical	346	2.41
6195MHz	Pass	AV	7.16372G	50.62	68.20	-17.58	3	Vertical	346	2.41
6195MHz	Pass	PK	5.91828G	59.35	88.20	-28.85	3	Vertical	346	2.41
6195MHz	Pass	PK	6.18708G	100.78	Inf	-Inf	3	Vertical	346	2.41
6195MHz	Pass	PK	7.16116G	61.65	88.20	-26.55	3	Vertical	346	2.41
6195MHz	Pass	AV	5.90036G	47.82	68.20	-20.38	3	Horizontal	182	2.76
6195MHz	Pass	AV	6.18708G	82.08	Inf	-Inf	3	Horizontal	182	2.76
6195MHz	Pass	AV	7.165G	50.68	68.20	-17.52	3	Horizontal	182	2.76
6195MHz	Pass	PK	5.91828G	59.74	88.20	-28.46	3	Horizontal	182	2.76
6195MHz	Pass	PK	6.18708G	92.10	Inf	-Inf	3	Horizontal	182	2.76
6195MHz	Pass	PK	7.14452G	62.00	88.20	-26.20	3	Horizontal	182	2.76
6195MHz	Pass	AV	12.32008G	43.70	54.00	-10.30	3	Vertical	97	2.25
6195MHz	Pass	PK	12.31944G	54.58	74.00	-19.42	3	Vertical	97	2.25
6195MHz	Pass	AV	12.31096G	43.71	54.00	-10.29	3	Horizontal	234	1.72
6195MHz	Pass	PK	12.32616G	54.97	74.00	-19.03	3	Horizontal	234	1.72
6415MHz	Pass	AV	5.8966G	47.79	68.20	-20.41	3	Vertical	11	2.37
6415MHz	Pass	AV	6.4066G	86.51	Inf	-Inf	3	Vertical	11	2.37
6415MHz	Pass	PK	5.8258G	59.48	88.20	-28.72	3	Vertical	11	2.37
6415MHz	Pass	PK	6.4066G	97.29	Inf	-Inf	3	Vertical	11	2.37
6415MHz	Pass	AV	5.9062G	47.83	68.20	-20.37	3	Horizontal	176	3.00
6415MHz	Pass	AV	6.4066G	79.03	Inf	-Inf	3	Horizontal	176	3.00
6415MHz	Pass	PK	5.8858G	59.80	88.20	-28.40	3	Horizontal	176	3.00
6415MHz	Pass	PK	6.4066G	89.27	Inf	-Inf	3	Horizontal	176	3.00
6415MHz	Pass	AV	12.89096G	44.55	68.20	-23.65	3	Vertical	211	2.28
6415MHz	Pass	PK	12.90696G	55.74	88.20	-32.46	3	Vertical	211	2.28
6415MHz	Pass	AV	12.89576G	44.34	68.20	-23.86	3	Horizontal	186	1.82
6415MHz	Pass	PK	12.89432G	56.03	88.20	-32.17	3	Horizontal	186	1.82
6435MHz	Pass	AV	5.901G	47.77	68.20	-20.43	3	Vertical	351	2.41
6435MHz	Pass	AV	6.4266G	87.93	Inf	-Inf	3	Vertical	351	2.41
6435MHz	Pass	PK	5.8674G	59.99	88.20	-28.21	3	Vertical	351	2.41
6435MHz	Pass	PK	6.4266G	96.40	Inf	-Inf	3	Vertical	351	2.41
6435MHz	Pass	AV	5.8998G	47.87	68.20	-20.33	3	Horizontal	182	2.73
6435MHz	Pass	AV	6.4266G	79.70	Inf	-Inf	3	Horizontal	182	2.73
6435MHz	Pass	PK	5.8878G	59.41	88.20	-28.79	3	Horizontal	182	2.73
6435MHz	Pass	PK	6.4266G	88.92	Inf	-Inf	3	Horizontal	182	2.73
6435MHz	Pass	AV	12.92616G	44.55	68.20	-23.65	3	Vertical	51	2.46
6435MHz	Pass	PK	12.90352G	56.61	88.20	-31.59	3	Vertical	51	2.46
6435MHz	Pass	AV	12.94056G	44.56	68.20	-23.64	3	Horizontal	105	1.74
6435MHz	Pass	PK	12.9428G	56.02	88.20	-32.18	3	Horizontal	105	1.74
6475MHz	Pass	AV	5.8884G	47.71	68.20	-20.49	3	Vertical	5	2.41
6475MHz	Pass	AV	6.4666G	88.08	Inf	-Inf	3	Vertical	5	2.41
6475MHz	Pass	AV	7.1708G	50.64	68.20	-17.56	3	Vertical	5	2.41
6475MHz	Pass	PK	5.8954G	59.23	88.20	-28.97	3	Vertical	5	2.41
6475MHz	Pass	PK	6.4666G	97.68	Inf	-Inf	3	Vertical	5	2.41
6475MHz	Pass	PK	7.1302G	61.86	88.20	-26.34	3	Vertical	5	2.41
6475MHz	Pass	AV	5.8996G	47.73	68.20	-20.47	3	Horizontal	176	2.98
6475MHz	Pass	AV	6.4666G	80.35	Inf	-Inf	3	Horizontal	176	2.98
6475MHz	Pass	AV	7.1624G	50.62	68.20	-17.58	3	Horizontal	176	2.98
6475MHz	Pass	PK	5.8618G	59.08	88.20	-29.12	3	Horizontal	176	2.98
6475MHz	Pass	PK	6.4666G	90.28	Inf	-Inf	3	Horizontal	176	2.98
6475MHz	Pass	PK	7.1708G	61.74	88.20	-26.46	3	Horizontal	176	2.98
6475MHz	Pass	AV	13.01896G	44.59	68.20	-23.61	3	Vertical	294	2.65
6475MHz	Pass	PK	12.99568G	56.55	88.20	-31.65	3	Vertical	294	2.65
6475MHz	Pass	AV	13.00664G	44.62	68.20	-23.58	3	Horizontal	76	1.60
6475MHz	Pass	PK	12.99504G	55.28	88.20	-32.92	3	Horizontal	76	1.60
6515MHz	Pass	AV	5.9116G	47.76	68.20	-20.44	3	Vertical	350	2.48
6515MHz	Pass	AV	6.5066G	88.90	Inf	-Inf	3	Vertical	350	2.48



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6515MHz	Pass	AV	7.2066G	50.66	68.20	-17.54	3	Vertical	350	2.48
6515MHz	Pass	PK	5.8752G	59.54	88.20	-28.66	3	Vertical	350	2.48
6515MHz	Pass	PK	6.5066G	98.06	Inf	-Inf	3	Vertical	350	2.48
6515MHz	Pass	PK	7.159G	62.31	88.20	-25.89	3	Vertical	350	2.48
6515MHz	Pass	AV	5.9088G	47.79	68.20	-20.41	3	Horizontal	181	2.40
6515MHz	Pass	AV	6.5066G	80.34	Inf	-Inf	3	Horizontal	181	2.40
6515MHz	Pass	AV	7.2122G	50.64	68.20	-17.56	3	Horizontal	181	2.40
6515MHz	Pass	PK	5.822G	59.06	88.20	-29.14	3	Horizontal	181	2.40
6515MHz	Pass	PK	6.5066G	89.11	Inf	-Inf	3	Horizontal	181	2.40
6515MHz	Pass	PK	7.2052G	61.81	88.20	-26.39	3	Horizontal	181	2.40
6515MHz	Pass	AV	13.10776G	44.84	68.20	-23.36	3	Vertical	81	2.43
6515MHz	Pass	PK	13.09736G	56.43	88.20	-31.77	3	Vertical	81	2.43
6515MHz	Pass	AV	13.10936G	44.81	68.20	-23.39	3	Horizontal	52	1.87
6515MHz	Pass	PK	13.07096G	55.64	88.20	-32.56	3	Horizontal	52	1.87
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9064G	47.67	68.20	-20.53	3	Vertical	348	2.37
6535MHz	Pass	AV	6.5434G	88.09	Inf	-Inf	3	Vertical	348	2.37
6535MHz	Pass	AV	7.2G	50.47	68.20	-17.73	3	Vertical	348	2.37
6535MHz	Pass	PK	5.9218G	58.95	88.20	-29.25	3	Vertical	348	2.37
6535MHz	Pass	PK	6.5434G	99.79	Inf	-Inf	3	Vertical	348	2.37
6535MHz	Pass	PK	7.1944G	61.55	88.20	-26.65	3	Vertical	348	2.37
6535MHz	Pass	AV	5.9092G	47.69	68.20	-20.51	3	Horizontal	189	2.52
6535MHz	Pass	AV	6.5434G	79.66	Inf	-Inf	3	Horizontal	189	2.52
6535MHz	Pass	AV	7.1734G	50.49	68.20	-17.71	3	Horizontal	189	2.52
6535MHz	Pass	PK	5.8434G	58.92	88.20	-29.28	3	Horizontal	189	2.52
6535MHz	Pass	PK	6.542G	88.56	Inf	-Inf	3	Horizontal	189	2.52
6535MHz	Pass	PK	7.1958G	61.61	88.20	-26.59	3	Horizontal	189	2.52
6535MHz	Pass	AV	13.1196G	44.87	68.20	-23.33	3	Vertical	41	1.21
6535MHz	Pass	PK	13.07512G	55.53	88.20	-32.67	3	Vertical	41	1.21
6535MHz	Pass	AV	13.11976G	44.86	68.20	-23.34	3	Horizontal	309	2.50
6535MHz	Pass	PK	13.11916G	56.52	88.20	-31.68	3	Horizontal	309	2.50
6695MHz	Pass	AV	6.703G	88.06	Inf	-Inf	3	Vertical	345	2.50
6695MHz	Pass	AV	7.164G	50.48	68.20	-17.72	3	Vertical	345	2.50
6695MHz	Pass	PK	6.704G	97.66	Inf	-Inf	3	Vertical	345	2.50
6695MHz	Pass	PK	7.15G	62.01	88.20	-26.19	3	Vertical	345	2.50
6695MHz	Pass	AV	6.703G	78.94	Inf	-Inf	3	Horizontal	325	1.01
6695MHz	Pass	AV	7.175G	50.58	68.20	-17.62	3	Horizontal	325	1.01
6695MHz	Pass	PK	6.703G	89.91	Inf	-Inf	3	Horizontal	325	1.01
6695MHz	Pass	PK	7.176G	61.76	88.20	-26.44	3	Horizontal	325	1.01
6695MHz	Pass	AV	13.45096G	45.21	68.20	-22.99	3	Vertical	219	2.75
6695MHz	Pass	PK	13.44184G	56.03	88.20	-32.17	3	Vertical	219	2.75
6695MHz	Pass	AV	13.46216G	45.22	68.20	-22.98	3	Horizontal	36	2.08
6695MHz	Pass	PK	13.46664G	56.15	88.20	-32.05	3	Horizontal	36	2.08
6895MHz	Pass	AV	6.9034G	80.47	Inf	-Inf	3	Vertical	360	2.38
6895MHz	Pass	AV	7.1988G	50.63	68.20	-17.57	3	Vertical	360	2.38
6895MHz	Pass	PK	6.9027G	92.02	Inf	-Inf	3	Vertical	360	2.38
6895MHz	Pass	PK	7.1736G	62.66	88.20	-25.54	3	Vertical	360	2.38
6895MHz	Pass	AV	6.9034G	70.09	Inf	-Inf	3	Horizontal	331	1.04
6895MHz	Pass	AV	7.1701G	50.57	68.20	-17.63	3	Horizontal	331	1.04
6895MHz	Pass	PK	6.9027G	81.04	Inf	-Inf	3	Horizontal	331	1.04
6895MHz	Pass	PK	7.1911G	62.96	88.20	-25.24	3	Horizontal	331	1.04
6895MHz	Pass	AV	13.7132G	45.73	68.20	-22.47	3	Vertical	163	2.62
6895MHz	Pass	PK	13.71208G	57.12	88.20	-31.08	3	Vertical	163	2.62
6895MHz	Pass	AV	13.84024G	45.75	68.20	-22.45	3	Horizontal	173	2.47
6895MHz	Pass	PK	13.82976G	56.46	88.20	-31.74	3	Horizontal	173	2.47
6995MHz	Pass	AV	7.003G	80.64	Inf	-Inf	3	Vertical	0	2.47
6995MHz	Pass	AV	7.229G	50.62	68.20	-17.58	3	Vertical	0	2.47
6995MHz	Pass	PK	7.0035G	92.61	Inf	-Inf	3	Vertical	0	2.47
6995MHz	Pass	PK	7.139G	62.91	88.20	-25.29	3	Vertical	0	2.47
6995MHz	Pass	AV	7.0035G	71.43	Inf	-Inf	3	Horizontal	328	1.00
6995MHz	Pass	AV	7.2105G	50.61	68.20	-17.59	3	Horizontal	328	1.00
6995MHz	Pass	PK	7.0035G	82.37	Inf	-Inf	3	Horizontal	328	1.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz	Pass	PK	7.234G	62.31	88.20	-25.89	3	Horizontal	328	1.00
6995MHz	Pass	AV	14.0652G	46.29	68.20	-21.91	3	Vertical	283	1.32
6995MHz	Pass	PK	14.06056G	57.02	88.20	-31.18	3	Vertical	283	1.32
6995MHz	Pass	AV	14.0028G	46.32	68.20	-21.88	3	Horizontal	46	1.46
6995MHz	Pass	PK	13.99192G	57.55	88.20	-30.65	3	Horizontal	46	1.46
7095MHz	Pass	AV	7.1034G	85.50	Inf	-Inf	3	Vertical	346	2.35
7095MHz	Pass	AV	7.1619G	50.65	68.20	-17.55	3	Vertical	346	2.35
7095MHz	Pass	PK	7.1028G	97.28	Inf	-Inf	3	Vertical	346	2.35
7095MHz	Pass	PK	7.1916G	63.01	88.20	-25.19	3	Vertical	346	2.35
7095MHz	Pass	AV	7.1034G	75.51	Inf	-Inf	3	Horizontal	325	1.03
7095MHz	Pass	AV	7.2348G	50.68	68.20	-17.52	3	Horizontal	325	1.03
7095MHz	Pass	PK	7.1031G	87.36	Inf	-Inf	3	Horizontal	325	1.03
7095MHz	Pass	PK	7.2399G	62.61	88.20	-25.59	3	Horizontal	325	1.03
7095MHz	Pass	AV	14.12872G	46.38	68.20	-21.82	3	Vertical	244	1.58
7095MHz	Pass	PK	14.1248G	58.06	88.20	-30.14	3	Vertical	244	1.58
7095MHz	Pass	AV	14.16488G	46.39	68.20	-21.81	3	Horizontal	188	2.26
7095MHz	Pass	PK	14.15216G	58.81	88.20	-29.39	3	Horizontal	188	2.26
7115MHz	Pass	AV	7.12309G	74.49	Inf	-Inf	3	Vertical	347	2.43
7115MHz	Pass	AV	7.1255G	56.49	68.20	-11.71	3	Vertical	347	2.43
7115MHz	Pass	PK	7.12357G	83.18	Inf	-Inf	3	Vertical	347	2.43
7115MHz	Pass	PK	7.1255G	69.09	88.20	-19.11	3	Vertical	347	2.43
7115MHz	Pass	AV	7.123G	64.98	Inf	-Inf	3	Horizontal	324	1.03
7115MHz	Pass	AV	7.1255G	51.61	68.20	-16.59	3	Horizontal	324	1.03
7115MHz	Pass	PK	7.12325G	73.37	Inf	-Inf	3	Horizontal	324	1.03
7115MHz	Pass	PK	7.1255G	61.47	88.20	-26.73	3	Horizontal	324	1.03
7115MHz	Pass	AV	14.22789G	44.27	68.20	-23.93	3	Vertical	32	2.21
7115MHz	Pass	PK	14.23039G	57.19	88.20	-31.01	3	Vertical	32	2.21
7115MHz	Pass	AV	14.23244G	44.33	68.20	-23.87	3	Horizontal	90	1.65
7115MHz	Pass	PK	14.22741G	56.80	88.20	-31.40	3	Horizontal	90	1.65
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9078G	47.58	68.20	-20.62	3	Vertical	17	2.53
6535MHz	Pass	AV	6.5434G	88.74	Inf	-Inf	3	Vertical	17	2.53
6535MHz	Pass	AV	7.172G	50.51	68.20	-17.69	3	Vertical	17	2.53
6535MHz	Pass	PK	5.8364G	59.80	88.20	-28.40	3	Vertical	17	2.53
6535MHz	Pass	PK	6.5434G	98.32	Inf	-Inf	3	Vertical	17	2.53
6535MHz	Pass	PK	7.207G	62.27	88.20	-25.93	3	Vertical	17	2.53
6535MHz	Pass	AV	5.8966G	47.59	68.20	-20.61	3	Horizontal	168	3.00
6535MHz	Pass	AV	6.5434G	81.53	Inf	-Inf	3	Horizontal	168	3.00
6535MHz	Pass	AV	7.207G	50.40	68.20	-17.80	3	Horizontal	168	3.00
6535MHz	Pass	PK	5.8406G	59.62	88.20	-28.58	3	Horizontal	168	3.00
6535MHz	Pass	PK	6.5434G	91.80	Inf	-Inf	3	Horizontal	168	3.00
6535MHz	Pass	PK	7.2294G	61.61	88.20	-26.59	3	Horizontal	168	3.00
6535MHz	Pass	AV	13.12776G	44.89	68.20	-23.31	3	Vertical	192	1.91
6535MHz	Pass	PK	13.128G	55.71	88.20	-32.49	3	Vertical	192	1.91
6535MHz	Pass	AV	13.1156G	44.92	68.20	-23.28	3	Horizontal	99	2.15
6535MHz	Pass	PK	13.11112G	56.36	88.20	-31.84	3	Horizontal	99	2.15
6695MHz	Pass	AV	6.703G	88.62	Inf	-Inf	3	Vertical	20	2.43
6695MHz	Pass	AV	7.177G	50.61	68.20	-17.59	3	Vertical	20	2.43
6695MHz	Pass	PK	6.703G	98.65	Inf	-Inf	3	Vertical	20	2.43
6695MHz	Pass	PK	7.184G	61.95	88.20	-26.25	3	Vertical	20	2.43
6695MHz	Pass	AV	6.703G	80.19	Inf	-Inf	3	Horizontal	176	2.70
6695MHz	Pass	AV	7.176G	50.65	68.20	-17.55	3	Horizontal	176	2.70
6695MHz	Pass	PK	6.704G	90.72	Inf	-Inf	3	Horizontal	176	2.70
6695MHz	Pass	PK	7.125G	61.79	88.20	-26.41	3	Horizontal	176	2.70
6695MHz	Pass	AV	13.46536G	45.30	68.20	-22.90	3	Vertical	29	1.35
6695MHz	Pass	PK	13.4524G	56.27	88.20	-31.93	3	Vertical	29	1.35
6695MHz	Pass	AV	13.45752G	45.23	68.20	-22.97	3	Horizontal	278	1.52
6695MHz	Pass	PK	13.45032G	56.36	88.20	-31.84	3	Horizontal	278	1.52
6895MHz	Pass	AV	6.9034G	87.49	Inf	-Inf	3	Vertical	20	2.44
6895MHz	Pass	AV	7.2114G	50.72	68.20	-17.48	3	Vertical	20	2.44
6895MHz	Pass	PK	6.9034G	98.77	Inf	-Inf	3	Vertical	20	2.44
6895MHz	Pass	PK	7.1876G	62.60	88.20	-25.60	3	Vertical	20	2.44



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6895MHz	Pass	AV	6.9034G	80.10	Inf	-Inf	3	Horizontal	171	2.68
6895MHz	Pass	AV	7.2324G	50.70	68.20	-17.50	3	Horizontal	171	2.68
6895MHz	Pass	PK	6.9034G	90.63	Inf	-Inf	3	Horizontal	171	2.68
6895MHz	Pass	PK	7.2086G	62.46	88.20	-25.74	3	Horizontal	171	2.68
6895MHz	Pass	AV	13.806G	45.76	68.20	-22.44	3	Vertical	313	1.05
6895MHz	Pass	PK	13.8024G	57.00	88.20	-31.20	3	Vertical	313	1.05
6895MHz	Pass	AV	13.81768G	45.72	68.20	-22.48	3	Horizontal	66	2.95
6895MHz	Pass	PK	13.81304G	57.10	88.20	-31.10	3	Horizontal	66	2.95
6995MHz	Pass	AV	7.0035G	83.96	Inf	-Inf	3	Vertical	18	2.42
6995MHz	Pass	AV	7.223G	50.79	68.20	-17.41	3	Vertical	18	2.42
6995MHz	Pass	PK	7.004G	95.23	Inf	-Inf	3	Vertical	18	2.42
6995MHz	Pass	PK	7.155G	62.73	88.20	-25.47	3	Vertical	18	2.42
6995MHz	Pass	AV	7.0035G	75.91	Inf	-Inf	3	Horizontal	172	2.96
6995MHz	Pass	AV	7.234G	50.78	68.20	-17.42	3	Horizontal	172	2.96
6995MHz	Pass	PK	7.003G	88.13	Inf	-Inf	3	Horizontal	172	2.96
6995MHz	Pass	PK	7.1465G	62.89	88.20	-25.31	3	Horizontal	172	2.96
6995MHz	Pass	AV	14.03432G	46.25	68.20	-21.95	3	Vertical	271	1.35
6995MHz	Pass	PK	14.04984G	58.85	88.20	-29.35	3	Vertical	271	1.35
6995MHz	Pass	AV	14.0596G	46.25	68.20	-21.95	3	Horizontal	105	2.28
6995MHz	Pass	PK	14.04808G	57.31	88.20	-30.89	3	Horizontal	105	2.28
7095MHz	Pass	AV	7.1034G	80.72	Inf	-Inf	3	Vertical	17	2.47
7095MHz	Pass	AV	7.2147G	50.73	68.20	-17.47	3	Vertical	17	2.47
7095MHz	Pass	PK	7.1028G	92.14	Inf	-Inf	3	Vertical	17	2.47
7095MHz	Pass	PK	7.2348G	62.82	88.20	-25.38	3	Vertical	17	2.47
7095MHz	Pass	AV	7.1034G	72.69	Inf	-Inf	3	Horizontal	173	2.93
7095MHz	Pass	AV	7.2195G	50.74	68.20	-17.46	3	Horizontal	173	2.93
7095MHz	Pass	PK	7.1031G	84.25	Inf	-Inf	3	Horizontal	173	2.93
7095MHz	Pass	PK	7.2327G	62.66	88.20	-25.54	3	Horizontal	173	2.93
7095MHz	Pass	AV	14.1378G	46.35	68.20	-21.85	3	Vertical	271	2.34
7095MHz	Pass	PK	14.137G	57.65	88.20	-30.55	3	Vertical	271	2.34
7095MHz	Pass	AV	14.14328G	46.43	68.20	-21.77	3	Horizontal	309	2.96
7095MHz	Pass	PK	14.15808G	58.18	88.20	-30.02	3	Horizontal	309	2.96
7115MHz	Pass	AV	7.1238G	68.98	Inf	-Inf	3	Vertical	16	2.26
7115MHz	Pass	AV	7.1255G	53.18	68.20	-15.02	3	Vertical	16	2.26
7115MHz	Pass	PK	7.12334G	77.70	Inf	-Inf	3	Vertical	16	2.26
7115MHz	Pass	PK	7.1255G	64.44	88.20	-23.76	3	Vertical	16	2.26
7115MHz	Pass	AV	7.12384G	59.34	Inf	-Inf	3	Horizontal	24	2.33
7115MHz	Pass	AV	7.1255G	50.82	68.20	-17.38	3	Horizontal	24	2.33
7115MHz	Pass	PK	7.12359G	67.73	Inf	-Inf	3	Horizontal	24	2.33
7115MHz	Pass	PK	7.1255G	59.67	88.20	-28.53	3	Horizontal	24	2.33
7115MHz	Pass	AV	14.23329G	44.30	68.20	-23.90	3	Vertical	238	1.91
7115MHz	Pass	PK	14.23083G	56.79	88.20	-31.41	3	Vertical	238	1.91
7115MHz	Pass	AV	14.23048G	44.33	68.20	-23.87	3	Horizontal	93	2.17
7115MHz	Pass	PK	14.23152G	56.59	88.20	-31.61	3	Horizontal	93	2.17
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9148G	47.79	68.20	-20.41	3	Vertical	15	2.43
6535MHz	Pass	AV	6.5434G	88.41	Inf	-Inf	3	Vertical	15	2.43
6535MHz	Pass	AV	7.2196G	50.66	68.20	-17.54	3	Vertical	15	2.43
6535MHz	Pass	PK	5.8952G	59.00	88.20	-29.20	3	Vertical	15	2.43
6535MHz	Pass	PK	6.5434G	99.29	Inf	-Inf	3	Vertical	15	2.43
6535MHz	Pass	PK	7.2042G	62.31	88.20	-25.89	3	Vertical	15	2.43
6535MHz	Pass	AV	5.9022G	47.75	68.20	-20.45	3	Horizontal	182	3.00
6535MHz	Pass	AV	6.5434G	80.68	Inf	-Inf	3	Horizontal	182	3.00
6535MHz	Pass	AV	7.172G	50.66	68.20	-17.54	3	Horizontal	182	3.00
6535MHz	Pass	PK	5.8658G	59.55	88.20	-28.65	3	Horizontal	182	3.00
6535MHz	Pass	PK	6.5434G	90.64	Inf	-Inf	3	Horizontal	182	3.00
6535MHz	Pass	PK	7.144G	61.38	88.20	-26.82	3	Horizontal	182	3.00
6535MHz	Pass	AV	13.11768G	44.88	68.20	-23.32	3	Vertical	95	2.44
6535MHz	Pass	PK	13.1044G	56.29	88.20	-31.91	3	Vertical	95	2.44
6535MHz	Pass	AV	13.12392G	44.88	68.20	-23.32	3	Horizontal	299	2.02
6535MHz	Pass	PK	13.1276G	56.37	88.20	-31.83	3	Horizontal	299	2.02
6695MHz	Pass	AV	6.704G	87.82	Inf	-Inf	3	Vertical	18	2.42





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	AV	7.17G	50.68	68.20	-17.52	3	Vertical	18	2.42
6695MHz	Pass	PK	6.704G	97.39	Inf	-Inf	3	Vertical	18	2.42
6695MHz	Pass	PK	7.177G	61.99	88.20	-26.21	3	Vertical	18	2.42
6695MHz	Pass	AV	6.703G	79.92	Inf	-Inf	3	Horizontal	175	2.82
6695MHz	Pass	AV	7.164G	50.61	68.20	-17.59	3	Horizontal	175	2.82
6695MHz	Pass	PK	6.704G	90.21	Inf	-Inf	3	Horizontal	175	2.82
6695MHz	Pass	PK	7.179G	62.23	88.20	-25.97	3	Horizontal	175	2.82
6695MHz	Pass	AV	13.45624G	45.20	68.20	-23.00	3	Vertical	285	2.77
6695MHz	Pass	PK	13.44048G	56.69	88.20	-31.51	3	Vertical	285	2.77
6695MHz	Pass	AV	13.4572G	45.21	68.20	-22.99	3	Horizontal	138	2.07
6695MHz	Pass	PK	13.4476G	55.88	88.20	-32.32	3	Horizontal	138	2.07
6895MHz	Pass	AV	6.9034G	85.38	Inf	-Inf	3	Vertical	18	2.41
6895MHz	Pass	AV	7.217G	50.71	68.20	-17.49	3	Vertical	18	2.41
6895MHz	Pass	PK	6.9027G	96.21	Inf	-Inf	3	Vertical	18	2.41
6895MHz	Pass	PK	7.2268G	62.13	88.20	-26.07	3	Vertical	18	2.41
6895MHz	Pass	AV	6.9034G	77.58	Inf	-Inf	3	Horizontal	172	3.00
6895MHz	Pass	AV	7.2345G	50.71	68.20	-17.49	3	Horizontal	172	3.00
6895MHz	Pass	PK	6.9034G	88.71	Inf	-Inf	3	Horizontal	172	3.00
6895MHz	Pass	PK	7.1505G	62.45	88.20	-25.75	3	Horizontal	172	3.00
6895MHz	Pass	AV	13.81432G	45.73	68.20	-22.47	3	Vertical	234	1.63
6895MHz	Pass	PK	13.81016G	57.39	88.20	-30.81	3	Vertical	234	1.63
6895MHz	Pass	AV	13.71352G	45.74	68.20	-22.46	3	Horizontal	139	2.83
6895MHz	Pass	PK	13.7228G	56.96	88.20	-31.24	3	Horizontal	139	2.83
6995MHz	Pass	AV	7.003G	82.90	Inf	-Inf	3	Vertical	17	2.46
6995MHz	Pass	AV	7.204G	50.72	68.20	-17.48	3	Vertical	17	2.46
6995MHz	Pass	PK	7.004G	93.95	Inf	-Inf	3	Vertical	17	2.46
6995MHz	Pass	PK	7.16G	62.24	88.20	-25.96	3	Vertical	17	2.46
6995MHz	Pass	AV	7.004G	74.22	Inf	-Inf	3	Horizontal	178	2.92
6995MHz	Pass	AV	7.2335G	50.70	68.20	-17.50	3	Horizontal	178	2.92
6995MHz	Pass	PK	7.003G	84.13	Inf	-Inf	3	Horizontal	178	2.92
6995MHz	Pass	PK	7.1685G	62.90	88.20	-25.30	3	Horizontal	178	2.92
6995MHz	Pass	AV	14.00392G	46.26	68.20	-21.94	3	Vertical	290	1.85
6995MHz	Pass	PK	13.99648G	57.79	88.20	-30.41	3	Vertical	290	1.85
6995MHz	Pass	AV	14.05288G	46.26	68.20	-21.94	3	Horizontal	118	2.84
6995MHz	Pass	PK	14.05352G	58.11	88.20	-30.09	3	Horizontal	118	2.84
7095MHz	Pass	AV	7.1034G	83.53	Inf	-Inf	3	Vertical	360	2.54
7095MHz	Pass	AV	7.2381G	50.71	68.20	-17.49	3	Vertical	360	2.54
7095MHz	Pass	PK	7.1037G	94.47	Inf	-Inf	3	Vertical	360	2.54
7095MHz	Pass	PK	7.1997G	62.76	88.20	-25.44	3	Vertical	360	2.54
7095MHz	Pass	AV	7.1034G	73.79	Inf	-Inf	3	Horizontal	326	1.08
7095MHz	Pass	AV	7.1982G	50.77	68.20	-17.43	3	Horizontal	326	1.08
7095MHz	Pass	PK	7.1034G	85.33	Inf	-Inf	3	Horizontal	326	1.08
7095MHz	Pass	PK	7.1655G	63.06	88.20	-25.14	3	Horizontal	326	1.08
7095MHz	Pass	AV	14.12776G	46.34	68.20	-21.86	3	Vertical	211	2.89
7095MHz	Pass	PK	14.13376G	57.00	88.20	-31.20	3	Vertical	211	2.89
7095MHz	Pass	AV	14.20032G	46.40	68.20	-21.80	3	Horizontal	182	1.66
7095MHz	Pass	PK	14.199G	57.88	88.20	-30.32	3	Horizontal	182	1.66
7115MHz	Pass	AV	7.12293G	72.64	Inf	-Inf	3	Vertical	346	2.42
7115MHz	Pass	AV	7.1255G	55.03	68.20	-13.17	3	Vertical	346	2.42
7115MHz	Pass	PK	7.12391G	81.91	Inf	-Inf	3	Vertical	346	2.42
7115MHz	Pass	PK	7.1255G	66.51	88.20	-21.69	3	Vertical	346	2.42
7115MHz	Pass	AV	7.12377G	63.21	Inf	-Inf	3	Horizontal	192	2.66
7115MHz	Pass	AV	7.1255G	51.27	68.20	-16.93	3	Horizontal	192	2.66
7115MHz	Pass	PK	7.123G	71.71	Inf	-Inf	3	Horizontal	192	2.66
7115MHz	Pass	PK	7.1255G	60.40	88.20	-27.80	3	Horizontal	192	2.66
7115MHz	Pass	AV	14.22805G	44.27	68.20	-23.93	3	Vertical	110	1.98
7115MHz	Pass	PK	14.22773G	57.36	88.20	-30.84	3	Vertical	110	1.98
7115MHz	Pass	AV	14.22833G	44.27	68.20	-23.93	3	Horizontal	16	1.35
7115MHz	Pass	PK	14.23429G	56.99	88.20	-31.21	3	Horizontal	16	1.35
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8674G	46.29	68.20	-21.91	3	Vertical	346	2.42
5955MHz	Pass	AV	5.949G	80.17	Inf	-Inf	3	Vertical	346	2.42



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5955MHz	Pass	PK	5.8896G	57.99	88.20	-30.21	3	Vertical	346	2.42
5955MHz	Pass	PK	5.9478G	91.44	Inf	-Inf	3	Vertical	346	2.42
5955MHz	Pass	AV	5.9034G	46.27	68.20	-21.93	3	Horizontal	183	2.91
5955MHz	Pass	AV	5.9487G	73.88	Inf	-Inf	3	Horizontal	183	2.91
5955MHz	Pass	PK	5.8155G	59.10	88.20	-29.10	3	Horizontal	183	2.91
5955MHz	Pass	PK	5.9487G	85.23	Inf	-Inf	3	Horizontal	183	2.91
5955MHz	Pass	AV	11.91393G	41.75	54.00	-12.25	3	Vertical	296	2.70
5955MHz	Pass	PK	11.91135G	54.40	74.00	-19.60	3	Vertical	296	2.70
5955MHz	Pass	AV	11.90911G	41.75	54.00	-12.25	3	Horizontal	358	1.02
5955MHz	Pass	PK	11.9073G	54.23	74.00	-19.77	3	Horizontal	358	1.02
6195MHz	Pass	AV	5.90036G	47.86	68.20	-20.34	3	Vertical	347	2.55
6195MHz	Pass	AV	6.18836G	82.72	Inf	-Inf	3	Vertical	347	2.55
6195MHz	Pass	AV	7.165G	50.63	68.20	-17.57	3	Vertical	347	2.55
6195MHz	Pass	PK	5.90804G	58.93	88.20	-29.27	3	Vertical	347	2.55
6195MHz	Pass	PK	6.18708G	93.89	Inf	-Inf	3	Vertical	347	2.55
6195MHz	Pass	PK	7.14964G	61.75	88.20	-26.45	3	Vertical	347	2.55
6195MHz	Pass	AV	5.90164G	47.81	68.20	-20.39	3	Horizontal	198	2.74
6195MHz	Pass	AV	6.18708G	75.53	Inf	-Inf	3	Horizontal	198	2.74
6195MHz	Pass	AV	7.165G	50.61	68.20	-17.59	3	Horizontal	198	2.74
6195MHz	Pass	PK	5.9106G	58.88	88.20	-29.32	3	Horizontal	198	2.74
6195MHz	Pass	PK	6.18708G	85.96	Inf	-Inf	3	Horizontal	198	2.74
6195MHz	Pass	PK	7.15476G	62.02	88.20	-26.18	3	Horizontal	198	2.74
6195MHz	Pass	AV	12.3132G	43.73	54.00	-10.27	3	Vertical	54	2.84
6195MHz	Pass	PK	12.35176G	54.72	74.00	-19.28	3	Vertical	54	2.84
6195MHz	Pass	AV	12.3108G	43.72	54.00	-10.28	3	Horizontal	55	2.54
6195MHz	Pass	PK	12.32744G	54.72	74.00	-19.28	3	Horizontal	55	2.54
6415MHz	Pass	AV	5.9002G	47.78	68.20	-20.42	3	Vertical	353	2.51
6415MHz	Pass	AV	6.4078G	86.38	Inf	-Inf	3	Vertical	353	2.51
6415MHz	Pass	PK	5.8354G	60.07	88.20	-28.13	3	Vertical	353	2.51
6415MHz	Pass	PK	6.409G	95.73	Inf	-Inf	3	Vertical	353	2.51
6415MHz	Pass	AV	5.9074G	47.82	68.20	-20.38	3	Horizontal	328	1.05
6415MHz	Pass	AV	6.409G	77.00	Inf	-Inf	3	Horizontal	328	1.05
6415MHz	Pass	PK	5.8294G	59.85	88.20	-28.35	3	Horizontal	328	1.05
6415MHz	Pass	PK	6.4066G	86.79	Inf	-Inf	3	Horizontal	328	1.05
6415MHz	Pass	AV	12.90184G	44.51	68.20	-23.69	3	Vertical	228	2.13
6415MHz	Pass	PK	12.89656G	56.08	88.20	-32.12	3	Vertical	228	2.13
6415MHz	Pass	AV	12.89304G	44.51	68.20	-23.69	3	Horizontal	194	1.30
6415MHz	Pass	PK	12.90648G	55.76	88.20	-32.44	3	Horizontal	194	1.30
6435MHz	Pass	AV	5.9034G	47.78	68.20	-20.42	3	Vertical	353	2.36
6435MHz	Pass	AV	6.4278G	87.78	Inf	-Inf	3	Vertical	353	2.36
6435MHz	Pass	PK	5.847G	59.65	88.20	-28.55	3	Vertical	353	2.36
6435MHz	Pass	PK	6.4278G	97.19	Inf	-Inf	3	Vertical	353	2.36
6435MHz	Pass	AV	5.907G	47.79	68.20	-20.41	3	Horizontal	185	2.72
6435MHz	Pass	AV	6.4278G	79.25	Inf	-Inf	3	Horizontal	185	2.72
6435MHz	Pass	PK	5.8602G	59.04	88.20	-29.16	3	Horizontal	185	2.72
6435MHz	Pass	PK	6.4266G	88.46	Inf	-Inf	3	Horizontal	185	2.72
6435MHz	Pass	AV	12.9228G	44.56	68.20	-23.64	3	Vertical	243	2.70
6435MHz	Pass	PK	12.86872G	55.68	88.20	-32.52	3	Vertical	243	2.70
6435MHz	Pass	AV	12.91976G	44.56	68.20	-23.64	3	Horizontal	330	1.24
6435MHz	Pass	PK	12.91208G	55.40	88.20	-32.80	3	Horizontal	330	1.24
6475MHz	Pass	AV	5.9024G	47.67	68.20	-20.53	3	Vertical	352	2.65
6475MHz	Pass	AV	6.4694G	88.29	Inf	-Inf	3	Vertical	352	2.65
6475MHz	Pass	AV	7.1694G	50.55	68.20	-17.65	3	Vertical	352	2.65
6475MHz	Pass	PK	5.8296G	59.55	88.20	-28.65	3	Vertical	352	2.65
6475MHz	Pass	PK	6.4666G	97.94	Inf	-Inf	3	Vertical	352	2.65
6475MHz	Pass	PK	7.161G	61.67	88.20	-26.53	3	Vertical	352	2.65
6475MHz	Pass	AV	5.8828G	47.70	68.20	-20.50	3	Horizontal	332	1.00
6475MHz	Pass	AV	6.4666G	79.76	Inf	-Inf	3	Horizontal	332	1.00
6475MHz	Pass	AV	7.1722G	50.56	68.20	-17.64	3	Horizontal	332	1.00
6475MHz	Pass	PK	5.8562G	59.33	88.20	-28.87	3	Horizontal	332	1.00
6475MHz	Pass	PK	6.4694G	89.30	Inf	-Inf	3	Horizontal	332	1.00
6475MHz	Pass	PK	7.1722G	61.73	88.20	-26.47	3	Horizontal	332	1.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	13.00096G	44.68	68.20	-23.52	3	Vertical	179	2.67
6475MHz	Pass	PK	12.99552G	55.81	88.20	-32.39	3	Vertical	179	2.67
6475MHz	Pass	AV	13.01256G	44.66	68.20	-23.54	3	Horizontal	153	2.33
6475MHz	Pass	PK	12.99424G	56.10	88.20	-32.10	3	Horizontal	153	2.33
6515MHz	Pass	AV	5.9032G	47.76	68.20	-20.44	3	Vertical	353	2.38
6515MHz	Pass	AV	6.508G	88.54	Inf	-Inf	3	Vertical	353	2.38
6515MHz	Pass	AV	7.2066G	50.62	68.20	-17.58	3	Vertical	353	2.38
6515MHz	Pass	PK	5.8528G	59.64	88.20	-28.56	3	Vertical	353	2.38
6515MHz	Pass	PK	6.5094G	98.88	Inf	-Inf	3	Vertical	353	2.38
6515MHz	Pass	PK	7.1674G	61.54	88.20	-26.66	3	Vertical	353	2.38
6515MHz	Pass	AV	5.8976G	47.71	68.20	-20.49	3	Horizontal	191	2.81
6515MHz	Pass	AV	6.508G	80.11	Inf	-Inf	3	Horizontal	191	2.81
6515MHz	Pass	AV	7.1772G	50.57	68.20	-17.63	3	Horizontal	191	2.81
6515MHz	Pass	PK	5.8416G	58.81	88.20	-29.39	3	Horizontal	191	2.81
6515MHz	Pass	PK	6.508G	90.59	Inf	-Inf	3	Horizontal	191	2.81
6515MHz	Pass	PK	7.1772G	62.32	88.20	-25.88	3	Horizontal	191	2.81
6515MHz	Pass	AV	13.10312G	44.84	68.20	-23.36	3	Vertical	133	2.08
6515MHz	Pass	PK	13.0912G	56.08	88.20	-32.12	3	Vertical	133	2.08
6515MHz	Pass	AV	13.10696G	44.85	68.20	-23.35	3	Horizontal	57	1.01
6515MHz	Pass	PK	13.0916G	56.68	88.20	-31.52	3	Horizontal	57	1.01
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8794G	46.28	68.20	-21.92	3	Vertical	8	2.48
5955MHz	Pass	AV	5.9484G	81.35	Inf	-Inf	3	Vertical	8	2.48
5955MHz	Pass	PK	5.907G	58.13	88.20	-30.07	3	Vertical	8	2.48
5955MHz	Pass	PK	5.9463G	92.53	Inf	-Inf	3	Vertical	8	2.48
5955MHz	Pass	AV	5.8884G	46.25	68.20	-21.95	3	Horizontal	183	2.29
5955MHz	Pass	AV	5.9475G	74.20	Inf	-Inf	3	Horizontal	183	2.29
5955MHz	Pass	PK	5.8794G	59.28	88.20	-28.92	3	Horizontal	183	2.29
5955MHz	Pass	PK	5.9487G	85.20	Inf	-Inf	3	Horizontal	183	2.29
5955MHz	Pass	AV	11.91348G	41.73	54.00	-12.27	3	Vertical	241	2.37
5955MHz	Pass	PK	11.91268G	53.91	74.00	-20.09	3	Vertical	241	2.37
5955MHz	Pass	AV	11.91474G	41.82	54.00	-12.18	3	Horizontal	78	2.35
5955MHz	Pass	PK	11.91359G	53.86	74.00	-20.14	3	Horizontal	78	2.35
6195MHz	Pass	AV	5.89908G	47.85	68.20	-20.35	3	Vertical	14	2.37
6195MHz	Pass	AV	6.18836G	85.02	Inf	-Inf	3	Vertical	14	2.37
6195MHz	Pass	AV	7.15732G	50.65	68.20	-17.55	3	Vertical	14	2.37
6195MHz	Pass	PK	5.88884G	59.63	88.20	-28.57	3	Vertical	14	2.37
6195MHz	Pass	PK	6.18836G	95.83	Inf	-Inf	3	Vertical	14	2.37
6195MHz	Pass	PK	7.14964G	61.72	88.20	-26.48	3	Vertical	14	2.37
6195MHz	Pass	AV	5.8978G	47.80	68.20	-20.40	3	Horizontal	172	2.89
6195MHz	Pass	AV	6.18836G	78.49	Inf	-Inf	3	Horizontal	172	2.89
6195MHz	Pass	AV	7.15604G	50.64	68.20	-17.56	3	Horizontal	172	2.89
6195MHz	Pass	PK	5.90676G	59.16	88.20	-29.04	3	Horizontal	172	2.89
6195MHz	Pass	PK	6.18708G	88.72	Inf	-Inf	3	Horizontal	172	2.89
6195MHz	Pass	PK	7.12532G	61.88	88.20	-26.32	3	Horizontal	172	2.89
6195MHz	Pass	AV	12.31256G	43.75	54.00	-10.25	3	Vertical	6	1.67
6195MHz	Pass	PK	12.32912G	54.81	74.00	-19.19	3	Vertical	6	1.67
6195MHz	Pass	AV	12.31112G	43.66	54.00	-10.34	3	Horizontal	132	1.27
6195MHz	Pass	PK	12.32192G	55.39	74.00	-18.61	3	Horizontal	132	1.27
6415MHz	Pass	AV	5.8846G	47.79	68.20	-20.41	3	Vertical	18	2.58
6415MHz	Pass	AV	6.4078G	87.67	Inf	-Inf	3	Vertical	18	2.58
6415MHz	Pass	PK	5.9218G	59.15	88.20	-29.05	3	Vertical	18	2.58
6415MHz	Pass	PK	6.4066G	97.34	Inf	-Inf	3	Vertical	18	2.58
6415MHz	Pass	AV	5.8978G	47.77	68.20	-20.43	3	Horizontal	172	2.98
6415MHz	Pass	AV	6.4078G	80.44	Inf	-Inf	3	Horizontal	172	2.98
6415MHz	Pass	PK	5.9122G	59.20	88.20	-29.00	3	Horizontal	172	2.98
6415MHz	Pass	PK	6.4066G	90.41	Inf	-Inf	3	Horizontal	172	2.98
6415MHz	Pass	AV	12.89848G	44.49	68.20	-23.71	3	Vertical	221	1.36
6415MHz	Pass	PK	12.86616G	55.37	88.20	-32.83	3	Vertical	221	1.36
6415MHz	Pass	AV	12.90584G	44.49	68.20	-23.71	3	Horizontal	28	1.12
6415MHz	Pass	PK	12.86856G	55.58	88.20	-32.62	3	Horizontal	28	1.12
6435MHz	Pass	AV	5.8986G	47.75	68.20	-20.45	3	Vertical	22	2.46



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6435MHz	Pass	AV	6.4278G	87.55	Inf	-Inf	3	Vertical	22	2.46
6435MHz	Pass	PK	5.9046G	59.71	88.20	-28.49	3	Vertical	22	2.46
6435MHz	Pass	PK	6.429G	97.52	Inf	-Inf	3	Vertical	22	2.46
6435MHz	Pass	AV	5.9022G	47.75	68.20	-20.45	3	Horizontal	177	2.73
6435MHz	Pass	AV	6.4278G	80.12	Inf	-Inf	3	Horizontal	177	2.73
6435MHz	Pass	PK	5.8626G	59.75	88.20	-28.45	3	Horizontal	177	2.73
6435MHz	Pass	PK	6.4278G	89.91	Inf	-Inf	3	Horizontal	177	2.73
6435MHz	Pass	AV	12.94808G	44.57	68.20	-23.63	3	Vertical	308	1.15
6435MHz	Pass	PK	12.94152G	55.68	88.20	-32.52	3	Vertical	308	1.15
6435MHz	Pass	AV	12.93896G	44.58	68.20	-23.62	3	Horizontal	131	2.89
6435MHz	Pass	PK	12.94856G	56.61	88.20	-31.59	3	Horizontal	131	2.89
6475MHz	Pass	AV	5.894G	47.75	68.20	-20.45	3	Vertical	16	2.48
6475MHz	Pass	AV	6.468G	88.68	Inf	-Inf	3	Vertical	16	2.48
6475MHz	Pass	AV	7.1624G	50.57	68.20	-17.63	3	Vertical	16	2.48
6475MHz	Pass	PK	5.7848G	59.46	88.20	-28.74	3	Vertical	16	2.48
6475MHz	Pass	PK	6.468G	97.54	Inf	-Inf	3	Vertical	16	2.48
6475MHz	Pass	PK	7.1386G	61.75	88.20	-26.45	3	Vertical	16	2.48
6475MHz	Pass	AV	5.908G	47.76	68.20	-20.44	3	Horizontal	178	2.98
6475MHz	Pass	AV	6.468G	80.83	Inf	-Inf	3	Horizontal	178	2.98
6475MHz	Pass	AV	7.1582G	50.61	68.20	-17.59	3	Horizontal	178	2.98
6475MHz	Pass	PK	5.8198G	59.06	88.20	-29.14	3	Horizontal	178	2.98
6475MHz	Pass	PK	6.4694G	91.37	Inf	-Inf	3	Horizontal	178	2.98
6475MHz	Pass	PK	7.1638G	62.37	88.20	-25.83	3	Horizontal	178	2.98
6475MHz	Pass	AV	13.00048G	44.64	68.20	-23.56	3	Vertical	107	2.83
6475MHz	Pass	PK	12.99908G	55.66	88.20	-32.54	3	Vertical	107	2.83
6475MHz	Pass	AV	12.99848G	44.63	68.20	-23.57	3	Horizontal	154	2.58
6475MHz	Pass	PK	12.99352G	55.82	88.20	-32.38	3	Horizontal	154	2.58
6515MHz	Pass	AV	5.9102G	47.74	68.20	-20.46	3	Vertical	12	2.47
6515MHz	Pass	AV	6.508G	89.06	Inf	-Inf	3	Vertical	12	2.47
6515MHz	Pass	AV	7.1702G	50.57	68.20	-17.63	3	Vertical	12	2.47
6515MHz	Pass	PK	5.85G	59.35	88.20	-28.85	3	Vertical	12	2.47
6515MHz	Pass	PK	6.5094G	98.46	Inf	-Inf	3	Vertical	12	2.47
6515MHz	Pass	PK	7.1618G	62.49	88.20	-25.71	3	Vertical	12	2.47
6515MHz	Pass	AV	5.906G	47.73	68.20	-20.47	3	Horizontal	176	2.90
6515MHz	Pass	AV	6.508G	81.66	Inf	-Inf	3	Horizontal	176	2.90
6515MHz	Pass	AV	7.166G	50.58	68.20	-17.62	3	Horizontal	176	2.90
6515MHz	Pass	PK	5.8738G	58.91	88.20	-29.29	3	Horizontal	176	2.90
6515MHz	Pass	PK	6.5066G	90.77	Inf	-Inf	3	Horizontal	176	2.90
6515MHz	Pass	PK	7.1506G	61.47	88.20	-26.73	3	Horizontal	176	2.90
6515MHz	Pass	AV	13.07464G	44.81	68.20	-23.39	3	Vertical	279	1.75
6515MHz	Pass	PK	13.10952G	56.11	88.20	-32.09	3	Vertical	279	1.75
6515MHz	Pass	AV	13.0048G	44.93	68.20	-23.27	3	Horizontal	249	1.58
6515MHz	Pass	PK	12.99808G	56.06	88.20	-32.14	3	Horizontal	249	1.58
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8836G	46.28	68.20	-21.92	3	Vertical	360	2.68
5955MHz	Pass	AV	5.949G	79.91	Inf	-Inf	3	Vertical	360	2.68
5955MHz	Pass	PK	5.9064G	58.24	88.20	-29.96	3	Vertical	360	2.68
5955MHz	Pass	PK	5.9484G	90.63	Inf	-Inf	3	Vertical	360	2.68
5955MHz	Pass	AV	5.8989G	46.28	68.20	-21.92	3	Horizontal	173	2.97
5955MHz	Pass	AV	5.949G	74.43	Inf	-Inf	3	Horizontal	173	2.97
5955MHz	Pass	PK	5.8221G	58.68	88.20	-29.52	3	Horizontal	173	2.97
5955MHz	Pass	PK	5.949G	85.22	Inf	-Inf	3	Horizontal	173	2.97
5955MHz	Pass	AV	11.91296G	41.76	54.00	-12.24	3	Vertical	295	2.55
5955MHz	Pass	PK	11.91247G	54.03	74.00	-19.97	3	Vertical	295	2.55
5955MHz	Pass	AV	11.91289G	41.77	54.00	-12.23	3	Horizontal	51	1.78
5955MHz	Pass	PK	11.9129G	54.20	74.00	-19.80	3	Horizontal	51	1.78
6195MHz	Pass	AV	5.8978G	47.88	68.20	-20.32	3	Vertical	343	2.47
6195MHz	Pass	AV	6.18836G	90.26	Inf	-Inf	3	Vertical	343	2.47
6195MHz	Pass	AV	7.1522G	50.64	68.20	-17.56	3	Vertical	343	2.47
6195MHz	Pass	PK	5.885G	58.71	88.20	-29.49	3	Vertical	343	2.47
6195MHz	Pass	PK	6.18708G	100.22	Inf	-Inf	3	Vertical	343	2.47
6195MHz	Pass	PK	7.13044G	60.86	88.20	-27.34	3	Vertical	343	2.47



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6195MHz	Pass	AV	5.8914G	47.83	68.20	-20.37	3	Horizontal	186	2.98
6195MHz	Pass	AV	6.18708G	83.54	Inf	-Inf	3	Horizontal	186	2.98
6195MHz	Pass	AV	7.15732G	50.60	68.20	-17.60	3	Horizontal	186	2.98
6195MHz	Pass	PK	5.92212G	59.07	88.20	-29.13	3	Horizontal	186	2.98
6195MHz	Pass	PK	6.18836G	94.10	Inf	-Inf	3	Horizontal	186	2.98
6195MHz	Pass	PK	7.14196G	61.41	88.20	-26.79	3	Horizontal	186	2.98
6195MHz	Pass	AV	12.31128G	43.76	54.00	-10.24	3	Vertical	42	2.13
6195MHz	Pass	PK	12.30352G	55.03	74.00	-18.97	3	Vertical	42	2.13
6195MHz	Pass	AV	12.31032G	43.71	54.00	-10.29	3	Horizontal	333	2.10
6195MHz	Pass	PK	12.35176G	55.30	74.00	-18.70	3	Horizontal	333	2.10
6415MHz	Pass	AV	5.905G	47.82	68.20	-20.38	3	Vertical	12	2.74
6415MHz	Pass	AV	6.4078G	86.60	Inf	-Inf	3	Vertical	12	2.74
6415MHz	Pass	PK	5.9158G	59.22	88.20	-28.98	3	Vertical	12	2.74
6415MHz	Pass	PK	6.4078G	96.48	Inf	-Inf	3	Vertical	12	2.74
6415MHz	Pass	AV	5.8966G	47.76	68.20	-20.44	3	Horizontal	175	2.69
6415MHz	Pass	AV	6.4066G	79.38	Inf	-Inf	3	Horizontal	175	2.69
6415MHz	Pass	PK	5.8798G	59.29	88.20	-28.91	3	Horizontal	175	2.69
6415MHz	Pass	PK	6.409G	87.95	Inf	-Inf	3	Horizontal	175	2.69
6415MHz	Pass	AV	12.9004G	44.53	68.20	-23.67	3	Vertical	137	1.81
6415MHz	Pass	PK	12.90504G	55.93	88.20	-32.27	3	Vertical	137	1.81
6415MHz	Pass	AV	12.85032G	44.50	68.20	-23.70	3	Horizontal	156	2.28
6415MHz	Pass	PK	12.85872G	56.36	88.20	-31.84	3	Horizontal	156	2.28
6435MHz	Pass	AV	5.9106G	47.72	68.20	-20.48	3	Vertical	14	2.42
6435MHz	Pass	AV	6.4266G	87.34	Inf	-Inf	3	Vertical	14	2.42
6435MHz	Pass	PK	5.8758G	58.55	88.20	-29.65	3	Vertical	14	2.42
6435MHz	Pass	PK	6.4266G	97.15	Inf	-Inf	3	Vertical	14	2.42
6435MHz	Pass	AV	5.8926G	47.86	68.20	-20.34	3	Horizontal	184	3.00
6435MHz	Pass	AV	6.429G	79.07	Inf	-Inf	3	Horizontal	184	3.00
6435MHz	Pass	PK	5.9226G	59.11	88.20	-29.09	3	Horizontal	184	3.00
6435MHz	Pass	PK	6.4278G	88.52	Inf	-Inf	3	Horizontal	184	3.00
6435MHz	Pass	AV	12.94152G	44.56	68.20	-23.64	3	Vertical	213	2.36
6435MHz	Pass	PK	12.9408G	55.47	88.20	-32.73	3	Vertical	213	2.36
6435MHz	Pass	AV	12.95G	44.57	68.20	-23.63	3	Horizontal	129	2.64
6435MHz	Pass	PK	12.93104G	56.00	88.20	-32.20	3	Horizontal	129	2.64
6475MHz	Pass	AV	5.901G	47.66	68.20	-20.54	3	Vertical	10	2.47
6475MHz	Pass	AV	6.468G	88.16	Inf	-Inf	3	Vertical	10	2.47
6475MHz	Pass	AV	7.1736G	50.47	68.20	-17.73	3	Vertical	10	2.47
6475MHz	Pass	PK	5.8128G	58.88	88.20	-29.32	3	Vertical	10	2.47
6475MHz	Pass	PK	6.4666G	97.06	Inf	-Inf	3	Vertical	10	2.47
6475MHz	Pass	PK	7.1596G	61.14	88.20	-27.06	3	Vertical	10	2.47
6475MHz	Pass	AV	5.9052G	47.63	68.20	-20.57	3	Horizontal	175	2.75
6475MHz	Pass	AV	6.4666G	80.72	Inf	-Inf	3	Horizontal	175	2.75
6475MHz	Pass	AV	7.1638G	50.53	68.20	-17.67	3	Horizontal	175	2.75
6475MHz	Pass	PK	5.8002G	58.92	88.20	-29.28	3	Horizontal	175	2.75
6475MHz	Pass	PK	6.468G	89.58	Inf	-Inf	3	Horizontal	175	2.75
6475MHz	Pass	PK	7.1526G	61.29	88.20	-26.91	3	Horizontal	175	2.75
6475MHz	Pass	AV	13.02184G	44.65	68.20	-23.55	3	Vertical	105	1.84
6475MHz	Pass	PK	13.01528G	55.66	88.20	-32.54	3	Vertical	105	1.84
6475MHz	Pass	AV	13.00152G	44.63	68.20	-23.57	3	Horizontal	149	1.89
6475MHz	Pass	PK	12.9992G	55.60	88.20	-32.60	3	Horizontal	149	1.89
6515MHz	Pass	AV	5.9102G	47.76	68.20	-20.44	3	Vertical	1	2.47
6515MHz	Pass	AV	6.5066G	88.44	Inf	-Inf	3	Vertical	1	2.47
6515MHz	Pass	AV	7.2094G	50.52	68.20	-17.68	3	Vertical	1	2.47
6515MHz	Pass	PK	5.9088G	59.06	88.20	-29.14	3	Vertical	1	2.47
6515MHz	Pass	PK	6.5066G	97.68	Inf	-Inf	3	Vertical	1	2.47
6515MHz	Pass	PK	7.1296G	60.96	88.20	-27.24	3	Vertical	1	2.47
6515MHz	Pass	AV	5.906G	47.69	68.20	-20.51	3	Horizontal	170	2.96
6515MHz	Pass	AV	6.5066G	80.38	Inf	-Inf	3	Horizontal	170	2.96
6515MHz	Pass	AV	7.215G	50.54	68.20	-17.66	3	Horizontal	170	2.96
6515MHz	Pass	PK	5.8556G	59.96	88.20	-28.24	3	Horizontal	170	2.96
6515MHz	Pass	PK	6.5066G	89.13	Inf	-Inf	3	Horizontal	170	2.96
6515MHz	Pass	PK	7.1618G	61.09	88.20	-27.11	3	Horizontal	170	2.96



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6515MHz	Pass	AV	13.10632G	44.81	68.20	-23.39	3	Vertical	29	2.48
6515MHz	Pass	PK	13.09592G	56.52	88.20	-31.68	3	Vertical	29	2.48
6515MHz	Pass	AV	13.1092G	44.80	68.20	-23.40	3	Horizontal	48	2.34
6515MHz	Pass	PK	13.09376G	55.58	88.20	-32.62	3	Horizontal	48	2.34
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9008G	47.83	68.20	-20.37	3	Vertical	344	2.47
6535MHz	Pass	AV	6.542G	88.54	Inf	-Inf	3	Vertical	344	2.47
6535MHz	Pass	AV	7.1678G	50.69	68.20	-17.51	3	Vertical	344	2.47
6535MHz	Pass	PK	5.8392G	59.04	88.20	-29.16	3	Vertical	344	2.47
6535MHz	Pass	PK	6.542G	98.36	Inf	-Inf	3	Vertical	344	2.47
6535MHz	Pass	PK	7.2056G	61.28	88.20	-26.92	3	Vertical	344	2.47
6535MHz	Pass	AV	5.9036G	47.80	68.20	-20.40	3	Horizontal	333	1.00
6535MHz	Pass	AV	6.542G	79.08	Inf	-Inf	3	Horizontal	333	1.00
6535MHz	Pass	AV	7.1636G	50.65	68.20	-17.55	3	Horizontal	333	1.00
6535MHz	Pass	PK	5.891G	59.95	88.20	-28.25	3	Horizontal	333	1.00
6535MHz	Pass	PK	6.5434G	88.69	Inf	-Inf	3	Horizontal	333	1.00
6535MHz	Pass	PK	7.221G	61.99	88.20	-26.21	3	Horizontal	333	1.00
6535MHz	Pass	AV	13.11544G	44.90	68.20	-23.30	3	Vertical	50	2.11
6535MHz	Pass	PK	13.11004G	55.84	88.20	-32.36	3	Vertical	50	2.11
6535MHz	Pass	AV	13.10776G	44.91	68.20	-23.29	3	Horizontal	134	2.02
6535MHz	Pass	PK	13.0956G	55.84	88.20	-32.36	3	Horizontal	134	2.02
6695MHz	Pass	AV	6.702G	88.29	Inf	-Inf	3	Vertical	349	2.53
6695MHz	Pass	AV	7.158G	50.71	68.20	-17.49	3	Vertical	349	2.53
6695MHz	Pass	PK	6.703G	98.84	Inf	-Inf	3	Vertical	349	2.53
6695MHz	Pass	PK	7.169G	61.53	88.20	-26.67	3	Vertical	349	2.53
6695MHz	Pass	AV	6.703G	77.34	Inf	-Inf	3	Horizontal	340	2.42
6695MHz	Pass	AV	7.171G	50.68	68.20	-17.52	3	Horizontal	340	2.42
6695MHz	Pass	PK	6.704G	88.14	Inf	-Inf	3	Horizontal	340	2.42
6695MHz	Pass	PK	7.184G	62.19	88.20	-26.01	3	Horizontal	340	2.42
6695MHz	Pass	AV	13.45736G	45.27	68.20	-22.93	3	Vertical	296	1.30
6695MHz	Pass	PK	13.45816G	56.16	88.20	-32.04	3	Vertical	296	1.30
6695MHz	Pass	AV	13.4524G	45.23	68.20	-22.97	3	Horizontal	217	2.29
6695MHz	Pass	PK	13.46616G	56.09	88.20	-32.11	3	Horizontal	217	2.29
6895MHz	Pass	AV	6.9027G	81.17	Inf	-Inf	3	Vertical	351	2.36
6895MHz	Pass	AV	7.2436G	50.76	68.20	-17.44	3	Vertical	351	2.36
6895MHz	Pass	PK	6.902G	91.77	Inf	-Inf	3	Vertical	351	2.36
6895MHz	Pass	PK	7.1932G	62.31	88.20	-25.89	3	Vertical	351	2.36
6895MHz	Pass	AV	6.9027G	72.36	Inf	-Inf	3	Horizontal	329	1.00
6895MHz	Pass	AV	7.2317G	50.82	68.20	-17.38	3	Horizontal	329	1.00
6895MHz	Pass	PK	6.9013G	82.95	Inf	-Inf	3	Horizontal	329	1.00
6895MHz	Pass	PK	7.2219G	62.57	88.20	-25.63	3	Horizontal	329	1.00
6895MHz	Pass	AV	13.71304G	45.74	68.20	-22.46	3	Vertical	128	2.80
6895MHz	Pass	PK	13.7244G	57.19	88.20	-31.01	3	Vertical	128	2.80
6895MHz	Pass	AV	13.74376G	45.77	68.20	-22.43	3	Horizontal	43	1.87
6895MHz	Pass	PK	13.75076G	56.71	88.20	-31.49	3	Horizontal	43	1.87
6995MHz	Pass	AV	7.0015G	80.80	Inf	-Inf	3	Vertical	5	2.47
6995MHz	Pass	AV	7.214G	50.82	68.20	-17.38	3	Vertical	5	2.47
6995MHz	Pass	PK	7.0015G	92.12	Inf	-Inf	3	Vertical	5	2.47
6995MHz	Pass	PK	7.2115G	62.75	88.20	-25.45	3	Vertical	5	2.47
6995MHz	Pass	AV	7.0025G	71.63	Inf	-Inf	3	Horizontal	339	2.42
6995MHz	Pass	AV	7.2285G	50.76	68.20	-17.44	3	Horizontal	339	2.42
6995MHz	Pass	PK	7.004G	82.64	Inf	-Inf	3	Horizontal	339	2.42
6995MHz	Pass	PK	7.142G	62.27	88.20	-25.93	3	Horizontal	339	2.42
6995MHz	Pass	AV	14.05464G	46.26	68.20	-21.94	3	Vertical	265	1.23
6995MHz	Pass	PK	14.06504G	57.94	88.20	-30.26	3	Vertical	265	1.23
6995MHz	Pass	AV	14.00036G	46.27	68.20	-21.93	3	Horizontal	314	1.55
6995MHz	Pass	PK	13.99896G	57.72	88.20	-30.48	3	Horizontal	314	1.55
7095MHz	Pass	AV	7.1028G	85.35	Inf	-Inf	3	Vertical	352	2.42
7095MHz	Pass	AV	7.2324G	50.86	68.20	-17.34	3	Vertical	352	2.42
7095MHz	Pass	PK	7.1022G	97.42	Inf	-Inf	3	Vertical	352	2.42
7095MHz	Pass	PK	7.1352G	62.36	88.20	-25.84	3	Vertical	352	2.42
7095MHz	Pass	AV	7.1025G	76.53	Inf	-Inf	3	Horizontal	328	1.09



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	7.2285G	50.80	68.20	-17.40	3	Horizontal	328	1.09
7095MHz	Pass	PK	7.1028G	87.79	Inf	-Inf	3	Horizontal	328	1.09
7095MHz	Pass	PK	7.1961G	62.73	88.20	-25.47	3	Horizontal	328	1.09
7095MHz	Pass	AV	14.14456G	46.39	68.20	-21.81	3	Vertical	263	1.14
7095MHz	Pass	PK	14.14624G	57.52	88.20	-30.68	3	Vertical	263	1.14
7095MHz	Pass	AV	14.13776G	46.42	68.20	-21.78	3	Horizontal	340	1.80
7095MHz	Pass	PK	14.1376G	57.73	88.20	-30.47	3	Horizontal	340	1.80
7115MHz	Pass	AV	7.12311G	73.16	Inf	-Inf	3	Vertical	345	2.39
7115MHz	Pass	AV	7.1255G	55.88	68.20	-12.32	3	Vertical	345	2.39
7115MHz	Pass	PK	7.12105G	82.71	Inf	-Inf	3	Vertical	345	2.39
7115MHz	Pass	PK	7.1255G	67.79	88.20	-20.41	3	Vertical	345	2.39
7115MHz	Pass	AV	7.12061G	62.43	Inf	-Inf	3	Horizontal	332	2.39
7115MHz	Pass	AV	7.1255G	51.22	68.20	-16.98	3	Horizontal	332	2.39
7115MHz	Pass	PK	7.12266G	71.50	Inf	-Inf	3	Horizontal	332	2.39
7115MHz	Pass	PK	7.1255G	60.19	88.20	-28.01	3	Horizontal	332	2.39
7115MHz	Pass	AV	14.22887G	44.32	68.20	-23.88	3	Vertical	308	1.39
7115MHz	Pass	PK	14.22539G	57.25	88.20	-30.95	3	Vertical	308	1.39
7115MHz	Pass	AV	14.23049G	44.35	68.20	-23.85	3	Horizontal	94	1.13
7115MHz	Pass	PK	14.23237G	57.10	88.20	-31.10	3	Horizontal	94	1.13
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9008G	47.76	68.20	-20.44	3	Vertical	17	2.52
6535MHz	Pass	AV	6.542G	89.43	Inf	-Inf	3	Vertical	17	2.52
6535MHz	Pass	AV	7.2182G	50.72	68.20	-17.48	3	Vertical	17	2.52
6535MHz	Pass	PK	5.9218G	59.28	88.20	-28.92	3	Vertical	17	2.52
6535MHz	Pass	PK	6.5406G	100.21	Inf	-Inf	3	Vertical	17	2.52
6535MHz	Pass	PK	7.2154G	62.23	88.20	-25.97	3	Vertical	17	2.52
6535MHz	Pass	AV	5.9106G	47.79	68.20	-20.41	3	Horizontal	176	3.00
6535MHz	Pass	AV	6.542G	81.56	Inf	-Inf	3	Horizontal	176	3.00
6535MHz	Pass	AV	7.214G	50.72	68.20	-17.48	3	Horizontal	176	3.00
6535MHz	Pass	PK	5.9204G	59.84	88.20	-28.36	3	Horizontal	176	3.00
6535MHz	Pass	PK	6.5434G	91.31	Inf	-Inf	3	Horizontal	176	3.00
6535MHz	Pass	PK	7.179G	62.34	88.20	-25.86	3	Horizontal	176	3.00
6535MHz	Pass	AV	13.11896G	44.89	68.20	-23.31	3	Vertical	141	1.36
6535MHz	Pass	PK	13.0596G	56.33	88.20	-31.87	3	Vertical	141	1.36
6535MHz	Pass	AV	13.1188G	44.90	68.20	-23.30	3	Horizontal	238	2.25
6535MHz	Pass	PK	13.1116G	55.79	88.20	-32.41	3	Horizontal	238	2.25
6695MHz	Pass	AV	6.702G	88.50	Inf	-Inf	3	Vertical	22	2.47
6695MHz	Pass	AV	7.159G	50.64	68.20	-17.56	3	Vertical	22	2.47
6695MHz	Pass	PK	6.701G	99.40	Inf	-Inf	3	Vertical	22	2.47
6695MHz	Pass	PK	7.156G	62.72	88.20	-25.48	3	Vertical	22	2.47
6695MHz	Pass	AV	6.702G	80.23	Inf	-Inf	3	Horizontal	179	2.82
6695MHz	Pass	AV	7.193G	50.66	68.20	-17.54	3	Horizontal	179	2.82
6695MHz	Pass	PK	6.703G	90.60	Inf	-Inf	3	Horizontal	179	2.82
6695MHz	Pass	PK	7.151G	62.03	88.20	-26.17	3	Horizontal	179	2.82
6695MHz	Pass	AV	13.45448G	45.30	68.20	-22.90	3	Vertical	258	1.15
6695MHz	Pass	PK	13.46216G	56.18	88.20	-32.02	3	Vertical	258	1.15
6695MHz	Pass	AV	13.46392G	45.23	68.20	-22.97	3	Horizontal	10	2.75
6695MHz	Pass	PK	13.4884G	56.35	88.20	-31.85	3	Horizontal	10	2.75
6895MHz	Pass	AV	6.9027G	87.83	Inf	-Inf	3	Vertical	20	2.31
6895MHz	Pass	AV	7.2366G	50.76	68.20	-17.44	3	Vertical	20	2.31
6895MHz	Pass	PK	6.9006G	98.85	Inf	-Inf	3	Vertical	20	2.31
6895MHz	Pass	PK	7.2338G	62.16	88.20	-26.04	3	Vertical	20	2.31
6895MHz	Pass	AV	6.9013G	80.46	Inf	-Inf	3	Horizontal	175	3.00
6895MHz	Pass	AV	7.21G	50.79	68.20	-17.41	3	Horizontal	175	3.00
6895MHz	Pass	PK	6.9013G	92.02	Inf	-Inf	3	Horizontal	175	3.00
6895MHz	Pass	PK	7.1771G	63.04	88.20	-25.16	3	Horizontal	175	3.00
6895MHz	Pass	AV	13.74648G	45.81	68.20	-22.39	3	Vertical	171	2.11
6895MHz	Pass	PK	13.74408G	56.95	88.20	-31.25	3	Vertical	171	2.11
6895MHz	Pass	AV	13.71288G	45.73	68.20	-22.47	3	Horizontal	198	1.29
6895MHz	Pass	PK	13.70616G	57.26	88.20	-30.94	3	Horizontal	198	1.29
6995MHz	Pass	AV	7.0025G	84.47	Inf	-Inf	3	Vertical	21	2.42
6995MHz	Pass	AV	7.205G	50.82	68.20	-17.38	3	Vertical	21	2.42



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz	Pass	PK	7.002G	95.77	Inf	-Inf	3	Vertical	21	2.42
6995MHz	Pass	PK	7.236G	62.70	88.20	-25.50	3	Vertical	21	2.42
6995MHz	Pass	AV	7.0015G	75.99	Inf	-Inf	3	Horizontal	177	2.92
6995MHz	Pass	AV	7.183G	50.77	68.20	-17.43	3	Horizontal	177	2.92
6995MHz	Pass	PK	7.0025G	86.67	Inf	-Inf	3	Horizontal	177	2.92
6995MHz	Pass	PK	7.2225G	62.52	88.20	-25.68	3	Horizontal	177	2.92
6995MHz	Pass	AV	14.00056G	46.24	68.20	-21.96	3	Vertical	138	2.68
6995MHz	Pass	PK	13.99432G	58.37	88.20	-29.83	3	Vertical	138	2.68
6995MHz	Pass	AV	14.0068G	46.24	68.20	-21.96	3	Horizontal	150	2.36
6995MHz	Pass	PK	13.99272G	57.68	88.20	-30.52	3	Horizontal	150	2.36
7095MHz	Pass	AV	7.1025G	81.29	Inf	-Inf	3	Vertical	20	2.33
7095MHz	Pass	AV	7.2186G	50.80	68.20	-17.40	3	Vertical	20	2.33
7095MHz	Pass	PK	7.1019G	93.55	Inf	-Inf	3	Vertical	20	2.33
7095MHz	Pass	PK	7.2378G	62.63	88.20	-25.57	3	Vertical	20	2.33
7095MHz	Pass	AV	7.1016G	73.26	Inf	-Inf	3	Horizontal	176	2.92
7095MHz	Pass	AV	7.2345G	50.83	68.20	-17.37	3	Horizontal	176	2.92
7095MHz	Pass	PK	7.1031G	84.61	Inf	-Inf	3	Horizontal	176	2.92
7095MHz	Pass	PK	7.2189G	62.36	88.20	-25.84	3	Horizontal	176	2.92
7095MHz	Pass	AV	14.2084G	46.35	68.20	-21.85	3	Vertical	178	1.88
7095MHz	Pass	PK	14.208G	57.84	88.20	-30.36	3	Vertical	178	1.88
7095MHz	Pass	AV	14.14824G	46.36	68.20	-21.84	3	Horizontal	287	1.35
7095MHz	Pass	PK	14.15568G	57.44	88.20	-30.76	3	Horizontal	287	1.35
7115MHz	Pass	AV	7.1213G	68.50	Inf	-Inf	3	Vertical	10	2.38
7115MHz	Pass	AV	7.1255G	53.10	68.20	-15.10	3	Vertical	10	2.38
7115MHz	Pass	PK	7.122G	77.24	Inf	-Inf	3	Vertical	10	2.38
7115MHz	Pass	PK	7.1255G	63.84	88.20	-24.36	3	Vertical	10	2.38
7115MHz	Pass	AV	7.12248G	59.60	Inf	-Inf	3	Horizontal	24	2.34
7115MHz	Pass	AV	7.1255G	50.85	68.20	-17.35	3	Horizontal	24	2.34
7115MHz	Pass	PK	7.12293G	68.22	Inf	-Inf	3	Horizontal	24	2.34
7115MHz	Pass	PK	7.1255G	59.77	88.20	-28.43	3	Horizontal	24	2.34
7115MHz	Pass	AV	14.23122G	44.31	68.20	-23.89	3	Vertical	228	1.93
7115MHz	Pass	PK	14.2347G	55.85	88.20	-32.35	3	Vertical	228	1.93
7115MHz	Pass	AV	14.2263G	44.29	68.20	-23.91	3	Horizontal	194	1.61
7115MHz	Pass	PK	14.23183G	55.77	88.20	-32.43	3	Horizontal	194	1.61
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9008G	47.61	68.20	-20.59	3	Vertical	17	2.40
6535MHz	Pass	AV	6.542G	88.27	Inf	-Inf	3	Vertical	17	2.40
6535MHz	Pass	AV	7.2098G	50.49	68.20	-17.71	3	Vertical	17	2.40
6535MHz	Pass	PK	5.8812G	58.84	88.20	-29.36	3	Vertical	17	2.40
6535MHz	Pass	PK	6.542G	98.43	Inf	-Inf	3	Vertical	17	2.40
6535MHz	Pass	PK	7.2168G	61.89	88.20	-26.31	3	Vertical	17	2.40
6535MHz	Pass	AV	5.8938G	47.63	68.20	-20.57	3	Horizontal	176	2.62
6535MHz	Pass	AV	6.5434G	80.21	Inf	-Inf	3	Horizontal	176	2.62
6535MHz	Pass	AV	7.2336G	50.48	68.20	-17.72	3	Horizontal	176	2.62
6535MHz	Pass	PK	5.9064G	58.84	88.20	-29.36	3	Horizontal	176	2.62
6535MHz	Pass	PK	6.542G	90.37	Inf	-Inf	3	Horizontal	176	2.62
6535MHz	Pass	PK	7.151G	61.93	88.20	-26.27	3	Horizontal	176	2.62
6535MHz	Pass	AV	13.11656G	44.87	68.20	-23.33	3	Vertical	43	2.37
6535MHz	Pass	PK	13.112G	55.24	88.20	-32.96	3	Vertical	43	2.37
6535MHz	Pass	AV	13.13288G	44.89	68.20	-23.31	3	Horizontal	263	2.85
6535MHz	Pass	PK	13.12472G	55.54	88.20	-32.66	3	Horizontal	263	2.85
6695MHz	Pass	AV	6.703G	87.65	Inf	-Inf	3	Vertical	17	2.46
6695MHz	Pass	AV	7.155G	50.44	68.20	-17.76	3	Vertical	17	2.46
6695MHz	Pass	PK	6.703G	97.27	Inf	-Inf	3	Vertical	17	2.46
6695MHz	Pass	PK	7.195G	62.15	88.20	-26.05	3	Vertical	17	2.46
6695MHz	Pass	AV	6.703G	78.77	Inf	-Inf	3	Horizontal	178	2.65
6695MHz	Pass	AV	7.165G	50.55	68.20	-17.65	3	Horizontal	178	2.65
6695MHz	Pass	PK	6.703G	88.83	Inf	-Inf	3	Horizontal	178	2.65
6695MHz	Pass	PK	7.179G	61.65	88.20	-26.55	3	Horizontal	178	2.65
6695MHz	Pass	AV	13.45352G	45.29	68.20	-22.91	3	Vertical	226	1.32
6695MHz	Pass	PK	13.45032G	55.70	88.20	-32.50	3	Vertical	226	1.32
6695MHz	Pass	AV	13.46472G	45.25	68.20	-22.95	3	Horizontal	181	2.34





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6895MHz	Pass	PK	13.45184G	56.31	88.20	-31.89	3	Horizontal	181	2.34
6895MHz	Pass	AV	6.902G	82.89	Inf	-Inf	3	Vertical	348	2.42
6895MHz	Pass	AV	7.182G	49.17	68.20	-19.03	3	Vertical	348	2.42
6895MHz	Pass	PK	6.9027G	93.70	Inf	-Inf	3	Vertical	348	2.42
6895MHz	Pass	PK	7.1946G	61.66	88.20	-26.54	3	Vertical	348	2.42
6895MHz	Pass	AV	6.9027G	75.84	Inf	-Inf	3	Horizontal	180	2.96
6895MHz	Pass	AV	7.2324G	49.19	68.20	-19.01	3	Horizontal	180	2.96
6895MHz	Pass	PK	6.902G	86.31	Inf	-Inf	3	Horizontal	180	2.96
6895MHz	Pass	PK	7.2261G	60.72	88.20	-27.48	3	Horizontal	180	2.96
6895MHz	Pass	AV	13.71208G	45.74	68.20	-22.46	3	Vertical	145	1.51
6895MHz	Pass	PK	13.72184G	56.45	88.20	-31.75	3	Vertical	145	1.51
6895MHz	Pass	AV	13.71352G	45.72	68.20	-22.48	3	Horizontal	268	2.19
6895MHz	Pass	PK	13.7052G	57.04	88.20	-31.16	3	Horizontal	268	2.19
6895MHz	Pass	AV	7.002G	80.19	Inf	-Inf	3	Vertical	15	2.36
6995MHz	Pass	AV	7.2385G	49.20	68.20	-19.00	3	Vertical	15	2.36
6995MHz	Pass	PK	7.0015G	90.75	Inf	-Inf	3	Vertical	15	2.36
6995MHz	Pass	PK	7.161G	60.62	88.20	-27.58	3	Vertical	15	2.36
6995MHz	Pass	AV	7.002G	72.10	Inf	-Inf	3	Horizontal	180	2.93
6995MHz	Pass	AV	7.2265G	49.18	68.20	-19.02	3	Horizontal	180	2.93
6995MHz	Pass	PK	7.0025G	83.36	Inf	-Inf	3	Horizontal	180	2.93
6995MHz	Pass	PK	7.126G	60.78	88.20	-27.42	3	Horizontal	180	2.93
6995MHz	Pass	AV	14.0548G	46.25	68.20	-21.95	3	Vertical	58	2.49
6995MHz	Pass	PK	14.03G	57.87	88.20	-30.33	3	Vertical	58	2.49
6995MHz	Pass	AV	14.0064G	46.29	68.20	-21.91	3	Horizontal	77	1.37
6995MHz	Pass	PK	13.99408G	57.41	88.20	-30.79	3	Horizontal	77	1.37
7095MHz	Pass	AV	7.1016G	81.15	Inf	-Inf	3	Vertical	14	2.42
7095MHz	Pass	AV	7.2414G	49.13	68.20	-19.07	3	Vertical	14	2.42
7095MHz	Pass	PK	7.104G	91.86	Inf	-Inf	3	Vertical	14	2.42
7095MHz	Pass	PK	7.2408G	61.24	88.20	-26.96	3	Vertical	14	2.42
7095MHz	Pass	AV	7.1031G	71.06	Inf	-Inf	3	Horizontal	325	1.08
7095MHz	Pass	AV	7.2345G	49.06	68.20	-19.14	3	Horizontal	325	1.08
7095MHz	Pass	PK	7.1013G	81.59	Inf	-Inf	3	Horizontal	325	1.08
7095MHz	Pass	PK	7.2291G	61.45	88.20	-26.75	3	Horizontal	325	1.08
7095MHz	Pass	AV	14.11032G	46.37	68.20	-21.83	3	Vertical	65	2.31
7095MHz	Pass	PK	14.1324G	56.87	88.20	-31.33	3	Vertical	65	2.31
7095MHz	Pass	AV	14.13704G	46.39	68.20	-21.81	3	Horizontal	115	1.47
7095MHz	Pass	PK	14.1370G	58.68	88.20	-29.52	3	Horizontal	115	1.47
7115MHz	Pass	AV	7.12282G	71.24	Inf	-Inf	3	Vertical	345	2.39
7115MHz	Pass	AV	7.1255G	54.50	68.20	-13.70	3	Vertical	345	2.39
7115MHz	Pass	PK	7.12143G	80.66	Inf	-Inf	3	Vertical	345	2.39
7115MHz	Pass	PK	7.1255G	65.75	88.20	-22.45	3	Vertical	345	2.39
7115MHz	Pass	AV	7.12073G	60.70	Inf	-Inf	3	Horizontal	332	2.39
7115MHz	Pass	AV	7.1255G	50.91	68.20	-17.29	3	Horizontal	332	2.39
7115MHz	Pass	PK	7.1228G	69.46	Inf	-Inf	3	Horizontal	332	2.39
7115MHz	Pass	PK	7.1255G	59.62	88.20	-28.58	3	Horizontal	332	2.39
7115MHz	Pass	AV	14.22617G	44.29	68.20	-23.91	3	Vertical	59	1.81
7115MHz	Pass	PK	14.23424G	56.87	88.20	-31.33	3	Vertical	59	1.81
7115MHz	Pass	AV	14.2255G	44.30	68.20	-23.90	3	Horizontal	64	2.36
7115MHz	Pass	PK	14.22913G	56.60	88.20	-31.60	3	Horizontal	64	2.36
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 51_3TX(Port1)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8716G	46.29	68.20	-21.91	3	Vertical	338	2.31
5955MHz	Pass	AV	5.9517G	78.81	Inf	-Inf	3	Vertical	338	2.31
5955MHz	Pass	PK	5.8434G	58.63	88.20	-29.57	3	Vertical	338	2.31
5955MHz	Pass	PK	5.9529G	90.63	Inf	-Inf	3	Vertical	338	2.31
5955MHz	Pass	AV	5.8911G	46.27	68.20	-21.93	3	Horizontal	183	2.89
5955MHz	Pass	AV	5.9523G	72.94	Inf	-Inf	3	Horizontal	183	2.89
5955MHz	Pass	PK	5.901G	58.39	88.20	-29.81	3	Horizontal	183	2.89
5955MHz	Pass	PK	5.9496G	85.04	Inf	-Inf	3	Horizontal	183	2.89
5955MHz	Pass	AV	11.92044G	41.86	54.00	-12.14	3	Vertical	234	1.50
5955MHz	Pass	PK	11.90049G	54.26	74.00	-19.74	3	Vertical	234	1.50
5955MHz	Pass	AV	11.92392G	41.91	54.00	-12.09	3	Horizontal	13	1.50
5955MHz	Pass	PK	11.89848G	53.79	74.00	-20.21	3	Horizontal	13	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6195MHz	Pass	AV	5.90676G	47.86	68.20	-20.34	3	Vertical	346	2.42
6195MHz	Pass	AV	6.1922G	86.89	Inf	-Inf	3	Vertical	346	2.42
6195MHz	Pass	AV	7.165G	50.66	68.20	-17.54	3	Vertical	346	2.42
6195MHz	Pass	PK	5.89652G	58.86	88.20	-29.34	3	Vertical	346	2.42
6195MHz	Pass	PK	6.19092G	97.95	Inf	-Inf	3	Vertical	346	2.42
6195MHz	Pass	PK	7.15348G	61.80	88.20	-26.40	3	Vertical	346	2.42
6195MHz	Pass	AV	5.8914G	47.84	68.20	-20.36	3	Horizontal	198	2.74
6195MHz	Pass	AV	6.18708G	79.47	Inf	-Inf	3	Horizontal	198	2.74
6195MHz	Pass	AV	7.165G	50.68	68.20	-17.52	3	Horizontal	198	2.74
6195MHz	Pass	PK	5.90292G	58.88	88.20	-29.32	3	Horizontal	198	2.74
6195MHz	Pass	PK	6.18708G	90.60	Inf	-Inf	3	Horizontal	198	2.74
6195MHz	Pass	PK	7.165G	62.71	88.20	-25.49	3	Horizontal	198	2.74
6195MHz	Pass	AV	12.31176G	43.71	54.00	-10.29	3	Vertical	9	2.75
6195MHz	Pass	PK	12.34888G	55.96	74.00	-18.04	3	Vertical	9	2.75
6195MHz	Pass	AV	12.3252G	43.72	54.00	-10.28	3	Horizontal	210	2.83
6195MHz	Pass	PK	12.34296G	55.18	74.00	-18.82	3	Horizontal	210	2.83
6415MHz	Pass	AV	5.8966G	47.73	68.20	-20.47	3	Vertical	355	2.43
6415MHz	Pass	AV	6.4126G	86.01	Inf	-Inf	3	Vertical	355	2.43
6415MHz	Pass	PK	5.9182G	58.88	88.20	-29.32	3	Vertical	355	2.43
6415MHz	Pass	PK	6.4126G	97.07	Inf	-Inf	3	Vertical	355	2.43
6415MHz	Pass	AV	5.8942G	47.77	68.20	-20.43	3	Horizontal	332	1.06
6415MHz	Pass	AV	6.4126G	76.20	Inf	-Inf	3	Horizontal	332	1.06
6415MHz	Pass	PK	5.875G	59.48	88.20	-28.72	3	Horizontal	332	1.06
6415MHz	Pass	PK	6.4114G	86.76	Inf	-Inf	3	Horizontal	332	1.06
6415MHz	Pass	AV	12.90952G	44.52	68.20	-23.68	3	Vertical	335	1.91
6415MHz	Pass	PK	12.89288G	56.38	88.20	-31.82	3	Vertical	335	1.91
6415MHz	Pass	AV	12.81512G	44.53	68.20	-23.67	3	Horizontal	174	2.96
6415MHz	Pass	PK	12.82488G	56.02	88.20	-32.18	3	Horizontal	174	2.96
6435MHz	Pass	AV	5.9118G	47.79	68.20	-20.41	3	Vertical	354	2.37
6435MHz	Pass	AV	6.4326G	87.29	Inf	-Inf	3	Vertical	354	2.37
6435MHz	Pass	PK	5.9226G	58.86	88.20	-29.34	3	Vertical	354	2.37
6435MHz	Pass	PK	6.4326G	98.81	Inf	-Inf	3	Vertical	354	2.37
6435MHz	Pass	AV	5.8986G	47.80	68.20	-20.40	3	Horizontal	186	2.46
6435MHz	Pass	AV	6.4326G	78.35	Inf	-Inf	3	Horizontal	186	2.46
6435MHz	Pass	PK	5.9034G	59.72	88.20	-28.48	3	Horizontal	186	2.46
6435MHz	Pass	PK	6.4314G	87.91	Inf	-Inf	3	Horizontal	186	2.46
6435MHz	Pass	AV	12.93592G	44.55	68.20	-23.65	3	Vertical	126	2.03
6435MHz	Pass	PK	12.93712G	56.29	88.20	-31.91	3	Vertical	126	2.03
6435MHz	Pass	AV	12.92344G	44.57	68.20	-23.63	3	Horizontal	151	2.65
6435MHz	Pass	PK	12.92872G	55.30	88.20	-32.90	3	Horizontal	151	2.65
6475MHz	Pass	AV	5.901G	47.75	68.20	-20.45	3	Vertical	355	2.46
6475MHz	Pass	AV	6.4722G	88.46	Inf	-Inf	3	Vertical	355	2.46
6475MHz	Pass	AV	7.1652G	50.62	68.20	-17.58	3	Vertical	355	2.46
6475MHz	Pass	PK	5.8884G	58.82	88.20	-29.38	3	Vertical	355	2.46
6475MHz	Pass	PK	6.4666G	98.67	Inf	-Inf	3	Vertical	355	2.46
6475MHz	Pass	PK	7.1624G	61.90	88.20	-26.30	3	Vertical	355	2.46
6475MHz	Pass	AV	5.8996G	47.75	68.20	-20.45	3	Horizontal	193	2.59
6475MHz	Pass	AV	6.4722G	79.50	Inf	-Inf	3	Horizontal	193	2.59
6475MHz	Pass	AV	7.175G	50.57	68.20	-17.63	3	Horizontal	193	2.59
6475MHz	Pass	PK	5.8856G	59.31	88.20	-28.89	3	Horizontal	193	2.59
6475MHz	Pass	PK	6.4708G	90.08	Inf	-Inf	3	Horizontal	193	2.59
6475MHz	Pass	PK	7.1456G	61.97	88.20	-26.23	3	Horizontal	193	2.59
6475MHz	Pass	AV	13.01688G	44.68	68.20	-23.52	3	Vertical	93	1.54
6475MHz	Pass	PK	12.99544G	55.35	88.20	-32.85	3	Vertical	93	1.54
6475MHz	Pass	AV	13.01048G	44.66	68.20	-23.54	3	Horizontal	324	1.12
6475MHz	Pass	PK	13.00776G	56.22	88.20	-31.98	3	Horizontal	324	1.12
6515MHz	Pass	AV	5.8976G	47.79	68.20	-20.41	3	Vertical	350	2.37
6515MHz	Pass	AV	6.5094G	88.61	Inf	-Inf	3	Vertical	350	2.37
6515MHz	Pass	AV	7.1702G	50.65	68.20	-17.55	3	Vertical	350	2.37
6515MHz	Pass	PK	5.871G	59.48	88.20	-28.72	3	Vertical	350	2.37
6515MHz	Pass	PK	6.5136G	99.91	Inf	-Inf	3	Vertical	350	2.37
6515MHz	Pass	PK	7.1548G	61.53	88.20	-26.67	3	Vertical	350	2.37



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6515MHz	Pass	AV	5.9004G	47.77	68.20	-20.43	3	Horizontal	186	2.35
6515MHz	Pass	AV	6.5066G	79.88	Inf	-Inf	3	Horizontal	186	2.35
6515MHz	Pass	AV	7.1926G	50.60	68.20	-17.60	3	Horizontal	186	2.35
6515MHz	Pass	PK	5.906G	59.69	88.20	-28.51	3	Horizontal	186	2.35
6515MHz	Pass	PK	6.5066G	89.59	Inf	-Inf	3	Horizontal	186	2.35
6515MHz	Pass	PK	7.1394G	61.85	88.20	-26.35	3	Horizontal	186	2.35
6515MHz	Pass	AV	13.00864G	44.83	68.20	-23.37	3	Vertical	18	2.32
6515MHz	Pass	PK	12.99864G	55.98	88.20	-32.22	3	Vertical	18	2.32
6515MHz	Pass	AV	13.10424G	44.84	68.20	-23.36	3	Horizontal	31	3.00
6515MHz	Pass	PK	13.082G	56.49	88.20	-31.71	3	Horizontal	31	3.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8926G	46.30	68.20	-21.90	3	Vertical	8	2.42
5955MHz	Pass	AV	5.9517G	80.41	Inf	-Inf	3	Vertical	8	2.42
5955MHz	Pass	PK	5.8122G	58.28	88.20	-29.92	3	Vertical	8	2.42
5955MHz	Pass	PK	5.9508G	91.84	Inf	-Inf	3	Vertical	8	2.42
5955MHz	Pass	AV	5.8947G	46.27	68.20	-21.93	3	Horizontal	183	2.65
5955MHz	Pass	AV	5.9475G	74.05	Inf	-Inf	3	Horizontal	183	2.65
5955MHz	Pass	PK	5.8317G	58.46	88.20	-29.74	3	Horizontal	183	2.65
5955MHz	Pass	PK	5.9481G	86.07	Inf	-Inf	3	Horizontal	183	2.65
5955MHz	Pass	AV	11.9223G	41.91	54.00	-12.09	3	Vertical	219	1.50
5955MHz	Pass	PK	11.91015G	54.11	74.00	-19.89	3	Vertical	219	1.50
5955MHz	Pass	AV	11.92365G	41.87	54.00	-12.13	3	Horizontal	359	1.16
5955MHz	Pass	PK	11.91867G	53.84	74.00	-20.16	3	Horizontal	359	1.16
6195MHz	Pass	AV	5.90164G	47.89	68.20	-20.31	3	Vertical	17	2.48
6195MHz	Pass	AV	6.18964G	78.47	Inf	-Inf	3	Vertical	17	2.48
6195MHz	Pass	AV	7.15476G	50.61	68.20	-17.59	3	Vertical	17	2.48
6195MHz	Pass	PK	5.88756G	58.76	88.20	-29.44	3	Vertical	17	2.48
6195MHz	Pass	PK	6.19092G	88.71	Inf	-Inf	3	Vertical	17	2.48
6195MHz	Pass	PK	7.14196G	61.40	88.20	-26.80	3	Vertical	17	2.48
6195MHz	Pass	AV	5.89908G	47.88	68.20	-20.32	3	Horizontal	173	2.76
6195MHz	Pass	AV	6.18708G	72.01	Inf	-Inf	3	Horizontal	173	2.76
6195MHz	Pass	AV	7.15604G	50.57	68.20	-17.63	3	Horizontal	173	2.76
6195MHz	Pass	PK	5.90292G	59.14	88.20	-29.06	3	Horizontal	173	2.76
6195MHz	Pass	PK	6.1922G	82.53	Inf	-Inf	3	Horizontal	173	2.76
6195MHz	Pass	PK	7.14324G	61.82	88.20	-26.38	3	Horizontal	173	2.76
6195MHz	Pass	AV	12.31032G	43.70	54.00	-10.30	3	Vertical	245	1.48
6195MHz	Pass	PK	12.32928G	54.91	74.00	-19.09	3	Vertical	245	1.48
6195MHz	Pass	AV	12.32376G	43.67	54.00	-10.33	3	Horizontal	156	2.04
6195MHz	Pass	PK	12.33864G	54.61	74.00	-19.39	3	Horizontal	156	2.04
6415MHz	Pass	AV	5.9062G	47.76	68.20	-20.44	3	Vertical	14	2.49
6415MHz	Pass	AV	6.4126G	87.40	Inf	-Inf	3	Vertical	14	2.49
6415MHz	Pass	PK	5.8498G	59.09	88.20	-29.11	3	Vertical	14	2.49
6415MHz	Pass	PK	6.4114G	98.40	Inf	-Inf	3	Vertical	14	2.49
6415MHz	Pass	AV	5.8978G	47.78	68.20	-20.42	3	Horizontal	176	3.00
6415MHz	Pass	AV	6.4126G	80.28	Inf	-Inf	3	Horizontal	176	3.00
6415MHz	Pass	PK	5.845G	59.69	88.20	-28.51	3	Horizontal	176	3.00
6415MHz	Pass	PK	6.409G	90.87	Inf	-Inf	3	Horizontal	176	3.00
6415MHz	Pass	AV	12.9004G	44.50	68.20	-23.70	3	Vertical	55	2.16
6415MHz	Pass	PK	12.87736G	55.74	88.20	-32.46	3	Vertical	55	2.16
6415MHz	Pass	AV	12.85912G	44.48	68.20	-23.72	3	Horizontal	302	2.98
6415MHz	Pass	PK	12.83288G	55.43	88.20	-32.77	3	Horizontal	302	2.98
6435MHz	Pass	AV	5.9106G	47.83	68.20	-20.37	3	Vertical	19	2.36
6435MHz	Pass	AV	6.4326G	87.39	Inf	-Inf	3	Vertical	19	2.36
6435MHz	Pass	PK	5.8986G	59.36	88.20	-28.84	3	Vertical	19	2.36
6435MHz	Pass	PK	6.429G	97.31	Inf	-Inf	3	Vertical	19	2.36
6435MHz	Pass	AV	5.8986G	47.80	68.20	-20.40	3	Horizontal	169	2.88
6435MHz	Pass	AV	6.4326G	79.47	Inf	-Inf	3	Horizontal	169	2.88
6435MHz	Pass	PK	5.913G	59.94	88.20	-28.26	3	Horizontal	169	2.88
6435MHz	Pass	PK	6.4314G	89.76	Inf	-Inf	3	Horizontal	169	2.88
6435MHz	Pass	AV	12.92216G	44.54	68.20	-23.66	3	Vertical	133	2.62
6435MHz	Pass	PK	12.89064G	56.34	88.20	-31.86	3	Vertical	133	2.62
6435MHz	Pass	AV	12.92552G	44.57	68.20	-23.63	3	Horizontal	130	1.05



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6435MHz	Pass	PK	12.92548G	56.08	88.20	-32.12	3	Horizontal	130	1.05
6475MHz	Pass	AV	5.8982G	47.76	68.20	-20.44	3	Vertical	20	2.54
6475MHz	Pass	AV	6.4722G	88.53	Inf	-Inf	3	Vertical	20	2.54
6475MHz	Pass	AV	7.1554G	50.62	68.20	-17.58	3	Vertical	20	2.54
6475MHz	Pass	PK	5.908G	59.44	88.20	-28.76	3	Vertical	20	2.54
6475MHz	Pass	PK	6.4694G	98.73	Inf	-Inf	3	Vertical	20	2.54
6475MHz	Pass	PK	7.1442G	61.86	88.20	-26.34	3	Vertical	20	2.54
6475MHz	Pass	AV	5.9052G	47.75	68.20	-20.45	3	Horizontal	176	2.98
6475MHz	Pass	AV	6.4722G	81.29	Inf	-Inf	3	Horizontal	176	2.98
6475MHz	Pass	AV	7.1666G	50.58	68.20	-17.62	3	Horizontal	176	2.98
6475MHz	Pass	PK	5.8548G	59.70	88.20	-28.50	3	Horizontal	176	2.98
6475MHz	Pass	PK	6.4708G	92.16	Inf	-Inf	3	Horizontal	176	2.98
6475MHz	Pass	PK	7.1652G	61.80	88.20	-26.40	3	Horizontal	176	2.98
6475MHz	Pass	AV	13.00488G	44.66	68.20	-23.54	3	Vertical	181	2.16
6475MHz	Pass	PK	12.99964G	55.70	88.20	-32.50	3	Vertical	181	2.16
6475MHz	Pass	AV	13.01512G	44.66	68.20	-23.54	3	Horizontal	21	1.72
6475MHz	Pass	PK	12.99736G	56.00	88.20	-32.20	3	Horizontal	21	1.72
6515MHz	Pass	AV	5.899G	47.86	68.20	-20.34	3	Vertical	18	2.45
6515MHz	Pass	AV	6.5122G	89.57	Inf	-Inf	3	Vertical	18	2.45
6515MHz	Pass	AV	7.1632G	50.61	68.20	-17.59	3	Vertical	18	2.45
6515MHz	Pass	PK	5.8822G	59.18	88.20	-29.02	3	Vertical	18	2.45
6515MHz	Pass	PK	6.5094G	99.54	Inf	-Inf	3	Vertical	18	2.45
6515MHz	Pass	PK	7.1954G	61.81	88.20	-26.39	3	Vertical	18	2.45
6515MHz	Pass	AV	5.9004G	47.76	68.20	-20.44	3	Horizontal	177	2.89
6515MHz	Pass	AV	6.5094G	81.83	Inf	-Inf	3	Horizontal	177	2.89
6515MHz	Pass	AV	7.215G	50.65	68.20	-17.55	3	Horizontal	177	2.89
6515MHz	Pass	PK	5.9144G	59.02	88.20	-29.18	3	Horizontal	177	2.89
6515MHz	Pass	PK	6.508G	92.20	Inf	-Inf	3	Horizontal	177	2.89
6515MHz	Pass	PK	7.1926G	62.27	88.20	-25.93	3	Horizontal	177	2.89
6515MHz	Pass	AV	13.00044G	44.80	68.20	-23.40	3	Vertical	221	2.06
6515MHz	Pass	PK	12.99432G	55.84	88.20	-32.36	3	Vertical	221	2.06
6515MHz	Pass	AV	13.00712G	44.88	68.20	-23.32	3	Horizontal	183	2.21
6515MHz	Pass	PK	12.9999G	56.36	88.20	-31.84	3	Horizontal	183	2.21
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 53_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9184G	46.26	68.20	-21.94	3	Vertical	357	2.42
5955MHz	Pass	AV	5.9514G	79.03	Inf	-Inf	3	Vertical	357	2.42
5955MHz	Pass	PK	5.8107G	58.32	88.20	-29.88	3	Vertical	357	2.42
5955MHz	Pass	PK	5.9493G	90.41	Inf	-Inf	3	Vertical	357	2.42
5955MHz	Pass	AV	5.8911G	46.33	68.20	-21.87	3	Horizontal	175	2.65
5955MHz	Pass	AV	5.9481G	73.67	Inf	-Inf	3	Horizontal	175	2.65
5955MHz	Pass	PK	5.8764G	58.18	88.20	-30.02	3	Horizontal	175	2.65
5955MHz	Pass	PK	5.9514G	84.27	Inf	-Inf	3	Horizontal	175	2.65
5955MHz	Pass	AV	11.9217G	41.87	54.00	-12.13	3	Vertical	193	1.50
5955MHz	Pass	PK	11.90898G	54.27	74.00	-19.73	3	Vertical	193	1.50
5955MHz	Pass	AV	11.92302G	41.91	54.00	-12.09	3	Horizontal	153	1.50
5955MHz	Pass	PK	11.90007G	54.27	74.00	-19.73	3	Horizontal	153	1.50
6195MHz	Pass	AV	5.88756G	47.85	68.20	-20.35	3	Vertical	350	2.46
6195MHz	Pass	AV	6.18708G	91.77	Inf	-Inf	3	Vertical	350	2.46
6195MHz	Pass	AV	7.15604G	50.64	68.20	-17.56	3	Vertical	350	2.46
6195MHz	Pass	PK	5.91828G	59.43	88.20	-28.77	3	Vertical	350	2.46
6195MHz	Pass	PK	6.18836G	102.25	Inf	-Inf	3	Vertical	350	2.46
6195MHz	Pass	PK	7.14196G	62.20	88.20	-26.00	3	Vertical	350	2.46
6195MHz	Pass	AV	5.90548G	47.84	68.20	-20.36	3	Horizontal	172	3.00
6195MHz	Pass	AV	6.1922G	84.54	Inf	-Inf	3	Horizontal	172	3.00
6195MHz	Pass	AV	7.165G	50.57	68.20	-17.63	3	Horizontal	172	3.00
6195MHz	Pass	PK	5.89652G	59.00	88.20	-29.20	3	Horizontal	172	3.00
6195MHz	Pass	PK	6.18964G	94.96	Inf	-Inf	3	Horizontal	172	3.00
6195MHz	Pass	PK	7.1394G	61.88	88.20	-26.32	3	Horizontal	172	3.00
6195MHz	Pass	AV	12.31064G	43.68	54.00	-10.32	3	Vertical	311	2.97
6195MHz	Pass	PK	12.318G	54.72	74.00	-19.28	3	Vertical	311	2.97
6195MHz	Pass	AV	12.31048G	43.71	54.00	-10.29	3	Horizontal	267	2.16
6195MHz	Pass	PK	12.31824G	54.80	74.00	-19.20	3	Horizontal	267	2.16



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6415MHz	Pass	AV	5.9122G	47.71	68.20	-20.49	3	Vertical	10	2.37
6415MHz	Pass	AV	6.4078G	87.25	Inf	-Inf	3	Vertical	10	2.37
6415MHz	Pass	PK	5.9182G	59.18	88.20	-29.02	3	Vertical	10	2.37
6415MHz	Pass	PK	6.4114G	96.54	Inf	-Inf	3	Vertical	10	2.37
6415MHz	Pass	AV	5.9122G	47.73	68.20	-20.47	3	Horizontal	191	3.00
6415MHz	Pass	AV	6.4114G	79.25	Inf	-Inf	3	Horizontal	191	3.00
6415MHz	Pass	PK	5.9086G	59.12	88.20	-29.08	3	Horizontal	191	3.00
6415MHz	Pass	PK	6.409G	88.51	Inf	-Inf	3	Horizontal	191	3.00
6415MHz	Pass	AV	12.8596G	44.47	68.20	-23.73	3	Vertical	178	1.61
6415MHz	Pass	PK	12.85112G	55.21	88.20	-32.99	3	Vertical	178	1.61
6415MHz	Pass	AV	12.89048G	44.53	68.20	-23.67	3	Horizontal	136	1.01
6415MHz	Pass	PK	12.90296G	56.05	88.20	-32.15	3	Horizontal	136	1.01
6435MHz	Pass	AV	5.8878G	47.65	68.20	-20.55	3	Vertical	349	2.39
6435MHz	Pass	AV	6.4278G	87.91	Inf	-Inf	3	Vertical	349	2.39
6435MHz	Pass	PK	5.8962G	58.86	88.20	-29.34	3	Vertical	349	2.39
6435MHz	Pass	PK	6.4266G	98.48	Inf	-Inf	3	Vertical	349	2.39
6435MHz	Pass	AV	5.9034G	47.79	68.20	-20.41	3	Horizontal	192	2.96
6435MHz	Pass	AV	6.4314G	79.63	Inf	-Inf	3	Horizontal	192	2.96
6435MHz	Pass	PK	5.8566G	58.81	88.20	-29.39	3	Horizontal	192	2.96
6435MHz	Pass	PK	6.429G	88.99	Inf	-Inf	3	Horizontal	192	2.96
6435MHz	Pass	AV	12.922G	44.58	68.20	-23.62	3	Vertical	262	2.30
6435MHz	Pass	PK	12.89312G	56.18	88.20	-32.02	3	Vertical	262	2.30
6435MHz	Pass	AV	12.90248G	44.57	68.20	-23.63	3	Horizontal	121	2.82
6435MHz	Pass	PK	12.90096G	56.26	88.20	-31.94	3	Horizontal	121	2.82
6475MHz	Pass	AV	5.9052G	47.63	68.20	-20.57	3	Vertical	347	2.40
6475MHz	Pass	AV	6.4708G	88.40	Inf	-Inf	3	Vertical	347	2.40
6475MHz	Pass	AV	7.1652G	50.45	68.20	-17.75	3	Vertical	347	2.40
6475MHz	Pass	PK	5.8086G	59.35	88.20	-28.85	3	Vertical	347	2.40
6475MHz	Pass	PK	6.4652G	97.87	Inf	-Inf	3	Vertical	347	2.40
6475MHz	Pass	PK	7.175G	60.87	88.20	-27.33	3	Vertical	347	2.40
6475MHz	Pass	AV	5.9066G	47.64	68.20	-20.56	3	Horizontal	174	2.94
6475MHz	Pass	AV	6.468G	80.49	Inf	-Inf	3	Horizontal	174	2.94
6475MHz	Pass	AV	7.168G	50.47	68.20	-17.73	3	Horizontal	174	2.94
6475MHz	Pass	PK	5.8632G	58.55	88.20	-29.65	3	Horizontal	174	2.94
6475MHz	Pass	PK	6.4666G	89.42	Inf	-Inf	3	Horizontal	174	2.94
6475MHz	Pass	PK	7.1638G	62.49	88.20	-25.71	3	Horizontal	174	2.94
6475MHz	Pass	AV	13.008G	44.64	68.20	-23.56	3	Vertical	13	2.35
6475MHz	Pass	PK	12.9936G	56.37	88.20	-31.83	3	Vertical	13	2.35
6475MHz	Pass	AV	13.0006G	44.68	68.20	-23.52	3	Horizontal	95	1.48
6475MHz	Pass	PK	12.996G	56.02	88.20	-32.18	3	Horizontal	95	1.48
6515MHz	Pass	AV	5.9004G	47.61	68.20	-20.59	3	Vertical	1	2.48
6515MHz	Pass	AV	6.5108G	88.57	Inf	-Inf	3	Vertical	1	2.48
6515MHz	Pass	AV	7.1688G	50.49	68.20	-17.71	3	Vertical	1	2.48
6515MHz	Pass	PK	5.892G	58.85	88.20	-29.35	3	Vertical	1	2.48
6515MHz	Pass	PK	6.5094G	97.38	Inf	-Inf	3	Vertical	1	2.48
6515MHz	Pass	PK	7.152G	61.39	88.20	-26.81	3	Vertical	1	2.48
6515MHz	Pass	AV	5.9004G	47.69	68.20	-20.51	3	Horizontal	175	3.00
6515MHz	Pass	AV	6.508G	80.72	Inf	-Inf	3	Horizontal	175	3.00
6515MHz	Pass	AV	7.1688G	50.49	68.20	-17.71	3	Horizontal	175	3.00
6515MHz	Pass	PK	5.906G	59.24	88.20	-28.96	3	Horizontal	175	3.00
6515MHz	Pass	PK	6.5066G	89.59	Inf	-Inf	3	Horizontal	175	3.00
6515MHz	Pass	PK	7.152G	61.39	88.20	-26.81	3	Horizontal	175	3.00
6515MHz	Pass	AV	13.0644G	44.89	68.20	-23.31	3	Vertical	166	1.02
6515MHz	Pass	PK	13.06424G	55.56	88.20	-32.64	3	Vertical	166	1.02
6515MHz	Pass	AV	13.10968G	44.84	68.20	-23.36	3	Horizontal	209	2.43
6515MHz	Pass	PK	13.06136G	56.21	88.20	-31.99	3	Horizontal	209	2.43
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.8952G	47.89	68.20	-20.31	3	Vertical	354	2.48
6535MHz	Pass	AV	6.5434G	89.01	Inf	-Inf	3	Vertical	354	2.48
6535MHz	Pass	AV	7.2126G	50.71	68.20	-17.49	3	Vertical	354	2.48
6535MHz	Pass	PK	5.842G	59.23	88.20	-28.97	3	Vertical	354	2.48
6535MHz	Pass	PK	6.542G	100.12	Inf	-Inf	3	Vertical	354	2.48



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6535MHz	Pass	PK	7.1902G	62.04	88.20	-26.16	3	Vertical	354	2.48
6535MHz	Pass	AV	5.9036G	47.82	68.20	-20.38	3	Horizontal	333	1.08
6535MHz	Pass	AV	6.5392G	79.60	Inf	-Inf	3	Horizontal	333	1.08
6535MHz	Pass	AV	7.2238G	50.71	68.20	-17.49	3	Horizontal	333	1.08
6535MHz	Pass	PK	5.8378G	59.07	88.20	-29.13	3	Horizontal	333	1.08
6535MHz	Pass	PK	6.5392G	89.72	Inf	-Inf	3	Horizontal	333	1.08
6535MHz	Pass	PK	7.1482G	63.33	88.20	-24.87	3	Horizontal	333	1.08
6535MHz	Pass	AV	13.1132G	44.89	68.20	-23.31	3	Vertical	346	2.76
6535MHz	Pass	PK	13.09464G	56.40	88.20	-31.80	3	Vertical	346	2.76
6535MHz	Pass	AV	13.12328G	44.88	68.20	-23.32	3	Horizontal	89	1.48
6535MHz	Pass	PK	13.12344G	56.37	88.20	-31.83	3	Horizontal	89	1.48
6695MHz	Pass	AV	6.702G	88.20	Inf	-Inf	3	Vertical	351	2.52
6695MHz	Pass	AV	7.166G	50.62	68.20	-17.58	3	Vertical	351	2.52
6695MHz	Pass	PK	6.701G	100.41	Inf	-Inf	3	Vertical	351	2.52
6695MHz	Pass	PK	7.178G	61.33	88.20	-26.87	3	Vertical	351	2.52
6695MHz	Pass	AV	6.698G	79.74	Inf	-Inf	3	Horizontal	192	2.94
6695MHz	Pass	AV	7.194G	50.69	68.20	-17.51	3	Horizontal	192	2.94
6695MHz	Pass	PK	6.699G	90.16	Inf	-Inf	3	Horizontal	192	2.94
6695MHz	Pass	PK	7.176G	61.84	88.20	-26.36	3	Horizontal	192	2.94
6695MHz	Pass	AV	13.43576G	45.24	68.20	-22.96	3	Vertical	236	2.86
6695MHz	Pass	PK	13.4348G	56.16	88.20	-32.04	3	Vertical	236	2.86
6695MHz	Pass	AV	13.458G	45.27	68.20	-22.93	3	Horizontal	20	3.00
6695MHz	Pass	PK	13.45136G	57.56	88.20	-30.64	3	Horizontal	20	3.00
6895MHz	Pass	AV	6.9013G	81.36	Inf	-Inf	3	Vertical	351	2.37
6895MHz	Pass	AV	7.2128G	50.78	68.20	-17.42	3	Vertical	351	2.37
6895MHz	Pass	PK	6.9027G	92.23	Inf	-Inf	3	Vertical	351	2.37
6895MHz	Pass	PK	7.1995G	62.57	88.20	-25.63	3	Vertical	351	2.37
6895MHz	Pass	AV	6.9027G	72.54	Inf	-Inf	3	Horizontal	329	1.00
6895MHz	Pass	AV	7.2359G	50.83	68.20	-17.37	3	Horizontal	329	1.00
6895MHz	Pass	PK	6.902G	83.21	Inf	-Inf	3	Horizontal	329	1.00
6895MHz	Pass	PK	7.175G	62.36	88.20	-25.84	3	Horizontal	329	1.00
6895MHz	Pass	AV	13.74264G	45.77	68.20	-22.43	3	Vertical	177	1.27
6895MHz	Pass	PK	13.75176G	57.64	88.20	-30.56	3	Vertical	177	1.27
6895MHz	Pass	AV	13.71864G	45.74	68.20	-22.46	3	Horizontal	167	2.03
6895MHz	Pass	PK	13.70504G	57.22	88.20	-30.98	3	Horizontal	167	2.03
6995MHz	Pass	AV	6.999G	81.04	Inf	-Inf	3	Vertical	0	2.44
6995MHz	Pass	AV	7.214G	50.85	68.20	-17.35	3	Vertical	0	2.44
6995MHz	Pass	PK	7.0005G	93.51	Inf	-Inf	3	Vertical	0	2.44
6995MHz	Pass	PK	7.1925G	62.77	88.20	-25.43	3	Vertical	0	2.44
6995MHz	Pass	AV	7.003G	71.05	Inf	-Inf	3	Horizontal	341	2.42
6995MHz	Pass	AV	7.1975G	50.81	68.20	-17.39	3	Horizontal	341	2.42
6995MHz	Pass	PK	6.998G	82.04	Inf	-Inf	3	Horizontal	341	2.42
6995MHz	Pass	PK	7.239G	62.75	88.20	-25.45	3	Horizontal	341	2.42
6995MHz	Pass	AV	14.00076G	46.25	68.20	-21.95	3	Vertical	65	2.75
6995MHz	Pass	PK	13.99948G	56.97	88.20	-31.23	3	Vertical	65	2.75
6995MHz	Pass	AV	14.05864G	46.30	68.20	-21.90	3	Horizontal	292	2.97
6995MHz	Pass	PK	14.05912G	57.08	88.20	-31.12	3	Horizontal	292	2.97
7095MHz	Pass	AV	7.1034G	85.32	Inf	-Inf	3	Vertical	352	2.42
7095MHz	Pass	AV	7.2312G	50.84	68.20	-17.36	3	Vertical	352	2.42
7095MHz	Pass	PK	7.1004G	97.39	Inf	-Inf	3	Vertical	352	2.42
7095MHz	Pass	PK	7.1445G	62.88	88.20	-25.32	3	Vertical	352	2.42
7095MHz	Pass	AV	7.1028G	76.21	Inf	-Inf	3	Horizontal	327	1.02
7095MHz	Pass	AV	7.2069G	50.87	68.20	-17.33	3	Horizontal	327	1.02
7095MHz	Pass	PK	7.1019G	87.22	Inf	-Inf	3	Horizontal	327	1.02
7095MHz	Pass	PK	7.245G	63.26	88.20	-24.94	3	Horizontal	327	1.02
7095MHz	Pass	AV	14.21336G	46.39	68.20	-21.81	3	Vertical	34	1.48
7095MHz	Pass	PK	14.20792G	57.71	88.20	-30.49	3	Vertical	34	1.48
7095MHz	Pass	AV	14.11464G	46.34	68.20	-21.86	3	Horizontal	337	1.79
7095MHz	Pass	PK	14.12968G	57.68	88.20	-30.52	3	Horizontal	337	1.79
7115MHz	Pass	PK	7.1195G	91.50	Inf	-Inf	3	Vertical	343	1.32
7115MHz	Pass	AV	7.1175G	85.07	Inf	-Inf	3	Vertical	343	1.32
7115MHz	Pass	PK	7.1255G	67.48	88.20	-20.72	3	Vertical	343	1.32



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	57.53	68.20	-10.67	3	Vertical	343	1.32
7115MHz	Pass	AV	7.1175G	79.37	Inf	-Inf	3	Horizontal	75	1.42
7115MHz	Pass	AV	7.1255G	54.75	68.20	-13.45	3	Horizontal	75	1.42
7115MHz	Pass	PK	7.1175G	85.27	Inf	-Inf	3	Horizontal	75	1.42
7115MHz	Pass	PK	7.1255G	64.27	88.20	-23.93	3	Horizontal	75	1.42
7115MHz	Pass	AV	14.22856G	44.99	68.20	-23.21	3	Vertical	345	1.36
7115MHz	Pass	PK	14.22905G	54.33	88.20	-33.87	3	Vertical	345	1.36
7115MHz	Pass	AV	14.22867G	45.00	68.20	-23.20	3	Horizontal	54	1.37
7115MHz	Pass	PK	14.23474G	53.86	88.20	-34.34	3	Horizontal	54	1.37
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.891G	47.84	68.20	-20.36	3	Vertical	20	2.44
6535MHz	Pass	AV	6.5406G	89.54	Inf	-Inf	3	Vertical	20	2.44
6535MHz	Pass	AV	7.2056G	50.66	68.20	-17.54	3	Vertical	20	2.44
6535MHz	Pass	PK	5.8868G	58.63	88.20	-29.57	3	Vertical	20	2.44
6535MHz	Pass	PK	6.5434G	99.93	Inf	-Inf	3	Vertical	20	2.44
6535MHz	Pass	PK	7.228G	62.36	88.20	-25.84	3	Vertical	20	2.44
6535MHz	Pass	AV	5.8994G	47.81	68.20	-20.39	3	Horizontal	178	3.00
6535MHz	Pass	AV	6.5378G	81.47	Inf	-Inf	3	Horizontal	178	3.00
6535MHz	Pass	AV	7.2308G	50.66	68.20	-17.54	3	Horizontal	178	3.00
6535MHz	Pass	PK	5.8574G	59.26	88.20	-28.94	3	Horizontal	178	3.00
6535MHz	Pass	PK	6.5434G	92.67	Inf	-Inf	3	Horizontal	178	3.00
6535MHz	Pass	PK	7.2154G	61.83	88.20	-26.37	3	Horizontal	178	3.00
6535MHz	Pass	AV	13.13816G	44.89	68.20	-23.31	3	Vertical	135	1.12
6535MHz	Pass	PK	13.1244G	55.87	88.20	-32.33	3	Vertical	135	1.12
6535MHz	Pass	AV	13.00712G	44.90	68.20	-23.30	3	Horizontal	174	1.30
6535MHz	Pass	PK	13.00856G	55.89	88.20	-32.31	3	Horizontal	174	1.30
6695MHz	Pass	AV	6.703G	88.63	Inf	-Inf	3	Vertical	21	2.43
6695MHz	Pass	AV	7.168G	50.67	68.20	-17.53	3	Vertical	21	2.43
6695MHz	Pass	PK	6.702G	100.02	Inf	-Inf	3	Vertical	21	2.43
6695MHz	Pass	PK	7.167G	61.83	88.20	-26.37	3	Vertical	21	2.43
6695MHz	Pass	AV	6.702G	81.01	Inf	-Inf	3	Horizontal	171	3.00
6695MHz	Pass	AV	7.161G	50.61	68.20	-17.59	3	Horizontal	171	3.00
6695MHz	Pass	PK	6.702G	92.02	Inf	-Inf	3	Horizontal	171	3.00
6695MHz	Pass	PK	7.146G	63.00	88.20	-25.20	3	Horizontal	171	3.00
6695MHz	Pass	AV	13.43576G	45.21	68.20	-22.99	3	Vertical	146	2.62
6695MHz	Pass	PK	13.4212G	56.18	88.20	-32.02	3	Vertical	146	2.62
6695MHz	Pass	AV	13.45576G	45.21	68.20	-22.99	3	Horizontal	118	1.55
6695MHz	Pass	PK	13.4448G	57.19	88.20	-31.01	3	Horizontal	118	1.55
6895MHz	Pass	AV	6.8971G	88.00	Inf	-Inf	3	Vertical	18	2.39
6895MHz	Pass	AV	7.2114G	50.78	68.20	-17.42	3	Vertical	18	2.39
6895MHz	Pass	PK	6.8978G	100.09	Inf	-Inf	3	Vertical	18	2.39
6895MHz	Pass	PK	7.2086G	62.30	88.20	-25.90	3	Vertical	18	2.39
6895MHz	Pass	AV	6.8971G	80.56	Inf	-Inf	3	Horizontal	174	3.00
6895MHz	Pass	AV	7.1624G	50.73	68.20	-17.47	3	Horizontal	174	3.00
6895MHz	Pass	PK	6.8999G	91.82	Inf	-Inf	3	Horizontal	174	3.00
6895MHz	Pass	PK	7.1736G	63.45	88.20	-24.75	3	Horizontal	174	3.00
6895MHz	Pass	AV	13.7124G	45.78	68.20	-22.42	3	Vertical	81	1.10
6895MHz	Pass	PK	13.73928G	56.79	88.20	-31.41	3	Vertical	81	1.10
6895MHz	Pass	AV	13.81464G	45.80	68.20	-22.40	3	Horizontal	250	1.06
6895MHz	Pass	PK	13.81288G	57.19	88.20	-31.01	3	Horizontal	250	1.06
6995MHz	Pass	AV	6.9975G	84.73	Inf	-Inf	3	Vertical	21	2.44
6995MHz	Pass	AV	7.2215G	50.82	68.20	-17.38	3	Vertical	21	2.44
6995MHz	Pass	PK	7G	95.19	Inf	-Inf	3	Vertical	21	2.44
6995MHz	Pass	PK	7.212G	62.79	88.20	-25.41	3	Vertical	21	2.44
6995MHz	Pass	AV	6.998G	76.38	Inf	-Inf	3	Horizontal	175	2.93
6995MHz	Pass	AV	7.198G	50.77	68.20	-17.43	3	Horizontal	175	2.93
6995MHz	Pass	PK	6.997G	88.25	Inf	-Inf	3	Horizontal	175	2.93
6995MHz	Pass	PK	7.1595G	62.52	88.20	-25.68	3	Horizontal	175	2.93
6995MHz	Pass	AV	14.05752G	46.21	68.20	-21.99	3	Vertical	317	1.11
6995MHz	Pass	PK	14.06216G	56.65	88.20	-31.55	3	Vertical	317	1.11
6995MHz	Pass	AV	14.00752G	46.29	68.20	-21.91	3	Horizontal	293	1.86
6995MHz	Pass	PK	13.9932G	57.52	88.20	-30.68	3	Horizontal	293	1.86



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	7.1007G	81.42	Inf	-Inf	3	Vertical	19	2.33
7095MHz	Pass	AV	7.2282G	50.81	68.20	-17.39	3	Vertical	19	2.33
7095MHz	Pass	PK	7.0983G	92.97	Inf	-Inf	3	Vertical	19	2.33
7095MHz	Pass	PK	7.1529G	62.88	88.20	-25.32	3	Vertical	19	2.33
7095MHz	Pass	AV	7.1007G	73.06	Inf	-Inf	3	Horizontal	176	2.93
7095MHz	Pass	AV	7.2078G	50.76	68.20	-17.44	3	Horizontal	176	2.93
7095MHz	Pass	PK	7.1004G	85.66	Inf	-Inf	3	Horizontal	176	2.93
7095MHz	Pass	PK	7.1586G	63.32	88.20	-24.88	3	Horizontal	176	2.93
7095MHz	Pass	AV	14.13832G	46.39	68.20	-21.81	3	Vertical	41	2.34
7095MHz	Pass	PK	14.18936G	57.52	88.20	-30.68	3	Vertical	41	2.34
7095MHz	Pass	AV	14.21112G	46.33	68.20	-21.87	3	Horizontal	126	1.25
7095MHz	Pass	PK	14.26328G	57.49	88.20	-30.71	3	Horizontal	126	1.25
7115MHz	Pass	PK	7.1175G	84.81	Inf	-Inf	3	Vertical	22	2.02
7115MHz	Pass	AV	7.1205G	78.13	Inf	-Inf	3	Vertical	22	2.02
7115MHz	Pass	PK	7.1255G	63.71	88.20	-24.49	3	Vertical	22	2.02
7115MHz	Pass	AV	7.1255G	54.35	68.20	-13.85	3	Vertical	22	2.02
7115MHz	Pass	PK	7.1175G	81.98	Inf	-Inf	3	Horizontal	283	1.40
7115MHz	Pass	AV	7.1195G	75.61	Inf	-Inf	3	Horizontal	283	1.40
7115MHz	Pass	PK	7.1255G	61.85	88.20	-26.35	3	Horizontal	283	1.40
7115MHz	Pass	AV	7.1255G	52.97	68.20	-15.23	3	Horizontal	283	1.40
7115MHz	Pass	AV	14.22589G	45.00	68.20	-23.20	3	Vertical	21	2.54
7115MHz	Pass	PK	14.22604G	55.72	88.20	-32.48	3	Vertical	21	2.54
7115MHz	Pass	AV	14.2254G	45.00	68.20	-23.20	3	Horizontal	81	2.36
7115MHz	Pass	PK	14.22979G	54.82	88.20	-33.38	3	Horizontal	81	2.36
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	5.9078G	47.64	68.20	-20.56	3	Vertical	0	2.41
6535MHz	Pass	AV	6.5378G	88.35	Inf	-Inf	3	Vertical	0	2.41
6535MHz	Pass	AV	7.2238G	50.49	68.20	-17.71	3	Vertical	0	2.41
6535MHz	Pass	PK	5.8364G	59.25	88.20	-28.95	3	Vertical	0	2.41
6535MHz	Pass	PK	6.5378G	97.44	Inf	-Inf	3	Vertical	0	2.41
6535MHz	Pass	PK	7.1468G	61.29	88.20	-26.91	3	Vertical	0	2.41
6535MHz	Pass	AV	5.898G	47.63	68.20	-20.57	3	Horizontal	175	2.66
6535MHz	Pass	AV	6.542G	80.96	Inf	-Inf	3	Horizontal	175	2.66
6535MHz	Pass	AV	7.2182G	50.57	68.20	-17.63	3	Horizontal	175	2.66
6535MHz	Pass	PK	5.8854G	60.08	88.20	-28.12	3	Horizontal	175	2.66
6535MHz	Pass	PK	6.5406G	90.76	Inf	-Inf	3	Horizontal	175	2.66
6535MHz	Pass	PK	7.1902G	61.59	88.20	-26.61	3	Horizontal	175	2.66
6535MHz	Pass	AV	13.11576G	44.88	68.20	-23.32	3	Vertical	125	2.45
6535MHz	Pass	PK	13.11192G	56.78	88.20	-31.42	3	Vertical	125	2.45
6535MHz	Pass	AV	13.12568G	44.91	68.20	-23.29	3	Horizontal	164	2.27
6535MHz	Pass	PK	13.14376G	58.33	88.20	-29.87	3	Horizontal	164	2.27
6695MHz	Pass	AV	6.699G	88.21	Inf	-Inf	3	Vertical	12	2.39
6695MHz	Pass	AV	7.164G	50.47	68.20	-17.73	3	Vertical	12	2.39
6695MHz	Pass	PK	6.697G	97.64	Inf	-Inf	3	Vertical	12	2.39
6695MHz	Pass	PK	7.169G	61.98	88.20	-26.22	3	Vertical	12	2.39
6695MHz	Pass	AV	6.697G	79.26	Inf	-Inf	3	Horizontal	176	3.00
6695MHz	Pass	AV	7.167G	50.51	68.20	-17.69	3	Horizontal	176	3.00
6695MHz	Pass	PK	6.699G	88.79	Inf	-Inf	3	Horizontal	176	3.00
6695MHz	Pass	PK	7.179G	62.04	88.20	-26.16	3	Horizontal	176	3.00
6695MHz	Pass	AV	13.46664G	45.22	68.20	-22.98	3	Vertical	236	2.05
6695MHz	Pass	PK	13.46728G	56.47	88.20	-31.73	3	Vertical	236	2.05
6695MHz	Pass	AV	13.46424G	45.18	68.20	-23.02	3	Horizontal	58	2.85
6695MHz	Pass	PK	13.45976G	57.14	88.20	-31.06	3	Horizontal	58	2.85
6895MHz	Pass	AV	6.8971G	82.56	Inf	-Inf	3	Vertical	0	2.85
6895MHz	Pass	AV	7.2205G	49.19	68.20	-19.01	3	Vertical	0	2.85
6895MHz	Pass	PK	6.9034G	93.28	Inf	-Inf	3	Vertical	0	2.85
6895MHz	Pass	PK	7.1386G	60.95	88.20	-27.25	3	Vertical	0	2.85
6895MHz	Pass	AV	6.8971G	81.31	Inf	-Inf	3	Horizontal	286	1.50
6895MHz	Pass	AV	7.2408G	49.17	68.20	-19.03	3	Horizontal	286	1.50
6895MHz	Pass	PK	6.9027G	92.51	Inf	-Inf	3	Horizontal	286	1.50
6895MHz	Pass	PK	7.2394G	61.18	88.20	-27.02	3	Horizontal	286	1.50
6895MHz	Pass	AV	13.82368G	45.70	68.20	-22.50	3	Vertical	91	1.51





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6895MHz	Pass	PK	13.82344G	56.84	88.20	-31.36	3	Vertical	91	1.51
6895MHz	Pass	AV	13.80104G	45.79	68.20	-22.41	3	Horizontal	73	2.40
6895MHz	Pass	PK	13.7756G	57.43	88.20	-30.77	3	Horizontal	73	2.40
6995MHz	Pass	AV	7.0025G	81.10	Inf	-Inf	3	Vertical	15	2.26
6995MHz	Pass	AV	7.2035G	49.17	68.20	-19.03	3	Vertical	15	2.26
6995MHz	Pass	PK	7G	92.16	Inf	-Inf	3	Vertical	15	2.26
6995MHz	Pass	PK	7.2305G	61.13	88.20	-27.07	3	Vertical	15	2.26
6995MHz	Pass	AV	7.002G	72.35	Inf	-Inf	3	Horizontal	180	2.95
6995MHz	Pass	AV	7.217G	49.19	68.20	-19.01	3	Horizontal	180	2.95
6995MHz	Pass	PK	7.003G	83.93	Inf	-Inf	3	Horizontal	180	2.95
6995MHz	Pass	PK	7.226G	61.61	88.20	-26.59	3	Horizontal	180	2.95
6995MHz	Pass	AV	14.04984G	46.27	68.20	-21.93	3	Vertical	229	2.85
6995MHz	Pass	PK	14.04048G	57.99	88.20	-30.21	3	Vertical	229	2.85
6995MHz	Pass	AV	14.05928G	46.29	68.20	-21.91	3	Horizontal	150	1.61
6995MHz	Pass	PK	14.03112G	57.10	88.20	-31.10	3	Horizontal	150	1.61
7095MHz	Pass	AV	7.1019G	82.06	Inf	-Inf	3	Vertical	347	2.35
7095MHz	Pass	AV	7.2276G	49.17	68.20	-19.03	3	Vertical	347	2.35
7095MHz	Pass	PK	7.0995G	92.91	Inf	-Inf	3	Vertical	347	2.35
7095MHz	Pass	PK	7.1736G	60.82	88.20	-27.38	3	Vertical	347	2.35
7095MHz	Pass	AV	7.1004G	71.88	Inf	-Inf	3	Horizontal	327	1.06
7095MHz	Pass	AV	7.2243G	49.13	68.20	-19.07	3	Horizontal	327	1.06
7095MHz	Pass	PK	7.1001G	83.56	Inf	-Inf	3	Horizontal	327	1.06
7095MHz	Pass	PK	7.2288G	61.12	88.20	-27.08	3	Horizontal	327	1.06
7095MHz	Pass	AV	14.11304G	46.38	68.20	-21.82	3	Vertical	65	2.38
7095MHz	Pass	PK	14.12728G	58.36	88.20	-29.84	3	Vertical	65	2.38
7095MHz	Pass	AV	14.14776G	46.42	68.20	-21.78	3	Horizontal	127	1.13
7095MHz	Pass	PK	14.15736G	57.68	88.20	-30.52	3	Horizontal	127	1.13
7115MHz	Pass	AV	7.11873G	66.53	Inf	-Inf	3	Vertical	346	2.38
7115MHz	Pass	AV	7.1255G	52.53	68.20	-15.67	3	Vertical	346	2.38
7115MHz	Pass	PK	7.12105G	75.79	Inf	-Inf	3	Vertical	346	2.38
7115MHz	Pass	PK	7.1255G	62.81	88.20	-25.39	3	Vertical	346	2.38
7115MHz	Pass	AV	7.11877G	56.86	Inf	-Inf	3	Horizontal	177	2.40
7115MHz	Pass	AV	7.1255G	50.84	68.20	-17.36	3	Horizontal	177	2.40
7115MHz	Pass	PK	7.12218G	66.44	Inf	-Inf	3	Horizontal	177	2.40
7115MHz	Pass	PK	7.1255G	59.67	88.20	-28.53	3	Horizontal	177	2.40
7115MHz	Pass	AV	14.2168G	44.49	68.20	-23.71	3	Vertical	216	1.50
7115MHz	Pass	PK	14.23951G	56.13	88.20	-32.07	3	Vertical	216	1.50
7115MHz	Pass	AV	14.21548G	44.51	68.20	-23.69	3	Horizontal	276	1.50
7115MHz	Pass	PK	14.21932G	56.48	88.20	-31.72	3	Horizontal	276	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9131G	47.95	68.20	-20.25	3	Vertical	344	2.48
5965MHz	Pass	AV	5.9563G	87.69	Inf	-Inf	3	Vertical	344	2.48
5965MHz	Pass	PK	5.8354G	58.89	88.20	-29.31	3	Vertical	344	2.48
5965MHz	Pass	PK	5.9539G	97.77	Inf	-Inf	3	Vertical	344	2.48
5965MHz	Pass	AV	5.9101G	47.86	68.20	-20.34	3	Horizontal	189	2.84
5965MHz	Pass	AV	5.9467G	81.53	Inf	-Inf	3	Horizontal	189	2.84
5965MHz	Pass	PK	5.8561G	58.54	88.20	-29.66	3	Horizontal	189	2.84
5965MHz	Pass	PK	5.9527G	91.92	Inf	-Inf	3	Horizontal	189	2.84
5965MHz	Pass	AV	11.92502G	41.72	54.00	-12.28	3	Vertical	335	1.50
5965MHz	Pass	PK	11.93726G	54.19	74.00	-19.81	3	Vertical	335	1.50
5965MHz	Pass	AV	11.9258G	41.76	54.00	-12.24	3	Horizontal	247	2.56
5965MHz	Pass	PK	11.9225G	54.52	74.00	-19.48	3	Horizontal	247	2.56
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8999G	47.94	68.20	-20.26	3	Vertical	12	2.52
5965MHz	Pass	AV	5.9473G	87.41	Inf	-Inf	3	Vertical	12	2.52
5965MHz	Pass	PK	5.8978G	58.56	88.20	-29.64	3	Vertical	12	2.52
5965MHz	Pass	PK	5.9545G	98.14	Inf	-Inf	3	Vertical	12	2.52
5965MHz	Pass	AV	5.8987G	47.90	68.20	-20.30	3	Horizontal	173	2.90
5965MHz	Pass	AV	5.947G	80.80	Inf	-Inf	3	Horizontal	173	2.90
5965MHz	Pass	PK	5.896G	58.97	88.20	-29.23	3	Horizontal	173	2.90
5965MHz	Pass	PK	5.953G	90.67	Inf	-Inf	3	Horizontal	173	2.90
5965MHz	Pass	AV	11.92502G	41.76	54.00	-12.24	3	Vertical	90	2.76



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	11.94464G	54.11	74.00	-19.89	3	Vertical	90	2.76
5965MHz	Pass	AV	11.92484G	41.74	54.00	-12.26	3	Horizontal	175	1.37
5965MHz	Pass	PK	11.9249G	53.75	74.00	-20.25	3	Horizontal	175	1.37
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9053G	47.91	68.20	-20.29	3	Vertical	345	2.38
5965MHz	Pass	AV	5.9563G	86.19	Inf	-Inf	3	Vertical	345	2.38
5965MHz	Pass	PK	5.9014G	59.24	88.20	-28.96	3	Vertical	345	2.38
5965MHz	Pass	PK	5.9473G	96.70	Inf	-Inf	3	Vertical	345	2.38
5965MHz	Pass	AV	5.9218G	47.90	68.20	-20.30	3	Horizontal	188	2.91
5965MHz	Pass	AV	5.9488G	80.18	Inf	-Inf	3	Horizontal	188	2.91
5965MHz	Pass	PK	5.8513G	59.30	88.20	-28.90	3	Horizontal	188	2.91
5965MHz	Pass	PK	5.9464G	90.77	Inf	-Inf	3	Horizontal	188	2.91
5965MHz	Pass	AV	11.92424G	41.97	54.00	-12.03	3	Vertical	347	1.50
5965MHz	Pass	PK	11.91212G	53.60	74.00	-20.40	3	Vertical	347	1.50
5965MHz	Pass	AV	11.92562G	41.92	54.00	-12.08	3	Horizontal	78	1.50
5965MHz	Pass	PK	11.9492G	53.78	74.00	-20.22	3	Horizontal	78	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6405MHz	Pass	AV	5.913G	48.06	68.20	-20.14	3	Vertical	357	2.51
6405MHz	Pass	AV	6.4026G	87.18	Inf	-Inf	3	Vertical	357	2.51
6405MHz	Pass	PK	5.8722G	59.70	88.20	-28.50	3	Vertical	357	2.51
6405MHz	Pass	PK	6.3978G	97.85	Inf	-Inf	3	Vertical	357	2.51
6405MHz	Pass	AV	5.8998G	48.09	68.20	-20.11	3	Horizontal	206	2.96
6405MHz	Pass	AV	6.4014G	78.94	Inf	-Inf	3	Horizontal	206	2.96
6405MHz	Pass	PK	5.8494G	59.64	88.20	-28.56	3	Horizontal	206	2.96
6405MHz	Pass	PK	6.4026G	89.38	Inf	-Inf	3	Horizontal	206	2.96
6405MHz	Pass	AV	12.85768G	44.56	68.20	-23.64	3	Vertical	300	1.35
6405MHz	Pass	PK	12.84104G	55.69	88.20	-32.51	3	Vertical	300	1.35
6405MHz	Pass	AV	12.84872G	44.50	68.20	-23.70	3	Horizontal	244	1.88
6405MHz	Pass	PK	12.8652G	56.16	88.20	-32.04	3	Horizontal	244	1.88
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6405MHz	Pass	AV	5.8782G	48.10	68.20	-20.10	3	Vertical	15	2.47
6405MHz	Pass	AV	6.4038G	87.63	Inf	-Inf	3	Vertical	15	2.47
6405MHz	Pass	PK	5.913G	60.05	88.20	-28.15	3	Vertical	15	2.47
6405MHz	Pass	PK	6.4038G	98.52	Inf	-Inf	3	Vertical	15	2.47
6405MHz	Pass	AV	5.9178G	48.12	68.20	-20.08	3	Horizontal	176	3.00
6405MHz	Pass	AV	6.4014G	80.39	Inf	-Inf	3	Horizontal	176	3.00
6405MHz	Pass	PK	5.9082G	59.73	88.20	-28.47	3	Horizontal	176	3.00
6405MHz	Pass	PK	6.3942G	90.37	Inf	-Inf	3	Horizontal	176	3.00
6405MHz	Pass	AV	12.84264G	44.55	68.20	-23.65	3	Vertical	141	2.02
6405MHz	Pass	PK	12.80856G	55.97	88.20	-32.23	3	Vertical	141	2.02
6405MHz	Pass	AV	12.85224G	44.48	68.20	-23.72	3	Horizontal	209	1.35
6405MHz	Pass	PK	12.86328G	55.60	88.20	-32.60	3	Horizontal	209	1.35
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
6405MHz	Pass	AV	5.8986G	48.01	68.20	-20.19	3	Vertical	348	2.47
6405MHz	Pass	AV	6.4026G	86.82	Inf	-Inf	3	Vertical	348	2.47
6405MHz	Pass	PK	5.9178G	58.99	88.20	-29.21	3	Vertical	348	2.47
6405MHz	Pass	PK	6.4014G	96.37	Inf	-Inf	3	Vertical	348	2.47
6405MHz	Pass	AV	5.9046G	47.99	68.20	-20.21	3	Horizontal	175	3.00
6405MHz	Pass	AV	6.3882G	79.14	Inf	-Inf	3	Horizontal	175	3.00
6405MHz	Pass	PK	5.8278G	59.88	88.20	-28.32	3	Horizontal	175	3.00
6405MHz	Pass	PK	6.4014G	88.89	Inf	-Inf	3	Horizontal	175	3.00
6405MHz	Pass	AV	12.8572G	44.45	68.20	-23.75	3	Vertical	139	1.54
6405MHz	Pass	PK	12.81512G	55.87	88.20	-32.33	3	Vertical	139	1.54
6405MHz	Pass	AV	12.80008G	44.47	68.20	-23.73	3	Horizontal	4	1.12
6405MHz	Pass	PK	12.79696G	56.46	88.20	-31.74	3	Horizontal	4	1.12
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6445MHz	Pass	AV	5.9002G	48.10	68.20	-20.10	3	Vertical	355	2.37
6445MHz	Pass	AV	6.4366G	87.20	Inf	-Inf	3	Vertical	355	2.37
6445MHz	Pass	PK	5.863G	59.84	88.20	-28.36	3	Vertical	355	2.37
6445MHz	Pass	PK	6.4342G	98.04	Inf	-Inf	3	Vertical	355	2.37
6445MHz	Pass	AV	5.9086G	48.11	68.20	-20.09	3	Horizontal	187	2.46
6445MHz	Pass	AV	6.4318G	78.17	Inf	-Inf	3	Horizontal	187	2.46



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6445MHz	Pass	PK	5.8582G	60.09	88.20	-28.11	3	Horizontal	187	2.46
6445MHz	Pass	PK	6.4318G	88.51	Inf	-Inf	3	Horizontal	187	2.46
6445MHz	Pass	AV	12.9300G	44.59	68.20	-23.61	3	Vertical	114	1.41
6445MHz	Pass	PK	12.92944G	55.94	88.20	-32.26	3	Vertical	114	1.41
6445MHz	Pass	AV	12.96104G	44.54	68.20	-23.66	3	Horizontal	42	1.36
6445MHz	Pass	PK	12.9732G	56.48	88.20	-31.72	3	Horizontal	42	1.36
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6445MHz	Pass	AV	5.9038G	48.12	68.20	-20.08	3	Vertical	22	2.33
6445MHz	Pass	AV	6.4426G	87.54	Inf	-Inf	3	Vertical	22	2.33
6445MHz	Pass	PK	5.905G	59.10	88.20	-29.10	3	Vertical	22	2.33
6445MHz	Pass	PK	6.4294G	97.72	Inf	-Inf	3	Vertical	22	2.33
6445MHz	Pass	AV	5.8966G	48.12	68.20	-20.08	3	Horizontal	169	3.00
6445MHz	Pass	AV	6.433G	80.12	Inf	-Inf	3	Horizontal	169	3.00
6445MHz	Pass	PK	5.9098G	59.58	88.20	-28.62	3	Horizontal	169	3.00
6445MHz	Pass	PK	6.4342G	91.54	Inf	-Inf	3	Horizontal	169	3.00
6445MHz	Pass	AV	12.9484G	44.63	68.20	-23.57	3	Vertical	183	1.81
6445MHz	Pass	PK	12.96296G	55.56	88.20	-32.64	3	Vertical	183	1.81
6445MHz	Pass	AV	12.9572G	44.57	68.20	-23.63	3	Horizontal	240	2.70
6445MHz	Pass	PK	12.94584G	56.48	88.20	-31.72	3	Horizontal	240	2.70
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
6445MHz	Pass	AV	5.8978G	47.95	68.20	-20.25	3	Vertical	0	2.55
6445MHz	Pass	AV	6.4426G	85.76	Inf	-Inf	3	Vertical	0	2.55
6445MHz	Pass	PK	5.8966G	59.28	88.20	-28.92	3	Vertical	0	2.55
6445MHz	Pass	PK	6.4366G	96.26	Inf	-Inf	3	Vertical	0	2.55
6445MHz	Pass	AV	5.9074G	47.96	68.20	-20.24	3	Horizontal	175	3.00
6445MHz	Pass	AV	6.4282G	78.64	Inf	-Inf	3	Horizontal	175	3.00
6445MHz	Pass	PK	5.851G	59.26	88.20	-28.94	3	Horizontal	175	3.00
6445MHz	Pass	PK	6.433G	89.89	Inf	-Inf	3	Horizontal	175	3.00
6445MHz	Pass	AV	12.95416G	44.59	68.20	-23.61	3	Vertical	124	1.85
6445MHz	Pass	PK	12.94152G	55.34	88.20	-32.86	3	Vertical	124	1.85
6445MHz	Pass	AV	12.92952G	44.60	68.20	-23.60	3	Horizontal	318	1.92
6445MHz	Pass	PK	12.93664G	55.75	88.20	-32.45	3	Horizontal	318	1.92
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6565MHz	Pass	AV	6.5746G	88.17	Inf	-Inf	3	Vertical	354	2.49
6565MHz	Pass	AV	7.1566G	50.93	68.20	-17.27	3	Vertical	354	2.49
6565MHz	Pass	PK	6.5662G	98.56	Inf	-Inf	3	Vertical	354	2.49
6565MHz	Pass	PK	7.129G	61.64	88.20	-26.56	3	Vertical	354	2.49
6565MHz	Pass	AV	6.5746G	78.95	Inf	-Inf	3	Horizontal	331	1.00
6565MHz	Pass	AV	7.1638G	50.92	68.20	-17.28	3	Horizontal	331	1.00
6565MHz	Pass	PK	6.5746G	88.38	Inf	-Inf	3	Horizontal	331	1.00
6565MHz	Pass	PK	7.1614G	62.48	88.20	-25.72	3	Horizontal	331	1.00
6565MHz	Pass	AV	13.15544G	43.31	68.20	-24.89	3	Vertical	7	2.47
6565MHz	Pass	PK	13.14568G	54.41	88.20	-33.79	3	Vertical	7	2.47
6565MHz	Pass	AV	13.15848G	43.28	68.20	-24.92	3	Horizontal	24	1.57
6565MHz	Pass	PK	13.14808G	54.09	88.20	-34.11	3	Horizontal	24	1.57
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6565MHz	Pass	AV	6.5758G	88.96	Inf	-Inf	3	Vertical	22	2.43
6565MHz	Pass	AV	7.1638G	50.90	68.20	-17.30	3	Vertical	22	2.43
6565MHz	Pass	PK	6.5782G	98.96	Inf	-Inf	3	Vertical	22	2.43
6565MHz	Pass	PK	7.1494G	62.41	88.20	-25.79	3	Vertical	22	2.43
6565MHz	Pass	AV	6.5674G	81.55	Inf	-Inf	3	Horizontal	178	2.98
6565MHz	Pass	AV	7.153G	50.95	68.20	-17.25	3	Horizontal	178	2.98
6565MHz	Pass	PK	6.5782G	92.18	Inf	-Inf	3	Horizontal	178	2.98
6565MHz	Pass	PK	7.1578G	62.17	88.20	-26.03	3	Horizontal	178	2.98
6565MHz	Pass	AV	13.12184G	43.40	68.20	-24.80	3	Vertical	170	1.96
6565MHz	Pass	PK	13.1484G	54.73	88.20	-33.47	3	Vertical	170	1.96
6565MHz	Pass	AV	13.12856G	43.38	68.20	-24.82	3	Horizontal	33	1.58
6565MHz	Pass	PK	13.12288G	55.00	88.20	-33.20	3	Horizontal	33	1.58
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
6565MHz	Pass	AV	6.577G	87.32	Inf	-Inf	3	Vertical	352	2.48
6565MHz	Pass	AV	7.1578G	50.77	68.20	-17.43	3	Vertical	352	2.48
6565MHz	Pass	PK	6.5758G	98.01	Inf	-Inf	3	Vertical	352	2.48



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6565MHz	Pass	PK	7.1542G	61.67	88.20	-26.53	3	Vertical	352	2.48
6565MHz	Pass	AV	6.5782G	79.70	Inf	-Inf	3	Horizontal	177	2.79
6565MHz	Pass	AV	7.1578G	50.74	68.20	-17.46	3	Horizontal	177	2.79
6565MHz	Pass	PK	6.5758G	90.60	Inf	-Inf	3	Horizontal	177	2.79
6565MHz	Pass	PK	7.1374G	61.72	88.20	-26.48	3	Horizontal	177	2.79
6565MHz	Pass	AV	13.146G	43.44	68.20	-24.76	3	Vertical	61	2.94
6565MHz	Pass	PK	13.14248G	54.30	88.20	-33.90	3	Vertical	61	2.94
6565MHz	Pass	AV	13.15992G	43.37	68.20	-24.83	3	Horizontal	86	1.11
6565MHz	Pass	PK	13.15672G	54.36	88.20	-33.84	3	Horizontal	86	1.11
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6845MHz	Pass	AV	6.8471G	85.12	Inf	-Inf	3	Vertical	1	2.55
6845MHz	Pass	AV	7.188G	51.05	68.20	-17.15	3	Vertical	1	2.55
6845MHz	Pass	PK	6.8499G	95.93	Inf	-Inf	3	Vertical	1	2.55
6845MHz	Pass	PK	7.1509G	62.43	88.20	-25.77	3	Vertical	1	2.55
6845MHz	Pass	AV	6.8492G	76.15	Inf	-Inf	3	Horizontal	330	1.18
6845MHz	Pass	AV	7.1754G	51.04	68.20	-17.16	3	Horizontal	330	1.18
6845MHz	Pass	PK	6.852G	86.69	Inf	-Inf	3	Horizontal	330	1.18
6845MHz	Pass	PK	7.1922G	64.13	88.20	-24.07	3	Horizontal	330	1.18
6845MHz	Pass	AV	13.61144G	44.40	68.20	-23.80	3	Vertical	318	2.98
6845MHz	Pass	PK	13.61904G	55.84	88.20	-32.36	3	Vertical	318	2.98
6845MHz	Pass	AV	13.6108G	44.38	68.20	-23.82	3	Horizontal	13	1.07
6845MHz	Pass	PK	13.61576G	55.47	88.20	-32.73	3	Horizontal	13	1.07
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6845MHz	Pass	AV	6.8478G	89.27	Inf	-Inf	3	Vertical	23	2.53
6845MHz	Pass	AV	7.1698G	51.02	68.20	-17.18	3	Vertical	23	2.53
6845MHz	Pass	PK	6.8583G	100.66	Inf	-Inf	3	Vertical	23	2.53
6845MHz	Pass	PK	7.1915G	62.87	88.20	-25.33	3	Vertical	23	2.53
6845MHz	Pass	AV	6.8555G	81.47	Inf	-Inf	3	Horizontal	175	3.00
6845MHz	Pass	AV	7.1894G	50.99	68.20	-17.21	3	Horizontal	175	3.00
6845MHz	Pass	PK	6.8583G	92.99	Inf	-Inf	3	Horizontal	175	3.00
6845MHz	Pass	PK	7.1789G	62.82	88.20	-25.38	3	Horizontal	175	3.00
6845MHz	Pass	AV	13.6108G	44.41	68.20	-23.79	3	Vertical	28	1.19
6845MHz	Pass	PK	13.61752G	56.09	88.20	-32.11	3	Vertical	28	1.19
6845MHz	Pass	AV	13.63592G	44.50	68.20	-23.70	3	Horizontal	262	2.57
6845MHz	Pass	PK	13.63144G	55.35	88.20	-32.85	3	Horizontal	262	2.57
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
6845MHz	Pass	AV	6.8471G	86.55	Inf	-Inf	3	Vertical	20	2.34
6845MHz	Pass	AV	7.146G	50.86	68.20	-17.34	3	Vertical	20	2.34
6845MHz	Pass	PK	6.8471G	98.69	Inf	-Inf	3	Vertical	20	2.34
6845MHz	Pass	PK	7.16G	62.09	88.20	-26.11	3	Vertical	20	2.34
6845MHz	Pass	AV	6.8471G	78.37	Inf	-Inf	3	Horizontal	178	2.90
6845MHz	Pass	AV	7.1761G	50.84	68.20	-17.36	3	Horizontal	178	2.90
6845MHz	Pass	PK	6.8506G	89.59	Inf	-Inf	3	Horizontal	178	2.90
6845MHz	Pass	PK	7.1509G	62.00	88.20	-26.20	3	Horizontal	178	2.90
6845MHz	Pass	AV	13.64664G	44.52	68.20	-23.68	3	Vertical	138	1.63
6845MHz	Pass	PK	13.64056G	55.79	88.20	-32.41	3	Vertical	138	1.63
6845MHz	Pass	AV	13.62216G	44.46	68.20	-23.74	3	Horizontal	238	1.50
6845MHz	Pass	PK	13.61368G	56.19	88.20	-32.01	3	Horizontal	238	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
7085MHz	Pass	AV	7.103G	88.92	Inf	-Inf	3	Vertical	345	2.40
7085MHz	Pass	AV	7.1975G	50.91	68.20	-17.29	3	Vertical	345	2.40
7085MHz	Pass	PK	7.0958G	99.97	Inf	-Inf	3	Vertical	345	2.40
7085MHz	Pass	PK	7.1861G	61.43	88.20	-26.77	3	Vertical	345	2.40
7085MHz	Pass	AV	7.0892G	79.81	Inf	-Inf	3	Horizontal	186	2.66
7085MHz	Pass	AV	7.2239G	50.94	68.20	-17.26	3	Horizontal	186	2.66
7085MHz	Pass	PK	7.0928G	89.88	Inf	-Inf	3	Horizontal	186	2.66
7085MHz	Pass	PK	7.2194G	61.59	88.20	-26.61	3	Horizontal	186	2.66
7085MHz	Pass	AV	14.14072G	44.57	68.20	-23.63	3	Vertical	35	1.50
7085MHz	Pass	PK	14.17834G	56.79	88.20	-31.41	3	Vertical	35	1.50
7085MHz	Pass	AV	14.14018G	44.50	68.20	-23.70	3	Horizontal	190	1.50
7085MHz	Pass	PK	14.1961G	56.47	88.20	-31.73	3	Horizontal	190	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.0868G	84.04	Inf	-Inf	3	Vertical	16	2.32
7085MHz	Pass	AV	7.1996G	50.98	68.20	-17.22	3	Vertical	16	2.32
7085MHz	Pass	PK	7.097G	94.41	Inf	-Inf	3	Vertical	16	2.32
7085MHz	Pass	PK	7.1729G	61.50	88.20	-26.70	3	Vertical	16	2.32
7085MHz	Pass	AV	7.0976G	75.20	Inf	-Inf	3	Horizontal	28	2.28
7085MHz	Pass	AV	7.199G	50.89	68.20	-17.31	3	Horizontal	28	2.28
7085MHz	Pass	PK	7.1015G	86.19	Inf	-Inf	3	Horizontal	28	2.28
7085MHz	Pass	PK	7.1801G	62.00	88.20	-26.20	3	Horizontal	28	2.28
7085MHz	Pass	AV	14.14006G	44.50	68.20	-23.70	3	Vertical	256	1.50
7085MHz	Pass	PK	14.14948G	57.19	88.20	-31.01	3	Vertical	256	1.50
7085MHz	Pass	AV	14.14216G	44.58	68.20	-23.62	3	Horizontal	150	1.50
7085MHz	Pass	PK	14.15374G	56.53	88.20	-31.67	3	Horizontal	150	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
7085MHz	Pass	AV	7.1G	86.36	Inf	-Inf	3	Vertical	344	2.30
7085MHz	Pass	AV	7.2197G	50.86	68.20	-17.34	3	Vertical	344	2.30
7085MHz	Pass	PK	7.0988G	97.08	Inf	-Inf	3	Vertical	344	2.30
7085MHz	Pass	PK	7.154G	61.37	88.20	-26.83	3	Vertical	344	2.30
7085MHz	Pass	AV	7.1G	77.12	Inf	-Inf	3	Horizontal	170	2.85
7085MHz	Pass	AV	7.2014G	50.85	68.20	-17.35	3	Horizontal	170	2.85
7085MHz	Pass	PK	7.1015G	86.54	Inf	-Inf	3	Horizontal	170	2.85
7085MHz	Pass	PK	7.1984G	61.29	88.20	-26.91	3	Horizontal	170	2.85
7085MHz	Pass	AV	14.14018G	44.53	68.20	-23.67	3	Vertical	20	1.09
7085MHz	Pass	PK	14.16736G	56.27	88.20	-31.93	3	Vertical	20	1.09
7085MHz	Pass	AV	14.14114G	44.47	68.20	-23.73	3	Horizontal	20	2.16
7085MHz	Pass	PK	14.15326G	57.01	88.20	-31.19	3	Horizontal	20	2.16
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.906G	48.28	68.20	-19.92	3	Vertical	346	2.32
5985MHz	Pass	AV	5.9505G	86.67	Inf	-Inf	3	Vertical	346	2.32
5985MHz	Pass	PK	5.898G	60.46	88.20	-27.74	3	Vertical	346	2.32
5985MHz	Pass	PK	5.9495G	98.22	Inf	-Inf	3	Vertical	346	2.32
5985MHz	Pass	AV	5.905G	48.07	68.20	-20.13	3	Horizontal	188	2.51
5985MHz	Pass	AV	5.9675G	79.33	Inf	-Inf	3	Horizontal	188	2.51
5985MHz	Pass	PK	5.8715G	59.70	88.20	-28.50	3	Horizontal	188	2.51
5985MHz	Pass	PK	5.975G	90.54	Inf	-Inf	3	Horizontal	188	2.51
5985MHz	Pass	AV	12.02988G	42.18	54.00	-11.82	3	Vertical	2	2.37
5985MHz	Pass	PK	11.96484G	54.34	74.00	-19.66	3	Vertical	2	2.37
5985MHz	Pass	AV	12.00844G	42.18	54.00	-11.82	3	Horizontal	240	1.50
5985MHz	Pass	PK	11.99068G	54.71	74.00	-19.29	3	Horizontal	240	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.907G	48.04	68.20	-20.16	3	Vertical	21	2.53
5985MHz	Pass	AV	5.97G	76.85	Inf	-Inf	3	Vertical	21	2.53
5985MHz	Pass	PK	5.9175G	59.84	88.20	-28.36	3	Vertical	21	2.53
5985MHz	Pass	PK	5.971G	87.65	Inf	-Inf	3	Vertical	21	2.53
5985MHz	Pass	AV	5.89G	48.04	68.20	-20.16	3	Horizontal	179	2.79
5985MHz	Pass	AV	5.9525G	70.08	Inf	-Inf	3	Horizontal	179	2.79
5985MHz	Pass	PK	5.891G	59.87	88.20	-28.33	3	Horizontal	179	2.79
5985MHz	Pass	PK	5.95G	81.34	Inf	-Inf	3	Horizontal	179	2.79
5985MHz	Pass	AV	12.0282G	42.20	54.00	-11.80	3	Vertical	270	1.50
5985MHz	Pass	PK	11.92476G	54.34	74.00	-19.66	3	Vertical	270	1.50
5985MHz	Pass	AV	12.01532G	42.16	54.00	-11.84	3	Horizontal	277	1.50
5985MHz	Pass	PK	11.99904G	53.94	74.00	-20.06	3	Horizontal	277	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9045G	47.85	68.20	-20.35	3	Vertical	360	2.38
5985MHz	Pass	AV	5.9625G	85.55	Inf	-Inf	3	Vertical	360	2.38
5985MHz	Pass	PK	5.8865G	58.97	88.20	-29.23	3	Vertical	360	2.38
5985MHz	Pass	PK	5.961G	94.72	Inf	-Inf	3	Vertical	360	2.38
5985MHz	Pass	AV	5.907G	47.79	68.20	-20.41	3	Horizontal	178	2.83
5985MHz	Pass	AV	5.9485G	79.67	Inf	-Inf	3	Horizontal	178	2.83
5985MHz	Pass	PK	5.839G	58.63	88.20	-29.57	3	Horizontal	178	2.83
5985MHz	Pass	PK	5.961G	88.60	Inf	-Inf	3	Horizontal	178	2.83
5985MHz	Pass	AV	12.02832G	42.23	54.00	-11.77	3	Vertical	170	1.46
5985MHz	Pass	PK	11.9412G	53.73	74.00	-20.27	3	Vertical	170	1.46



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	12.02976G	42.19	54.00	-11.81	3	Horizontal	63	1.50
5985MHz	Pass	PK	11.99124G	53.67	74.00	-20.33	3	Horizontal	63	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	AV	5.9064G	48.09	68.20	-20.11	3	Vertical	355	2.36
6465MHz	Pass	AV	6.4496G	86.54	Inf	-Inf	3	Vertical	355	2.36
6465MHz	Pass	AV	7.1594G	50.87	68.20	-17.33	3	Vertical	355	2.36
6465MHz	Pass	PK	5.8084G	59.03	88.20	-29.17	3	Vertical	355	2.36
6465MHz	Pass	PK	6.4468G	96.97	Inf	-Inf	3	Vertical	355	2.36
6465MHz	Pass	PK	7.165G	61.98	88.20	-26.22	3	Vertical	355	2.36
6465MHz	Pass	AV	5.9036G	48.06	68.20	-20.14	3	Horizontal	332	1.00
6465MHz	Pass	AV	6.4622G	77.69	Inf	-Inf	3	Horizontal	332	1.00
6465MHz	Pass	AV	7.165G	50.89	68.20	-17.31	3	Horizontal	332	1.00
6465MHz	Pass	PK	5.8448G	59.20	88.20	-29.00	3	Horizontal	332	1.00
6465MHz	Pass	PK	6.4622G	88.45	Inf	-Inf	3	Horizontal	332	1.00
6465MHz	Pass	PK	7.1468G	61.50	88.20	-26.70	3	Horizontal	332	1.00
6465MHz	Pass	AV	12.9532G	43.16	68.20	-25.04	3	Vertical	8	2.70
6465MHz	Pass	PK	12.96168G	54.73	88.20	-33.47	3	Vertical	8	2.70
6465MHz	Pass	AV	12.9196G	43.09	68.20	-25.11	3	Horizontal	58	2.47
6465MHz	Pass	PK	12.88776G	54.23	88.20	-33.97	3	Horizontal	58	2.47
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	AV	5.9064G	48.15	68.20	-20.05	3	Vertical	12	2.38
6465MHz	Pass	AV	6.4594G	88.19	Inf	-Inf	3	Vertical	12	2.38
6465MHz	Pass	AV	7.1552G	50.95	68.20	-17.25	3	Vertical	12	2.38
6465MHz	Pass	PK	5.8028G	60.13	88.20	-28.07	3	Vertical	12	2.38
6465MHz	Pass	PK	6.4482G	99.11	Inf	-Inf	3	Vertical	12	2.38
6465MHz	Pass	PK	7.1608G	62.23	88.20	-25.97	3	Vertical	12	2.38
6465MHz	Pass	AV	5.8938G	48.15	68.20	-20.05	3	Horizontal	178	2.84
6465MHz	Pass	AV	6.4622G	80.63	Inf	-Inf	3	Horizontal	178	2.84
6465MHz	Pass	AV	7.1636G	50.90	68.20	-17.30	3	Horizontal	178	2.84
6465MHz	Pass	PK	5.7818G	59.88	88.20	-28.32	3	Horizontal	178	2.84
6465MHz	Pass	PK	6.4496G	90.73	Inf	-Inf	3	Horizontal	178	2.84
6465MHz	Pass	PK	7.1356G	61.91	88.20	-26.29	3	Horizontal	178	2.84
6465MHz	Pass	AV	13.0036G	43.17	68.20	-25.03	3	Vertical	149	1.26
6465MHz	Pass	PK	12.99989G	54.33	88.20	-33.87	3	Vertical	149	1.26
6465MHz	Pass	AV	12.999932G	43.20	68.20	-25.00	3	Horizontal	52	2.57
6465MHz	Pass	PK	13.00856G	54.74	88.20	-33.46	3	Horizontal	52	2.57
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	AV	5.8952G	47.93	68.20	-20.27	3	Vertical	0	2.36
6465MHz	Pass	AV	6.4608G	86.05	Inf	-Inf	3	Vertical	0	2.36
6465MHz	Pass	AV	7.1636G	50.68	68.20	-17.52	3	Vertical	0	2.36
6465MHz	Pass	PK	5.7944G	58.83	88.20	-29.37	3	Vertical	0	2.36
6465MHz	Pass	PK	6.4552G	95.85	Inf	-Inf	3	Vertical	0	2.36
6465MHz	Pass	PK	7.1426G	61.84	88.20	-26.36	3	Vertical	0	2.36
6465MHz	Pass	AV	5.9036G	47.88	68.20	-20.32	3	Horizontal	170	3.00
6465MHz	Pass	AV	6.4468G	77.76	Inf	-Inf	3	Horizontal	170	3.00
6465MHz	Pass	AV	7.1594G	50.63	68.20	-17.57	3	Horizontal	170	3.00
6465MHz	Pass	PK	5.772G	59.73	88.20	-28.47	3	Horizontal	170	3.00
6465MHz	Pass	PK	6.4482G	88.23	Inf	-Inf	3	Horizontal	170	3.00
6465MHz	Pass	PK	7.151G	62.16	88.20	-26.04	3	Horizontal	170	3.00
6465MHz	Pass	AV	12.9468G	43.10	68.20	-25.10	3	Vertical	161	1.21
6465MHz	Pass	PK	12.94584G	54.14	88.20	-34.06	3	Vertical	161	1.21
6465MHz	Pass	AV	12.9236G	43.12	68.20	-25.08	3	Horizontal	302	2.06
6465MHz	Pass	PK	12.92784G	54.87	88.20	-33.33	3	Horizontal	302	2.06
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	AV	6.7892G	86.82	Inf	-Inf	3	Vertical	352	2.35
6785MHz	Pass	AV	7.1343G	50.67	68.20	-17.53	3	Vertical	352	2.35
6785MHz	Pass	PK	6.792G	97.43	Inf	-Inf	3	Vertical	352	2.35
6785MHz	Pass	PK	7.1308G	61.49	88.20	-26.71	3	Vertical	352	2.35
6785MHz	Pass	AV	6.7976G	77.26	Inf	-Inf	3	Horizontal	332	1.08
6785MHz	Pass	AV	7.1322G	50.70	68.20	-17.50	3	Horizontal	332	1.08
6785MHz	Pass	PK	6.8004G	88.25	Inf	-Inf	3	Horizontal	332	1.08
6785MHz	Pass	PK	7.1273G	61.31	88.20	-26.89	3	Horizontal	332	1.08



RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	AV	13.626G	44.50	68.20	-23.70	3	Vertical	326	1.48
6785MHz	Pass	PK	13.6232G	55.52	88.20	-32.68	3	Vertical	326	1.48
6785MHz	Pass	AV	13.60648G	44.61	68.20	-23.59	3	Horizontal	24	2.57
6785MHz	Pass	PK	13.60312G	56.05	88.20	-32.15	3	Horizontal	24	2.57
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	AV	6.7871G	90.22	Inf	-Inf	3	Vertical	17	2.47
6785MHz	Pass	AV	7.1343G	50.67	68.20	-17.53	3	Vertical	17	2.47
6785MHz	Pass	PK	6.806G	102.00	Inf	-Inf	3	Vertical	17	2.47
6785MHz	Pass	PK	7.1315G	61.77	88.20	-26.43	3	Vertical	17	2.47
6785MHz	Pass	AV	6.7899G	81.92	Inf	-Inf	3	Horizontal	181	2.60
6785MHz	Pass	AV	7.1301G	50.68	68.20	-17.52	3	Horizontal	181	2.60
6785MHz	Pass	PK	6.7913G	93.18	Inf	-Inf	3	Horizontal	181	2.60
6785MHz	Pass	PK	7.1322G	61.40	88.20	-26.80	3	Horizontal	181	2.60
6785MHz	Pass	AV	13.602G	44.61	68.20	-23.59	3	Vertical	344	1.91
6785MHz	Pass	PK	13.61176G	55.55	88.20	-32.65	3	Vertical	344	1.91
6785MHz	Pass	AV	13.60408G	44.50	68.20	-23.70	3	Horizontal	133	2.55
6785MHz	Pass	PK	13.62232G	55.63	88.20	-32.57	3	Horizontal	133	2.55
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	AV	6.7906G	87.22	Inf	-Inf	3	Vertical	348	2.31
6785MHz	Pass	AV	7.1322G	50.59	68.20	-17.61	3	Vertical	348	2.31
6785MHz	Pass	PK	6.7899G	97.58	Inf	-Inf	3	Vertical	348	2.31
6785MHz	Pass	PK	7.1336G	61.57	88.20	-26.63	3	Vertical	348	2.31
6785MHz	Pass	AV	6.7941G	78.31	Inf	-Inf	3	Horizontal	172	2.69
6785MHz	Pass	AV	7.1322G	50.55	68.20	-17.65	3	Horizontal	172	2.69
6785MHz	Pass	PK	6.7913G	89.53	Inf	-Inf	3	Horizontal	172	2.69
6785MHz	Pass	PK	7.1294G	61.33	88.20	-26.87	3	Horizontal	172	2.69
6785MHz	Pass	AV	13.60184G	44.58	68.20	-23.62	3	Vertical	337	1.98
6785MHz	Pass	PK	13.60168G	55.51	88.20	-32.69	3	Vertical	337	1.98
6785MHz	Pass	AV	13.61496G	44.58	68.20	-23.62	3	Horizontal	1	2.23
6785MHz	Pass	PK	13.6212G	55.75	88.20	-32.45	3	Horizontal	1	2.23
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0628G	87.69	Inf	-Inf	3	Vertical	346	2.40
7025MHz	Pass	AV	7.1618G	50.79	68.20	-17.41	3	Vertical	346	2.40
7025MHz	Pass	PK	7.0616G	97.65	Inf	-Inf	3	Vertical	346	2.40
7025MHz	Pass	PK	7.1282G	60.70	88.20	-27.50	3	Vertical	346	2.40
7025MHz	Pass	AV	7.0613G	78.22	Inf	-Inf	3	Horizontal	186	2.59
7025MHz	Pass	AV	7.1603G	50.73	68.20	-17.47	3	Horizontal	186	2.59
7025MHz	Pass	PK	7.061G	88.92	Inf	-Inf	3	Horizontal	186	2.59
7025MHz	Pass	PK	7.151G	61.21	88.20	-26.99	3	Horizontal	186	2.59
7025MHz	Pass	AV	14.03176G	44.49	68.20	-23.71	3	Vertical	147	1.28
7025MHz	Pass	PK	14.10724G	56.62	88.20	-31.58	3	Vertical	147	1.28
7025MHz	Pass	AV	14.0284G	44.52	68.20	-23.68	3	Horizontal	122	1.50
7025MHz	Pass	PK	14.09536G	56.41	88.20	-31.79	3	Horizontal	122	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0277G	75.04	Inf	-Inf	3	Vertical	15	2.35
7025MHz	Pass	AV	7.1717G	50.74	68.20	-17.46	3	Vertical	15	2.35
7025MHz	Pass	PK	7.0319G	85.53	Inf	-Inf	3	Vertical	15	2.35
7025MHz	Pass	PK	7.1579G	61.44	88.20	-26.76	3	Vertical	15	2.35
7025MHz	Pass	AV	7.0277G	66.64	Inf	-Inf	3	Horizontal	28	2.33
7025MHz	Pass	AV	7.1678G	50.71	68.20	-17.49	3	Horizontal	28	2.33
7025MHz	Pass	PK	7.0283G	77.17	Inf	-Inf	3	Horizontal	28	2.33
7025MHz	Pass	PK	7.1372G	60.79	88.20	-27.41	3	Horizontal	28	2.33
7025MHz	Pass	AV	14.03188G	44.58	68.20	-23.62	3	Vertical	72	1.84
7025MHz	Pass	PK	14.09776G	56.49	88.20	-31.71	3	Vertical	72	1.84
7025MHz	Pass	AV	14.03272G	44.52	68.20	-23.68	3	Horizontal	355	1.28
7025MHz	Pass	PK	14.03164G	56.67	88.20	-31.53	3	Horizontal	355	1.28
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0628G	85.48	Inf	-Inf	3	Vertical	347	2.39
7025MHz	Pass	AV	7.1708G	50.77	68.20	-17.43	3	Vertical	347	2.39
7025MHz	Pass	PK	7.0571G	95.36	Inf	-Inf	3	Vertical	347	2.39
7025MHz	Pass	PK	7.1693G	61.18	88.20	-27.02	3	Vertical	347	2.39
7025MHz	Pass	AV	7.0613G	76.05	Inf	-Inf	3	Horizontal	183	2.59



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	AV	7.175G	50.82	68.20	-17.38	3	Horizontal	183	2.59
7025MHz	Pass	PK	7.0595G	85.90	Inf	-Inf	3	Horizontal	183	2.59
7025MHz	Pass	PK	7.1642G	61.23	88.20	-26.97	3	Horizontal	183	2.59
7025MHz	Pass	AV	14.0332G	44.53	68.20	-23.67	3	Vertical	31	1.50
7025MHz	Pass	PK	14.10928G	57.19	88.20	-31.01	3	Vertical	31	1.50
7025MHz	Pass	AV	14.035G	44.49	68.20	-23.71	3	Horizontal	225	2.67
7025MHz	Pass	PK	14.06176G	56.42	88.20	-31.78	3	Horizontal	225	2.67
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	47.82	68.20	-20.38	3	Vertical	344	2.59
6025MHz	Pass	AV	5.9815G	86.03	Inf	-Inf	3	Vertical	344	2.59
6025MHz	Pass	PK	5.924G	61.46	88.20	-26.74	3	Vertical	344	2.59
6025MHz	Pass	PK	5.976G	97.24	Inf	-Inf	3	Vertical	344	2.59
6025MHz	Pass	AV	5.9055G	47.00	68.20	-21.20	3	Horizontal	197	3.00
6025MHz	Pass	AV	5.974G	79.79	Inf	-Inf	3	Horizontal	197	3.00
6025MHz	Pass	PK	5.836G	58.16	88.20	-30.04	3	Horizontal	197	3.00
6025MHz	Pass	PK	5.968G	91.26	Inf	-Inf	3	Horizontal	197	3.00
6025MHz	Pass	AV	12.09944G	42.34	54.00	-11.66	3	Vertical	110	2.09
6025MHz	Pass	PK	12.15344G	54.71	74.00	-19.29	3	Vertical	110	2.09
6025MHz	Pass	AV	12.14456G	42.32	54.00	-11.68	3	Horizontal	100	1.50
6025MHz	Pass	PK	12.0728G	54.09	74.00	-19.91	3	Horizontal	100	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	47.38	68.20	-20.82	3	Vertical	10	2.73
6025MHz	Pass	AV	5.999G	85.93	Inf	-Inf	3	Vertical	10	2.73
6025MHz	Pass	PK	5.8985G	58.68	88.20	-29.52	3	Vertical	10	2.73
6025MHz	Pass	PK	5.997G	97.39	Inf	-Inf	3	Vertical	10	2.73
6025MHz	Pass	AV	5.91G	46.91	68.20	-21.29	3	Horizontal	174	2.91
6025MHz	Pass	AV	5.996G	79.72	Inf	-Inf	3	Horizontal	174	2.91
6025MHz	Pass	PK	5.9225G	58.45	88.20	-29.75	3	Horizontal	174	2.91
6025MHz	Pass	PK	5.998G	90.34	Inf	-Inf	3	Horizontal	174	2.91
6025MHz	Pass	AV	12.1064G	42.33	54.00	-11.67	3	Vertical	260	1.50
6025MHz	Pass	PK	12.0452G	54.39	74.00	-19.61	3	Vertical	260	1.50
6025MHz	Pass	AV	12.1388G	42.34	54.00	-11.66	3	Horizontal	325	1.50
6025MHz	Pass	PK	12.07352G	53.75	74.00	-20.25	3	Horizontal	325	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9115G	47.72	68.20	-20.48	3	Vertical	342	2.38
6025MHz	Pass	AV	5.9975G	85.78	Inf	-Inf	3	Vertical	342	2.38
6025MHz	Pass	PK	5.9225G	62.28	88.20	-25.92	3	Vertical	342	2.38
6025MHz	Pass	PK	5.9715G	96.74	Inf	-Inf	3	Vertical	342	2.38
6025MHz	Pass	AV	5.909G	46.94	68.20	-21.26	3	Horizontal	176	2.96
6025MHz	Pass	AV	5.978G	79.52	Inf	-Inf	3	Horizontal	176	2.96
6025MHz	Pass	PK	5.922G	58.44	88.20	-29.76	3	Horizontal	176	2.96
6025MHz	Pass	PK	5.9795G	90.17	Inf	-Inf	3	Horizontal	176	2.96
6025MHz	Pass	AV	12.14456G	42.35	54.00	-11.65	3	Vertical	164	1.26
6025MHz	Pass	PK	12.11384G	54.13	74.00	-19.87	3	Vertical	164	1.26
6025MHz	Pass	AV	12.13544G	42.32	54.00	-11.68	3	Horizontal	4	1.50
6025MHz	Pass	PK	12.13592G	54.34	74.00	-19.66	3	Horizontal	4	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8974G	47.68	68.20	-20.52	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4868G	86.17	Inf	-Inf	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1504G	50.46	68.20	-17.74	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.805G	58.48	88.20	-29.72	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4784G	96.09	Inf	-Inf	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1686G	61.66	88.20	-26.54	3	Vertical	351	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9128G	47.62	68.20	-20.58	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4574G	78.44	Inf	-Inf	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.205G	50.52	68.20	-17.68	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8764G	59.15	88.20	-29.05	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4798G	88.94	Inf	-Inf	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.17G	61.68	88.20	-26.52	3	Horizontal	193	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.1104G	44.73	68.20	-23.47	3	Vertical	226	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.11064G	56.96	88.20	-31.24	3	Vertical	226	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.11184G	44.72	68.20	-23.48	3	Horizontal	0	1.50





RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.10736G	56.34	88.20	-31.86	3	Horizontal	0	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8974G	47.63	68.20	-20.57	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4896G	87.34	Inf	-Inf	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1686G	50.42	68.20	-17.78	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9072G	59.36	88.20	-28.84	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4798G	97.52	Inf	-Inf	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1504G	61.42	88.20	-26.78	3	Vertical	20	2.46
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9002G	47.62	68.20	-20.58	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.491G	79.42	Inf	-Inf	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1882G	50.43	68.20	-17.77	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8582G	58.58	88.20	-29.62	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4784G	89.78	Inf	-Inf	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1742G	61.04	88.20	-27.16	3	Horizontal	178	2.39
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.08728G	44.79	68.20	-23.41	3	Vertical	226	1.53
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.07888G	56.70	88.20	-31.50	3	Vertical	226	1.53
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.08984G	44.78	68.20	-23.42	3	Horizontal	37	1.22
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.0724G	56.05	88.20	-32.15	3	Horizontal	37	1.22
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67_2TX	-	-	-	-	-	-	-	-	-	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9114G	47.65	68.20	-20.55	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4854G	87.26	Inf	-Inf	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.205G	50.48	68.20	-17.72	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8666G	59.00	88.20	-29.20	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4868G	96.46	Inf	-Inf	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.156G	61.30	88.20	-26.90	3	Vertical	20	2.45
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.903G	47.61	68.20	-20.59	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4854G	79.99	Inf	-Inf	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1658G	50.39	68.20	-17.81	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8134G	59.32	88.20	-28.88	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4868G	89.81	Inf	-Inf	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1588G	61.48	88.20	-26.72	3	Horizontal	178	2.78
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0004G	44.79	68.20	-23.41	3	Vertical	210	2.84
6505MHz Straddle 6.425-6.525GHz	Pass	PK	12.99844G	56.08	88.20	-32.12	3	Vertical	210	2.84
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00728G	44.74	68.20	-23.46	3	Horizontal	62	2.85
6505MHz Straddle 6.425-6.525GHz	Pass	PK	12.99384G	56.43	88.20	-31.77	3	Horizontal	62	2.85
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8418G	85.10	Inf	-Inf	3	Vertical	350	2.51
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1746G	50.49	68.20	-17.71	3	Vertical	350	2.51
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8442G	95.92	Inf	-Inf	3	Vertical	350	2.51
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1642G	62.34	88.20	-25.86	3	Vertical	350	2.51
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8434G	75.49	Inf	-Inf	3	Horizontal	328	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1954G	50.50	68.20	-17.70	3	Horizontal	328	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.841G	85.71	Inf	-Inf	3	Horizontal	328	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.137G	62.01	88.20	-26.19	3	Horizontal	328	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.59384G	46.14	68.20	-22.06	3	Vertical	164	2.99
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.63656G	57.69	88.20	-30.51	3	Vertical	164	2.99
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.59256G	46.16	68.20	-22.04	3	Horizontal	266	1.65
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.57304G	56.58	88.20	-31.62	3	Horizontal	266	1.65
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8402G	88.74	Inf	-Inf	3	Vertical	23	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2234G	50.65	68.20	-17.55	3	Vertical	23	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.849G	99.94	Inf	-Inf	3	Vertical	23	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.173G	62.10	88.20	-26.10	3	Vertical	23	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8402G	80.89	Inf	-Inf	3	Horizontal	173	2.61
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2074G	50.63	68.20	-17.57	3	Horizontal	173	2.61
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8674G	91.91	Inf	-Inf	3	Horizontal	173	2.61
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1402G	62.08	88.20	-26.12	3	Horizontal	173	2.61
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.60552G	46.10	68.20	-22.10	3	Vertical	194	2.07
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.61032G	57.00	88.20	-31.20	3	Vertical	194	2.07
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.5948G	46.03	68.20	-22.17	3	Horizontal	30	1.76
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.60496G	57.25	88.20	-30.95	3	Horizontal	30	1.76
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_2TX	-	-	-	-	-	-	-	-	-	-




RSE TX above 1GHz\_Partial RU

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8394G	87.94	Inf	-Inf	3	Vertical	15	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2002G	50.64	68.20	-17.56	3	Vertical	15	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8418G	98.92	Inf	-Inf	3	Vertical	15	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.149G	62.20	88.20	-26.00	3	Vertical	15	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8418G	80.06	Inf	-Inf	3	Horizontal	171	2.87
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.213G	50.59	68.20	-17.61	3	Horizontal	171	2.87
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.845G	91.19	Inf	-Inf	3	Horizontal	171	2.87
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2002G	62.02	88.20	-26.18	3	Horizontal	171	2.87
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.59112G	45.82	68.20	-22.38	3	Vertical	39	1.54
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.61096G	57.40	88.20	-30.80	3	Vertical	39	1.54
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.60872G	46.03	68.20	-22.17	3	Horizontal	93	2.93
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.59688G	57.24	88.20	-30.96	3	Horizontal	93	2.93
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	7.0485G	86.73	Inf	-Inf	3	Vertical	345	2.35
6985MHz	Pass	AV	7.207G	49.88	68.20	-18.32	3	Vertical	345	2.35
6985MHz	Pass	PK	7.0425G	97.85	Inf	-Inf	3	Vertical	345	2.35
6985MHz	Pass	PK	7.1255G	61.52	88.20	-26.68	3	Vertical	345	2.35
6985MHz	Pass	AV	7.05G	77.22	Inf	-Inf	3	Horizontal	178	2.96
6985MHz	Pass	AV	7.202G	49.77	68.20	-18.43	3	Horizontal	178	2.96
6985MHz	Pass	PK	7.05G	88.72	Inf	-Inf	3	Horizontal	178	2.96
6985MHz	Pass	PK	7.21G	60.74	88.20	-27.46	3	Horizontal	178	2.96
6985MHz	Pass	AV	14.03216G	44.23	68.20	-23.97	3	Vertical	292	1.50
6985MHz	Pass	PK	13.98296G	56.15	88.20	-32.05	3	Vertical	292	1.50
6985MHz	Pass	AV	14.03096G	44.21	68.20	-23.99	3	Horizontal	41	1.50
6985MHz	Pass	PK	14.05544G	56.93	88.20	-31.27	3	Horizontal	41	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	7.0115G	84.50	Inf	-Inf	3	Vertical	17	2.38
6985MHz	Pass	AV	7.201G	49.81	68.20	-18.39	3	Vertical	17	2.38
6985MHz	Pass	PK	7.0135G	95.96	Inf	-Inf	3	Vertical	17	2.38
6985MHz	Pass	PK	7.234G	60.95	88.20	-27.25	3	Vertical	17	2.38
6985MHz	Pass	AV	7.0025G	75.26	Inf	-Inf	3	Horizontal	33	2.38
6985MHz	Pass	AV	7.1955G	49.81	68.20	-18.39	3	Horizontal	33	2.38
6985MHz	Pass	PK	7.0025G	85.27	Inf	-Inf	3	Horizontal	33	2.38
6985MHz	Pass	PK	7.233G	60.63	88.20	-27.57	3	Horizontal	33	2.38
6985MHz	Pass	AV	14.02784G	44.23	68.20	-23.97	3	Vertical	211	1.50
6985MHz	Pass	PK	14.03672G	56.87	88.20	-31.33	3	Vertical	211	1.50
6985MHz	Pass	AV	14.0312G	44.24	68.20	-23.96	3	Horizontal	25	1.50
6985MHz	Pass	PK	14.0276G	55.85	88.20	-32.35	3	Horizontal	25	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996.#RU 67S_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	7.05G	83.70	Inf	-Inf	3	Vertical	346	2.47
6985MHz	Pass	AV	7.217G	49.83	68.20	-18.37	3	Vertical	346	2.47
6985MHz	Pass	PK	7.0355G	94.44	Inf	-Inf	3	Vertical	346	2.47
6985MHz	Pass	PK	7.211G	61.56	88.20	-26.64	3	Vertical	346	2.47
6985MHz	Pass	AV	7.036G	73.99	Inf	-Inf	3	Horizontal	183	2.95
6985MHz	Pass	AV	7.203G	49.78	68.20	-18.42	3	Horizontal	183	2.95
6985MHz	Pass	PK	7.027G	84.39	Inf	-Inf	3	Horizontal	183	2.95
6985MHz	Pass	PK	7.2285G	60.87	88.20	-27.33	3	Horizontal	183	2.95
6985MHz	Pass	AV	14.03192G	44.24	68.20	-23.96	3	Vertical	165	1.50
6985MHz	Pass	PK	14.04496G	56.91	88.20	-31.29	3	Vertical	165	1.50
6985MHz	Pass	AV	14.00192G	44.22	68.20	-23.98	3	Horizontal	87	1.50
6985MHz	Pass	PK	13.99448G	55.88	88.20	-32.32	3	Horizontal	87	1.50

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.89	68.20	-21.31	5.92	3	Vertical	341	2.48	40.97	34.20	6.25	34.53
AV	5.9466G	81.61	Inf	-Inf	5.95	3	Vertical	341	2.48	75.66	34.20	6.27	34.52
PK	5.8506G	58.79	88.20	-29.41	5.70	3	Vertical	341	2.48	53.09	34.00	6.23	34.53
PK	5.9472G	92.54	Inf	-Inf	5.95	3	Vertical	341	2.48	86.59	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9124G	46.92	68.20	-21.28	5.93	3	Horizontal	191	2.64	40.99	34.20	6.26	34.53
AV	5.9466G	75.42	Inf	-Inf	5.95	3	Horizontal	191	2.64	69.47	34.20	6.27	34.52
PK	5.8644G	58.65	88.20	-29.55	5.76	3	Horizontal	191	2.64	52.89	34.06	6.23	34.53
PK	5.9466G	86.34	Inf	-Inf	5.95	3	Horizontal	191	2.64	80.39	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91341G	41.51	54.00	-12.49	12.39	3	Vertical	24	1.99	29.12	38.64	8.45	34.70
PK	11.91268G	53.91	74.00	-20.09	12.39	3	Vertical	24	1.99	41.52	38.64	8.45	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91473G	41.51	54.00	-12.49	12.39	3	Horizontal	347	1.55	29.12	38.64	8.45	34.70
PK	11.9121G	54.02	74.00	-19.98	12.39	3	Horizontal	347	1.55	41.63	38.64	8.45	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90292G	47.81	68.20	-20.39	5.61	3	Vertical	345	2.42	42.20	34.29	5.85	34.53
AV	6.18708G	92.11	Inf	-Inf	5.70	3	Vertical	345	2.42	86.41	34.17	6.03	34.50
AV	7.15988G	50.62	68.20	-17.58	8.52	3	Vertical	345	2.42	42.10	36.72	6.56	34.76
PK	5.89652G	58.89	88.20	-29.31	5.60	3	Vertical	345	2.42	53.29	34.29	5.84	34.53
PK	6.18708G	103.23	Inf	-Inf	5.70	3	Vertical	345	2.42	97.53	34.17	6.03	34.50
PK	7.14964G	62.04	88.20	-26.16	8.49	3	Vertical	345	2.42	53.55	36.70	6.55	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.89524G	47.86	68.20	-20.34	5.59	3	Horizontal	199	2.61	42.27	34.28	5.84	34.53
AV	6.18708G	84.08	Inf	-Inf	5.70	3	Horizontal	199	2.61	78.38	34.17	6.03	34.50
AV	7.15476G	50.64	68.20	-17.56	8.51	3	Horizontal	199	2.61	42.13	36.71	6.56	34.76
PK	5.90036G	59.45	88.20	-28.75	5.62	3	Horizontal	199	2.61	53.83	34.30	5.85	34.53
PK	6.18708G	94.23	Inf	-Inf	5.70	3	Horizontal	199	2.61	88.53	34.17	6.03	34.50
PK	7.14964G	61.23	88.20	-26.97	8.49	3	Horizontal	199	2.61	52.74	36.70	6.55	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37632G	43.56	54.00	-10.44	12.93	3	Vertical	189	1.08	30.63	38.82	8.58	34.47
PK	12.39759G	55.54	74.00	-18.46	12.93	3	Vertical	189	1.08	42.61	38.80	8.58	34.45

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37677G	43.63	54.00	-10.37	12.93	3	Horizontal	0	1.50	30.70	38.82	8.58	34.47
PK	12.3762G	55.87	74.00	-18.13	12.93	3	Horizontal	0	1.50	42.94	38.82	8.58	34.47

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.74	68.20	-20.46	5.61	3	Vertical	356	2.52	42.13	34.29	5.85	34.53
AV	6.4066G	86.15	Inf	-Inf	6.42	3	Vertical	356	2.52	79.73	34.74	6.16	34.48
PK	5.845G	59.57	88.20	-28.63	5.37	3	Vertical	356	2.52	54.20	34.08	5.82	34.53
PK	6.4066G	95.02	Inf	-Inf	6.42	3	Vertical	356	2.52	88.60	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	47.77	68.20	-20.43	5.60	3	Horizontal	328	1.06	42.17	34.28	5.85	34.53
AV	6.4066G	76.16	Inf	-Inf	6.42	3	Horizontal	328	1.06	69.74	34.74	6.16	34.48
PK	5.8258G	59.38	88.20	-28.82	5.28	3	Horizontal	328	1.06	54.10	34.00	5.81	34.53
PK	6.4066G	85.31	Inf	-Inf	6.42	3	Horizontal	328	1.06	78.89	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84251G	44.35	68.20	-23.85	14.35	3	Vertical	17	1.80	30.00	39.44	8.69	33.78
PK	12.83351G	56.97	88.20	-31.23	14.32	3	Vertical	17	1.80	42.65	39.43	8.69	33.80

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84182G	44.34	68.20	-23.86	14.34	3	Horizontal	277	1.13	30.00	39.44	8.69	33.79
PK	12.84305G	56.89	88.20	-31.31	14.35	3	Horizontal	277	1.13	42.54	39.44	8.69	33.78



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.895G	47.79	68.20	-20.41	5.59	3	Vertical	354	2.55	42.20	34.28	5.84	34.53
AV	6.4266G	86.72	Inf	-Inf	6.55	3	Vertical	354	2.55	80.17	34.86	6.17	34.48
PK	5.8806G	59.55	88.20	-28.65	5.53	3	Vertical	354	2.55	54.02	34.22	5.84	34.53
PK	6.4266G	96.74	Inf	-Inf	6.55	3	Vertical	354	2.55	90.19	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	47.76	68.20	-20.44	5.61	3	Horizontal	186	2.72	42.15	34.30	5.84	34.53
AV	6.4266G	78.44	Inf	-Inf	6.55	3	Horizontal	186	2.72	71.89	34.86	6.17	34.48
PK	5.8806G	59.75	88.20	-28.45	5.53	3	Horizontal	186	2.72	54.22	34.22	5.84	34.53
PK	6.4266G	89.14	Inf	-Inf	6.55	3	Horizontal	186	2.72	82.59	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86566G	44.33	68.20	-23.87	14.43	3	Vertical	65	2.15	29.90	39.47	8.70	33.74
PK	12.86774G	56.58	88.20	-31.62	14.43	3	Vertical	65	2.15	42.15	39.47	8.70	33.74

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85557G	44.36	68.20	-23.84	14.40	3	Horizontal	199	1.50	29.96	39.46	8.70	33.76
PK	12.85587G	56.34	88.20	-31.86	14.40	3	Horizontal	199	1.50	41.94	39.46	8.70	33.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	47.74	68.20	-20.46	5.61	3	Vertical	352	2.46	42.13	34.30	5.84	34.53
AV	6.4666G	87.38	Inf	-Inf	6.79	3	Vertical	352	2.46	80.59	35.07	6.19	34.47
AV	7.1638G	50.61	68.20	-17.59	8.53	3	Vertical	352	2.46	42.08	36.73	6.56	34.76
PK	5.8128G	59.09	88.20	-29.11	5.23	3	Vertical	352	2.46	53.86	33.95	5.81	34.53
PK	6.4666G	96.71	Inf	-Inf	6.79	3	Vertical	352	2.46	89.92	35.07	6.19	34.47
PK	7.1596G	61.65	88.20	-26.55	8.52	3	Vertical	352	2.46	53.13	36.72	6.56	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8842G	47.70	68.20	-20.50	5.55	3	Horizontal	331	1.01	42.15	34.24	5.84	34.53
AV	6.4666G	77.96	Inf	-Inf	6.79	3	Horizontal	331	1.01	71.17	35.07	6.19	34.47
AV	7.1708G	50.62	68.20	-17.58	8.55	3	Horizontal	331	1.01	42.07	36.74	6.57	34.76
PK	5.8884G	59.17	88.20	-29.03	5.56	3	Horizontal	331	1.01	53.61	34.25	5.84	34.53
PK	6.4666G	88.05	Inf	-Inf	6.79	3	Horizontal	331	1.01	81.26	35.07	6.19	34.47
PK	7.1666G	62.74	88.20	-25.46	8.54	3	Horizontal	331	1.01	54.20	36.73	6.57	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94532G	44.45	68.20	-23.75	14.66	3	Vertical	240	1.50	29.79	39.55	8.72	33.61
PK	12.9521G	56.96	88.20	-31.24	14.68	3	Vertical	240	1.50	42.28	39.55	8.72	33.59

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95591G	44.45	68.20	-23.75	14.69	3	Horizontal	163	1.08	29.76	39.56	8.72	33.59
PK	12.95438G	56.44	88.20	-31.76	14.68	3	Horizontal	163	1.08	41.76	39.55	8.72	33.59

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9032G	47.83	68.20	-20.37	5.61	3	Vertical	348	2.52	42.22	34.29	5.85	34.53
AV	6.5066G	88.94	Inf	-Inf	6.97	3	Vertical	348	2.52	81.97	35.23	6.21	34.47
AV	7.2108G	50.64	68.20	-17.56	8.62	3	Vertical	348	2.52	42.02	36.80	6.59	34.77
PK	5.906G	59.32	88.20	-28.88	5.61	3	Vertical	348	2.52	53.71	34.29	5.85	34.53
PK	6.5066G	97.71	Inf	-Inf	6.97	3	Vertical	348	2.52	90.74	35.23	6.21	34.47
PK	7.1562G	61.19	88.20	-27.01	8.51	3	Vertical	348	2.52	52.68	36.71	6.56	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9004G	47.83	68.20	-20.37	5.62	3	Horizontal	193	2.84	42.21	34.30	5.85	34.53
AV	6.5066G	80.35	Inf	-Inf	6.97	3	Horizontal	193	2.84	73.38	35.23	6.21	34.47
AV	7.1646G	50.71	68.20	-17.49	8.54	3	Horizontal	193	2.84	42.17	36.73	6.57	34.76
PK	5.899G	59.09	88.20	-29.11	5.61	3	Horizontal	193	2.84	53.48	34.30	5.84	34.53
PK	6.5066G	88.85	Inf	-Inf	6.97	3	Horizontal	193	2.84	81.88	35.23	6.21	34.47
PK	7.1604G	62.37	88.20	-25.83	8.52	3	Horizontal	193	2.84	53.85	36.72	6.56	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04209G	44.69	68.20	-23.51	14.91	3	Vertical	358.1	1.50	29.78	39.60	8.75	33.44
PK	13.03867G	56.95	88.20	-31.25	14.89	3	Vertical	358.1	1.50	42.06	39.60	8.74	33.45

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01761G	44.67	68.20	-23.53	14.86	3	Horizontal	265	2.07	29.81	39.60	8.74	33.48
PK	13.02187G	57.17	88.20	-31.03	14.87	3	Horizontal	265	2.07	42.30	39.60	8.74	33.47

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8952G	47.76	68.20	-20.44	5.59	3	Vertical	352	2.36	42.17	34.28	5.84	34.53
AV	6.5266G	86.72	Inf	-Inf	7.05	3	Vertical	352	2.36	79.67	35.31	6.22	34.48
AV	7.2182G	50.65	68.20	-17.55	8.63	3	Vertical	352	2.36	42.02	36.80	6.60	34.77
PK	5.856G	59.16	88.20	-29.04	5.42	3	Vertical	352	2.36	53.74	34.12	5.83	34.53
PK	6.5266G	96.28	Inf	-Inf	7.05	3	Vertical	352	2.36	89.23	35.31	6.22	34.48
PK	7.1552G	61.85	88.20	-26.35	8.51	3	Vertical	352	2.36	53.34	36.71	6.56	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	47.77	68.20	-20.43	5.62	3	Horizontal	328	1.07	42.15	34.30	5.85	34.53
AV	6.5266G	77.13	Inf	-Inf	7.05	3	Horizontal	328	1.07	70.08	35.31	6.22	34.48
AV	7.221G	50.67	68.20	-17.53	8.63	3	Horizontal	328	1.07	42.04	36.80	6.60	34.77
PK	5.8882G	58.94	88.20	-29.26	5.56	3	Horizontal	328	1.07	53.38	34.25	5.84	34.53
PK	6.5266G	86.01	Inf	-Inf	7.05	3	Horizontal	328	1.07	78.96	35.31	6.22	34.48
PK	7.2336G	61.64	88.20	-26.56	8.64	3	Horizontal	328	1.07	53.00	36.80	6.61	34.77

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06847G	44.67	68.20	-23.53	14.95	3	Vertical	222	2.89	29.72	39.60	8.75	33.40
PK	13.08266G	57.16	88.20	-31.04	14.99	3	Vertical	222	2.89	42.17	39.60	8.76	33.37

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06424G	44.67	68.20	-23.53	14.95	3	Horizontal	316	1.24	29.72	39.60	8.75	33.40
PK	13.06232G	56.92	88.20	-31.28	14.94	3	Horizontal	316	1.24	41.98	39.60	8.75	33.41



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	88.07	Inf	-Inf	7.71	3	Vertical	345	2.47	80.36	35.97	6.31	34.57
AV	7.187G	50.66	68.20	-17.54	8.59	3	Vertical	345	2.47	42.07	36.77	6.58	34.76
PK	6.687G	98.00	Inf	-Inf	7.71	3	Vertical	345	2.47	90.29	35.97	6.31	34.57
PK	7.152G	62.15	88.20	-26.05	8.50	3	Vertical	345	2.47	53.65	36.70	6.56	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	79.34	Inf	-Inf	7.71	3	Horizontal	328	1.00	71.63	35.97	6.31	34.57
AV	7.192G	50.64	68.20	-17.56	8.60	3	Horizontal	328	1.00	42.04	36.78	6.58	34.76
PK	6.686G	88.60	Inf	-Inf	7.71	3	Horizontal	328	1.00	80.89	35.97	6.31	34.57
PK	7.169G	61.42	88.20	-26.78	8.55	3	Horizontal	328	1.00	52.87	36.74	6.57	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39888G	44.82	54.00	-9.18	15.97	3	Vertical	120	1.50	28.85	39.99	8.84	32.86
PK	13.3798G	57.33	74.00	-16.67	15.84	3	Vertical	120	1.50	41.49	39.90	8.83	32.89

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39549G	44.83	54.00	-9.17	15.96	3	Horizontal	317	2.80	28.87	39.98	8.84	32.86
PK	13.39849G	57.19	74.00	-16.81	15.97	3	Horizontal	317	2.80	41.22	39.99	8.84	32.86

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	81.53	Inf	-Inf	7.52	3	Vertical	348	2.53	74.01	35.80	6.40	34.68
AV	7.2233G	50.72	68.20	-17.48	8.63	3	Vertical	348	2.53	42.09	36.80	6.60	34.77
PK	6.8866G	92.31	Inf	-Inf	7.52	3	Vertical	348	2.53	84.79	35.80	6.40	34.68
PK	7.1344G	61.87	88.20	-26.33	8.36	3	Vertical	348	2.53	53.51	36.58	6.54	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	71.44	Inf	-Inf	7.52	3	Horizontal	326	1.12	63.92	35.80	6.40	34.68
AV	7.2338G	50.85	68.20	-17.35	8.64	3	Horizontal	326	1.12	42.21	36.80	6.61	34.77
PK	6.8866G	81.09	Inf	-Inf	7.52	3	Horizontal	326	1.12	73.57	35.80	6.40	34.68
PK	7.2366G	62.18	88.20	-26.02	8.64	3	Horizontal	326	1.12	53.54	36.80	6.61	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8002G	45.48	68.20	-22.72	16.24	3	Vertical	360	1.50	29.24	40.10	8.94	32.80
PK	13.80404G	58.84	88.20	-29.36	16.24	3	Vertical	360	1.50	42.60	40.11	8.94	32.81

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80227G	45.47	68.20	-22.73	16.24	3	Horizontal	249	2.04	29.23	40.10	8.94	32.80
PK	13.7756G	57.37	88.20	-30.83	16.22	3	Horizontal	249	2.04	41.15	40.08	8.93	32.79

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	80.86	Inf	-Inf	7.54	3	Vertical	347	2.26	73.32	35.83	6.44	34.73
AV	7.2085G	50.79	68.20	-17.41	8.62	3	Vertical	347	2.26	42.17	36.80	6.59	34.77
PK	6.9865G	91.90	Inf	-Inf	7.54	3	Vertical	347	2.26	84.36	35.83	6.44	34.73
PK	7.1655G	62.78	88.20	-25.42	8.54	3	Vertical	347	2.26	54.24	36.73	6.57	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	72.33	Inf	-Inf	7.54	3	Horizontal	326	1.00	64.79	35.83	6.44	34.73
AV	7.2245G	50.78	68.20	-17.42	8.63	3	Horizontal	326	1.00	42.15	36.80	6.60	34.77
PK	6.986G	83.24	Inf	-Inf	7.54	3	Horizontal	326	1.00	75.70	35.83	6.44	34.73
PK	7.2G	62.61	88.20	-25.59	8.63	3	Horizontal	326	1.00	53.98	36.80	6.59	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0041G	45.91	68.20	-22.29	16.41	3	Vertical	196	1.00	29.50	40.31	8.99	32.89
PK	13.97734G	58.18	88.20	-30.02	16.41	3	Vertical	196	1.00	41.77	40.30	8.98	32.87

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00488G	45.89	68.20	-22.31	16.41	3	Horizontal	330	1.50	29.48	40.31	8.99	32.89
PK	13.99513G	58.41	88.20	-29.79	16.41	3	Horizontal	330	1.50	42.00	40.30	8.99	32.88

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	85.12	Inf	-Inf	7.98	3	Vertical	344	2.48	77.14	36.22	6.51	34.75
AV	7.2363G	50.82	68.20	-17.38	8.64	3	Vertical	344	2.48	42.18	36.80	6.61	34.77
PK	7.0869G	97.59	Inf	-Inf	7.98	3	Vertical	344	2.48	89.61	36.22	6.51	34.75
PK	7.215G	62.73	88.20	-25.47	8.63	3	Vertical	344	2.48	54.10	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	76.02	Inf	-Inf	7.98	3	Horizontal	324	1.00	68.04	36.22	6.51	34.75
AV	7.2417G	50.87	68.20	-17.33	8.64	3	Horizontal	324	1.00	42.23	36.80	6.61	34.77
PK	7.0866G	86.93	Inf	-Inf	7.98	3	Horizontal	324	1.00	78.95	36.22	6.51	34.75
PK	7.1991G	62.90	88.20	-25.30	8.63	3	Horizontal	324	1.00	54.27	36.80	6.59	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20088G	46.10	68.20	-22.10	16.43	3	Vertical	58	1.50	29.67	40.50	9.06	33.13
PK	14.19974G	58.28	88.20	-29.92	16.44	3	Vertical	58	1.50	41.84	40.50	9.06	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2009G	46.10	68.20	-22.10	16.43	3	Horizontal	73	1.50	29.67	40.50	9.06	33.13
PK	14.19084G	58.23	88.20	-29.97	16.45	3	Horizontal	73	1.50	41.78	40.51	9.05	33.11



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9055G	46.84	68.20	-21.36	5.92	3	Vertical	15	2.52	40.92	34.20	6.25	34.53
AV	5.9469G	82.98	Inf	-Inf	5.95	3	Vertical	15	2.52	77.03	34.20	6.27	34.52
PK	5.9196G	58.26	88.20	-29.94	5.93	3	Vertical	15	2.52	52.33	34.20	6.26	34.53
PK	5.9469G	93.79	Inf	-Inf	5.95	3	Vertical	15	2.52	87.84	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	46.87	68.20	-21.33	5.93	3	Horizontal	179	2.89	40.94	34.20	6.26	34.53
AV	5.9469G	75.85	Inf	-Inf	5.95	3	Horizontal	179	2.89	69.90	34.20	6.27	34.52
PK	5.9205G	58.44	88.20	-29.76	5.93	3	Horizontal	179	2.89	52.51	34.20	6.26	34.53
PK	5.9469G	86.56	Inf	-Inf	5.95	3	Horizontal	179	2.89	80.61	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91023G	41.52	54.00	-12.48	12.38	3	Vertical	341	1.82	29.14	38.63	8.45	34.70
PK	11.90944G	53.63	74.00	-20.37	12.38	3	Vertical	341	1.82	41.25	38.63	8.45	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9106G	41.50	54.00	-12.50	12.38	3	Horizontal	302	2.22	29.12	38.63	8.45	34.70
PK	11.9094G	54.21	74.00	-19.79	12.38	3	Horizontal	302	2.22	41.83	38.63	8.45	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.89396G	47.85	68.20	-20.35	5.59	3	Vertical	14	2.58	42.26	34.28	5.84	34.53
AV	6.18708G	83.80	Inf	-Inf	5.70	3	Vertical	14	2.58	78.10	34.17	6.03	34.50
AV	7.1586G	50.63	68.20	-17.57	8.52	3	Vertical	14	2.58	42.11	36.72	6.56	34.76
PK	5.92468G	59.12	88.20	-29.08	5.58	3	Vertical	14	2.58	53.54	34.25	5.86	34.53
PK	6.1858G	93.50	Inf	-Inf	5.70	3	Vertical	14	2.58	87.80	34.17	6.03	34.50
PK	7.1522G	61.50	88.20	-26.70	8.50	3	Vertical	14	2.58	53.00	36.70	6.56	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90292G	47.88	68.20	-20.32	5.61	3	Horizontal	174	2.89	42.27	34.29	5.85	34.53
AV	6.18708G	76.96	Inf	-Inf	5.70	3	Horizontal	174	2.89	71.26	34.17	6.03	34.50
AV	7.165G	50.66	68.20	-17.54	8.54	3	Horizontal	174	2.89	42.12	36.73	6.57	34.76
PK	5.91316G	58.63	88.20	-29.57	5.59	3	Horizontal	174	2.89	53.04	34.27	5.85	34.53
PK	6.18708G	87.41	Inf	-Inf	5.70	3	Horizontal	174	2.89	81.71	34.17	6.03	34.50
PK	7.14964G	61.42	88.20	-26.78	8.49	3	Horizontal	174	2.89	52.93	36.70	6.55	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37878G	43.54	54.00	-10.46	12.94	3	Vertical	164	2.08	30.60	38.82	8.58	34.46
PK	12.38109G	55.57	74.00	-18.43	12.94	3	Vertical	164	2.08	42.63	38.82	8.58	34.46

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37509G	43.46	54.00	-10.54	12.93	3	Horizontal	195	2.07	30.53	38.82	8.58	34.47
PK	12.38391G	55.51	74.00	-18.49	12.94	3	Horizontal	195	2.07	42.57	38.82	8.58	34.46

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9026G	47.78	68.20	-20.42	5.61	3	Vertical	21	2.38	42.17	34.29	5.85	34.53
AV	6.4066G	86.54	Inf	-Inf	6.42	3	Vertical	21	2.38	80.12	34.74	6.16	34.48
PK	5.9014G	59.53	88.20	-28.67	5.62	3	Vertical	21	2.38	53.91	34.30	5.85	34.53
PK	6.4066G	96.53	Inf	-Inf	6.42	3	Vertical	21	2.38	90.11	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.77	68.20	-20.43	5.60	3	Horizontal	173	2.85	42.17	34.29	5.84	34.53
AV	6.4066G	79.50	Inf	-Inf	6.42	3	Horizontal	173	2.85	73.08	34.74	6.16	34.48
PK	5.9182G	59.79	88.20	-28.41	5.58	3	Horizontal	173	2.85	54.21	34.26	5.85	34.53
PK	6.4066G	89.50	Inf	-Inf	6.42	3	Horizontal	173	2.85	83.08	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84347G	44.29	68.20	-23.91	14.36	3	Vertical	145	1.50	29.93	39.44	8.70	33.78
PK	12.84428G	56.26	88.20	-31.94	14.36	3	Vertical	145	1.50	41.90	39.44	8.70	33.78

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83702G	44.29	68.20	-23.91	14.34	3	Horizontal	293	1.46	29.95	39.44	8.69	33.79
PK	12.8381G	56.69	88.20	-31.51	14.34	3	Horizontal	293	1.46	42.35	39.44	8.69	33.79

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	47.82	68.20	-20.38	5.60	3	Vertical	12	2.37	42.22	34.28	5.85	34.53
AV	6.4266G	86.56	Inf	-Inf	6.55	3	Vertical	12	2.37	80.01	34.86	6.17	34.48
PK	5.8926G	59.91	88.20	-28.29	5.58	3	Vertical	12	2.37	54.33	34.27	5.84	34.53
PK	6.4266G	96.78	Inf	-Inf	6.55	3	Vertical	12	2.37	90.23	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	47.80	68.20	-20.40	5.61	3	Horizontal	166	3.00	42.19	34.30	5.84	34.53
AV	6.4266G	79.19	Inf	-Inf	6.55	3	Horizontal	166	3.00	72.64	34.86	6.17	34.48
PK	5.8818G	59.31	88.20	-28.89	5.54	3	Horizontal	166	3.00	53.77	34.23	5.84	34.53
PK	6.4266G	89.25	Inf	-Inf	6.55	3	Horizontal	166	3.00	82.70	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85524G	44.33	68.20	-23.87	14.40	3	Vertical	3	1.27	29.93	39.46	8.70	33.76
PK	12.8721G	56.94	88.20	-31.26	14.44	3	Vertical	3	1.27	42.50	39.47	8.70	33.73

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85557G	44.35	68.20	-23.85	14.40	3	Horizontal	336.1	1.50	29.95	39.46	8.70	33.76
PK	12.88479G	56.81	88.20	-31.39	14.48	3	Horizontal	336.1	1.50	42.33	39.48	8.71	33.71



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9108G	47.77	68.20	-20.43	5.60	3	Vertical	17	2.48	42.17	34.28	5.85	34.53
AV	6.4666G	87.82	Inf	-Inf	6.79	3	Vertical	17	2.48	81.03	35.07	6.19	34.47
AV	7.1554G	50.61	68.20	-17.59	8.51	3	Vertical	17	2.48	42.10	36.71	6.56	34.76
PK	5.9164G	59.14	88.20	-29.06	5.59	3	Vertical	17	2.48	53.55	34.27	5.85	34.53
PK	6.4666G	99.18	Inf	-Inf	6.79	3	Vertical	17	2.48	92.39	35.07	6.19	34.47
PK	7.175G	61.58	88.20	-26.62	8.56	3	Vertical	17	2.48	53.02	36.75	6.57	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	47.77	68.20	-20.43	5.61	3	Horizontal	174	3.00	42.16	34.30	5.84	34.53
AV	6.4666G	80.22	Inf	-Inf	6.79	3	Horizontal	174	3.00	73.43	35.07	6.19	34.47
AV	7.1736G	50.69	68.20	-17.51	8.56	3	Horizontal	174	3.00	42.13	36.75	6.57	34.76
PK	5.8884G	59.41	88.20	-28.79	5.56	3	Horizontal	174	3.00	53.85	34.25	5.84	34.53
PK	6.4666G	90.13	Inf	-Inf	6.79	3	Horizontal	174	3.00	83.34	35.07	6.19	34.47
PK	7.1274G	61.29	88.20	-26.91	8.30	3	Horizontal	174	3.00	52.99	36.52	6.54	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9569G	44.43	68.20	-23.77	14.70	3	Vertical	100	1.50	29.73	39.56	8.72	33.58
PK	12.94364G	57.62	88.20	-30.58	14.65	3	Vertical	100	1.50	42.97	39.54	8.72	33.61

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95582G	44.43	68.20	-23.77	14.69	3	Horizontal	332	1.50	29.74	39.56	8.72	33.59
PK	12.94253G	56.96	88.20	-31.24	14.65	3	Horizontal	332	1.50	42.31	39.54	8.72	33.61

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9018G	47.75	68.20	-20.45	5.62	3	Vertical	16	2.43	42.13	34.30	5.85	34.53
AV	6.5066G	90.29	Inf	-Inf	6.97	3	Vertical	16	2.43	83.32	35.23	6.21	34.47
AV	7.166G	50.65	68.20	-17.55	8.54	3	Vertical	16	2.43	42.11	36.73	6.57	34.76
PK	5.9186G	59.24	88.20	-28.96	5.58	3	Vertical	16	2.43	53.66	34.26	5.85	34.53
PK	6.5066G	100.19	Inf	-Inf	6.97	3	Vertical	16	2.43	93.22	35.23	6.21	34.47
PK	7.208G	62.46	88.20	-25.74	8.63	3	Vertical	16	2.43	53.83	36.80	6.59	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8864G	47.81	68.20	-20.39	5.56	3	Horizontal	175	2.92	42.25	34.25	5.84	34.53
AV	6.5066G	82.52	Inf	-Inf	6.97	3	Horizontal	175	2.92	75.55	35.23	6.21	34.47
AV	7.1744G	50.64	68.20	-17.56	8.56	3	Horizontal	175	2.92	42.08	36.75	6.57	34.76
PK	5.822G	59.08	88.20	-29.12	5.27	3	Horizontal	175	2.92	53.81	33.99	5.81	34.53
PK	6.5066G	92.55	Inf	-Inf	6.97	3	Horizontal	175	2.92	85.58	35.23	6.21	34.47
PK	7.194G	62.21	88.20	-25.99	8.62	3	Horizontal	175	2.92	53.59	36.79	6.59	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04311G	44.51	68.20	-23.69	14.91	3	Vertical	359	1.48	29.60	39.60	8.75	33.44
PK	13.04479G	56.50	88.20	-31.70	14.91	3	Vertical	359	1.48	41.59	39.60	8.75	33.44

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0153G	44.50	68.20	-23.70	14.86	3	Horizontal	358	2.34	29.64	39.60	8.74	33.48
PK	13.02139G	56.48	88.20	-31.72	14.87	3	Horizontal	358	2.34	41.61	39.60	8.74	33.47

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.88	68.20	-20.32	5.60	3	Vertical	16	2.42	42.28	34.28	5.85	34.53
AV	6.5266G	88.80	Inf	-Inf	7.05	3	Vertical	16	2.42	81.75	35.31	6.22	34.48
AV	7.2196G	50.73	68.20	-17.47	8.63	3	Vertical	16	2.42	42.10	36.80	6.60	34.77
PK	5.9218G	59.50	88.20	-28.70	5.58	3	Vertical	16	2.42	53.92	34.26	5.85	34.53
PK	6.5266G	99.93	Inf	-Inf	7.05	3	Vertical	16	2.42	92.88	35.31	6.22	34.48
PK	7.1972G	63.81	88.20	-24.39	8.62	3	Vertical	16	2.42	55.19	36.79	6.59	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	47.82	68.20	-20.38	5.61	3	Horizontal	174	3.00	42.21	34.30	5.84	34.53
AV	6.5266G	81.14	Inf	-Inf	7.05	3	Horizontal	174	3.00	74.09	35.31	6.22	34.48
AV	7.2G	50.67	68.20	-17.53	8.63	3	Horizontal	174	3.00	42.04	36.80	6.59	34.76
PK	5.8812G	59.04	88.20	-29.16	5.53	3	Horizontal	174	3.00	53.51	34.22	5.84	34.53
PK	6.5266G	90.25	Inf	-Inf	7.05	3	Horizontal	174	3.00	83.20	35.31	6.22	34.48
PK	7.1566G	62.08	88.20	-26.12	8.51	3	Horizontal	174	3.00	53.57	36.71	6.56	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06121G	44.65	68.20	-23.55	14.94	3	Vertical	165	1.50	29.71	39.60	8.75	33.41
PK	13.064G	57.18	88.20	-31.02	14.94	3	Vertical	165	1.50	42.24	39.60	8.75	33.41

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06571G	44.67	68.20	-23.53	14.95	3	Horizontal	163	1.55	29.72	39.60	8.75	33.40
PK	13.07576G	56.97	88.20	-31.23	14.96	3	Horizontal	163	1.55	42.01	39.60	8.75	33.39

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	88.23	Inf	-Inf	7.71	3	Vertical	24	2.46	80.52	35.97	6.31	34.57
AV	7.174G	50.61	68.20	-17.59	8.56	3	Vertical	24	2.46	42.05	36.75	6.57	34.76
PK	6.687G	98.45	Inf	-Inf	7.71	3	Vertical	24	2.46	90.74	35.97	6.31	34.57
PK	7.14G	61.98	88.20	-26.22	8.41	3	Vertical	24	2.46	53.57	36.62	6.55	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	80.33	Inf	-Inf	7.71	3	Horizontal	177	2.83	72.62	35.97	6.31	34.57
AV	7.184G	50.58	68.20	-17.62	8.59	3	Horizontal	177	2.83	41.99	36.77	6.58	34.76
PK	6.687G	91.22	Inf	-Inf	7.71	3	Horizontal	177	2.83	83.51	35.97	6.31	34.57
PK	7.142G	61.27	88.20	-26.93	8.43	3	Horizontal	177	2.83	52.84	36.64	6.55	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39357G	45.08	54.00	-8.92	15.95	3	Vertical	40	1.50	29.13	39.97	8.84	32.86
PK	13.40104G	57.21	88.20	-30.99	15.99	3	Vertical	40	1.50	41.22	40.00	8.84	32.85

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39546G	45.12	54.00	-8.88	15.96	3	Horizontal	138	1.50	29.16	39.98	8.84	32.86
PK	13.38724G	57.60	74.00	-16.40	15.90	3	Horizontal	138	1.50	41.70	39.94	8.83	32.87



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	87.79	Inf	-Inf	7.52	3	Vertical	16	2.31	80.27	35.80	6.40	34.68
AV	7.1715G	50.80	68.20	-17.40	8.55	3	Vertical	16	2.31	42.25	36.74	6.57	34.76
PK	6.8866G	98.57	Inf	-Inf	7.52	3	Vertical	16	2.31	91.05	35.80	6.40	34.68
PK	7.2058G	62.01	88.20	-26.19	8.63	3	Vertical	16	2.31	53.38	36.80	6.59	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	80.08	Inf	-Inf	7.52	3	Horizontal	173	2.62	72.56	35.80	6.40	34.68
AV	7.2009G	50.69	68.20	-17.51	8.63	3	Horizontal	173	2.62	42.06	36.80	6.59	34.76
PK	6.8859G	90.37	Inf	-Inf	7.52	3	Horizontal	173	2.62	82.85	35.80	6.40	34.68
PK	7.1379G	61.71	88.20	-26.49	8.39	3	Horizontal	173	2.62	53.32	36.60	6.55	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80188G	45.74	68.20	-22.46	16.24	3	Vertical	263	2.73	29.50	40.10	8.94	32.80
PK	13.79255G	58.40	88.20	-29.80	16.23	3	Vertical	263	2.73	42.17	40.09	8.94	32.80

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80152G	45.73	68.20	-22.47	16.24	3	Horizontal	205	1.10	29.49	40.10	8.94	32.80
PK	13.79144G	58.01	88.20	-30.19	16.23	3	Horizontal	205	1.10	41.78	40.09	8.94	32.80

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	84.47	Inf	-Inf	7.54	3	Vertical	25	2.53	76.93	35.83	6.44	34.73
AV	7.168G	50.74	68.20	-17.46	8.55	3	Vertical	25	2.53	42.19	36.74	6.57	34.76
PK	6.987G	96.08	Inf	-Inf	7.54	3	Vertical	25	2.53	88.54	35.83	6.44	34.73
PK	7.236G	62.46	88.20	-25.74	8.64	3	Vertical	25	2.53	53.82	36.80	6.61	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	76.54	Inf	-Inf	7.54	3	Horizontal	174	2.90	69.00	35.83	6.44	34.73
AV	7.228G	50.74	68.20	-17.46	8.63	3	Horizontal	174	2.90	42.11	36.80	6.60	34.77
PK	6.9865G	88.14	Inf	-Inf	7.54	3	Horizontal	174	2.90	80.60	35.83	6.44	34.73
PK	7.2315G	62.28	88.20	-25.92	8.63	3	Horizontal	174	2.90	53.65	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00335G	46.11	68.20	-22.09	16.42	3	Vertical	194	1.80	29.69	40.31	8.99	32.88
PK	13.97908G	58.34	88.20	-29.86	16.41	3	Vertical	194	1.80	41.93	40.30	8.98	32.87

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00338G	46.11	68.20	-22.09	16.42	3	Horizontal	269	1.50	29.69	40.31	8.99	32.88
PK	13.9867G	58.51	88.20	-29.69	16.42	3	Horizontal	269	1.50	42.09	40.30	8.99	32.87

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	81.11	Inf	-Inf	7.98	3	Vertical	19	2.38	73.13	36.22	6.51	34.75
AV	7.2351G	50.68	68.20	-17.52	8.64	3	Vertical	19	2.38	42.04	36.80	6.61	34.77
PK	7.0866G	92.90	Inf	-Inf	7.98	3	Vertical	19	2.38	84.92	36.22	6.51	34.75
PK	7.2345G	63.26	88.20	-24.94	8.64	3	Vertical	19	2.38	54.62	36.80	6.61	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0869G	70.85	Inf	-Inf	7.98	3	Horizontal	38	1.05	62.87	36.22	6.51	34.75
AV	7.233G	50.72	68.20	-17.48	8.63	3	Horizontal	38	1.05	42.09	36.80	6.60	34.77
PK	7.0866G	82.22	Inf	-Inf	7.98	3	Horizontal	38	1.05	74.24	36.22	6.51	34.75
PK	7.2432G	62.79	88.20	-25.41	8.64	3	Horizontal	38	1.05	54.15	36.80	6.61	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20137G	46.36	68.20	-21.84	16.43	3	Vertical	1	1.50	29.93	40.50	9.06	33.13
PK	14.17551G	58.65	88.20	-29.55	16.48	3	Vertical	1	1.50	42.17	40.52	9.05	33.09

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20092G	46.37	68.20	-21.83	16.43	3	Horizontal	340	1.50	29.94	40.50	9.06	33.13
PK	14.2001G	58.63	88.20	-29.57	16.44	3	Horizontal	340	1.50	42.19	40.50	9.06	33.12

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8956G	46.29	68.20	-21.91	5.49	3	Vertical	355	2.40	40.80	34.18	5.84	34.53
AV	5.9469G	80.81	Inf	-Inf	5.55	3	Vertical	355	2.40	75.26	34.20	5.87	34.52
PK	5.9052G	58.94	88.20	-29.26	5.52	3	Vertical	355	2.40	53.42	34.20	5.85	34.53
PK	5.9466G	91.10	Inf	-Inf	5.55	3	Vertical	355	2.40	85.55	34.20	5.87	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.874G	46.30	68.20	-21.90	5.40	3	Horizontal	174	3.00	40.90	34.10	5.83	34.53
AV	5.9469G	74.11	Inf	-Inf	5.55	3	Horizontal	174	3.00	68.56	34.20	5.87	34.52
PK	5.8788G	58.07	88.20	-30.13	5.43	3	Horizontal	174	3.00	52.64	34.12	5.84	34.53
PK	5.9463G	84.67	Inf	-Inf	5.55	3	Horizontal	174	3.00	79.12	34.20	5.87	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91463G	41.78	54.00	-12.22	12.39	3	Vertical	97	2.38	29.39	38.64	8.45	34.70
PK	11.90647G	54.58	74.00	-19.42	12.37	3	Vertical	97	2.38	42.21	38.62	8.45	34.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.913G	41.75	54.00	-12.25	12.39	3	Horizontal	53	1.80	29.36	38.64	8.45	34.70
PK	11.90611G	54.35	74.00	-19.65	12.37	3	Horizontal	53	1.80	41.98	38.62	8.45	34.70



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.83	68.20	-20.37	5.60	3	Vertical	346	2.41	42.23	34.29	5.84	34.53
AV	6.18708G	89.40	Inf	-Inf	5.70	3	Vertical	346	2.41	83.70	34.17	6.03	34.50
AV	7.16372G	50.62	68.20	-17.58	8.53	3	Vertical	346	2.41	42.09	36.73	6.56	34.76
PK	5.91828G	59.35	88.20	-28.85	5.58	3	Vertical	346	2.41	53.77	34.26	5.85	34.53
PK	6.18708G	100.78	Inf	-Inf	5.70	3	Vertical	346	2.41	95.08	34.17	6.03	34.50
PK	7.16116G	61.65	88.20	-26.55	8.52	3	Vertical	346	2.41	53.13	36.72	6.56	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90036G	47.82	68.20	-20.38	5.62	3	Horizontal	182	2.76	42.20	34.30	5.85	34.53
AV	6.18708G	82.08	Inf	-Inf	5.70	3	Horizontal	182	2.76	76.38	34.17	6.03	34.50
AV	7.165G	50.68	68.20	-17.52	8.54	3	Horizontal	182	2.76	42.14	36.73	6.57	34.76
PK	5.91828G	59.74	88.20	-28.46	5.58	3	Horizontal	182	2.76	54.16	34.26	5.85	34.53
PK	6.18708G	92.10	Inf	-Inf	5.70	3	Horizontal	182	2.76	86.40	34.17	6.03	34.50
PK	7.14452G	62.00	88.20	-26.20	8.45	3	Horizontal	182	2.76	53.55	36.66	6.55	34.76

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32008G	43.70	54.00	-10.30	12.93	3	Vertical	97	2.25	30.77	38.88	8.56	34.51
PK	12.31944G	54.58	74.00	-19.42	12.93	3	Vertical	97	2.25	41.65	38.88	8.56	34.51

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31096G	43.71	54.00	-10.29	12.94	3	Horizontal	234	1.72	30.77	38.89	8.56	34.51
PK	12.32616G	54.97	74.00	-19.03	12.93	3	Horizontal	234	1.72	42.04	38.87	8.56	34.50

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.79	68.20	-20.41	5.60	3	Vertical	11	2.37	42.19	34.29	5.84	34.53
AV	6.4066G	86.51	Inf	-Inf	6.42	3	Vertical	11	2.37	80.09	34.74	6.16	34.48
PK	5.8258G	59.48	88.20	-28.72	5.28	3	Vertical	11	2.37	54.20	34.00	5.81	34.53
PK	6.4066G	97.29	Inf	-Inf	6.42	3	Vertical	11	2.37	90.87	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	47.83	68.20	-20.37	5.61	3	Horizontal	176	3.00	42.22	34.29	5.85	34.53
AV	6.4066G	79.03	Inf	-Inf	6.42	3	Horizontal	176	3.00	72.61	34.74	6.16	34.48
PK	5.8858G	59.80	88.20	-28.40	5.55	3	Horizontal	176	3.00	54.25	34.24	5.84	34.53
PK	6.4066G	89.27	Inf	-Inf	6.42	3	Horizontal	176	3.00	82.85	34.74	6.16	34.48

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89096G	44.55	68.20	-23.65	14.50	3	Vertical	211	2.28	30.05	39.49	8.71	33.70
PK	12.90696G	55.74	88.20	-32.46	14.55	3	Vertical	211	2.28	41.19	39.51	8.71	33.67

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89576G	44.34	68.20	-23.86	14.52	3	Horizontal	186	1.82	29.82	39.50	8.71	33.69
PK	12.89432G	56.03	88.20	-32.17	14.51	3	Horizontal	186	1.82	41.52	39.49	8.71	33.69

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	47.77	68.20	-20.43	5.62	3	Vertical	351	2.41	42.15	34.30	5.85	34.53
AV	6.4266G	87.93	Inf	-Inf	6.55	3	Vertical	351	2.41	81.38	34.86	6.17	34.48
PK	5.8674G	59.99	88.20	-28.21	5.47	3	Vertical	351	2.41	54.52	34.17	5.83	34.53
PK	6.4266G	96.40	Inf	-Inf	6.55	3	Vertical	351	2.41	89.85	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	47.87	68.20	-20.33	5.61	3	Horizontal	182	2.73	42.26	34.30	5.84	34.53
AV	6.4266G	79.70	Inf	-Inf	6.55	3	Horizontal	182	2.73	73.15	34.86	6.17	34.48
PK	5.8878G	59.41	88.20	-28.79	5.56	3	Horizontal	182	2.73	53.85	34.25	5.84	34.53
PK	6.4266G	88.92	Inf	-Inf	6.55	3	Horizontal	182	2.73	82.37	34.86	6.17	34.48

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92616G	44.55	68.20	-23.65	14.61	3	Vertical	51	2.46	29.94	39.53	8.72	33.64
PK	12.90352G	56.61	88.20	-31.59	14.53	3	Vertical	51	2.46	42.08	39.50	8.71	33.68

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94056G	44.56	68.20	-23.64	14.65	3	Horizontal	105	1.74	29.91	39.54	8.72	33.61
PK	12.9428G	56.02	88.20	-32.18	14.65	3	Horizontal	105	1.74	41.37	39.54	8.72	33.61

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8884G	47.71	68.20	-20.49	5.56	3	Vertical	5	2.41	42.15	34.25	5.84	34.53
AV	6.4666G	88.08	Inf	-Inf	6.79	3	Vertical	5	2.41	81.29	35.07	6.19	34.47
AV	7.1708G	50.64	68.20	-17.56	8.55	3	Vertical	5	2.41	42.09	36.74	6.57	34.76
PK	5.8954G	59.23	88.20	-28.97	5.59	3	Vertical	5	2.41	53.64	34.28	5.84	34.53
PK	6.4666G	97.68	Inf	-Inf	6.79	3	Vertical	5	2.41	90.89	35.07	6.19	34.47
PK	7.1302G	61.86	88.20	-26.34	8.32	3	Vertical	5	2.41	53.54	36.54	6.54	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	47.73	68.20	-20.47	5.61	3	Horizontal	176	2.98	42.12	34.30	5.84	34.53
AV	6.4666G	80.35	Inf	-Inf	6.79	3	Horizontal	176	2.98	73.56	35.07	6.19	34.47
AV	7.1624G	50.62	68.20	-17.58	8.52	3	Horizontal	176	2.98	42.10	36.72	6.56	34.76
PK	5.8618G	59.08	88.20	-29.12	5.45	3	Horizontal	176	2.98	53.63	34.15	5.83	34.53
PK	6.4666G	90.28	Inf	-Inf	6.79	3	Horizontal	176	2.98	83.49	35.07	6.19	34.47
PK	7.1708G	61.74	88.20	-26.46	8.55	3	Horizontal	176	2.98	53.19	36.74	6.57	34.76

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01896G	44.59	68.20	-23.61	14.86	3	Vertical	294	2.65	29.73	39.60	8.74	33.48
PK	12.99568G	56.55	88.20	-31.65	14.81	3	Vertical	294	2.65	41.74	39.60	8.73	33.52

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00664G	44.62	68.20	-23.58	14.84	3	Horizontal	76	1.60	29.78	39.60	8.74	33.50
PK	12.99504G	55.28	88.20	-32.92	14.81	3	Horizontal	76	1.60	40.47	39.60	8.73	33.52