


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9116G	47.76	68.20	-20.44	5.60	3	Vertical	350	2.48	42.16	34.28	5.85	34.53
AV	6.5066G	88.90	Inf	-Inf	6.97	3	Vertical	350	2.48	81.93	35.23	6.21	34.47
AV	7.2066G	50.66	68.20	-17.54	8.63	3	Vertical	350	2.48	42.03	36.80	6.59	34.76
PK	5.8752G	59.54	88.20	-28.66	5.50	3	Vertical	350	2.48	54.04	34.20	5.83	34.53
PK	6.5066G	98.06	Inf	-Inf	6.97	3	Vertical	350	2.48	91.09	35.23	6.21	34.47
PK	7.159G	62.31	88.20	-25.89	8.52	3	Vertical	350	2.48	53.79	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9088G	47.79	68.20	-20.41	5.60	3	Horizontal	181	2.40	42.19	34.28	5.85	34.53
AV	6.5066G	80.34	Inf	-Inf	6.97	3	Horizontal	181	2.40	73.37	35.23	6.21	34.47
AV	7.2122G	50.64	68.20	-17.56	8.63	3	Horizontal	181	2.40	42.01	36.80	6.60	34.77
PK	5.822G	59.06	88.20	-29.14	5.27	3	Horizontal	181	2.40	53.79	33.99	5.81	34.53
PK	6.5066G	89.11	Inf	-Inf	6.97	3	Horizontal	181	2.40	82.14	35.23	6.21	34.47
PK	7.2052G	61.81	88.20	-26.39	8.63	3	Horizontal	181	2.40	53.18	36.80	6.59	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10776G	44.84	68.20	-23.36	15.01	3	Vertical	81	2.43	29.83	39.58	8.76	33.33
PK	13.09736G	56.43	88.20	-31.77	15.01	3	Vertical	81	2.43	41.42	39.60	8.76	33.35

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10936G	44.81	68.20	-23.39	15.01	3	Horizontal	52	1.87	29.80	39.58	8.76	33.33
PK	13.07096G	55.64	88.20	-32.56	14.96	3	Horizontal	52	1.87	40.68	39.60	8.75	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9064G	47.67	68.20	-20.53	5.61	3	Vertical	348	2.37	42.06	34.29	5.85	34.53
AV	6.5434G	88.09	Inf	-Inf	7.11	3	Vertical	348	2.37	80.98	35.37	6.23	34.49
AV	7.2G	50.47	68.20	-17.73	8.63	3	Vertical	348	2.37	41.84	36.80	6.59	34.76
PK	5.9218G	58.95	88.20	-29.25	5.58	3	Vertical	348	2.37	53.37	34.26	5.85	34.53
PK	6.5434G	99.79	Inf	-Inf	7.11	3	Vertical	348	2.37	92.68	35.37	6.23	34.49
PK	7.1944G	61.55	88.20	-26.65	8.62	3	Vertical	348	2.37	52.93	36.79	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	47.69	68.20	-20.51	5.60	3	Horizontal	189	2.52	42.09	34.28	5.85	34.53
AV	6.5434G	79.66	Inf	-Inf	7.11	3	Horizontal	189	2.52	72.55	35.37	6.23	34.49
AV	7.1734G	50.49	68.20	-17.71	8.56	3	Horizontal	189	2.52	41.93	36.75	6.57	34.76
PK	5.8434G	58.92	88.20	-29.28	5.36	3	Horizontal	189	2.52	53.56	34.07	5.82	34.53
PK	6.542G	88.56	Inf	-Inf	7.11	3	Horizontal	189	2.52	81.45	35.37	6.23	34.49
PK	7.1958G	61.61	88.20	-26.59	8.62	3	Horizontal	189	2.52	52.99	36.79	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1196G	44.87	68.20	-23.33	15.02	3	Vertical	41	1.21	29.85	39.56	8.77	33.31
PK	13.07512G	55.53	88.20	-32.67	14.96	3	Vertical	41	1.21	40.57	39.60	8.75	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11976G	44.86	68.20	-23.34	15.02	3	Horizontal	309	2.50	29.84	39.56	8.77	33.31
PK	13.11916G	56.52	88.20	-31.68	15.02	3	Horizontal	309	2.50	41.50	39.56	8.77	33.31

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	88.06	Inf	-Inf	7.73	3	Vertical	345	2.50	80.33	35.99	6.32	34.58
AV	7.164G	50.48	68.20	-17.72	8.53	3	Vertical	345	2.50	41.95	36.73	6.56	34.76
PK	6.704G	97.66	Inf	-Inf	7.73	3	Vertical	345	2.50	89.93	35.99	6.32	34.58
PK	7.15G	62.01	88.20	-26.19	8.49	3	Vertical	345	2.50	53.52	36.70	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	78.94	Inf	-Inf	7.73	3	Horizontal	325	1.01	71.21	35.99	6.32	34.58
AV	7.175G	50.58	68.20	-17.62	8.56	3	Horizontal	325	1.01	42.02	36.75	6.57	34.76
PK	6.703G	89.91	Inf	-Inf	7.73	3	Horizontal	325	1.01	82.18	35.99	6.32	34.58
PK	7.176G	61.76	88.20	-26.44	8.56	3	Horizontal	325	1.01	53.20	36.75	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45096G	45.21	68.20	-22.99	16.08	3	Vertical	219	2.75	29.13	40.00	8.85	32.77
PK	13.44184G	56.03	88.20	-32.17	16.06	3	Vertical	219	2.75	39.97	40.00	8.85	32.79

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46216G	45.22	68.20	-22.98	16.10	3	Horizontal	36	2.08	29.12	40.00	8.85	32.75
PK	13.46664G	56.15	88.20	-32.05	16.11	3	Horizontal	36	2.08	40.04	40.00	8.85	32.74

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	80.47	Inf	-Inf	7.53	3	Vertical	360	2.38	72.94	35.81	6.41	34.69
AV	7.1988G	50.63	68.20	-17.57	8.63	3	Vertical	360	2.38	42.00	36.80	6.59	34.76
PK	6.9027G	92.02	Inf	-Inf	7.53	3	Vertical	360	2.38	84.49	35.81	6.41	34.69
PK	7.1736G	62.66	88.20	-25.54	8.56	3	Vertical	360	2.38	54.10	36.75	6.57	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	70.09	Inf	-Inf	7.53	3	Horizontal	331	1.04	62.56	35.81	6.41	34.69
AV	7.1701G	50.57	68.20	-17.63	8.55	3	Horizontal	331	1.04	42.02	36.74	6.57	34.76
PK	6.9027G	81.04	Inf	-Inf	7.53	3	Horizontal	331	1.04	73.51	35.81	6.41	34.69
PK	7.1911G	62.96	88.20	-25.24	8.60	3	Horizontal	331	1.04	54.36	36.78	6.58	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7132G	45.73	68.20	-22.47	16.16	3	Vertical	163	2.62	29.57	40.01	8.92	32.77
PK	13.71208G	57.12	88.20	-31.08	16.16	3	Vertical	163	2.62	40.96	40.01	8.92	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84024G	45.75	68.20	-22.45	16.31	3	Horizontal	173	2.47	29.44	40.18	8.95	32.82
PK	13.82976G	56.46	88.20	-31.74	16.29	3	Horizontal	173	2.47	40.17	40.16	8.95	32.82

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.003G	80.64	Inf	-Inf	7.52	3	Vertical	0	2.47	73.12	35.81	6.45	34.74
AV	7.229G	50.62	68.20	-17.58	8.63	3	Vertical	0	2.47	41.99	36.80	6.60	34.77
PK	7.0035G	92.61	Inf	-Inf	7.52	3	Vertical	0	2.47	85.09	35.81	6.45	34.74
PK	7.139G	62.91	88.20	-25.29	8.40	3	Vertical	0	2.47	54.51	36.61	6.55	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	71.43	Inf	-Inf	7.52	3	Horizontal	328	1.00	63.91	35.81	6.45	34.74
AV	7.2105G	50.61	68.20	-17.59	8.62	3	Horizontal	328	1.00	41.99	36.80	6.59	34.77
PK	7.0035G	82.37	Inf	-Inf	7.52	3	Horizontal	328	1.00	74.85	35.81	6.45	34.74
PK	7.234G	62.31	88.20	-25.89	8.64	3	Horizontal	328	1.00	53.67	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0652G	46.29	68.20	-21.91	16.55	3	Vertical	283	1.32	29.74	40.50	9.01	32.96
PK	14.06056G	57.02	88.20	-31.18	16.54	3	Vertical	283	1.32	40.48	40.48	9.01	32.95

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0028G	46.32	68.20	-21.88	16.42	3	Horizontal	46	1.46	29.90	40.31	8.99	32.88
PK	13.99192G	57.55	88.20	-30.65	16.41	3	Horizontal	46	1.46	41.14	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	85.50	Inf	-Inf	8.10	3	Vertical	346	2.35	77.40	36.33	6.52	34.75
AV	7.1619G	50.65	68.20	-17.55	8.52	3	Vertical	346	2.35	42.13	36.72	6.56	34.76
PK	7.1028G	97.28	Inf	-Inf	8.09	3	Vertical	346	2.35	89.19	36.32	6.52	34.75
PK	7.1916G	63.01	88.20	-25.19	8.60	3	Vertical	346	2.35	54.41	36.78	6.58	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	75.51	Inf	-Inf	8.10	3	Horizontal	325	1.03	67.41	36.33	6.52	34.75
AV	7.2348G	50.68	68.20	-17.52	8.64	3	Horizontal	325	1.03	42.04	36.80	6.61	34.77
PK	7.1031G	87.36	Inf	-Inf	8.09	3	Horizontal	325	1.03	79.27	36.32	6.52	34.75
PK	7.2399G	62.61	88.20	-25.59	8.64	3	Horizontal	325	1.03	53.97	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.12872G	46.38	68.20	-21.82	16.56	3	Vertical	244	1.58	29.82	40.57	9.03	33.04
PK	14.1248G	58.06	88.20	-30.14	16.58	3	Vertical	244	1.58	41.48	40.58	9.03	33.03

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16488G	46.39	68.20	-21.81	16.51	3	Horizontal	188	2.26	29.88	40.54	9.05	33.08
PK	14.15216G	58.81	88.20	-29.39	16.52	3	Horizontal	188	2.26	42.29	40.55	9.04	33.07

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12309G	74.49	Inf	-Inf	8.43	3	Vertical	347	2.43	66.06	36.64	6.54	34.75
AV	7.1255G	56.49	68.20	-11.71	8.43	3	Vertical	347	2.43	48.06	36.65	6.54	34.76
PK	7.12357G	83.18	Inf	-Inf	8.43	3	Vertical	347	2.43	74.75	36.64	6.54	34.75
PK	7.1255G	69.09	88.20	-19.11	8.43	3	Vertical	347	2.43	60.66	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.123G	64.98	Inf	-Inf	8.43	3	Horizontal	324	1.03	56.55	36.64	6.54	34.75
AV	7.1255G	51.61	68.20	-16.59	8.43	3	Horizontal	324	1.03	43.18	36.65	6.54	34.76
PK	7.12325G	73.37	Inf	-Inf	8.43	3	Horizontal	324	1.03	64.94	36.64	6.54	34.75
PK	7.1255G	61.47	88.20	-26.73	8.43	3	Horizontal	324	1.03	53.04	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22789G	44.27	68.20	-23.93	16.55	3	Vertical	32	2.21	27.72	40.64	9.07	33.16
PK	14.23039G	57.19	88.20	-31.01	16.55	3	Vertical	32	2.21	40.64	40.64	9.07	33.16

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23244G	44.33	68.20	-23.87	16.55	3	Horizontal	90	1.65	27.78	40.64	9.07	33.16
PK	14.22741G	56.80	88.20	-31.40	16.56	3	Horizontal	90	1.65	40.24	40.65	9.07	33.16

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9078G	47.58	68.20	-20.62	5.60	3	Vertical	17	2.53	41.98	34.28	5.85	34.53
AV	6.5434G	88.74	Inf	-Inf	7.11	3	Vertical	17	2.53	81.63	35.37	6.23	34.49
AV	7.172G	50.51	68.20	-17.69	8.55	3	Vertical	17	2.53	41.96	36.74	6.57	34.76
PK	5.8364G	59.80	88.20	-28.40	5.34	3	Vertical	17	2.53	54.46	34.05	5.82	34.53
PK	6.5434G	98.32	Inf	-Inf	7.11	3	Vertical	17	2.53	91.21	35.37	6.23	34.49
PK	7.207G	62.27	88.20	-25.93	8.63	3	Vertical	17	2.53	53.64	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.59	68.20	-20.61	5.60	3	Horizontal	168	3.00	41.99	34.29	5.84	34.53
AV	6.5434G	81.53	Inf	-Inf	7.11	3	Horizontal	168	3.00	74.42	35.37	6.23	34.49
AV	7.207G	50.40	68.20	-17.80	8.63	3	Horizontal	168	3.00	41.77	36.80	6.59	34.76
PK	5.8406G	59.62	88.20	-28.58	5.35	3	Horizontal	168	3.00	54.27	34.06	5.82	34.53
PK	6.5434G	91.80	Inf	-Inf	7.11	3	Horizontal	168	3.00	84.69	35.37	6.23	34.49
PK	7.2294G	61.61	88.20	-26.59	8.63	3	Horizontal	168	3.00	52.98	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12776G	44.89	68.20	-23.31	15.01	3	Vertical	192	1.91	29.88	39.54	8.77	33.30
PK	13.128G	55.71	88.20	-32.49	15.01	3	Vertical	192	1.91	40.70	39.54	8.77	33.30

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1156G	44.92	68.20	-23.28	15.01	3	Horizontal	99	2.15	29.91	39.57	8.76	33.32
PK	13.1112G	56.36	88.20	-31.84	15.01	3	Horizontal	99	2.15	41.35	39.58	8.76	33.33

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	88.62	Inf	-Inf	7.73	3	Vertical	20	2.43	80.89	35.99	6.32	34.58
AV	7.177G	50.61	68.20	-17.59	8.56	3	Vertical	20	2.43	42.05	36.75	6.57	34.76
PK	6.703G	98.65	Inf	-Inf	7.73	3	Vertical	20	2.43	90.92	35.99	6.32	34.58
PK	7.184G	61.95	88.20	-26.25	8.59	3	Vertical	20	2.43	53.36	36.77	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	80.19	Inf	-Inf	7.73	3	Horizontal	176	2.70	72.46	35.99	6.32	34.58
AV	7.176G	50.65	68.20	-17.55	8.56	3	Horizontal	176	2.70	42.09	36.75	6.57	34.76
PK	6.704G	90.72	Inf	-Inf	7.73	3	Horizontal	176	2.70	82.99	35.99	6.32	34.58
PK	7.125G	61.79	88.20	-26.41	8.28	3	Horizontal	176	2.70	53.51	36.50	6.54	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46536G	45.30	68.20	-22.90	16.10	3	Vertical	29	1.35	29.20	40.00	8.85	32.75
PK	13.4524G	56.27	88.20	-31.93	16.08	3	Vertical	29	1.35	40.19	40.00	8.85	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45752G	45.23	68.20	-22.97	16.09	3	Horizontal	278	1.52	29.14	40.00	8.85	32.76
PK	13.45032G	56.36	88.20	-31.84	16.08	3	Horizontal	278	1.52	40.28	40.00	8.85	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	87.49	Inf	-Inf	7.53	3	Vertical	20	2.44	79.96	35.81	6.41	34.69
AV	7.2114G	50.72	68.20	-17.48	8.63	3	Vertical	20	2.44	42.09	36.80	6.60	34.77
PK	6.9034G	98.77	Inf	-Inf	7.53	3	Vertical	20	2.44	91.24	35.81	6.41	34.69
PK	7.1876G	62.60	88.20	-25.60	8.60	3	Vertical	20	2.44	54.00	36.78	6.58	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	80.10	Inf	-Inf	7.53	3	Horizontal	171	2.68	72.57	35.81	6.41	34.69
AV	7.2324G	50.70	68.20	-17.50	8.63	3	Horizontal	171	2.68	42.07	36.80	6.60	34.77
PK	6.9034G	90.63	Inf	-Inf	7.53	3	Horizontal	171	2.68	83.10	35.81	6.41	34.69
PK	7.2086G	62.46	88.20	-25.74	8.62	3	Horizontal	171	2.68	53.84	36.80	6.59	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.806G	45.76	68.20	-22.44	16.24	3	Vertical	313	1.05	29.52	40.11	8.94	32.81
PK	13.8024G	57.00	88.20	-31.20	16.24	3	Vertical	313	1.05	40.76	40.10	8.94	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81768G	45.72	68.20	-22.48	16.27	3	Horizontal	66	2.95	29.45	40.14	8.94	32.81
PK	13.81304G	57.10	88.20	-31.10	16.26	3	Horizontal	66	2.95	40.84	40.13	8.94	32.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	83.96	Inf	-Inf	7.52	3	Vertical	18	2.42	76.44	35.81	6.45	34.74
AV	7.223G	50.79	68.20	-17.41	8.63	3	Vertical	18	2.42	42.16	36.80	6.60	34.77
PK	7.004G	95.23	Inf	-Inf	7.53	3	Vertical	18	2.42	87.70	35.82	6.45	34.74
PK	7.155G	62.73	88.20	-25.47	8.51	3	Vertical	18	2.42	54.22	36.71	6.56	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	75.91	Inf	-Inf	7.52	3	Horizontal	172	2.96	68.39	35.81	6.45	34.74
AV	7.234G	50.78	68.20	-17.42	8.64	3	Horizontal	172	2.96	42.14	36.80	6.61	34.77
PK	7.003G	88.13	Inf	-Inf	7.52	3	Horizontal	172	2.96	80.61	35.81	6.45	34.74
PK	7.1465G	62.89	88.20	-25.31	8.46	3	Horizontal	172	2.96	54.43	36.67	6.55	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03432G	46.25	68.20	-21.95	16.48	3	Vertical	271	1.35	29.77	40.40	9.00	32.92
PK	14.04984G	58.85	88.20	-29.35	16.52	3	Vertical	271	1.35	42.33	40.45	9.01	32.94

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0596G	46.25	68.20	-21.95	16.54	3	Horizontal	105	2.28	29.71	40.48	9.01	32.95
PK	14.04808G	57.31	88.20	-30.89	16.51	3	Horizontal	105	2.28	40.80	40.44	9.01	32.94

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	80.72	Inf	-Inf	8.10	3	Vertical	17	2.47	72.62	36.33	6.52	34.75
AV	7.2147G	50.73	68.20	-17.47	8.63	3	Vertical	17	2.47	42.10	36.80	6.60	34.77
PK	7.1028G	92.14	Inf	-Inf	8.09	3	Vertical	17	2.47	84.05	36.32	6.52	34.75
PK	7.2348G	62.82	88.20	-25.38	8.64	3	Vertical	17	2.47	54.18	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	72.69	Inf	-Inf	8.10	3	Horizontal	173	2.93	64.59	36.33	6.52	34.75
AV	7.2195G	50.74	68.20	-17.46	8.63	3	Horizontal	173	2.93	42.11	36.80	6.60	34.77
PK	7.1031G	84.25	Inf	-Inf	8.09	3	Horizontal	173	2.93	76.16	36.32	6.52	34.75
PK	7.2327G	62.66	88.20	-25.54	8.63	3	Horizontal	173	2.93	54.03	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1378G	46.35	68.20	-21.85	16.55	3	Vertical	271	2.34	29.80	40.56	9.04	33.05
PK	14.137G	57.65	88.20	-30.55	16.55	3	Vertical	271	2.34	41.10	40.56	9.04	33.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14328G	46.43	68.20	-21.77	16.55	3	Horizontal	309	2.96	29.88	40.56	9.04	33.05
PK	14.15808G	58.18	88.20	-30.02	16.51	3	Horizontal	309	2.96	41.67	40.54	9.04	33.07

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1238G	68.98	Inf	-Inf	8.43	3	Vertical	16	2.26	60.55	36.64	6.54	34.75
AV	7.1255G	53.18	68.20	-15.02	8.43	3	Vertical	16	2.26	44.75	36.65	6.54	34.76
PK	7.12334G	77.70	Inf	-Inf	8.43	3	Vertical	16	2.26	69.27	36.64	6.54	34.75
PK	7.1255G	64.44	88.20	-23.76	8.43	3	Vertical	16	2.26	56.01	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12384G	59.34	Inf	-Inf	8.43	3	Horizontal	24	2.33	50.91	36.64	6.54	34.75
AV	7.1255G	50.82	68.20	-17.38	8.43	3	Horizontal	24	2.33	42.39	36.65	6.54	34.76
PK	7.12359G	67.73	Inf	-Inf	8.43	3	Horizontal	24	2.33	59.30	36.64	6.54	34.75
PK	7.1255G	59.67	88.20	-28.53	8.43	3	Horizontal	24	2.33	51.24	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23329G	44.30	68.20	-23.90	16.54	3	Vertical	238	1.91	27.76	40.63	9.07	33.16
PK	14.23083G	56.79	88.20	-31.41	16.55	3	Vertical	238	1.91	40.24	40.64	9.07	33.16

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23048G	44.33	68.20	-23.87	16.55	3	Horizontal	93	2.17	27.78	40.64	9.07	33.16
PK	14.23152G	56.59	88.20	-31.61	16.55	3	Horizontal	93	2.17	40.04	40.64	9.07	33.16

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9148G	47.79	68.20	-20.41	5.59	3	Vertical	15	2.43	42.20	34.27	5.85	34.53
AV	6.5434G	88.41	Inf	-Inf	7.11	3	Vertical	15	2.43	81.30	35.37	6.23	34.49
AV	7.2196G	50.66	68.20	-17.54	8.63	3	Vertical	15	2.43	42.03	36.80	6.60	34.77
PK	5.8952G	59.00	88.20	-29.20	5.59	3	Vertical	15	2.43	53.41	34.28	5.84	34.53
PK	6.5434G	99.29	Inf	-Inf	7.11	3	Vertical	15	2.43	92.18	35.37	6.23	34.49
PK	7.2042G	62.31	88.20	-25.89	8.63	3	Vertical	15	2.43	53.68	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	47.75	68.20	-20.45	5.62	3	Horizontal	182	3.00	42.13	34.30	5.85	34.53
AV	6.5434G	80.68	Inf	-Inf	7.11	3	Horizontal	182	3.00	73.57	35.37	6.23	34.49
AV	7.172G	50.66	68.20	-17.54	8.55	3	Horizontal	182	3.00	42.11	36.74	6.57	34.76
PK	5.8658G	59.55	88.20	-28.65	5.46	3	Horizontal	182	3.00	54.09	34.16	5.83	34.53
PK	6.5434G	90.64	Inf	-Inf	7.11	3	Horizontal	182	3.00	83.53	35.37	6.23	34.49
PK	7.144G	61.38	88.20	-26.82	8.44	3	Horizontal	182	3.00	52.94	36.65	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11768G	44.88	68.20	-23.32	15.01	3	Vertical	95	2.44	29.87	39.56	8.77	33.32
PK	13.1044G	56.29	88.20	-31.91	15.01	3	Vertical	95	2.44	41.28	39.59	8.76	33.34

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12392G	44.88	68.20	-23.32	15.01	3	Horizontal	299	2.02	29.87	39.55	8.77	33.31
PK	13.1276G	56.37	88.20	-31.83	15.01	3	Horizontal	299	2.02	41.36	39.54	8.77	33.30

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.704G	87.82	Inf	-Inf	7.73	3	Vertical	18	2.42	80.09	35.99	6.32	34.58
AV	7.17G	50.68	68.20	-17.52	8.55	3	Vertical	18	2.42	42.13	36.74	6.57	34.76
PK	6.704G	97.39	Inf	-Inf	7.73	3	Vertical	18	2.42	89.66	35.99	6.32	34.58
PK	7.177G	61.99	88.20	-26.21	8.56	3	Vertical	18	2.42	53.43	36.75	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	79.92	Inf	-Inf	7.73	3	Horizontal	175	2.82	72.19	35.99	6.32	34.58
AV	7.164G	50.61	68.20	-17.59	8.53	3	Horizontal	175	2.82	42.08	36.73	6.56	34.76
PK	6.704G	90.21	Inf	-Inf	7.73	3	Horizontal	175	2.82	82.48	35.99	6.32	34.58
PK	7.179G	62.23	88.20	-25.97	8.58	3	Horizontal	175	2.82	53.65	36.76	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45624G	45.20	68.20	-23.00	16.09	3	Vertical	285	2.77	29.11	40.00	8.85	32.76
PK	13.44048G	56.69	88.20	-31.51	16.06	3	Vertical	285	2.77	40.63	40.00	8.85	32.79

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4572G	45.21	68.20	-22.99	16.09	3	Horizontal	138	2.07	29.12	40.00	8.85	32.76
PK	13.4476G	55.88	88.20	-32.32	16.07	3	Horizontal	138	2.07	39.81	40.00	8.85	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	85.38	Inf	-Inf	7.53	3	Vertical	18	2.41	77.85	35.81	6.41	34.69
AV	7.217G	50.71	68.20	-17.49	8.63	3	Vertical	18	2.41	42.08	36.80	6.60	34.77
PK	6.9027G	96.21	Inf	-Inf	7.53	3	Vertical	18	2.41	88.68	35.81	6.41	34.69
PK	7.2268G	62.13	88.20	-26.07	8.63	3	Vertical	18	2.41	53.50	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9034G	77.58	Inf	-Inf	7.53	3	Horizontal	172	3.00	70.05	35.81	6.41	34.69
AV	7.2345G	50.71	68.20	-17.49	8.64	3	Horizontal	172	3.00	42.07	36.80	6.61	34.77
PK	6.9034G	88.71	Inf	-Inf	7.53	3	Horizontal	172	3.00	81.18	35.81	6.41	34.69
PK	7.1505G	62.45	88.20	-25.75	8.50	3	Horizontal	172	3.00	53.95	36.70	6.56	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81432G	45.73	68.20	-22.47	16.26	3	Vertical	234	1.63	29.47	40.13	8.94	32.81
PK	13.81016G	57.39	88.20	-30.81	16.25	3	Vertical	234	1.63	41.14	40.12	8.94	32.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71352G	45.74	68.20	-22.46	16.16	3	Horizontal	139	2.83	29.58	40.01	8.92	32.77
PK	13.7228G	56.96	88.20	-31.24	16.17	3	Horizontal	139	2.83	40.79	40.02	8.92	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.003G	82.90	Inf	-Inf	7.52	3	Vertical	17	2.46	75.38	35.81	6.45	34.74
AV	7.204G	50.72	68.20	-17.48	8.63	3	Vertical	17	2.46	42.09	36.80	6.59	34.76
PK	7.004G	93.95	Inf	-Inf	7.53	3	Vertical	17	2.46	86.42	35.82	6.45	34.74
PK	7.16G	62.24	88.20	-25.96	8.52	3	Vertical	17	2.46	53.72	36.72	6.56	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.004G	74.22	Inf	-Inf	7.53	3	Horizontal	178	2.92	66.69	35.82	6.45	34.74
AV	7.2335G	50.70	68.20	-17.50	8.64	3	Horizontal	178	2.92	42.06	36.80	6.61	34.77
PK	7.003G	84.13	Inf	-Inf	7.52	3	Horizontal	178	2.92	76.61	35.81	6.45	34.74
PK	7.1685G	62.90	88.20	-25.30	8.55	3	Horizontal	178	2.92	54.35	36.74	6.57	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00392G	46.26	68.20	-21.94	16.42	3	Vertical	290	1.85	29.84	40.31	8.99	32.88
PK	13.99648G	57.79	88.20	-30.41	16.41	3	Vertical	290	1.85	41.38	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05288G	46.26	68.20	-21.94	16.53	3	Horizontal	118	2.84	29.73	40.46	9.01	32.94
PK	14.05352G	58.11	88.20	-30.09	16.52	3	Horizontal	118	2.84	41.59	40.46	9.01	32.95

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	83.53	Inf	-Inf	8.10	3	Vertical	360	2.54	75.43	36.33	6.52	34.75
AV	7.2381G	50.71	68.20	-17.49	8.64	3	Vertical	360	2.54	42.07	36.80	6.61	34.77
PK	7.1037G	94.47	Inf	-Inf	8.10	3	Vertical	360	2.54	86.37	36.33	6.52	34.75
PK	7.1997G	62.76	88.20	-25.44	8.63	3	Vertical	360	2.54	54.13	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	73.79	Inf	-Inf	8.10	3	Horizontal	326	1.08	65.69	36.33	6.52	34.75
AV	7.1982G	50.77	68.20	-17.43	8.63	3	Horizontal	326	1.08	42.14	36.80	6.59	34.76
PK	7.1034G	85.33	Inf	-Inf	8.10	3	Horizontal	326	1.08	77.23	36.33	6.52	34.75
PK	7.1655G	63.06	88.20	-25.14	8.54	3	Horizontal	326	1.08	54.52	36.73	6.57	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.12776G	46.34	68.20	-21.86	16.56	3	Vertical	211	2.89	29.78	40.57	9.03	33.04
PK	14.13376G	57.00	88.20	-31.20	16.56	3	Vertical	211	2.89	40.44	40.57	9.03	33.04

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20032G	46.40	68.20	-21.80	16.44	3	Horizontal	182	1.66	29.96	40.50	9.06	33.12
PK	14.199G	57.88	88.20	-30.32	16.44	3	Horizontal	182	1.66	41.44	40.50	9.06	33.12

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12293G	72.64	Inf	-Inf	8.43	3	Vertical	346	2.42	64.21	36.64	6.54	34.75
AV	7.1255G	55.03	68.20	-13.17	8.43	3	Vertical	346	2.42	46.60	36.65	6.54	34.76
PK	7.12391G	81.91	Inf	-Inf	8.43	3	Vertical	346	2.42	73.48	36.64	6.54	34.75
PK	7.1255G	66.51	88.20	-21.69	8.43	3	Vertical	346	2.42	58.08	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12377G	63.21	Inf	-Inf	8.43	3	Horizontal	192	2.66	54.78	36.64	6.54	34.75
AV	7.1255G	51.27	68.20	-16.93	8.43	3	Horizontal	192	2.66	42.84	36.65	6.54	34.76
PK	7.123G	71.71	Inf	-Inf	8.43	3	Horizontal	192	2.66	63.28	36.64	6.54	34.75
PK	7.1255G	60.40	88.20	-27.80	8.43	3	Horizontal	192	2.66	51.97	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22805G	44.27	68.20	-23.93	16.55	3	Vertical	110	1.98	27.72	40.64	9.07	33.16
PK	14.22773G	57.36	88.20	-30.84	16.55	3	Vertical	110	1.98	40.81	40.64	9.07	33.16

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22833G	44.27	68.20	-23.93	16.55	3	Horizontal	16	1.35	27.72	40.64	9.07	33.16
PK	14.23429G	56.99	88.20	-31.21	16.53	3	Horizontal	16	1.35	40.46	40.63	9.07	33.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	46.29	68.20	-21.91	5.37	3	Vertical	346	2.42	40.92	34.07	5.83	34.53
AV	5.949G	80.17	Inf	-Inf	5.55	3	Vertical	346	2.42	74.62	34.20	5.87	34.52
PK	5.8896G	57.99	88.20	-30.21	5.47	3	Vertical	346	2.42	52.52	34.16	5.84	34.53
PK	5.9478G	91.44	Inf	-Inf	5.55	3	Vertical	346	2.42	85.89	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	46.27	68.20	-21.93	5.52	3	Horizontal	183	2.91	40.75	34.20	5.85	34.53
AV	5.9487G	73.88	Inf	-Inf	5.55	3	Horizontal	183	2.91	68.33	34.20	5.87	34.52
PK	5.8155G	59.10	88.20	-29.10	5.21	3	Horizontal	183	2.91	53.89	33.93	5.81	34.53
PK	5.9487G	85.23	Inf	-Inf	5.55	3	Horizontal	183	2.91	79.68	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91393G	41.75	54.00	-12.25	12.39	3	Vertical	296	2.70	29.36	38.64	8.45	34.70
PK	11.91135G	54.40	74.00	-19.60	12.38	3	Vertical	296	2.70	42.02	38.63	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90911G	41.75	54.00	-12.25	12.38	3	Horizontal	358	1.02	29.37	38.63	8.45	34.70
PK	11.9073G	54.23	74.00	-19.77	12.37	3	Horizontal	358	1.02	41.86	38.62	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90036G	47.86	68.20	-20.34	5.62	3	Vertical	347	2.55	42.24	34.30	5.85	34.53
AV	6.18836G	82.72	Inf	-Inf	5.71	3	Vertical	347	2.55	77.01	34.18	6.03	34.50
AV	7.165G	50.63	68.20	-17.57	8.54	3	Vertical	347	2.55	42.09	36.73	6.57	34.76
PK	5.90804G	58.93	88.20	-29.27	5.60	3	Vertical	347	2.55	53.33	34.28	5.85	34.53
PK	6.18708G	93.89	Inf	-Inf	5.70	3	Vertical	347	2.55	88.19	34.17	6.03	34.50
PK	7.14964G	61.75	88.20	-26.45	8.49	3	Vertical	347	2.55	53.26	36.70	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90164G	47.81	68.20	-20.39	5.62	3	Horizontal	198	2.74	42.19	34.30	5.85	34.53
AV	6.18708G	75.53	Inf	-Inf	5.70	3	Horizontal	198	2.74	69.83	34.17	6.03	34.50
AV	7.165G	50.61	68.20	-17.59	8.54	3	Horizontal	198	2.74	42.07	36.73	6.57	34.76
PK	5.9106G	58.88	88.20	-29.32	5.60	3	Horizontal	198	2.74	53.28	34.28	5.85	34.53
PK	6.18708G	85.96	Inf	-Inf	5.70	3	Horizontal	198	2.74	80.26	34.17	6.03	34.50
PK	7.15476G	62.02	88.20	-26.18	8.51	3	Horizontal	198	2.74	53.51	36.71	6.56	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3132G	43.73	54.00	-10.27	12.94	3	Vertical	54	2.84	30.79	38.89	8.56	34.51
PK	12.35176G	54.72	74.00	-19.28	12.94	3	Vertical	54	2.84	41.78	38.85	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3108G	43.72	54.00	-10.28	12.94	3	Horizontal	55	2.54	30.78	38.89	8.56	34.51
PK	12.32744G	54.72	74.00	-19.28	12.93	3	Horizontal	55	2.54	41.79	38.87	8.56	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	47.78	68.20	-20.42	5.62	3	Vertical	353	2.51	42.16	34.30	5.85	34.53
AV	6.4078G	86.38	Inf	-Inf	6.43	3	Vertical	353	2.51	79.95	34.75	6.16	34.48
PK	5.8354G	60.07	88.20	-28.13	5.33	3	Vertical	353	2.51	54.74	34.04	5.82	34.53
PK	6.409G	95.73	Inf	-Inf	6.43	3	Vertical	353	2.51	89.30	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.82	68.20	-20.38	5.61	3	Horizontal	328	1.05	42.21	34.29	5.85	34.53
AV	6.409G	77.00	Inf	-Inf	6.43	3	Horizontal	328	1.05	70.57	34.75	6.16	34.48
PK	5.8294G	59.85	88.20	-28.35	5.30	3	Horizontal	328	1.05	54.55	34.02	5.81	34.53
PK	6.4066G	86.79	Inf	-Inf	6.42	3	Horizontal	328	1.05	80.37	34.74	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90184G	44.51	68.20	-23.69	14.53	3	Vertical	228	2.13	29.98	39.50	8.71	33.68
PK	12.89656G	56.08	88.20	-32.12	14.52	3	Vertical	228	2.13	41.56	39.50	8.71	33.69

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89304G	44.51	68.20	-23.69	14.50	3	Horizontal	194	1.30	30.01	39.49	8.71	33.70
PK	12.90648G	55.76	88.20	-32.44	14.55	3	Horizontal	194	1.30	41.21	39.51	8.71	33.67

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	47.78	68.20	-20.42	5.61	3	Vertical	353	2.36	42.17	34.29	5.85	34.53
AV	6.4278G	87.78	Inf	-Inf	6.56	3	Vertical	353	2.36	81.22	34.87	6.17	34.48
PK	5.847G	59.65	88.20	-28.55	5.38	3	Vertical	353	2.36	54.27	34.09	5.82	34.53
PK	6.4278G	97.19	Inf	-Inf	6.56	3	Vertical	353	2.36	90.63	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	47.79	68.20	-20.41	5.61	3	Horizontal	185	2.72	42.18	34.29	5.85	34.53
AV	6.4278G	79.25	Inf	-Inf	6.56	3	Horizontal	185	2.72	72.69	34.87	6.17	34.48
PK	5.8602G	59.04	88.20	-29.16	5.44	3	Horizontal	185	2.72	53.60	34.14	5.83	34.53
PK	6.4266G	88.46	Inf	-Inf	6.55	3	Horizontal	185	2.72	81.91	34.86	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9228G	44.56	68.20	-23.64	14.60	3	Vertical	243	2.70	29.96	39.52	8.72	33.64
PK	12.86872G	55.68	88.20	-32.52	14.43	3	Vertical	243	2.70	41.25	39.47	8.70	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.91976G	44.56	68.20	-23.64	14.58	3	Horizontal	330	1.24	29.98	39.52	8.71	33.65
PK	12.91208G	55.40	88.20	-32.80	14.56	3	Horizontal	330	1.24	40.84	39.51	8.71	33.66

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9024G	47.67	68.20	-20.53	5.62	3	Vertical	352	2.65	42.05	34.30	5.85	34.53
AV	6.4694G	88.29	Inf	-Inf	6.80	3	Vertical	352	2.65	81.49	35.08	6.19	34.47
AV	7.1694G	50.55	68.20	-17.65	8.55	3	Vertical	352	2.65	42.00	36.74	6.57	34.76
PK	5.8296G	59.55	88.20	-28.65	5.30	3	Vertical	352	2.65	54.25	34.02	5.81	34.53
PK	6.4666G	97.94	Inf	-Inf	6.79	3	Vertical	352	2.65	91.15	35.07	6.19	34.47
PK	7.161G	61.67	88.20	-26.53	8.52	3	Vertical	352	2.65	53.15	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8828G	47.70	68.20	-20.50	5.54	3	Horizontal	332	1.00	42.16	34.23	5.84	34.53
AV	6.4666G	79.76	Inf	-Inf	6.79	3	Horizontal	332	1.00	72.97	35.07	6.19	34.47
AV	7.1722G	50.56	68.20	-17.64	8.55	3	Horizontal	332	1.00	42.01	36.74	6.57	34.76
PK	5.8562G	59.33	88.20	-28.87	5.42	3	Horizontal	332	1.00	53.91	34.12	5.83	34.53
PK	6.4694G	89.30	Inf	-Inf	6.80	3	Horizontal	332	1.00	82.50	35.08	6.19	34.47
PK	7.1722G	61.73	88.20	-26.47	8.55	3	Horizontal	332	1.00	53.18	36.74	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00096G	44.68	68.20	-23.52	14.83	3	Vertical	179	2.67	29.85	39.60	8.74	33.51
PK	12.99552G	55.81	88.20	-32.39	14.81	3	Vertical	179	2.67	41.00	39.60	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01256G	44.66	68.20	-23.54	14.85	3	Horizontal	153	2.33	29.81	39.60	8.74	33.49
PK	12.99424G	56.10	88.20	-32.10	14.80	3	Horizontal	153	2.33	41.30	39.59	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9032G	47.76	68.20	-20.44	5.61	3	Vertical	353	2.38	42.15	34.29	5.85	34.53
AV	6.508G	88.54	Inf	-Inf	6.97	3	Vertical	353	2.38	81.57	35.23	6.21	34.47
AV	7.2066G	50.62	68.20	-17.58	8.63	3	Vertical	353	2.38	41.99	36.80	6.59	34.76
PK	5.8528G	59.64	88.20	-28.56	5.40	3	Vertical	353	2.38	54.24	34.11	5.82	34.53
PK	6.5094G	98.88	Inf	-Inf	6.97	3	Vertical	353	2.38	91.91	35.24	6.21	34.48
PK	7.1674G	61.54	88.20	-26.66	8.54	3	Vertical	353	2.38	53.00	36.73	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8976G	47.71	68.20	-20.49	5.60	3	Horizontal	191	2.81	42.11	34.29	5.84	34.53
AV	6.508G	80.11	Inf	-Inf	6.97	3	Horizontal	191	2.81	73.14	35.23	6.21	34.47
AV	7.1772G	50.57	68.20	-17.63	8.56	3	Horizontal	191	2.81	42.01	36.75	6.57	34.76
PK	5.8416G	58.81	88.20	-29.39	5.36	3	Horizontal	191	2.81	53.45	34.07	5.82	34.53
PK	6.508G	90.59	Inf	-Inf	6.97	3	Horizontal	191	2.81	83.62	35.23	6.21	34.47
PK	7.1772G	62.32	88.20	-25.88	8.56	3	Horizontal	191	2.81	53.76	36.75	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10312G	44.84	68.20	-23.36	15.01	3	Vertical	133	2.08	29.83	39.59	8.76	33.34
PK	13.0912G	56.08	88.20	-32.12	15.00	3	Vertical	133	2.08	41.08	39.60	8.76	33.36

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10696G	44.85	68.20	-23.35	15.02	3	Horizontal	57	1.01	29.83	39.59	8.76	33.33
PK	13.0916G	56.68	88.20	-31.52	15.00	3	Horizontal	57	1.01	41.68	39.60	8.76	33.36

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8794G	46.28	68.20	-21.92	5.43	3	Vertical	8	2.48	40.85	34.12	5.84	34.53
AV	5.9484G	81.35	Inf	-Inf	5.55	3	Vertical	8	2.48	75.80	34.20	5.87	34.52
PK	5.907G	58.13	88.20	-30.07	5.52	3	Vertical	8	2.48	52.61	34.20	5.85	34.53
PK	5.9463G	92.53	Inf	-Inf	5.55	3	Vertical	8	2.48	86.98	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8884G	46.25	68.20	-21.95	5.46	3	Horizontal	183	2.29	40.79	34.15	5.84	34.53
AV	5.9475G	74.20	Inf	-Inf	5.55	3	Horizontal	183	2.29	68.65	34.20	5.87	34.52
PK	5.8794G	59.28	88.20	-28.92	5.43	3	Horizontal	183	2.29	53.85	34.12	5.84	34.53
PK	5.9487G	85.20	Inf	-Inf	5.55	3	Horizontal	183	2.29	79.65	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91348G	41.73	54.00	-12.27	12.39	3	Vertical	241	2.37	29.34	38.64	8.45	34.70
PK	11.91268G	53.91	74.00	-20.09	12.39	3	Vertical	241	2.37	41.52	38.64	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91474G	41.82	54.00	-12.18	12.39	3	Horizontal	78	2.35	29.43	38.64	8.45	34.70
PK	11.91359G	53.86	74.00	-20.14	12.39	3	Horizontal	78	2.35	41.47	38.64	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.89908G	47.85	68.20	-20.35	5.61	3	Vertical	14	2.37	42.24	34.30	5.84	34.53
AV	6.18836G	85.02	Inf	-Inf	5.71	3	Vertical	14	2.37	79.31	34.18	6.03	34.50
AV	7.15732G	50.65	68.20	-17.55	8.51	3	Vertical	14	2.37	42.14	36.71	6.56	34.76
PK	5.88884G	59.63	88.20	-28.57	5.57	3	Vertical	14	2.37	54.06	34.26	5.84	34.53
PK	6.18836G	95.83	Inf	-Inf	5.71	3	Vertical	14	2.37	90.12	34.18	6.03	34.50
PK	7.14964G	61.72	88.20	-26.48	8.49	3	Vertical	14	2.37	53.23	36.70	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.80	68.20	-20.40	5.60	3	Horizontal	172	2.89	42.20	34.29	5.84	34.53
AV	6.18836G	78.49	Inf	-Inf	5.71	3	Horizontal	172	2.89	72.78	34.18	6.03	34.50
AV	7.15604G	50.64	68.20	-17.56	8.51	3	Horizontal	172	2.89	42.13	36.71	6.56	34.76
PK	5.90676G	59.16	88.20	-29.04	5.61	3	Horizontal	172	2.89	53.55	34.29	5.85	34.53
PK	6.18708G	88.72	Inf	-Inf	5.70	3	Horizontal	172	2.89	83.02	34.17	6.03	34.50
PK	7.12532G	61.88	88.20	-26.32	8.28	3	Horizontal	172	2.89	53.60	36.50	6.54	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31256G	43.75	54.00	-10.25	12.94	3	Vertical	6	1.67	30.81	38.89	8.56	34.51
PK	12.32912G	54.81	74.00	-19.19	12.93	3	Vertical	6	1.67	41.88	38.87	8.56	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31112G	43.66	54.00	-10.34	12.94	3	Horizontal	132	1.27	30.72	38.89	8.56	34.51
PK	12.32192G	55.39	74.00	-18.61	12.94	3	Horizontal	132	1.27	42.45	38.88	8.56	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8846G	47.79	68.20	-20.41	5.55	3	Vertical	18	2.58	42.24	34.24	5.84	34.53
AV	6.4078G	87.67	Inf	-Inf	6.43	3	Vertical	18	2.58	81.24	34.75	6.16	34.48
PK	5.9218G	59.15	88.20	-29.05	5.58	3	Vertical	18	2.58	53.57	34.26	5.85	34.53
PK	6.4066G	97.34	Inf	-Inf	6.42	3	Vertical	18	2.58	90.92	34.74	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.77	68.20	-20.43	5.60	3	Horizontal	172	2.98	42.17	34.29	5.84	34.53
AV	6.4078G	80.44	Inf	-Inf	6.43	3	Horizontal	172	2.98	74.01	34.75	6.16	34.48
PK	5.9122G	59.20	88.20	-29.00	5.60	3	Horizontal	172	2.98	53.60	34.28	5.85	34.53
PK	6.4066G	90.41	Inf	-Inf	6.42	3	Horizontal	172	2.98	83.99	34.74	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89848G	44.49	68.20	-23.71	14.52	3	Vertical	221	1.36	29.97	39.50	8.71	33.69
PK	12.86616G	55.37	88.20	-32.83	14.43	3	Vertical	221	1.36	40.94	39.47	8.70	33.74

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90584G	44.49	68.20	-23.71	14.55	3	Horizontal	28	1.12	29.94	39.51	8.71	33.67
PK	12.86856G	55.58	88.20	-32.62	14.43	3	Horizontal	28	1.12	41.15	39.47	8.70	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	47.75	68.20	-20.45	5.60	3	Vertical	22	2.46	42.15	34.29	5.84	34.53
AV	6.4278G	87.55	Inf	-Inf	6.56	3	Vertical	22	2.46	80.99	34.87	6.17	34.48
PK	5.9046G	59.71	88.20	-28.49	5.61	3	Vertical	22	2.46	54.10	34.29	5.85	34.53
PK	6.429G	97.52	Inf	-Inf	6.56	3	Vertical	22	2.46	90.96	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	47.75	68.20	-20.45	5.62	3	Horizontal	177	2.73	42.13	34.30	5.85	34.53
AV	6.4278G	80.12	Inf	-Inf	6.56	3	Horizontal	177	2.73	73.56	34.87	6.17	34.48
PK	5.8626G	59.75	88.20	-28.45	5.45	3	Horizontal	177	2.73	54.30	34.15	5.83	34.53
PK	6.4278G	89.91	Inf	-Inf	6.56	3	Horizontal	177	2.73	83.35	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94808G	44.57	68.20	-23.63	14.67	3	Vertical	308	1.15	29.90	39.55	8.72	33.60
PK	12.94152G	55.68	88.20	-32.52	14.65	3	Vertical	308	1.15	41.03	39.54	8.72	33.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93896G	44.58	68.20	-23.62	14.64	3	Horizontal	131	2.89	29.94	39.54	8.72	33.62
PK	12.94856G	56.61	88.20	-31.59	14.67	3	Horizontal	131	2.89	41.94	39.55	8.72	33.60

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.894G	47.75	68.20	-20.45	5.59	3	Vertical	16	2.48	42.16	34.28	5.84	34.53
AV	6.468G	88.68	Inf	-Inf	6.79	3	Vertical	16	2.48	81.89	35.07	6.19	34.47
AV	7.1624G	50.57	68.20	-17.63	8.52	3	Vertical	16	2.48	42.05	36.72	6.56	34.76
PK	5.7848G	59.46	88.20	-28.74	5.07	3	Vertical	16	2.48	54.39	33.81	5.80	34.54
PK	6.468G	97.54	Inf	-Inf	6.79	3	Vertical	16	2.48	90.75	35.07	6.19	34.47
PK	7.1386G	61.75	88.20	-26.45	8.40	3	Vertical	16	2.48	53.35	36.61	6.55	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	47.76	68.20	-20.44	5.60	3	Horizontal	178	2.98	42.16	34.28	5.85	34.53
AV	6.468G	80.83	Inf	-Inf	6.79	3	Horizontal	178	2.98	74.04	35.07	6.19	34.47
AV	7.1582G	50.61	68.20	-17.59	8.52	3	Horizontal	178	2.98	42.09	36.72	6.56	34.76
PK	5.8198G	59.06	88.20	-29.14	5.26	3	Horizontal	178	2.98	53.80	33.98	5.81	34.53
PK	6.4694G	91.37	Inf	-Inf	6.80	3	Horizontal	178	2.98	84.57	35.08	6.19	34.47
PK	7.1638G	62.37	88.20	-25.83	8.53	3	Horizontal	178	2.98	53.84	36.73	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00048G	44.64	68.20	-23.56	14.83	3	Vertical	107	2.83	29.81	39.60	8.74	33.51
PK	12.99908G	55.66	88.20	-32.54	14.82	3	Vertical	107	2.83	40.84	39.60	8.73	33.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.99848G	44.63	68.20	-23.57	14.82	3	Horizontal	154	2.58	29.81	39.60	8.73	33.51
PK	12.99352G	55.82	88.20	-32.38	14.80	3	Horizontal	154	2.58	41.02	39.59	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9102G	47.74	68.20	-20.46	5.60	3	Vertical	12	2.47	42.14	34.28	5.85	34.53
AV	6.508G	89.06	Inf	-Inf	6.97	3	Vertical	12	2.47	82.09	35.23	6.21	34.47
AV	7.1702G	50.57	68.20	-17.63	8.55	3	Vertical	12	2.47	42.02	36.74	6.57	34.76
PK	5.85G	59.35	88.20	-28.85	5.39	3	Vertical	12	2.47	53.96	34.10	5.82	34.53
PK	6.5094G	98.46	Inf	-Inf	6.97	3	Vertical	12	2.47	91.49	35.24	6.21	34.48
PK	7.1618G	62.49	88.20	-25.71	8.52	3	Vertical	12	2.47	53.97	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.906G	47.73	68.20	-20.47	5.61	3	Horizontal	176	2.90	42.12	34.29	5.85	34.53
AV	6.508G	81.66	Inf	-Inf	6.97	3	Horizontal	176	2.90	74.69	35.23	6.21	34.47
AV	7.166G	50.58	68.20	-17.62	8.54	3	Horizontal	176	2.90	42.04	36.73	6.57	34.76
PK	5.8738G	58.91	88.20	-29.29	5.50	3	Horizontal	176	2.90	53.41	34.20	5.83	34.53
PK	6.5066G	90.77	Inf	-Inf	6.97	3	Horizontal	176	2.90	83.80	35.23	6.21	34.47
PK	7.1506G	61.47	88.20	-26.73	8.50	3	Horizontal	176	2.90	52.97	36.70	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07464G	44.81	68.20	-23.39	14.96	3	Vertical	279	1.75	29.85	39.60	8.75	33.39
PK	13.10952G	56.11	88.20	-32.09	15.01	3	Vertical	279	1.75	41.10	39.58	8.76	33.33

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0048G	44.93	68.20	-23.27	14.84	3	Horizontal	249	1.58	30.09	39.60	8.74	33.50
PK	12.99808G	56.06	88.20	-32.14	14.82	3	Horizontal	249	1.58	41.24	39.60	8.73	33.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8836G	46.28	68.20	-21.92	5.44	3	Vertical	360	2.68	40.84	34.13	5.84	34.53
AV	5.949G	79.91	Inf	-Inf	5.55	3	Vertical	360	2.68	74.36	34.20	5.87	34.52
PK	5.9064G	58.24	88.20	-29.96	5.52	3	Vertical	360	2.68	52.72	34.20	5.85	34.53
PK	5.9484G	90.63	Inf	-Inf	5.55	3	Vertical	360	2.68	85.08	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8989G	46.28	68.20	-21.92	5.51	3	Horizontal	173	2.97	40.77	34.20	5.84	34.53
AV	5.949G	74.43	Inf	-Inf	5.55	3	Horizontal	173	2.97	68.88	34.20	5.87	34.52
PK	5.8221G	58.68	88.20	-29.52	5.22	3	Horizontal	173	2.97	53.46	33.94	5.81	34.53
PK	5.949G	85.22	Inf	-Inf	5.55	3	Horizontal	173	2.97	79.67	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91296G	41.76	54.00	-12.24	12.39	3	Vertical	295	2.55	29.37	38.64	8.45	34.70
PK	11.91247G	54.03	74.00	-19.97	12.39	3	Vertical	295	2.55	41.64	38.64	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91289G	41.77	54.00	-12.23	12.39	3	Horizontal	51	1.78	29.38	38.64	8.45	34.70
PK	11.9129G	54.20	74.00	-19.80	12.39	3	Horizontal	51	1.78	41.81	38.64	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.88	68.20	-20.32	5.60	3	Vertical	343	2.47	42.28	34.29	5.84	34.53
AV	6.18836G	90.26	Inf	-Inf	5.71	3	Vertical	343	2.47	84.55	34.18	6.03	34.50
AV	7.1522G	50.64	68.20	-17.56	8.50	3	Vertical	343	2.47	42.14	36.70	6.56	34.76
PK	5.885G	58.71	88.20	-29.49	5.55	3	Vertical	343	2.47	53.16	34.24	5.84	34.53
PK	6.18708G	100.22	Inf	-Inf	5.70	3	Vertical	343	2.47	94.52	34.17	6.03	34.50
PK	7.13044G	60.86	88.20	-27.34	8.32	3	Vertical	343	2.47	52.54	36.54	6.54	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8914G	47.83	68.20	-20.37	5.58	3	Horizontal	186	2.98	42.25	34.27	5.84	34.53
AV	6.18708G	83.54	Inf	-Inf	5.70	3	Horizontal	186	2.98	77.84	34.17	6.03	34.50
AV	7.15732G	50.60	68.20	-17.60	8.51	3	Horizontal	186	2.98	42.09	36.71	6.56	34.76
PK	5.92212G	59.07	88.20	-29.13	5.58	3	Horizontal	186	2.98	53.49	34.26	5.85	34.53
PK	6.18836G	94.10	Inf	-Inf	5.71	3	Horizontal	186	2.98	88.39	34.18	6.03	34.50
PK	7.14196G	61.41	88.20	-26.79	8.43	3	Horizontal	186	2.98	52.98	36.64	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31128G	43.76	54.00	-10.24	12.94	3	Vertical	42	2.13	30.82	38.89	8.56	34.51
PK	12.30352G	55.03	74.00	-18.97	12.94	3	Vertical	42	2.13	42.09	38.90	8.56	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31032G	43.71	54.00	-10.29	12.94	3	Horizontal	333	2.10	30.77	38.89	8.56	34.51
PK	12.35176G	55.30	74.00	-18.70	12.94	3	Horizontal	333	2.10	42.36	38.85	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.82	68.20	-20.38	5.61	3	Vertical	12	2.74	42.21	34.29	5.85	34.53
AV	6.4078G	86.60	Inf	-Inf	6.43	3	Vertical	12	2.74	80.17	34.75	6.16	34.48
PK	5.9158G	59.22	88.20	-28.98	5.59	3	Vertical	12	2.74	53.63	34.27	5.85	34.53
PK	6.4078G	96.48	Inf	-Inf	6.43	3	Vertical	12	2.74	90.05	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.76	68.20	-20.44	5.60	3	Horizontal	175	2.69	42.16	34.29	5.84	34.53
AV	6.4066G	79.38	Inf	-Inf	6.42	3	Horizontal	175	2.69	72.96	34.74	6.16	34.48
PK	5.8798G	59.29	88.20	-28.91	5.53	3	Horizontal	175	2.69	53.76	34.22	5.84	34.53
PK	6.409G	87.95	Inf	-Inf	6.43	3	Horizontal	175	2.69	81.52	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9004G	44.53	68.20	-23.67	14.53	3	Vertical	137	1.81	30.00	39.50	8.71	33.68
PK	12.90504G	55.93	88.20	-32.27	14.54	3	Vertical	137	1.81	41.39	39.51	8.71	33.68

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85032G	44.50	68.20	-23.70	14.38	3	Horizontal	156	2.28	30.12	39.45	8.70	33.77
PK	12.85872G	56.36	88.20	-31.84	14.40	3	Horizontal	156	2.28	41.96	39.46	8.70	33.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.72	68.20	-20.48	5.60	3	Vertical	14	2.42	42.12	34.28	5.85	34.53
AV	6.4266G	87.34	Inf	-Inf	6.55	3	Vertical	14	2.42	80.79	34.86	6.17	34.48
PK	5.8758G	58.55	88.20	-29.65	5.50	3	Vertical	14	2.42	53.05	34.20	5.83	34.53
PK	6.4266G	97.15	Inf	-Inf	6.55	3	Vertical	14	2.42	90.60	34.86	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8926G	47.86	68.20	-20.34	5.58	3	Horizontal	184	3.00	42.28	34.27	5.84	34.53
AV	6.429G	79.07	Inf	-Inf	6.56	3	Horizontal	184	3.00	72.51	34.87	6.17	34.48
PK	5.9226G	59.11	88.20	-29.09	5.58	3	Horizontal	184	3.00	53.53	34.25	5.86	34.53
PK	6.4278G	88.52	Inf	-Inf	6.56	3	Horizontal	184	3.00	81.96	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94152G	44.56	68.20	-23.64	14.65	3	Vertical	213	2.36	29.91	39.54	8.72	33.61
PK	12.9408G	55.47	88.20	-32.73	14.65	3	Vertical	213	2.36	40.82	39.54	8.72	33.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95G	44.57	68.20	-23.63	14.67	3	Horizontal	129	2.64	29.90	39.55	8.72	33.60
PK	12.93104G	56.00	88.20	-32.20	14.62	3	Horizontal	129	2.64	41.38	39.53	8.72	33.63

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	47.66	68.20	-20.54	5.62	3	Vertical	10	2.47	42.04	34.30	5.85	34.53
AV	6.468G	88.16	Inf	-Inf	6.79	3	Vertical	10	2.47	81.37	35.07	6.19	34.47
AV	7.1736G	50.47	68.20	-17.73	8.56	3	Vertical	10	2.47	41.91	36.75	6.57	34.76
PK	5.8128G	58.88	88.20	-29.32	5.23	3	Vertical	10	2.47	53.65	33.95	5.81	34.53
PK	6.4666G	97.06	Inf	-Inf	6.79	3	Vertical	10	2.47	90.27	35.07	6.19	34.47
PK	7.1596G	61.14	88.20	-27.06	8.52	3	Vertical	10	2.47	52.62	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9052G	47.63	68.20	-20.57	5.61	3	Horizontal	175	2.75	42.02	34.29	5.85	34.53
AV	6.4666G	80.72	Inf	-Inf	6.79	3	Horizontal	175	2.75	73.93	35.07	6.19	34.47
AV	7.1638G	50.53	68.20	-17.67	8.53	3	Horizontal	175	2.75	42.00	36.73	6.56	34.76
PK	5.8002G	58.92	88.20	-29.28	5.16	3	Horizontal	175	2.75	53.76	33.90	5.80	34.54
PK	6.468G	89.58	Inf	-Inf	6.79	3	Horizontal	175	2.75	82.79	35.07	6.19	34.47
PK	7.1526G	61.29	88.20	-26.91	8.51	3	Horizontal	175	2.75	52.78	36.71	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02184G	44.65	68.20	-23.55	14.87	3	Vertical	105	1.84	29.78	39.60	8.74	33.47
PK	13.01528G	55.66	88.20	-32.54	14.86	3	Vertical	105	1.84	40.80	39.60	8.74	33.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00152G	44.63	68.20	-23.57	14.83	3	Horizontal	149	1.89	29.80	39.60	8.74	33.51
PK	12.99992G	55.60	88.20	-32.60	14.82	3	Horizontal	149	1.89	40.78	39.60	8.73	33.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9102G	47.76	68.20	-20.44	5.60	3	Vertical	1	2.47	42.16	34.28	5.85	34.53
AV	6.5066G	88.44	Inf	-Inf	6.97	3	Vertical	1	2.47	81.47	35.23	6.21	34.47
AV	7.2094G	50.52	68.20	-17.68	8.62	3	Vertical	1	2.47	41.90	36.80	6.59	34.77
PK	5.9088G	59.06	88.20	-29.14	5.60	3	Vertical	1	2.47	53.46	34.28	5.85	34.53
PK	6.5066G	97.68	Inf	-Inf	6.97	3	Vertical	1	2.47	90.71	35.23	6.21	34.47
PK	7.1296G	60.96	88.20	-27.24	8.32	3	Vertical	1	2.47	52.64	36.54	6.54	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.906G	47.69	68.20	-20.51	5.61	3	Horizontal	170	2.96	42.08	34.29	5.85	34.53
AV	6.5066G	80.38	Inf	-Inf	6.97	3	Horizontal	170	2.96	73.41	35.23	6.21	34.47
AV	7.215G	50.54	68.20	-17.66	8.63	3	Horizontal	170	2.96	41.91	36.80	6.60	34.77
PK	5.8556G	59.96	88.20	-28.24	5.42	3	Horizontal	170	2.96	54.54	34.12	5.83	34.53
PK	6.5066G	89.13	Inf	-Inf	6.97	3	Horizontal	170	2.96	82.16	35.23	6.21	34.47
PK	7.1618G	61.09	88.20	-27.11	8.52	3	Horizontal	170	2.96	52.57	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10632G	44.81	68.20	-23.39	15.01	3	Vertical	29	2.48	29.80	39.59	8.76	33.34
PK	13.09592G	56.52	88.20	-31.68	15.01	3	Vertical	29	2.48	41.51	39.60	8.76	33.35

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1092G	44.80	68.20	-23.40	15.01	3	Horizontal	48	2.34	29.79	39.58	8.76	33.33
PK	13.09376G	55.58	88.20	-32.62	15.00	3	Horizontal	48	2.34	40.58	39.60	8.76	33.36

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9008G	47.83	68.20	-20.37	5.62	3	Vertical	344	2.47	42.21	34.30	5.85	34.53
AV	6.542G	88.54	Inf	-Inf	7.11	3	Vertical	344	2.47	81.43	35.37	6.23	34.49
AV	7.1678G	50.69	68.20	-17.51	8.55	3	Vertical	344	2.47	42.14	36.74	6.57	34.76
PK	5.8392G	59.04	88.20	-29.16	5.35	3	Vertical	344	2.47	53.69	34.06	5.82	34.53
PK	6.542G	98.36	Inf	-Inf	7.11	3	Vertical	344	2.47	91.25	35.37	6.23	34.49
PK	7.2056G	61.28	88.20	-26.92	8.63	3	Vertical	344	2.47	52.65	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	47.80	68.20	-20.40	5.61	3	Horizontal	333	1.00	42.19	34.29	5.85	34.53
AV	6.542G	79.08	Inf	-Inf	7.11	3	Horizontal	333	1.00	71.97	35.37	6.23	34.49
AV	7.1636G	50.65	68.20	-17.55	8.53	3	Horizontal	333	1.00	42.12	36.73	6.56	34.76
PK	5.891G	59.95	88.20	-28.25	5.57	3	Horizontal	333	1.00	54.38	34.26	5.84	34.53
PK	6.5434G	88.69	Inf	-Inf	7.11	3	Horizontal	333	1.00	81.58	35.37	6.23	34.49
PK	7.221G	61.99	88.20	-26.21	8.63	3	Horizontal	333	1.00	53.36	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11544G	44.90	68.20	-23.30	15.01	3	Vertical	50	2.11	29.89	39.57	8.76	33.32
PK	13.11004G	55.84	88.20	-32.36	15.01	3	Vertical	50	2.11	40.83	39.58	8.76	33.33

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10776G	44.91	68.20	-23.29	15.01	3	Horizontal	134	2.02	29.90	39.58	8.76	33.33
PK	13.09956G	55.84	88.20	-32.36	15.01	3	Horizontal	134	2.02	40.83	39.60	8.76	33.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	88.29	Inf	-Inf	7.74	3	Vertical	349	2.53	80.55	36.00	6.32	34.58
AV	7.158G	50.71	68.20	-17.49	8.52	3	Vertical	349	2.53	42.19	36.72	6.56	34.76
PK	6.703G	98.84	Inf	-Inf	7.73	3	Vertical	349	2.53	91.11	35.99	6.32	34.58
PK	7.169G	61.53	88.20	-26.67	8.55	3	Vertical	349	2.53	52.98	36.74	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	77.34	Inf	-Inf	7.73	3	Horizontal	340	2.42	69.61	35.99	6.32	34.58
AV	7.171G	50.68	68.20	-17.52	8.55	3	Horizontal	340	2.42	42.13	36.74	6.57	34.76
PK	6.704G	88.14	Inf	-Inf	7.73	3	Horizontal	340	2.42	80.41	35.99	6.32	34.58
PK	7.184G	62.19	88.20	-26.01	8.59	3	Horizontal	340	2.42	53.60	36.77	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45736G	45.27	68.20	-22.93	16.09	3	Vertical	296	1.30	29.18	40.00	8.85	32.76
PK	13.45816G	56.16	88.20	-32.04	16.09	3	Vertical	296	1.30	40.07	40.00	8.85	32.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4524G	45.23	68.20	-22.97	16.08	3	Horizontal	217	2.29	29.15	40.00	8.85	32.77
PK	13.4616G	56.09	88.20	-32.11	16.10	3	Horizontal	217	2.29	39.99	40.00	8.85	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	81.17	Inf	-Inf	7.53	3	Vertical	351	2.36	73.64	35.81	6.41	34.69
AV	7.2436G	50.76	68.20	-17.44	8.64	3	Vertical	351	2.36	42.12	36.80	6.61	34.77
PK	6.902G	91.77	Inf	-Inf	7.52	3	Vertical	351	2.36	84.25	35.80	6.41	34.69
PK	7.1932G	62.31	88.20	-25.89	8.62	3	Vertical	351	2.36	53.69	36.79	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	72.36	Inf	-Inf	7.53	3	Horizontal	329	1.00	64.83	35.81	6.41	34.69
AV	7.2317G	50.82	68.20	-17.38	8.63	3	Horizontal	329	1.00	42.19	36.80	6.60	34.77
PK	6.9013G	82.95	Inf	-Inf	7.52	3	Horizontal	329	1.00	75.43	35.80	6.41	34.69
PK	7.2219G	62.57	88.20	-25.63	8.63	3	Horizontal	329	1.00	53.94	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71304G	45.74	68.20	-22.46	16.16	3	Vertical	128	2.80	29.58	40.01	8.92	32.77
PK	13.7244G	57.19	88.20	-31.01	16.16	3	Vertical	128	2.80	41.03	40.02	8.92	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74376G	45.77	68.20	-22.43	16.18	3	Horizontal	43	1.87	29.59	40.04	8.92	32.78
PK	13.75076G	56.71	88.20	-31.49	16.19	3	Horizontal	43	1.87	40.52	40.05	8.93	32.79

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0015G	80.80	Inf	-Inf	7.52	3	Vertical	5	2.47	73.28	35.81	6.45	34.74
AV	7.214G	50.82	68.20	-17.38	8.63	3	Vertical	5	2.47	42.19	36.80	6.60	34.77
PK	7.0015G	92.12	Inf	-Inf	7.52	3	Vertical	5	2.47	84.60	35.81	6.45	34.74
PK	7.2115G	62.75	88.20	-25.45	8.63	3	Vertical	5	2.47	54.12	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0025G	71.63	Inf	-Inf	7.52	3	Horizontal	339	2.42	64.11	35.81	6.45	34.74
AV	7.2285G	50.76	68.20	-17.44	8.63	3	Horizontal	339	2.42	42.13	36.80	6.60	34.77
PK	7.004G	82.64	Inf	-Inf	7.53	3	Horizontal	339	2.42	75.11	35.82	6.45	34.74
PK	7.142G	62.27	88.20	-25.93	8.43	3	Horizontal	339	2.42	53.84	36.64	6.55	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05464G	46.26	68.20	-21.94	16.52	3	Vertical	265	1.23	29.74	40.46	9.01	32.95
PK	14.06504G	57.94	88.20	-30.26	16.55	3	Vertical	265	1.23	41.39	40.50	9.01	32.96

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00036G	46.27	68.20	-21.93	16.41	3	Horizontal	314	1.55	29.86	40.30	8.99	32.88
PK	13.99896G	57.72	88.20	-30.48	16.41	3	Horizontal	314	1.55	41.31	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1028G	85.35	Inf	-Inf	8.09	3	Vertical	352	2.42	77.26	36.32	6.52	34.75
AV	7.2324G	50.86	68.20	-17.34	8.63	3	Vertical	352	2.42	42.23	36.80	6.60	34.77
PK	7.1022G	97.42	Inf	-Inf	8.09	3	Vertical	352	2.42	89.33	36.32	6.52	34.75
PK	7.1352G	62.36	88.20	-25.84	8.36	3	Vertical	352	2.42	54.00	36.58	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1025G	76.53	Inf	-Inf	8.09	3	Horizontal	328	1.09	68.44	36.32	6.52	34.75
AV	7.2285G	50.80	68.20	-17.40	8.63	3	Horizontal	328	1.09	42.17	36.80	6.60	34.77
PK	7.1028G	87.79	Inf	-Inf	8.09	3	Horizontal	328	1.09	79.70	36.32	6.52	34.75
PK	7.1961G	62.73	88.20	-25.47	8.62	3	Horizontal	328	1.09	54.11	36.79	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14456G	46.39	68.20	-21.81	16.54	3	Vertical	263	1.14	29.85	40.56	9.04	33.06
PK	14.14624G	57.52	88.20	-30.68	16.53	3	Vertical	263	1.14	40.99	40.55	9.04	33.06

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.13776G	46.42	68.20	-21.78	16.55	3	Horizontal	340	1.80	29.87	40.56	9.04	33.05
PK	14.1376G	57.73	88.20	-30.47	16.55	3	Horizontal	340	1.80	41.18	40.56	9.04	33.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12311G	73.16	Inf	-Inf	8.43	3	Vertical	345	2.39	64.73	36.64	6.54	34.75
AV	7.1255G	55.88	68.20	-12.32	8.43	3	Vertical	345	2.39	47.45	36.65	6.54	34.76
PK	7.12105G	82.71	Inf	-Inf	8.41	3	Vertical	345	2.39	74.30	36.63	6.53	34.75
PK	7.1255G	67.79	88.20	-20.41	8.43	3	Vertical	345	2.39	59.36	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12061G	62.43	Inf	-Inf	8.40	3	Horizontal	332	2.39	54.03	36.62	6.53	34.75
AV	7.1255G	51.22	68.20	-16.98	8.43	3	Horizontal	332	2.39	42.79	36.65	6.54	34.76
PK	7.12266G	71.50	Inf	-Inf	8.43	3	Horizontal	332	2.39	63.07	36.64	6.54	34.75
PK	7.1255G	60.19	88.20	-28.01	8.43	3	Horizontal	332	2.39	51.76	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22887G	44.32	68.20	-23.88	16.55	3	Vertical	308	1.39	27.77	40.64	9.07	33.16
PK	14.22539G	57.25	88.20	-30.95	16.57	3	Vertical	308	1.39	40.68	40.65	9.07	33.15

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23049G	44.35	68.20	-23.85	16.55	3	Horizontal	94	1.13	27.80	40.64	9.07	33.16
PK	14.23237G	57.10	88.20	-31.10	16.55	3	Horizontal	94	1.13	40.55	40.64	9.07	33.16

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9008G	47.76	68.20	-20.44	5.62	3	Vertical	17	2.52	42.14	34.30	5.85	34.53
AV	6.542G	89.43	Inf	-Inf	7.11	3	Vertical	17	2.52	82.32	35.37	6.23	34.49
AV	7.2182G	50.72	68.20	-17.48	8.63	3	Vertical	17	2.52	42.09	36.80	6.60	34.77
PK	5.9218G	59.28	88.20	-28.92	5.58	3	Vertical	17	2.52	53.70	34.26	5.85	34.53
PK	6.5406G	100.21	Inf	-Inf	7.10	3	Vertical	17	2.52	93.11	35.36	6.23	34.49
PK	7.2154G	62.23	88.20	-25.97	8.63	3	Vertical	17	2.52	53.60	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.79	68.20	-20.41	5.60	3	Horizontal	176	3.00	42.19	34.28	5.85	34.53
AV	6.542G	81.56	Inf	-Inf	7.11	3	Horizontal	176	3.00	74.45	35.37	6.23	34.49
AV	7.214G	50.72	68.20	-17.48	8.63	3	Horizontal	176	3.00	42.09	36.80	6.60	34.77
PK	5.9204G	59.84	88.20	-28.36	5.58	3	Horizontal	176	3.00	54.26	34.26	5.85	34.53
PK	6.5434G	91.31	Inf	-Inf	7.11	3	Horizontal	176	3.00	84.20	35.37	6.23	34.49
PK	7.179G	62.34	88.20	-25.86	8.58	3	Horizontal	176	3.00	53.76	36.76	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11896G	44.89	68.20	-23.31	15.02	3	Vertical	141	1.36	29.87	39.56	8.77	33.31
PK	13.0596G	56.33	88.20	-31.87	14.94	3	Vertical	141	1.36	41.39	39.60	8.75	33.41

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1188G	44.90	68.20	-23.30	15.01	3	Horizontal	238	2.25	29.89	39.56	8.77	33.32
PK	13.1116G	55.79	88.20	-32.41	15.01	3	Horizontal	238	2.25	40.78	39.58	8.76	33.33

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	88.50	Inf	-Inf	7.74	3	Vertical	22	2.47	80.76	36.00	6.32	34.58
AV	7.159G	50.64	68.20	-17.56	8.52	3	Vertical	22	2.47	42.12	36.72	6.56	34.76
PK	6.701G	99.40	Inf	-Inf	7.74	3	Vertical	22	2.47	91.66	36.00	6.32	34.58
PK	7.156G	62.72	88.20	-25.48	8.51	3	Vertical	22	2.47	54.21	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	80.23	Inf	-Inf	7.74	3	Horizontal	179	2.82	72.49	36.00	6.32	34.58
AV	7.193G	50.66	68.20	-17.54	8.62	3	Horizontal	179	2.82	42.04	36.79	6.59	34.76
PK	6.703G	90.60	Inf	-Inf	7.73	3	Horizontal	179	2.82	82.87	35.99	6.32	34.58
PK	7.151G	62.03	88.20	-26.17	8.50	3	Horizontal	179	2.82	53.53	36.70	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45448G	45.30	68.20	-22.90	16.09	3	Vertical	258	1.15	29.21	40.00	8.85	32.76
PK	13.46216G	56.18	88.20	-32.02	16.10	3	Vertical	258	1.15	40.08	40.00	8.85	32.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46392G	45.23	68.20	-22.97	16.10	3	Horizontal	10	2.75	29.13	40.00	8.85	32.75
PK	13.4884G	56.35	88.20	-31.85	16.15	3	Horizontal	10	2.75	40.20	40.00	8.86	32.71

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	87.83	Inf	-Inf	7.53	3	Vertical	20	2.31	80.30	35.81	6.41	34.69
AV	7.2366G	50.76	68.20	-17.44	8.64	3	Vertical	20	2.31	42.12	36.80	6.61	34.77
PK	6.9006G	98.85	Inf	-Inf	7.52	3	Vertical	20	2.31	91.33	35.80	6.41	34.69
PK	7.2338G	62.16	88.20	-26.04	8.64	3	Vertical	20	2.31	53.52	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9013G	80.46	Inf	-Inf	7.52	3	Horizontal	175	3.00	72.94	35.80	6.41	34.69
AV	7.21G	50.79	68.20	-17.41	8.62	3	Horizontal	175	3.00	42.17	36.80	6.59	34.77
PK	6.9013G	92.02	Inf	-Inf	7.52	3	Horizontal	175	3.00	84.50	35.80	6.41	34.69
PK	7.1771G	63.04	88.20	-25.16	8.56	3	Horizontal	175	3.00	54.48	36.75	6.57	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74648G	45.81	68.20	-22.39	16.20	3	Vertical	171	2.11	29.61	40.05	8.93	32.78
PK	13.74408G	56.95	88.20	-31.25	16.18	3	Vertical	171	2.11	40.77	40.04	8.92	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71288G	45.73	68.20	-22.47	16.16	3	Horizontal	198	1.29	29.57	40.01	8.92	32.77
PK	13.70616G	57.26	88.20	-30.94	16.16	3	Horizontal	198	1.29	41.10	40.01	8.92	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0025G	84.47	Inf	-Inf	7.52	3	Vertical	21	2.42	76.95	35.81	6.45	34.74
AV	7.205G	50.82	68.20	-17.38	8.63	3	Vertical	21	2.42	42.19	36.80	6.59	34.76
PK	7.002G	95.77	Inf	-Inf	7.52	3	Vertical	21	2.42	88.25	35.81	6.45	34.74
PK	7.236G	62.70	88.20	-25.50	8.64	3	Vertical	21	2.42	54.06	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0015G	75.99	Inf	-Inf	7.52	3	Horizontal	177	2.92	68.47	35.81	6.45	34.74
AV	7.183G	50.77	68.20	-17.43	8.59	3	Horizontal	177	2.92	42.18	36.77	6.58	34.76
PK	7.0025G	86.67	Inf	-Inf	7.52	3	Horizontal	177	2.92	79.15	35.81	6.45	34.74
PK	7.2225G	62.52	88.20	-25.68	8.63	3	Horizontal	177	2.92	53.89	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00056G	46.24	68.20	-21.96	16.41	3	Vertical	138	2.68	29.83	40.30	8.99	32.88
PK	13.99432G	58.37	88.20	-29.83	16.41	3	Vertical	138	2.68	41.96	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0068G	46.24	68.20	-21.96	16.42	3	Horizontal	150	2.36	29.82	40.32	8.99	32.89
PK	13.99272G	57.68	88.20	-30.52	16.41	3	Horizontal	150	2.36	41.27	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1025G	81.29	Inf	-Inf	8.09	3	Vertical	20	2.33	73.20	36.32	6.52	34.75
AV	7.2186G	50.80	68.20	-17.40	8.63	3	Vertical	20	2.33	42.17	36.80	6.60	34.77
PK	7.1019G	93.55	Inf	-Inf	8.09	3	Vertical	20	2.33	85.46	36.32	6.52	34.75
PK	7.2378G	62.63	88.20	-25.57	8.64	3	Vertical	20	2.33	53.99	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1016G	73.26	Inf	-Inf	8.08	3	Horizontal	176	2.92	65.18	36.31	6.52	34.75
AV	7.2345G	50.83	68.20	-17.37	8.64	3	Horizontal	176	2.92	42.19	36.80	6.61	34.77
PK	7.1031G	84.61	Inf	-Inf	8.09	3	Horizontal	176	2.92	76.52	36.32	6.52	34.75
PK	7.2189G	62.36	88.20	-25.84	8.63	3	Horizontal	176	2.92	53.73	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2084G	46.35	68.20	-21.85	16.42	3	Vertical	178	1.88	29.93	40.49	9.06	33.13
PK	14.208G	57.84	88.20	-30.36	16.42	3	Vertical	178	1.88	41.42	40.49	9.06	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14824G	46.36	68.20	-21.84	16.53	3	Horizontal	287	1.35	29.83	40.55	9.04	33.06
PK	14.15568G	57.44	88.20	-30.76	16.51	3	Horizontal	287	1.35	40.93	40.54	9.04	33.07

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1213G	68.50	Inf	-Inf	8.41	3	Vertical	10	2.38	60.09	36.63	6.53	34.75
AV	7.1255G	53.10	68.20	-15.10	8.43	3	Vertical	10	2.38	44.67	36.65	6.54	34.76
PK	7.122G	77.24	Inf	-Inf	8.42	3	Vertical	10	2.38	68.82	36.63	6.54	34.75
PK	7.1255G	63.84	88.20	-24.36	8.43	3	Vertical	10	2.38	55.41	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12248G	59.60	Inf	-Inf	8.42	3	Horizontal	24	2.34	51.18	36.63	6.54	34.75
AV	7.1255G	50.85	68.20	-17.35	8.43	3	Horizontal	24	2.34	42.42	36.65	6.54	34.76
PK	7.12293G	68.22	Inf	-Inf	8.43	3	Horizontal	24	2.34	59.79	36.64	6.54	34.75
PK	7.1255G	59.77	88.20	-28.43	8.43	3	Horizontal	24	2.34	51.34	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23122G	44.31	68.20	-23.89	16.55	3	Vertical	228	1.93	27.76	40.64	9.07	33.16
PK	14.2347G	55.85	88.20	-32.35	16.53	3	Vertical	228	1.93	39.32	40.63	9.07	33.17

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2263G	44.29	68.20	-23.91	16.56	3	Horizontal	194	1.61	27.73	40.65	9.07	33.16
PK	14.23183G	55.77	88.20	-32.43	16.55	3	Horizontal	194	1.61	39.22	40.64	9.07	33.16

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9008G	47.61	68.20	-20.59	5.62	3	Vertical	17	2.40	41.99	34.30	5.85	34.53
AV	6.542G	88.27	Inf	-Inf	7.11	3	Vertical	17	2.40	81.16	35.37	6.23	34.49
AV	7.2098G	50.49	68.20	-17.71	8.62	3	Vertical	17	2.40	41.87	36.80	6.59	34.77
PK	5.8812G	58.84	88.20	-29.36	5.53	3	Vertical	17	2.40	53.31	34.22	5.84	34.53
PK	6.542G	98.43	Inf	-Inf	7.11	3	Vertical	17	2.40	91.32	35.37	6.23	34.49
PK	7.2168G	61.89	88.20	-26.31	8.63	3	Vertical	17	2.40	53.26	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	47.63	68.20	-20.57	5.59	3	Horizontal	176	2.62	42.04	34.28	5.84	34.53
AV	6.5434G	80.21	Inf	-Inf	7.11	3	Horizontal	176	2.62	73.10	35.37	6.23	34.49
AV	7.2336G	50.48	68.20	-17.72	8.64	3	Horizontal	176	2.62	41.84	36.80	6.61	34.77
PK	5.9064G	58.84	88.20	-29.36	5.61	3	Horizontal	176	2.62	53.23	34.29	5.85	34.53
PK	6.542G	90.37	Inf	-Inf	7.11	3	Horizontal	176	2.62	83.26	35.37	6.23	34.49
PK	7.151G	61.93	88.20	-26.27	8.50	3	Horizontal	176	2.62	53.43	36.70	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11656G	44.87	68.20	-23.33	15.01	3	Vertical	43	2.37	29.86	39.57	8.76	33.32
PK	13.1126G	55.24	88.20	-32.96	15.01	3	Vertical	43	2.37	40.23	39.58	8.76	33.33

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13288G	44.89	68.20	-23.31	15.01	3	Horizontal	263	2.85	29.88	39.53	8.77	33.29
PK	13.12472G	55.54	88.20	-32.66	15.01	3	Horizontal	263	2.85	40.53	39.55	8.77	33.31

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	87.65	Inf	-Inf	7.73	3	Vertical	17	2.46	79.92	35.99	6.32	34.58
AV	7.155G	50.44	68.20	-17.76	8.51	3	Vertical	17	2.46	41.93	36.71	6.56	34.76
PK	6.703G	97.27	Inf	-Inf	7.73	3	Vertical	17	2.46	89.54	35.99	6.32	34.58
PK	7.195G	62.15	88.20	-26.05	8.62	3	Vertical	17	2.46	53.53	36.79	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	78.77	Inf	-Inf	7.73	3	Horizontal	178	2.65	71.04	35.99	6.32	34.58
AV	7.165G	50.55	68.20	-17.65	8.54	3	Horizontal	178	2.65	42.01	36.73	6.57	34.76
PK	6.703G	88.83	Inf	-Inf	7.73	3	Horizontal	178	2.65	81.10	35.99	6.32	34.58
PK	7.179G	61.65	88.20	-26.55	8.58	3	Horizontal	178	2.65	53.07	36.76	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45352G	45.29	68.20	-22.91	16.08	3	Vertical	226	1.32	29.21	40.00	8.85	32.77
PK	13.45032G	55.70	88.20	-32.50	16.08	3	Vertical	226	1.32	39.62	40.00	8.85	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46472G	45.25	68.20	-22.95	16.10	3	Horizontal	181	2.34	29.15	40.00	8.85	32.75
PK	13.45184G	56.31	88.20	-31.89	16.08	3	Horizontal	181	2.34	40.23	40.00	8.85	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	82.89	Inf	-Inf	7.52	3	Vertical	348	2.42	75.37	35.80	6.41	34.69
AV	7.182G	49.17	68.20	-19.03	8.58	3	Vertical	348	2.42	40.59	36.76	6.58	34.76
PK	6.9027G	93.70	Inf	-Inf	7.53	3	Vertical	348	2.42	86.17	35.81	6.41	34.69
PK	7.1946G	61.66	88.20	-26.54	8.62	3	Vertical	348	2.42	53.04	36.79	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	75.84	Inf	-Inf	7.53	3	Horizontal	180	2.96	68.31	35.81	6.41	34.69
AV	7.2324G	49.19	68.20	-19.01	8.63	3	Horizontal	180	2.96	40.56	36.80	6.60	34.77
PK	6.902G	86.31	Inf	-Inf	7.52	3	Horizontal	180	2.96	78.79	35.80	6.41	34.69
PK	7.2261G	60.72	88.20	-27.48	8.63	3	Horizontal	180	2.96	52.09	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71208G	45.74	68.20	-22.46	16.16	3	Vertical	145	1.51	29.58	40.01	8.92	32.77
PK	13.72184G	56.45	88.20	-31.75	16.17	3	Vertical	145	1.51	40.28	40.02	8.92	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71352G	45.72	68.20	-22.48	16.16	3	Horizontal	268	2.19	29.56	40.01	8.92	32.77
PK	13.7052G	57.04	88.20	-31.16	16.15	3	Horizontal	268	2.19	40.89	40.01	8.91	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	80.19	Inf	-Inf	7.52	3	Vertical	15	2.36	72.67	35.81	6.45	34.74
AV	7.2385G	49.20	68.20	-19.00	8.64	3	Vertical	15	2.36	40.56	36.80	6.61	34.77
PK	7.0015G	90.75	Inf	-Inf	7.52	3	Vertical	15	2.36	83.23	35.81	6.45	34.74
PK	7.161G	60.62	88.20	-27.58	8.52	3	Vertical	15	2.36	52.10	36.72	6.56	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	72.10	Inf	-Inf	7.52	3	Horizontal	180	2.93	64.58	35.81	6.45	34.74
AV	7.2265G	49.18	68.20	-19.02	8.63	3	Horizontal	180	2.93	40.55	36.80	6.60	34.77
PK	7.0025G	83.36	Inf	-Inf	7.52	3	Horizontal	180	2.93	75.84	35.81	6.45	34.74
PK	7.126G	60.78	88.20	-27.42	8.29	3	Horizontal	180	2.93	52.49	36.51	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0548G	46.25	68.20	-21.95	16.52	3	Vertical	58	2.49	29.73	40.46	9.01	32.95
PK	14.03G	57.87	88.20	-30.33	16.47	3	Vertical	58	2.49	41.40	40.39	9.00	32.92

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0064G	46.29	68.20	-21.91	16.42	3	Horizontal	77	1.37	29.87	40.32	8.99	32.89
PK	13.99408G	57.41	88.20	-30.79	16.41	3	Horizontal	77	1.37	41.00	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1016G	81.15	Inf	-Inf	8.08	3	Vertical	14	2.42	73.07	36.31	6.52	34.75
AV	7.2414G	49.13	68.20	-19.07	8.64	3	Vertical	14	2.42	40.49	36.80	6.61	34.77
PK	7.104G	91.86	Inf	-Inf	8.10	3	Vertical	14	2.42	83.76	36.33	6.52	34.75
PK	7.2408G	61.24	88.20	-26.96	8.64	3	Vertical	14	2.42	52.60	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1031G	71.06	Inf	-Inf	8.09	3	Horizontal	325	1.08	62.97	36.32	6.52	34.75
AV	7.2345G	49.06	68.20	-19.14	8.64	3	Horizontal	325	1.08	40.42	36.80	6.61	34.77
PK	7.1013G	81.59	Inf	-Inf	8.08	3	Horizontal	325	1.08	73.51	36.31	6.52	34.75
PK	7.2291G	61.45	88.20	-26.75	8.63	3	Horizontal	325	1.08	52.82	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.11032G	46.37	68.20	-21.83	16.61	3	Vertical	65	2.31	29.76	40.59	9.03	33.01
PK	14.1324G	56.87	88.20	-31.33	16.56	3	Vertical	65	2.31	40.31	40.57	9.03	33.04

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.13704G	46.39	68.20	-21.81	16.55	3	Horizontal	115	1.47	29.84	40.56	9.04	33.05
PK	14.1370G	58.68	88.20	-29.52	16.55	3	Horizontal	115	1.47	42.13	40.56	9.04	33.05

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12282G	71.24	Inf	-Inf	8.43	3	Vertical	345	2.39	62.81	36.64	6.54	34.75
AV	7.1255G	54.50	68.20	-13.70	8.43	3	Vertical	345	2.39	46.07	36.65	6.54	34.76
PK	7.12143G	80.66	Inf	-Inf	8.42	3	Vertical	345	2.39	72.24	36.63	6.54	34.75
PK	7.1255G	65.75	88.20	-22.45	8.43	3	Vertical	345	2.39	57.32	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.12073G	60.70	Inf	-Inf	8.40	3	Horizontal	332	2.39	52.30	36.62	6.53	34.75
AV	7.1255G	50.91	68.20	-17.29	8.43	3	Horizontal	332	2.39	42.48	36.65	6.54	34.76
PK	7.1228G	69.46	Inf	-Inf	8.43	3	Horizontal	332	2.39	61.03	36.64	6.54	34.75
PK	7.1255G	59.62	88.20	-28.58	8.43	3	Horizontal	332	2.39	51.19	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22617G	44.29	68.20	-23.91	16.56	3	Vertical	59	1.81	27.73	40.65	9.07	33.16
PK	14.23424G	56.87	88.20	-31.33	16.53	3	Vertical	59	1.81	40.34	40.63	9.07	33.17

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2255G	44.30	68.20	-23.90	16.56	3	Horizontal	64	2.36	27.74	40.65	9.07	33.16
PK	14.22913G	56.60	88.20	-31.60	16.55	3	Horizontal	64	2.36	40.05	40.64	9.07	33.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8716G	46.29	68.20	-21.91	5.39	3	Vertical	338	2.31	40.90	34.09	5.83	34.53
AV	5.9517G	78.81	Inf	-Inf	5.55	3	Vertical	338	2.31	73.26	34.20	5.87	34.52
PK	5.8434G	58.63	88.20	-29.57	5.28	3	Vertical	338	2.31	53.35	33.99	5.82	34.53
PK	5.9529G	90.63	Inf	-Inf	5.54	3	Vertical	338	2.31	85.09	34.19	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8911G	46.27	68.20	-21.93	5.47	3	Horizontal	183	2.89	40.80	34.16	5.84	34.53
AV	5.9523G	72.94	Inf	-Inf	5.55	3	Horizontal	183	2.89	67.39	34.20	5.87	34.52
PK	5.901G	58.39	88.20	-29.81	5.52	3	Horizontal	183	2.89	52.87	34.20	5.85	34.53
PK	5.9496G	85.04	Inf	-Inf	5.55	3	Horizontal	183	2.89	79.49	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92044G	41.86	54.00	-12.14	12.41	3	Vertical	234	1.50	29.45	38.66	8.45	34.70
PK	11.90049G	54.26	74.00	-19.74	12.35	3	Vertical	234	1.50	41.91	38.60	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92392G	41.91	54.00	-12.09	12.42	3	Horizontal	13	1.50	29.49	38.67	8.46	34.71
PK	11.89848G	53.79	74.00	-20.21	12.35	3	Horizontal	13	1.50	41.44	38.60	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90676G	47.86	68.20	-20.34	5.61	3	Vertical	346	2.42	42.25	34.29	5.85	34.53
AV	6.1922G	86.89	Inf	-Inf	5.71	3	Vertical	346	2.42	81.18	34.18	6.03	34.50
AV	7.165G	50.66	68.20	-17.54	8.54	3	Vertical	346	2.42	42.12	36.73	6.57	34.76
PK	5.89652G	58.86	88.20	-29.34	5.60	3	Vertical	346	2.42	53.26	34.29	5.84	34.53
PK	6.19092G	97.95	Inf	-Inf	5.71	3	Vertical	346	2.42	92.24	34.18	6.03	34.50
PK	7.15348G	61.80	88.20	-26.40	8.51	3	Vertical	346	2.42	53.29	36.71	6.56	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8914G	47.84	68.20	-20.36	5.58	3	Horizontal	198	2.74	42.26	34.27	5.84	34.53
AV	6.18708G	79.47	Inf	-Inf	5.70	3	Horizontal	198	2.74	73.77	34.17	6.03	34.50
AV	7.165G	50.68	68.20	-17.52	8.54	3	Horizontal	198	2.74	42.14	36.73	6.57	34.76
PK	5.90292G	58.88	88.20	-29.32	5.61	3	Horizontal	198	2.74	53.27	34.29	5.85	34.53
PK	6.18708G	90.60	Inf	-Inf	5.70	3	Horizontal	198	2.74	84.90	34.17	6.03	34.50
PK	7.165G	62.71	88.20	-25.49	8.54	3	Horizontal	198	2.74	54.17	36.73	6.57	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31176G	43.71	54.00	-10.29	12.94	3	Vertical	9	2.75	30.77	38.89	8.56	34.51
PK	12.34888G	55.96	74.00	-18.04	12.93	3	Vertical	9	2.75	43.03	38.85	8.57	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3252G	43.72	54.00	-10.28	12.93	3	Horizontal	210	2.83	30.79	38.87	8.56	34.50
PK	12.34296G	55.18	74.00	-18.82	12.94	3	Horizontal	210	2.83	42.24	38.86	8.57	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.73	68.20	-20.47	5.60	3	Vertical	355	2.43	42.13	34.29	5.84	34.53
AV	6.4126G	86.01	Inf	-Inf	6.47	3	Vertical	355	2.43	79.54	34.78	6.17	34.48
PK	5.9182G	58.88	88.20	-29.32	5.58	3	Vertical	355	2.43	53.30	34.26	5.85	34.53
PK	6.4126G	97.07	Inf	-Inf	6.47	3	Vertical	355	2.43	90.60	34.78	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	47.77	68.20	-20.43	5.59	3	Horizontal	332	1.06	42.18	34.28	5.84	34.53
AV	6.4126G	76.20	Inf	-Inf	6.47	3	Horizontal	332	1.06	69.73	34.78	6.17	34.48
PK	5.875G	59.48	88.20	-28.72	5.50	3	Horizontal	332	1.06	53.98	34.20	5.83	34.53
PK	6.4114G	86.76	Inf	-Inf	6.46	3	Horizontal	332	1.06	80.30	34.77	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90952G	44.52	68.20	-23.68	14.55	3	Vertical	335	1.91	29.97	39.51	8.71	33.67
PK	12.89288G	56.38	88.20	-31.82	14.50	3	Vertical	335	1.91	41.88	39.49	8.71	33.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81512G	44.53	68.20	-23.67	14.28	3	Horizontal	174	2.96	30.25	39.42	8.69	33.83
PK	12.82488G	56.02	88.20	-32.18	14.30	3	Horizontal	174	2.96	41.72	39.42	8.69	33.81

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	47.79	68.20	-20.41	5.60	3	Vertical	354	2.37	42.19	34.28	5.85	34.53
AV	6.4326G	87.29	Inf	-Inf	6.60	3	Vertical	354	2.37	80.69	34.90	6.18	34.48
PK	5.9226G	58.86	88.20	-29.34	5.58	3	Vertical	354	2.37	53.28	34.25	5.86	34.53
PK	6.4326G	98.81	Inf	-Inf	6.60	3	Vertical	354	2.37	92.21	34.90	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	47.80	68.20	-20.40	5.60	3	Horizontal	186	2.46	42.20	34.29	5.84	34.53
AV	6.4326G	78.35	Inf	-Inf	6.60	3	Horizontal	186	2.46	71.75	34.90	6.18	34.48
PK	5.9034G	59.72	88.20	-28.48	5.61	3	Horizontal	186	2.46	54.11	34.29	5.85	34.53
PK	6.4314G	87.91	Inf	-Inf	6.59	3	Horizontal	186	2.46	81.32	34.89	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93592G	44.55	68.20	-23.65	14.64	3	Vertical	126	2.03	29.91	39.54	8.72	33.62
PK	12.93712G	56.29	88.20	-31.91	14.64	3	Vertical	126	2.03	41.65	39.54	8.72	33.62

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92344G	44.57	68.20	-23.63	14.60	3	Horizontal	151	2.65	29.97	39.52	8.72	33.64
PK	12.92872G	55.30	88.20	-32.90	14.62	3	Horizontal	151	2.65	40.68	39.53	8.72	33.63

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	47.75	68.20	-20.45	5.62	3	Vertical	355	2.46	42.13	34.30	5.85	34.53
AV	6.4722G	88.46	Inf	-Inf	6.82	3	Vertical	355	2.46	81.64	35.09	6.20	34.47
AV	7.1652G	50.62	68.20	-17.58	8.54	3	Vertical	355	2.46	42.08	36.73	6.57	34.76
PK	5.8884G	58.82	88.20	-29.38	5.56	3	Vertical	355	2.46	53.26	34.25	5.84	34.53
PK	6.4666G	98.67	Inf	-Inf	6.79	3	Vertical	355	2.46	91.88	35.07	6.19	34.47
PK	7.1624G	61.90	88.20	-26.30	8.52	3	Vertical	355	2.46	53.38	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	47.75	68.20	-20.45	5.61	3	Horizontal	193	2.59	42.14	34.30	5.84	34.53
AV	6.4722G	79.50	Inf	-Inf	6.82	3	Horizontal	193	2.59	72.68	35.09	6.20	34.47
AV	7.175G	50.57	68.20	-17.63	8.56	3	Horizontal	193	2.59	42.01	36.75	6.57	34.76
PK	5.8856G	59.31	88.20	-28.89	5.55	3	Horizontal	193	2.59	53.76	34.24	5.84	34.53
PK	6.4708G	90.08	Inf	-Inf	6.81	3	Horizontal	193	2.59	83.27	35.08	6.20	34.47
PK	7.1456G	61.97	88.20	-26.23	8.45	3	Horizontal	193	2.59	53.52	36.66	6.55	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01688G	44.68	68.20	-23.52	14.86	3	Vertical	93	1.54	29.82	39.60	8.74	33.48
PK	12.99544G	55.35	88.20	-32.85	14.81	3	Vertical	93	1.54	40.54	39.60	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01048G	44.66	68.20	-23.54	14.85	3	Horizontal	324	1.12	29.81	39.60	8.74	33.49
PK	13.00776G	56.22	88.20	-31.98	14.84	3	Horizontal	324	1.12	41.38	39.60	8.74	33.50

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8976G	47.79	68.20	-20.41	5.60	3	Vertical	350	2.37	42.19	34.29	5.84	34.53
AV	6.5094G	88.61	Inf	-Inf	6.97	3	Vertical	350	2.37	81.64	35.24	6.21	34.48
AV	7.1702G	50.65	68.20	-17.55	8.55	3	Vertical	350	2.37	42.10	36.74	6.57	34.76
PK	5.871G	59.48	88.20	-28.72	5.48	3	Vertical	350	2.37	54.00	34.18	5.83	34.53
PK	6.5136G	99.91	Inf	-Inf	6.99	3	Vertical	350	2.37	92.92	35.25	6.22	34.48
PK	7.1548G	61.53	88.20	-26.67	8.51	3	Vertical	350	2.37	53.02	36.71	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9004G	47.77	68.20	-20.43	5.62	3	Horizontal	186	2.35	42.15	34.30	5.85	34.53
AV	6.5066G	79.88	Inf	-Inf	6.97	3	Horizontal	186	2.35	72.91	35.23	6.21	34.47
AV	7.1926G	50.60	68.20	-17.60	8.61	3	Horizontal	186	2.35	41.99	36.79	6.58	34.76
PK	5.906G	59.69	88.20	-28.51	5.61	3	Horizontal	186	2.35	54.08	34.29	5.85	34.53
PK	6.5066G	89.59	Inf	-Inf	6.97	3	Horizontal	186	2.35	82.62	35.23	6.21	34.47
PK	7.1394G	61.85	88.20	-26.35	8.41	3	Horizontal	186	2.35	53.44	36.62	6.55	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00864G	44.83	68.20	-23.37	14.84	3	Vertical	18	2.32	29.99	39.60	8.74	33.50
PK	12.99864G	55.98	88.20	-32.22	14.82	3	Vertical	18	2.32	41.16	39.60	8.73	33.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10424G	44.84	68.20	-23.36	15.01	3	Horizontal	31	3.00	29.83	39.59	8.76	33.34
PK	13.082G	56.49	88.20	-31.71	14.98	3	Horizontal	31	3.00	41.51	39.60	8.76	33.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8926G	46.30	68.20	-21.90	5.48	3	Vertical	8	2.42	40.82	34.17	5.84	34.53
AV	5.9517G	80.41	Inf	-Inf	5.55	3	Vertical	8	2.42	74.86	34.20	5.87	34.52
PK	5.8122G	58.28	88.20	-29.92	5.19	3	Vertical	8	2.42	53.09	33.92	5.81	34.54
PK	5.9508G	91.84	Inf	-Inf	5.55	3	Vertical	8	2.42	86.29	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8947G	46.27	68.20	-21.93	5.49	3	Horizontal	183	2.65	40.78	34.18	5.84	34.53
AV	5.9475G	74.05	Inf	-Inf	5.55	3	Horizontal	183	2.65	68.50	34.20	5.87	34.52
PK	5.8317G	58.46	88.20	-29.74	5.24	3	Horizontal	183	2.65	53.22	33.96	5.81	34.53
PK	5.9481G	86.07	Inf	-Inf	5.55	3	Horizontal	183	2.65	80.52	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9223G	41.91	54.00	-12.09	12.42	3	Vertical	219	1.50	29.49	38.67	8.46	34.71
PK	11.91015G	54.11	74.00	-19.89	12.38	3	Vertical	219	1.50	41.73	38.63	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92365G	41.87	54.00	-12.13	12.42	3	Horizontal	359	1.16	29.45	38.67	8.46	34.71
PK	11.91867G	53.84	74.00	-20.16	12.41	3	Horizontal	359	1.16	41.43	38.66	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90164G	47.89	68.20	-20.31	5.62	3	Vertical	17	2.48	42.27	34.30	5.85	34.53
AV	6.18964G	78.47	Inf	-Inf	5.71	3	Vertical	17	2.48	72.76	34.18	6.03	34.50
AV	7.15476G	50.61	68.20	-17.59	8.51	3	Vertical	17	2.48	42.10	36.71	6.56	34.76
PK	5.88756G	58.76	88.20	-29.44	5.56	3	Vertical	17	2.48	53.20	34.25	5.84	34.53
PK	6.19092G	88.71	Inf	-Inf	5.71	3	Vertical	17	2.48	83.00	34.18	6.03	34.50
PK	7.14196G	61.40	88.20	-26.80	8.43	3	Vertical	17	2.48	52.97	36.64	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.89908G	47.88	68.20	-20.32	5.61	3	Horizontal	173	2.76	42.27	34.30	5.84	34.53
AV	6.18708G	72.01	Inf	-Inf	5.70	3	Horizontal	173	2.76	66.31	34.17	6.03	34.50
AV	7.15604G	50.57	68.20	-17.63	8.51	3	Horizontal	173	2.76	42.06	36.71	6.56	34.76
PK	5.90292G	59.14	88.20	-29.06	5.61	3	Horizontal	173	2.76	53.53	34.29	5.85	34.53
PK	6.1922G	82.53	Inf	-Inf	5.71	3	Horizontal	173	2.76	76.82	34.18	6.03	34.50
PK	7.14324G	61.82	88.20	-26.38	8.44	3	Horizontal	173	2.76	53.38	36.65	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31032G	43.70	54.00	-10.30	12.94	3	Vertical	245	1.48	30.76	38.89	8.56	34.51
PK	12.32928G	54.91	74.00	-19.09	12.93	3	Vertical	245	1.48	41.98	38.87	8.56	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32376G	43.67	54.00	-10.33	12.94	3	Horizontal	156	2.04	30.73	38.88	8.56	34.50
PK	12.33864G	54.61	74.00	-19.39	12.94	3	Horizontal	156	2.04	41.67	38.86	8.57	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	47.76	68.20	-20.44	5.61	3	Vertical	14	2.49	42.15	34.29	5.85	34.53
AV	6.4126G	87.40	Inf	-Inf	6.47	3	Vertical	14	2.49	80.93	34.78	6.17	34.48
PK	5.8498G	59.09	88.20	-29.11	5.39	3	Vertical	14	2.49	53.70	34.10	5.82	34.53
PK	6.4114G	98.40	Inf	-Inf	6.46	3	Vertical	14	2.49	91.94	34.77	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.78	68.20	-20.42	5.60	3	Horizontal	176	3.00	42.18	34.29	5.84	34.53
AV	6.4126G	80.28	Inf	-Inf	6.47	3	Horizontal	176	3.00	73.81	34.78	6.17	34.48
PK	5.845G	59.69	88.20	-28.51	5.37	3	Horizontal	176	3.00	54.32	34.08	5.82	34.53
PK	6.409G	90.87	Inf	-Inf	6.43	3	Horizontal	176	3.00	84.44	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9004G	44.50	68.20	-23.70	14.53	3	Vertical	55	2.16	29.97	39.50	8.71	33.68
PK	12.87736G	55.74	88.20	-32.46	14.46	3	Vertical	55	2.16	41.28	39.48	8.70	33.72

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85912G	44.48	68.20	-23.72	14.40	3	Horizontal	302	2.98	30.08	39.46	8.70	33.76
PK	12.83288G	55.43	88.20	-32.77	14.32	3	Horizontal	302	2.98	41.11	39.43	8.69	33.80

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.83	68.20	-20.37	5.60	3	Vertical	19	2.36	42.23	34.28	5.85	34.53
AV	6.4326G	87.39	Inf	-Inf	6.60	3	Vertical	19	2.36	80.79	34.90	6.18	34.48
PK	5.8986G	59.36	88.20	-28.84	5.60	3	Vertical	19	2.36	53.76	34.29	5.84	34.53
PK	6.429G	97.31	Inf	-Inf	6.56	3	Vertical	19	2.36	90.75	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	47.80	68.20	-20.40	5.60	3	Horizontal	169	2.88	42.20	34.29	5.84	34.53
AV	6.4326G	79.47	Inf	-Inf	6.60	3	Horizontal	169	2.88	72.87	34.90	6.18	34.48
PK	5.913G	59.94	88.20	-28.26	5.59	3	Horizontal	169	2.88	54.35	34.27	5.85	34.53
PK	6.4314G	89.76	Inf	-Inf	6.59	3	Horizontal	169	2.88	83.17	34.89	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92216G	44.54	68.20	-23.66	14.59	3	Vertical	133	2.62	29.95	39.52	8.72	33.65
PK	12.89064G	56.34	88.20	-31.86	14.50	3	Vertical	133	2.62	41.84	39.49	8.71	33.70

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92552G	44.57	68.20	-23.63	14.61	3	Horizontal	130	1.05	29.96	39.53	8.72	33.64
PK	12.92548G	56.08	88.20	-32.12	14.61	3	Horizontal	130	1.05	41.47	39.53	8.72	33.64

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8982G	47.76	68.20	-20.44	5.60	3	Vertical	20	2.54	42.16	34.29	5.84	34.53
AV	6.4722G	88.53	Inf	-Inf	6.82	3	Vertical	20	2.54	81.71	35.09	6.20	34.47
AV	7.1554G	50.62	68.20	-17.58	8.51	3	Vertical	20	2.54	42.11	36.71	6.56	34.76
PK	5.908G	59.44	88.20	-28.76	5.60	3	Vertical	20	2.54	53.84	34.28	5.85	34.53
PK	6.4694G	98.73	Inf	-Inf	6.80	3	Vertical	20	2.54	91.93	35.08	6.19	34.47
PK	7.1442G	61.86	88.20	-26.34	8.44	3	Vertical	20	2.54	53.42	36.65	6.55	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9052G	47.75	68.20	-20.45	5.61	3	Horizontal	176	2.98	42.14	34.29	5.85	34.53
AV	6.4722G	81.29	Inf	-Inf	6.82	3	Horizontal	176	2.98	74.47	35.09	6.20	34.47
AV	7.1666G	50.58	68.20	-17.62	8.54	3	Horizontal	176	2.98	42.04	36.73	6.57	34.76
PK	5.8548G	59.70	88.20	-28.50	5.41	3	Horizontal	176	2.98	54.29	34.12	5.82	34.53
PK	6.4708G	92.16	Inf	-Inf	6.81	3	Horizontal	176	2.98	85.35	35.08	6.20	34.47
PK	7.1652G	61.80	88.20	-26.40	8.54	3	Horizontal	176	2.98	53.26	36.73	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00488G	44.66	68.20	-23.54	14.84	3	Vertical	181	2.16	29.82	39.60	8.74	33.50
PK	12.99964G	55.70	88.20	-32.50	14.82	3	Vertical	181	2.16	40.88	39.60	8.73	33.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01512G	44.66	68.20	-23.54	14.85	3	Horizontal	21	1.72	29.81	39.60	8.74	33.49
PK	12.99736G	56.00	88.20	-32.20	14.82	3	Horizontal	21	1.72	41.18	39.60	8.73	33.51

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	47.86	68.20	-20.34	5.61	3	Vertical	18	2.45	42.25	34.30	5.84	34.53
AV	6.5122G	89.57	Inf	-Inf	6.99	3	Vertical	18	2.45	82.58	35.25	6.22	34.48
AV	7.1632G	50.61	68.20	-17.59	8.53	3	Vertical	18	2.45	42.08	36.73	6.56	34.76
PK	5.8822G	59.18	88.20	-29.02	5.54	3	Vertical	18	2.45	53.64	34.23	5.84	34.53
PK	6.5094G	99.54	Inf	-Inf	6.97	3	Vertical	18	2.45	92.57	35.24	6.21	34.48
PK	7.1954G	61.81	88.20	-26.39	8.62	3	Vertical	18	2.45	53.19	36.79	6.59	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9004G	47.76	68.20	-20.44	5.62	3	Horizontal	177	2.89	42.14	34.30	5.85	34.53
AV	6.5094G	81.83	Inf	-Inf	6.97	3	Horizontal	177	2.89	74.86	35.24	6.21	34.48
AV	7.215G	50.65	68.20	-17.55	8.63	3	Horizontal	177	2.89	42.02	36.80	6.60	34.77
PK	5.9144G	59.02	88.20	-29.18	5.59	3	Horizontal	177	2.89	53.43	34.27	5.85	34.53
PK	6.508G	92.20	Inf	-Inf	6.97	3	Horizontal	177	2.89	85.23	35.23	6.21	34.47
PK	7.1926G	62.27	88.20	-25.93	8.61	3	Horizontal	177	2.89	53.66	36.79	6.58	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00044G	44.80	68.20	-23.40	14.83	3	Vertical	221	2.06	29.97	39.60	8.74	33.51
PK	12.99432G	55.84	88.20	-32.36	14.80	3	Vertical	221	2.06	41.04	39.59	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00712G	44.88	68.20	-23.32	14.84	3	Horizontal	183	2.21	30.04	39.60	8.74	33.50
PK	12.9999G	56.36	88.20	-31.84	14.82	3	Horizontal	183	2.21	41.54	39.60	8.73	33.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9184G	46.26	68.20	-21.94	5.93	3	Vertical	357	2.42	40.33	34.20	6.26	34.53
AV	5.9514G	79.03	Inf	-Inf	5.96	3	Vertical	357	2.42	73.07	34.20	6.28	34.52
PK	5.8107G	58.32	88.20	-29.88	5.59	3	Vertical	357	2.42	52.73	33.92	6.21	34.54
PK	5.9493G	90.41	Inf	-Inf	5.95	3	Vertical	357	2.42	84.46	34.20	6.27	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8911G	46.33	68.20	-21.87	5.88	3	Horizontal	175	2.65	40.45	34.16	6.25	34.53
AV	5.9481G	73.67	Inf	-Inf	5.95	3	Horizontal	175	2.65	67.72	34.20	6.27	34.52
PK	5.8764G	58.18	88.20	-30.02	5.82	3	Horizontal	175	2.65	52.36	34.11	6.24	34.53
PK	5.9514G	84.27	Inf	-Inf	5.96	3	Horizontal	175	2.65	78.31	34.20	6.28	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9217G	41.87	54.00	-12.13	12.65	3	Vertical	193	1.50	29.22	38.67	8.68	34.70
PK	11.90898G	54.27	74.00	-19.73	12.60	3	Vertical	193	1.50	41.67	38.63	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92302G	41.91	54.00	-12.09	12.64	3	Horizontal	153	1.50	29.27	38.67	8.68	34.71
PK	11.90007G	54.27	74.00	-19.73	12.57	3	Horizontal	153	1.50	41.70	38.60	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.88756G	47.85	68.20	-20.35	5.56	3	Vertical	350	2.46	42.29	34.25	5.84	34.53
AV	6.18708G	91.77	Inf	-Inf	5.70	3	Vertical	350	2.46	86.07	34.17	6.03	34.50
AV	7.15604G	50.64	68.20	-17.56	8.51	3	Vertical	350	2.46	42.13	36.71	6.56	34.76
PK	5.91828G	59.43	88.20	-28.77	5.58	3	Vertical	350	2.46	53.85	34.26	5.85	34.53
PK	6.18836G	102.25	Inf	-Inf	5.71	3	Vertical	350	2.46	96.54	34.18	6.03	34.50
PK	7.14196G	62.20	88.20	-26.00	8.43	3	Vertical	350	2.46	53.77	36.64	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90548G	47.84	68.20	-20.36	5.61	3	Horizontal	172	3.00	42.23	34.29	5.85	34.53
AV	6.1922G	84.54	Inf	-Inf	5.71	3	Horizontal	172	3.00	78.83	34.18	6.03	34.50
AV	7.165G	50.57	68.20	-17.63	8.54	3	Horizontal	172	3.00	42.03	36.73	6.57	34.76
PK	5.89652G	59.00	88.20	-29.20	5.60	3	Horizontal	172	3.00	53.40	34.29	5.84	34.53
PK	6.18964G	94.96	Inf	-Inf	5.71	3	Horizontal	172	3.00	89.25	34.18	6.03	34.50
PK	7.1394G	61.88	88.20	-26.32	8.41	3	Horizontal	172	3.00	53.47	36.62	6.55	34.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31064G	43.68	54.00	-10.32	12.94	3	Vertical	311	2.97	30.74	38.89	8.56	34.51
PK	12.318G	54.72	74.00	-19.28	12.93	3	Vertical	311	2.97	41.79	38.88	8.56	34.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31048G	43.71	54.00	-10.29	12.94	3	Horizontal	267	2.16	30.77	38.89	8.56	34.51
PK	12.31824G	54.80	74.00	-19.20	12.93	3	Horizontal	267	2.16	41.87	38.88	8.56	34.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	47.71	68.20	-20.49	5.60	3	Vertical	10	2.37	42.11	34.28	5.85	34.53
AV	6.4078G	87.25	Inf	-Inf	6.43	3	Vertical	10	2.37	80.82	34.75	6.16	34.48
PK	5.9182G	59.18	88.20	-29.02	5.58	3	Vertical	10	2.37	53.60	34.26	5.85	34.53
PK	6.4114G	96.54	Inf	-Inf	6.46	3	Vertical	10	2.37	90.08	34.77	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	47.73	68.20	-20.47	5.60	3	Horizontal	191	3.00	42.13	34.28	5.85	34.53
AV	6.4114G	79.25	Inf	-Inf	6.46	3	Horizontal	191	3.00	72.79	34.77	6.17	34.48
PK	5.9086G	59.12	88.20	-29.08	5.60	3	Horizontal	191	3.00	53.52	34.28	5.85	34.53
PK	6.409G	88.51	Inf	-Inf	6.43	3	Horizontal	191	3.00	82.08	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8596G	44.47	68.20	-23.73	14.41	3	Vertical	178	1.61	30.06	39.46	8.70	33.75
PK	12.85112G	55.21	88.20	-32.99	14.38	3	Vertical	178	1.61	40.83	39.45	8.70	33.77

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89048G	44.53	68.20	-23.67	14.50	3	Horizontal	136	1.01	30.03	39.49	8.71	33.70
PK	12.90296G	56.05	88.20	-32.15	14.53	3	Horizontal	136	1.01	41.52	39.50	8.71	33.68

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	47.65	68.20	-20.55	5.56	3	Vertical	349	2.39	42.09	34.25	5.84	34.53
AV	6.4278G	87.91	Inf	-Inf	6.56	3	Vertical	349	2.39	81.35	34.87	6.17	34.48
PK	5.8962G	58.86	88.20	-29.34	5.59	3	Vertical	349	2.39	53.27	34.28	5.84	34.53
PK	6.4266G	98.48	Inf	-Inf	6.55	3	Vertical	349	2.39	91.93	34.86	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	47.79	68.20	-20.41	5.61	3	Horizontal	192	2.96	42.18	34.29	5.85	34.53
AV	6.4314G	79.63	Inf	-Inf	6.59	3	Horizontal	192	2.96	73.04	34.89	6.18	34.48
PK	5.8566G	58.81	88.20	-29.39	5.43	3	Horizontal	192	2.96	53.38	34.13	5.83	34.53
PK	6.429G	88.99	Inf	-Inf	6.56	3	Horizontal	192	2.96	82.43	34.87	6.17	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.922G	44.58	68.20	-23.62	14.59	3	Vertical	262	2.30	29.99	39.52	8.72	33.65
PK	12.89312G	56.18	88.20	-32.02	14.50	3	Vertical	262	2.30	41.68	39.49	8.71	33.70

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90248G	44.57	68.20	-23.63	14.53	3	Horizontal	121	2.82	30.04	39.50	8.71	33.68
PK	12.90096G	56.26	88.20	-31.94	14.53	3	Horizontal	121	2.82	41.73	39.50	8.71	33.68

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9052G	47.63	68.20	-20.57	5.61	3	Vertical	347	2.40	42.02	34.29	5.85	34.53
AV	6.4708G	88.40	Inf	-Inf	6.81	3	Vertical	347	2.40	81.59	35.08	6.20	34.47
AV	7.1652G	50.45	68.20	-17.75	8.54	3	Vertical	347	2.40	41.91	36.73	6.57	34.76
PK	5.8086G	59.35	88.20	-28.85	5.19	3	Vertical	347	2.40	54.16	33.93	5.80	34.54
PK	6.4652G	97.87	Inf	-Inf	6.78	3	Vertical	347	2.40	91.09	35.06	6.19	34.47
PK	7.175G	60.87	88.20	-27.33	8.56	3	Vertical	347	2.40	52.31	36.75	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	47.64	68.20	-20.56	5.61	3	Horizontal	174	2.94	42.03	34.29	5.85	34.53
AV	6.468G	80.49	Inf	-Inf	6.79	3	Horizontal	174	2.94	73.70	35.07	6.19	34.47
AV	7.168G	50.47	68.20	-17.73	8.55	3	Horizontal	174	2.94	41.92	36.74	6.57	34.76
PK	5.8632G	58.55	88.20	-29.65	5.45	3	Horizontal	174	2.94	53.10	34.15	5.83	34.53
PK	6.4666G	89.42	Inf	-Inf	6.79	3	Horizontal	174	2.94	82.63	35.07	6.19	34.47
PK	7.1638G	62.49	88.20	-25.71	8.53	3	Horizontal	174	2.94	53.96	36.73	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.008G	44.64	68.20	-23.56	14.84	3	Vertical	13	2.35	29.80	39.60	8.74	33.50
PK	12.9936G	56.37	88.20	-31.83	14.80	3	Vertical	13	2.35	41.57	39.59	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0006G	44.68	68.20	-23.52	14.83	3	Horizontal	95	1.48	29.85	39.60	8.74	33.51
PK	12.996G	56.02	88.20	-32.18	14.81	3	Horizontal	95	1.48	41.21	39.60	8.73	33.52

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9004G	47.61	68.20	-20.59	5.62	3	Vertical	1	2.48	41.99	34.30	5.85	34.53
AV	6.5108G	88.57	Inf	-Inf	6.98	3	Vertical	1	2.48	81.59	35.24	6.22	34.48
AV	7.1688G	50.49	68.20	-17.71	8.55	3	Vertical	1	2.48	41.94	36.74	6.57	34.76
PK	5.892G	58.85	88.20	-29.35	5.58	3	Vertical	1	2.48	53.27	34.27	5.84	34.53
PK	6.5094G	97.38	Inf	-Inf	6.97	3	Vertical	1	2.48	90.41	35.24	6.21	34.48
PK	7.152G	61.39	88.20	-26.81	8.50	3	Vertical	1	2.48	52.89	36.70	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9004G	47.69	68.20	-20.51	5.62	3	Horizontal	175	3.00	42.07	34.30	5.85	34.53
AV	6.508G	80.72	Inf	-Inf	6.97	3	Horizontal	175	3.00	73.75	35.23	6.21	34.47
AV	7.1688G	50.49	68.20	-17.71	8.55	3	Horizontal	175	3.00	41.94	36.74	6.57	34.76
PK	5.906G	59.24	88.20	-28.96	5.61	3	Horizontal	175	3.00	53.63	34.29	5.85	34.53
PK	6.5066G	89.59	Inf	-Inf	6.97	3	Horizontal	175	3.00	82.62	35.23	6.21	34.47
PK	7.152G	61.39	88.20	-26.81	8.50	3	Horizontal	175	3.00	52.89	36.70	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0644G	44.89	68.20	-23.31	14.95	3	Vertical	166	1.02	29.94	39.60	8.75	33.40
PK	13.06424G	55.56	88.20	-32.64	14.95	3	Vertical	166	1.02	40.61	39.60	8.75	33.40

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10968G	44.84	68.20	-23.36	15.01	3	Horizontal	209	2.43	29.83	39.58	8.76	33.33
PK	13.06136G	56.21	88.20	-31.99	14.94	3	Horizontal	209	2.43	41.27	39.60	8.75	33.41

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8952G	47.89	68.20	-20.31	5.59	3	Vertical	354	2.48	42.30	34.28	5.84	34.53
AV	6.5434G	89.01	Inf	-Inf	7.11	3	Vertical	354	2.48	81.90	35.37	6.23	34.49
AV	7.2126G	50.71	68.20	-17.49	8.63	3	Vertical	354	2.48	42.08	36.80	6.60	34.77
PK	5.842G	59.23	88.20	-28.97	5.36	3	Vertical	354	2.48	53.87	34.07	5.82	34.53
PK	6.542G	100.12	Inf	-Inf	7.11	3	Vertical	354	2.48	93.01	35.37	6.23	34.49
PK	7.1902G	62.04	88.20	-26.16	8.60	3	Vertical	354	2.48	53.44	36.78	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	47.82	68.20	-20.38	5.61	3	Horizontal	333	1.08	42.21	34.29	5.85	34.53
AV	6.5392G	79.60	Inf	-Inf	7.10	3	Horizontal	333	1.08	72.50	35.36	6.23	34.49
AV	7.2238G	50.71	68.20	-17.49	8.63	3	Horizontal	333	1.08	42.08	36.80	6.60	34.77
PK	5.8378G	59.07	88.20	-29.13	5.34	3	Horizontal	333	1.08	53.73	34.05	5.82	34.53
PK	6.5392G	89.72	Inf	-Inf	7.10	3	Horizontal	333	1.08	82.62	35.36	6.23	34.49
PK	7.1482G	63.33	88.20	-24.87	8.48	3	Horizontal	333	1.08	54.85	36.69	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1132G	44.89	68.20	-23.31	15.01	3	Vertical	346	2.76	29.88	39.57	8.76	33.32
PK	13.09464G	56.40	88.20	-31.80	15.01	3	Vertical	346	2.76	41.39	39.60	8.76	33.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12328G	44.88	68.20	-23.32	15.01	3	Horizontal	89	1.48	29.87	39.55	8.77	33.31
PK	13.12344G	56.37	88.20	-31.83	15.01	3	Horizontal	89	1.48	41.36	39.55	8.77	33.31

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	88.20	Inf	-Inf	7.74	3	Vertical	351	2.52	80.46	36.00	6.32	34.58
AV	7.166G	50.62	68.20	-17.58	8.54	3	Vertical	351	2.52	42.08	36.73	6.57	34.76
PK	6.701G	100.41	Inf	-Inf	7.74	3	Vertical	351	2.52	92.67	36.00	6.32	34.58
PK	7.178G	61.33	88.20	-26.87	8.57	3	Vertical	351	2.52	52.76	36.76	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.698G	79.74	Inf	-Inf	7.73	3	Horizontal	192	2.94	72.01	36.00	6.31	34.58
AV	7.194G	50.69	68.20	-17.51	8.62	3	Horizontal	192	2.94	42.07	36.79	6.59	34.76
PK	6.699G	90.16	Inf	-Inf	7.73	3	Horizontal	192	2.94	82.43	36.00	6.31	34.58
PK	7.176G	61.84	88.20	-26.36	8.56	3	Horizontal	192	2.94	53.28	36.75	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

6695MHz_TX




21/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.43576G	45.24	68.20	-22.96	16.05	3	Vertical	236	2.86	29.19	40.00	8.85	32.80
PK	13.4348G	56.16	88.20	-32.04	16.05	3	Vertical	236	2.86	40.11	40.00	8.85	32.80

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

6695MHz_TX




21/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.458G	45.27	68.20	-22.93	16.09	3	Horizontal	20	3.00	29.18	40.00	8.85	32.76
PK	13.45136G	57.56	88.20	-30.64	16.08	3	Horizontal	20	3.00	41.48	40.00	8.85	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9013G	81.36	Inf	-Inf	7.52	3	Vertical	351	2.37	73.84	35.80	6.41	34.69
AV	7.2128G	50.78	68.20	-17.42	8.63	3	Vertical	351	2.37	42.15	36.80	6.60	34.77
PK	6.9027G	92.23	Inf	-Inf	7.53	3	Vertical	351	2.37	84.70	35.81	6.41	34.69
PK	7.1995G	62.57	88.20	-25.63	8.63	3	Vertical	351	2.37	53.94	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9027G	72.54	Inf	-Inf	7.53	3	Horizontal	329	1.00	65.01	35.81	6.41	34.69
AV	7.2359G	50.83	68.20	-17.37	8.64	3	Horizontal	329	1.00	42.19	36.80	6.61	34.77
PK	6.902G	83.21	Inf	-Inf	7.52	3	Horizontal	329	1.00	75.69	35.80	6.41	34.69
PK	7.175G	62.36	88.20	-25.84	8.56	3	Horizontal	329	1.00	53.80	36.75	6.57	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74264G	45.77	68.20	-22.43	16.18	3	Vertical	177	1.27	29.59	40.04	8.92	32.78
PK	13.75176G	57.64	88.20	-30.56	16.19	3	Vertical	177	1.27	41.45	40.05	8.93	32.79

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71864G	45.74	68.20	-22.46	16.17	3	Horizontal	167	2.03	29.57	40.02	8.92	32.77
PK	13.70504G	57.22	88.20	-30.98	16.15	3	Horizontal	167	2.03	41.07	40.01	8.91	32.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	81.04	Inf	-Inf	7.51	3	Vertical	0	2.44	73.53	35.80	6.45	34.74
AV	7.214G	50.85	68.20	-17.35	8.63	3	Vertical	0	2.44	42.22	36.80	6.60	34.77
PK	7.0005G	93.51	Inf	-Inf	7.51	3	Vertical	0	2.44	86.00	35.80	6.45	34.74
PK	7.1925G	62.77	88.20	-25.43	8.60	3	Vertical	0	2.44	54.17	36.78	6.58	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.003G	71.05	Inf	-Inf	7.52	3	Horizontal	341	2.42	63.53	35.81	6.45	34.74
AV	7.1975G	50.81	68.20	-17.39	8.62	3	Horizontal	341	2.42	42.19	36.79	6.59	34.76
PK	6.998G	82.04	Inf	-Inf	7.51	3	Horizontal	341	2.42	74.53	35.80	6.45	34.74
PK	7.239G	62.75	88.20	-25.45	8.64	3	Horizontal	341	2.42	54.11	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00076G	46.25	68.20	-21.95	16.41	3	Vertical	65	2.75	29.84	40.30	8.99	32.88
PK	13.99948G	56.97	88.20	-31.23	16.41	3	Vertical	65	2.75	40.56	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05864G	46.30	68.20	-21.90	16.54	3	Horizontal	292	2.97	29.76	40.48	9.01	32.95
PK	14.05912G	57.08	88.20	-31.12	16.54	3	Horizontal	292	2.97	40.54	40.48	9.01	32.95

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	85.32	Inf	-Inf	8.10	3	Vertical	352	2.42	77.22	36.33	6.52	34.75
AV	7.2312G	50.84	68.20	-17.36	8.63	3	Vertical	352	2.42	42.21	36.80	6.60	34.77
PK	7.1004G	97.39	Inf	-Inf	8.07	3	Vertical	352	2.42	89.32	36.30	6.52	34.75
PK	7.1445G	62.88	88.20	-25.32	8.45	3	Vertical	352	2.42	54.43	36.66	6.55	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1028G	76.21	Inf	-Inf	8.09	3	Horizontal	327	1.02	68.12	36.32	6.52	34.75
AV	7.2069G	50.87	68.20	-17.33	8.63	3	Horizontal	327	1.02	42.24	36.80	6.59	34.76
PK	7.1019G	87.22	Inf	-Inf	8.09	3	Horizontal	327	1.02	79.13	36.32	6.52	34.75
PK	7.245G	63.26	88.20	-24.94	8.64	3	Horizontal	327	1.02	54.62	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.21336G	46.39	68.20	-21.81	16.41	3	Vertical	34	1.48	29.98	40.49	9.06	33.14
PK	14.20792G	57.71	88.20	-30.49	16.42	3	Vertical	34	1.48	41.29	40.49	9.06	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.11464G	46.34	68.20	-21.86	16.60	3	Horizontal	337	1.79	29.74	40.59	9.03	33.02
PK	14.12968G	57.68	88.20	-30.52	16.56	3	Horizontal	337	1.79	41.12	40.57	9.03	33.04

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1175G	85.07	Inf	-Inf	8.22	3	Vertical	343	1.32	76.85	36.44	6.53	34.75
AV	7.1255G	57.53	68.20	-10.67	8.28	3	Vertical	343	1.32	49.25	36.50	6.54	34.76
PK	7.1195G	91.50	Inf	-Inf	8.24	3	Vertical	343	1.32	83.26	36.46	6.53	34.75
PK	7.1255G	67.48	88.20	-20.72	8.28	3	Vertical	343	1.32	59.20	36.50	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1175G	79.37	Inf	-Inf	8.22	3	Horizontal	75	1.42	71.15	36.44	6.53	34.75
AV	7.1255G	54.75	68.20	-13.45	8.28	3	Horizontal	75	1.42	46.47	36.50	6.54	34.76
PK	7.1175G	85.27	Inf	-Inf	8.22	3	Horizontal	75	1.42	77.05	36.44	6.53	34.75
PK	7.1255G	64.27	88.20	-23.93	8.28	3	Horizontal	75	1.42	55.99	36.50	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22856G	44.99	68.20	-23.21	16.38	3	Vertical	345	1.36	28.61	40.47	9.07	33.16
PK	14.22905G	54.33	88.20	-33.87	16.38	3	Vertical	345	1.36	37.95	40.47	9.07	33.16

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22867G	45.00	68.20	-23.20	16.38	3	Horizontal	54	1.37	28.62	40.47	9.07	33.16
PK	14.23474G	53.86	88.20	-34.34	16.37	3	Horizontal	54	1.37	37.49	40.47	9.07	33.17