


6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	47.84	68.20	-20.36	5.57	3	Vertical	20	2.44	42.27	34.26	5.84	34.53
AV	6.5406G	89.54	Inf	-Inf	7.10	3	Vertical	20	2.44	82.44	35.36	6.23	34.49
AV	7.2056G	50.66	68.20	-17.54	8.63	3	Vertical	20	2.44	42.03	36.80	6.59	34.76
PK	5.8868G	58.63	88.20	-29.57	5.56	3	Vertical	20	2.44	53.07	34.25	5.84	34.53
PK	6.5434G	99.93	Inf	-Inf	7.11	3	Vertical	20	2.44	92.82	35.37	6.23	34.49
PK	7.228G	62.36	88.20	-25.84	8.63	3	Vertical	20	2.44	53.73	36.80	6.60	34.77

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	47.81	68.20	-20.39	5.61	3	Horizontal	178	3.00	42.20	34.30	5.84	34.53
AV	6.5378G	81.47	Inf	-Inf	7.09	3	Horizontal	178	3.00	74.38	35.35	6.23	34.49
AV	7.2308G	50.66	68.20	-17.54	8.63	3	Horizontal	178	3.00	42.03	36.80	6.60	34.77
PK	5.8574G	59.26	88.20	-28.94	5.43	3	Horizontal	178	3.00	53.83	34.13	5.83	34.53
PK	6.5434G	92.67	Inf	-Inf	7.11	3	Horizontal	178	3.00	85.56	35.37	6.23	34.49
PK	7.2154G	61.83	88.20	-26.37	8.63	3	Horizontal	178	3.00	53.20	36.80	6.60	34.77

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13816G	44.89	68.20	-23.31	15.01	3	Vertical	135	1.12	29.88	39.52	8.77	33.28
PK	13.1244G	55.87	88.20	-32.33	15.01	3	Vertical	135	1.12	40.86	39.55	8.77	33.31

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00712G	44.90	68.20	-23.30	14.84	3	Horizontal	174	1.30	30.06	39.60	8.74	33.50
PK	13.00856G	55.89	88.20	-32.31	14.84	3	Horizontal	174	1.30	41.05	39.60	8.74	33.50

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	88.63	Inf	-Inf	7.73	3	Vertical	21	2.43	80.90	35.99	6.32	34.58
AV	7.168G	50.67	68.20	-17.53	8.55	3	Vertical	21	2.43	42.12	36.74	6.57	34.76
PK	6.702G	100.02	Inf	-Inf	7.74	3	Vertical	21	2.43	92.28	36.00	6.32	34.58
PK	7.167G	61.83	88.20	-26.37	8.54	3	Vertical	21	2.43	53.29	36.73	6.57	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	81.01	Inf	-Inf	7.74	3	Horizontal	171	3.00	73.27	36.00	6.32	34.58
AV	7.161G	50.61	68.20	-17.59	8.52	3	Horizontal	171	3.00	42.09	36.72	6.56	34.76
PK	6.702G	92.02	Inf	-Inf	7.74	3	Horizontal	171	3.00	84.28	36.00	6.32	34.58
PK	7.146G	63.00	88.20	-25.20	8.46	3	Horizontal	171	3.00	54.54	36.67	6.55	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.43576G	45.21	68.20	-22.99	16.05	3	Vertical	146	2.62	29.16	40.00	8.85	32.80
PK	13.4212G	56.18	88.20	-32.02	16.02	3	Vertical	146	2.62	40.16	40.00	8.84	32.82

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45576G	45.21	68.20	-22.99	16.09	3	Horizontal	118	1.55	29.12	40.00	8.85	32.76
PK	13.4448G	57.19	88.20	-31.01	16.07	3	Horizontal	118	1.55	41.12	40.00	8.85	32.78

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	88.00	Inf	-Inf	7.53	3	Vertical	18	2.39	80.47	35.80	6.41	34.68
AV	7.2114G	50.78	68.20	-17.42	8.63	3	Vertical	18	2.39	42.15	36.80	6.60	34.77
PK	6.8978G	100.09	Inf	-Inf	7.53	3	Vertical	18	2.39	92.56	35.80	6.41	34.68
PK	7.2086G	62.30	88.20	-25.90	8.62	3	Vertical	18	2.39	53.68	36.80	6.59	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	80.56	Inf	-Inf	7.53	3	Horizontal	174	3.00	73.03	35.80	6.41	34.68
AV	7.1624G	50.73	68.20	-17.47	8.52	3	Horizontal	174	3.00	42.21	36.72	6.56	34.76
PK	6.8999G	91.82	Inf	-Inf	7.52	3	Horizontal	174	3.00	84.30	35.80	6.41	34.69
PK	7.1736G	63.45	88.20	-24.75	8.56	3	Horizontal	174	3.00	54.89	36.75	6.57	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7124G	45.78	68.20	-22.42	16.16	3	Vertical	81	1.10	29.62	40.01	8.92	32.77
PK	13.73928G	56.79	88.20	-31.41	16.18	3	Vertical	81	1.10	40.61	40.04	8.92	32.78

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81464G	45.80	68.20	-22.40	16.26	3	Horizontal	250	1.06	29.54	40.13	8.94	32.81
PK	13.81288G	57.19	88.20	-31.01	16.26	3	Horizontal	250	1.06	40.93	40.13	8.94	32.81

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9975G	84.73	Inf	-Inf	7.51	3	Vertical	21	2.44	77.22	35.80	6.45	34.74
AV	7.2215G	50.82	68.20	-17.38	8.63	3	Vertical	21	2.44	42.19	36.80	6.60	34.77
PK	7G	95.19	Inf	-Inf	7.51	3	Vertical	21	2.44	87.68	35.80	6.45	34.74
PK	7.212G	62.79	88.20	-25.41	8.63	3	Vertical	21	2.44	54.16	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	76.38	Inf	-Inf	7.51	3	Horizontal	175	2.93	68.87	35.80	6.45	34.74
AV	7.198G	50.77	68.20	-17.43	8.63	3	Horizontal	175	2.93	42.14	36.80	6.59	34.76
PK	6.997G	88.25	Inf	-Inf	7.52	3	Horizontal	175	2.93	80.73	35.81	6.45	34.74
PK	7.1595G	62.52	88.20	-25.68	8.52	3	Horizontal	175	2.93	54.00	36.72	6.56	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05752G	46.21	68.20	-21.99	16.53	3	Vertical	317	1.11	29.68	40.47	9.01	32.95
PK	14.06216G	56.65	88.20	-31.55	16.54	3	Vertical	317	1.11	40.11	40.49	9.01	32.96

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00752G	46.29	68.20	-21.91	16.42	3	Horizontal	293	1.86	29.87	40.32	8.99	32.89
PK	13.9932G	57.52	88.20	-30.68	16.41	3	Horizontal	293	1.86	41.11	40.30	8.99	32.88



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1007G	81.42	Inf	-Inf	8.08	3	Vertical	19	2.33	73.34	36.31	6.52	34.75
AV	7.2282G	50.81	68.20	-17.39	8.63	3	Vertical	19	2.33	42.18	36.80	6.60	34.77
PK	7.0983G	92.97	Inf	-Inf	8.06	3	Vertical	19	2.33	84.91	36.29	6.52	34.75
PK	7.1529G	62.88	88.20	-25.32	8.51	3	Vertical	19	2.33	54.37	36.71	6.56	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1007G	73.06	Inf	-Inf	8.08	3	Horizontal	176	2.93	64.98	36.31	6.52	34.75
AV	7.2078G	50.76	68.20	-17.44	8.63	3	Horizontal	176	2.93	42.13	36.80	6.59	34.76
PK	7.1004G	85.66	Inf	-Inf	8.07	3	Horizontal	176	2.93	77.59	36.30	6.52	34.75
PK	7.1586G	63.32	88.20	-24.88	8.52	3	Horizontal	176	2.93	54.80	36.72	6.56	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.13832G	46.39	68.20	-21.81	16.55	3	Vertical	41	2.34	29.84	40.56	9.04	33.05
PK	14.18936G	57.52	88.20	-30.68	16.45	3	Vertical	41	2.34	41.07	40.51	9.05	33.11

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.21112G	46.33	68.20	-21.87	16.41	3	Horizontal	126	1.25	29.92	40.49	9.06	33.14
PK	14.26328G	57.49	88.20	-30.71	16.32	3	Horizontal	126	1.25	41.17	40.44	9.08	33.20

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1205G	78.13	Inf	-Inf	8.24	3	Vertical	22	2.02	69.89	36.46	6.53	34.75
AV	7.1255G	54.35	68.20	-13.85	8.28	3	Vertical	22	2.02	46.07	36.50	6.54	34.76
PK	7.1175G	84.81	Inf	-Inf	8.22	3	Vertical	22	2.02	76.59	36.44	6.53	34.75
PK	7.1255G	63.71	88.20	-24.49	8.28	3	Vertical	22	2.02	55.43	36.50	6.54	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1195G	75.61	Inf	-Inf	8.24	3	Horizontal	283	1.40	67.37	36.46	6.53	34.75
AV	7.1255G	52.97	68.20	-15.23	8.28	3	Horizontal	283	1.40	44.69	36.50	6.54	34.76
PK	7.1175G	81.98	Inf	-Inf	8.22	3	Horizontal	283	1.40	73.76	36.44	6.53	34.75
PK	7.1255G	61.85	88.20	-26.35	8.28	3	Horizontal	283	1.40	53.57	36.50	6.54	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22589G	45.00	68.20	-23.20	16.38	3	Vertical	21	2.54	28.62	40.47	9.07	33.16
PK	14.22604G	55.72	88.20	-32.48	16.38	3	Vertical	21	2.54	39.34	40.47	9.07	33.16

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2254G	45.00	68.20	-23.20	16.39	3	Horizontal	81	2.36	28.61	40.47	9.07	33.15
PK	14.22979G	54.82	88.20	-33.38	16.38	3	Horizontal	81	2.36	38.44	40.47	9.07	33.16

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9078G	47.64	68.20	-20.56	5.60	3	Vertical	0	2.41	42.04	34.28	5.85	34.53
AV	6.5378G	88.35	Inf	-Inf	7.09	3	Vertical	0	2.41	81.26	35.35	6.23	34.49
AV	7.2238G	50.49	68.20	-17.71	8.63	3	Vertical	0	2.41	41.86	36.80	6.60	34.77
PK	5.8364G	59.25	88.20	-28.95	5.34	3	Vertical	0	2.41	53.91	34.05	5.82	34.53
PK	6.5378G	97.44	Inf	-Inf	7.09	3	Vertical	0	2.41	90.35	35.35	6.23	34.49
PK	7.1468G	61.29	88.20	-26.91	8.46	3	Vertical	0	2.41	52.83	36.67	6.55	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.898G	47.63	68.20	-20.57	5.60	3	Horizontal	175	2.66	42.03	34.29	5.84	34.53
AV	6.542G	80.96	Inf	-Inf	7.11	3	Horizontal	175	2.66	73.85	35.37	6.23	34.49
AV	7.2182G	50.57	68.20	-17.63	8.63	3	Horizontal	175	2.66	41.94	36.80	6.60	34.77
PK	5.8854G	60.08	88.20	-28.12	5.55	3	Horizontal	175	2.66	54.53	34.24	5.84	34.53
PK	6.5406G	90.76	Inf	-Inf	7.10	3	Horizontal	175	2.66	83.66	35.36	6.23	34.49
PK	7.1902G	61.59	88.20	-26.61	8.60	3	Horizontal	175	2.66	52.99	36.78	6.58	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11576G	44.88	68.20	-23.32	15.01	3	Vertical	125	2.45	29.87	39.57	8.76	33.32
PK	13.11192G	56.78	88.20	-31.42	15.01	3	Vertical	125	2.45	41.77	39.58	8.76	33.33

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12568G	44.91	68.20	-23.29	15.02	3	Horizontal	164	2.27	29.89	39.55	8.77	33.30
PK	13.14376G	58.33	88.20	-29.87	15.01	3	Horizontal	164	2.27	43.32	39.51	8.77	33.27

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.699G	88.21	Inf	-Inf	7.73	3	Vertical	12	2.39	80.48	36.00	6.31	34.58
AV	7.164G	50.47	68.20	-17.73	8.53	3	Vertical	12	2.39	41.94	36.73	6.56	34.76
PK	6.697G	97.64	Inf	-Inf	7.72	3	Vertical	12	2.39	89.92	35.99	6.31	34.58
PK	7.169G	61.98	88.20	-26.22	8.55	3	Vertical	12	2.39	53.43	36.74	6.57	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	79.26	Inf	-Inf	7.72	3	Horizontal	176	3.00	71.54	35.99	6.31	34.58
AV	7.167G	50.51	68.20	-17.69	8.54	3	Horizontal	176	3.00	41.97	36.73	6.57	34.76
PK	6.699G	88.79	Inf	-Inf	7.73	3	Horizontal	176	3.00	81.06	36.00	6.31	34.58
PK	7.179G	62.04	88.20	-26.16	8.58	3	Horizontal	176	3.00	53.46	36.76	6.58	34.76

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46664G	45.22	68.20	-22.98	16.11	3	Vertical	236	2.05	29.11	40.00	8.85	32.74
PK	13.46728G	56.47	88.20	-31.73	16.11	3	Vertical	236	2.05	40.36	40.00	8.85	32.74

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46424G	45.18	68.20	-23.02	16.10	3	Horizontal	58	2.85	29.08	40.00	8.85	32.75
PK	13.45976G	57.14	88.20	-31.06	16.09	3	Horizontal	58	2.85	41.05	40.00	8.85	32.76



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	82.56	Inf	-Inf	7.53	3	Vertical	0	2.85	75.03	35.80	6.41	34.68
AV	7.2205G	49.19	68.20	-19.01	8.63	3	Vertical	0	2.85	40.56	36.80	6.60	34.77
PK	6.9034G	93.28	Inf	-Inf	7.53	3	Vertical	0	2.85	85.75	35.81	6.41	34.69
PK	7.1386G	60.95	88.20	-27.25	8.40	3	Vertical	0	2.85	52.55	36.61	6.55	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	81.31	Inf	-Inf	7.53	3	Horizontal	286	1.50	73.78	35.80	6.41	34.68
AV	7.2408G	49.17	68.20	-19.03	8.64	3	Horizontal	286	1.50	40.53	36.80	6.61	34.77
PK	6.9027G	92.51	Inf	-Inf	7.53	3	Horizontal	286	1.50	84.98	35.81	6.41	34.69
PK	7.2394G	61.18	88.20	-27.02	8.64	3	Horizontal	286	1.50	52.54	36.80	6.61	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82368G	45.70	68.20	-22.50	16.29	3	Vertical	91	1.51	29.41	40.15	8.95	32.81
PK	13.82344G	56.84	88.20	-31.36	16.28	3	Vertical	91	1.51	40.56	40.15	8.94	32.81

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80104G	45.79	68.20	-22.41	16.24	3	Horizontal	73	2.40	29.55	40.10	8.94	32.80
PK	13.7756G	57.43	88.20	-30.77	16.22	3	Horizontal	73	2.40	41.21	40.08	8.93	32.79

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0025G	81.10	Inf	-Inf	7.52	3	Vertical	15	2.26	73.58	35.81	6.45	34.74
AV	7.2035G	49.17	68.20	-19.03	8.63	3	Vertical	15	2.26	40.54	36.80	6.59	34.76
PK	7G	92.16	Inf	-Inf	7.51	3	Vertical	15	2.26	84.65	35.80	6.45	34.74
PK	7.2305G	61.13	88.20	-27.07	8.63	3	Vertical	15	2.26	52.50	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	72.35	Inf	-Inf	7.52	3	Horizontal	180	2.95	64.83	35.81	6.45	34.74
AV	7.217G	49.19	68.20	-19.01	8.63	3	Horizontal	180	2.95	40.56	36.80	6.60	34.77
PK	7.003G	83.93	Inf	-Inf	7.52	3	Horizontal	180	2.95	76.41	35.81	6.45	34.74
PK	7.226G	61.61	88.20	-26.59	8.63	3	Horizontal	180	2.95	52.98	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04984G	46.27	68.20	-21.93	16.52	3	Vertical	229	2.85	29.75	40.45	9.01	32.94
PK	14.04048G	57.99	88.20	-30.21	16.49	3	Vertical	229	2.85	41.50	40.42	9.00	32.93

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05928G	46.29	68.20	-21.91	16.54	3	Horizontal	150	1.61	29.75	40.48	9.01	32.95
PK	14.03112G	57.10	88.20	-31.10	16.47	3	Horizontal	150	1.61	40.63	40.39	9.00	32.92

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1019G	82.06	Inf	-Inf	8.09	3	Vertical	347	2.35	73.97	36.32	6.52	34.75
AV	7.2276G	49.17	68.20	-19.03	8.63	3	Vertical	347	2.35	40.54	36.80	6.60	34.77
PK	7.0995G	92.91	Inf	-Inf	8.07	3	Vertical	347	2.35	84.84	36.30	6.52	34.75
PK	7.1736G	60.82	88.20	-27.38	8.56	3	Vertical	347	2.35	52.26	36.75	6.57	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1004G	71.88	Inf	-Inf	8.07	3	Horizontal	327	1.06	63.81	36.30	6.52	34.75
AV	7.2243G	49.13	68.20	-19.07	8.63	3	Horizontal	327	1.06	40.50	36.80	6.60	34.77
PK	7.1001G	83.56	Inf	-Inf	8.07	3	Horizontal	327	1.06	75.49	36.30	6.52	34.75
PK	7.2288G	61.12	88.20	-27.08	8.63	3	Horizontal	327	1.06	52.49	36.80	6.60	34.77

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.11304G	46.38	68.20	-21.82	16.60	3	Vertical	65	2.38	29.78	40.59	9.03	33.02
PK	14.12728G	58.36	88.20	-29.84	16.56	3	Vertical	65	2.38	41.80	40.57	9.03	33.04

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14776G	46.42	68.20	-21.78	16.53	3	Horizontal	127	1.13	29.89	40.55	9.04	33.06
PK	14.15736G	57.68	88.20	-30.52	16.51	3	Horizontal	127	1.13	41.17	40.54	9.04	33.07

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.11873G	66.53	Inf	-Inf	8.39	3	Vertical	346	2.38	58.14	36.61	6.53	34.75
AV	7.1255G	52.53	68.20	-15.67	8.43	3	Vertical	346	2.38	44.10	36.65	6.54	34.76
PK	7.12105G	75.79	Inf	-Inf	8.41	3	Vertical	346	2.38	67.38	36.63	6.53	34.75
PK	7.1255G	62.81	88.20	-25.39	8.43	3	Vertical	346	2.38	54.38	36.65	6.54	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.11877G	56.86	Inf	-Inf	8.39	3	Horizontal	177	2.40	48.47	36.61	6.53	34.75
AV	7.1255G	50.84	68.20	-17.36	8.43	3	Horizontal	177	2.40	42.41	36.65	6.54	34.76
PK	7.12218G	66.44	Inf	-Inf	8.42	3	Horizontal	177	2.40	58.02	36.63	6.54	34.75
PK	7.1255G	59.67	88.20	-28.53	8.43	3	Horizontal	177	2.40	51.24	36.65	6.54	34.76

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2168G	44.49	68.20	-23.71	16.59	3	Vertical	216.1	1.50	27.90	40.67	9.06	33.14
PK	14.23951G	56.13	88.20	-32.07	16.52	3	Vertical	216.1	1.50	39.61	40.62	9.07	33.17

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.21548G	44.51	68.20	-23.69	16.59	3	Horizontal	276	1.50	27.92	40.67	9.06	33.14
PK	14.21932G	56.48	88.20	-31.72	16.57	3	Horizontal	276	1.50	39.91	40.66	9.06	33.15



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9131G	47.95	68.20	-20.25	5.93	3	Vertical	344	2.48	42.02	34.20	6.26	34.53
AV	5.9563G	87.69	Inf	-Inf	5.95	3	Vertical	344	2.48	81.74	34.19	6.28	34.52
PK	5.8354G	58.89	88.20	-29.31	5.66	3	Vertical	344	2.48	53.23	33.97	6.22	34.53
PK	5.9539G	97.77	Inf	-Inf	5.95	3	Vertical	344	2.48	91.82	34.19	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9101G	47.86	68.20	-20.34	5.93	3	Horizontal	189	2.84	41.93	34.20	6.26	34.53
AV	5.9467G	81.53	Inf	-Inf	5.95	3	Horizontal	189	2.84	75.58	34.20	6.27	34.52
PK	5.8561G	58.54	88.20	-29.66	5.72	3	Horizontal	189	2.84	52.82	34.02	6.23	34.53
PK	5.9527G	91.92	Inf	-Inf	5.95	3	Horizontal	189	2.84	85.97	34.19	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92502G	41.72	54.00	-12.28	12.43	3	Vertical	335	1.50	29.29	38.68	8.46	34.71
PK	11.93726G	54.19	74.00	-19.81	12.46	3	Vertical	335	1.50	41.73	38.71	8.46	34.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9258G	41.76	54.00	-12.24	12.43	3	Horizontal	247	2.56	29.33	38.68	8.46	34.71
PK	11.9225G	54.52	74.00	-19.48	12.42	3	Horizontal	247	2.56	42.10	38.67	8.46	34.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8999G	47.94	68.20	-20.26	5.92	3	Vertical	12	2.52	42.02	34.20	6.25	34.53
AV	5.9473G	87.41	Inf	-Inf	5.95	3	Vertical	12	2.52	81.46	34.20	6.27	34.52
PK	5.8978G	58.56	88.20	-29.64	5.91	3	Vertical	12	2.52	52.65	34.19	6.25	34.53
PK	5.9545G	98.14	Inf	-Inf	5.95	3	Vertical	12	2.52	92.19	34.19	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8987G	47.90	68.20	-20.30	5.91	3	Horizontal	173	2.90	41.99	34.19	6.25	34.53
AV	5.947G	80.80	Inf	-Inf	5.95	3	Horizontal	173	2.90	74.85	34.20	6.27	34.52
PK	5.896G	58.97	88.20	-29.23	5.90	3	Horizontal	173	2.90	53.07	34.18	6.25	34.53
PK	5.953G	90.67	Inf	-Inf	5.95	3	Horizontal	173	2.90	84.72	34.19	6.28	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92502G	41.76	54.00	-12.24	12.43	3	Vertical	90	2.76	29.33	38.68	8.46	34.71
PK	11.94464G	54.11	74.00	-19.89	12.48	3	Vertical	90	2.76	41.63	38.73	8.46	34.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92484G	41.74	54.00	-12.26	12.42	3	Horizontal	175	1.37	29.32	38.67	8.46	34.71
PK	11.9249G	53.75	74.00	-20.25	12.42	3	Horizontal	175	1.37	41.33	38.67	8.46	34.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9053G	47.91	68.20	-20.29	5.92	3	Vertical	345	2.38	41.99	34.20	6.25	34.53
AV	5.9563G	86.19	Inf	-Inf	5.95	3	Vertical	345	2.38	80.24	34.19	6.28	34.52
PK	5.9014G	59.24	88.20	-28.96	5.92	3	Vertical	345	2.38	53.32	34.20	6.25	34.53
PK	5.9473G	96.70	Inf	-Inf	5.95	3	Vertical	345	2.38	90.75	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	47.90	68.20	-20.30	5.93	3	Horizontal	188	2.91	41.97	34.20	6.26	34.53
AV	5.9488G	80.18	Inf	-Inf	5.95	3	Horizontal	188	2.91	74.23	34.20	6.27	34.52
PK	5.8513G	59.30	88.20	-28.90	5.71	3	Horizontal	188	2.91	53.59	34.01	6.23	34.53
PK	5.9464G	90.77	Inf	-Inf	5.95	3	Horizontal	188	2.91	84.82	34.20	6.27	34.52


5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX

5965MHz\_TX



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	48.06	68.20	-20.14	5.93	3	Vertical	357	2.51	42.13	34.20	6.26	34.53
AV	6.4026G	87.18	Inf	-Inf	6.76	3	Vertical	357	2.51	80.42	34.81	6.43	34.48
PK	5.8722G	59.70	88.20	-28.50	5.80	3	Vertical	357	2.51	53.90	34.09	6.24	34.53
PK	6.3978G	97.85	Inf	-Inf	6.74	3	Vertical	357	2.51	91.11	34.79	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	48.09	68.20	-20.11	5.92	3	Horizontal	206	2.96	42.17	34.20	6.25	34.53
AV	6.4014G	78.94	Inf	-Inf	6.76	3	Horizontal	206	2.96	72.18	34.81	6.43	34.48
PK	5.8494G	59.64	88.20	-28.56	5.69	3	Horizontal	206	2.96	53.95	34.00	6.22	34.53
PK	6.4026G	89.38	Inf	-Inf	6.76	3	Horizontal	206	2.96	82.62	34.81	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85768G	44.56	68.20	-23.64	14.40	3	Vertical	300	1.35	30.16	39.46	8.70	33.76
PK	12.84104G	55.69	88.20	-32.51	14.34	3	Vertical	300	1.35	41.35	39.44	8.69	33.79

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84872G	44.50	68.20	-23.70	14.38	3	Horizontal	244	1.88	30.12	39.45	8.70	33.77
PK	12.8652G	56.16	88.20	-32.04	14.43	3	Horizontal	244	1.88	41.73	39.47	8.70	33.74



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8782G	48.10	68.20	-20.10	5.82	3	Vertical	15	2.47	42.28	34.11	6.24	34.53
AV	6.4038G	87.63	Inf	-Inf	6.77	3	Vertical	15	2.47	80.86	34.82	6.43	34.48
PK	5.913G	60.05	88.20	-28.15	5.93	3	Vertical	15	2.47	54.12	34.20	6.26	34.53
PK	6.4038G	98.52	Inf	-Inf	6.77	3	Vertical	15	2.47	91.75	34.82	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	48.12	68.20	-20.08	5.93	3	Horizontal	176	3.00	42.19	34.20	6.26	34.53
AV	6.4014G	80.39	Inf	-Inf	6.76	3	Horizontal	176	3.00	73.63	34.81	6.43	34.48
PK	5.9082G	59.73	88.20	-28.47	5.92	3	Horizontal	176	3.00	53.81	34.20	6.25	34.53
PK	6.3942G	90.37	Inf	-Inf	6.73	3	Horizontal	176	3.00	83.64	34.78	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84264G	44.55	68.20	-23.65	14.35	3	Vertical	141	2.02	30.20	39.44	8.69	33.78
PK	12.80856G	55.97	88.20	-32.23	14.26	3	Vertical	141	2.02	41.71	39.41	8.69	33.84

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85224G	44.48	68.20	-23.72	14.38	3	Horizontal	209	1.35	30.10	39.45	8.70	33.77
PK	12.86328G	55.60	88.20	-32.60	14.41	3	Horizontal	209	1.35	41.19	39.46	8.70	33.75

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	48.01	68.20	-20.19	5.91	3	Vertical	348	2.47	42.10	34.19	6.25	34.53
AV	6.4026G	86.82	Inf	-Inf	6.76	3	Vertical	348	2.47	80.06	34.81	6.43	34.48
PK	5.9178G	58.99	88.20	-29.21	5.93	3	Vertical	348	2.47	53.06	34.20	6.26	34.53
PK	6.4014G	96.37	Inf	-Inf	6.76	3	Vertical	348	2.47	89.61	34.81	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	47.99	68.20	-20.21	5.92	3	Horizontal	175	3.00	42.07	34.20	6.25	34.53
AV	6.3882G	79.14	Inf	-Inf	6.69	3	Horizontal	175	3.00	72.45	34.75	6.42	34.48
PK	5.8278G	59.88	88.20	-28.32	5.64	3	Horizontal	175	3.00	54.24	33.96	6.21	34.53
PK	6.4014G	88.89	Inf	-Inf	6.76	3	Horizontal	175	3.00	82.13	34.81	6.43	34.48

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8572G	44.45	68.20	-23.75	14.40	3	Vertical	139	1.54	30.05	39.46	8.70	33.76
PK	12.81512G	55.87	88.20	-32.33	14.28	3	Vertical	139	1.54	41.59	39.42	8.69	33.83

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80008G	44.47	68.20	-23.73	14.22	3	Horizontal	4	1.12	30.25	39.40	8.68	33.86
PK	12.79696G	56.46	88.20	-31.74	14.21	3	Horizontal	4	1.12	42.25	39.39	8.68	33.86

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	48.10	68.20	-20.10	5.92	3	Vertical	355	2.37	42.18	34.20	6.25	34.53
AV	6.4366G	87.20	Inf	-Inf	6.92	3	Vertical	355	2.37	80.28	34.95	6.45	34.48
PK	5.863G	59.84	88.20	-28.36	5.75	3	Vertical	355	2.37	54.09	34.05	6.23	34.53
PK	6.4342G	98.04	Inf	-Inf	6.91	3	Vertical	355	2.37	91.13	34.94	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	48.11	68.20	-20.09	5.92	3	Horizontal	187	2.46	42.19	34.20	6.25	34.53
AV	6.4318G	78.17	Inf	-Inf	6.90	3	Horizontal	187	2.46	71.27	34.93	6.45	34.48
PK	5.8582G	60.09	88.20	-28.11	5.73	3	Horizontal	187	2.46	54.36	34.03	6.23	34.53
PK	6.4318G	88.51	Inf	-Inf	6.90	3	Horizontal	187	2.46	81.61	34.93	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9300G	44.59	68.20	-23.61	14.62	3	Vertical	114	1.41	29.97	39.53	8.72	33.63
PK	12.92944G	55.94	88.20	-32.26	14.62	3	Vertical	114	1.41	41.32	39.53	8.72	33.63

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96104G	44.54	68.20	-23.66	14.71	3	Horizontal	42	1.36	29.83	39.56	8.73	33.58
PK	12.9732G	56.48	88.20	-31.72	14.74	3	Horizontal	42	1.36	41.74	39.57	8.73	33.56

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	48.12	68.20	-20.08	5.92	3	Vertical	22	2.33	42.20	34.20	6.25	34.53
AV	6.4426G	87.54	Inf	-Inf	6.95	3	Vertical	22	2.33	80.59	34.97	6.46	34.48
PK	5.905G	59.10	88.20	-29.10	5.92	3	Vertical	22	2.33	53.18	34.20	6.25	34.53
PK	6.4294G	97.72	Inf	-Inf	6.89	3	Vertical	22	2.33	90.83	34.92	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	48.12	68.20	-20.08	5.91	3	Horizontal	169	3.00	42.21	34.19	6.25	34.53
AV	6.433G	80.12	Inf	-Inf	6.90	3	Horizontal	169	3.00	73.22	34.93	6.45	34.48
PK	5.9098G	59.58	88.20	-28.62	5.92	3	Horizontal	169	3.00	53.66	34.20	6.25	34.53
PK	6.4342G	91.54	Inf	-Inf	6.91	3	Horizontal	169	3.00	84.63	34.94	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9484G	44.63	68.20	-23.57	14.67	3	Vertical	183	1.81	29.96	39.55	8.72	33.60
PK	12.96296G	55.56	88.20	-32.64	14.72	3	Vertical	183	1.81	40.84	39.56	8.73	33.57

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9572G	44.57	68.20	-23.63	14.70	3	Horizontal	240	2.70	29.87	39.56	8.72	33.58
PK	12.94584G	56.48	88.20	-31.72	14.67	3	Horizontal	240	2.70	41.81	39.55	8.72	33.60



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	47.95	68.20	-20.25	5.91	3	Vertical	0	2.55	42.04	34.19	6.25	34.53
AV	6.4426G	85.76	Inf	-Inf	6.95	3	Vertical	0	2.55	78.81	34.97	6.46	34.48
PK	5.8966G	59.28	88.20	-28.92	5.91	3	Vertical	0	2.55	53.37	34.19	6.25	34.53
PK	6.4366G	96.26	Inf	-Inf	6.92	3	Vertical	0	2.55	89.34	34.95	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.96	68.20	-20.24	5.92	3	Horizontal	175	3.00	42.04	34.20	6.25	34.53
AV	6.4282G	78.64	Inf	-Inf	6.88	3	Horizontal	175	3.00	71.76	34.91	6.45	34.48
PK	5.851G	59.26	88.20	-28.94	5.70	3	Horizontal	175	3.00	53.56	34.00	6.23	34.53
PK	6.433G	89.89	Inf	-Inf	6.90	3	Horizontal	175	3.00	82.99	34.93	6.45	34.48

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95416G	44.59	68.20	-23.61	14.68	3	Vertical	124	1.85	29.91	39.55	8.72	33.59
PK	12.94152G	55.34	88.20	-32.86	14.65	3	Vertical	124	1.85	40.69	39.54	8.72	33.61

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92952G	44.60	68.20	-23.60	14.62	3	Horizontal	318	1.92	29.98	39.53	8.72	33.63
PK	12.93664G	55.75	88.20	-32.45	14.64	3	Horizontal	318	1.92	41.11	39.54	8.72	33.62

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5746G	88.17	Inf	-Inf	7.72	3	Vertical	354	2.49	80.45	35.70	6.53	34.51
AV	7.1566G	50.93	68.20	-17.27	8.80	3	Vertical	354	2.49	42.13	36.83	6.73	34.76
PK	6.5662G	98.56	Inf	-Inf	7.68	3	Vertical	354	2.49	90.88	35.66	6.53	34.51
PK	7.129G	61.64	88.20	-26.56	8.64	3	Vertical	354	2.49	53.00	36.67	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5746G	78.95	Inf	-Inf	7.72	3	Horizontal	331	1.00	71.23	35.70	6.53	34.51
AV	7.1638G	50.92	68.20	-17.28	8.84	3	Horizontal	331	1.00	42.08	36.86	6.74	34.76
PK	6.5746G	88.38	Inf	-Inf	7.72	3	Horizontal	331	1.00	80.66	35.70	6.53	34.51
PK	7.1614G	62.48	88.20	-25.72	8.83	3	Horizontal	331	1.00	53.65	36.85	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15544G	43.31	68.20	-24.89	15.00	3	Vertical	7	2.47	28.31	39.49	8.77	33.26
PK	13.14568G	54.41	88.20	-33.79	15.01	3	Vertical	7	2.47	39.40	39.51	8.77	33.27

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15848G	43.28	68.20	-24.92	15.01	3	Horizontal	24	1.57	28.27	39.48	8.78	33.25
PK	13.14808G	54.09	88.20	-34.11	15.00	3	Horizontal	24	1.57	39.09	39.50	8.77	33.27

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5758G	88.96	Inf	-Inf	7.73	3	Vertical	22	2.43	81.23	35.70	6.54	34.51
AV	7.1638G	50.90	68.20	-17.30	8.84	3	Vertical	22	2.43	42.06	36.86	6.74	34.76
PK	6.5782G	98.96	Inf	-Inf	7.74	3	Vertical	22	2.43	91.22	35.71	6.54	34.51
PK	7.1494G	62.41	88.20	-25.79	8.77	3	Vertical	22	2.43	53.64	36.80	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5674G	81.55	Inf	-Inf	7.69	3	Horizontal	178	2.98	73.86	35.67	6.53	34.51
AV	7.153G	50.95	68.20	-17.25	8.78	3	Horizontal	178	2.98	42.17	36.81	6.73	34.76
PK	6.5782G	92.18	Inf	-Inf	7.74	3	Horizontal	178	2.98	84.44	35.71	6.54	34.51
PK	7.1578G	62.17	88.20	-26.03	8.81	3	Horizontal	178	2.98	53.36	36.83	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12184G	43.40	68.20	-24.80	15.02	3	Vertical	170	1.96	28.38	39.56	8.77	33.31
PK	13.1484G	54.73	88.20	-33.47	15.00	3	Vertical	170	1.96	39.73	39.50	8.77	33.27

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12856G	43.38	68.20	-24.82	15.01	3	Horizontal	33	1.58	28.37	39.54	8.77	33.30
PK	13.12288G	55.00	88.20	-33.20	15.01	3	Horizontal	33	1.58	39.99	39.55	8.77	33.31

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.577G	87.32	Inf	-Inf	7.74	3	Vertical	352	2.48	79.58	35.71	6.54	34.51
AV	7.1578G	50.77	68.20	-17.43	8.81	3	Vertical	352	2.48	41.96	36.83	6.74	34.76
PK	6.5758G	98.01	Inf	-Inf	7.73	3	Vertical	352	2.48	90.28	35.70	6.54	34.51
PK	7.1542G	61.67	88.20	-26.53	8.79	3	Vertical	352	2.48	52.88	36.82	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5782G	79.70	Inf	-Inf	7.74	3	Horizontal	177	2.79	71.96	35.71	6.54	34.51
AV	7.1578G	50.74	68.20	-17.46	8.81	3	Horizontal	177	2.79	41.93	36.83	6.74	34.76
PK	6.5758G	90.60	Inf	-Inf	7.73	3	Horizontal	177	2.79	82.87	35.70	6.54	34.51
PK	7.1374G	61.72	88.20	-26.48	8.69	3	Horizontal	177	2.79	53.03	36.72	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.146G	43.44	68.20	-24.76	15.01	3	Vertical	61	2.94	28.43	39.51	8.77	33.27
PK	13.14248G	54.30	88.20	-33.90	15.01	3	Vertical	61	2.94	39.29	39.52	8.77	33.28

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15992G	43.37	68.20	-24.83	15.01	3	Horizontal	86	1.11	28.36	39.48	8.78	33.25
PK	13.15672G	54.36	88.20	-33.84	15.01	3	Horizontal	86	1.11	39.35	39.49	8.77	33.25



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8471G	85.12	Inf	-Inf	7.85	3	Vertical	1	2.55	77.27	35.91	6.60	34.66
AV	7.188G	51.05	68.20	-17.15	8.94	3	Vertical	1	2.55	42.11	36.95	6.75	34.76
PK	6.8499G	95.93	Inf	-Inf	7.84	3	Vertical	1	2.55	88.09	35.90	6.60	34.66
PK	7.1509G	62.43	88.20	-25.77	8.77	3	Vertical	1	2.55	53.66	36.80	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8492G	76.15	Inf	-Inf	7.84	3	Horizontal	330	1.18	68.31	35.90	6.60	34.66
AV	7.1754G	51.04	68.20	-17.16	8.88	3	Horizontal	330	1.18	42.16	36.90	6.74	34.76
PK	6.852G	86.69	Inf	-Inf	7.85	3	Horizontal	330	1.18	78.84	35.90	6.61	34.66
PK	7.1922G	64.13	88.20	-24.07	8.96	3	Horizontal	330	1.18	55.17	36.97	6.75	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.61144G	44.40	68.20	-23.80	16.34	3	Vertical	318	2.98	28.06	40.18	8.89	32.73
PK	13.61904G	55.84	88.20	-32.36	16.31	3	Vertical	318	2.98	39.53	40.16	8.89	32.74

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6108G	44.38	68.20	-23.82	16.34	3	Horizontal	13	1.07	28.04	40.18	8.89	32.73
PK	13.61576G	55.47	88.20	-32.73	16.33	3	Horizontal	13	1.07	39.14	40.17	8.89	32.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8478G	89.27	Inf	-Inf	7.84	3	Vertical	23	2.53	81.43	35.90	6.60	34.66
AV	7.1698G	51.02	68.20	-17.18	8.86	3	Vertical	23	2.53	42.16	36.88	6.74	34.76
PK	6.8583G	100.66	Inf	-Inf	7.85	3	Vertical	23	2.53	92.81	35.90	6.61	34.66
PK	7.1915G	62.87	88.20	-25.33	8.96	3	Vertical	23	2.53	53.91	36.97	6.75	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8555G	81.47	Inf	-Inf	7.85	3	Horizontal	175	3.00	73.62	35.90	6.61	34.66
AV	7.1894G	50.99	68.20	-17.21	8.95	3	Horizontal	175	3.00	42.04	36.96	6.75	34.76
PK	6.8583G	92.99	Inf	-Inf	7.85	3	Horizontal	175	3.00	85.14	35.90	6.61	34.66
PK	7.1789G	62.82	88.20	-25.38	8.90	3	Horizontal	175	3.00	53.92	36.92	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6108G	44.41	68.20	-23.79	16.34	3	Vertical	28	1.19	28.07	40.18	8.89	32.73
PK	13.61752G	56.09	88.20	-32.11	16.32	3	Vertical	28	1.19	39.77	40.16	8.89	32.73

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.63592G	44.50	68.20	-23.70	16.29	3	Horizontal	262	2.57	28.21	40.13	8.90	32.74
PK	13.63144G	55.35	88.20	-32.85	16.30	3	Horizontal	262	2.57	39.05	40.14	8.90	32.74

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8471G	86.55	Inf	-Inf	7.85	3	Vertical	20	2.34	78.70	35.91	6.60	34.66
AV	7.146G	50.86	68.20	-17.34	8.75	3	Vertical	20	2.34	42.11	36.78	6.73	34.76
PK	6.8471G	98.69	Inf	-Inf	7.85	3	Vertical	20	2.34	90.84	35.91	6.60	34.66
PK	7.16G	62.09	88.20	-26.11	8.82	3	Vertical	20	2.34	53.27	36.84	6.74	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8471G	78.37	Inf	-Inf	7.85	3	Horizontal	178	2.90	70.52	35.91	6.60	34.66
AV	7.1761G	50.84	68.20	-17.36	8.88	3	Horizontal	178	2.90	41.96	36.90	6.74	34.76
PK	6.8506G	89.59	Inf	-Inf	7.85	3	Horizontal	178	2.90	81.74	35.90	6.61	34.66
PK	7.1509G	62.00	88.20	-26.20	8.77	3	Horizontal	178	2.90	53.23	36.80	6.73	34.76

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64664G	44.52	68.20	-23.68	16.26	3	Vertical	138	1.63	28.26	40.11	8.90	32.75
PK	13.64056G	55.79	88.20	-32.41	16.28	3	Vertical	138	1.63	39.51	40.12	8.90	32.74

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


6845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.62216G	44.46	68.20	-23.74	16.31	3	Horizontal	238	1.50	28.15	40.16	8.89	32.74
PK	13.61368G	56.19	88.20	-32.01	16.33	3	Horizontal	238	1.50	39.86	40.17	8.89	32.73

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.103G	88.92	Inf	-Inf	8.49	3	Vertical	345	2.40	80.43	36.52	6.72	34.75
AV	7.1975G	50.91	68.20	-17.29	8.98	3	Vertical	345	2.40	41.93	36.99	6.75	34.76
PK	7.0958G	99.97	Inf	-Inf	8.43	3	Vertical	345	2.40	91.54	36.47	6.71	34.75
PK	7.1861G	61.43	88.20	-26.77	8.93	3	Vertical	345	2.40	52.50	36.94	6.75	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0892G	79.81	Inf	-Inf	8.40	3	Horizontal	186	2.66	71.41	36.44	6.71	34.75
AV	7.2239G	50.94	68.20	-17.26	9.05	3	Horizontal	186	2.66	41.89	37.05	6.77	34.77
PK	7.0928G	89.88	Inf	-Inf	8.42	3	Horizontal	186	2.66	81.46	36.46	6.71	34.75
PK	7.2194G	61.59	88.20	-26.61	9.03	3	Horizontal	186	2.66	52.56	37.04	6.76	34.77

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14072G	44.57	68.20	-23.63	16.63	3	Vertical	35	1.50	27.94	40.64	9.04	33.05
PK	14.17834G	56.79	88.20	-31.41	16.63	3	Vertical	35	1.50	40.16	40.68	9.05	33.10

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14018G	44.50	68.20	-23.70	16.63	3	Horizontal	190	1.50	27.87	40.64	9.04	33.05
PK	14.1961G	56.47	88.20	-31.73	16.64	3	Horizontal	190	1.50	39.83	40.70	9.06	33.12



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0868G	84.04	Inf	-Inf	8.38	3	Vertical	16	2.32	75.66	36.42	6.71	34.75
AV	7.1996G	50.98	68.20	-17.22	8.99	3	Vertical	16	2.32	41.99	37.00	6.75	34.76
PK	7.097G	94.41	Inf	-Inf	8.44	3	Vertical	16	2.32	85.97	36.48	6.71	34.75
PK	7.1729G	61.50	88.20	-26.70	8.87	3	Vertical	16	2.32	52.63	36.89	6.74	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0976G	75.20	Inf	-Inf	8.45	3	Horizontal	28	2.28	66.75	36.49	6.71	34.75
AV	7.199G	50.89	68.20	-17.31	8.99	3	Horizontal	28	2.28	41.90	37.00	6.75	34.76
PK	7.1015G	86.19	Inf	-Inf	8.48	3	Horizontal	28	2.28	77.71	36.51	6.72	34.75
PK	7.1801G	62.00	88.20	-26.20	8.90	3	Horizontal	28	2.28	53.10	36.92	6.74	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14006G	44.50	68.20	-23.70	16.94	3	Vertical	256	1.50	27.56	40.64	9.35	33.05
PK	14.14948G	57.19	88.20	-31.01	16.95	3	Vertical	256	1.50	40.24	40.65	9.36	33.06

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14216G	44.58	68.20	-23.62	16.94	3	Horizontal	150	1.50	27.64	40.64	9.35	33.05
PK	14.15374G	56.53	88.20	-31.67	16.94	3	Horizontal	150	1.50	39.59	40.65	9.36	33.07

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1G	86.36	Inf	-Inf	8.46	3	Vertical	344	2.30	77.90	36.50	6.71	34.75
AV	7.2197G	50.86	68.20	-17.34	9.03	3	Vertical	344	2.30	41.83	37.04	6.76	34.77
PK	7.0988G	97.08	Inf	-Inf	8.45	3	Vertical	344	2.30	88.63	36.49	6.71	34.75
PK	7.154G	61.37	88.20	-26.83	8.79	3	Vertical	344	2.30	52.58	36.82	6.73	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1G	77.12	Inf	-Inf	8.46	3	Horizontal	170	2.85	68.66	36.50	6.71	34.75
AV	7.2014G	50.85	68.20	-17.35	8.99	3	Horizontal	170	2.85	41.86	37.00	6.75	34.76
PK	7.1015G	86.54	Inf	-Inf	8.48	3	Horizontal	170	2.85	78.06	36.51	6.72	34.75
PK	7.1984G	61.29	88.20	-26.91	8.98	3	Horizontal	170	2.85	52.31	36.99	6.75	34.76

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14018G	44.53	68.20	-23.67	16.63	3	Vertical	20	1.09	27.90	40.64	9.04	33.05
PK	14.16736G	56.27	88.20	-31.93	16.64	3	Vertical	20	1.09	39.63	40.67	9.05	33.08

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.14114G	44.47	68.20	-23.73	16.63	3	Horizontal	20	2.16	27.84	40.64	9.04	33.05
PK	14.15326G	57.01	88.20	-31.19	16.62	3	Horizontal	20	2.16	40.39	40.65	9.04	33.07

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.906G	48.28	68.20	-19.92	5.92	3	Vertical	346	2.32	42.36	34.20	6.25	34.53
AV	5.9505G	86.67	Inf	-Inf	5.96	3	Vertical	346	2.32	80.71	34.20	6.28	34.52
PK	5.898G	60.46	88.20	-27.74	5.91	3	Vertical	346	2.32	54.55	34.19	6.25	34.53
PK	5.9495G	98.22	Inf	-Inf	5.95	3	Vertical	346	2.32	92.27	34.20	6.27	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	48.07	68.20	-20.13	5.92	3	Horizontal	188	2.51	42.15	34.20	6.25	34.53
AV	5.9675G	79.33	Inf	-Inf	5.93	3	Horizontal	188	2.51	73.40	34.17	6.28	34.52
PK	5.8715G	59.70	88.20	-28.50	5.80	3	Horizontal	188	2.51	53.90	34.09	6.24	34.53
PK	5.975G	90.54	Inf	-Inf	5.92	3	Horizontal	188	2.51	84.62	34.15	6.29	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02988G	42.18	54.00	-11.82	12.74	3	Vertical	2	2.37	29.44	38.96	8.49	34.71
PK	11.96484G	54.34	74.00	-19.66	12.54	3	Vertical	2	2.37	41.80	38.79	8.47	34.72

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00844G	42.18	54.00	-11.82	12.68	3	Horizontal	240	1.50	29.50	38.92	8.48	34.72
PK	11.99068G	54.71	74.00	-19.29	12.62	3	Horizontal	240	1.50	42.09	38.87	8.48	34.73

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	48.04	68.20	-20.16	5.92	3	Vertical	21	2.53	42.12	34.20	6.25	34.53
AV	5.97G	76.85	Inf	-Inf	5.93	3	Vertical	21	2.53	70.92	34.16	6.29	34.52
PK	5.9175G	59.84	88.20	-28.36	5.93	3	Vertical	21	2.53	53.91	34.20	6.26	34.53
PK	5.971G	87.65	Inf	-Inf	5.93	3	Vertical	21	2.53	81.72	34.16	6.29	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.89G	48.04	68.20	-20.16	5.88	3	Horizontal	179	2.79	42.16	34.16	6.25	34.53
AV	5.9525G	70.08	Inf	-Inf	5.96	3	Horizontal	179	2.79	64.12	34.20	6.28	34.52
PK	5.891G	59.87	88.20	-28.33	5.88	3	Horizontal	179	2.79	53.99	34.16	6.25	34.53
PK	5.95G	81.34	Inf	-Inf	5.96	3	Horizontal	179	2.79	75.38	34.20	6.28	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0282G	42.20	54.00	-11.80	12.74	3	Vertical	270	1.50	29.46	38.96	8.49	34.71
PK	11.92476G	54.34	74.00	-19.66	12.42	3	Vertical	270	1.50	41.92	38.67	8.46	34.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.01532G	42.16	54.00	-11.84	12.69	3	Horizontal	277	1.50	29.47	38.93	8.48	34.72
PK	11.99904G	53.94	74.00	-20.06	12.65	3	Horizontal	277	1.50	41.29	38.90	8.48	34.73



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9045G	47.85	68.20	-20.35	5.92	3	Vertical	360	2.38	41.93	34.20	6.25	34.53
AV	5.9625G	85.55	Inf	-Inf	5.94	3	Vertical	360	2.38	79.61	34.18	6.28	34.52
PK	5.8865G	58.97	88.20	-29.23	5.86	3	Vertical	360	2.38	53.11	34.15	6.24	34.53
PK	5.961G	94.72	Inf	-Inf	5.94	3	Vertical	360	2.38	88.78	34.18	6.28	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	47.79	68.20	-20.41	5.92	3	Horizontal	178	2.83	41.87	34.20	6.25	34.53
AV	5.9485G	79.67	Inf	-Inf	5.95	3	Horizontal	178	2.83	73.72	34.20	6.27	34.52
PK	5.839G	58.63	88.20	-29.57	5.67	3	Horizontal	178	2.83	52.96	33.98	6.22	34.53
PK	5.961G	88.60	Inf	-Inf	5.94	3	Horizontal	178	2.83	82.66	34.18	6.28	34.52

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02832G	42.23	54.00	-11.77	12.74	3	Vertical	170	1.46	29.49	38.96	8.49	34.71
PK	11.9412G	53.73	74.00	-20.27	12.47	3	Vertical	170	1.46	41.26	38.72	8.46	34.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02976G	42.19	54.00	-11.81	12.74	3	Horizontal	63	1.50	29.45	38.96	8.49	34.71
PK	11.99124G	53.67	74.00	-20.33	12.62	3	Horizontal	63	1.50	41.05	38.87	8.48	34.73

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9064G	48.09	68.20	-20.11	5.92	3	Vertical	355	2.36	42.17	34.20	6.25	34.53
AV	6.4496G	86.54	Inf	-Inf	6.98	3	Vertical	355	2.36	79.56	35.00	6.46	34.48
AV	7.1594G	50.87	68.20	-17.33	8.82	3	Vertical	355	2.36	42.05	36.84	6.74	34.76
PK	5.8084G	59.03	88.20	-29.17	5.58	3	Vertical	355	2.36	53.45	33.92	6.20	34.54
PK	6.4468G	96.97	Inf	-Inf	6.97	3	Vertical	355	2.36	90.00	34.99	6.46	34.48
PK	7.165G	61.98	88.20	-26.22	8.84	3	Vertical	355	2.36	53.14	36.86	6.74	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	48.06	68.20	-20.14	5.92	3	Horizontal	332	1.00	42.14	34.20	6.25	34.53
AV	6.4622G	77.69	Inf	-Inf	7.05	3	Horizontal	332	1.00	70.64	35.05	6.47	34.47
AV	7.165G	50.89	68.20	-17.31	8.84	3	Horizontal	332	1.00	42.05	36.86	6.74	34.76
PK	5.8448G	59.20	88.20	-29.00	5.68	3	Horizontal	332	1.00	53.52	33.99	6.22	34.53
PK	6.4622G	88.45	Inf	-Inf	7.05	3	Horizontal	332	1.00	81.40	35.05	6.47	34.47
PK	7.1468G	61.50	88.20	-26.70	8.75	3	Horizontal	332	1.00	52.75	36.78	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9532G	43.16	68.20	-25.04	14.68	3	Vertical	8	2.70	28.48	39.55	8.72	33.59
PK	12.96168G	54.73	88.20	-33.47	14.71	3	Vertical	8	2.70	40.02	39.56	8.73	33.58

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9196G	43.09	68.20	-25.11	14.58	3	Horizontal	58	2.47	28.51	39.52	8.71	33.65
PK	12.88776G	54.23	88.20	-33.97	14.49	3	Horizontal	58	2.47	39.74	39.49	8.71	33.71

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9064G	48.15	68.20	-20.05	5.92	3	Vertical	12	2.38	42.23	34.20	6.25	34.53
AV	6.4594G	88.19	Inf	-Inf	7.04	3	Vertical	12	2.38	81.15	35.04	6.47	34.47
AV	7.1552G	50.95	68.20	-17.25	8.79	3	Vertical	12	2.38	42.16	36.82	6.73	34.76
PK	5.8028G	60.13	88.20	-28.07	5.57	3	Vertical	12	2.38	54.56	33.91	6.20	34.54
PK	6.4482G	99.11	Inf	-Inf	6.97	3	Vertical	12	2.38	92.14	34.99	6.46	34.48
PK	7.1608G	62.23	88.20	-25.97	8.82	3	Vertical	12	2.38	53.41	36.84	6.74	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	48.15	68.20	-20.05	5.90	3	Horizontal	178	2.84	42.25	34.18	6.25	34.53
AV	6.4622G	80.63	Inf	-Inf	7.05	3	Horizontal	178	2.84	73.58	35.05	6.47	34.47
AV	7.1636G	50.90	68.20	-17.30	8.83	3	Horizontal	178	2.84	42.07	36.85	6.74	34.76
PK	5.7818G	59.88	88.20	-28.32	5.48	3	Horizontal	178	2.84	54.40	33.83	6.19	34.54
PK	6.4496G	90.73	Inf	-Inf	6.98	3	Horizontal	178	2.84	83.75	35.00	6.46	34.48
PK	7.1356G	61.91	88.20	-26.29	8.68	3	Horizontal	178	2.84	53.23	36.71	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0036G	43.17	68.20	-25.03	14.84	3	Vertical	149	1.26	28.33	39.60	8.74	33.50
PK	12.99988G	54.33	88.20	-33.87	14.82	3	Vertical	149	1.26	39.51	39.60	8.73	33.51

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.999932G	43.20	68.20	-25.00	14.82	3	Horizontal	52	2.57	28.38	39.60	8.73	33.51
PK	13.00856G	54.74	88.20	-33.46	14.84	3	Horizontal	52	2.57	39.90	39.60	8.74	33.50

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8952G	47.93	68.20	-20.27	5.90	3	Vertical	0	2.36	42.03	34.18	6.25	34.53
AV	6.4608G	86.05	Inf	-Inf	7.04	3	Vertical	0	2.36	79.01	35.04	6.47	34.47
AV	7.1636G	50.68	68.20	-17.52	8.83	3	Vertical	0	2.36	41.85	36.85	6.74	34.76
PK	5.7944G	58.83	88.20	-29.37	5.54	3	Vertical	0	2.36	53.29	33.88	6.20	34.54
PK	6.4552G	95.85	Inf	-Inf	7.01	3	Vertical	0	2.36	88.84	35.02	6.46	34.47
PK	7.1426G	61.84	88.20	-26.36	8.73	3	Vertical	0	2.36	53.11	36.76	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	47.88	68.20	-20.32	5.92	3	Horizontal	170	3.00	41.96	34.20	6.25	34.53
AV	6.4468G	77.76	Inf	-Inf	6.97	3	Horizontal	170	3.00	70.79	34.99	6.46	34.48
AV	7.1594G	50.63	68.20	-17.57	8.82	3	Horizontal	170	3.00	41.81	36.84	6.74	34.76
PK	5.772G	59.73	88.20	-28.47	5.43	3	Horizontal	170	3.00	54.30	33.79	6.18	34.54
PK	6.4482G	88.23	Inf	-Inf	6.97	3	Horizontal	170	3.00	81.26	34.99	6.46	34.48
PK	7.151G	62.16	88.20	-26.04	8.77	3	Horizontal	170	3.00	53.39	36.80	6.73	34.76

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9468G	43.10	68.20	-25.10	14.67	3	Vertical	161	1.21	28.43	39.55	8.72	33.60
PK	12.94584G	54.14	88.20	-34.06	14.67	3	Vertical	161	1.21	39.47	39.55	8.72	33.60

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9236G	43.12	68.20	-25.08	14.60	3	Horizontal	302	2.06	28.52	39.52	8.72	33.64
PK	12.92784G	54.87	88.20	-33.33	14.61	3	Horizontal	302	2.06	40.26	39.53	8.72	33.64



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7892G	86.82	Inf	-Inf	7.95	3	Vertical	352	2.35	78.87	36.00	6.58	34.63
AV	7.1343G	50.67	68.20	-17.53	8.68	3	Vertical	352	2.35	41.99	36.71	6.73	34.76
PK	6.792G	97.43	Inf	-Inf	7.95	3	Vertical	352	2.35	89.48	36.00	6.58	34.63
PK	7.1308G	61.49	88.20	-26.71	8.65	3	Vertical	352	2.35	52.84	36.68	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7976G	77.26	Inf	-Inf	7.95	3	Horizontal	332	1.08	69.31	36.00	6.58	34.63
AV	7.1322G	50.70	68.20	-17.50	8.66	3	Horizontal	332	1.08	42.04	36.69	6.73	34.76
PK	6.8004G	88.25	Inf	-Inf	7.95	3	Horizontal	332	1.08	80.30	36.00	6.58	34.63
PK	7.1273G	61.31	88.20	-26.89	8.62	3	Horizontal	332	1.08	52.69	36.66	6.72	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.626G	44.50	68.20	-23.70	16.30	3	Vertical	326	1.48	28.20	40.15	8.89	32.74
PK	13.6232G	55.52	88.20	-32.68	16.30	3	Vertical	326	1.48	39.22	40.15	8.89	32.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.60648G	44.61	68.20	-23.59	16.35	3	Horizontal	24	2.57	28.26	40.19	8.89	32.73
PK	13.60312G	56.05	88.20	-32.15	16.35	3	Horizontal	24	2.57	39.70	40.19	8.89	32.73

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7871G	90.22	Inf	-Inf	7.95	3	Vertical	17	2.47	82.27	36.00	6.58	34.63
AV	7.1343G	50.67	68.20	-17.53	8.68	3	Vertical	17	2.47	41.99	36.71	6.73	34.76
PK	6.806G	102.00	Inf	-Inf	7.93	3	Vertical	17	2.47	94.07	35.99	6.58	34.64
PK	7.1315G	61.77	88.20	-26.43	8.66	3	Vertical	17	2.47	53.11	36.69	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7899G	81.92	Inf	-Inf	7.95	3	Horizontal	181	2.60	73.97	36.00	6.58	34.63
AV	7.1301G	50.68	68.20	-17.52	8.65	3	Horizontal	181	2.60	42.03	36.68	6.73	34.76
PK	6.7913G	93.18	Inf	-Inf	7.95	3	Horizontal	181	2.60	85.23	36.00	6.58	34.63
PK	7.1322G	61.40	88.20	-26.80	8.66	3	Horizontal	181	2.60	52.74	36.69	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.602G	44.61	68.20	-23.59	16.36	3	Vertical	344	1.91	28.25	40.20	8.89	32.73
PK	13.61176G	55.55	88.20	-32.65	16.34	3	Vertical	344	1.91	39.21	40.18	8.89	32.73

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.60408G	44.50	68.20	-23.70	16.35	3	Horizontal	133	2.55	28.15	40.19	8.89	32.73
PK	13.62232G	55.63	88.20	-32.57	16.31	3	Horizontal	133	2.55	39.32	40.16	8.89	32.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7906G	87.22	Inf	-Inf	7.95	3	Vertical	348	2.31	79.27	36.00	6.58	34.63
AV	7.1322G	50.59	68.20	-17.61	8.66	3	Vertical	348	2.31	41.93	36.69	6.73	34.76
PK	6.7899G	97.58	Inf	-Inf	7.95	3	Vertical	348	2.31	89.63	36.00	6.58	34.63
PK	7.1336G	61.57	88.20	-26.63	8.67	3	Vertical	348	2.31	52.90	36.70	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7941G	78.31	Inf	-Inf	7.95	3	Horizontal	172	2.69	70.36	36.00	6.58	34.63
AV	7.1322G	50.55	68.20	-17.65	8.66	3	Horizontal	172	2.69	41.89	36.69	6.73	34.76
PK	6.7913G	89.53	Inf	-Inf	7.95	3	Horizontal	172	2.69	81.58	36.00	6.58	34.63
PK	7.1294G	61.33	88.20	-26.87	8.65	3	Horizontal	172	2.69	52.68	36.68	6.73	34.76

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.60184G	44.58	68.20	-23.62	16.36	3	Vertical	337	1.98	28.22	40.20	8.89	32.73
PK	13.60168G	55.51	88.20	-32.69	16.36	3	Vertical	337	1.98	39.15	40.20	8.89	32.73

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.61496G	44.58	68.20	-23.62	16.33	3	Horizontal	1	2.23	28.25	40.17	8.89	32.73
PK	13.6212G	55.75	88.20	-32.45	16.31	3	Horizontal	1	2.23	39.44	40.16	8.89	32.74

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0595G	87.36	Inf	-Inf	8.21	3	Vertical	352	2.28	79.15	36.26	6.70	34.75
AV	7.16G	51.05	68.20	-17.15	8.82	3	Vertical	352	2.28	42.23	36.84	6.74	34.76
PK	7.0589G	98.86	Inf	-Inf	8.20	3	Vertical	352	2.28	90.66	36.25	6.70	34.75
PK	7.1282G	62.99	88.20	-25.21	8.63	3	Vertical	352	2.28	54.36	36.67	6.72	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0628G	78.76	Inf	-Inf	8.23	3	Horizontal	329	1.03	70.53	36.28	6.70	34.75
AV	7.1696G	51.02	68.20	-17.18	8.86	3	Horizontal	329	1.03	42.16	36.88	6.74	34.76
PK	7.0607G	90.32	Inf	-Inf	8.21	3	Horizontal	329	1.03	82.11	36.26	6.70	34.75
PK	7.1435G	62.62	88.20	-25.58	8.73	3	Horizontal	329	1.03	53.89	36.76	6.73	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03176G	44.49	68.20	-23.71	16.48	3	Vertical	147	1.28	28.01	40.40	9.00	32.92
PK	14.10724G	56.62	88.20	-31.58	16.63	3	Vertical	147	1.28	39.99	40.61	9.03	33.01

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0284G	44.52	68.20	-23.68	16.48	3	Horizontal	122	1.50	28.04	40.39	9.00	32.91
PK	14.09536G	56.41	88.20	-31.79	16.61	3	Horizontal	122	1.50	39.80	40.59	9.02	33.00



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0277G	76.36	Inf	-Inf	8.06	3	Vertical	21	2.34	68.30	36.11	6.69	34.74
AV	7.1696G	51.02	68.20	-17.18	8.86	3	Vertical	21	2.34	42.16	36.88	6.74	34.76
PK	7.0301G	87.52	Inf	-Inf	8.07	3	Vertical	21	2.34	79.45	36.12	6.69	34.74
PK	7.163G	62.70	88.20	-25.50	8.83	3	Vertical	21	2.34	53.87	36.85	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0277G	68.09	Inf	-Inf	8.06	3	Horizontal	175	2.91	60.03	36.11	6.69	34.74
AV	7.1639G	51.02	68.20	-17.18	8.84	3	Horizontal	175	2.91	42.18	36.86	6.74	34.76
PK	7.0337G	79.09	Inf	-Inf	8.08	3	Horizontal	175	2.91	71.01	36.13	6.69	34.74
PK	7.1618G	62.70	88.20	-25.50	8.83	3	Horizontal	175	2.91	53.87	36.85	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03188G	44.58	68.20	-23.62	16.48	3	Vertical	72	1.84	28.10	40.40	9.00	32.92
PK	14.09776G	56.49	88.20	-31.71	16.61	3	Vertical	72	1.84	39.88	40.59	9.02	33.00

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03272G	44.52	68.20	-23.68	16.48	3	Horizontal	355	1.28	28.04	40.40	9.00	32.92
PK	14.03164G	56.67	88.20	-31.53	16.47	3	Horizontal	355	1.28	40.20	40.39	9.00	32.92

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0628G	85.48	Inf	-Inf	8.23	3	Vertical	347	2.39	77.25	36.28	6.70	34.75
AV	7.1708G	50.77	68.20	-17.43	8.86	3	Vertical	347	2.39	41.91	36.88	6.74	34.76
PK	7.0571G	95.36	Inf	-Inf	8.19	3	Vertical	347	2.39	87.17	36.24	6.70	34.75
PK	7.1693G	61.18	88.20	-27.02	8.86	3	Vertical	347	2.39	52.32	36.88	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0613G	76.05	Inf	-Inf	8.22	3	Horizontal	183	2.59	67.83	36.27	6.70	34.75
AV	7.175G	50.82	68.20	-17.38	8.88	3	Horizontal	183	2.59	41.94	36.90	6.74	34.76
PK	7.0595G	85.90	Inf	-Inf	8.21	3	Horizontal	183	2.59	77.69	36.26	6.70	34.75
PK	7.1642G	61.23	88.20	-26.97	8.84	3	Horizontal	183	2.59	52.39	36.86	6.74	34.76

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0332G	44.53	68.20	-23.67	16.48	3	Vertical	31	1.50	28.05	40.40	9.00	32.92
PK	14.10928G	57.19	88.20	-31.01	16.63	3	Vertical	31	1.50	40.56	40.61	9.03	33.01

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.035G	44.49	68.20	-23.71	16.48	3	Horizontal	225	2.67	28.01	40.40	9.00	32.92
PK	14.06176G	56.42	88.20	-31.78	16.54	3	Horizontal	225	2.67	39.88	40.49	9.01	32.96

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	47.82	68.20	-20.38	5.93	3	Vertical	344	2.59	41.89	34.20	6.26	34.53
AV	5.9815G	86.03	Inf	-Inf	5.91	3	Vertical	344	2.59	80.12	34.14	6.29	34.52
PK	5.924G	61.46	88.20	-26.74	5.93	3	Vertical	344	2.59	55.53	34.20	6.26	34.53
PK	5.976G	97.24	Inf	-Inf	5.92	3	Vertical	344	2.59	91.32	34.15	6.29	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9055G	47.00	68.20	-21.20	5.92	3	Horizontal	197	3.00	41.08	34.20	6.25	34.53
AV	5.974G	79.79	Inf	-Inf	5.92	3	Horizontal	197	3.00	73.87	34.15	6.29	34.52
PK	5.836G	58.16	88.20	-30.04	5.66	3	Horizontal	197	3.00	52.50	33.97	6.22	34.53
PK	5.968G	91.26	Inf	-Inf	5.92	3	Horizontal	197	3.00	85.34	34.16	6.28	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.09944G	42.34	54.00	-11.66	12.95	3	Vertical	110	2.09	29.39	39.10	8.51	34.66
PK	12.15344G	54.71	74.00	-19.29	12.95	3	Vertical	110	2.09	41.76	39.05	8.52	34.62

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.14456G	42.32	54.00	-11.68	12.95	3	Horizontal	100	1.50	29.37	39.06	8.52	34.63
PK	12.0728G	54.09	74.00	-19.91	12.87	3	Horizontal	100	1.50	41.22	39.05	8.50	34.68

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	47.38	68.20	-20.82	5.93	3	Vertical	10	2.73	41.45	34.20	6.26	34.53
AV	5.999G	85.93	Inf	-Inf	5.88	3	Vertical	10	2.73	80.05	34.10	6.30	34.52
PK	5.8985G	58.68	88.20	-29.52	5.91	3	Vertical	10	2.73	52.77	34.19	6.25	34.53
PK	5.997G	97.39	Inf	-Inf	5.89	3	Vertical	10	2.73	91.50	34.11	6.30	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.91	68.20	-21.29	5.92	3	Horizontal	174	2.91	40.99	34.20	6.25	34.53
AV	5.996G	79.72	Inf	-Inf	5.89	3	Horizontal	174	2.91	73.83	34.11	6.30	34.52
PK	5.9225G	58.45	88.20	-29.75	5.93	3	Horizontal	174	2.91	52.52	34.20	6.26	34.53
PK	5.998G	90.34	Inf	-Inf	5.88	3	Horizontal	174	2.91	84.46	34.10	6.30	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.1064G	42.33	54.00	-11.67	12.94	3	Vertical	260	1.50	29.39	39.09	8.51	34.66
PK	12.0452G	54.39	74.00	-19.61	12.78	3	Vertical	260	1.50	41.61	38.99	8.49	34.70

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.1388G	42.34	54.00	-11.66	12.95	3	Horizontal	325	1.50	29.39	39.06	8.52	34.63
PK	12.07352G	53.75	74.00	-20.25	12.87	3	Horizontal	325	1.50	40.88	39.05	8.50	34.68



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9115G	47.72	68.20	-20.48	5.93	3	Vertical	342	2.38	41.79	34.20	6.26	34.53
AV	5.9975G	85.78	Inf	-Inf	5.89	3	Vertical	342	2.38	79.89	34.11	6.30	34.52
PK	5.9225G	62.28	88.20	-25.92	5.93	3	Vertical	342	2.38	56.35	34.20	6.26	34.53
PK	5.9715G	96.74	Inf	-Inf	5.93	3	Vertical	342	2.38	90.81	34.16	6.29	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	46.94	68.20	-21.26	5.92	3	Horizontal	176	2.96	41.02	34.20	6.25	34.53
AV	5.978G	79.52	Inf	-Inf	5.91	3	Horizontal	176	2.96	73.61	34.14	6.29	34.52
PK	5.922G	58.44	88.20	-29.76	5.93	3	Horizontal	176	2.96	52.51	34.20	6.26	34.53
PK	5.9795G	90.17	Inf	-Inf	5.91	3	Horizontal	176	2.96	84.26	34.14	6.29	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.14456G	42.35	54.00	-11.65	12.95	3	Vertical	164	1.26	29.40	39.06	8.52	34.63
PK	12.11384G	54.13	74.00	-19.87	12.95	3	Vertical	164	1.26	41.18	39.09	8.51	34.65

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.13544G	42.32	54.00	-11.68	12.93	3	Horizontal	4	1.50	29.39	39.06	8.51	34.64
PK	12.13592G	54.34	74.00	-19.66	12.94	3	Horizontal	4	1.50	41.40	39.06	8.51	34.63

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	47.68	68.20	-20.52	5.60	3	Vertical	351	2.46	42.08	34.29	5.84	34.53
AV	6.4868G	86.17	Inf	-Inf	6.88	3	Vertical	351	2.46	79.29	35.15	6.20	34.47
AV	7.1504G	50.46	68.20	-17.74	8.50	3	Vertical	351	2.46	41.96	36.70	6.56	34.76
PK	5.805G	58.48	88.20	-29.72	5.18	3	Vertical	351	2.46	53.30	33.92	5.80	34.54
PK	6.4784G	96.09	Inf	-Inf	6.84	3	Vertical	351	2.46	89.25	35.11	6.20	34.47
PK	7.1686G	61.66	88.20	-26.54	8.55	3	Vertical	351	2.46	53.11	36.74	6.57	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9128G	47.62	68.20	-20.58	5.59	3	Horizontal	193	3.00	42.03	34.27	5.85	34.53
AV	6.4574G	78.44	Inf	-Inf	6.75	3	Horizontal	193	3.00	71.69	35.03	6.19	34.47
AV	7.205G	50.52	68.20	-17.68	8.63	3	Horizontal	193	3.00	41.89	36.80	6.59	34.76
PK	5.8764G	59.15	88.20	-29.05	5.51	3	Horizontal	193	3.00	53.64	34.21	5.83	34.53
PK	6.4798G	88.94	Inf	-Inf	6.85	3	Horizontal	193	3.00	82.09	35.12	6.20	34.47
PK	7.17G	61.68	88.20	-26.52	8.55	3	Horizontal	193	3.00	53.13	36.74	6.57	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1104G	44.73	68.20	-23.47	15.01	3	Vertical	226	1.50	29.72	39.58	8.76	33.33
PK	13.11064G	56.96	88.20	-31.24	15.01	3	Vertical	226	1.50	41.95	39.58	8.76	33.33

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11184G	44.72	68.20	-23.48	15.01	3	Horizontal	0	1.50	29.71	39.58	8.76	33.33
PK	13.10736G	56.34	88.20	-31.86	15.02	3	Horizontal	0	1.50	41.32	39.59	8.76	33.33

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	47.63	68.20	-20.57	5.60	3	Vertical	20	2.46	42.03	34.29	5.84	34.53
AV	6.4896G	87.34	Inf	-Inf	6.89	3	Vertical	20	2.46	80.45	35.16	6.20	34.47
AV	7.1686G	50.42	68.20	-17.78	8.55	3	Vertical	20	2.46	41.87	36.74	6.57	34.76
PK	5.9072G	59.36	88.20	-28.84	5.61	3	Vertical	20	2.46	53.75	34.29	5.85	34.53
PK	6.4798G	97.52	Inf	-Inf	6.85	3	Vertical	20	2.46	90.67	35.12	6.20	34.47
PK	7.1504G	61.42	88.20	-26.78	8.50	3	Vertical	20	2.46	52.92	36.70	6.56	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	47.62	68.20	-20.58	5.62	3	Horizontal	178	2.39	42.00	34.30	5.85	34.53
AV	6.491G	79.42	Inf	-Inf	6.90	3	Horizontal	178	2.39	72.52	35.16	6.21	34.47
AV	7.1882G	50.43	68.20	-17.77	8.60	3	Horizontal	178	2.39	41.83	36.78	6.58	34.76
PK	5.8582G	58.58	88.20	-29.62	5.43	3	Horizontal	178	2.39	53.15	34.13	5.83	34.53
PK	6.4784G	89.78	Inf	-Inf	6.84	3	Horizontal	178	2.39	82.94	35.11	6.20	34.47
PK	7.1742G	61.04	88.20	-27.16	8.56	3	Horizontal	178	2.39	52.48	36.75	6.57	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08728G	44.79	68.20	-23.41	14.99	3	Vertical	226	1.53	29.80	39.60	8.76	33.37
PK	13.07888G	56.70	88.20	-31.50	14.98	3	Vertical	226	1.53	41.72	39.60	8.76	33.38

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08984G	44.78	68.20	-23.42	15.00	3	Horizontal	37	1.22	29.78	39.60	8.76	33.36
PK	13.0724G	56.05	88.20	-32.15	14.96	3	Horizontal	37	1.22	41.09	39.60	8.75	33.39

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	47.65	68.20	-20.55	5.60	3	Vertical	20	2.45	42.05	34.28	5.85	34.53
AV	6.4854G	87.26	Inf	-Inf	6.87	3	Vertical	20	2.45	80.39	35.14	6.20	34.47
AV	7.205G	50.48	68.20	-17.72	8.63	3	Vertical	20	2.45	41.85	36.80	6.59	34.76
PK	5.8666G	59.00	88.20	-29.20	5.47	3	Vertical	20	2.45	53.53	34.17	5.83	34.53
PK	6.4868G	96.46	Inf	-Inf	6.88	3	Vertical	20	2.45	89.58	35.15	6.20	34.47
PK	7.156G	61.30	88.20	-26.90	8.51	3	Vertical	20	2.45	52.79	36.71	6.56	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.903G	47.61	68.20	-20.59	5.61	3	Horizontal	178	2.78	42.00	34.29	5.85	34.53
AV	6.4854G	79.99	Inf	-Inf	6.87	3	Horizontal	178	2.78	73.12	35.14	6.20	34.47
AV	7.1658G	50.39	68.20	-17.81	8.54	3	Horizontal	178	2.78	41.85	36.73	6.57	34.76
PK	5.8134G	59.32	88.20	-28.88	5.23	3	Horizontal	178	2.78	54.09	33.95	5.81	34.53
PK	6.4868G	89.81	Inf	-Inf	6.88	3	Horizontal	178	2.78	82.93	35.15	6.20	34.47
PK	7.1588G	61.48	88.20	-26.72	8.52	3	Horizontal	178	2.78	52.96	36.72	6.56	34.76

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0004G	44.79	68.20	-23.41	14.83	3	Vertical	210	2.84	29.96	39.60	8.74	33.51
PK	12.99844G	56.08	88.20	-32.12	14.82	3	Vertical	210	2.84	41.26	39.60	8.73	33.51

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00728G	44.74	68.20	-23.46	14.84	3	Horizontal	62	2.85	29.90	39.60	8.74	33.50
PK	12.99384G	56.43	88.20	-31.77	14.80	3	Horizontal	62	2.85	41.63	39.59	8.73	33.52



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8418G	85.10	Inf	-Inf	7.54	3	Vertical	350	2.51	77.56	35.80	6.39	34.65
AV	7.1746G	50.49	68.20	-17.71	8.56	3	Vertical	350	2.51	41.93	36.75	6.57	34.76
PK	6.8442G	95.92	Inf	-Inf	7.53	3	Vertical	350	2.51	88.39	35.80	6.39	34.66
PK	7.1642G	62.34	88.20	-25.86	8.53	3	Vertical	350	2.51	53.81	36.73	6.56	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8434G	75.49	Inf	-Inf	7.53	3	Horizontal	328	1.00	67.96	35.80	6.39	34.66
AV	7.1954G	50.50	68.20	-17.70	8.62	3	Horizontal	328	1.00	41.88	36.79	6.59	34.76
PK	6.841G	85.71	Inf	-Inf	7.54	3	Horizontal	328	1.00	78.17	35.80	6.39	34.65
PK	7.137G	62.01	88.20	-26.19	8.39	3	Horizontal	328	1.00	53.62	36.60	6.55	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59384G	46.14	68.20	-22.06	16.35	3	Vertical	164	2.99	29.79	40.19	8.89	32.73
PK	13.63656G	57.69	88.20	-30.51	16.29	3	Vertical	164	2.99	41.40	40.13	8.90	32.74

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59256G	46.16	68.20	-22.04	16.35	3	Horizontal	266	1.65	29.81	40.19	8.89	32.73
PK	13.57304G	56.58	88.20	-31.62	16.31	3	Horizontal	266	1.65	40.27	40.15	8.88	32.72

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8402G	88.74	Inf	-Inf	7.54	3	Vertical	23	2.36	81.20	35.80	6.39	34.65
AV	7.2234G	50.65	68.20	-17.55	8.63	3	Vertical	23	2.36	42.02	36.80	6.60	34.77
PK	6.849G	99.94	Inf	-Inf	7.53	3	Vertical	23	2.36	92.41	35.80	6.39	34.66
PK	7.173G	62.10	88.20	-26.10	8.56	3	Vertical	23	2.36	53.54	36.75	6.57	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8402G	80.89	Inf	-Inf	7.54	3	Horizontal	173	2.61	73.35	35.80	6.39	34.65
AV	7.2074G	50.63	68.20	-17.57	8.63	3	Horizontal	173	2.61	42.00	36.80	6.59	34.76
PK	6.8674G	91.91	Inf	-Inf	7.53	3	Horizontal	173	2.61	84.38	35.80	6.40	34.67
PK	7.1402G	62.08	88.20	-26.12	8.41	3	Horizontal	173	2.61	53.67	36.62	6.55	34.76


6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port2)

6825MHz Straddle 6.525-6.875GHz\_TX




6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port2)

6825MHz Straddle 6.525-6.875GHz\_TX



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8394G	87.94	Inf	-Inf	7.54	3	Vertical	15	2.36	80.40	35.80	6.39	34.65
AV	7.2002G	50.64	68.20	-17.56	8.63	3	Vertical	15	2.36	42.01	36.80	6.59	34.76
PK	6.8418G	98.92	Inf	-Inf	7.54	3	Vertical	15	2.36	91.38	35.80	6.39	34.65
PK	7.149G	62.20	88.20	-26.00	8.48	3	Vertical	15	2.36	53.72	36.69	6.55	34.76

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8418G	80.06	Inf	-Inf	7.54	3	Horizontal	171	2.87	72.52	35.80	6.39	34.65
AV	7.213G	50.59	68.20	-17.61	8.63	3	Horizontal	171	2.87	41.96	36.80	6.60	34.77
PK	6.845G	91.19	Inf	-Inf	7.53	3	Horizontal	171	2.87	83.66	35.80	6.39	34.66
PK	7.2002G	62.02	88.20	-26.18	8.63	3	Horizontal	171	2.87	53.39	36.80	6.59	34.76


6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0485G	86.73	Inf	-Inf	8.14	3	Vertical	345	2.35	78.59	36.19	6.70	34.75
AV	7.207G	49.88	68.20	-18.32	9.00	3	Vertical	345	2.35	40.88	37.01	6.75	34.76
PK	7.0425G	97.85	Inf	-Inf	8.11	3	Vertical	345	2.35	89.74	36.17	6.69	34.75
PK	7.1255G	61.52	88.20	-26.68	8.61	3	Vertical	345	2.35	52.91	36.65	6.72	34.76

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.05G	77.22	Inf	-Inf	8.15	3	Horizontal	178	2.96	69.07	36.20	6.70	34.75
AV	7.202G	49.77	68.20	-18.43	8.99	3	Horizontal	178	2.96	40.78	37.00	6.75	34.76
PK	7.05G	88.72	Inf	-Inf	8.15	3	Horizontal	178	2.96	80.57	36.20	6.70	34.75
PK	7.21G	60.74	88.20	-27.46	9.01	3	Horizontal	178	2.96	51.73	37.02	6.76	34.77

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03216G	44.23	68.20	-23.97	16.48	3	Vertical	292	1.50	27.75	40.40	9.00	32.92
PK	13.98296G	56.15	88.20	-32.05	16.39	3	Vertical	292	1.50	39.76	40.27	8.99	32.87

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03096G	44.21	68.20	-23.99	16.47	3	Horizontal	41	1.50	27.74	40.39	9.00	32.92
PK	14.05544G	56.93	88.20	-31.27	16.53	3	Horizontal	41	1.50	40.40	40.47	9.01	32.95



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0115G	84.50	Inf	-Inf	7.99	3	Vertical	17	2.38	76.51	36.05	6.68	34.74
AV	7.201G	49.81	68.20	-18.39	8.99	3	Vertical	17	2.38	40.82	37.00	6.75	34.76
PK	7.0135G	95.96	Inf	-Inf	7.99	3	Vertical	17	2.38	87.97	36.05	6.68	34.74
PK	7.234G	60.95	88.20	-27.25	9.07	3	Vertical	17	2.38	51.88	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0025G	75.26	Inf	-Inf	7.95	3	Horizontal	33	2.38	67.31	36.01	6.68	34.74
AV	7.1955G	49.81	68.20	-18.39	8.97	3	Horizontal	33	2.38	40.84	36.98	6.75	34.76
PK	7.0025G	85.27	Inf	-Inf	7.95	3	Horizontal	33	2.38	77.32	36.01	6.68	34.74
PK	7.233G	60.63	88.20	-27.57	9.07	3	Horizontal	33	2.38	51.56	37.07	6.77	34.77

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.02784G	44.23	68.20	-23.97	16.47	3	Vertical	211	1.50	27.76	40.38	9.00	32.91
PK	14.03672G	56.87	88.20	-31.33	16.49	3	Vertical	211	1.50	40.38	40.41	9.00	32.92

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0312G	44.24	68.20	-23.96	16.47	3	Horizontal	25	1.50	27.77	40.39	9.00	32.92
PK	14.0276G	55.85	88.20	-32.35	16.47	3	Horizontal	25	1.50	39.38	40.38	9.00	32.91

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.05G	83.70	Inf	-Inf	8.15	3	Vertical	346	2.47	75.55	36.20	6.70	34.75
AV	7.217G	49.83	68.20	-18.37	9.02	3	Vertical	346	2.47	40.81	37.03	6.76	34.77
PK	7.0355G	94.44	Inf	-Inf	8.09	3	Vertical	346	2.47	86.35	36.14	6.69	34.74
PK	7.211G	61.56	88.20	-26.64	9.01	3	Vertical	346	2.47	52.55	37.02	6.76	34.77

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.036G	73.99	Inf	-Inf	8.09	3	Horizontal	183	2.95	65.90	36.14	6.69	34.74
AV	7.203G	49.78	68.20	-18.42	9.00	3	Horizontal	183	2.95	40.78	37.01	6.75	34.76
PK	7.027G	84.39	Inf	-Inf	8.06	3	Horizontal	183	2.95	76.33	36.11	6.69	34.74
PK	7.2285G	60.87	88.20	-27.33	9.06	3	Horizontal	183	2.95	51.81	37.06	6.77	34.77

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03192G	44.24	68.20	-23.96	16.48	3	Vertical	165	1.50	27.76	40.40	9.00	32.92
PK	14.04496G	56.91	88.20	-31.29	16.51	3	Vertical	165	1.50	40.40	40.43	9.01	32.93

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX

6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00192G	44.22	68.20	-23.98	16.42	3	Horizontal	87	1.50	27.80	40.31	8.99	32.88
PK	13.99448G	55.88	88.20	-32.32	16.40	3	Horizontal	87	1.50	39.48	40.29	8.99	32.88



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
6.92	7.45	7.45	4.59

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.92	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-76.45	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.45	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-72.59	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-71.92	OFF	10	100	90	Pass
				Center	6185	-72.92	OFF	10	100	90	Pass
				High edge	6260	-70.92	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-76.45	OFF	10	100	90	Pass
				Center	6505	-76.45	OFF	10	100	90	Pass
				High edge	6580	-77.45	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-72.45	OFF	10	100	90	Pass
				Center	6665	-71.45	OFF	10	100	90	Pass
				High edge	6740	-71.45	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-72.59	OFF	10	100	90	Pass
				Center	6985	-72.59	OFF	10	100	90	Pass
				High edge	7060	-67.59	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level 802.11ax HE20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-65.00	6.92	-71.92	≤ -62
						Minimal	-67.00	6.92	-73.92	≤ -62
						ON	-68.00	6.92	-74.92	≤ -62
6	101		6455	Center	6455	OFF	-69.00	7.45	-76.45	≤ -62
						Minimal	-70.00	7.45	-77.45	≤ -62
						ON	-70.00	7.45	-77.45	≤ -62
7	149		6695	Center	6695	OFF	-66.00	7.45	-73.45	≤ -62
						Minimal	-68.00	7.45	-75.45	≤ -62
						ON	-69.00	7.45	-76.45	≤ -62
8	213		7015	Center	7015	OFF	-68.00	4.59	-72.59	≤ -62
						Minimal	-69.00	4.59	-73.59	≤ -62
						ON	-69.00	4.59	-73.59	≤ -62

Detection Level = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)  
 Cables/attenuators are normalized in the setting of the AWGN signal.



Contention Based Protocol Threshold Level 802.11ax HE160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-65.00	6.92	-71.92	≤ -62
						Minimal	-66.00	6.92	-72.92	≤ -62
						ON	-67.00	6.92	-73.92	≤ -62
				Center	6185	OFF	-66.00	6.92	-72.92	≤ -62
						Minimal	-67.00	6.92	-73.92	≤ -62
						ON	-68.00	6.92	-74.92	≤ -62
				High edge	6260	OFF	-64.00	6.92	-70.92	≤ -62
						Minimal	-65.00	6.92	-71.92	≤ -62
						ON	-65.00	6.92	-71.92	≤ -62
6	111	160	6505	Low edge	6430	OFF	-69.00	7.45	-76.45	≤ -62
						Minimal	-70.00	7.45	-77.45	≤ -62
						ON	-71.00	7.45	-78.45	≤ -62
				Center	6505	OFF	-69.00	7.45	-76.45	≤ -62
						Minimal	-70.00	7.45	-77.45	≤ -62
						ON	-71.00	7.45	-78.45	≤ -62
				High edge	6580	OFF	-70.00	7.45	-77.45	≤ -62
						Minimal	-71.00	7.45	-78.45	≤ -62
						ON	-71.00	7.45	-78.45	≤ -62
7	143	160	6665	Low edge	6590	OFF	-65.00	7.45	-72.45	≤ -62
						Minimal	-66.00	7.45	-73.45	≤ -62
						ON	-67.00	7.45	-74.45	≤ -62
				Center	6665	OFF	-64.00	7.45	-71.45	≤ -62
						Minimal	-65.00	7.45	-72.45	≤ -62
						ON	-65.00	7.45	-72.45	≤ -62
				High edge	6740	OFF	-64.00	7.45	-71.45	≤ -62
						Minimal	-65.00	7.45	-72.45	≤ -62
						ON	-65.00	7.45	-72.45	≤ -62
8	207	160	6985	Low edge	6910	OFF	-68.00	4.59	-72.59	≤ -62
						Minimal	-69.00	4.59	-73.59	≤ -62
						ON	-69.00	4.59	-73.59	≤ -62
				Center	6985	OFF	-68.00	4.59	-72.59	≤ -62
						Minimal	-69.00	4.59	-73.59	≤ -62
						ON	-70.00	4.59	-74.59	≤ -62
				High edge	7060	OFF	-63.00	4.59	-67.59	≤ -62
						Minimal	-64.00	4.59	-68.59	≤ -62
						ON	-65.00	4.59	-69.59	≤ -62


Detection Level = Injected AWGN Power (dBm) - Antenna Gain (dBi) + Path Loss (dB)

Cables/attenuators are normalized in the setting of the AWGN signal.






Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz






Bandwidth 20MHz: Traffic Loading Plot - 6695MHz




Bandwidth 20MHz: Traffic Loading Plot - 7015MHz






Bandwidth 160MHz: Traffic Loading Plot - 6110MHz




Bandwidth 160MHz: Traffic Loading Plot - 6185MHz






Bandwidth 160MHz: Traffic Loading Plot - 6260MHz



Bandwidth 160MHz: Traffic Loading Plot - 6430MHz






Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

61.425ms

All TX Sample

4914

Duty Cycle

0.614173

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

59.7ms

All TX Sample

4776

Duty Cycle

0.596925


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs


Bandwidth 160MHz: Traffic Loading Plot - 6590MHz




Bandwidth 160MHz: Traffic Loading Plot - 6665MHz



Bandwidth 160MHz: Traffic Loading Plot - 6740MHz



Bandwidth 160MHz: Traffic Loading Plot - 6910MHz






Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

65.2875ms

All TX Sample

5223

Duty Cycle

0.652793

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

65.4125ms

All TX Sample

5233

Duty Cycle

0.654043

T1[s] T2[s]



NaNs NaNs


T3[s] T4[s]


NaNs NaNs


























## 2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -65 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)

Time Analysis




Sample Time	1us
All TX Time	764.974ms
All TX Sample	764974
Duty Cycle	0.764973
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -65 dBm)


Time Analysis



Sample Time	1us
All TX Time	428.281ms
All TX Sample	428281
Duty Cycle	0.428281
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -66 dBm)


Time Analysis



Sample Time	1us
All TX Time	429.418ms
All TX Sample	429418
Duty Cycle	0.429418
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -67 dBm)


Time Analysis



Sample Time	1us
All TX Time	421.436ms
All TX Sample	421436
Duty Cycle	0.421436
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -66 dBm)


Time Analysis



Sample Time	1us
All TX Time	405.339ms
All TX Sample	405339
Duty Cycle	0.405339
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -67 dBm)


Time Analysis



Sample Time	1us
All TX Time	422.606ms
All TX Sample	422606
Duty Cycle	0.422606
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -68 dBm)


Time Analysis



Sample Time	1us
All TX Time	413.144ms
All TX Sample	413144
Duty Cycle	0.413144
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -64 dBm)

Time Analysis




Sample Time	1us
All TX Time	432.839ms
All TX Sample	432839
Duty Cycle	0.432839
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis



Sample Time	1us
All TX Time	426.995ms
All TX Sample	426995
Duty Cycle	0.426995
T1[s]	T2[s]
5.01s	10s
T3[s]	T4[s]
NaNs	NaNs



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.174979G	3.3397	20	1	5 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz	Pass	6.175G	6.174994G	0.9108	20	1	0 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	2 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	5 min
6175MHz	Pass	6.175G	6.174985G	2.4288	20	1	10 min
6175MHz	Pass	6.175G	6.174985G	2.4288	20	1	0 min
6175MHz	Pass	6.175G	6.174981G	3.0361	20	1	2 min
6175MHz	Pass	6.175G	6.174996G	0.6072	20	1	5 min
6175MHz	Pass	6.175G	6.174993G	1.2144	20	1	10 min
6175MHz	Pass	6.175G	6.174993G	1.2144	20	1	0 min
6175MHz	Pass	6.175G	6.174994G	0.9108	20	1	2 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	5 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	10 min
6175MHz	Pass	6.175G	6.174993G	1.2144	20	1	0 min
6175MHz	Pass	6.175G	6.174989G	1.8216	20	1	2 min
6175MHz	Pass	6.175G	6.174987G	2.1252	20	1	5 min
6175MHz	Pass	6.175G	6.174998G	0.3036	20	1	10 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	0 min
6175MHz	Pass	6.175G	6.174987G	2.1252	20	1	2 min
6175MHz	Pass	6.175G	6.174989G	1.8216	20	1	5 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	10 min
6175MHz	Pass	6.175G	6.174989G	1.8216	20	1	0 min
6175MHz	Pass	6.175G	6.174989G	1.8216	20	1	2 min
6175MHz	Pass	6.175G	6.174993G	1.2144	20	1	5 min
6175MHz	Pass	6.175G	6.174989G	1.8216	20	1	10 min
6175MHz	Pass	6.175G	6.174996G	0.6072	20	1	0 min
6175MHz	Pass	6.175G	6.174987G	2.1252	20	1	2 min
6175MHz	Pass	6.175G	6.174979G	3.3397	20	1	5 min
6175MHz	Pass	6.175G	6.174991G	1.518	20	1	10 min





**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83392G	41.83	54.00	-12.17	3	Vertical	267	3.00
Mode 1	Pass	AV	4.96211G	35.08	54.00	-18.92	3	Vertical	350	1.50
Mode 1	Pass	AV	7.25183G	44.79	54.00	-9.21	3	Vertical	346	2.24
Mode 1	Pass	PK	4.83398G	47.46	74.00	-26.54	3	Vertical	267	3.00
Mode 1	Pass	PK	4.96363G	45.24	74.00	-28.76	3	Vertical	350	1.50
Mode 1	Pass	PK	7.25217G	52.39	74.00	-21.61	3	Vertical	346	2.24
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 1	Pass	AV	4.96042G	35.74	54.00	-18.26	3	Horizontal	356	2.69
Mode 1	Pass	AV	7.25181G	42.45	54.00	-11.55	3	Horizontal	281	1.50
Mode 1	Pass	PK	4.834G	50.50	74.00	-23.50	3	Horizontal	351	1.87
Mode 1	Pass	PK	4.96228G	45.94	74.00	-28.06	3	Horizontal	356	2.69
Mode 1	Pass	PK	7.25456G	52.06	74.00	-21.94	3	Horizontal	281	1.50
Mode 2	Pass	AV	4.96207G	35.09	54.00	-18.91	3	Vertical	231	1.50
Mode 2	Pass	AV	11.51488G	42.82	54.00	-11.18	3	Vertical	318	1.50
Mode 2	Pass	AV	17.36468G	46.35	68.20	-21.85	3	Vertical	16	1.50
Mode 2	Pass	PK	4.96463G	45.38	74.00	-28.62	3	Vertical	231	1.50
Mode 2	Pass	PK	11.55848G	53.21	74.00	-20.79	3	Vertical	318	1.50
Mode 2	Pass	PK	17.36188G	56.44	68.20	-11.76	3	Vertical	16	1.50
Mode 2	Pass	AV	4.96023G	37.16	54.00	-16.84	3	Horizontal	9	2.66
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 2	Pass	AV	17.3054G	46.31	68.20	-21.89	3	Horizontal	41	1.50
Mode 2	Pass	PK	4.9597G	46.34	74.00	-27.66	3	Horizontal	9	2.66
Mode 2	Pass	PK	11.52856G	53.14	74.00	-20.86	3	Horizontal	83	1.50
Mode 2	Pass	PK	17.30164G	56.97	68.20	-11.23	3	Horizontal	41	1.50
Mode 3	Pass	AV	4.95978G	35.21	54.00	-18.79	3	Vertical	357	1.91
Mode 3	Pass	AV	11.70682G	43.08	54.00	-10.92	3	Vertical	21	1.65
Mode 3	Pass	AV	17.56871G	46.36	68.20	-21.84	3	Vertical	323	2.08
Mode 3	Pass	PK	4.95766G	45.14	74.00	-28.86	3	Vertical	357	1.91
Mode 3	Pass	PK	11.7135G	53.43	74.00	-20.57	3	Vertical	21	1.65
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 3	Pass	AV	4.95983G	36.87	54.00	-17.13	3	Horizontal	11	2.72
Mode 3	Pass	AV	11.71469G	42.95	54.00	-11.05	3	Horizontal	151	2.35
Mode 3	Pass	AV	17.56619G	46.33	68.20	-21.87	3	Horizontal	50	2.13
Mode 3	Pass	PK	4.96019G	46.22	74.00	-27.78	3	Horizontal	11	2.72
Mode 3	Pass	PK	11.71474G	53.83	74.00	-20.17	3	Horizontal	151	2.35
Mode 3	Pass	PK	17.56895G	56.65	68.20	-11.55	3	Horizontal	50	2.13
Mode 4	Pass	AV	4.95954G	34.77	54.00	-19.23	3	Vertical	0	1.50
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32
Mode 4	Pass	PK	4.9586G	45.63	74.00	-28.37	3	Vertical	0	1.50
Mode 4	Pass	PK	12.69035G	54.41	74.00	-19.59	3	Vertical	173	2.32
Mode 4	Pass	AV	4.96397G	34.99	54.00	-19.01	3	Horizontal	32	1.84
Mode 4	Pass	AV	12.69461G	44.20	54.00	-9.80	3	Horizontal	66	1.65
Mode 4	Pass	PK	4.96115G	45.05	74.00	-28.95	3	Horizontal	32	1.84
Mode 4	Pass	PK	12.68741G	54.43	74.00	-19.57	3	Horizontal	66	1.65

## Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83392G	41.83	54.00	-12.17	3.20	3	Vertical	267	3.00	38.63	32.50	5.35	34.65
AV	4.96211G	35.08	54.00	-18.92	3.65	3	Vertical	350	1.50	31.43	32.85	5.44	34.64
AV	7.25183G	44.79	54.00	-9.21	8.64	3	Vertical	346	2.24	36.15	36.80	6.61	34.77
PK	4.83398G	47.46	74.00	-26.54	3.20	3	Vertical	267	3.00	44.26	32.50	5.35	34.65
PK	4.96363G	45.24	74.00	-28.76	3.65	3	Vertical	350	1.50	41.59	32.85	5.44	34.64
PK	7.25217G	52.39	74.00	-21.61	8.64	3	Vertical	346	2.24	43.75	36.80	6.61	34.77

## Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.834G	45.82	54.00	-8.18	3.20	3	Horizontal	351	1.87	42.62	32.50	5.35	34.65
AV	4.96042G	35.74	54.00	-18.26	3.64	3	Horizontal	356	2.69	32.10	32.84	5.44	34.64
AV	7.25181G	42.45	54.00	-11.55	8.64	3	Horizontal	281	1.50	33.81	36.80	6.61	34.77
PK	4.834G	50.50	74.00	-23.50	3.20	3	Horizontal	351	1.87	47.30	32.50	5.35	34.65
PK	4.96228G	45.94	74.00	-28.06	3.65	3	Horizontal	356	2.69	42.29	32.85	5.44	34.64
PK	7.25456G	52.06	74.00	-21.94	8.63	3	Horizontal	281	1.50	43.43	36.79	6.61	34.77

Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96207G	35.09	54.00	-18.91	3.65	3	Vertical	231	1.50	31.44	32.85	5.44	34.64
AV	11.51488G	42.82	54.00	-11.18	12.42	3	Vertical	318	1.50	30.40	38.66	8.33	34.57
AV	17.36468G	46.35	68.20	-21.85	14.25	3	Vertical	16	1.50	32.10	38.39	10.20	34.34
PK	4.96463G	45.38	74.00	-28.62	3.66	3	Vertical	231	1.50	41.72	32.86	5.44	34.64
PK	11.55848G	53.21	74.00	-20.79	12.27	3	Vertical	318	1.50	40.94	38.52	8.34	34.59
PK	17.36188G	56.44	68.20	-11.76	14.25	3	Vertical	16	1.50	42.19	38.39	10.20	34.34

Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96023G	37.16	54.00	-16.84	3.64	3	Horizontal	9	2.66	33.52	32.84	5.44	34.64
AV	11.53008G	42.83	54.00	-11.17	12.36	3	Horizontal	83	1.50	30.47	38.61	8.33	34.58
AV	17.3054G	46.31	68.20	-21.89	14.10	3	Horizontal	41	1.50	32.21	38.22	10.18	34.30
PK	4.9597G	46.34	74.00	-27.66	3.64	3	Horizontal	9	2.66	42.70	32.84	5.44	34.64
PK	11.52856G	53.14	74.00	-20.86	12.36	3	Horizontal	83	1.50	40.78	38.61	8.33	34.58
PK	17.30164G	56.97	68.20	-11.23	14.07	3	Horizontal	41	1.50	42.90	38.20	10.17	34.30

Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95978G	35.21	54.00	-18.79	3.64	3	Vertical	357	1.91	31.57	32.84	5.44	34.64
AV	11.70682G	43.08	54.00	-10.92	12.16	3	Vertical	21	1.65	30.92	38.41	8.39	34.64
AV	17.56871G	46.36	68.20	-21.84	14.68	3	Vertical	323	2.08	31.68	38.84	10.28	34.44
PK	4.95766G	45.14	74.00	-28.86	3.63	3	Vertical	357	1.91	41.51	32.83	5.44	34.64
PK	11.7135G	53.43	74.00	-20.57	12.18	3	Vertical	21	1.65	41.25	38.43	8.39	34.64
PK	17.56728G	57.49	68.20	-10.71	14.68	3	Vertical	323	2.08	42.81	38.84	10.28	34.44

Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95983G	36.87	54.00	-17.13	3.64	3	Horizontal	11	2.72	33.23	32.84	5.44	34.64
AV	11.71469G	42.95	54.00	-11.05	12.18	3	Horizontal	151	2.35	30.77	38.43	8.39	34.64
AV	17.56619G	46.33	68.20	-21.87	14.67	3	Horizontal	50	2.13	31.66	38.83	10.28	34.44
PK	4.96019G	46.22	74.00	-27.78	3.64	3	Horizontal	11	2.72	42.58	32.84	5.44	34.64
PK	11.71474G	53.83	74.00	-20.17	12.18	3	Horizontal	151	2.35	41.65	38.43	8.39	34.64
PK	17.56895G	56.65	68.20	-11.55	14.68	3	Horizontal	50	2.13	41.97	38.84	10.28	34.44

**Radiated Emissions above 1GHz\_Mode 4**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95954G	34.77	54.00	-19.23	NaN	3	Vertical	0	1.50	NaN	NaN	5.44	34.64
AV	12.68773G	44.27	54.00	-9.73	NaN	3	Vertical	173	2.32	NaN	NaN	8.66	34.05
PK	4.9586G	45.63	74.00	-28.37	NaN	3	Vertical	0	1.50	NaN	NaN	5.44	34.64
PK	12.69035G	54.41	74.00	-19.59	NaN	3	Vertical	173	2.32	NaN	NaN	8.66	34.05

**Radiated Emissions above 1GHz\_Mode 4**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96397G	34.99	54.00	-19.01	NaN	3	Horizontal	32	1.84	NaN	NaN	5.44	34.64
AV	12.69461G	44.20	54.00	-9.80	NaN	3	Horizontal	66	1.65	NaN	NaN	8.66	34.04
PK	4.96115G	45.05	74.00	-28.95	NaN	3	Horizontal	32	1.84	NaN	NaN	5.44	34.64
PK	12.68741G	54.43	74.00	-19.57	NaN	3	Horizontal	66	1.65	NaN	NaN	8.66	34.05

————THE END————