

Note: Trace mode Max Hold.



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax.HEW20_Nss1,(MCS0)_2TX	Pass	PK	72.68M	33.50	40.00	-6.50	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	72.68M	33.50	40.00	-6.50	3	Vertical	0	1.00
2437MHz	Pass	PK	161.92M	32.24	43.50	-11.26	3	Vertical	0	1.00
2437MHz	Pass	PK	299.66M	31.59	46.00	-14.41	3	Vertical	0	1.00
2437MHz	Pass	PK	355.92M	32.45	46.00	-13.55	3	Vertical	0	1.00
2437MHz	Pass	PK	652.74M	27.07	46.00	-18.93	3	Vertical	0	1.00
2437MHz	Pass	PK	953.44M	31.29	46.00	-14.71	3	Vertical	0	1.00
2437MHz	Pass	PK	132.82M	36.18	43.50	-7.32	3	Horizontal	360	1.00
2437MHz	Pass	PK	210.42M	36.73	43.50	-6.77	3	Horizontal	360	1.00
2437MHz	Pass	PK	330.7M	35.34	46.00	-10.66	3	Horizontal	360	1.00
2437MHz	Pass	PK	445.16M	30.81	46.00	-15.19	3	Horizontal	360	1.00
2437MHz	Pass	PK	794.36M	28.66	46.00	-17.34	3	Horizontal	360	1.00
2437MHz	Pass	PK	943.74M	31.10	46.00	-14.90	3	Horizontal	360	1.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	72.68M	33.50	40.00	-6.50	-24.28	3	Vertical	0	1.00	57.78	11.74	0.92	36.94
PK	161.92M	32.24	43.50	-11.26	-19.56	3	Vertical	0	1.00	51.80	15.45	1.41	36.42
PK	299.66M	31.59	46.00	-14.41	-16.00	3	Vertical	0	1.00	47.59	18.36	2.05	36.41
PK	355.92M	32.45	46.00	-13.55	-14.59	3	Vertical	0	1.00	47.04	19.69	2.25	36.53
PK	652.74M	27.07	46.00	-18.93	-8.43	3	Vertical	0	1.00	35.50	25.57	3.18	37.18
PK	953.44M	31.29	46.00	-14.71	-3.38	3	Vertical	0	1.00	34.67	30.04	3.92	37.34

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	132.82M	36.18	43.50	-7.32	-18.48	3	Horizontal	360	1.00	54.66	16.76	1.27	36.51
PK	210.42M	36.73	43.50	-6.77	-20.42	3	Horizontal	360	1.00	57.15	14.23	1.66	36.31
PK	330.7M	35.34	46.00	-10.66	-15.40	3	Horizontal	360	1.00	50.74	18.92	2.16	36.48
PK	445.16M	30.81	46.00	-15.19	-12.00	3	Horizontal	360	1.00	42.81	22.09	2.55	36.64
PK	794.36M	28.66	46.00	-17.34	-6.67	3	Horizontal	360	1.00	35.33	27.28	3.52	37.47
PK	943.74M	31.10	46.00	-14.90	-3.82	3	Horizontal	360	1.00	34.92	29.66	3.90	37.38



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	159.98M	37.21	43.50	-6.29	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	97.9M	35.78	43.50	-7.72	3	Vertical	360	1.00
2437MHz	Pass	PK	169.68M	35.00	43.50	-8.50	3	Vertical	360	1.00
2437MHz	Pass	PK	239.52M	39.65	46.00	-6.35	3	Vertical	360	1.00
2437MHz	Pass	PK	293.84M	36.77	46.00	-9.23	3	Vertical	360	1.00
2437MHz	Pass	PK	470.38M	30.63	46.00	-15.37	3	Vertical	360	1.00
2437MHz	Pass	PK	561.56M	36.73	46.00	-9.27	3	Vertical	360	1.00
2437MHz	Pass	PK	132.82M	35.28	43.50	-8.22	3	Horizontal	0	1.00
2437MHz	Pass	PK	159.98M	37.21	43.50	-6.29	3	Horizontal	0	1.00
2437MHz	Pass	PK	286.08M	39.34	46.00	-6.66	3	Horizontal	0	1.00
2437MHz	Pass	PK	336.52M	37.26	46.00	-8.74	3	Horizontal	0	1.00
2437MHz	Pass	PK	452.92M	31.41	46.00	-14.59	3	Horizontal	0	1.00
2437MHz	Pass	PK	559.62M	29.59	46.00	-16.41	3	Horizontal	0	1.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	97.9M	35.78	43.50	-7.72	-20.54	3	Vertical	360	1.00	56.32	15.01	1.10	36.65
PK	169.68M	35.00	43.50	-8.50	-20.07	3	Vertical	360	1.00	55.07	14.92	1.45	36.44
PK	239.52M	39.65	46.00	-6.35	-18.30	3	Vertical	360	1.00	57.95	16.35	1.79	36.44
PK	293.84M	36.77	46.00	-9.23	-16.11	3	Vertical	360	1.00	52.88	18.29	2.02	36.42
PK	470.38M	30.63	46.00	-15.37	-11.47	3	Vertical	360	1.00	42.10	22.67	2.64	36.78
PK	561.56M	36.73	46.00	-9.27	-8.92	3	Vertical	360	1.00	45.65	25.26	2.94	37.12

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	132.82M	35.28	43.50	-8.22	-18.48	3	Horizontal	0	1.00	53.76	16.76	1.27	36.51
PK	159.98M	37.21	43.50	-6.29	-19.33	3	Horizontal	0	1.00	56.54	15.68	1.40	36.41
PK	286.08M	39.34	46.00	-6.66	-16.35	3	Horizontal	0	1.00	55.69	18.09	1.99	36.43
PK	336.52M	37.26	46.00	-8.74	-15.23	3	Horizontal	0	1.00	52.49	19.09	2.18	36.50
PK	452.92M	31.41	46.00	-14.59	-11.81	3	Horizontal	0	1.00	43.22	22.28	2.58	36.67
PK	559.62M	29.59	46.00	-16.41	-8.94	3	Horizontal	0	1.00	38.53	25.25	2.93	37.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	AV	2.4835G	48.22	54.00	-5.78	3	Horizontal	66	1.18
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.3874G	47.68	54.00	-6.32	3	Horizontal	297	1.31
802.11g_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	2.4835G	51.44	54.00	-2.56	3	Horizontal	65	1.19
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.4835G	51.61	54.00	-2.39	3	Horizontal	295	1.18
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	50.02	54.00	-3.98	3	Horizontal	58	1.57
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.4835G	51.31	54.00	-2.69	3	Horizontal	297	1.07
802.11n HT20_Nss1,(MCS8)_2TX	Pass	AV	2.4835G	52.06	54.00	-1.94	3	Horizontal	298	1.06
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	48.78	54.00	-5.22	3	Horizontal	63	1.78
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.4835G	49.97	54.00	-4.03	3	Horizontal	298	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	51.56	54.00	-2.44	3	Horizontal	68	1.01
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	51.82	54.00	-2.18	3	Horizontal	62	1.39
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.4835G	52.18	54.00	-1.82	3	Horizontal	296	1.30
802.11n HT40_Nss1,(MCS8)_2TX	Pass	AV	2.4835G	52.33	54.00	-1.67	3	Horizontal	298	1.08
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	51.99	54.00	-2.01	3	Horizontal	68	1.03
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.4835G	51.76	54.00	-2.24	3	Horizontal	297	1.20
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.3898G	52.00	54.00	-2.00	3	Horizontal	56	1.55



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3856G	45.93	54.00	-8.07	3	Vertical	108	2.90
2412MHz	Pass	AV	2.4112G	104.28	Inf	-Inf	3	Vertical	108	2.90
2412MHz	Pass	PK	2.3854G	57.46	74.00	-16.54	3	Vertical	108	2.90
2412MHz	Pass	PK	2.4114G	107.93	Inf	-Inf	3	Vertical	108	2.90
2412MHz	Pass	AV	2.3854G	47.34	54.00	-6.66	3	Horizontal	61	1.57
2412MHz	Pass	AV	2.4128G	106.74	Inf	-Inf	3	Horizontal	61	1.57
2412MHz	Pass	PK	2.3878G	57.72	74.00	-16.28	3	Horizontal	61	1.57
2412MHz	Pass	PK	2.4126G	110.44	Inf	-Inf	3	Horizontal	61	1.57
2412MHz	Pass	AV	4.824G	38.24	54.00	-15.76	3	Vertical	98	3.00
2412MHz	Pass	PK	4.82404G	46.78	74.00	-27.22	3	Vertical	98	3.00
2412MHz	Pass	AV	4.82396G	41.82	54.00	-12.18	3	Horizontal	343	1.55
2412MHz	Pass	PK	4.82396G	47.89	74.00	-26.11	3	Horizontal	343	1.55
2417MHz	Pass	AV	2.39G	46.14	54.00	-7.86	3	Vertical	91	2.84
2417MHz	Pass	AV	2.4178G	104.79	Inf	-Inf	3	Vertical	91	2.84
2417MHz	Pass	PK	2.3882G	57.15	74.00	-16.85	3	Vertical	91	2.84
2417MHz	Pass	PK	2.4176G	108.55	Inf	-Inf	3	Vertical	91	2.84
2417MHz	Pass	AV	2.39G	47.43	54.00	-6.57	3	Horizontal	63	1.13
2417MHz	Pass	AV	2.4178G	107.55	Inf	-Inf	3	Horizontal	63	1.13
2417MHz	Pass	PK	2.39G	57.95	74.00	-16.05	3	Horizontal	63	1.13
2417MHz	Pass	PK	2.4178G	111.18	Inf	-Inf	3	Horizontal	63	1.13
2417MHz	Pass	AV	4.834G	39.20	54.00	-14.80	3	Vertical	100	2.65
2417MHz	Pass	AV	7.25016G	45.73	54.00	-8.27	3	Vertical	355	2.25
2417MHz	Pass	PK	4.84678G	44.50	74.00	-29.50	3	Vertical	100	2.65
2417MHz	Pass	PK	7.2537G	53.31	74.00	-20.69	3	Vertical	355	2.25
2417MHz	Pass	AV	4.834G	43.72	54.00	-10.28	3	Horizontal	0	1.68
2417MHz	Pass	AV	7.25178G	40.70	54.00	-13.30	3	Horizontal	289	2.78
2417MHz	Pass	PK	4.83406G	49.09	74.00	-24.91	3	Horizontal	0	1.68
2417MHz	Pass	PK	7.25262G	51.53	74.00	-22.47	3	Horizontal	289	2.78
2437MHz	Pass	AV	2.3886G	45.45	54.00	-8.55	3	Vertical	111	2.73
2437MHz	Pass	AV	2.4378G	103.74	Inf	-Inf	3	Vertical	111	2.73
2437MHz	Pass	AV	2.4854G	46.21	54.00	-7.79	3	Vertical	111	2.73
2437MHz	Pass	PK	2.3378G	57.22	74.00	-16.78	3	Vertical	111	2.73
2437MHz	Pass	PK	2.4362G	107.29	Inf	-Inf	3	Vertical	111	2.73
2437MHz	Pass	PK	2.4886G	57.52	74.00	-16.48	3	Vertical	111	2.73
2437MHz	Pass	AV	2.3886G	46.46	54.00	-7.54	3	Horizontal	64	1.46
2437MHz	Pass	AV	2.4362G	107.18	Inf	-Inf	3	Horizontal	64	1.46
2437MHz	Pass	AV	2.4854G	46.98	54.00	-7.02	3	Horizontal	64	1.46
2437MHz	Pass	PK	2.3614G	57.20	74.00	-16.80	3	Horizontal	64	1.46
2437MHz	Pass	PK	2.4374G	110.68	Inf	-Inf	3	Horizontal	64	1.46
2437MHz	Pass	PK	2.4846G	58.22	74.00	-15.78	3	Horizontal	64	1.46
2437MHz	Pass	AV	4.874G	39.24	54.00	-14.76	3	Vertical	358	2.54
2437MHz	Pass	AV	7.31176G	41.74	54.00	-12.26	3	Vertical	360	2.55
2437MHz	Pass	PK	4.87404G	45.59	74.00	-28.41	3	Vertical	358	2.54
2437MHz	Pass	PK	7.31092G	51.07	74.00	-22.93	3	Vertical	360	2.55
2437MHz	Pass	AV	4.87396G	45.12	54.00	-8.88	3	Horizontal	20	1.60
2437MHz	Pass	AV	7.3118G	34.62	54.00	-19.38	3	Horizontal	80	2.25
2437MHz	Pass	PK	4.874G	48.72	74.00	-25.28	3	Horizontal	20	1.60
2437MHz	Pass	PK	7.31012G	47.78	74.00	-26.22	3	Horizontal	80	2.25
2457MHz	Pass	AV	2.4562G	104.64	Inf	-Inf	3	Vertical	96	2.74
2457MHz	Pass	AV	2.4854G	46.46	54.00	-7.54	3	Vertical	96	2.74
2457MHz	Pass	PK	2.4562G	108.28	Inf	-Inf	3	Vertical	96	2.74
2457MHz	Pass	PK	2.4854G	58.79	74.00	-15.21	3	Vertical	96	2.74
2457MHz	Pass	AV	2.4562G	107.70	Inf	-Inf	3	Horizontal	63	1.13
2457MHz	Pass	AV	2.4966G	47.33	54.00	-6.67	3	Horizontal	63	1.13
2457MHz	Pass	PK	2.4576G	111.40	Inf	-Inf	3	Horizontal	63	1.13
2457MHz	Pass	PK	2.4952G	58.78	74.00	-15.22	3	Horizontal	63	1.13
2457MHz	Pass	AV	4.914G	46.46	54.00	-7.54	3	Vertical	92	2.79
2457MHz	Pass	AV	7.37178G	44.06	54.00	-9.94	3	Vertical	335	1.50
2457MHz	Pass	PK	4.914G	49.99	74.00	-24.01	3	Vertical	92	2.79
2457MHz	Pass	PK	7.37214G	52.59	74.00	-21.41	3	Vertical	335	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	AV	4.914G	49.85	54.00	-4.15	3	Horizontal	360	2.65
2457MHz	Pass	AV	7.37016G	39.63	54.00	-14.37	3	Horizontal	288	2.69
2457MHz	Pass	PK	4.914G	53.10	74.00	-20.90	3	Horizontal	360	2.65
2457MHz	Pass	PK	7.3701G	50.46	74.00	-23.54	3	Horizontal	288	2.69
2462MHz	Pass	AV	2.4612G	104.32	Inf	-Inf	3	Vertical	99	2.34
2462MHz	Pass	AV	2.4884G	46.00	54.00	-8.00	3	Vertical	99	2.34
2462MHz	Pass	PK	2.4626G	108.06	Inf	-Inf	3	Vertical	99	2.34
2462MHz	Pass	PK	2.4904G	58.02	74.00	-15.98	3	Vertical	99	2.34
2462MHz	Pass	AV	2.4628G	107.86	Inf	-Inf	3	Horizontal	65	1.14
2462MHz	Pass	AV	2.4998G	46.72	54.00	-7.28	3	Horizontal	65	1.14
2462MHz	Pass	PK	2.4626G	111.55	Inf	-Inf	3	Horizontal	65	1.14
2462MHz	Pass	PK	2.4868G	58.62	74.00	-15.38	3	Horizontal	65	1.14
2462MHz	Pass	AV	4.924G	45.40	54.00	-8.60	3	Vertical	84	2.40
2462MHz	Pass	AV	7.38522G	42.60	54.00	-11.40	3	Vertical	341	2.29
2462MHz	Pass	PK	4.9243G	48.73	74.00	-25.27	3	Vertical	84	2.40
2462MHz	Pass	PK	7.38372G	51.97	74.00	-22.03	3	Vertical	341	2.29
2462MHz	Pass	AV	4.924G	50.22	54.00	-3.78	3	Horizontal	16	2.66
2462MHz	Pass	AV	7.38678G	39.40	54.00	-14.60	3	Horizontal	297	2.37
2462MHz	Pass	PK	4.92406G	53.08	74.00	-20.92	3	Horizontal	16	2.66
2462MHz	Pass	PK	7.38498G	50.18	74.00	-23.82	3	Horizontal	297	2.37
2467MHz	Pass	AV	2.4662G	102.74	Inf	-Inf	3	Vertical	98	2.50
2467MHz	Pass	AV	2.4835G	46.65	54.00	-7.35	3	Vertical	98	2.50
2467MHz	Pass	PK	2.4664G	106.52	Inf	-Inf	3	Vertical	98	2.50
2467MHz	Pass	PK	2.4836G	57.95	74.00	-16.05	3	Vertical	98	2.50
2467MHz	Pass	AV	2.4662G	106.41	Inf	-Inf	3	Horizontal	66	1.18
2467MHz	Pass	AV	2.4835G	48.22	54.00	-5.78	3	Horizontal	66	1.18
2467MHz	Pass	PK	2.4678G	110.07	Inf	-Inf	3	Horizontal	66	1.18
2467MHz	Pass	PK	2.4848G	58.51	74.00	-15.49	3	Horizontal	66	1.18
2467MHz	Pass	AV	4.934G	45.16	54.00	-8.84	3	Vertical	90	2.75
2467MHz	Pass	AV	7.40184G	40.38	54.00	-13.62	3	Vertical	344	2.25
2467MHz	Pass	PK	4.93394G	49.05	74.00	-24.95	3	Vertical	90	2.75
2467MHz	Pass	PK	7.39944G	51.23	74.00	-22.77	3	Vertical	344	2.25
2467MHz	Pass	AV	4.934G	48.78	54.00	-5.22	3	Horizontal	12	1.70
2467MHz	Pass	AV	7.40964G	37.91	54.00	-16.09	3	Horizontal	183	1.50
2467MHz	Pass	PK	4.93412G	52.40	74.00	-21.60	3	Horizontal	12	1.70
2467MHz	Pass	PK	7.39464G	50.08	74.00	-23.92	3	Horizontal	183	1.50
2472MHz	Pass	AV	2.4712G	99.25	Inf	-Inf	3	Vertical	93	2.89
2472MHz	Pass	AV	2.4852G	45.74	54.00	-8.26	3	Vertical	93	2.89
2472MHz	Pass	PK	2.4714G	103.22	Inf	-Inf	3	Vertical	93	2.89
2472MHz	Pass	PK	2.484G	60.34	74.00	-13.66	3	Vertical	93	2.89
2472MHz	Pass	AV	2.4712G	102.20	Inf	-Inf	3	Horizontal	64	1.49
2472MHz	Pass	AV	2.485G	46.39	54.00	-7.61	3	Horizontal	64	1.49
2472MHz	Pass	PK	2.4726G	106.10	Inf	-Inf	3	Horizontal	64	1.49
2472MHz	Pass	PK	2.4835G	63.84	74.00	-10.16	3	Horizontal	64	1.49
2472MHz	Pass	AV	4.94396G	40.57	54.00	-13.43	3	Vertical	105	2.60
2472MHz	Pass	AV	7.40632G	37.68	54.00	-16.32	3	Vertical	307	2.64
2472MHz	Pass	PK	4.94396G	48.01	74.00	-25.99	3	Vertical	105	2.60
2472MHz	Pass	PK	7.4094G	49.04	74.00	-24.96	3	Vertical	307	2.64
2472MHz	Pass	AV	4.944G	44.75	54.00	-9.25	3	Horizontal	16	2.72
2472MHz	Pass	AV	7.408G	37.65	54.00	-16.35	3	Horizontal	4	1.18
2472MHz	Pass	PK	4.94388G	50.60	74.00	-23.40	3	Horizontal	16	2.72
2472MHz	Pass	PK	7.41276G	49.88	74.00	-24.12	3	Horizontal	4	1.18
802.11b_Nss1_(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3872G	45.43	54.00	-8.57	3	Vertical	246	1.67
2412MHz	Pass	AV	2.4112G	99.97	Inf	-Inf	3	Vertical	246	1.67
2412MHz	Pass	PK	2.367G	57.51	74.00	-16.49	3	Vertical	246	1.67
2412MHz	Pass	PK	2.4128G	103.52	Inf	-Inf	3	Vertical	246	1.67
2412MHz	Pass	AV	2.3874G	47.68	54.00	-6.32	3	Horizontal	297	1.31
2412MHz	Pass	AV	2.4112G	106.05	Inf	-Inf	3	Horizontal	297	1.31
2412MHz	Pass	PK	2.386G	58.70	74.00	-15.30	3	Horizontal	297	1.31
2412MHz	Pass	PK	2.4114G	109.52	Inf	-Inf	3	Horizontal	297	1.31
2412MHz	Pass	AV	4.82396G	37.71	54.00	-16.29	3	Vertical	259	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.82408G	46.74	74.00	-27.26	3	Vertical	259	1.50
2412MHz	Pass	AV	4.824G	43.31	54.00	-10.69	3	Horizontal	351	2.68
2412MHz	Pass	PK	4.82396G	48.89	74.00	-25.11	3	Horizontal	351	2.68
2417MHz	Pass	AV	2.4178G	103.66	Inf	-Inf	3	Vertical	261	2.85
2417MHz	Pass	PK	2.3898G	57.03	74.00	-16.97	3	Vertical	261	2.85
2417MHz	Pass	PK	2.4178G	107.26	Inf	-Inf	3	Vertical	261	2.85
2417MHz	Pass	AV	2.39G	47.04	54.00	-6.96	3	Horizontal	293	1.16
2417MHz	Pass	AV	2.4162G	106.80	Inf	-Inf	3	Horizontal	293	1.16
2417MHz	Pass	PK	2.3862G	57.83	74.00	-16.17	3	Horizontal	293	1.16
2417MHz	Pass	PK	2.4176G	110.47	Inf	-Inf	3	Horizontal	293	1.16
2417MHz	Pass	AV	4.834G	44.14	54.00	-9.86	3	Vertical	96	2.52
2417MHz	Pass	AV	7.2525G	38.61	54.00	-15.39	3	Vertical	332	2.77
2417MHz	Pass	PK	4.83406G	47.71	74.00	-26.29	3	Vertical	96	2.52
2417MHz	Pass	PK	7.26162G	48.35	74.00	-25.65	3	Vertical	332	2.77
2417MHz	Pass	AV	4.834G	47.12	54.00	-6.88	3	Horizontal	287	1.55
2417MHz	Pass	AV	7.25634G	38.58	54.00	-15.42	3	Horizontal	57	1.53
2417MHz	Pass	PK	4.83388G	51.06	74.00	-22.94	3	Horizontal	287	1.55
2417MHz	Pass	PK	7.25682G	48.72	74.00	-25.28	3	Horizontal	57	1.53
2437MHz	Pass	AV	2.389G	44.97	54.00	-9.03	3	Vertical	279	2.87
2437MHz	Pass	AV	2.4362G	104.05	Inf	-Inf	3	Vertical	279	2.87
2437MHz	Pass	AV	2.4894G	45.70	54.00	-8.30	3	Vertical	279	2.87
2437MHz	Pass	PK	2.3482G	56.90	74.00	-17.10	3	Vertical	279	2.87
2437MHz	Pass	PK	2.4378G	107.48	Inf	-Inf	3	Vertical	279	2.87
2437MHz	Pass	PK	2.4898G	57.93	74.00	-16.07	3	Vertical	279	2.87
2437MHz	Pass	AV	2.3862G	45.58	54.00	-8.42	3	Horizontal	302	1.46
2437MHz	Pass	AV	2.4362G	106.65	Inf	-Inf	3	Horizontal	302	1.46
2437MHz	Pass	AV	2.485G	46.21	54.00	-7.79	3	Horizontal	302	1.46
2437MHz	Pass	PK	2.373G	57.40	74.00	-16.60	3	Horizontal	302	1.46
2437MHz	Pass	PK	2.4366G	110.00	Inf	-Inf	3	Horizontal	302	1.46
2437MHz	Pass	PK	2.4914G	58.74	74.00	-15.26	3	Horizontal	302	1.46
2437MHz	Pass	AV	4.874G	36.46	54.00	-17.54	3	Vertical	277	2.56
2437MHz	Pass	AV	7.3102G	33.46	54.00	-20.54	3	Vertical	37	1.16
2437MHz	Pass	PK	4.87408G	43.99	74.00	-30.01	3	Vertical	277	2.56
2437MHz	Pass	PK	7.30656G	47.34	74.00	-26.66	3	Vertical	37	1.16
2437MHz	Pass	AV	4.874G	40.32	54.00	-13.68	3	Horizontal	360	2.54
2437MHz	Pass	AV	7.32092G	33.16	54.00	-20.84	3	Horizontal	246	1.32
2437MHz	Pass	PK	4.87392G	46.13	74.00	-27.87	3	Horizontal	360	2.54
2437MHz	Pass	PK	7.31184G	48.08	74.00	-25.92	3	Horizontal	246	1.32
2457MHz	Pass	AV	2.4562G	103.30	Inf	-Inf	3	Vertical	245	2.49
2457MHz	Pass	AV	2.496G	45.91	54.00	-8.09	3	Vertical	245	2.49
2457MHz	Pass	PK	2.4576G	106.77	Inf	-Inf	3	Vertical	245	2.49
2457MHz	Pass	PK	2.4876G	58.90	74.00	-15.10	3	Vertical	245	2.49
2457MHz	Pass	AV	2.4562G	106.89	Inf	-Inf	3	Horizontal	297	1.29
2457MHz	Pass	AV	2.4962G	46.94	54.00	-7.06	3	Horizontal	297	1.29
2457MHz	Pass	PK	2.4564G	110.44	Inf	-Inf	3	Horizontal	297	1.29
2457MHz	Pass	PK	2.4942G	58.30	74.00	-15.70	3	Horizontal	297	1.29
2457MHz	Pass	AV	4.91254G	33.78	54.00	-20.22	3	Vertical	113	1.06
2457MHz	Pass	AV	7.36686G	38.28	54.00	-15.72	3	Vertical	99	2.25
2457MHz	Pass	PK	4.91548G	42.56	74.00	-31.44	3	Vertical	113	1.06
2457MHz	Pass	PK	7.36728G	49.02	74.00	-24.98	3	Vertical	99	2.25
2457MHz	Pass	AV	4.91354G	33.75	54.00	-20.25	3	Horizontal	183	2.54
2457MHz	Pass	AV	7.36742G	38.28	54.00	-15.72	3	Horizontal	119	1.90
2457MHz	Pass	PK	4.91188G	44.02	74.00	-29.98	3	Horizontal	183	2.54
2457MHz	Pass	PK	7.36858G	47.90	74.00	-26.10	3	Horizontal	119	1.90
2462MHz	Pass	AV	2.4628G	103.68	Inf	-Inf	3	Vertical	255	2.50
2462MHz	Pass	AV	2.4846G	46.13	54.00	-7.87	3	Vertical	255	2.50
2462MHz	Pass	PK	2.4626G	107.31	Inf	-Inf	3	Vertical	255	2.50
2462MHz	Pass	PK	2.4932G	57.86	74.00	-16.14	3	Vertical	255	2.50
2462MHz	Pass	AV	2.4612G	107.33	Inf	-Inf	3	Horizontal	296	1.33
2462MHz	Pass	AV	2.4844G	47.27	54.00	-6.73	3	Horizontal	296	1.33
2462MHz	Pass	PK	2.4628G	110.63	Inf	-Inf	3	Horizontal	296	1.33
2462MHz	Pass	PK	2.4978G	58.50	74.00	-15.50	3	Horizontal	296	1.33



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	4.92454G	33.81	54.00	-20.19	3	Vertical	163	2.73
2462MHz	Pass	AV	7.38148G	37.90	54.00	-16.10	3	Vertical	270	1.96
2462MHz	Pass	PK	4.92282G	43.85	74.00	-30.15	3	Vertical	163	2.73
2462MHz	Pass	PK	7.3888G	47.09	74.00	-26.91	3	Vertical	270	1.96
2462MHz	Pass	AV	4.9204G	33.76	54.00	-20.24	3	Horizontal	54	2.73
2462MHz	Pass	AV	7.38332G	37.89	54.00	-16.11	3	Horizontal	128	1.29
2462MHz	Pass	PK	4.92298G	43.17	74.00	-30.83	3	Horizontal	54	2.73
2462MHz	Pass	PK	7.38206G	46.50	74.00	-27.50	3	Horizontal	128	1.29
2467MHz	Pass	AV	2.4662G	101.80	Inf	-Inf	3	Vertical	259	2.50
2467MHz	Pass	AV	2.4848G	45.97	54.00	-8.03	3	Vertical	259	2.50
2467MHz	Pass	PK	2.4664G	105.45	Inf	-Inf	3	Vertical	259	2.50
2467MHz	Pass	PK	2.484G	57.77	74.00	-16.23	3	Vertical	259	2.50
2467MHz	Pass	AV	2.4662G	105.17	Inf	-Inf	3	Horizontal	296	1.14
2467MHz	Pass	AV	2.485G	46.93	54.00	-7.07	3	Horizontal	296	1.14
2467MHz	Pass	PK	2.4676G	108.86	Inf	-Inf	3	Horizontal	296	1.14
2467MHz	Pass	PK	2.4868G	58.99	74.00	-15.01	3	Horizontal	296	1.14
2467MHz	Pass	AV	4.934G	36.42	54.00	-17.58	3	Vertical	251	1.50
2467MHz	Pass	AV	7.40022G	48.94	54.00	-5.06	3	Vertical	2	2.24
2467MHz	Pass	PK	4.93412G	45.11	74.00	-28.89	3	Vertical	251	1.50
2467MHz	Pass	PK	7.40172G	54.95	74.00	-19.05	3	Vertical	2	2.24
2467MHz	Pass	AV	4.934G	44.83	54.00	-9.17	3	Horizontal	348	1.72
2467MHz	Pass	AV	7.40022G	47.11	54.00	-6.89	3	Horizontal	283	1.36
2467MHz	Pass	PK	4.934G	49.80	74.00	-24.20	3	Horizontal	348	1.72
2467MHz	Pass	PK	7.40034G	53.99	74.00	-20.01	3	Horizontal	283	1.36
2472MHz	Pass	AV	2.4712G	98.23	Inf	-Inf	3	Vertical	282	2.18
2472MHz	Pass	AV	2.4858G	45.64	54.00	-8.36	3	Vertical	282	2.18
2472MHz	Pass	PK	2.4728G	101.99	Inf	-Inf	3	Vertical	282	2.18
2472MHz	Pass	PK	2.4835G	61.08	74.00	-12.92	3	Vertical	282	2.18
2472MHz	Pass	AV	2.4712G	101.50	Inf	-Inf	3	Horizontal	297	1.07
2472MHz	Pass	AV	2.4858G	46.61	54.00	-7.39	3	Horizontal	297	1.07
2472MHz	Pass	PK	2.4726G	105.37	Inf	-Inf	3	Horizontal	297	1.07
2472MHz	Pass	PK	2.4835G	63.35	74.00	-10.65	3	Horizontal	297	1.07
2472MHz	Pass	AV	4.944G	35.81	54.00	-18.19	3	Vertical	231	1.05
2472MHz	Pass	AV	7.41432G	37.72	54.00	-16.28	3	Vertical	280	1.30
2472MHz	Pass	PK	4.9442G	46.00	74.00	-28.00	3	Vertical	231	1.05
2472MHz	Pass	PK	7.41776G	48.96	74.00	-25.04	3	Vertical	280	1.30
2472MHz	Pass	AV	4.944G	41.37	54.00	-12.63	3	Horizontal	349	2.65
2472MHz	Pass	AV	7.40624G	37.68	54.00	-16.32	3	Horizontal	37	1.65
2472MHz	Pass	PK	4.944G	48.64	74.00	-25.36	3	Horizontal	349	2.65
2472MHz	Pass	PK	7.42588G	49.47	74.00	-24.53	3	Horizontal	37	1.65
802.11g_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.86	54.00	-8.14	3	Vertical	97	2.82
2412MHz	Pass	AV	2.414G	98.30	Inf	-Inf	3	Vertical	97	2.82
2412MHz	Pass	PK	2.3876G	57.53	74.00	-16.47	3	Vertical	97	2.82
2412MHz	Pass	PK	2.4132G	107.11	Inf	-Inf	3	Vertical	97	2.82
2412MHz	Pass	AV	2.3898G	46.88	54.00	-7.12	3	Horizontal	62	1.13
2412MHz	Pass	AV	2.4156G	101.04	Inf	-Inf	3	Horizontal	62	1.13
2412MHz	Pass	PK	2.3898G	58.55	74.00	-15.45	3	Horizontal	62	1.13
2412MHz	Pass	PK	2.4144G	109.96	Inf	-Inf	3	Horizontal	62	1.13
2412MHz	Pass	AV	4.80948G	34.35	54.00	-19.65	3	Vertical	252	2.95
2412MHz	Pass	PK	4.8315G	46.59	74.00	-27.41	3	Vertical	252	2.95
2412MHz	Pass	AV	4.82826G	34.60	54.00	-19.40	3	Horizontal	354	1.50
2412MHz	Pass	PK	4.8309G	47.43	74.00	-26.57	3	Horizontal	354	1.50
2417MHz	Pass	AV	2.3894G	45.79	54.00	-8.21	3	Vertical	92	2.84
2417MHz	Pass	AV	2.4192G	99.95	Inf	-Inf	3	Vertical	92	2.84
2417MHz	Pass	PK	2.3852G	57.79	74.00	-16.21	3	Vertical	92	2.84
2417MHz	Pass	PK	2.4202G	109.16	Inf	-Inf	3	Vertical	92	2.84
2417MHz	Pass	AV	2.3896G	46.28	54.00	-7.72	3	Horizontal	60	1.09
2417MHz	Pass	AV	2.421G	102.58	Inf	-Inf	3	Horizontal	60	1.09
2417MHz	Pass	PK	2.388G	58.79	74.00	-15.21	3	Horizontal	60	1.09
2417MHz	Pass	PK	2.414G	111.44	Inf	-Inf	3	Horizontal	60	1.09
2417MHz	Pass	AV	4.82974G	34.46	54.00	-19.54	3	Vertical	89	2.85



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	AV	7.25346G	40.09	54.00	-13.91	3	Vertical	346	2.21
2417MHz	Pass	PK	4.84606G	45.93	74.00	-28.07	3	Vertical	89	2.85
2417MHz	Pass	PK	7.26132G	52.00	74.00	-22.00	3	Vertical	346	2.21
2417MHz	Pass	AV	4.83076G	34.93	54.00	-19.07	3	Horizontal	356	1.46
2417MHz	Pass	AV	7.2504G	39.06	54.00	-14.94	3	Horizontal	245	1.74
2417MHz	Pass	PK	4.83292G	47.15	74.00	-26.85	3	Horizontal	356	1.46
2417MHz	Pass	PK	7.2519G	50.38	74.00	-23.62	3	Horizontal	245	1.74
2437MHz	Pass	AV	2.3886G	45.05	54.00	-8.95	3	Vertical	97	2.98
2437MHz	Pass	AV	2.4406G	100.87	Inf	-Inf	3	Vertical	97	2.98
2437MHz	Pass	AV	2.4835G	45.98	54.00	-8.02	3	Vertical	97	2.98
2437MHz	Pass	PK	2.3806G	57.60	74.00	-16.40	3	Vertical	97	2.98
2437MHz	Pass	PK	2.4414G	109.38	Inf	-Inf	3	Vertical	97	2.98
2437MHz	Pass	PK	2.485G	57.72	74.00	-16.28	3	Vertical	97	2.98
2437MHz	Pass	AV	2.3898G	45.72	54.00	-8.28	3	Horizontal	64	1.28
2437MHz	Pass	AV	2.4406G	104.14	Inf	-Inf	3	Horizontal	64	1.28
2437MHz	Pass	AV	2.4835G	46.55	54.00	-7.45	3	Horizontal	64	1.28
2437MHz	Pass	PK	2.3886G	57.55	74.00	-16.45	3	Horizontal	64	1.28
2437MHz	Pass	PK	2.4406G	113.09	Inf	-Inf	3	Horizontal	64	1.28
2437MHz	Pass	PK	2.4978G	58.32	74.00	-15.68	3	Horizontal	64	1.28
2437MHz	Pass	AV	4.8719G	34.64	54.00	-19.36	3	Vertical	84	2.84
2437MHz	Pass	AV	7.3083G	40.38	54.00	-13.62	3	Vertical	0	2.16
2437MHz	Pass	PK	4.87742G	44.63	74.00	-29.37	3	Vertical	84	2.84
2437MHz	Pass	PK	7.31316G	51.92	74.00	-22.08	3	Vertical	0	2.16
2437MHz	Pass	AV	4.87514G	36.22	54.00	-17.78	3	Horizontal	355	1.65
2437MHz	Pass	AV	7.31358G	38.60	54.00	-15.40	3	Horizontal	209	1.50
2437MHz	Pass	PK	4.87268G	48.41	74.00	-25.59	3	Horizontal	355	1.65
2437MHz	Pass	PK	7.31262G	50.50	74.00	-23.50	3	Horizontal	209	1.50
2457MHz	Pass	AV	2.4548G	99.22	Inf	-Inf	3	Vertical	96	2.73
2457MHz	Pass	AV	2.4838G	46.36	54.00	-7.64	3	Vertical	96	2.73
2457MHz	Pass	PK	2.4526G	108.25	Inf	-Inf	3	Vertical	96	2.73
2457MHz	Pass	PK	2.4836G	58.24	74.00	-15.76	3	Vertical	96	2.73
2457MHz	Pass	AV	2.4538G	102.21	Inf	-Inf	3	Horizontal	62	1.10
2457MHz	Pass	AV	2.4835G	47.07	54.00	-6.93	3	Horizontal	62	1.10
2457MHz	Pass	PK	2.4556G	110.83	Inf	-Inf	3	Horizontal	62	1.10
2457MHz	Pass	PK	2.4842G	59.45	74.00	-14.55	3	Horizontal	62	1.10
2457MHz	Pass	AV	4.91448G	35.39	54.00	-18.61	3	Vertical	82	2.21
2457MHz	Pass	AV	7.36998G	39.70	54.00	-14.30	3	Vertical	340	2.29
2457MHz	Pass	PK	4.91058G	44.98	74.00	-29.02	3	Vertical	82	2.21
2457MHz	Pass	PK	7.37646G	51.09	74.00	-22.91	3	Vertical	340	2.29
2457MHz	Pass	AV	4.9149G	37.43	54.00	-16.57	3	Horizontal	12	2.56
2457MHz	Pass	AV	7.3617G	38.42	54.00	-15.58	3	Horizontal	342	1.50
2457MHz	Pass	PK	4.91832G	49.56	74.00	-24.44	3	Horizontal	12	2.56
2457MHz	Pass	PK	7.3638G	50.44	74.00	-23.56	3	Horizontal	342	1.50
2462MHz	Pass	AV	2.4584G	97.42	Inf	-Inf	3	Vertical	91	2.71
2462MHz	Pass	AV	2.4835G	46.32	54.00	-7.68	3	Vertical	91	2.71
2462MHz	Pass	PK	2.4584G	106.62	Inf	-Inf	3	Vertical	91	2.71
2462MHz	Pass	PK	2.4996G	58.21	74.00	-15.79	3	Vertical	91	2.71
2462MHz	Pass	AV	2.4644G	100.90	Inf	-Inf	3	Horizontal	66	1.14
2462MHz	Pass	AV	2.4835G	46.85	54.00	-7.15	3	Horizontal	66	1.14
2462MHz	Pass	PK	2.4646G	110.14	Inf	-Inf	3	Horizontal	66	1.14
2462MHz	Pass	PK	2.4848G	58.84	74.00	-15.16	3	Horizontal	66	1.14
2462MHz	Pass	AV	4.92256G	35.19	54.00	-18.81	3	Vertical	85	2.90
2462MHz	Pass	AV	7.3824G	38.45	54.00	-15.55	3	Vertical	328	1.50
2462MHz	Pass	PK	4.92214G	46.61	74.00	-27.39	3	Vertical	85	2.90
2462MHz	Pass	PK	7.39716G	50.10	74.00	-23.90	3	Vertical	328	1.50
2462MHz	Pass	AV	4.92346G	36.42	54.00	-17.58	3	Horizontal	12	1.80
2462MHz	Pass	AV	7.37124G	38.29	54.00	-15.71	3	Horizontal	256	1.50
2462MHz	Pass	PK	4.92472G	48.69	74.00	-25.31	3	Horizontal	12	1.80
2462MHz	Pass	PK	7.39026G	50.05	74.00	-23.95	3	Horizontal	256	1.50
2467MHz	Pass	AV	2.4706G	93.88	Inf	-Inf	3	Vertical	99	2.63
2467MHz	Pass	AV	2.4835G	47.37	54.00	-6.63	3	Vertical	99	2.63
2467MHz	Pass	PK	2.471G	103.09	Inf	-Inf	3	Vertical	99	2.63



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2467MHz	Pass	PK	2.4835G	59.87	74.00	-14.13	3	Vertical	99	2.63
2467MHz	Pass	AV	2.4648G	97.39	Inf	-Inf	3	Horizontal	65	1.20
2467MHz	Pass	AV	2.4835G	48.82	54.00	-5.18	3	Horizontal	65	1.20
2467MHz	Pass	PK	2.4656G	106.50	Inf	-Inf	3	Horizontal	65	1.20
2467MHz	Pass	PK	2.4835G	60.95	74.00	-13.05	3	Horizontal	65	1.20
2467MHz	Pass	AV	4.92488G	34.15	54.00	-19.85	3	Vertical	88	1.50
2467MHz	Pass	AV	7.41228G	38.07	54.00	-15.93	3	Vertical	356	1.25
2467MHz	Pass	PK	4.94132G	44.34	74.00	-29.66	3	Vertical	88	1.50
2467MHz	Pass	PK	7.39248G	49.48	74.00	-24.52	3	Vertical	356	1.25
2467MHz	Pass	AV	4.93496G	34.72	54.00	-19.28	3	Horizontal	10	1.50
2467MHz	Pass	AV	7.4148G	38.08	54.00	-15.92	3	Horizontal	260	1.50
2467MHz	Pass	PK	4.9319G	47.09	74.00	-26.91	3	Horizontal	10	1.50
2467MHz	Pass	PK	7.39446G	50.18	74.00	-23.82	3	Horizontal	260	1.50
2472MHz	Pass	AV	2.4768G	91.85	Inf	-Inf	3	Vertical	102	3.00
2472MHz	Pass	AV	2.4835G	49.77	54.00	-4.23	3	Vertical	102	3.00
2472MHz	Pass	PK	2.476G	101.06	Inf	-Inf	3	Vertical	102	3.00
2472MHz	Pass	PK	2.4835G	69.19	74.00	-4.81	3	Vertical	102	3.00
2472MHz	Pass	AV	2.4664G	94.86	Inf	-Inf	3	Horizontal	65	1.19
2472MHz	Pass	AV	2.4835G	51.44	54.00	-2.56	3	Horizontal	65	1.19
2472MHz	Pass	PK	2.4668G	104.90	Inf	-Inf	3	Horizontal	65	1.19
2472MHz	Pass	PK	2.4835G	70.79	74.00	-3.21	3	Horizontal	65	1.19
2472MHz	Pass	AV	4.95408G	34.01	54.00	-19.99	3	Vertical	70	2.73
2472MHz	Pass	AV	7.41468G	38.07	54.00	-15.93	3	Vertical	19	1.00
2472MHz	Pass	PK	4.95288G	45.30	74.00	-28.70	3	Vertical	70	2.73
2472MHz	Pass	PK	7.41732G	49.87	74.00	-24.13	3	Vertical	19	1.00
2472MHz	Pass	AV	4.94814G	34.11	54.00	-19.89	3	Horizontal	314	1.50
2472MHz	Pass	AV	7.41834G	38.08	54.00	-15.92	3	Horizontal	32	3.00
2472MHz	Pass	PK	4.94982G	46.13	74.00	-27.87	3	Horizontal	314	1.50
2472MHz	Pass	PK	7.4112G	49.98	74.00	-24.02	3	Horizontal	32	2.65
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	45.50	54.00	-8.50	3	Vertical	266	2.72
2412MHz	Pass	AV	2.416G	96.51	Inf	-Inf	3	Vertical	266	2.72
2412MHz	Pass	PK	2.362G	57.50	74.00	-16.50	3	Vertical	266	2.72
2412MHz	Pass	PK	2.4144G	105.42	Inf	-Inf	3	Vertical	266	2.72
2412MHz	Pass	AV	2.39G	46.84	54.00	-7.16	3	Horizontal	298	1.23
2412MHz	Pass	AV	2.4098G	100.61	Inf	-Inf	3	Horizontal	298	1.23
2412MHz	Pass	PK	2.39G	58.63	74.00	-15.37	3	Horizontal	298	1.23
2412MHz	Pass	PK	2.4144G	109.72	Inf	-Inf	3	Horizontal	298	1.23
2412MHz	Pass	AV	4.8267G	34.44	54.00	-19.56	3	Vertical	248	3.00
2412MHz	Pass	PK	4.82544G	45.38	74.00	-28.62	3	Vertical	248	3.00
2412MHz	Pass	AV	4.82376G	35.78	54.00	-18.22	3	Horizontal	287	1.42
2412MHz	Pass	PK	4.82442G	47.49	74.00	-26.51	3	Horizontal	287	1.42
2417MHz	Pass	AV	2.3882G	45.55	54.00	-8.45	3	Vertical	263	2.84
2417MHz	Pass	AV	2.4192G	98.83	Inf	-Inf	3	Vertical	263	2.84
2417MHz	Pass	PK	2.3776G	58.00	74.00	-16.00	3	Vertical	263	2.84
2417MHz	Pass	PK	2.4188G	107.97	Inf	-Inf	3	Vertical	263	2.84
2417MHz	Pass	AV	2.39G	46.93	54.00	-7.07	3	Horizontal	292	1.14
2417MHz	Pass	AV	2.4208G	102.30	Inf	-Inf	3	Horizontal	292	1.14
2417MHz	Pass	PK	2.3826G	59.11	74.00	-14.89	3	Horizontal	292	1.14
2417MHz	Pass	PK	2.4206G	111.54	Inf	-Inf	3	Horizontal	292	1.14
2417MHz	Pass	AV	4.83046G	34.88	54.00	-19.12	3	Vertical	267	2.98
2417MHz	Pass	AV	7.2516G	46.12	54.00	-7.88	3	Vertical	345	2.33
2417MHz	Pass	PK	4.82986G	46.67	74.00	-27.33	3	Vertical	267	2.98
2417MHz	Pass	PK	7.25454G	59.01	74.00	-14.99	3	Vertical	345	2.33
2417MHz	Pass	AV	4.834G	36.44	54.00	-17.56	3	Horizontal	347	1.78
2417MHz	Pass	AV	7.25033G	38.67	54.00	-15.33	3	Horizontal	114	1.00
2417MHz	Pass	PK	4.83418G	48.71	74.00	-25.29	3	Horizontal	347	1.78
2417MHz	Pass	PK	7.2509G	50.20	74.00	-23.80	3	Horizontal	114	1.00
2437MHz	Pass	AV	2.3898G	45.14	54.00	-8.86	3	Vertical	264	2.50
2437MHz	Pass	AV	2.435G	100.05	Inf	-Inf	3	Vertical	264	2.50
2437MHz	Pass	AV	2.4835G	45.90	54.00	-8.10	3	Vertical	264	2.50
2437MHz	Pass	PK	2.371G	56.77	74.00	-17.23	3	Vertical	264	2.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4326G	108.57	Inf	-Inf	3	Vertical	264	2.50
2437MHz	Pass	PK	2.4958G	57.79	74.00	-16.21	3	Vertical	264	2.50
2437MHz	Pass	AV	2.3898G	46.36	54.00	-7.64	3	Horizontal	295	1.39
2437MHz	Pass	AV	2.435G	103.87	Inf	-Inf	3	Horizontal	295	1.39
2437MHz	Pass	AV	2.4835G	46.79	54.00	-7.21	3	Horizontal	295	1.39
2437MHz	Pass	PK	2.3838G	58.21	74.00	-15.79	3	Horizontal	295	1.39
2437MHz	Pass	PK	2.4406G	113.04	Inf	-Inf	3	Horizontal	295	1.39
2437MHz	Pass	PK	2.4946G	58.39	74.00	-15.61	3	Horizontal	295	1.39
2437MHz	Pass	AV	4.87124G	34.35	54.00	-19.65	3	Vertical	0	1.50
2437MHz	Pass	AV	7.31034G	40.19	54.00	-13.81	3	Vertical	4	1.50
2437MHz	Pass	PK	4.86998G	45.97	74.00	-28.03	3	Vertical	0	1.50
2437MHz	Pass	PK	7.31154G	52.48	74.00	-21.52	3	Vertical	4	1.50
2437MHz	Pass	AV	4.87172G	35.12	54.00	-18.88	3	Horizontal	0	2.84
2437MHz	Pass	AV	7.30974G	44.94	54.00	-9.06	3	Horizontal	282	1.45
2437MHz	Pass	PK	4.87124G	47.31	74.00	-26.69	3	Horizontal	0	2.84
2437MHz	Pass	PK	7.31292G	57.95	74.00	-16.05	3	Horizontal	282	1.45
2457MHz	Pass	AV	2.4542G	98.07	Inf	-Inf	3	Vertical	249	2.47
2457MHz	Pass	AV	2.4838G	45.97	54.00	-8.03	3	Vertical	249	2.47
2457MHz	Pass	PK	2.453G	106.56	Inf	-Inf	3	Vertical	249	2.47
2457MHz	Pass	PK	2.484G	58.18	74.00	-15.82	3	Vertical	249	2.47
2457MHz	Pass	AV	2.453G	102.09	Inf	-Inf	3	Horizontal	294	1.29
2457MHz	Pass	AV	2.4835G	47.00	54.00	-7.00	3	Horizontal	294	1.29
2457MHz	Pass	PK	2.4524G	111.02	Inf	-Inf	3	Horizontal	294	1.29
2457MHz	Pass	PK	2.487G	59.65	74.00	-14.35	3	Horizontal	294	1.29
2457MHz	Pass	AV	4.91334G	34.26	54.00	-19.74	3	Vertical	7	1.50
2457MHz	Pass	AV	7.36746G	41.78	54.00	-12.22	3	Vertical	318	2.93
2457MHz	Pass	PK	4.91766G	45.53	74.00	-28.47	3	Vertical	7	1.50
2457MHz	Pass	PK	7.36278G	54.47	74.00	-19.53	3	Vertical	318	2.93
2457MHz	Pass	AV	4.914G	35.22	54.00	-18.78	3	Horizontal	360	1.47
2457MHz	Pass	AV	7.37004G	42.34	54.00	-11.66	3	Horizontal	280	1.48
2457MHz	Pass	PK	4.91682G	47.24	74.00	-26.76	3	Horizontal	360	1.47
2457MHz	Pass	PK	7.3659G	54.85	74.00	-19.15	3	Horizontal	280	1.48
2462MHz	Pass	AV	2.4588G	97.46	Inf	-Inf	3	Vertical	260	2.80
2462MHz	Pass	AV	2.4835G	46.21	54.00	-7.79	3	Vertical	260	2.80
2462MHz	Pass	PK	2.4586G	106.89	Inf	-Inf	3	Vertical	260	2.80
2462MHz	Pass	PK	2.4856G	57.99	74.00	-16.01	3	Vertical	260	2.80
2462MHz	Pass	AV	2.4584G	100.71	Inf	-Inf	3	Horizontal	296	1.32
2462MHz	Pass	AV	2.4835G	47.65	54.00	-6.35	3	Horizontal	296	1.32
2462MHz	Pass	PK	2.4598G	109.51	Inf	-Inf	3	Horizontal	296	1.32
2462MHz	Pass	PK	2.4835G	59.90	74.00	-14.10	3	Horizontal	296	1.32
2462MHz	Pass	AV	4.92352G	34.16	54.00	-19.84	3	Vertical	250	1.56
2462MHz	Pass	AV	7.38324G	40.11	54.00	-13.89	3	Vertical	329	2.95
2462MHz	Pass	PK	4.92754G	44.64	74.00	-29.36	3	Vertical	250	1.56
2462MHz	Pass	PK	7.38324G	53.49	74.00	-20.51	3	Vertical	329	2.95
2462MHz	Pass	AV	4.92412G	35.12	54.00	-18.88	3	Horizontal	358	1.49
2462MHz	Pass	AV	7.38564G	40.68	54.00	-13.32	3	Horizontal	280	1.37
2462MHz	Pass	PK	4.92406G	47.24	74.00	-26.76	3	Horizontal	358	1.49
2462MHz	Pass	PK	7.38738G	52.99	74.00	-21.01	3	Horizontal	280	1.37
2467MHz	Pass	AV	2.4648G	92.79	Inf	-Inf	3	Vertical	255	2.50
2467MHz	Pass	AV	2.4835G	46.82	54.00	-7.18	3	Vertical	255	2.50
2467MHz	Pass	PK	2.4638G	101.95	Inf	-Inf	3	Vertical	255	2.50
2467MHz	Pass	PK	2.4835G	57.96	74.00	-16.04	3	Vertical	255	2.50
2467MHz	Pass	AV	2.4634G	96.26	Inf	-Inf	3	Horizontal	295	1.13
2467MHz	Pass	AV	2.4835G	48.51	54.00	-5.49	3	Horizontal	295	1.13
2467MHz	Pass	PK	2.4642G	105.76	Inf	-Inf	3	Horizontal	295	1.13
2467MHz	Pass	PK	2.4835G	59.90	74.00	-14.10	3	Horizontal	295	1.13
2467MHz	Pass	AV	4.92458G	33.98	54.00	-20.02	3	Vertical	148	1.50
2467MHz	Pass	AV	7.41486G	38.19	54.00	-15.81	3	Vertical	252	1.50
2467MHz	Pass	PK	4.92116G	44.60	74.00	-29.40	3	Vertical	148	1.50
2467MHz	Pass	PK	7.40652G	50.04	74.00	-23.96	3	Vertical	252	1.50
2467MHz	Pass	AV	4.92188G	34.04	54.00	-19.96	3	Horizontal	149	1.50
2467MHz	Pass	AV	7.40532G	38.28	54.00	-15.72	3	Horizontal	282	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2467MHz	Pass	PK	4.93502G	46.52	74.00	-27.48	3	Horizontal	149	1.50
2467MHz	Pass	PK	7.40148G	50.67	74.00	-23.33	3	Horizontal	282	1.50
2472MHz	Pass	AV	2.4762G	90.20	Inf	-Inf	3	Vertical	256	3.00
2472MHz	Pass	AV	2.4835G	49.44	54.00	-4.56	3	Vertical	256	3.00
2472MHz	Pass	PK	2.476G	99.36	Inf	-Inf	3	Vertical	256	3.00
2472MHz	Pass	PK	2.4835G	66.14	74.00	-7.86	3	Vertical	256	3.00
2472MHz	Pass	AV	2.4652G	93.55	Inf	-Inf	3	Horizontal	295	1.18
2472MHz	Pass	AV	2.4835G	51.61	54.00	-2.39	3	Horizontal	295	1.18
2472MHz	Pass	PK	2.4676G	102.55	Inf	-Inf	3	Horizontal	295	1.18
2472MHz	Pass	PK	2.4835G	70.65	74.00	-3.35	3	Horizontal	295	1.18
2472MHz	Pass	AV	4.95576G	33.99	54.00	-20.01	3	Vertical	348	1.50
2472MHz	Pass	AV	7.42056G	38.42	54.00	-15.58	3	Vertical	3	1.50
2472MHz	Pass	PK	4.93176G	44.70	74.00	-29.30	3	Vertical	348	1.50
2472MHz	Pass	PK	7.40958G	50.97	74.00	-23.03	3	Vertical	3	1.50
2472MHz	Pass	AV	4.95378G	34.04	54.00	-19.96	3	Horizontal	19	1.39
2472MHz	Pass	AV	7.4169G	38.24	54.00	-15.76	3	Horizontal	298	1.50
2472MHz	Pass	PK	4.9539G	46.34	74.00	-27.66	3	Horizontal	19	1.39
2472MHz	Pass	PK	7.42062G	51.17	74.00	-22.83	3	Horizontal	298	1.50
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.02	54.00	-8.98	3	Vertical	98	2.30
2412MHz	Pass	AV	2.4156G	95.74	Inf	-Inf	3	Vertical	98	2.30
2412MHz	Pass	PK	2.384G	56.78	74.00	-17.22	3	Vertical	98	2.30
2412MHz	Pass	PK	2.416G	104.10	Inf	-Inf	3	Vertical	98	2.30
2412MHz	Pass	AV	2.39G	45.60	54.00	-8.40	3	Horizontal	57	1.50
2412MHz	Pass	AV	2.414G	98.12	Inf	-Inf	3	Horizontal	57	1.50
2412MHz	Pass	PK	2.39G	58.28	74.00	-15.72	3	Horizontal	57	1.50
2412MHz	Pass	PK	2.4086G	106.84	Inf	-Inf	3	Horizontal	57	1.50
2412MHz	Pass	AV	4.812G	34.15	54.00	-19.85	3	Vertical	257	2.51
2412MHz	Pass	PK	4.82814G	45.34	74.00	-28.66	3	Vertical	257	2.51
2412MHz	Pass	AV	4.81158G	34.24	54.00	-19.76	3	Horizontal	8	1.50
2412MHz	Pass	PK	4.83636G	46.61	74.00	-27.39	3	Horizontal	8	1.50
2417MHz	Pass	AV	2.3886G	45.01	54.00	-8.99	3	Vertical	87	2.28
2417MHz	Pass	AV	2.421G	97.06	Inf	-Inf	3	Vertical	87	2.28
2417MHz	Pass	PK	2.3792G	57.12	74.00	-16.88	3	Vertical	87	2.28
2417MHz	Pass	PK	2.4194G	105.62	Inf	-Inf	3	Vertical	87	2.28
2417MHz	Pass	AV	2.3898G	45.62	54.00	-8.38	3	Horizontal	58	1.55
2417MHz	Pass	AV	2.4206G	99.82	Inf	-Inf	3	Horizontal	58	1.55
2417MHz	Pass	PK	2.3884G	57.39	74.00	-16.61	3	Horizontal	58	1.55
2417MHz	Pass	PK	2.42G	108.71	Inf	-Inf	3	Horizontal	58	1.55
2417MHz	Pass	AV	4.82938G	34.17	54.00	-19.83	3	Vertical	90	1.50
2417MHz	Pass	AV	7.25196G	39.56	54.00	-14.44	3	Vertical	346	2.27
2417MHz	Pass	PK	4.8427G	45.71	74.00	-28.29	3	Vertical	90	1.50
2417MHz	Pass	PK	7.25646G	52.06	74.00	-21.94	3	Vertical	346	2.27
2417MHz	Pass	AV	4.82992G	34.49	54.00	-19.51	3	Horizontal	63	1.64
2417MHz	Pass	AV	7.25742G	38.72	54.00	-15.28	3	Horizontal	160	1.50
2417MHz	Pass	PK	4.8295G	46.31	74.00	-27.69	3	Horizontal	63	1.64
2417MHz	Pass	PK	7.25424G	50.85	74.00	-23.15	3	Horizontal	160	1.50
2437MHz	Pass	AV	2.3886G	44.39	54.00	-9.61	3	Vertical	88	2.05
2437MHz	Pass	AV	2.4342G	97.86	Inf	-Inf	3	Vertical	88	2.05
2437MHz	Pass	AV	2.4938G	45.16	54.00	-8.84	3	Vertical	88	2.05
2437MHz	Pass	PK	2.369G	56.27	74.00	-17.73	3	Vertical	88	2.05
2437MHz	Pass	PK	2.4362G	106.67	Inf	-Inf	3	Vertical	88	2.05
2437MHz	Pass	PK	2.489G	56.78	74.00	-17.22	3	Vertical	88	2.05
2437MHz	Pass	AV	2.3898G	44.69	54.00	-9.31	3	Horizontal	58	1.41
2437MHz	Pass	AV	2.433G	100.42	Inf	-Inf	3	Horizontal	58	1.41
2437MHz	Pass	AV	2.4906G	45.45	54.00	-8.55	3	Horizontal	58	1.41
2437MHz	Pass	PK	2.3802G	56.50	74.00	-17.50	3	Horizontal	58	1.41
2437MHz	Pass	PK	2.4362G	109.07	Inf	-Inf	3	Horizontal	58	1.41
2437MHz	Pass	PK	2.4994G	57.21	74.00	-16.79	3	Horizontal	58	1.41
2437MHz	Pass	AV	4.8707G	34.06	54.00	-19.94	3	Vertical	93	2.16
2437MHz	Pass	AV	7.3098G	39.37	54.00	-14.63	3	Vertical	332	2.26
2437MHz	Pass	PK	4.8707G	44.84	74.00	-29.16	3	Vertical	93	2.16



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	7.30794G	51.44	74.00	-22.56	3	Vertical	332	2.26
2437MHz	Pass	AV	4.87466G	34.87	54.00	-19.13	3	Horizontal	354	1.59
2437MHz	Pass	AV	7.3074G	38.65	54.00	-15.35	3	Horizontal	276	1.50
2437MHz	Pass	PK	4.87316G	46.91	74.00	-27.09	3	Horizontal	354	1.59
2437MHz	Pass	PK	7.31292G	50.87	74.00	-23.13	3	Horizontal	276	1.50
2457MHz	Pass	AV	2.4544G	96.84	Inf	-Inf	3	Vertical	94	2.29
2457MHz	Pass	AV	2.4934G	45.32	54.00	-8.68	3	Vertical	94	2.29
2457MHz	Pass	PK	2.4544G	106.04	Inf	-Inf	3	Vertical	94	2.29
2457MHz	Pass	PK	2.4835G	57.62	74.00	-16.38	3	Vertical	94	2.29
2457MHz	Pass	AV	2.455G	99.12	Inf	-Inf	3	Horizontal	58	1.34
2457MHz	Pass	AV	2.487G	45.73	54.00	-8.27	3	Horizontal	58	1.34
2457MHz	Pass	PK	2.4548G	108.10	Inf	-Inf	3	Horizontal	58	1.34
2457MHz	Pass	PK	2.4974G	57.99	74.00	-16.01	3	Horizontal	58	1.34
2457MHz	Pass	AV	4.91502G	34.88	54.00	-19.12	3	Vertical	91	2.83
2457MHz	Pass	AV	7.36548G	38.82	54.00	-15.18	3	Vertical	4	2.78
2457MHz	Pass	PK	4.91616G	45.05	74.00	-28.95	3	Vertical	91	2.83
2457MHz	Pass	PK	7.37568G	50.49	74.00	-23.51	3	Vertical	4	2.78
2457MHz	Pass	AV	4.91508G	36.40	54.00	-17.60	3	Horizontal	11	2.56
2457MHz	Pass	AV	7.35834G	38.52	54.00	-15.48	3	Horizontal	303	1.50
2457MHz	Pass	PK	4.91652G	49.54	74.00	-24.46	3	Horizontal	11	2.56
2457MHz	Pass	PK	7.36152G	50.42	74.00	-23.58	3	Horizontal	303	1.50
2462MHz	Pass	AV	2.4596G	95.61	Inf	-Inf	3	Vertical	93	2.32
2462MHz	Pass	AV	2.4838G	45.52	54.00	-8.48	3	Vertical	93	2.32
2462MHz	Pass	PK	2.4634G	104.67	Inf	-Inf	3	Vertical	93	2.32
2462MHz	Pass	PK	2.4886G	57.22	74.00	-16.78	3	Vertical	93	2.32
2462MHz	Pass	AV	2.4646G	97.85	Inf	-Inf	3	Horizontal	57	1.69
2462MHz	Pass	AV	2.4835G	46.39	54.00	-7.61	3	Horizontal	57	1.69
2462MHz	Pass	PK	2.4666G	106.39	Inf	-Inf	3	Horizontal	57	1.69
2462MHz	Pass	PK	2.4836G	58.75	74.00	-15.25	3	Horizontal	57	1.69
2462MHz	Pass	AV	4.92244G	34.40	54.00	-19.60	3	Vertical	100	1.50
2462MHz	Pass	AV	7.37178G	38.32	54.00	-15.68	3	Vertical	120	1.50
2462MHz	Pass	PK	4.9294G	44.81	74.00	-29.19	3	Vertical	100	1.50
2462MHz	Pass	PK	7.38318G	50.45	74.00	-23.55	3	Vertical	120	1.50
2462MHz	Pass	AV	4.92274G	35.29	54.00	-18.71	3	Horizontal	66	1.53
2462MHz	Pass	AV	7.37106G	38.38	54.00	-15.62	3	Horizontal	360	2.31
2462MHz	Pass	PK	4.91956G	46.97	74.00	-27.03	3	Horizontal	66	1.53
2462MHz	Pass	PK	7.37436G	50.16	74.00	-23.84	3	Horizontal	360	2.31
2467MHz	Pass	AV	2.4634G	92.81	Inf	-Inf	3	Vertical	95	2.33
2467MHz	Pass	AV	2.4835G	46.63	54.00	-7.37	3	Vertical	95	2.33
2467MHz	Pass	PK	2.4656G	101.52	Inf	-Inf	3	Vertical	95	2.33
2467MHz	Pass	PK	2.4835G	59.03	74.00	-14.97	3	Vertical	95	2.33
2467MHz	Pass	AV	2.465G	95.10	Inf	-Inf	3	Horizontal	58	1.73
2467MHz	Pass	AV	2.4835G	48.38	54.00	-5.62	3	Horizontal	58	1.73
2467MHz	Pass	PK	2.4642G	103.75	Inf	-Inf	3	Horizontal	58	1.73
2467MHz	Pass	PK	2.4835G	59.18	74.00	-14.82	3	Horizontal	58	1.73
2467MHz	Pass	AV	4.9238G	34.02	54.00	-19.98	3	Vertical	359	2.84
2467MHz	Pass	AV	7.41528G	38.13	54.00	-15.87	3	Vertical	357	1.48
2467MHz	Pass	PK	4.94834G	45.04	74.00	-28.96	3	Vertical	359	2.84
2467MHz	Pass	PK	7.41498G	50.40	74.00	-23.60	3	Vertical	357	1.48
2467MHz	Pass	AV	4.9364G	34.42	54.00	-19.58	3	Horizontal	354	1.65
2467MHz	Pass	AV	7.4136G	38.16	54.00	-15.84	3	Horizontal	69	1.50
2467MHz	Pass	PK	4.9352G	46.92	74.00	-27.08	3	Horizontal	354	1.65
2467MHz	Pass	PK	7.41156G	50.36	74.00	-23.64	3	Horizontal	69	1.50
2472MHz	Pass	AV	2.4648G	86.88	Inf	-Inf	3	Vertical	92	2.33
2472MHz	Pass	AV	2.4835G	47.34	54.00	-6.66	3	Vertical	92	2.33
2472MHz	Pass	PK	2.4654G	95.69	Inf	-Inf	3	Vertical	92	2.33
2472MHz	Pass	PK	2.4835G	61.65	74.00	-12.35	3	Vertical	92	2.33
2472MHz	Pass	AV	2.4764G	89.76	Inf	-Inf	3	Horizontal	58	1.57
2472MHz	Pass	AV	2.4835G	50.02	54.00	-3.98	3	Horizontal	58	1.57
2472MHz	Pass	PK	2.4738G	98.94	Inf	-Inf	3	Horizontal	58	1.57
2472MHz	Pass	PK	2.4835G	65.48	74.00	-8.52	3	Horizontal	58	1.57
2472MHz	Pass	AV	4.95522G	33.99	54.00	-20.01	3	Vertical	267	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2472MHz	Pass	AV	7.42248G	38.15	54.00	-15.85	3	Vertical	95	3.00
2472MHz	Pass	PK	4.94502G	44.53	74.00	-29.47	3	Vertical	267	1.50
2472MHz	Pass	PK	7.42536G	50.23	74.00	-23.77	3	Vertical	95	3.00
2472MHz	Pass	AV	4.95882G	34.01	54.00	-19.99	3	Horizontal	0	1.50
2472MHz	Pass	AV	7.4208G	38.21	54.00	-15.79	3	Horizontal	315	1.50
2472MHz	Pass	PK	4.94604G	45.91	74.00	-28.09	3	Horizontal	0	1.50
2472MHz	Pass	PK	7.41672G	51.25	74.00	-22.75	3	Horizontal	315	1.50
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	45.20	54.00	-8.80	3	Vertical	255	2.87
2412MHz	Pass	AV	2.416G	94.24	Inf	-Inf	3	Vertical	255	2.87
2412MHz	Pass	PK	2.39G	57.62	74.00	-16.38	3	Vertical	255	2.87
2412MHz	Pass	PK	2.4154G	102.64	Inf	-Inf	3	Vertical	255	2.87
2412MHz	Pass	AV	2.39G	46.32	54.00	-7.68	3	Horizontal	297	1.00
2412MHz	Pass	AV	2.4146G	98.29	Inf	-Inf	3	Horizontal	297	1.00
2412MHz	Pass	PK	2.3896G	59.45	74.00	-14.55	3	Horizontal	297	1.00
2412MHz	Pass	PK	2.4132G	106.90	Inf	-Inf	3	Horizontal	297	1.00
2412MHz	Pass	AV	4.82852G	33.87	54.00	-20.13	3	Vertical	124	2.38
2412MHz	Pass	PK	4.82712G	46.57	74.00	-27.43	3	Vertical	124	2.38
2412MHz	Pass	AV	4.8282G	33.99	54.00	-20.01	3	Horizontal	274	1.62
2412MHz	Pass	PK	4.8232G	46.03	74.00	-27.97	3	Horizontal	274	1.62
2417MHz	Pass	AV	2.3888G	44.78	54.00	-9.22	3	Vertical	240	2.88
2417MHz	Pass	AV	2.4212G	96.13	Inf	-Inf	3	Vertical	240	2.88
2417MHz	Pass	PK	2.3852G	56.52	74.00	-17.48	3	Vertical	240	2.88
2417MHz	Pass	PK	2.4212G	104.75	Inf	-Inf	3	Vertical	240	2.88
2417MHz	Pass	AV	2.3898G	45.56	54.00	-8.44	3	Horizontal	295	1.14
2417MHz	Pass	AV	2.421G	99.96	Inf	-Inf	3	Horizontal	295	1.14
2417MHz	Pass	PK	2.389G	57.36	74.00	-16.64	3	Horizontal	295	1.14
2417MHz	Pass	PK	2.4206G	108.52	Inf	-Inf	3	Horizontal	295	1.14
2417MHz	Pass	AV	4.82912G	35.60	54.00	-18.40	3	Vertical	3	1.38
2417MHz	Pass	AV	7.25143G	38.59	54.00	-15.41	3	Vertical	277	2.28
2417MHz	Pass	PK	4.83062G	47.58	74.00	-26.42	3	Vertical	3	1.38
2417MHz	Pass	PK	7.25066G	50.08	74.00	-23.92	3	Vertical	277	2.28
2417MHz	Pass	AV	4.82914G	33.96	54.00	-20.04	3	Horizontal	82	1.10
2417MHz	Pass	AV	7.25044G	38.67	54.00	-15.33	3	Horizontal	333	2.40
2417MHz	Pass	PK	4.83808G	46.26	74.00	-27.74	3	Horizontal	82	1.10
2417MHz	Pass	PK	7.2513G	50.63	74.00	-23.37	3	Horizontal	333	2.40
2437MHz	Pass	AV	2.3846G	44.38	54.00	-9.62	3	Vertical	256	2.24
2437MHz	Pass	AV	2.4406G	96.97	Inf	-Inf	3	Vertical	256	2.24
2437MHz	Pass	AV	2.4954G	45.22	54.00	-8.78	3	Vertical	256	2.24
2437MHz	Pass	PK	2.3802G	56.71	74.00	-17.29	3	Vertical	256	2.24
2437MHz	Pass	PK	2.4334G	105.99	Inf	-Inf	3	Vertical	256	2.24
2437MHz	Pass	PK	2.4906G	57.09	74.00	-16.91	3	Vertical	256	2.24
2437MHz	Pass	AV	2.3834G	44.72	54.00	-9.28	3	Horizontal	300	1.38
2437MHz	Pass	AV	2.433G	100.43	Inf	-Inf	3	Horizontal	300	1.38
2437MHz	Pass	AV	2.4838G	45.37	54.00	-8.63	3	Horizontal	300	1.38
2437MHz	Pass	PK	2.3834G	57.04	74.00	-16.96	3	Horizontal	300	1.38
2437MHz	Pass	PK	2.4334G	108.97	Inf	-Inf	3	Horizontal	300	1.38
2437MHz	Pass	PK	2.4994G	57.49	74.00	-16.51	3	Horizontal	300	1.38
2437MHz	Pass	AV	4.86902G	33.64	54.00	-20.36	3	Vertical	94	2.05
2437MHz	Pass	AV	7.31072G	38.63	54.00	-15.37	3	Vertical	313	2.17
2437MHz	Pass	PK	4.8701G	45.99	74.00	-28.01	3	Vertical	94	2.05
2437MHz	Pass	PK	7.3085G	50.09	74.00	-23.91	3	Vertical	313	2.17
2437MHz	Pass	AV	4.86986G	33.69	54.00	-20.31	3	Horizontal	209	2.60
2437MHz	Pass	AV	7.31062G	38.59	54.00	-15.41	3	Horizontal	298	2.55
2437MHz	Pass	PK	4.8698G	45.84	74.00	-28.16	3	Horizontal	209	2.60
2437MHz	Pass	PK	7.3069G	49.81	74.00	-24.19	3	Horizontal	298	2.55
2457MHz	Pass	AV	2.4548G	96.09	Inf	-Inf	3	Vertical	266	2.26
2457MHz	Pass	AV	2.4836G	45.09	54.00	-8.91	3	Vertical	266	2.26
2457MHz	Pass	PK	2.4528G	104.79	Inf	-Inf	3	Vertical	266	2.26
2457MHz	Pass	PK	2.4848G	57.72	74.00	-16.28	3	Vertical	266	2.26
2457MHz	Pass	AV	2.4532G	99.79	Inf	-Inf	3	Horizontal	295	1.29
2457MHz	Pass	AV	2.4835G	45.52	54.00	-8.48	3	Horizontal	295	1.29



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4526G	109.05	Inf	-Inf	3	Horizontal	295	1.29
2457MHz	Pass	PK	2.484G	58.01	74.00	-15.99	3	Horizontal	295	1.29
2457MHz	Pass	AV	4.91094G	33.94	54.00	-20.06	3	Vertical	98	1.47
2457MHz	Pass	AV	7.36676G	38.40	54.00	-15.60	3	Vertical	46	1.96
2457MHz	Pass	PK	4.9154G	46.44	74.00	-27.56	3	Vertical	98	1.47
2457MHz	Pass	PK	7.36886G	49.71	74.00	-24.29	3	Vertical	46	1.96
2457MHz	Pass	AV	4.91892G	33.97	54.00	-20.03	3	Horizontal	319	2.39
2457MHz	Pass	AV	7.36696G	38.41	54.00	-15.59	3	Horizontal	271	2.07
2457MHz	Pass	PK	4.909G	46.16	74.00	-27.84	3	Horizontal	319	2.39
2457MHz	Pass	PK	7.36926G	50.07	74.00	-23.93	3	Horizontal	271	2.07
2462MHz	Pass	AV	2.4584G	94.08	Inf	-Inf	3	Vertical	255	2.47
2462MHz	Pass	AV	2.4838G	45.43	54.00	-8.57	3	Vertical	255	2.47
2462MHz	Pass	PK	2.458G	102.55	Inf	-Inf	3	Vertical	255	2.47
2462MHz	Pass	PK	2.4838G	57.71	74.00	-16.29	3	Vertical	255	2.47
2462MHz	Pass	AV	2.458G	97.81	Inf	-Inf	3	Horizontal	293	1.12
2462MHz	Pass	AV	2.4835G	46.29	54.00	-7.71	3	Horizontal	293	1.12
2462MHz	Pass	PK	2.4652G	106.51	Inf	-Inf	3	Horizontal	293	1.12
2462MHz	Pass	PK	2.484G	58.33	74.00	-15.67	3	Horizontal	293	1.12
2462MHz	Pass	AV	4.92462G	34.03	54.00	-19.97	3	Vertical	27	2.39
2462MHz	Pass	AV	7.38192G	38.04	54.00	-15.96	3	Vertical	304	2.07
2462MHz	Pass	PK	4.92764G	45.95	74.00	-28.05	3	Vertical	27	2.39
2462MHz	Pass	PK	7.39024G	49.47	74.00	-24.53	3	Vertical	304	2.07
2462MHz	Pass	AV	4.923G	34.00	54.00	-20.00	3	Horizontal	108	2.75
2462MHz	Pass	AV	7.3812G	38.06	54.00	-15.94	3	Horizontal	266	1.42
2462MHz	Pass	PK	4.9246G	46.59	74.00	-27.41	3	Horizontal	108	2.75
2462MHz	Pass	PK	7.38982G	49.76	74.00	-24.24	3	Horizontal	266	1.42
2467MHz	Pass	AV	2.4634G	90.25	Inf	-Inf	3	Vertical	254	2.47
2467MHz	Pass	AV	2.4835G	45.65	54.00	-8.35	3	Vertical	254	2.47
2467MHz	Pass	PK	2.4644G	98.85	Inf	-Inf	3	Vertical	254	2.47
2467MHz	Pass	PK	2.4956G	57.07	74.00	-16.93	3	Vertical	254	2.47
2467MHz	Pass	AV	2.464G	94.12	Inf	-Inf	3	Horizontal	297	1.11
2467MHz	Pass	AV	2.4835G	46.81	54.00	-7.19	3	Horizontal	297	1.11
2467MHz	Pass	PK	2.463G	102.78	Inf	-Inf	3	Horizontal	297	1.11
2467MHz	Pass	PK	2.4836G	58.11	74.00	-15.89	3	Horizontal	297	1.11
2467MHz	Pass	AV	4.939G	33.88	54.00	-20.12	3	Vertical	347	2.98
2467MHz	Pass	AV	7.40546G	38.03	54.00	-15.97	3	Vertical	310	2.10
2467MHz	Pass	PK	4.93832G	46.35	74.00	-27.65	3	Vertical	347	2.98
2467MHz	Pass	PK	7.4005G	49.90	74.00	-24.10	3	Vertical	310	2.10
2467MHz	Pass	AV	4.92972G	33.79	54.00	-20.21	3	Horizontal	139	2.70
2467MHz	Pass	AV	7.40448G	37.96	54.00	-16.04	3	Horizontal	353	2.60
2467MHz	Pass	PK	4.93346G	46.28	74.00	-27.72	3	Horizontal	139	2.70
2467MHz	Pass	PK	7.40346G	49.54	74.00	-24.46	3	Horizontal	353	2.60
2472MHz	Pass	AV	2.4758G	88.78	Inf	-Inf	3	Vertical	264	3.00
2472MHz	Pass	AV	2.4835G	49.32	54.00	-4.68	3	Vertical	264	3.00
2472MHz	Pass	PK	2.4774G	97.54	Inf	-Inf	3	Vertical	264	3.00
2472MHz	Pass	PK	2.4835G	66.94	74.00	-7.06	3	Vertical	264	3.00
2472MHz	Pass	AV	2.465G	92.18	Inf	-Inf	3	Horizontal	297	1.07
2472MHz	Pass	AV	2.4835G	51.31	54.00	-2.69	3	Horizontal	297	1.07
2472MHz	Pass	PK	2.4664G	101.03	Inf	-Inf	3	Horizontal	297	1.07
2472MHz	Pass	PK	2.4836G	67.61	74.00	-6.39	3	Horizontal	297	1.07
2472MHz	Pass	AV	4.9479G	33.91	54.00	-20.09	3	Vertical	181	1.49
2472MHz	Pass	AV	7.4158G	38.14	54.00	-15.86	3	Vertical	343	1.18
2472MHz	Pass	PK	4.9459G	46.51	74.00	-27.49	3	Vertical	181	1.49
2472MHz	Pass	PK	7.41712G	49.19	74.00	-24.81	3	Vertical	343	1.18
2472MHz	Pass	AV	4.9473G	33.97	54.00	-20.03	3	Horizontal	221	2.74
2472MHz	Pass	AV	7.41776G	38.13	54.00	-15.87	3	Horizontal	308	2.10
2472MHz	Pass	PK	4.94252G	46.88	74.00	-27.12	3	Horizontal	221	2.74
2472MHz	Pass	PK	7.4139G	49.84	74.00	-24.16	3	Horizontal	308	2.10
802.11n HT20_Nss1,(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Vertical	90	2.84
2412MHz	Pass	AV	2.4158G	100.90	Inf	-Inf	3	Vertical	90	2.84
2412MHz	Pass	PK	2.3898G	60.53	74.00	-13.47	3	Vertical	90	2.84



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4144G	110.20	Inf	-Inf	3	Vertical	90	2.84
2412MHz	Pass	AV	2.39G	51.10	54.00	-2.90	3	Horizontal	300	1.20
2412MHz	Pass	AV	2.414G	104.42	Inf	-Inf	3	Horizontal	300	1.20
2412MHz	Pass	PK	2.3898G	67.27	74.00	-6.73	3	Horizontal	300	1.20
2412MHz	Pass	PK	2.4136G	112.85	Inf	-Inf	3	Horizontal	300	1.20
2412MHz	Pass	AV	4.8239G	36.66	54.00	-17.34	3	Vertical	254	2.91
2412MHz	Pass	PK	4.82626G	49.41	74.00	-24.59	3	Vertical	254	2.91
2412MHz	Pass	AV	4.82418G	36.62	54.00	-17.38	3	Horizontal	158	1.74
2412MHz	Pass	PK	4.8247G	48.83	74.00	-25.17	3	Horizontal	158	1.74
2417MHz	Pass	AV	2.39G	51.81	54.00	-2.19	3	Vertical	259	2.82
2417MHz	Pass	AV	2.413G	99.25	Inf	-Inf	3	Vertical	259	2.82
2417MHz	Pass	PK	2.3892G	64.59	74.00	-9.41	3	Vertical	259	2.82
2417MHz	Pass	PK	2.4132G	109.57	Inf	-Inf	3	Vertical	259	2.82
2417MHz	Pass	AV	2.3898G	51.45	54.00	-2.55	3	Horizontal	68	1.02
2417MHz	Pass	AV	2.4132G	102.39	Inf	-Inf	3	Horizontal	68	1.02
2417MHz	Pass	PK	2.3892G	65.14	74.00	-8.86	3	Horizontal	68	1.02
2417MHz	Pass	PK	2.4134G	111.48	Inf	-Inf	3	Horizontal	68	1.02
2417MHz	Pass	AV	4.8296G	35.60	54.00	-18.40	3	Vertical	105	1.79
2417MHz	Pass	AV	7.25014G	40.71	54.00	-13.29	3	Vertical	250	1.41
2417MHz	Pass	PK	4.82958G	47.74	74.00	-26.26	3	Vertical	105	1.79
2417MHz	Pass	PK	7.25045G	53.40	74.00	-20.60	3	Vertical	250	1.41
2417MHz	Pass	AV	4.829G	35.59	54.00	-18.41	3	Horizontal	148	1.14
2417MHz	Pass	AV	7.25002G	40.72	54.00	-13.28	3	Horizontal	331	1.47
2417MHz	Pass	PK	4.8305G	47.80	74.00	-26.20	3	Horizontal	148	1.14
2417MHz	Pass	PK	7.25027G	53.54	74.00	-20.46	3	Horizontal	331	1.47
2437MHz	Pass	AV	2.3878G	46.91	54.00	-7.09	3	Vertical	89	2.05
2437MHz	Pass	AV	2.4342G	103.76	Inf	-Inf	3	Vertical	89	2.05
2437MHz	Pass	AV	2.4838G	48.20	54.00	-5.80	3	Vertical	89	2.05
2437MHz	Pass	PK	2.3866G	58.41	74.00	-15.59	3	Vertical	89	2.05
2437MHz	Pass	PK	2.4338G	112.39	Inf	-Inf	3	Vertical	89	2.05
2437MHz	Pass	PK	2.4846G	59.49	74.00	-14.51	3	Vertical	89	2.05
2437MHz	Pass	AV	2.3882G	50.41	54.00	-3.59	3	Horizontal	299	1.10
2437MHz	Pass	AV	2.4342G	107.15	Inf	-Inf	3	Horizontal	299	1.10
2437MHz	Pass	AV	2.4838G	50.02	54.00	-3.98	3	Horizontal	299	1.10
2437MHz	Pass	PK	2.3898G	62.52	74.00	-11.48	3	Horizontal	299	1.10
2437MHz	Pass	PK	2.433G	115.56	Inf	-Inf	3	Horizontal	299	1.10
2437MHz	Pass	PK	2.4838G	62.51	74.00	-11.49	3	Horizontal	299	1.10
2437MHz	Pass	AV	4.86958G	33.63	54.00	-20.37	3	Vertical	113	1.76
2437MHz	Pass	AV	7.3111G	38.62	54.00	-15.38	3	Vertical	338	2.39
2437MHz	Pass	PK	4.87712G	46.03	74.00	-27.97	3	Vertical	113	1.76
2437MHz	Pass	PK	7.3121G	50.16	74.00	-23.84	3	Vertical	338	2.39
2437MHz	Pass	AV	4.869G	33.71	54.00	-20.29	3	Horizontal	248	2.47
2437MHz	Pass	AV	7.31318G	38.62	54.00	-15.38	3	Horizontal	185	1.61
2437MHz	Pass	PK	4.86998G	46.05	74.00	-27.95	3	Horizontal	248	2.47
2437MHz	Pass	PK	7.31174G	49.71	74.00	-24.29	3	Horizontal	185	1.61
2457MHz	Pass	AV	2.4532G	99.16	Inf	-Inf	3	Vertical	100	3.00
2457MHz	Pass	AV	2.4836G	49.28	54.00	-4.72	3	Vertical	100	3.00
2457MHz	Pass	PK	2.4544G	108.54	Inf	-Inf	3	Vertical	100	3.00
2457MHz	Pass	PK	2.4835G	62.86	74.00	-11.14	3	Vertical	100	3.00
2457MHz	Pass	AV	2.4546G	101.58	Inf	-Inf	3	Horizontal	61	1.27
2457MHz	Pass	AV	2.4835G	50.76	54.00	-3.24	3	Horizontal	61	1.27
2457MHz	Pass	PK	2.4558G	111.41	Inf	-Inf	3	Horizontal	61	1.27
2457MHz	Pass	PK	2.4848G	65.36	74.00	-8.64	3	Horizontal	61	1.27
2457MHz	Pass	AV	4.91428G	33.95	54.00	-20.05	3	Vertical	106	1.74
2457MHz	Pass	AV	7.36984G	38.34	54.00	-15.66	3	Vertical	323	2.34
2457MHz	Pass	PK	4.90926G	46.29	74.00	-27.71	3	Vertical	106	1.74
2457MHz	Pass	PK	7.36774G	49.78	74.00	-24.22	3	Vertical	323	2.34
2457MHz	Pass	AV	4.91218G	33.95	54.00	-20.05	3	Horizontal	239	1.85
2457MHz	Pass	AV	7.3683G	38.40	54.00	-15.60	3	Horizontal	214	2.88
2457MHz	Pass	PK	4.91398G	46.44	74.00	-27.56	3	Horizontal	239	1.85
2457MHz	Pass	PK	7.36702G	49.57	74.00	-24.43	3	Horizontal	214	2.88
2462MHz	Pass	AV	2.458G	100.96	Inf	-Inf	3	Vertical	92	2.33



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	2.4842G	48.36	54.00	-5.64	3	Vertical	92	2.33
2462MHz	Pass	PK	2.4594G	109.89	Inf	-Inf	3	Vertical	92	2.33
2462MHz	Pass	PK	2.484G	62.75	74.00	-11.25	3	Vertical	92	2.33
2462MHz	Pass	AV	2.46G	103.62	Inf	-Inf	3	Horizontal	298	1.06
2462MHz	Pass	AV	2.4835G	52.06	54.00	-1.94	3	Horizontal	298	1.06
2462MHz	Pass	PK	2.4594G	112.26	Inf	-Inf	3	Horizontal	298	1.06
2462MHz	Pass	PK	2.484G	66.07	74.00	-7.93	3	Horizontal	298	1.06
2462MHz	Pass	AV	4.92254G	34.03	54.00	-19.97	3	Vertical	3	1.98
2462MHz	Pass	AV	7.38356G	37.99	54.00	-16.01	3	Vertical	319	2.02
2462MHz	Pass	PK	4.92086G	46.22	74.00	-27.78	3	Vertical	3	1.98
2462MHz	Pass	PK	7.38514G	50.06	74.00	-23.94	3	Vertical	319	2.02
2462MHz	Pass	AV	4.92348G	34.01	54.00	-19.99	3	Horizontal	350	1.43
2462MHz	Pass	AV	7.38434G	38.03	54.00	-15.97	3	Horizontal	313	1.59
2462MHz	Pass	PK	4.9221G	45.90	74.00	-28.10	3	Horizontal	350	1.43
2462MHz	Pass	PK	7.38662G	49.19	74.00	-24.81	3	Horizontal	313	1.59
2467MHz	Pass	AV	2.471G	94.17	Inf	-Inf	3	Vertical	94	2.64
2467MHz	Pass	AV	2.4835G	47.56	54.00	-6.44	3	Vertical	94	2.64
2467MHz	Pass	PK	2.4668G	102.52	Inf	-Inf	3	Vertical	94	2.64
2467MHz	Pass	PK	2.4838G	58.39	74.00	-15.61	3	Vertical	94	2.64
2467MHz	Pass	AV	2.4644G	96.57	Inf	-Inf	3	Horizontal	301	1.20
2467MHz	Pass	AV	2.4835G	48.77	54.00	-5.23	3	Horizontal	301	1.20
2467MHz	Pass	PK	2.4636G	105.03	Inf	-Inf	3	Horizontal	301	1.20
2467MHz	Pass	PK	2.4835G	59.56	74.00	-14.44	3	Horizontal	301	1.20
2467MHz	Pass	AV	4.93618G	33.77	54.00	-20.23	3	Vertical	301	2.57
2467MHz	Pass	AV	7.40526G	38.01	54.00	-15.99	3	Vertical	157	2.58
2467MHz	Pass	PK	4.93152G	46.03	74.00	-27.97	3	Vertical	301	2.57
2467MHz	Pass	PK	7.39714G	49.25	74.00	-24.75	3	Vertical	157	2.58
2467MHz	Pass	AV	4.93382G	33.81	54.00	-20.19	3	Horizontal	230	1.35
2467MHz	Pass	AV	7.40312G	37.96	54.00	-16.04	3	Horizontal	53	2.27
2467MHz	Pass	PK	4.9376G	46.70	74.00	-27.30	3	Horizontal	230	1.35
2467MHz	Pass	PK	7.3991G	49.27	74.00	-24.73	3	Horizontal	53	2.27
2472MHz	Pass	AV	2.4646G	90.11	Inf	-Inf	3	Vertical	93	2.19
2472MHz	Pass	AV	2.4835G	48.88	54.00	-5.12	3	Vertical	93	2.19
2472MHz	Pass	PK	2.466G	99.07	Inf	-Inf	3	Vertical	93	2.19
2472MHz	Pass	PK	2.4835G	66.01	74.00	-7.99	3	Vertical	93	2.19
2472MHz	Pass	AV	2.4752G	92.90	Inf	-Inf	3	Horizontal	297	1.38
2472MHz	Pass	AV	2.4835G	48.94	54.00	-5.06	3	Horizontal	297	1.38
2472MHz	Pass	PK	2.4738G	101.97	Inf	-Inf	3	Horizontal	297	1.38
2472MHz	Pass	PK	2.4835G	70.01	74.00	-3.99	3	Horizontal	297	1.38
2472MHz	Pass	AV	4.9488G	33.93	54.00	-20.07	3	Vertical	164	1.49
2472MHz	Pass	AV	7.42064G	38.08	54.00	-15.92	3	Vertical	139	1.53
2472MHz	Pass	PK	4.94848G	46.87	74.00	-27.13	3	Vertical	164	1.49
2472MHz	Pass	PK	7.41994G	49.86	74.00	-24.14	3	Vertical	139	1.53
2472MHz	Pass	AV	4.94854G	33.87	54.00	-20.13	3	Horizontal	62	1.07
2472MHz	Pass	AV	7.41484G	38.15	54.00	-15.85	3	Horizontal	166	1.78
2472MHz	Pass	PK	4.94492G	46.08	74.00	-27.92	3	Horizontal	62	1.07
2472MHz	Pass	PK	7.41898G	49.99	74.00	-24.01	3	Horizontal	166	1.78
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	45.44	54.00	-8.56	3	Vertical	86	2.04
2422MHz	Pass	AV	2.4316G	93.10	Inf	-Inf	3	Vertical	86	2.04
2422MHz	Pass	AV	2.4896G	45.22	54.00	-8.78	3	Vertical	86	2.04
2422MHz	Pass	PK	2.384G	56.98	74.00	-17.02	3	Vertical	86	2.04
2422MHz	Pass	PK	2.4304G	102.09	Inf	-Inf	3	Vertical	86	2.04
2422MHz	Pass	PK	2.4872G	57.32	74.00	-16.68	3	Vertical	86	2.04
2422MHz	Pass	AV	2.3892G	46.49	54.00	-7.51	3	Horizontal	56	1.39
2422MHz	Pass	AV	2.4312G	96.15	Inf	-Inf	3	Horizontal	56	1.39
2422MHz	Pass	AV	2.488G	45.47	54.00	-8.53	3	Horizontal	56	1.39
2422MHz	Pass	PK	2.3896G	60.17	74.00	-13.83	3	Horizontal	56	1.39
2422MHz	Pass	PK	2.4304G	105.21	Inf	-Inf	3	Horizontal	56	1.39
2422MHz	Pass	PK	2.4972G	59.15	74.00	-14.85	3	Horizontal	56	1.39
2422MHz	Pass	AV	4.84762G	33.69	54.00	-20.31	3	Vertical	272	1.16
2422MHz	Pass	AV	7.261G	39.77	54.00	-14.23	3	Vertical	346	1.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2422MHz	Pass	PK	4.84734G	45.79	74.00	-28.21	3	Vertical	272	1.16
2422MHz	Pass	PK	7.26222G	51.07	74.00	-22.93	3	Vertical	346	1.00
2422MHz	Pass	AV	4.8483G	33.68	54.00	-20.32	3	Horizontal	138	2.39
2422MHz	Pass	AV	7.26104G	39.85	54.00	-14.15	3	Horizontal	62	2.05
2422MHz	Pass	PK	4.83976G	45.61	74.00	-28.39	3	Horizontal	138	2.39
2422MHz	Pass	PK	7.2635G	51.56	74.00	-22.44	3	Horizontal	62	2.05
2427MHz	Pass	AV	2.3898G	48.82	54.00	-5.18	3	Vertical	87	2.06
2427MHz	Pass	AV	2.4358G	95.17	Inf	-Inf	3	Vertical	87	2.06
2427MHz	Pass	AV	2.4846G	46.44	54.00	-7.56	3	Vertical	87	2.06
2427MHz	Pass	PK	2.3894G	63.32	74.00	-10.68	3	Vertical	87	2.06
2427MHz	Pass	PK	2.437G	104.15	Inf	-Inf	3	Vertical	87	2.06
2427MHz	Pass	PK	2.485G	58.64	74.00	-15.36	3	Vertical	87	2.06
2427MHz	Pass	AV	2.3898G	51.08	54.00	-2.92	3	Horizontal	56	1.39
2427MHz	Pass	AV	2.4318G	97.76	Inf	-Inf	3	Horizontal	56	1.39
2427MHz	Pass	AV	2.4838G	47.58	54.00	-6.42	3	Horizontal	56	1.39
2427MHz	Pass	PK	2.3898G	67.53	74.00	-6.47	3	Horizontal	56	1.39
2427MHz	Pass	PK	2.433G	106.94	Inf	-Inf	3	Horizontal	56	1.39
2427MHz	Pass	PK	2.4838G	60.71	74.00	-13.29	3	Horizontal	56	1.39
2427MHz	Pass	AV	4.8551G	33.92	54.00	-20.08	3	Vertical	47	1.75
2427MHz	Pass	AV	7.27956G	38.40	54.00	-15.60	3	Vertical	62	1.40
2427MHz	Pass	PK	4.85318G	46.22	74.00	-27.78	3	Vertical	47	1.75
2427MHz	Pass	PK	7.28096G	50.29	74.00	-23.71	3	Vertical	62	1.40
2427MHz	Pass	AV	4.85396G	33.92	54.00	-20.08	3	Horizontal	206	1.18
2427MHz	Pass	AV	7.276G	38.42	54.00	-15.58	3	Horizontal	3	2.25
2427MHz	Pass	PK	4.85664G	46.06	74.00	-27.94	3	Horizontal	206	1.18
2427MHz	Pass	PK	7.27934G	50.91	74.00	-23.09	3	Horizontal	3	2.25
2437MHz	Pass	AV	2.3898G	46.29	54.00	-7.71	3	Vertical	87	2.06
2437MHz	Pass	AV	2.4398G	95.66	Inf	-Inf	3	Vertical	87	2.06
2437MHz	Pass	AV	2.4835G	48.33	54.00	-5.67	3	Vertical	87	2.06
2437MHz	Pass	PK	2.3898G	58.51	74.00	-15.49	3	Vertical	87	2.06
2437MHz	Pass	PK	2.4386G	104.90	Inf	-Inf	3	Vertical	87	2.06
2437MHz	Pass	PK	2.4862G	61.00	74.00	-13.00	3	Vertical	87	2.06
2437MHz	Pass	AV	2.3898G	47.94	54.00	-6.06	3	Horizontal	57	1.39
2437MHz	Pass	AV	2.4314G	98.18	Inf	-Inf	3	Horizontal	57	1.39
2437MHz	Pass	AV	2.4835G	50.59	54.00	-3.41	3	Horizontal	57	1.39
2437MHz	Pass	PK	2.3898G	60.76	74.00	-13.24	3	Horizontal	57	1.39
2437MHz	Pass	PK	2.429G	107.54	Inf	-Inf	3	Horizontal	57	1.39
2437MHz	Pass	PK	2.4838G	63.99	74.00	-10.01	3	Horizontal	57	1.39
2437MHz	Pass	AV	4.86952G	33.68	54.00	-20.32	3	Vertical	158	1.76
2437MHz	Pass	AV	7.31396G	38.60	54.00	-15.40	3	Vertical	258	1.85
2437MHz	Pass	PK	4.87284G	45.65	74.00	-28.35	3	Vertical	158	1.76
2437MHz	Pass	PK	7.31392G	49.97	74.00	-24.03	3	Vertical	258	1.85
2437MHz	Pass	AV	4.86912G	33.67	54.00	-20.33	3	Horizontal	160	1.36
2437MHz	Pass	AV	7.3108G	38.57	54.00	-15.43	3	Horizontal	196	1.31
2437MHz	Pass	PK	4.87002G	45.66	74.00	-28.34	3	Horizontal	160	1.36
2437MHz	Pass	PK	7.31244G	50.13	74.00	-23.87	3	Horizontal	196	1.31
2447MHz	Pass	AV	2.3866G	44.98	54.00	-9.02	3	Vertical	80	2.86
2447MHz	Pass	AV	2.441G	93.70	Inf	-Inf	3	Vertical	80	2.86
2447MHz	Pass	AV	2.4835G	49.26	54.00	-4.74	3	Vertical	80	2.86
2447MHz	Pass	PK	2.359G	56.63	74.00	-17.37	3	Vertical	80	2.86
2447MHz	Pass	PK	2.441G	103.10	Inf	-Inf	3	Vertical	80	2.86
2447MHz	Pass	PK	2.4842G	64.00	74.00	-10.00	3	Vertical	80	2.86
2447MHz	Pass	AV	2.3898G	45.51	54.00	-8.49	3	Horizontal	62	1.39
2447MHz	Pass	AV	2.441G	97.28	Inf	-Inf	3	Horizontal	62	1.39
2447MHz	Pass	AV	2.4835G	51.82	54.00	-2.18	3	Horizontal	62	1.39
2447MHz	Pass	PK	2.3834G	57.95	74.00	-16.05	3	Horizontal	62	1.39
2447MHz	Pass	PK	2.4426G	105.82	Inf	-Inf	3	Horizontal	62	1.39
2447MHz	Pass	PK	2.4835G	67.25	74.00	-6.75	3	Horizontal	62	1.39
2447MHz	Pass	AV	4.8968G	33.49	54.00	-20.51	3	Vertical	227	2.17
2447MHz	Pass	AV	7.34436G	38.25	54.00	-15.75	3	Vertical	68	1.28
2447MHz	Pass	PK	4.897G	45.73	74.00	-28.27	3	Vertical	227	2.17
2447MHz	Pass	PK	7.34032G	50.14	74.00	-23.86	3	Vertical	68	1.28



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2447MHz	Pass	AV	4.89768G	33.50	54.00	-20.50	3	Horizontal	118	2.87
2447MHz	Pass	AV	7.33938G	38.27	54.00	-15.73	3	Horizontal	137	2.73
2447MHz	Pass	PK	4.89296G	45.85	74.00	-28.15	3	Horizontal	118	2.87
2447MHz	Pass	PK	7.3433G	50.44	74.00	-23.56	3	Horizontal	137	2.73
2452MHz	Pass	AV	2.3896G	44.52	54.00	-9.48	3	Vertical	93	2.32
2452MHz	Pass	AV	2.4616G	92.91	Inf	-Inf	3	Vertical	93	2.32
2452MHz	Pass	AV	2.4835G	46.47	54.00	-7.53	3	Vertical	93	2.32
2452MHz	Pass	PK	2.3888G	56.52	74.00	-17.48	3	Vertical	93	2.32
2452MHz	Pass	PK	2.4612G	101.75	Inf	-Inf	3	Vertical	93	2.32
2452MHz	Pass	PK	2.4852G	58.87	74.00	-15.13	3	Vertical	93	2.32
2452MHz	Pass	AV	2.39G	44.61	54.00	-9.39	3	Horizontal	59	1.31
2452MHz	Pass	AV	2.4544G	95.11	Inf	-Inf	3	Horizontal	59	1.31
2452MHz	Pass	AV	2.4835G	48.03	54.00	-5.97	3	Horizontal	59	1.31
2452MHz	Pass	PK	2.3836G	57.33	74.00	-16.67	3	Horizontal	59	1.31
2452MHz	Pass	PK	2.456G	104.45	Inf	-Inf	3	Horizontal	59	1.31
2452MHz	Pass	PK	2.488G	62.26	74.00	-11.74	3	Horizontal	59	1.31
2452MHz	Pass	AV	4.90892G	33.88	54.00	-20.12	3	Vertical	216	1.04
2452MHz	Pass	AV	7.35732G	38.40	54.00	-15.60	3	Vertical	291	2.83
2452MHz	Pass	PK	4.90864G	46.67	74.00	-27.33	3	Vertical	216	1.04
2452MHz	Pass	PK	7.35308G	50.15	74.00	-23.85	3	Vertical	291	2.83
2452MHz	Pass	AV	4.90848G	33.82	54.00	-20.18	3	Horizontal	277	1.66
2452MHz	Pass	AV	7.354G	38.41	54.00	-15.59	3	Horizontal	193	1.29
2452MHz	Pass	PK	4.90264G	45.85	74.00	-28.15	3	Horizontal	277	1.66
2452MHz	Pass	PK	7.35156G	50.21	74.00	-23.79	3	Horizontal	193	1.29
2457MHz	Pass	AV	2.389G	44.25	54.00	-9.75	3	Vertical	92	2.31
2457MHz	Pass	AV	2.4618G	90.01	Inf	-Inf	3	Vertical	92	2.31
2457MHz	Pass	AV	2.4835G	48.54	54.00	-5.46	3	Vertical	92	2.31
2457MHz	Pass	PK	2.3806G	56.83	74.00	-17.17	3	Vertical	92	2.31
2457MHz	Pass	PK	2.4602G	98.70	Inf	-Inf	3	Vertical	92	2.31
2457MHz	Pass	PK	2.4835G	59.67	74.00	-14.33	3	Vertical	92	2.31
2457MHz	Pass	AV	2.3862G	44.32	54.00	-9.68	3	Horizontal	60	1.68
2457MHz	Pass	AV	2.4662G	92.25	Inf	-Inf	3	Horizontal	60	1.68
2457MHz	Pass	AV	2.4835G	51.15	54.00	-2.85	3	Horizontal	60	1.68
2457MHz	Pass	PK	2.3898G	56.82	74.00	-17.38	3	Horizontal	60	1.68
2457MHz	Pass	PK	2.4654G	101.46	Inf	-Inf	3	Horizontal	60	1.68
2457MHz	Pass	PK	2.4838G	63.29	74.00	-10.71	3	Horizontal	60	1.68
2457MHz	Pass	AV	4.91278G	33.99	54.00	-20.01	3	Vertical	28	2.67
2457MHz	Pass	AV	7.36992G	38.39	54.00	-15.61	3	Vertical	145	1.22
2457MHz	Pass	PK	4.91048G	46.26	74.00	-27.74	3	Vertical	28	2.67
2457MHz	Pass	PK	7.36808G	49.92	74.00	-24.08	3	Vertical	145	1.22
2457MHz	Pass	AV	4.91418G	33.95	54.00	-20.05	3	Horizontal	0	2.96
2457MHz	Pass	AV	7.36734G	38.39	54.00	-15.61	3	Horizontal	72	1.55
2457MHz	Pass	PK	4.91592G	46.89	74.00	-27.11	3	Horizontal	0	2.96
2457MHz	Pass	PK	7.36832G	50.18	74.00	-23.82	3	Horizontal	72	1.55
2462MHz	Pass	AV	2.3804G	44.21	54.00	-9.79	3	Vertical	104	2.28
2462MHz	Pass	AV	2.4464G	86.68	Inf	-Inf	3	Vertical	104	2.28
2462MHz	Pass	AV	2.4835G	48.06	54.00	-5.94	3	Vertical	104	2.28
2462MHz	Pass	PK	2.3648G	56.21	74.00	-17.79	3	Vertical	104	2.28
2462MHz	Pass	PK	2.4464G	96.05	Inf	-Inf	3	Vertical	104	2.28
2462MHz	Pass	PK	2.4835G	59.49	74.00	-14.51	3	Vertical	104	2.28
2462MHz	Pass	AV	2.388G	44.28	54.00	-9.72	3	Horizontal	59	1.32
2462MHz	Pass	AV	2.454G	89.36	Inf	-Inf	3	Horizontal	59	1.32
2462MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	59	1.32
2462MHz	Pass	PK	2.388G	56.17	74.00	-17.83	3	Horizontal	59	1.32
2462MHz	Pass	PK	2.4532G	98.73	Inf	-Inf	3	Horizontal	59	1.32
2462MHz	Pass	PK	2.4835G	65.07	74.00	-8.93	3	Horizontal	59	1.32
2462MHz	Pass	AV	4.92464G	33.99	54.00	-20.01	3	Vertical	32	2.42
2462MHz	Pass	AV	7.381G	38.01	54.00	-15.99	3	Vertical	110	2.26
2462MHz	Pass	PK	4.91908G	45.90	74.00	-28.10	3	Vertical	32	2.42
2462MHz	Pass	PK	7.38512G	49.65	74.00	-24.35	3	Vertical	110	2.26
2462MHz	Pass	AV	4.92474G	34.10	54.00	-19.90	3	Horizontal	94	1.37
2462MHz	Pass	AV	7.38196G	38.03	54.00	-15.97	3	Horizontal	48	1.64



RSE TX above 1GHz_Full RU

Appendix F.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.92288G	46.17	74.00	-27.83	3	Horizontal	94	1.37
2462MHz	Pass	PK	7.38246G	49.31	74.00	-24.69	3	Horizontal	48	1.64
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	46.11	54.00	-7.89	3	Vertical	262	2.84
2422MHz	Pass	AV	2.4204G	92.22	Inf	-Inf	3	Vertical	262	2.84
2422MHz	Pass	AV	2.4884G	45.13	54.00	-8.87	3	Vertical	262	2.84
2422MHz	Pass	PK	2.3844G	57.57	74.00	-16.43	3	Vertical	262	2.84
2422MHz	Pass	PK	2.4164G	101.39	Inf	-Inf	3	Vertical	262	2.84
2422MHz	Pass	PK	2.4876G	57.55	74.00	-16.45	3	Vertical	262	2.84
2422MHz	Pass	AV	2.39G	48.51	54.00	-5.49	3	Horizontal	298	1.08
2422MHz	Pass	AV	2.4248G	95.97	Inf	-Inf	3	Horizontal	298	1.08
2422MHz	Pass	AV	2.4964G	45.32	54.00	-8.68	3	Horizontal	298	1.08
2422MHz	Pass	PK	2.3892G	60.17	74.00	-13.83	3	Horizontal	298	1.08
2422MHz	Pass	PK	2.4256G	104.50	Inf	-Inf	3	Horizontal	298	1.08
2422MHz	Pass	PK	2.4872G	57.55	74.00	-16.45	3	Horizontal	298	1.08
2422MHz	Pass	AV	4.84888G	33.69	54.00	-20.31	3	Vertical	274	1.35
2422MHz	Pass	AV	7.26204G	39.49	54.00	-14.51	3	Vertical	285	1.60
2422MHz	Pass	PK	4.84312G	45.87	74.00	-28.13	3	Vertical	274	1.35
2422MHz	Pass	PK	7.2613G	51.32	74.00	-22.68	3	Vertical	285	1.60
2422MHz	Pass	AV	4.84864G	33.69	54.00	-20.31	3	Horizontal	344	2.58
2422MHz	Pass	AV	7.26146G	39.53	54.00	-14.47	3	Horizontal	306	2.75
2422MHz	Pass	PK	4.84436G	45.74	74.00	-28.26	3	Horizontal	344	2.58
2422MHz	Pass	PK	7.26254G	51.09	74.00	-22.91	3	Horizontal	306	2.75
2427MHz	Pass	AV	2.3898G	47.96	54.00	-6.04	3	Vertical	264	2.83
2427MHz	Pass	AV	2.4222G	93.39	Inf	-Inf	3	Vertical	264	2.83
2427MHz	Pass	AV	2.4838G	45.31	54.00	-8.69	3	Vertical	264	2.83
2427MHz	Pass	PK	2.3882G	61.74	74.00	-12.26	3	Vertical	264	2.83
2427MHz	Pass	PK	2.4202G	102.57	Inf	-Inf	3	Vertical	264	2.83
2427MHz	Pass	PK	2.485G	57.07	74.00	-16.93	3	Vertical	264	2.83
2427MHz	Pass	AV	2.3898G	51.94	54.00	-2.06	3	Horizontal	293	1.12
2427MHz	Pass	AV	2.4242G	97.58	Inf	-Inf	3	Horizontal	293	1.12
2427MHz	Pass	AV	2.4835G	46.18	54.00	-7.82	3	Horizontal	293	1.12
2427MHz	Pass	PK	2.3898G	64.48	74.00	-9.52	3	Horizontal	293	1.12
2427MHz	Pass	PK	2.4166G	106.79	Inf	-Inf	3	Horizontal	293	1.12
2427MHz	Pass	PK	2.4838G	59.18	74.00	-14.82	3	Horizontal	293	1.12
2427MHz	Pass	AV	4.85554G	33.91	54.00	-20.09	3	Vertical	196	1.06
2427MHz	Pass	AV	7.27838G	38.43	54.00	-15.57	3	Vertical	314	1.40
2427MHz	Pass	PK	4.85802G	46.54	74.00	-27.46	3	Vertical	196	1.06
2427MHz	Pass	PK	7.2797G	50.21	74.00	-23.79	3	Vertical	314	1.40
2427MHz	Pass	AV	4.85672G	33.93	54.00	-20.07	3	Horizontal	77	2.45
2427MHz	Pass	AV	7.27788G	38.43	54.00	-15.57	3	Horizontal	101	2.44
2427MHz	Pass	PK	4.8525G	47.00	74.00	-27.00	3	Horizontal	77	2.45
2427MHz	Pass	PK	7.27968G	49.95	74.00	-24.05	3	Horizontal	101	2.44
2437MHz	Pass	AV	2.3898G	46.08	54.00	-7.92	3	Vertical	258	2.23
2437MHz	Pass	AV	2.4422G	94.46	Inf	-Inf	3	Vertical	258	2.23
2437MHz	Pass	AV	2.4835G	49.25	54.00	-4.75	3	Vertical	258	2.23
2437MHz	Pass	PK	2.3782G	57.21	74.00	-16.79	3	Vertical	258	2.23
2437MHz	Pass	PK	2.4454G	103.79	Inf	-Inf	3	Vertical	258	2.23
2437MHz	Pass	PK	2.4835G	62.09	74.00	-11.91	3	Vertical	258	2.23
2437MHz	Pass	AV	2.3898G	48.24	54.00	-5.76	3	Horizontal	296	1.09
2437MHz	Pass	AV	2.4254G	97.98	Inf	-Inf	3	Horizontal	296	1.09
2437MHz	Pass	AV	2.4835G	51.94	54.00	-2.06	3	Horizontal	296	1.09
2437MHz	Pass	PK	2.389G	61.37	74.00	-12.63	3	Horizontal	296	1.09
2437MHz	Pass	PK	2.4274G	106.99	Inf	-Inf	3	Horizontal	296	1.09
2437MHz	Pass	PK	2.4835G	65.63	74.00	-8.37	3	Horizontal	296	1.09
2437MHz	Pass	AV	4.86964G	33.66	54.00	-20.34	3	Vertical	64	1.63
2437MHz	Pass	AV	7.31278G	38.60	54.00	-15.40	3	Vertical	294	2.47
2437MHz	Pass	PK	4.87014G	45.65	74.00	-28.35	3	Vertical	64	1.63
2437MHz	Pass	PK	7.31054G	50.38	74.00	-23.62	3	Vertical	294	2.47
2437MHz	Pass	AV	4.86946G	33.68	54.00	-20.32	3	Horizontal	79	1.21
2437MHz	Pass	AV	7.30866G	38.56	54.00	-15.44	3	Horizontal	39	1.94
2437MHz	Pass	PK	4.87312G	45.41	74.00	-28.59	3	Horizontal	79	1.21



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	7.30912G	50.15	74.00	-23.85	3	Horizontal	39	1.94
2447MHz	Pass	AV	2.385G	44.62	54.00	-9.38	3	Vertical	256	2.24
2447MHz	Pass	AV	2.443G	93.10	Inf	-Inf	3	Vertical	256	2.24
2447MHz	Pass	AV	2.4835G	49.01	54.00	-4.99	3	Vertical	256	2.24
2447MHz	Pass	PK	2.3766G	57.00	74.00	-17.00	3	Vertical	256	2.24
2447MHz	Pass	PK	2.4426G	101.82	Inf	-Inf	3	Vertical	256	2.24
2447MHz	Pass	PK	2.4846G	62.90	74.00	-11.10	3	Vertical	256	2.24
2447MHz	Pass	AV	2.389G	45.37	54.00	-8.63	3	Horizontal	295	1.46
2447MHz	Pass	AV	2.4442G	96.66	Inf	-Inf	3	Horizontal	295	1.46
2447MHz	Pass	AV	2.4835G	51.77	54.00	-2.23	3	Horizontal	295	1.46
2447MHz	Pass	PK	2.3838G	57.59	74.00	-16.41	3	Horizontal	295	1.46
2447MHz	Pass	PK	2.4454G	105.36	Inf	-Inf	3	Horizontal	295	1.46
2447MHz	Pass	PK	2.4838G	65.44	74.00	-8.56	3	Horizontal	295	1.46
2447MHz	Pass	AV	4.89822G	33.60	54.00	-20.40	3	Vertical	31	2.78
2447MHz	Pass	AV	7.34506G	38.32	54.00	-15.68	3	Vertical	153	2.03
2447MHz	Pass	PK	4.89296G	45.27	74.00	-28.73	3	Vertical	31	2.78
2447MHz	Pass	PK	7.34444G	50.12	74.00	-23.88	3	Vertical	153	2.03
2447MHz	Pass	AV	4.8966G	33.52	54.00	-20.48	3	Horizontal	27	1.00
2447MHz	Pass	AV	7.34468G	38.30	54.00	-15.70	3	Horizontal	274	1.33
2447MHz	Pass	PK	4.89156G	45.37	74.00	-28.63	3	Horizontal	27	1.00
2447MHz	Pass	PK	7.34238G	49.61	74.00	-24.39	3	Horizontal	274	1.33
2452MHz	Pass	AV	2.3876G	44.46	54.00	-9.54	3	Vertical	260	2.24
2452MHz	Pass	AV	2.4432G	91.95	Inf	-Inf	3	Vertical	260	2.24
2452MHz	Pass	AV	2.4835G	47.25	54.00	-6.75	3	Vertical	260	2.24
2452MHz	Pass	PK	2.39G	56.85	74.00	-17.15	3	Vertical	260	2.24
2452MHz	Pass	PK	2.4452G	101.91	Inf	-Inf	3	Vertical	260	2.24
2452MHz	Pass	PK	2.4884G	60.00	74.00	-14.00	3	Vertical	260	2.24
2452MHz	Pass	AV	2.39G	44.81	54.00	-9.19	3	Horizontal	298	1.28
2452MHz	Pass	AV	2.4536G	95.54	Inf	-Inf	3	Horizontal	298	1.28
2452MHz	Pass	AV	2.4835G	49.27	54.00	-4.73	3	Horizontal	298	1.28
2452MHz	Pass	PK	2.39G	56.49	74.00	-17.51	3	Horizontal	298	1.28
2452MHz	Pass	PK	2.4436G	105.10	Inf	-Inf	3	Horizontal	298	1.28
2452MHz	Pass	PK	2.4844G	62.14	74.00	-11.86	3	Horizontal	298	1.28
2452MHz	Pass	AV	4.9077G	33.86	54.00	-20.14	3	Vertical	58	1.16
2452MHz	Pass	AV	7.35786G	38.42	54.00	-15.58	3	Vertical	25	2.20
2452MHz	Pass	PK	4.9018G	45.85	74.00	-28.15	3	Vertical	58	1.16
2452MHz	Pass	PK	7.36034G	49.83	74.00	-24.17	3	Vertical	25	2.20
2452MHz	Pass	AV	4.90842G	33.82	54.00	-20.18	3	Horizontal	132	2.77
2452MHz	Pass	AV	7.35576G	38.41	54.00	-15.59	3	Horizontal	88	2.15
2452MHz	Pass	PK	4.909G	46.11	74.00	-27.89	3	Horizontal	132	2.77
2452MHz	Pass	PK	7.35634G	50.32	74.00	-23.68	3	Horizontal	88	2.15
2457MHz	Pass	AV	2.3726G	44.21	54.00	-9.79	3	Vertical	258	2.42
2457MHz	Pass	AV	2.4542G	87.11	Inf	-Inf	3	Vertical	258	2.42
2457MHz	Pass	AV	2.4835G	46.63	54.00	-7.37	3	Vertical	258	2.42
2457MHz	Pass	PK	2.3682G	56.09	74.00	-17.91	3	Vertical	258	2.42
2457MHz	Pass	PK	2.4526G	96.33	Inf	-Inf	3	Vertical	258	2.42
2457MHz	Pass	PK	2.493G	57.48	74.00	-16.52	3	Vertical	258	2.42
2457MHz	Pass	AV	2.387G	44.34	54.00	-9.66	3	Horizontal	297	1.29
2457MHz	Pass	AV	2.453G	91.05	Inf	-Inf	3	Horizontal	297	1.29
2457MHz	Pass	AV	2.4835G	48.95	54.00	-5.05	3	Horizontal	297	1.29
2457MHz	Pass	PK	2.371G	56.42	74.00	-17.58	3	Horizontal	297	1.29
2457MHz	Pass	PK	2.4522G	100.13	Inf	-Inf	3	Horizontal	297	1.29
2457MHz	Pass	PK	2.4835G	60.37	74.00	-13.63	3	Horizontal	297	1.29
2457MHz	Pass	AV	4.9115G	33.96	54.00	-20.04	3	Vertical	209	1.72
2457MHz	Pass	AV	7.36802G	38.43	54.00	-15.57	3	Vertical	304	2.62
2457MHz	Pass	PK	4.91558G	46.17	74.00	-27.83	3	Vertical	209	1.72
2457MHz	Pass	PK	7.37278G	49.87	74.00	-24.13	3	Vertical	304	2.62
2457MHz	Pass	AV	4.9094G	33.96	54.00	-20.04	3	Horizontal	226	2.26
2457MHz	Pass	AV	7.36844G	38.38	54.00	-15.62	3	Horizontal	264	1.56
2457MHz	Pass	PK	4.91038G	46.18	74.00	-27.82	3	Horizontal	226	2.26
2457MHz	Pass	PK	7.36604G	49.36	74.00	-24.64	3	Horizontal	264	1.56
2462MHz	Pass	AV	2.3796G	44.26	54.00	-9.74	3	Vertical	250	2.28



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	2.4536G	86.83	Inf	-Inf	3	Vertical	250	2.28
2462MHz	Pass	AV	2.4835G	48.83	54.00	-5.17	3	Vertical	250	2.28
2462MHz	Pass	PK	2.3888G	55.72	74.00	-18.28	3	Vertical	250	2.28
2462MHz	Pass	PK	2.4496G	95.82	Inf	-Inf	3	Vertical	250	2.28
2462MHz	Pass	PK	2.4835G	60.23	74.00	-13.77	3	Vertical	250	2.28
2462MHz	Pass	AV	2.3876G	44.37	54.00	-9.63	3	Horizontal	296	1.30
2462MHz	Pass	AV	2.4544G	90.59	Inf	-Inf	3	Horizontal	296	1.30
2462MHz	Pass	AV	2.4835G	52.18	54.00	-1.82	3	Horizontal	296	1.30
2462MHz	Pass	PK	2.362G	56.54	74.00	-17.46	3	Horizontal	296	1.30
2462MHz	Pass	PK	2.446G	99.58	Inf	-Inf	3	Horizontal	296	1.30
2462MHz	Pass	PK	2.4835G	62.98	74.00	-11.02	3	Horizontal	296	1.30
2462MHz	Pass	AV	4.924G	34.01	54.00	-19.99	3	Vertical	170	1.88
2462MHz	Pass	AV	7.38132G	38.06	54.00	-15.94	3	Vertical	251	2.23
2462MHz	Pass	PK	4.92442G	46.33	74.00	-27.67	3	Vertical	170	1.88
2462MHz	Pass	PK	7.3909G	49.46	74.00	-24.54	3	Vertical	251	2.23
2462MHz	Pass	AV	4.92256G	34.02	54.00	-19.98	3	Horizontal	80	1.60
2462MHz	Pass	AV	7.38394G	38.08	54.00	-15.92	3	Horizontal	293	1.32
2462MHz	Pass	PK	4.92244G	46.03	74.00	-27.97	3	Horizontal	80	1.60
2462MHz	Pass	PK	7.38394G	49.74	74.00	-24.26	3	Horizontal	293	1.32
802.11n HT40_Nss1_(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3892G	46.41	54.00	-7.59	3	Vertical	91	2.08
2422MHz	Pass	AV	2.4316G	94.68	Inf	-Inf	3	Vertical	91	2.08
2422MHz	Pass	AV	2.4992G	45.83	54.00	-8.17	3	Vertical	91	2.08
2422MHz	Pass	PK	2.3824G	58.28	74.00	-15.72	3	Vertical	91	2.08
2422MHz	Pass	PK	2.4304G	103.80	Inf	-Inf	3	Vertical	91	2.08
2422MHz	Pass	PK	2.486G	57.78	74.00	-16.22	3	Vertical	91	2.08
2422MHz	Pass	AV	2.39G	47.59	54.00	-6.41	3	Horizontal	55	1.23
2422MHz	Pass	AV	2.412G	97.80	Inf	-Inf	3	Horizontal	55	1.23
2422MHz	Pass	AV	2.4856G	46.21	54.00	-7.79	3	Horizontal	55	1.23
2422MHz	Pass	PK	2.3864G	58.98	74.00	-15.02	3	Horizontal	55	1.23
2422MHz	Pass	PK	2.4124G	106.99	Inf	-Inf	3	Horizontal	55	1.23
2422MHz	Pass	PK	2.496G	58.53	74.00	-15.47	3	Horizontal	55	1.23
2422MHz	Pass	AV	4.84374G	33.66	54.00	-20.34	3	Vertical	218	1.90
2422MHz	Pass	AV	7.26102G	39.68	54.00	-14.32	3	Vertical	119	1.54
2422MHz	Pass	PK	4.84404G	46.00	74.00	-28.00	3	Vertical	218	1.90
2422MHz	Pass	PK	7.26202G	50.58	74.00	-23.42	3	Vertical	119	1.54
2422MHz	Pass	AV	4.84372G	33.69	54.00	-20.31	3	Horizontal	338	1.76
2422MHz	Pass	AV	7.261G	39.61	54.00	-14.39	3	Horizontal	231	2.58
2422MHz	Pass	PK	4.84196G	45.68	74.00	-28.32	3	Horizontal	338	1.76
2422MHz	Pass	PK	7.26188G	51.45	74.00	-22.55	3	Horizontal	231	2.58
2427MHz	Pass	AV	2.3898G	47.06	54.00	-6.94	3	Vertical	88	2.88
2427MHz	Pass	AV	2.4222G	93.71	Inf	-Inf	3	Vertical	88	2.88
2427MHz	Pass	AV	2.495G	45.86	54.00	-8.14	3	Vertical	88	2.88
2427MHz	Pass	PK	2.3874G	59.24	74.00	-14.76	3	Vertical	88	2.88
2427MHz	Pass	PK	2.4374G	104.10	Inf	-Inf	3	Vertical	88	2.88
2427MHz	Pass	PK	2.495G	58.26	74.00	-15.74	3	Vertical	88	2.88
2427MHz	Pass	AV	2.3898G	52.05	54.00	-1.95	3	Horizontal	302	1.09
2427MHz	Pass	AV	2.4246G	96.68	Inf	-Inf	3	Horizontal	302	1.09
2427MHz	Pass	AV	2.4866G	46.17	54.00	-7.83	3	Horizontal	302	1.09
2427MHz	Pass	PK	2.3894G	64.45	74.00	-9.55	3	Horizontal	302	1.09
2427MHz	Pass	PK	2.4294G	107.27	Inf	-Inf	3	Horizontal	302	1.09
2427MHz	Pass	PK	2.4958G	58.01	74.00	-15.99	3	Horizontal	302	1.09
2427MHz	Pass	AV	4.85538G	33.91	54.00	-20.09	3	Vertical	12	1.70
2427MHz	Pass	AV	7.27716G	38.42	54.00	-15.58	3	Vertical	93	1.64
2427MHz	Pass	PK	4.85742G	47.34	74.00	-26.66	3	Vertical	12	1.70
2427MHz	Pass	PK	7.2773G	50.14	74.00	-23.86	3	Vertical	93	1.64
2427MHz	Pass	AV	4.85568G	33.97	54.00	-20.03	3	Horizontal	266	1.08
2427MHz	Pass	AV	7.27636G	38.36	54.00	-15.64	3	Horizontal	306	2.06
2427MHz	Pass	PK	4.85556G	46.88	74.00	-27.12	3	Horizontal	266	1.08
2427MHz	Pass	PK	7.28188G	49.60	74.00	-24.40	3	Horizontal	306	2.06
2437MHz	Pass	AV	2.3894G	46.73	54.00	-7.27	3	Vertical	93	2.25
2437MHz	Pass	AV	2.443G	97.72	Inf	-Inf	3	Vertical	93	2.25



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4842G	49.74	54.00	-4.26	3	Vertical	93	2.25
2437MHz	Pass	PK	2.3898G	58.42	74.00	-15.58	3	Vertical	93	2.25
2437MHz	Pass	PK	2.443G	107.30	Inf	-Inf	3	Vertical	93	2.25
2437MHz	Pass	PK	2.4838G	62.09	74.00	-11.91	3	Vertical	93	2.25
2437MHz	Pass	AV	2.3894G	49.16	54.00	-4.84	3	Horizontal	298	1.08
2437MHz	Pass	AV	2.4318G	100.64	Inf	-Inf	3	Horizontal	298	1.08
2437MHz	Pass	AV	2.4835G	52.33	54.00	-1.67	3	Horizontal	298	1.08
2437MHz	Pass	PK	2.3894G	61.37	74.00	-12.63	3	Horizontal	298	1.08
2437MHz	Pass	PK	2.4266G	110.37	Inf	-Inf	3	Horizontal	298	1.08
2437MHz	Pass	PK	2.4835G	65.14	74.00	-8.86	3	Horizontal	298	1.08
2437MHz	Pass	AV	4.86978G	33.71	54.00	-20.29	3	Vertical	203	1.63
2437MHz	Pass	AV	7.30742G	38.64	54.00	-15.36	3	Vertical	209	2.84
2437MHz	Pass	PK	4.87348G	45.52	74.00	-28.48	3	Vertical	203	1.63
2437MHz	Pass	PK	7.31572G	49.70	74.00	-24.30	3	Vertical	209	2.84
2437MHz	Pass	AV	4.86912G	33.72	54.00	-20.28	3	Horizontal	262	2.28
2437MHz	Pass	AV	7.31312G	38.62	54.00	-15.38	3	Horizontal	239	2.06
2437MHz	Pass	PK	4.87454G	45.71	74.00	-28.29	3	Horizontal	262	2.28
2437MHz	Pass	PK	7.30936G	50.50	74.00	-23.50	3	Horizontal	239	2.06
2447MHz	Pass	AV	2.3878G	45.27	54.00	-8.73	3	Vertical	98	2.74
2447MHz	Pass	AV	2.4546G	93.22	Inf	-Inf	3	Vertical	98	2.74
2447MHz	Pass	AV	2.4835G	48.02	54.00	-5.98	3	Vertical	98	2.74
2447MHz	Pass	PK	2.365G	56.87	74.00	-17.13	3	Vertical	98	2.74
2447MHz	Pass	PK	2.4518G	103.11	Inf	-Inf	3	Vertical	98	2.74
2447MHz	Pass	PK	2.4858G	60.51	74.00	-13.49	3	Vertical	98	2.74
2447MHz	Pass	AV	2.3886G	46.01	54.00	-7.99	3	Horizontal	300	1.21
2447MHz	Pass	AV	2.443G	96.80	Inf	-Inf	3	Horizontal	300	1.21
2447MHz	Pass	AV	2.4835G	51.56	54.00	-2.44	3	Horizontal	300	1.21
2447MHz	Pass	PK	2.383G	58.02	74.00	-15.98	3	Horizontal	300	1.21
2447MHz	Pass	PK	2.443G	107.12	Inf	-Inf	3	Horizontal	300	1.21
2447MHz	Pass	PK	2.4866G	65.16	74.00	-8.84	3	Horizontal	300	1.21
2447MHz	Pass	AV	4.89762G	33.45	54.00	-20.55	3	Vertical	175	1.18
2447MHz	Pass	AV	7.33754G	38.29	54.00	-15.71	3	Vertical	189	1.76
2447MHz	Pass	PK	4.89618G	45.79	74.00	-28.21	3	Vertical	175	1.18
2447MHz	Pass	PK	7.34462G	49.78	74.00	-24.22	3	Vertical	189	1.76
2447MHz	Pass	AV	4.89806G	33.52	54.00	-20.48	3	Horizontal	313	2.28
2447MHz	Pass	AV	7.33808G	38.34	54.00	-15.66	3	Horizontal	348	1.05
2447MHz	Pass	PK	4.89826G	45.59	74.00	-28.41	3	Horizontal	313	2.28
2447MHz	Pass	PK	7.33726G	49.73	74.00	-24.27	3	Horizontal	348	1.05
2452MHz	Pass	AV	2.388G	45.17	54.00	-8.83	3	Vertical	96	2.74
2452MHz	Pass	AV	2.4552G	95.52	Inf	-Inf	3	Vertical	96	2.74
2452MHz	Pass	AV	2.4844G	49.90	54.00	-4.10	3	Vertical	96	2.74
2452MHz	Pass	PK	2.378G	57.43	74.00	-16.57	3	Vertical	96	2.74
2452MHz	Pass	PK	2.4568G	104.55	Inf	-Inf	3	Vertical	96	2.74
2452MHz	Pass	PK	2.486G	61.81	74.00	-12.19	3	Vertical	96	2.74
2452MHz	Pass	AV	2.3892G	46.23	54.00	-7.77	3	Horizontal	297	1.22
2452MHz	Pass	AV	2.444G	98.72	Inf	-Inf	3	Horizontal	297	1.22
2452MHz	Pass	AV	2.4835G	51.02	54.00	-2.98	3	Horizontal	297	1.22
2452MHz	Pass	PK	2.3892G	58.43	74.00	-15.57	3	Horizontal	297	1.22
2452MHz	Pass	PK	2.4448G	107.53	Inf	-Inf	3	Horizontal	297	1.22
2452MHz	Pass	PK	2.486G	64.11	74.00	-9.89	3	Horizontal	297	1.22
2452MHz	Pass	AV	4.90752G	33.84	54.00	-20.16	3	Vertical	31	2.94
2452MHz	Pass	AV	7.35218G	38.38	54.00	-15.62	3	Vertical	148	1.92
2452MHz	Pass	PK	4.90732G	46.33	74.00	-27.67	3	Vertical	31	2.94
2452MHz	Pass	PK	7.35954G	50.03	74.00	-23.97	3	Vertical	148	1.92
2452MHz	Pass	AV	4.9083G	33.80	54.00	-20.20	3	Horizontal	248	1.88
2452MHz	Pass	AV	7.35996G	38.50	54.00	-15.50	3	Horizontal	315	2.25
2452MHz	Pass	PK	4.90466G	45.36	74.00	-28.64	3	Horizontal	248	1.88
2452MHz	Pass	PK	7.35352G	49.86	74.00	-24.14	3	Horizontal	315	2.25
2457MHz	Pass	AV	2.3874G	44.73	54.00	-9.27	3	Vertical	83	2.82
2457MHz	Pass	AV	2.463G	87.73	Inf	-Inf	3	Vertical	83	2.82
2457MHz	Pass	AV	2.4835G	47.14	54.00	-6.86	3	Vertical	83	2.82
2457MHz	Pass	PK	2.373G	57.06	74.00	-16.94	3	Vertical	83	2.82



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.455G	97.22	Inf	-Inf	3	Vertical	83	2.82
2457MHz	Pass	PK	2.4835G	58.40	74.00	-15.60	3	Vertical	83	2.82
2457MHz	Pass	AV	2.3878G	44.99	54.00	-9.01	3	Horizontal	295	1.28
2457MHz	Pass	AV	2.453G	90.67	Inf	-Inf	3	Horizontal	295	1.28
2457MHz	Pass	AV	2.4835G	49.89	54.00	-4.11	3	Horizontal	295	1.28
2457MHz	Pass	PK	2.3602G	56.60	74.00	-17.40	3	Horizontal	295	1.28
2457MHz	Pass	PK	2.445G	101.29	Inf	-Inf	3	Horizontal	295	1.28
2457MHz	Pass	PK	2.4835G	62.48	74.00	-11.52	3	Horizontal	295	1.28
2457MHz	Pass	AV	4.91754G	33.98	54.00	-20.02	3	Vertical	123	1.06
2457MHz	Pass	AV	7.36678G	38.34	54.00	-15.66	3	Vertical	279	2.86
2457MHz	Pass	PK	4.9123G	46.02	74.00	-27.98	3	Vertical	123	1.06
2457MHz	Pass	PK	7.37066G	50.17	74.00	-23.83	3	Vertical	279	2.86
2457MHz	Pass	AV	4.91198G	33.98	54.00	-20.02	3	Horizontal	0	2.90
2457MHz	Pass	AV	7.36674G	38.38	54.00	-15.62	3	Horizontal	214	2.57
2457MHz	Pass	PK	4.91156G	46.09	74.00	-27.91	3	Horizontal	0	2.90
2457MHz	Pass	PK	7.3689G	49.91	74.00	-24.09	3	Horizontal	214	2.57
2462MHz	Pass	AV	2.3748G	44.55	54.00	-9.45	3	Vertical	229	1.50
2462MHz	Pass	AV	2.4728G	86.05	Inf	-Inf	3	Vertical	229	1.50
2462MHz	Pass	AV	2.4835G	47.75	54.00	-6.25	3	Vertical	229	1.50
2462MHz	Pass	PK	2.3836G	56.54	74.00	-17.46	3	Vertical	229	1.50
2462MHz	Pass	PK	2.4732G	94.98	Inf	-Inf	3	Vertical	229	1.50
2462MHz	Pass	PK	2.4835G	59.21	74.00	-14.79	3	Vertical	229	1.50
2462MHz	Pass	AV	2.3892G	44.85	54.00	-9.15	3	Horizontal	298	1.39
2462MHz	Pass	AV	2.474G	90.03	Inf	-Inf	3	Horizontal	298	1.39
2462MHz	Pass	AV	2.4835G	50.29	54.00	-3.71	3	Horizontal	298	1.39
2462MHz	Pass	PK	2.3876G	56.72	74.00	-17.28	3	Horizontal	298	1.39
2462MHz	Pass	PK	2.476G	98.81	Inf	-Inf	3	Horizontal	298	1.39
2462MHz	Pass	PK	2.4835G	61.26	74.00	-12.74	3	Horizontal	298	1.39
2462MHz	Pass	AV	4.92274G	34.00	54.00	-20.00	3	Vertical	11	2.34
2462MHz	Pass	AV	7.38238G	37.97	54.00	-16.03	3	Vertical	198	1.96
2462MHz	Pass	PK	4.9278G	46.27	74.00	-27.73	3	Vertical	11	2.34
2462MHz	Pass	PK	7.38212G	49.58	74.00	-24.42	3	Vertical	198	1.96
2462MHz	Pass	AV	4.92286G	34.01	54.00	-19.99	3	Horizontal	131	1.93
2462MHz	Pass	AV	7.381G	38.06	54.00	-15.94	3	Horizontal	167	1.80
2462MHz	Pass	PK	4.92452G	46.02	74.00	-27.98	3	Horizontal	131	1.93
2462MHz	Pass	PK	7.3861G	49.30	74.00	-24.70	3	Horizontal	167	1.80
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.29	54.00	-8.71	3	Vertical	108	2.86
2412MHz	Pass	AV	2.4148G	94.98	Inf	-Inf	3	Vertical	108	2.86
2412MHz	Pass	PK	2.3644G	57.28	74.00	-16.72	3	Vertical	108	2.86
2412MHz	Pass	PK	2.4158G	106.18	Inf	-Inf	3	Vertical	108	2.86
2412MHz	Pass	AV	2.3898G	46.05	54.00	-7.95	3	Horizontal	61	1.69
2412MHz	Pass	AV	2.4136G	96.94	Inf	-Inf	3	Horizontal	61	1.69
2412MHz	Pass	PK	2.3894G	58.14	74.00	-15.86	3	Horizontal	61	1.69
2412MHz	Pass	PK	2.4098G	108.12	Inf	-Inf	3	Horizontal	61	1.69
2412MHz	Pass	AV	4.82426G	36.77	54.00	-17.23	3	Vertical	300	1.84
2412MHz	Pass	PK	4.82716G	49.50	74.00	-24.50	3	Vertical	300	1.84
2412MHz	Pass	AV	4.82378G	36.67	54.00	-17.33	3	Horizontal	320	2.98
2412MHz	Pass	PK	4.82314G	49.11	74.00	-24.89	3	Horizontal	320	2.98
2417MHz	Pass	AV	2.3898G	44.82	54.00	-9.18	3	Vertical	93	2.84
2417MHz	Pass	AV	2.4188G	95.53	Inf	-Inf	3	Vertical	93	2.84
2417MHz	Pass	PK	2.387G	56.39	74.00	-17.61	3	Vertical	93	2.84
2417MHz	Pass	PK	2.4182G	106.73	Inf	-Inf	3	Vertical	93	2.84
2417MHz	Pass	AV	2.39G	45.24	54.00	-8.76	3	Horizontal	62	1.56
2417MHz	Pass	AV	2.421G	97.83	Inf	-Inf	3	Horizontal	62	1.56
2417MHz	Pass	PK	2.3738G	56.84	74.00	-17.16	3	Horizontal	62	1.56
2417MHz	Pass	PK	2.4162G	109.10	Inf	-Inf	3	Horizontal	62	1.56
2417MHz	Pass	AV	4.82924G	35.76	54.00	-18.24	3	Vertical	136	1.72
2417MHz	Pass	AV	7.25G	40.60	54.00	-13.40	3	Vertical	231	2.00
2417MHz	Pass	PK	4.82966G	47.81	74.00	-26.19	3	Vertical	136	1.72
2417MHz	Pass	PK	7.2502G	52.96	74.00	-21.04	3	Vertical	231	2.00
2417MHz	Pass	AV	4.82916G	35.74	54.00	-18.26	3	Horizontal	98	1.49



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	AV	7.25G	40.70	54.00	-13.30	3	Horizontal	306	2.99
2417MHz	Pass	PK	4.8308G	48.15	74.00	-25.85	3	Horizontal	98	1.49
2417MHz	Pass	PK	7.25112G	53.36	74.00	-20.64	3	Horizontal	306	2.99
2437MHz	Pass	AV	2.3894G	44.28	54.00	-9.72	3	Vertical	90	2.06
2437MHz	Pass	AV	2.4346G	95.30	Inf	-Inf	3	Vertical	90	2.06
2437MHz	Pass	AV	2.4835G	45.21	54.00	-8.79	3	Vertical	90	2.06
2437MHz	Pass	PK	2.3826G	56.16	74.00	-17.84	3	Vertical	90	2.06
2437MHz	Pass	PK	2.4322G	106.49	Inf	-Inf	3	Vertical	90	2.06
2437MHz	Pass	PK	2.491G	56.65	74.00	-17.35	3	Vertical	90	2.06
2437MHz	Pass	AV	2.3898G	44.42	54.00	-9.58	3	Horizontal	62	1.40
2437MHz	Pass	AV	2.433G	98.00	Inf	-Inf	3	Horizontal	62	1.40
2437MHz	Pass	AV	2.4958G	45.27	54.00	-8.73	3	Horizontal	62	1.40
2437MHz	Pass	PK	2.3734G	56.53	74.00	-17.47	3	Horizontal	62	1.40
2437MHz	Pass	PK	2.4346G	108.49	Inf	-Inf	3	Horizontal	62	1.40
2437MHz	Pass	PK	2.489G	57.44	74.00	-16.56	3	Horizontal	62	1.40
2437MHz	Pass	AV	4.8697G	33.69	54.00	-20.31	3	Vertical	102	1.46
2437MHz	Pass	AV	7.31234G	38.64	54.00	-15.36	3	Vertical	175	1.82
2437MHz	Pass	PK	4.86958G	46.44	74.00	-27.56	3	Vertical	102	1.46
2437MHz	Pass	PK	7.30698G	50.55	74.00	-23.45	3	Vertical	175	1.82
2437MHz	Pass	AV	4.86906G	33.68	54.00	-20.32	3	Horizontal	323	1.11
2437MHz	Pass	AV	7.31052G	38.67	54.00	-15.33	3	Horizontal	52	1.18
2437MHz	Pass	PK	4.87614G	46.31	74.00	-27.69	3	Horizontal	323	1.11
2437MHz	Pass	PK	7.30856G	49.67	74.00	-24.33	3	Horizontal	52	1.18
2457MHz	Pass	AV	2.4548G	95.40	Inf	-Inf	3	Vertical	105	3.00
2457MHz	Pass	AV	2.4835G	45.58	54.00	-8.42	3	Vertical	105	3.00
2457MHz	Pass	PK	2.4544G	106.95	Inf	-Inf	3	Vertical	105	3.00
2457MHz	Pass	PK	2.4896G	57.54	74.00	-16.46	3	Vertical	105	3.00
2457MHz	Pass	AV	2.455G	97.94	Inf	-Inf	3	Horizontal	62	1.83
2457MHz	Pass	AV	2.4835G	45.76	54.00	-8.24	3	Horizontal	62	1.83
2457MHz	Pass	PK	2.4556G	109.03	Inf	-Inf	3	Horizontal	62	1.83
2457MHz	Pass	PK	2.4868G	57.72	74.00	-16.28	3	Horizontal	62	1.83
2457MHz	Pass	AV	4.9181G	33.95	54.00	-20.05	3	Vertical	359	2.42
2457MHz	Pass	AV	7.36768G	38.43	54.00	-15.57	3	Vertical	322	2.50
2457MHz	Pass	PK	4.9116G	46.42	74.00	-27.58	3	Vertical	359	2.42
2457MHz	Pass	PK	7.36888G	49.96	74.00	-24.04	3	Vertical	322	2.50
2457MHz	Pass	AV	4.91418G	33.92	54.00	-20.08	3	Horizontal	340	1.71
2457MHz	Pass	AV	7.36682G	38.38	54.00	-15.62	3	Horizontal	278	2.70
2457MHz	Pass	PK	4.91186G	46.69	74.00	-27.31	3	Horizontal	340	1.71
2457MHz	Pass	PK	7.3707G	50.26	74.00	-23.74	3	Horizontal	278	2.70
2462MHz	Pass	AV	2.4642G	94.34	Inf	-Inf	3	Vertical	95	2.71
2462MHz	Pass	AV	2.4836G	45.78	54.00	-8.22	3	Vertical	95	2.71
2462MHz	Pass	PK	2.4648G	106.01	Inf	-Inf	3	Vertical	95	2.71
2462MHz	Pass	PK	2.4896G	57.52	74.00	-16.48	3	Vertical	95	2.71
2462MHz	Pass	AV	2.4642G	96.63	Inf	-Inf	3	Horizontal	63	1.72
2462MHz	Pass	AV	2.4835G	46.40	54.00	-7.60	3	Horizontal	63	1.72
2462MHz	Pass	PK	2.461G	107.75	Inf	-Inf	3	Horizontal	63	1.72
2462MHz	Pass	PK	2.4868G	58.12	74.00	-15.88	3	Horizontal	63	1.72
2462MHz	Pass	AV	4.92604G	33.98	54.00	-20.02	3	Vertical	341	2.20
2462MHz	Pass	AV	7.38206G	38.02	54.00	-15.98	3	Vertical	108	2.03
2462MHz	Pass	PK	4.92264G	46.18	74.00	-27.82	3	Vertical	341	2.20
2462MHz	Pass	PK	7.38544G	49.75	74.00	-24.25	3	Vertical	108	2.03
2462MHz	Pass	AV	4.92172G	33.98	54.00	-20.02	3	Horizontal	347	1.76
2462MHz	Pass	AV	7.381G	38.07	54.00	-15.93	3	Horizontal	263	1.07
2462MHz	Pass	PK	4.92288G	46.22	74.00	-27.78	3	Horizontal	347	1.76
2462MHz	Pass	PK	7.38722G	48.89	74.00	-25.11	3	Horizontal	263	1.07
2467MHz	Pass	AV	2.471G	92.30	Inf	-Inf	3	Vertical	106	3.00
2467MHz	Pass	AV	2.4835G	47.88	54.00	-6.12	3	Vertical	106	3.00
2467MHz	Pass	PK	2.466G	104.10	Inf	-Inf	3	Vertical	106	3.00
2467MHz	Pass	PK	2.4835G	59.73	74.00	-14.27	3	Vertical	106	3.00
2467MHz	Pass	AV	2.468G	94.26	Inf	-Inf	3	Horizontal	63	1.78
2467MHz	Pass	AV	2.4835G	48.78	54.00	-5.22	3	Horizontal	63	1.78
2467MHz	Pass	PK	2.4648G	105.85	Inf	-Inf	3	Horizontal	63	1.78



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2467MHz	Pass	PK	2.4835G	61.04	74.00	-12.96	3	Horizontal	63	1.78
2467MHz	Pass	AV	4.92962G	33.77	54.00	-20.23	3	Vertical	97	2.05
2467MHz	Pass	AV	7.40204G	37.95	54.00	-16.05	3	Vertical	269	2.54
2467MHz	Pass	PK	4.93312G	45.96	74.00	-28.04	3	Vertical	97	2.05
2467MHz	Pass	PK	7.4024G	49.78	74.00	-24.22	3	Vertical	269	2.54
2467MHz	Pass	AV	4.9322G	33.74	54.00	-20.26	3	Horizontal	296	1.06
2467MHz	Pass	AV	7.4017G	37.98	54.00	-16.02	3	Horizontal	285	1.94
2467MHz	Pass	PK	4.93888G	45.99	74.00	-28.01	3	Horizontal	296	1.06
2467MHz	Pass	PK	7.39638G	49.17	74.00	-24.83	3	Horizontal	285	1.94
2472MHz	Pass	AV	2.4766G	83.44	Inf	-Inf	3	Vertical	105	3.00
2472MHz	Pass	AV	2.4835G	47.35	54.00	-6.65	3	Vertical	105	3.00
2472MHz	Pass	PK	2.477G	95.41	Inf	-Inf	3	Vertical	105	3.00
2472MHz	Pass	PK	2.4835G	63.36	74.00	-10.64	3	Vertical	105	3.00
2472MHz	Pass	AV	2.475G	85.38	Inf	-Inf	3	Horizontal	61	1.71
2472MHz	Pass	AV	2.4835G	48.15	54.00	-5.85	3	Horizontal	61	1.71
2472MHz	Pass	PK	2.4744G	97.20	Inf	-Inf	3	Horizontal	61	1.71
2472MHz	Pass	PK	2.4835G	63.87	74.00	-10.13	3	Horizontal	61	1.71
2472MHz	Pass	AV	4.9482G	33.83	54.00	-20.17	3	Vertical	6	2.73
2472MHz	Pass	AV	7.41754G	38.16	54.00	-15.84	3	Vertical	319	1.32
2472MHz	Pass	PK	4.94366G	46.61	74.00	-27.39	3	Vertical	6	2.73
2472MHz	Pass	PK	7.4138G	50.14	74.00	-23.86	3	Vertical	319	1.32
2472MHz	Pass	AV	4.94862G	33.89	54.00	-20.11	3	Horizontal	145	2.12
2472MHz	Pass	AV	7.42094G	38.13	54.00	-15.87	3	Horizontal	92	2.23
2472MHz	Pass	PK	4.94802G	45.75	74.00	-28.25	3	Horizontal	145	2.12
2472MHz	Pass	PK	7.41314G	50.48	74.00	-23.52	3	Horizontal	92	2.23
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.34	54.00	-7.66	3	Vertical	253	2.83
2412MHz	Pass	AV	2.41G	93.69	Inf	-Inf	3	Vertical	253	2.83
2412MHz	Pass	PK	2.3896G	59.97	74.00	-14.03	3	Vertical	253	2.83
2412MHz	Pass	PK	2.411G	105.70	Inf	-Inf	3	Vertical	253	2.83
2412MHz	Pass	AV	2.39G	47.74	54.00	-6.26	3	Horizontal	297	1.68
2412MHz	Pass	AV	2.4082G	96.23	Inf	-Inf	3	Horizontal	297	1.68
2412MHz	Pass	PK	2.3896G	60.46	74.00	-13.54	3	Horizontal	297	1.68
2412MHz	Pass	PK	2.4072G	107.68	Inf	-Inf	3	Horizontal	297	1.68
2412MHz	Pass	AV	4.82382G	36.63	54.00	-17.37	3	Vertical	186	1.92
2412MHz	Pass	PK	4.82344G	49.18	74.00	-24.82	3	Vertical	186	1.92
2412MHz	Pass	AV	4.82476G	36.61	54.00	-17.39	3	Horizontal	271	1.72
2412MHz	Pass	PK	4.82148G	49.25	74.00	-24.75	3	Horizontal	271	1.72
2417MHz	Pass	AV	2.39G	44.81	54.00	-9.19	3	Vertical	254	2.83
2417MHz	Pass	AV	2.4144G	94.52	Inf	-Inf	3	Vertical	254	2.83
2417MHz	Pass	PK	2.389G	55.96	74.00	-18.04	3	Vertical	254	2.83
2417MHz	Pass	PK	2.4154G	106.18	Inf	-Inf	3	Vertical	254	2.83
2417MHz	Pass	AV	2.3898G	45.33	54.00	-8.67	3	Horizontal	304	1.50
2417MHz	Pass	AV	2.414G	96.89	Inf	-Inf	3	Horizontal	304	1.50
2417MHz	Pass	PK	2.3778G	56.77	74.00	-17.23	3	Horizontal	304	1.50
2417MHz	Pass	PK	2.4128G	108.29	Inf	-Inf	3	Horizontal	304	1.50
2417MHz	Pass	AV	4.82916G	35.81	54.00	-18.19	3	Vertical	265	2.48
2417MHz	Pass	AV	7.25001G	40.73	54.00	-13.27	3	Vertical	315	1.50
2417MHz	Pass	PK	4.82968G	47.86	74.00	-26.14	3	Vertical	265	2.48
2417MHz	Pass	PK	7.25031G	55.04	74.00	-18.96	3	Vertical	315	1.50
2417MHz	Pass	AV	4.82908G	35.73	54.00	-18.27	3	Horizontal	243	2.31
2417MHz	Pass	AV	7.25014G	40.58	54.00	-13.42	3	Horizontal	48	2.14
2417MHz	Pass	PK	4.83084G	47.36	74.00	-26.64	3	Horizontal	243	2.31
2417MHz	Pass	PK	7.25039G	55.57	74.00	-18.43	3	Horizontal	48	2.14
2437MHz	Pass	AV	2.3894G	44.27	54.00	-9.73	3	Vertical	266	2.23
2437MHz	Pass	AV	2.4398G	93.78	Inf	-Inf	3	Vertical	266	2.23
2437MHz	Pass	AV	2.4946G	45.08	54.00	-8.92	3	Vertical	266	2.23
2437MHz	Pass	PK	2.3462G	56.92	74.00	-17.08	3	Vertical	266	2.23
2437MHz	Pass	PK	2.4402G	104.86	Inf	-Inf	3	Vertical	266	2.23
2437MHz	Pass	PK	2.4958G	56.77	74.00	-17.23	3	Vertical	266	2.23
2437MHz	Pass	AV	2.389G	44.50	54.00	-9.50	3	Horizontal	303	1.40
2437MHz	Pass	AV	2.4334G	97.31	Inf	-Inf	3	Horizontal	303	1.40



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4835G	45.16	54.00	-8.84	3	Horizontal	303	1.40
2437MHz	Pass	PK	2.3686G	56.48	74.00	-17.52	3	Horizontal	303	1.40
2437MHz	Pass	PK	2.4402G	108.70	Inf	-Inf	3	Horizontal	303	1.40
2437MHz	Pass	PK	2.4894G	57.46	74.00	-16.54	3	Horizontal	303	1.40
2437MHz	Pass	AV	4.8701G	33.68	54.00	-20.32	3	Vertical	141	2.06
2437MHz	Pass	AV	7.313G	38.61	54.00	-15.39	3	Vertical	128	1.64
2437MHz	Pass	PK	4.87014G	45.50	74.00	-28.50	3	Vertical	141	2.06
2437MHz	Pass	PK	7.30642G	50.11	74.00	-23.89	3	Vertical	128	1.64
2437MHz	Pass	AV	4.86952G	33.63	54.00	-20.37	3	Horizontal	265	2.11
2437MHz	Pass	AV	7.30966G	38.57	54.00	-15.43	3	Horizontal	115	1.24
2437MHz	Pass	PK	4.87034G	46.36	74.00	-27.64	3	Horizontal	265	2.11
2437MHz	Pass	PK	7.31548G	50.53	74.00	-23.47	3	Horizontal	115	1.24
2457MHz	Pass	AV	2.4542G	94.15	Inf	-Inf	3	Vertical	250	2.73
2457MHz	Pass	AV	2.4835G	45.38	54.00	-8.62	3	Vertical	250	2.73
2457MHz	Pass	PK	2.458G	105.31	Inf	-Inf	3	Vertical	250	2.73
2457MHz	Pass	PK	2.4836G	57.49	74.00	-16.51	3	Vertical	250	2.73
2457MHz	Pass	AV	2.4532G	96.86	Inf	-Inf	3	Horizontal	298	1.30
2457MHz	Pass	AV	2.4835G	45.97	54.00	-8.03	3	Horizontal	298	1.30
2457MHz	Pass	PK	2.456G	108.44	Inf	-Inf	3	Horizontal	298	1.30
2457MHz	Pass	PK	2.484G	58.54	74.00	-15.46	3	Horizontal	298	1.30
2457MHz	Pass	AV	4.91856G	33.94	54.00	-20.06	3	Vertical	283	1.33
2457MHz	Pass	AV	7.36614G	38.46	54.00	-15.54	3	Vertical	183	1.23
2457MHz	Pass	PK	4.91874G	45.81	74.00	-28.19	3	Vertical	283	1.33
2457MHz	Pass	PK	7.37388G	49.82	74.00	-24.18	3	Vertical	183	1.23
2457MHz	Pass	AV	4.91768G	33.92	54.00	-20.08	3	Horizontal	49	1.31
2457MHz	Pass	AV	7.37164G	38.38	54.00	-15.62	3	Horizontal	96	1.58
2457MHz	Pass	PK	4.9169G	46.16	74.00	-27.84	3	Horizontal	49	1.31
2457MHz	Pass	PK	7.36616G	49.33	74.00	-24.67	3	Horizontal	96	1.58
2462MHz	Pass	AV	2.4582G	91.88	Inf	-Inf	3	Vertical	256	3.00
2462MHz	Pass	AV	2.4835G	46.28	54.00	-7.72	3	Vertical	256	3.00
2462MHz	Pass	PK	2.4596G	103.63	Inf	-Inf	3	Vertical	256	3.00
2462MHz	Pass	PK	2.4854G	58.35	74.00	-15.65	3	Vertical	256	3.00
2462MHz	Pass	AV	2.46G	95.15	Inf	-Inf	3	Horizontal	300	1.50
2462MHz	Pass	AV	2.4835G	47.57	54.00	-6.43	3	Horizontal	300	1.50
2462MHz	Pass	PK	2.465G	106.86	Inf	-Inf	3	Horizontal	300	1.50
2462MHz	Pass	PK	2.486G	59.54	74.00	-14.46	3	Horizontal	300	1.50
2462MHz	Pass	AV	4.92286G	33.99	54.00	-20.01	3	Vertical	43	2.30
2462MHz	Pass	AV	7.38114G	38.00	54.00	-16.00	3	Vertical	119	2.10
2462MHz	Pass	PK	4.92388G	47.12	74.00	-26.88	3	Vertical	43	2.30
2462MHz	Pass	PK	7.38192G	49.49	74.00	-24.51	3	Vertical	119	2.10
2462MHz	Pass	AV	4.91986G	33.96	54.00	-20.04	3	Horizontal	8	2.46
2462MHz	Pass	AV	7.38428G	38.03	54.00	-15.97	3	Horizontal	115	2.41
2462MHz	Pass	PK	4.92262G	46.32	74.00	-27.68	3	Horizontal	8	2.46
2462MHz	Pass	PK	7.38132G	49.82	74.00	-24.18	3	Horizontal	115	2.41
2467MHz	Pass	AV	2.4648G	91.52	Inf	-Inf	3	Vertical	251	2.75
2467MHz	Pass	AV	2.4835G	48.44	54.00	-5.56	3	Vertical	251	2.75
2467MHz	Pass	PK	2.4648G	102.86	Inf	-Inf	3	Vertical	251	2.75
2467MHz	Pass	PK	2.4835G	60.08	74.00	-13.92	3	Vertical	251	2.75
2467MHz	Pass	AV	2.4648G	94.30	Inf	-Inf	3	Horizontal	298	3.00
2467MHz	Pass	AV	2.4835G	49.97	54.00	-4.03	3	Horizontal	298	3.00
2467MHz	Pass	PK	2.469G	105.51	Inf	-Inf	3	Horizontal	298	3.00
2467MHz	Pass	PK	2.4836G	61.26	74.00	-12.74	3	Horizontal	298	3.00
2467MHz	Pass	AV	4.92918G	33.74	54.00	-20.26	3	Vertical	234	2.89
2467MHz	Pass	AV	7.39742G	37.90	54.00	-16.10	3	Vertical	360	1.76
2467MHz	Pass	PK	4.93082G	46.44	74.00	-27.56	3	Vertical	234	2.89
2467MHz	Pass	PK	7.4008G	50.03	74.00	-23.97	3	Vertical	360	1.76
2467MHz	Pass	AV	4.93814G	33.76	54.00	-20.24	3	Horizontal	252	1.66
2467MHz	Pass	AV	7.4023G	38.02	54.00	-15.98	3	Horizontal	248	2.87
2467MHz	Pass	PK	4.93012G	46.54	74.00	-27.46	3	Horizontal	252	1.66
2467MHz	Pass	PK	7.40012G	50.32	74.00	-23.68	3	Horizontal	248	2.87
2472MHz	Pass	AV	2.4646G	83.87	Inf	-Inf	3	Vertical	248	2.76
2472MHz	Pass	AV	2.4835G	47.10	54.00	-6.90	3	Vertical	248	2.76



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2472MHz	Pass	PK	2.465G	95.39	Inf	-Inf	3	Vertical	248	2.76
2472MHz	Pass	PK	2.4835G	61.45	74.00	-12.55	3	Vertical	248	2.76
2472MHz	Pass	AV	2.477G	87.19	Inf	-Inf	3	Horizontal	299	1.44
2472MHz	Pass	AV	2.4835G	48.99	54.00	-5.01	3	Horizontal	299	1.44
2472MHz	Pass	PK	2.4748G	98.77	Inf	-Inf	3	Horizontal	299	1.44
2472MHz	Pass	PK	2.4835G	66.00	74.00	-8.00	3	Horizontal	299	1.44
2472MHz	Pass	AV	4.94756G	33.92	54.00	-20.08	3	Vertical	243	2.74
2472MHz	Pass	AV	7.41868G	38.10	54.00	-15.90	3	Vertical	5	2.75
2472MHz	Pass	PK	4.94678G	45.41	74.00	-28.59	3	Vertical	243	2.74
2472MHz	Pass	PK	7.42052G	49.54	74.00	-24.46	3	Vertical	5	2.75
2472MHz	Pass	AV	4.94822G	33.89	54.00	-20.11	3	Horizontal	338	1.91
2472MHz	Pass	AV	7.41314G	38.07	54.00	-15.93	3	Horizontal	119	2.20
2472MHz	Pass	PK	4.9417G	45.79	74.00	-28.21	3	Horizontal	338	1.91
2472MHz	Pass	PK	7.41214G	49.53	74.00	-24.47	3	Horizontal	119	2.20
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	46.95	54.00	-7.05	3	Vertical	97	2.68
2412MHz	Pass	AV	2.414G	98.81	Inf	-Inf	3	Vertical	97	2.68
2412MHz	Pass	PK	2.3898G	58.55	74.00	-15.45	3	Vertical	97	2.68
2412MHz	Pass	PK	2.4144G	110.16	Inf	-Inf	3	Vertical	97	2.68
2412MHz	Pass	AV	2.39G	48.61	54.00	-5.39	3	Horizontal	69	1.02
2412MHz	Pass	AV	2.4138G	101.99	Inf	-Inf	3	Horizontal	69	1.02
2412MHz	Pass	PK	2.3876G	60.65	74.00	-13.35	3	Horizontal	69	1.02
2412MHz	Pass	PK	2.4098G	113.16	Inf	-Inf	3	Horizontal	69	1.02
2412MHz	Pass	AV	4.83G	33.84	54.00	-20.16	3	Vertical	263	2.35
2412MHz	Pass	PK	4.82928G	44.84	74.00	-29.16	3	Vertical	263	2.35
2412MHz	Pass	AV	4.82718G	34.55	54.00	-19.45	3	Horizontal	358	2.60
2412MHz	Pass	PK	4.82862G	46.35	74.00	-27.65	3	Horizontal	358	2.60
2417MHz	Pass	AV	2.39G	49.60	54.00	-4.40	3	Vertical	92	3.00
2417MHz	Pass	AV	2.413G	98.11	Inf	-Inf	3	Vertical	92	3.00
2417MHz	Pass	PK	2.39G	63.11	74.00	-10.89	3	Vertical	92	3.00
2417MHz	Pass	PK	2.4138G	109.60	Inf	-Inf	3	Vertical	92	3.00
2417MHz	Pass	AV	2.39G	51.04	54.00	-2.96	3	Horizontal	63	1.00
2417MHz	Pass	AV	2.413G	102.03	Inf	-Inf	3	Horizontal	63	1.00
2417MHz	Pass	PK	2.39G	64.03	74.00	-9.97	3	Horizontal	63	1.00
2417MHz	Pass	PK	2.4122G	113.51	Inf	-Inf	3	Horizontal	63	1.00
2417MHz	Pass	AV	4.8291G	35.68	54.00	-18.32	3	Vertical	132	1.18
2417MHz	Pass	AV	7.25001G	40.63	54.00	-13.37	3	Vertical	52	1.39
2417MHz	Pass	PK	4.82974G	47.75	74.00	-26.25	3	Vertical	132	1.18
2417MHz	Pass	PK	7.25125G	53.24	74.00	-20.76	3	Vertical	52	1.39
2417MHz	Pass	AV	4.82902G	35.62	54.00	-18.38	3	Horizontal	350	1.13
2417MHz	Pass	AV	7.25032G	40.58	54.00	-13.42	3	Horizontal	294	1.99
2417MHz	Pass	PK	4.82942G	47.68	74.00	-26.32	3	Horizontal	350	1.13
2417MHz	Pass	PK	7.25073G	53.93	74.00	-20.07	3	Horizontal	294	1.99
2437MHz	Pass	AV	2.3898G	48.01	54.00	-5.99	3	Vertical	253	3.00
2437MHz	Pass	AV	2.4334G	102.52	Inf	-Inf	3	Vertical	253	3.00
2437MHz	Pass	AV	2.4835G	48.50	54.00	-5.50	3	Vertical	253	3.00
2437MHz	Pass	PK	2.3894G	59.18	74.00	-14.82	3	Vertical	253	3.00
2437MHz	Pass	PK	2.4382G	113.52	Inf	-Inf	3	Vertical	253	3.00
2437MHz	Pass	PK	2.4994G	60.59	74.00	-13.41	3	Vertical	253	3.00
2437MHz	Pass	AV	2.3898G	49.93	54.00	-4.07	3	Horizontal	58	1.78
2437MHz	Pass	AV	2.4354G	105.64	Inf	-Inf	3	Horizontal	58	1.78
2437MHz	Pass	AV	2.4835G	51.09	54.00	-2.91	3	Horizontal	58	1.78
2437MHz	Pass	PK	2.3874G	61.17	74.00	-12.83	3	Horizontal	58	1.78
2437MHz	Pass	PK	2.4318G	116.80	Inf	-Inf	3	Horizontal	58	1.78
2437MHz	Pass	PK	2.4842G	66.00	74.00	-8.00	3	Horizontal	58	1.78
2437MHz	Pass	AV	4.87384G	30.49	54.00	-23.51	3	Vertical	1	2.67
2437MHz	Pass	AV	7.30916G	38.30	54.00	-15.70	3	Vertical	13	2.54
2437MHz	Pass	PK	4.87264G	45.13	74.00	-28.87	3	Vertical	1	2.67
2437MHz	Pass	PK	7.30252G	52.54	74.00	-21.46	3	Vertical	13	2.54
2437MHz	Pass	AV	4.87344G	36.15	54.00	-17.85	3	Horizontal	23	2.46
2437MHz	Pass	AV	7.30716G	35.09	54.00	-18.91	3	Horizontal	85	1.50
2437MHz	Pass	PK	4.87288G	50.87	74.00	-23.13	3	Horizontal	23	2.46



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	7.30988G	49.29	74.00	-24.71	3	Horizontal	85	1.50
2457MHz	Pass	AV	2.4552G	98.84	Inf	-Inf	3	Vertical	282	2.75
2457MHz	Pass	AV	2.4835G	48.93	54.00	-5.07	3	Vertical	282	2.75
2457MHz	Pass	PK	2.455G	110.32	Inf	-Inf	3	Vertical	282	2.75
2457MHz	Pass	PK	2.4838G	62.32	74.00	-11.68	3	Vertical	282	2.75
2457MHz	Pass	AV	2.4554G	102.85	Inf	-Inf	3	Horizontal	68	1.01
2457MHz	Pass	AV	2.4835G	51.56	54.00	-2.44	3	Horizontal	68	1.01
2457MHz	Pass	PK	2.4562G	114.37	Inf	-Inf	3	Horizontal	68	1.01
2457MHz	Pass	PK	2.4836G	66.31	74.00	-7.69	3	Horizontal	68	1.01
2457MHz	Pass	AV	4.91648G	33.97	54.00	-20.03	3	Vertical	61	1.06
2457MHz	Pass	AV	7.36608G	38.39	54.00	-15.61	3	Vertical	353	1.85
2457MHz	Pass	PK	4.91442G	45.86	74.00	-28.14	3	Vertical	61	1.06
2457MHz	Pass	PK	7.37348G	49.89	74.00	-24.11	3	Vertical	353	1.85
2457MHz	Pass	AV	4.91176G	33.98	54.00	-20.02	3	Horizontal	120	1.62
2457MHz	Pass	AV	7.36762G	38.41	54.00	-15.59	3	Horizontal	218	2.61
2457MHz	Pass	PK	4.91244G	46.81	74.00	-27.19	3	Horizontal	120	1.62
2457MHz	Pass	PK	7.37308G	49.61	74.00	-24.39	3	Horizontal	218	2.61
2462MHz	Pass	AV	2.4636G	98.11	Inf	-Inf	3	Vertical	90	2.86
2462MHz	Pass	AV	2.4835G	49.20	54.00	-4.80	3	Vertical	90	2.86
2462MHz	Pass	PK	2.4582G	108.68	Inf	-Inf	3	Vertical	90	2.86
2462MHz	Pass	PK	2.4838G	61.78	74.00	-12.22	3	Vertical	90	2.86
2462MHz	Pass	AV	2.464G	101.51	Inf	-Inf	3	Horizontal	62	1.18
2462MHz	Pass	AV	2.4835G	51.33	54.00	-2.67	3	Horizontal	62	1.18
2462MHz	Pass	PK	2.4646G	112.42	Inf	-Inf	3	Horizontal	62	1.18
2462MHz	Pass	PK	2.484G	64.24	74.00	-9.76	3	Horizontal	62	1.18
2462MHz	Pass	AV	4.92224G	34.00	54.00	-20.00	3	Vertical	34	2.67
2462MHz	Pass	AV	7.38326G	38.00	54.00	-16.00	3	Vertical	288	2.99
2462MHz	Pass	PK	4.91988G	46.69	74.00	-27.31	3	Vertical	34	2.67
2462MHz	Pass	PK	7.38216G	49.42	74.00	-24.58	3	Vertical	288	2.99
2462MHz	Pass	AV	4.92124G	33.99	54.00	-20.01	3	Horizontal	44	1.38
2462MHz	Pass	AV	7.38512G	38.02	54.00	-15.98	3	Horizontal	306	2.48
2462MHz	Pass	PK	4.9238G	46.04	74.00	-27.96	3	Horizontal	44	1.38
2462MHz	Pass	PK	7.38732G	49.59	74.00	-24.41	3	Horizontal	306	2.48
2467MHz	Pass	AV	2.4688G	92.19	Inf	-Inf	3	Vertical	105	2.63
2467MHz	Pass	AV	2.4835G	47.10	54.00	-6.90	3	Vertical	105	2.63
2467MHz	Pass	PK	2.4694G	103.14	Inf	-Inf	3	Vertical	105	2.63
2467MHz	Pass	PK	2.4836G	57.86	74.00	-16.14	3	Vertical	105	2.63
2467MHz	Pass	AV	2.4652G	95.36	Inf	-Inf	3	Horizontal	64	1.18
2467MHz	Pass	AV	2.4835G	48.96	54.00	-5.04	3	Horizontal	64	1.18
2467MHz	Pass	PK	2.466G	107.19	Inf	-Inf	3	Horizontal	64	1.18
2467MHz	Pass	PK	2.4835G	59.99	74.00	-14.01	3	Horizontal	64	1.18
2467MHz	Pass	AV	4.93488G	33.76	54.00	-20.24	3	Vertical	159	1.58
2467MHz	Pass	AV	7.4032G	37.95	54.00	-16.05	3	Vertical	326	1.15
2467MHz	Pass	PK	4.92918G	46.15	74.00	-27.85	3	Vertical	159	1.58
2467MHz	Pass	PK	7.40342G	49.66	74.00	-24.34	3	Vertical	326	1.15
2467MHz	Pass	AV	4.93832G	33.84	54.00	-20.16	3	Horizontal	213	2.98
2467MHz	Pass	AV	7.4035G	38.00	54.00	-16.00	3	Horizontal	260	2.77
2467MHz	Pass	PK	4.93816G	45.54	74.00	-28.46	3	Horizontal	213	2.98
2467MHz	Pass	PK	7.39654G	49.40	74.00	-24.60	3	Horizontal	260	2.77
2472MHz	Pass	AV	2.465G	82.60	Inf	-Inf	3	Vertical	83	2.95
2472MHz	Pass	AV	2.4835G	46.44	54.00	-7.56	3	Vertical	83	2.95
2472MHz	Pass	PK	2.4752G	94.21	Inf	-Inf	3	Vertical	83	2.95
2472MHz	Pass	PK	2.4838G	58.11	74.00	-15.89	3	Vertical	83	2.95
2472MHz	Pass	AV	2.4734G	85.57	Inf	-Inf	3	Horizontal	59	1.49
2472MHz	Pass	AV	2.4835G	47.73	54.00	-6.27	3	Horizontal	59	1.49
2472MHz	Pass	PK	2.4748G	97.59	Inf	-Inf	3	Horizontal	59	1.49
2472MHz	Pass	PK	2.4835G	65.28	74.00	-8.72	3	Horizontal	59	1.49
2472MHz	Pass	AV	4.947G	33.99	54.00	-20.01	3	Vertical	25	2.92
2472MHz	Pass	AV	7.4068G	37.77	54.00	-16.23	3	Vertical	81	2.57
2472MHz	Pass	PK	4.95036G	45.12	74.00	-28.88	3	Vertical	25	2.92
2472MHz	Pass	PK	7.41952G	49.21	74.00	-24.79	3	Vertical	81	2.57
2472MHz	Pass	AV	4.94778G	34.16	54.00	-19.84	3	Horizontal	287	2.13



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2472MHz	Pass	AV	7.40608G	37.78	54.00	-16.22	3	Horizontal	308	1.34
2472MHz	Pass	PK	4.94736G	45.53	74.00	-28.47	3	Horizontal	287	2.13
2472MHz	Pass	PK	7.41748G	49.75	74.00	-24.25	3	Horizontal	308	1.34
802.11ax HEW40_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3884G	45.60	54.00	-8.40	3	Vertical	110	2.85
2422MHz	Pass	AV	2.418G	92.64	Inf	-Inf	3	Vertical	110	2.85
2422MHz	Pass	AV	2.4888G	45.33	54.00	-8.67	3	Vertical	110	2.85
2422MHz	Pass	PK	2.3432G	57.25	74.00	-16.75	3	Vertical	110	2.85
2422MHz	Pass	PK	2.4324G	104.75	Inf	-Inf	3	Vertical	110	2.85
2422MHz	Pass	PK	2.4912G	58.38	74.00	-15.62	3	Vertical	110	2.85
2422MHz	Pass	AV	2.39G	46.46	54.00	-7.54	3	Horizontal	62	1.39
2422MHz	Pass	AV	2.43G	95.15	Inf	-Inf	3	Horizontal	62	1.39
2422MHz	Pass	AV	2.4932G	45.46	54.00	-8.54	3	Horizontal	62	1.39
2422MHz	Pass	PK	2.3884G	59.98	74.00	-14.02	3	Horizontal	62	1.39
2422MHz	Pass	PK	2.4256G	107.19	Inf	-Inf	3	Horizontal	62	1.39
2422MHz	Pass	PK	2.4956G	57.72	74.00	-16.28	3	Horizontal	62	1.39
2422MHz	Pass	AV	4.83952G	33.88	54.00	-20.12	3	Vertical	332	2.70
2422MHz	Pass	AV	7.26154G	39.65	54.00	-14.35	3	Vertical	291	2.04
2422MHz	Pass	PK	4.84104G	46.12	74.00	-27.88	3	Vertical	332	2.70
2422MHz	Pass	PK	7.26108G	51.56	74.00	-22.44	3	Vertical	291	2.04
2422MHz	Pass	AV	4.83918G	33.89	54.00	-20.11	3	Horizontal	0	2.40
2422MHz	Pass	AV	7.26114G	39.71	54.00	-14.29	3	Horizontal	293	2.33
2422MHz	Pass	PK	4.83914G	45.75	74.00	-28.25	3	Horizontal	0	2.40
2422MHz	Pass	PK	7.26818G	51.66	74.00	-22.34	3	Horizontal	293	2.33
2427MHz	Pass	AV	2.3898G	48.34	54.00	-5.66	3	Vertical	93	2.84
2427MHz	Pass	AV	2.421G	94.19	Inf	-Inf	3	Vertical	93	2.84
2427MHz	Pass	AV	2.4838G	46.03	54.00	-7.97	3	Vertical	93	2.84
2427MHz	Pass	PK	2.3886G	63.57	74.00	-10.43	3	Vertical	93	2.84
2427MHz	Pass	PK	2.435G	106.01	Inf	-Inf	3	Vertical	93	2.84
2427MHz	Pass	PK	2.4926G	58.82	74.00	-15.18	3	Vertical	93	2.84
2427MHz	Pass	AV	2.3898G	50.42	54.00	-3.58	3	Horizontal	63	1.56
2427MHz	Pass	AV	2.4222G	96.73	Inf	-Inf	3	Horizontal	63	1.56
2427MHz	Pass	AV	2.4854G	47.38	54.00	-6.62	3	Horizontal	63	1.56
2427MHz	Pass	PK	2.3882G	65.33	74.00	-8.67	3	Horizontal	63	1.56
2427MHz	Pass	PK	2.4234G	108.32	Inf	-Inf	3	Horizontal	63	1.56
2427MHz	Pass	PK	2.4882G	61.45	74.00	-12.55	3	Horizontal	63	1.56
2427MHz	Pass	AV	4.85744G	33.93	54.00	-20.07	3	Vertical	120	1.32
2427MHz	Pass	AV	7.2776G	38.40	54.00	-15.60	3	Vertical	274	1.70
2427MHz	Pass	PK	4.855G	46.01	74.00	-27.99	3	Vertical	120	1.32
2427MHz	Pass	PK	7.27656G	50.00	74.00	-24.00	3	Vertical	274	1.70
2427MHz	Pass	AV	4.85596G	33.94	54.00	-20.06	3	Horizontal	275	2.65
2427MHz	Pass	AV	7.27808G	38.41	54.00	-15.59	3	Horizontal	43	2.57
2427MHz	Pass	PK	4.85482G	46.34	74.00	-27.66	3	Horizontal	275	2.65
2427MHz	Pass	PK	7.27756G	50.73	74.00	-23.27	3	Horizontal	43	2.57
2437MHz	Pass	AV	2.3898G	46.43	54.00	-7.57	3	Vertical	94	3.00
2437MHz	Pass	AV	2.4422G	94.92	Inf	-Inf	3	Vertical	94	3.00
2437MHz	Pass	AV	2.4835G	48.53	54.00	-5.47	3	Vertical	94	3.00
2437MHz	Pass	PK	2.3894G	58.12	74.00	-15.88	3	Vertical	94	3.00
2437MHz	Pass	PK	2.435G	106.24	Inf	-Inf	3	Vertical	94	3.00
2437MHz	Pass	PK	2.487G	61.22	74.00	-12.78	3	Vertical	94	3.00
2437MHz	Pass	AV	2.3898G	47.85	54.00	-6.15	3	Horizontal	63	1.40
2437MHz	Pass	AV	2.4326G	97.28	Inf	-Inf	3	Horizontal	63	1.40
2437MHz	Pass	AV	2.4835G	49.65	54.00	-4.35	3	Horizontal	63	1.40
2437MHz	Pass	PK	2.3898G	60.25	74.00	-13.75	3	Horizontal	63	1.40
2437MHz	Pass	PK	2.4338G	109.24	Inf	-Inf	3	Horizontal	63	1.40
2437MHz	Pass	PK	2.4835G	63.56	74.00	-10.44	3	Horizontal	63	1.40
2437MHz	Pass	AV	4.86906G	33.70	54.00	-20.30	3	Vertical	245	1.95
2437MHz	Pass	AV	7.3081G	38.57	54.00	-15.43	3	Vertical	41	2.89
2437MHz	Pass	PK	4.8714G	45.92	74.00	-28.08	3	Vertical	245	1.95
2437MHz	Pass	PK	7.31582G	50.56	74.00	-23.44	3	Vertical	41	2.89
2437MHz	Pass	AV	4.8694G	33.73	54.00	-20.27	3	Horizontal	68	1.85
2437MHz	Pass	AV	7.3085G	38.56	54.00	-15.44	3	Horizontal	111	1.81



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	4.87896G	46.89	74.00	-27.11	3	Horizontal	68	1.85
2437MHz	Pass	PK	7.31202G	50.63	74.00	-23.37	3	Horizontal	111	1.81
2447MHz	Pass	AV	2.3898G	44.98	54.00	-9.02	3	Vertical	91	3.00
2447MHz	Pass	AV	2.455G	94.68	Inf	-Inf	3	Vertical	91	3.00
2447MHz	Pass	AV	2.4842G	49.43	54.00	-4.57	3	Vertical	91	3.00
2447MHz	Pass	PK	2.3802G	56.67	74.00	-17.33	3	Vertical	91	3.00
2447MHz	Pass	PK	2.4534G	105.62	Inf	-Inf	3	Vertical	91	3.00
2447MHz	Pass	PK	2.4842G	63.84	74.00	-10.16	3	Vertical	91	3.00
2447MHz	Pass	AV	2.3898G	45.93	54.00	-8.07	3	Horizontal	68	1.03
2447MHz	Pass	AV	2.453G	98.06	Inf	-Inf	3	Horizontal	68	1.03
2447MHz	Pass	AV	2.4835G	51.99	54.00	-2.01	3	Horizontal	68	1.03
2447MHz	Pass	PK	2.3782G	57.38	74.00	-16.62	3	Horizontal	68	1.03
2447MHz	Pass	PK	2.4514G	109.22	Inf	-Inf	3	Horizontal	68	1.03
2447MHz	Pass	PK	2.4838G	66.88	74.00	-7.12	3	Horizontal	68	1.03
2447MHz	Pass	AV	4.89716G	33.51	54.00	-20.49	3	Vertical	337	1.39
2447MHz	Pass	AV	7.34576G	38.25	54.00	-15.75	3	Vertical	85	2.31
2447MHz	Pass	PK	4.88984G	45.46	74.00	-28.54	3	Vertical	337	1.39
2447MHz	Pass	PK	7.34396G	50.22	74.00	-23.78	3	Vertical	85	2.31
2447MHz	Pass	AV	4.89568G	33.50	54.00	-20.50	3	Horizontal	107	1.09
2447MHz	Pass	AV	7.34566G	38.28	54.00	-15.72	3	Horizontal	42	2.30
2447MHz	Pass	PK	4.89628G	45.37	74.00	-28.63	3	Horizontal	107	1.09
2447MHz	Pass	PK	7.34058G	49.95	74.00	-24.05	3	Horizontal	42	2.30
2452MHz	Pass	AV	2.3864G	44.40	54.00	-9.60	3	Vertical	97	2.80
2452MHz	Pass	AV	2.456G	92.18	Inf	-Inf	3	Vertical	97	2.80
2452MHz	Pass	AV	2.4835G	46.47	54.00	-7.53	3	Vertical	97	2.80
2452MHz	Pass	PK	2.3584G	56.69	74.00	-17.31	3	Vertical	97	2.80
2452MHz	Pass	PK	2.4576G	103.81	Inf	-Inf	3	Vertical	97	2.80
2452MHz	Pass	PK	2.4868G	59.46	74.00	-14.54	3	Vertical	97	2.80
2452MHz	Pass	AV	2.3892G	44.62	54.00	-9.38	3	Horizontal	65	1.85
2452MHz	Pass	AV	2.456G	94.31	Inf	-Inf	3	Horizontal	65	1.85
2452MHz	Pass	AV	2.4835G	47.85	54.00	-6.15	3	Horizontal	65	1.85
2452MHz	Pass	PK	2.3636G	56.64	74.00	-17.36	3	Horizontal	65	1.85
2452MHz	Pass	PK	2.4624G	106.97	Inf	-Inf	3	Horizontal	65	1.85
2452MHz	Pass	PK	2.4848G	60.91	74.00	-13.09	3	Horizontal	65	1.85
2452MHz	Pass	AV	4.90878G	33.84	54.00	-20.16	3	Vertical	200	1.64
2452MHz	Pass	AV	7.36018G	38.39	54.00	-15.61	3	Vertical	35	1.59
2452MHz	Pass	PK	4.90872G	45.96	74.00	-28.04	3	Vertical	200	1.64
2452MHz	Pass	PK	7.35852G	50.14	74.00	-23.86	3	Vertical	35	1.59
2452MHz	Pass	AV	4.90866G	33.87	54.00	-20.13	3	Horizontal	317	2.76
2452MHz	Pass	AV	7.3575G	38.40	54.00	-15.60	3	Horizontal	285	2.35
2452MHz	Pass	PK	4.908G	45.91	74.00	-28.09	3	Horizontal	317	2.76
2452MHz	Pass	PK	7.3511G	50.27	74.00	-23.73	3	Horizontal	285	2.35
2457MHz	Pass	AV	2.3838G	44.23	54.00	-9.77	3	Vertical	107	3.00
2457MHz	Pass	AV	2.469G	88.96	Inf	-Inf	3	Vertical	107	3.00
2457MHz	Pass	AV	2.4835G	49.22	54.00	-4.78	3	Vertical	107	3.00
2457MHz	Pass	PK	2.3862G	56.37	74.00	-17.63	3	Vertical	107	3.00
2457MHz	Pass	PK	2.467G	100.60	Inf	-Inf	3	Vertical	107	3.00
2457MHz	Pass	PK	2.4835G	60.45	74.00	-13.55	3	Vertical	107	3.00
2457MHz	Pass	AV	2.3886G	44.31	54.00	-9.69	3	Horizontal	64	1.70
2457MHz	Pass	AV	2.4658G	91.25	Inf	-Inf	3	Horizontal	64	1.70
2457MHz	Pass	AV	2.4835G	50.20	54.00	-3.80	3	Horizontal	64	1.70
2457MHz	Pass	PK	2.3798G	56.11	74.00	-17.89	3	Horizontal	64	1.70
2457MHz	Pass	PK	2.4546G	103.26	Inf	-Inf	3	Horizontal	64	1.70
2457MHz	Pass	PK	2.4835G	61.46	74.00	-12.54	3	Horizontal	64	1.70
2457MHz	Pass	AV	4.91072G	33.94	54.00	-20.06	3	Vertical	24	2.52
2457MHz	Pass	AV	7.36702G	38.43	54.00	-15.57	3	Vertical	359	1.09
2457MHz	Pass	PK	4.91678G	46.19	74.00	-27.81	3	Vertical	24	2.52
2457MHz	Pass	PK	7.37336G	49.63	74.00	-24.37	3	Vertical	359	1.09
2457MHz	Pass	AV	4.91258G	33.95	54.00	-20.05	3	Horizontal	183	1.34
2457MHz	Pass	AV	7.36754G	38.38	54.00	-15.62	3	Horizontal	140	1.04
2457MHz	Pass	PK	4.90982G	46.05	74.00	-27.95	3	Horizontal	183	1.34
2457MHz	Pass	PK	7.36712G	50.81	74.00	-23.19	3	Horizontal	140	1.04



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	2.3668G	44.24	54.00	-9.76	3	Vertical	105	3.00
2462MHz	Pass	AV	2.4756G	85.15	Inf	-Inf	3	Vertical	105	3.00
2462MHz	Pass	AV	2.4835G	48.31	54.00	-5.69	3	Vertical	105	3.00
2462MHz	Pass	PK	2.3848G	56.19	74.00	-17.81	3	Vertical	105	3.00
2462MHz	Pass	PK	2.476G	97.09	Inf	-Inf	3	Vertical	105	3.00
2462MHz	Pass	PK	2.4835G	61.85	74.00	-12.15	3	Vertical	105	3.00
2462MHz	Pass	AV	2.3796G	44.26	54.00	-9.74	3	Horizontal	63	1.62
2462MHz	Pass	AV	2.4764G	86.88	Inf	-Inf	3	Horizontal	63	1.62
2462MHz	Pass	AV	2.4835G	49.67	54.00	-4.33	3	Horizontal	63	1.62
2462MHz	Pass	PK	2.3644G	56.04	74.00	-17.96	3	Horizontal	63	1.62
2462MHz	Pass	PK	2.4692G	98.27	Inf	-Inf	3	Horizontal	63	1.62
2462MHz	Pass	PK	2.4835G	63.99	74.00	-10.01	3	Horizontal	63	1.62
2462MHz	Pass	AV	4.92286G	34.00	54.00	-20.00	3	Vertical	345	1.64
2462MHz	Pass	AV	7.3824G	38.07	54.00	-15.93	3	Vertical	308	1.44
2462MHz	Pass	PK	4.92008G	45.85	74.00	-28.15	3	Vertical	345	1.64
2462MHz	Pass	PK	7.38824G	49.20	74.00	-24.80	3	Vertical	308	1.44
2462MHz	Pass	AV	4.9239G	34.04	54.00	-19.96	3	Horizontal	195	2.49
2462MHz	Pass	AV	7.38322G	38.01	54.00	-15.99	3	Horizontal	79	2.92
2462MHz	Pass	PK	4.9194G	45.88	74.00	-28.12	3	Horizontal	195	2.49
2462MHz	Pass	PK	7.38972G	49.74	74.00	-24.26	3	Horizontal	79	2.92
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	46.09	54.00	-7.91	3	Vertical	271	2.85
2422MHz	Pass	AV	2.4232G	91.10	Inf	-Inf	3	Vertical	271	2.85
2422MHz	Pass	AV	2.4964G	45.12	54.00	-8.88	3	Vertical	271	2.85
2422MHz	Pass	PK	2.3896G	58.12	74.00	-15.88	3	Vertical	271	2.85
2422MHz	Pass	PK	2.4284G	102.77	Inf	-Inf	3	Vertical	271	2.85
2422MHz	Pass	PK	2.4976G	56.83	74.00	-17.17	3	Vertical	271	2.85
2422MHz	Pass	AV	2.39G	48.52	54.00	-5.48	3	Horizontal	300	1.40
2422MHz	Pass	AV	2.4312G	94.01	Inf	-Inf	3	Horizontal	300	1.40
2422MHz	Pass	AV	2.4856G	45.28	54.00	-8.72	3	Horizontal	300	1.40
2422MHz	Pass	PK	2.3896G	60.90	74.00	-13.10	3	Horizontal	300	1.40
2422MHz	Pass	PK	2.4316G	105.20	Inf	-Inf	3	Horizontal	300	1.40
2422MHz	Pass	PK	2.4872G	57.10	74.00	-16.90	3	Horizontal	300	1.40
2422MHz	Pass	AV	4.84684G	33.65	54.00	-20.35	3	Vertical	115	1.78
2422MHz	Pass	AV	7.26178G	39.71	54.00	-14.29	3	Vertical	117	1.58
2422MHz	Pass	PK	4.84736G	45.71	74.00	-28.29	3	Vertical	115	1.78
2422MHz	Pass	PK	7.261G	51.42	74.00	-22.58	3	Vertical	117	1.58
2422MHz	Pass	AV	4.84874G	33.74	54.00	-20.26	3	Horizontal	15	2.78
2422MHz	Pass	AV	7.26196G	39.70	54.00	-14.30	3	Horizontal	43	2.38
2422MHz	Pass	PK	4.84846G	46.16	74.00	-27.84	3	Horizontal	15	2.78
2422MHz	Pass	PK	7.2613G	52.69	74.00	-21.31	3	Horizontal	43	2.38
2427MHz	Pass	AV	2.3898G	49.15	54.00	-4.85	3	Vertical	261	2.07
2427MHz	Pass	AV	2.433G	93.19	Inf	-Inf	3	Vertical	261	2.07
2427MHz	Pass	AV	2.4835G	45.85	54.00	-8.15	3	Vertical	261	2.07
2427MHz	Pass	PK	2.3882G	63.79	74.00	-10.21	3	Vertical	261	2.07
2427MHz	Pass	PK	2.4378G	105.49	Inf	-Inf	3	Vertical	261	2.07
2427MHz	Pass	PK	2.4846G	60.17	74.00	-13.83	3	Vertical	261	2.07
2427MHz	Pass	AV	2.3898G	51.67	54.00	-2.33	3	Horizontal	303	1.40
2427MHz	Pass	AV	2.4334G	96.45	Inf	-Inf	3	Horizontal	303	1.40
2427MHz	Pass	AV	2.4842G	47.37	54.00	-6.63	3	Horizontal	303	1.40
2427MHz	Pass	PK	2.389G	68.79	74.00	-5.21	3	Horizontal	303	1.40
2427MHz	Pass	PK	2.435G	107.46	Inf	-Inf	3	Horizontal	303	1.40
2427MHz	Pass	PK	2.4866G	61.55	74.00	-12.45	3	Horizontal	303	1.40
2427MHz	Pass	AV	4.85394G	33.89	54.00	-20.11	3	Vertical	330	1.83
2427MHz	Pass	AV	7.27602G	38.44	54.00	-15.56	3	Vertical	323	1.32
2427MHz	Pass	PK	4.85766G	46.34	74.00	-27.66	3	Vertical	330	1.83
2427MHz	Pass	PK	7.28562G	49.63	74.00	-24.37	3	Vertical	323	1.32
2427MHz	Pass	AV	4.8541G	33.94	54.00	-20.06	3	Horizontal	16	1.89
2427MHz	Pass	AV	7.28268G	38.45	54.00	-15.55	3	Horizontal	354	1.21
2427MHz	Pass	PK	4.85166G	45.72	74.00	-28.28	3	Horizontal	16	1.89
2427MHz	Pass	PK	7.28G	49.36	74.00	-24.64	3	Horizontal	354	1.21
2437MHz	Pass	AV	2.3898G	45.85	54.00	-8.15	3	Vertical	261	2.07



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4346G	92.81	Inf	-Inf	3	Vertical	261	2.07
2437MHz	Pass	AV	2.4835G	47.48	54.00	-6.52	3	Vertical	261	2.07
2437MHz	Pass	PK	2.3898G	57.33	74.00	-16.67	3	Vertical	261	2.07
2437MHz	Pass	PK	2.433G	104.47	Inf	-Inf	3	Vertical	261	2.07
2437MHz	Pass	PK	2.4835G	59.96	74.00	-14.04	3	Vertical	261	2.07
2437MHz	Pass	AV	2.3898G	47.25	54.00	-6.75	3	Horizontal	297	1.46
2437MHz	Pass	AV	2.443G	96.17	Inf	-Inf	3	Horizontal	297	1.46
2437MHz	Pass	AV	2.4835G	50.33	54.00	-3.67	3	Horizontal	297	1.46
2437MHz	Pass	PK	2.3894G	61.44	74.00	-12.56	3	Horizontal	297	1.46
2437MHz	Pass	PK	2.4474G	108.22	Inf	-Inf	3	Horizontal	297	1.46
2437MHz	Pass	PK	2.4842G	65.35	74.00	-8.65	3	Horizontal	297	1.46
2437MHz	Pass	AV	4.86906G	33.74	54.00	-20.26	3	Vertical	2	2.85
2437MHz	Pass	AV	7.3087G	38.64	54.00	-15.36	3	Vertical	6	2.47
2437MHz	Pass	PK	4.87674G	45.64	74.00	-28.36	3	Vertical	2	2.85
2437MHz	Pass	PK	7.30698G	50.32	74.00	-23.68	3	Vertical	6	2.47
2437MHz	Pass	AV	4.86964G	33.70	54.00	-20.30	3	Horizontal	360	2.82
2437MHz	Pass	AV	7.3081G	38.57	54.00	-15.43	3	Horizontal	51	1.21
2437MHz	Pass	PK	4.87G	45.88	74.00	-28.12	3	Horizontal	360	2.82
2437MHz	Pass	PK	7.30992G	50.07	74.00	-23.93	3	Horizontal	51	1.21
2447MHz	Pass	AV	2.3886G	44.58	54.00	-9.42	3	Vertical	284	2.84
2447MHz	Pass	AV	2.439G	91.01	Inf	-Inf	3	Vertical	284	2.84
2447MHz	Pass	AV	2.4835G	48.29	54.00	-5.71	3	Vertical	284	2.84
2447MHz	Pass	PK	2.3574G	56.58	74.00	-17.42	3	Vertical	284	2.84
2447MHz	Pass	PK	2.4414G	102.94	Inf	-Inf	3	Vertical	284	2.84
2447MHz	Pass	PK	2.4835G	62.76	74.00	-11.24	3	Vertical	284	2.84
2447MHz	Pass	AV	2.3898G	45.22	54.00	-8.78	3	Horizontal	297	1.20
2447MHz	Pass	AV	2.441G	95.56	Inf	-Inf	3	Horizontal	297	1.20
2447MHz	Pass	AV	2.4835G	51.76	54.00	-2.24	3	Horizontal	297	1.20
2447MHz	Pass	PK	2.3698G	57.42	74.00	-16.58	3	Horizontal	297	1.20
2447MHz	Pass	PK	2.4394G	107.10	Inf	-Inf	3	Horizontal	297	1.20
2447MHz	Pass	PK	2.4854G	66.97	74.00	-7.03	3	Horizontal	297	1.20
2447MHz	Pass	AV	4.8968G	33.48	54.00	-20.52	3	Vertical	142	1.78
2447MHz	Pass	AV	7.34386G	38.32	54.00	-15.68	3	Vertical	321	1.08
2447MHz	Pass	PK	4.8982G	45.79	74.00	-28.21	3	Vertical	142	1.78
2447MHz	Pass	PK	7.34034G	50.29	74.00	-23.71	3	Vertical	321	1.08
2447MHz	Pass	AV	4.89818G	33.50	54.00	-20.50	3	Horizontal	45	2.53
2447MHz	Pass	AV	7.33928G	38.22	54.00	-15.78	3	Horizontal	56	1.92
2447MHz	Pass	PK	4.89608G	46.10	74.00	-27.90	3	Horizontal	45	2.53
2447MHz	Pass	PK	7.3376G	49.63	74.00	-24.37	3	Horizontal	56	1.92
2452MHz	Pass	AV	2.3836G	44.31	54.00	-9.69	3	Vertical	258	3.00
2452MHz	Pass	AV	2.4456G	89.91	Inf	-Inf	3	Vertical	258	3.00
2452MHz	Pass	AV	2.484G	46.02	54.00	-7.98	3	Vertical	258	3.00
2452MHz	Pass	PK	2.3744G	56.60	74.00	-17.40	3	Vertical	258	3.00
2452MHz	Pass	PK	2.4456G	101.94	Inf	-Inf	3	Vertical	258	3.00
2452MHz	Pass	PK	2.496G	57.76	74.00	-16.24	3	Vertical	258	3.00
2452MHz	Pass	AV	2.3896G	44.52	54.00	-9.48	3	Horizontal	299	1.46
2452MHz	Pass	AV	2.4436G	92.88	Inf	-Inf	3	Horizontal	299	1.46
2452MHz	Pass	AV	2.4835G	47.27	54.00	-6.73	3	Horizontal	299	1.46
2452MHz	Pass	PK	2.3712G	56.21	74.00	-17.79	3	Horizontal	299	1.46
2452MHz	Pass	PK	2.4412G	104.80	Inf	-Inf	3	Horizontal	299	1.46
2452MHz	Pass	PK	2.4848G	59.88	74.00	-14.12	3	Horizontal	299	1.46
2452MHz	Pass	AV	4.9089G	33.80	54.00	-20.20	3	Vertical	9	2.78
2452MHz	Pass	AV	7.3591G	38.41	54.00	-15.59	3	Vertical	28	1.38
2452MHz	Pass	PK	4.90544G	45.81	74.00	-28.19	3	Vertical	9	2.78
2452MHz	Pass	PK	7.35442G	50.61	74.00	-23.39	3	Vertical	28	1.38
2452MHz	Pass	AV	4.90882G	33.82	54.00	-20.18	3	Horizontal	99	2.44
2452MHz	Pass	AV	7.3586G	38.42	54.00	-15.58	3	Horizontal	52	2.28
2452MHz	Pass	PK	4.90536G	45.97	74.00	-28.03	3	Horizontal	99	2.44
2452MHz	Pass	PK	7.3525G	51.02	74.00	-22.98	3	Horizontal	52	2.28
2457MHz	Pass	AV	2.3858G	44.23	54.00	-9.77	3	Vertical	256	3.00
2457MHz	Pass	AV	2.4458G	85.24	Inf	-Inf	3	Vertical	256	3.00
2457MHz	Pass	AV	2.4835G	46.60	54.00	-7.40	3	Vertical	256	3.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.3766G	56.26	74.00	-17.74	3	Vertical	256	3.00
2457MHz	Pass	PK	2.4506G	96.86	Inf	-Inf	3	Vertical	256	3.00
2457MHz	Pass	PK	2.4835G	59.26	74.00	-14.74	3	Vertical	256	3.00
2457MHz	Pass	AV	2.3898G	44.28	54.00	-9.72	3	Horizontal	300	1.30
2457MHz	Pass	AV	2.4538G	88.23	Inf	-Inf	3	Horizontal	300	1.30
2457MHz	Pass	AV	2.4835G	48.12	54.00	-5.88	3	Horizontal	300	1.30
2457MHz	Pass	PK	2.3726G	56.55	74.00	-17.45	3	Horizontal	300	1.30
2457MHz	Pass	PK	2.449G	100.12	Inf	-Inf	3	Horizontal	300	1.30
2457MHz	Pass	PK	2.4838G	59.66	74.00	-14.34	3	Horizontal	300	1.30
2457MHz	Pass	AV	4.91752G	33.94	54.00	-20.06	3	Vertical	183	1.33
2457MHz	Pass	AV	7.3671G	38.32	54.00	-15.68	3	Vertical	307	1.97
2457MHz	Pass	PK	4.91572G	46.47	74.00	-27.53	3	Vertical	183	1.33
2457MHz	Pass	PK	7.36808G	49.99	74.00	-24.01	3	Vertical	307	1.97
2457MHz	Pass	AV	4.90958G	33.92	54.00	-20.08	3	Horizontal	178	1.90
2457MHz	Pass	AV	7.3686G	38.33	54.00	-15.67	3	Horizontal	308	1.08
2457MHz	Pass	PK	4.91366G	46.37	74.00	-27.63	3	Horizontal	178	1.90
2457MHz	Pass	PK	7.36788G	49.70	74.00	-24.30	3	Horizontal	308	1.08
2462MHz	Pass	AV	2.3896G	44.17	54.00	-9.83	3	Vertical	271	3.00
2462MHz	Pass	AV	2.476G	82.52	Inf	-Inf	3	Vertical	271	3.00
2462MHz	Pass	AV	2.4835G	47.16	54.00	-6.84	3	Vertical	271	3.00
2462MHz	Pass	PK	2.366G	56.52	74.00	-17.48	3	Vertical	271	3.00
2462MHz	Pass	PK	2.472G	93.69	Inf	-Inf	3	Vertical	271	3.00
2462MHz	Pass	PK	2.4835G	57.43	74.00	-16.57	3	Vertical	271	3.00
2462MHz	Pass	AV	2.3676G	44.24	54.00	-9.76	3	Horizontal	300	1.45
2462MHz	Pass	AV	2.476G	85.49	Inf	-Inf	3	Horizontal	300	1.45
2462MHz	Pass	AV	2.4835G	48.84	54.00	-5.16	3	Horizontal	300	1.45
2462MHz	Pass	PK	2.3824G	56.45	74.00	-17.55	3	Horizontal	300	1.45
2462MHz	Pass	PK	2.4712G	96.78	Inf	-Inf	3	Horizontal	300	1.45
2462MHz	Pass	PK	2.4835G	62.01	74.00	-11.99	3	Horizontal	300	1.45
2462MHz	Pass	AV	4.91966G	34.03	54.00	-19.97	3	Vertical	100	1.16
2462MHz	Pass	AV	7.38226G	38.00	54.00	-16.00	3	Vertical	22	1.64
2462MHz	Pass	PK	4.92294G	46.47	74.00	-27.53	3	Vertical	100	1.16
2462MHz	Pass	PK	7.38994G	50.20	74.00	-23.80	3	Vertical	22	1.64
2462MHz	Pass	AV	4.92404G	34.04	54.00	-19.96	3	Horizontal	30	2.00
2462MHz	Pass	AV	7.38308G	38.08	54.00	-15.92	3	Horizontal	51	1.08
2462MHz	Pass	PK	4.9234G	46.14	74.00	-27.86	3	Horizontal	30	2.00
2462MHz	Pass	PK	7.383G	49.28	74.00	-24.72	3	Horizontal	51	1.08
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	44.55	54.00	-9.45	3	Vertical	106	2.92
2422MHz	Pass	AV	2.4236G	96.50	Inf	-Inf	3	Vertical	106	2.92
2422MHz	Pass	AV	2.4884G	45.27	54.00	-8.73	3	Vertical	106	2.92
2422MHz	Pass	PK	2.3436G	56.88	74.00	-17.12	3	Vertical	106	2.92
2422MHz	Pass	PK	2.4228G	108.73	Inf	-Inf	3	Vertical	106	2.92
2422MHz	Pass	PK	2.4944G	57.09	74.00	-16.91	3	Vertical	106	2.92
2422MHz	Pass	AV	2.39G	44.89	54.00	-9.11	3	Horizontal	65	1.46
2422MHz	Pass	AV	2.4236G	98.28	Inf	-Inf	3	Horizontal	65	1.46
2422MHz	Pass	AV	2.4884G	45.38	54.00	-8.62	3	Horizontal	65	1.46
2422MHz	Pass	PK	2.3888G	57.03	74.00	-16.97	3	Horizontal	65	1.46
2422MHz	Pass	PK	2.4248G	110.29	Inf	-Inf	3	Horizontal	65	1.46
2422MHz	Pass	PK	2.4888G	57.51	74.00	-16.49	3	Horizontal	65	1.46
2422MHz	Pass	AV	4.84016G	33.81	54.00	-20.19	3	Vertical	252	1.51
2422MHz	Pass	AV	7.27052G	38.54	54.00	-15.46	3	Vertical	305	1.77
2422MHz	Pass	PK	4.85036G	44.98	74.00	-29.02	3	Vertical	252	1.51
2422MHz	Pass	PK	7.27376G	50.00	74.00	-24.00	3	Vertical	305	1.77
2422MHz	Pass	AV	4.84264G	33.74	54.00	-20.26	3	Horizontal	45	2.86
2422MHz	Pass	AV	7.2752G	38.41	54.00	-15.59	3	Horizontal	151	1.15
2422MHz	Pass	PK	4.8506G	45.06	74.00	-28.94	3	Horizontal	45	2.86
2422MHz	Pass	PK	7.27276G	50.46	74.00	-23.54	3	Horizontal	151	1.15
2427MHz	Pass	AV	2.3898G	49.53	54.00	-4.47	3	Vertical	101	2.08
2427MHz	Pass	AV	2.421G	95.00	Inf	-Inf	3	Vertical	101	2.08
2427MHz	Pass	AV	2.4842G	46.67	54.00	-7.33	3	Vertical	101	2.08
2427MHz	Pass	PK	2.3878G	65.08	74.00	-8.92	3	Vertical	101	2.08




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2427MHz	Pass	PK	2.4178G	107.27	Inf	-Inf	3	Vertical	101	2.08
2427MHz	Pass	PK	2.485G	58.74	74.00	-15.26	3	Vertical	101	2.08
2427MHz	Pass	AV	2.3898G	52.00	54.00	-2.00	3	Horizontal	56	1.55
2427MHz	Pass	AV	2.4242G	97.82	Inf	-Inf	3	Horizontal	56	1.55
2427MHz	Pass	AV	2.4846G	48.15	54.00	-5.85	3	Horizontal	56	1.55
2427MHz	Pass	PK	2.3898G	65.28	74.00	-8.72	3	Horizontal	56	1.55
2427MHz	Pass	PK	2.4278G	109.52	Inf	-Inf	3	Horizontal	56	1.55
2427MHz	Pass	PK	2.4846G	61.35	74.00	-12.65	3	Horizontal	56	1.55
2427MHz	Pass	AV	4.8552G	33.98	54.00	-20.02	3	Vertical	120	1.00
2427MHz	Pass	AV	7.2793G	38.39	54.00	-15.61	3	Vertical	316	2.98
2427MHz	Pass	PK	4.85238G	45.68	74.00	-28.32	3	Vertical	120	1.00
2427MHz	Pass	PK	7.27668G	49.90	74.00	-24.10	3	Vertical	316	2.98
2427MHz	Pass	AV	4.85416G	33.90	54.00	-20.10	3	Horizontal	280	2.03
2427MHz	Pass	AV	7.27666G	38.47	54.00	-15.53	3	Horizontal	280	1.72
2427MHz	Pass	PK	4.85782G	46.37	74.00	-27.63	3	Horizontal	280	2.03
2427MHz	Pass	PK	7.28452G	49.82	74.00	-24.18	3	Horizontal	280	1.72
2437MHz	Pass	AV	2.3898G	46.75	54.00	-7.25	3	Vertical	102	2.32
2437MHz	Pass	AV	2.4434G	95.49	Inf	-Inf	3	Vertical	102	2.32
2437MHz	Pass	AV	2.4835G	48.42	54.00	-5.58	3	Vertical	102	2.32
2437MHz	Pass	PK	2.385G	57.74	74.00	-16.26	3	Vertical	102	2.32
2437MHz	Pass	PK	2.4438G	106.51	Inf	-Inf	3	Vertical	102	2.32
2437MHz	Pass	PK	2.4974G	61.36	74.00	-12.64	3	Vertical	102	2.32
2437MHz	Pass	AV	2.3898G	48.79	54.00	-5.21	3	Horizontal	62	1.65
2437MHz	Pass	AV	2.4418G	98.60	Inf	-Inf	3	Horizontal	62	1.65
2437MHz	Pass	AV	2.4835G	50.93	54.00	-3.07	3	Horizontal	62	1.65
2437MHz	Pass	PK	2.3898G	61.06	74.00	-12.94	3	Horizontal	62	1.65
2437MHz	Pass	PK	2.4326G	110.07	Inf	-Inf	3	Horizontal	62	1.65
2437MHz	Pass	PK	2.4835G	62.73	74.00	-11.27	3	Horizontal	62	1.65
2437MHz	Pass	AV	4.8948G	29.03	54.00	-24.97	3	Vertical	79	2.46
2437MHz	Pass	AV	7.3075G	33.89	54.00	-20.11	3	Vertical	352	2.63
2437MHz	Pass	PK	4.8628G	43.22	74.00	-30.78	3	Vertical	79	2.46
2437MHz	Pass	PK	7.3354G	47.66	74.00	-26.34	3	Vertical	352	2.63
2437MHz	Pass	AV	4.8826G	29.69	54.00	-24.31	3	Horizontal	23	1.68
2437MHz	Pass	AV	7.2863G	33.48	54.00	-20.52	3	Horizontal	206	1.50
2437MHz	Pass	PK	4.873G	44.14	74.00	-29.86	3	Horizontal	23	1.68
2437MHz	Pass	PK	7.3182G	48.00	74.00	-26.00	3	Horizontal	206	1.50
2447MHz	Pass	AV	2.3894G	44.78	54.00	-9.22	3	Vertical	234	2.63
2447MHz	Pass	AV	2.441G	90.75	Inf	-Inf	3	Vertical	234	2.63
2447MHz	Pass	AV	2.4835G	49.04	54.00	-4.96	3	Vertical	234	2.63
2447MHz	Pass	PK	2.3798G	56.88	74.00	-17.12	3	Vertical	234	2.63
2447MHz	Pass	PK	2.443G	102.46	Inf	-Inf	3	Vertical	234	2.63
2447MHz	Pass	PK	2.4835G	62.55	74.00	-11.45	3	Vertical	234	2.63
2447MHz	Pass	AV	2.389G	45.93	54.00	-8.07	3	Horizontal	67	1.14
2447MHz	Pass	AV	2.4414G	97.02	Inf	-Inf	3	Horizontal	67	1.14
2447MHz	Pass	AV	2.4835G	51.75	54.00	-2.25	3	Horizontal	67	1.14
2447MHz	Pass	PK	2.3682G	57.89	74.00	-16.11	3	Horizontal	67	1.14
2447MHz	Pass	PK	2.4406G	108.54	Inf	-Inf	3	Horizontal	67	1.14
2447MHz	Pass	PK	2.4842G	67.37	74.00	-6.63	3	Horizontal	67	1.14
2447MHz	Pass	AV	4.89854G	33.48	54.00	-20.52	3	Vertical	309	1.59
2447MHz	Pass	AV	7.34002G	38.30	54.00	-15.70	3	Vertical	258	1.24
2447MHz	Pass	PK	4.89254G	45.54	74.00	-28.46	3	Vertical	309	1.59
2447MHz	Pass	PK	7.33768G	49.72	74.00	-24.28	3	Vertical	258	1.24
2447MHz	Pass	AV	4.89884G	33.53	54.00	-20.47	3	Horizontal	243	1.41
2447MHz	Pass	AV	7.34152G	38.32	54.00	-15.68	3	Horizontal	10	2.57
2447MHz	Pass	PK	4.88986G	45.33	74.00	-28.67	3	Horizontal	243	1.41
2447MHz	Pass	PK	7.34222G	49.49	74.00	-24.51	3	Horizontal	10	2.57
2452MHz	Pass	AV	2.3896G	44.88	54.00	-9.12	3	Vertical	113	2.86
2452MHz	Pass	AV	2.444G	92.31	Inf	-Inf	3	Vertical	113	2.86
2452MHz	Pass	AV	2.484G	47.13	54.00	-6.87	3	Vertical	113	2.86
2452MHz	Pass	PK	2.3712G	57.23	74.00	-16.77	3	Vertical	113	2.86
2452MHz	Pass	PK	2.4404G	104.09	Inf	-Inf	3	Vertical	113	2.86
2452MHz	Pass	PK	2.4835G	57.91	74.00	-16.09	3	Vertical	113	2.86



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	AV	2.3876G	45.43	54.00	-8.57	3	Horizontal	60	1.68
2452MHz	Pass	AV	2.4528G	94.99	Inf	-Inf	3	Horizontal	60	1.68
2452MHz	Pass	AV	2.4835G	48.88	54.00	-5.12	3	Horizontal	60	1.68
2452MHz	Pass	PK	2.3572G	56.78	74.00	-17.22	3	Horizontal	60	1.68
2452MHz	Pass	PK	2.4468G	106.42	Inf	-Inf	3	Horizontal	60	1.68
2452MHz	Pass	PK	2.4844G	60.64	74.00	-13.36	3	Horizontal	60	1.68
2452MHz	Pass	AV	4.89632G	33.82	54.00	-20.18	3	Vertical	254	1.41
2452MHz	Pass	AV	7.33752G	38.37	54.00	-15.63	3	Vertical	138	1.84
2452MHz	Pass	PK	4.90104G	45.81	74.00	-28.19	3	Vertical	254	1.41
2452MHz	Pass	PK	7.35464G	49.51	74.00	-24.49	3	Vertical	138	1.84
2452MHz	Pass	AV	4.9104G	34.53	54.00	-19.47	3	Horizontal	13	1.76
2452MHz	Pass	AV	7.34032G	38.55	54.00	-15.45	3	Horizontal	290	1.61
2452MHz	Pass	PK	4.90288G	46.91	74.00	-27.09	3	Horizontal	13	1.76
2452MHz	Pass	PK	7.34016G	50.39	74.00	-23.61	3	Horizontal	290	1.61
2457MHz	Pass	AV	2.3894G	44.36	54.00	-9.64	3	Vertical	93	2.32
2457MHz	Pass	AV	2.463G	87.38	Inf	-Inf	3	Vertical	93	2.32
2457MHz	Pass	AV	2.4835G	46.89	54.00	-7.11	3	Vertical	93	2.32
2457MHz	Pass	PK	2.3706G	56.78	74.00	-17.22	3	Vertical	93	2.32
2457MHz	Pass	PK	2.4614G	99.05	Inf	-Inf	3	Vertical	93	2.32
2457MHz	Pass	PK	2.4862G	57.90	74.00	-16.10	3	Vertical	93	2.32
2457MHz	Pass	AV	2.3886G	44.39	54.00	-9.61	3	Horizontal	57	1.55
2457MHz	Pass	AV	2.465G	89.80	Inf	-Inf	3	Horizontal	57	1.55
2457MHz	Pass	AV	2.4835G	49.09	54.00	-4.91	3	Horizontal	57	1.55
2457MHz	Pass	PK	2.3766G	56.22	74.00	-17.78	3	Horizontal	57	1.55
2457MHz	Pass	PK	2.463G	102.24	Inf	-Inf	3	Horizontal	57	1.55
2457MHz	Pass	PK	2.4838G	59.60	74.00	-14.40	3	Horizontal	57	1.55
2457MHz	Pass	AV	4.9123G	33.96	54.00	-20.04	3	Vertical	96	1.18
2457MHz	Pass	AV	7.36872G	38.35	54.00	-15.65	3	Vertical	145	1.13
2457MHz	Pass	PK	4.91882G	46.00	74.00	-28.00	3	Vertical	96	1.18
2457MHz	Pass	PK	7.36694G	49.86	74.00	-24.14	3	Vertical	145	1.13
2457MHz	Pass	AV	4.91368G	33.96	54.00	-20.04	3	Horizontal	33	2.67
2457MHz	Pass	AV	7.36748G	38.36	54.00	-15.64	3	Horizontal	271	1.14
2457MHz	Pass	PK	4.91796G	46.47	74.00	-27.53	3	Horizontal	33	2.67
2457MHz	Pass	PK	7.37346G	49.77	74.00	-24.23	3	Horizontal	271	1.14
2462MHz	Pass	AV	2.3876G	44.28	54.00	-9.72	3	Vertical	91	2.84
2462MHz	Pass	AV	2.4636G	88.73	Inf	-Inf	3	Vertical	91	2.84
2462MHz	Pass	AV	2.4952G	45.12	54.00	-8.88	3	Vertical	91	2.84
2462MHz	Pass	PK	2.3628G	56.58	74.00	-17.42	3	Vertical	91	2.84
2462MHz	Pass	PK	2.4636G	99.97	Inf	-Inf	3	Vertical	91	2.84
2462MHz	Pass	PK	2.494G	57.78	74.00	-16.22	3	Vertical	91	2.84
2462MHz	Pass	AV	2.39G	44.17	54.00	-9.83	3	Horizontal	64	1.26
2462MHz	Pass	AV	2.4648G	90.33	Inf	-Inf	3	Horizontal	64	1.26
2462MHz	Pass	AV	2.5G	44.98	54.00	-9.02	3	Horizontal	64	1.26
2462MHz	Pass	PK	2.372G	56.38	74.00	-17.62	3	Horizontal	64	1.26
2462MHz	Pass	PK	2.4632G	101.91	Inf	-Inf	3	Horizontal	64	1.26
2462MHz	Pass	PK	2.4916G	57.33	74.00	-16.67	3	Horizontal	64	1.26
2462MHz	Pass	AV	4.94296G	33.83	54.00	-20.17	3	Vertical	191	2.70
2462MHz	Pass	AV	7.39264G	38.05	54.00	-15.95	3	Vertical	221	1.76
2462MHz	Pass	PK	4.92384G	45.28	74.00	-28.72	3	Vertical	191	2.70
2462MHz	Pass	PK	7.3788G	49.39	74.00	-24.61	3	Vertical	221	1.76
2462MHz	Pass	AV	4.94288G	33.88	54.00	-20.12	3	Horizontal	355	1.50
2462MHz	Pass	AV	7.39032G	38.00	54.00	-16.00	3	Horizontal	244	1.50
2462MHz	Pass	PK	4.92864G	45.99	74.00	-28.01	3	Horizontal	355	1.50
2462MHz	Pass	PK	7.37288G	50.21	74.00	-23.79	3	Horizontal	244	1.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3856G	45.93	54.00	-8.07	31.12	3	Vertical	108	2.90	14.81	27.37	3.75	-
AV	2.4112G	104.28	Inf	-Inf	31.22	3	Vertical	108	2.90	73.06	27.44	3.78	-
PK	2.3854G	57.46	74.00	-16.54	31.12	3	Vertical	108	2.90	26.34	27.37	3.75	-
PK	2.4114G	107.93	Inf	-Inf	31.23	3	Vertical	108	2.90	76.70	27.45	3.78	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3854G	47.34	54.00	-6.66	31.12	3	Horizontal	61	1.57	16.22	27.37	3.75	-
AV	2.4128G	106.74	Inf	-Inf	31.23	3	Horizontal	61	1.57	75.51	27.45	3.78	-
PK	2.3878G	57.72	74.00	-16.28	31.14	3	Horizontal	61	1.57	26.58	27.38	3.76	-
PK	2.4126G	110.44	Inf	-Inf	31.23	3	Horizontal	61	1.57	79.21	27.45	3.78	-


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.14	54.00	-7.86	31.54	3	Vertical	91	2.84	14.60	27.38	4.16	-
AV	2.4178G	104.79	Inf	-Inf	31.65	3	Vertical	91	2.84	73.14	27.47	4.18	-
PK	2.3882G	57.15	74.00	-16.85	31.54	3	Vertical	91	2.84	25.61	27.38	4.16	-
PK	2.4176G	108.55	Inf	-Inf	31.65	3	Vertical	91	2.84	76.90	27.47	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.43	54.00	-6.57	31.54	3	Horizontal	63	1.13	15.89	27.38	4.16	-
AV	2.4178G	107.55	Inf	-Inf	31.65	3	Horizontal	63	1.13	75.90	27.47	4.18	-
PK	2.39G	57.95	74.00	-16.05	31.54	3	Horizontal	63	1.13	26.41	27.38	4.16	-
PK	2.4178G	111.18	Inf	-Inf	31.65	3	Horizontal	63	1.13	79.53	27.47	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	39.20	54.00	-14.80	3.10	3	Vertical	100	2.65	36.10	32.40	5.35	34.65
AV	7.25016G	45.73	54.00	-8.27	8.94	3	Vertical	355	2.25	36.79	37.10	6.61	34.77
PK	4.84678G	44.50	74.00	-29.50	3.19	3	Vertical	100	2.65	41.31	32.48	5.36	34.65
PK	7.2537G	53.31	74.00	-20.69	8.94	3	Vertical	355	2.25	44.37	37.10	6.61	34.77

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	43.72	54.00	-10.28	3.10	3	Horizontal	0	1.68	40.62	32.40	5.35	34.65
AV	7.25178G	40.70	54.00	-13.30	8.94	3	Horizontal	289	2.78	31.76	37.10	6.61	34.77
PK	4.83406G	49.09	74.00	-24.91	3.10	3	Horizontal	0	1.68	45.99	32.40	5.35	34.65
PK	7.25262G	51.53	74.00	-22.47	8.94	3	Horizontal	289	2.78	42.59	37.10	6.61	34.77

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	45.45	54.00	-8.55	31.54	3	Vertical	111	2.73	13.91	27.38	4.16	-
AV	2.4378G	103.74	Inf	-Inf	31.74	3	Vertical	111	2.73	72.00	27.55	4.19	-
AV	2.4854G	46.21	54.00	-7.79	31.89	3	Vertical	111	2.73	14.32	27.67	4.22	-
PK	2.3378G	57.22	74.00	-16.78	31.39	3	Vertical	111	2.73	25.83	27.28	4.11	-
PK	2.4362G	107.29	Inf	-Inf	31.73	3	Vertical	111	2.73	75.56	27.54	4.19	-
PK	2.4886G	57.52	74.00	-16.48	31.90	3	Vertical	111	2.73	25.62	27.68	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.46	54.00	-7.54	31.54	3	Horizontal	64	1.46	14.92	27.38	4.16	-
AV	2.4362G	107.18	Inf	-Inf	31.73	3	Horizontal	64	1.46	75.45	27.54	4.19	-
AV	2.4854G	46.98	54.00	-7.02	31.89	3	Horizontal	64	1.46	15.09	27.67	4.22	-
PK	2.3614G	57.20	74.00	-16.80	31.45	3	Horizontal	64	1.46	25.75	27.32	4.13	-
PK	2.4374G	110.68	Inf	-Inf	31.74	3	Horizontal	64	1.46	78.94	27.55	4.19	-
PK	2.4846G	58.22	74.00	-15.78	31.89	3	Horizontal	64	1.46	26.33	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	39.24	54.00	-14.76	3.33	3	Vertical	358	2.54	35.91	32.60	5.38	34.65
AV	7.31176G	41.74	54.00	-12.26	8.91	3	Vertical	360	2.55	32.83	37.05	6.64	34.78
PK	4.87404G	45.59	74.00	-28.41	3.33	3	Vertical	358	2.54	42.26	32.60	5.38	34.65
PK	7.31092G	51.07	74.00	-22.93	8.92	3	Vertical	360	2.55	42.15	37.06	6.64	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	45.12	54.00	-8.88	3.33	3	Horizontal	20	1.60	41.79	32.60	5.38	34.65
AV	7.3118G	34.62	54.00	-19.38	8.91	3	Horizontal	80	2.25	25.71	37.05	6.64	34.78
PK	4.874G	48.72	74.00	-25.28	3.33	3	Horizontal	20	1.60	45.39	32.60	5.38	34.65
PK	7.31012G	47.78	74.00	-26.22	8.92	3	Horizontal	80	2.25	38.86	37.06	6.64	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	104.64	Inf	-Inf	31.81	3	Vertical	96	2.74	72.83	27.61	4.20	-
AV	2.4854G	46.46	54.00	-7.54	31.89	3	Vertical	96	2.74	14.57	27.67	4.22	-
PK	2.4562G	108.28	Inf	-Inf	31.81	3	Vertical	96	2.74	76.47	27.61	4.20	-
PK	2.4854G	58.79	74.00	-15.21	31.89	3	Vertical	96	2.74	26.90	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	107.70	Inf	-Inf	31.81	3	Horizontal	63	1.13	75.89	27.61	4.20	-
AV	2.4966G	47.33	54.00	-6.67	31.92	3	Horizontal	63	1.13	15.41	27.69	4.23	-
PK	2.4576G	111.40	Inf	-Inf	31.82	3	Horizontal	63	1.13	79.58	27.62	4.20	-
PK	2.4952G	58.78	74.00	-15.22	31.92	3	Horizontal	63	1.13	26.86	27.69	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	46.46	54.00	-7.54	3.54	3	Vertical	92	2.79	42.92	32.78	5.41	34.65
AV	7.37178G	44.06	54.00	-9.94	8.70	3	Vertical	335	1.50	35.36	36.81	6.67	34.78
PK	4.914G	49.99	74.00	-24.01	3.54	3	Vertical	92	2.79	46.45	32.78	5.41	34.65
PK	7.37214G	52.59	74.00	-21.41	8.70	3	Vertical	335	1.50	43.89	36.81	6.67	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	49.85	54.00	-4.15	3.54	3	Horizontal	360	2.65	46.31	32.78	5.41	34.65
AV	7.37016G	39.63	54.00	-14.37	8.71	3	Horizontal	288	2.69	30.92	36.82	6.67	34.78
PK	4.914G	53.10	74.00	-20.90	3.54	3	Horizontal	360	2.65	49.56	32.78	5.41	34.65
PK	7.3701G	50.46	74.00	-23.54	8.71	3	Horizontal	288	2.69	41.75	36.82	6.67	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	104.32	Inf	-Inf	31.83	3	Vertical	99	2.34	72.49	27.62	4.21	-
AV	2.4884G	46.00	54.00	-8.00	31.90	3	Vertical	99	2.34	14.10	27.68	4.22	-
PK	2.4626G	108.06	Inf	-Inf	31.84	3	Vertical	99	2.34	76.22	27.63	4.21	-
PK	2.4904G	58.02	74.00	-15.98	31.90	3	Vertical	99	2.34	26.12	27.68	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	107.86	Inf	-Inf	31.84	3	Horizontal	65	1.14	76.02	27.63	4.21	-
AV	2.4998G	46.72	54.00	-7.28	31.93	3	Horizontal	65	1.14	14.79	27.70	4.23	-
PK	2.4626G	111.55	Inf	-Inf	31.84	3	Horizontal	65	1.14	79.71	27.63	4.21	-
PK	2.4868G	58.62	74.00	-15.38	31.89	3	Horizontal	65	1.14	26.73	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	45.40	54.00	-8.60	3.60	3	Vertical	84	2.40	41.80	32.84	5.41	34.65
AV	7.38522G	42.60	54.00	-11.40	8.64	3	Vertical	341	2.29	33.96	36.76	6.67	34.79
PK	4.9243G	48.73	74.00	-25.27	3.61	3	Vertical	84	2.40	45.12	32.85	5.41	34.65
PK	7.38372G	51.97	74.00	-22.03	8.65	3	Vertical	341	2.29	43.32	36.77	6.67	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	50.22	54.00	-3.78	3.60	3	Horizontal	16	2.66	46.62	32.84	5.41	34.65
AV	7.38678G	39.40	54.00	-14.60	8.63	3	Horizontal	297	2.37	30.77	36.75	6.67	34.79
PK	4.92406G	53.08	74.00	-20.92	3.60	3	Horizontal	16	2.66	49.48	32.84	5.41	34.65
PK	7.38498G	50.18	74.00	-23.82	8.64	3	Horizontal	297	2.37	41.54	36.76	6.67	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	102.74	Inf	-Inf	31.84	3	Vertical	98	2.50	70.90	27.63	4.21	-
AV	2.4835G	46.65	54.00	-7.35	31.89	3	Vertical	98	2.50	14.76	27.67	4.22	-
PK	2.4664G	106.52	Inf	-Inf	31.84	3	Vertical	98	2.50	74.68	27.63	4.21	-
PK	2.4836G	57.95	74.00	-16.05	31.89	3	Vertical	98	2.50	26.06	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	106.41	Inf	-Inf	31.84	3	Horizontal	66	1.18	74.57	27.63	4.21	-
AV	2.4835G	48.22	54.00	-5.78	31.89	3	Horizontal	66	1.18	16.33	27.67	4.22	-
PK	2.4678G	110.07	Inf	-Inf	31.85	3	Horizontal	66	1.18	78.22	27.64	4.21	-
PK	2.4848G	58.51	74.00	-15.49	31.89	3	Horizontal	66	1.18	26.62	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.934G	45.16	54.00	-8.84	3.67	3	Vertical	90	2.75	41.49	32.90	5.42	34.65
AV	7.40184G	40.38	54.00	-13.62	8.58	3	Vertical	344	2.25	31.80	36.69	6.68	34.79
PK	4.93394G	49.05	74.00	-24.95	3.67	3	Vertical	90	2.75	45.38	32.90	5.42	34.65
PK	7.39944G	51.23	74.00	-22.77	8.59	3	Vertical	344	2.25	42.64	36.70	6.68	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.934G	48.78	54.00	-5.22	3.67	3	Horizontal	12	1.70	45.11	32.90	5.42	34.65
AV	7.40964G	37.91	54.00	-16.09	8.55	3	Horizontal	183	1.50	29.36	36.66	6.68	34.79
PK	4.93412G	52.40	74.00	-21.60	3.67	3	Horizontal	12	1.70	48.73	32.90	5.42	34.65
PK	7.39464G	50.08	74.00	-23.92	8.61	3	Horizontal	183	1.50	41.47	36.72	6.68	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	99.25	Inf	-Inf	31.47	3	Vertical	93	2.89	67.78	27.64	3.83	-
AV	2.4852G	45.74	54.00	-8.26	31.51	3	Vertical	93	2.89	14.23	27.67	3.84	-
PK	2.4714G	103.22	Inf	-Inf	31.47	3	Vertical	93	2.89	71.75	27.64	3.83	-
PK	2.484G	60.34	74.00	-13.66	31.51	3	Vertical	93	2.89	28.83	27.67	3.84	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	102.20	Inf	-Inf	31.47	3	Horizontal	64	1.49	70.73	27.64	3.83	-
AV	2.485G	46.39	54.00	-7.61	31.51	3	Horizontal	64	1.49	14.88	27.67	3.84	-
PK	2.4726G	106.10	Inf	-Inf	31.48	3	Horizontal	64	1.49	74.62	27.65	3.83	-
PK	2.4835G	63.84	74.00	-10.16	31.51	3	Horizontal	64	1.49	32.33	27.67	3.84	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94396G	40.57	54.00	-13.43	4.08	3	Vertical	105	2.60	36.49	32.96	5.76	34.64
AV	7.40632G	37.68	54.00	-16.32	8.76	3	Vertical	307	2.64	28.92	36.67	6.88	34.79
PK	4.94396G	48.01	74.00	-25.99	4.08	3	Vertical	105	2.60	43.93	32.96	5.76	34.64
PK	7.4094G	49.04	74.00	-24.96	8.75	3	Vertical	307	2.64	40.29	36.66	6.88	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9444G	44.75	54.00	-9.25	4.08	3	Horizontal	16	2.72	40.67	32.96	5.76	34.64
AV	7.408G	37.65	54.00	-16.35	8.76	3	Horizontal	4	1.18	28.89	36.67	6.88	34.79
PK	4.94388G	50.60	74.00	-23.40	4.08	3	Horizontal	16	2.72	46.52	32.96	5.76	34.64
PK	7.41276G	49.88	74.00	-24.12	8.74	3	Horizontal	4	1.18	41.14	36.65	6.88	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3872G	45.43	54.00	-8.57	31.13	3	Vertical	246	1.67	14.30	27.37	3.76	-
AV	2.4112G	99.97	Inf	-Inf	31.22	3	Vertical	246	1.67	68.75	27.44	3.78	-
PK	2.367G	57.51	74.00	-16.49	31.07	3	Vertical	246	1.67	26.44	27.33	3.74	-
PK	2.4128G	103.52	Inf	-Inf	31.23	3	Vertical	246	1.67	72.29	27.45	3.78	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	47.68	54.00	-6.32	31.13	3	Horizontal	297	1.31	16.55	27.37	3.76	-
AV	2.4112G	106.05	Inf	-Inf	31.22	3	Horizontal	297	1.31	74.83	27.44	3.78	-
PK	2.386G	58.70	74.00	-15.30	31.13	3	Horizontal	297	1.31	27.57	27.37	3.76	-
PK	2.4114G	109.52	Inf	-Inf	31.23	3	Horizontal	297	1.31	78.29	27.45	3.78	-


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.56	54.00	-8.44	31.54	3	Vertical	261	2.85	14.02	27.38	4.16	-
AV	2.4178G	103.66	Inf	-Inf	31.65	3	Vertical	261	2.85	72.01	27.47	4.18	-
PK	2.3898G	57.03	74.00	-16.97	31.54	3	Vertical	261	2.85	25.49	27.38	4.16	-
PK	2.4178G	107.26	Inf	-Inf	31.65	3	Vertical	261	2.85	75.61	27.47	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.04	54.00	-6.96	31.54	3	Horizontal	293	1.16	15.50	27.38	4.16	-
AV	2.4162G	106.80	Inf	-Inf	31.64	3	Horizontal	293	1.16	75.16	27.46	4.18	-
PK	2.3862G	57.83	74.00	-16.17	31.53	3	Horizontal	293	1.16	26.30	27.37	4.16	-
PK	2.4176G	110.47	Inf	-Inf	31.65	3	Horizontal	293	1.16	78.82	27.47	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	44.14	54.00	-9.86	3.10	3	Vertical	96	2.52	41.04	32.40	5.35	34.65
AV	7.2525G	38.61	54.00	-15.39	8.94	3	Vertical	332	2.77	29.67	37.10	6.61	34.77
PK	4.83406G	47.71	74.00	-26.29	3.10	3	Vertical	96	2.52	44.61	32.40	5.35	34.65
PK	7.26162G	48.35	74.00	-25.65	8.95	3	Vertical	332	2.77	39.40	37.10	6.62	34.77

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	47.12	54.00	-6.88	3.10	3	Horizontal	287	1.55	44.02	32.40	5.35	34.65
AV	7.25634G	38.58	54.00	-15.42	8.95	3	Horizontal	57	1.53	29.63	37.10	6.62	34.77
PK	4.83388G	51.06	74.00	-22.94	3.10	3	Horizontal	287	1.55	47.96	32.40	5.35	34.65
PK	7.25682G	48.72	74.00	-25.28	8.95	3	Horizontal	57	1.53	39.77	37.10	6.62	34.77

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.97	54.00	-9.03	31.54	3	Vertical	279	2.87	13.43	27.38	4.16	-
AV	2.4362G	104.05	Inf	-Inf	31.73	3	Vertical	279	2.87	72.32	27.54	4.19	-
AV	2.4894G	45.70	54.00	-8.30	31.90	3	Vertical	279	2.87	13.80	27.68	4.22	-
PK	2.3482G	56.90	74.00	-17.10	31.42	3	Vertical	279	2.87	25.48	27.30	4.12	-
PK	2.4378G	107.48	Inf	-Inf	31.74	3	Vertical	279	2.87	75.74	27.55	4.19	-
PK	2.4898G	57.93	74.00	-16.07	31.90	3	Vertical	279	2.87	26.03	27.68	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	45.58	54.00	-8.42	31.53	3	Horizontal	302	1.46	14.05	27.37	4.16	-
AV	2.4362G	106.65	Inf	-Inf	31.73	3	Horizontal	302	1.46	74.92	27.54	4.19	-
AV	2.485G	46.21	54.00	-7.79	31.89	3	Horizontal	302	1.46	14.32	27.67	4.22	-
PK	2.373G	57.40	74.00	-16.60	31.49	3	Horizontal	302	1.46	25.91	27.35	4.14	-
PK	2.4366G	110.00	Inf	-Inf	31.74	3	Horizontal	302	1.46	78.26	27.55	4.19	-
PK	2.4914G	58.74	74.00	-15.26	31.90	3	Horizontal	302	1.46	26.84	27.68	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	36.46	54.00	-17.54	3.33	3	Vertical	277	2.56	33.13	32.60	5.38	34.65
AV	7.3102G	33.46	54.00	-20.54	8.92	3	Vertical	37	1.16	24.54	37.06	6.64	34.78
PK	4.87408G	43.99	74.00	-30.01	3.33	3	Vertical	277	2.56	40.66	32.60	5.38	34.65
PK	7.30656G	47.34	74.00	-26.66	8.93	3	Vertical	37	1.16	38.41	37.07	6.64	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.32	54.00	-13.68	3.33	3	Horizontal	360	2.54	36.99	32.60	5.38	34.65
AV	7.32092G	33.16	54.00	-20.84	8.88	3	Horizontal	246	1.32	24.28	37.02	6.64	34.78
PK	4.87392G	46.13	74.00	-27.87	3.33	3	Horizontal	360	2.54	42.80	32.60	5.38	34.65
PK	7.31184G	48.08	74.00	-25.92	8.91	3	Horizontal	246	1.32	39.17	37.05	6.64	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	103.30	Inf	-Inf	31.81	3	Vertical	245	2.49	71.49	27.61	4.20	-
AV	2.496G	45.91	54.00	-8.09	31.92	3	Vertical	245	2.49	13.99	27.69	4.23	-
PK	2.4576G	106.77	Inf	-Inf	31.82	3	Vertical	245	2.49	74.95	27.62	4.20	-
PK	2.4876G	58.90	74.00	-15.10	31.90	3	Vertical	245	2.49	27.00	27.68	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.89	Inf	-Inf	31.81	3	Horizontal	297	1.29	75.08	27.61	4.20	-
AV	2.4962G	46.94	54.00	-7.06	31.92	3	Horizontal	297	1.29	15.02	27.69	4.23	-
PK	2.4564G	110.44	Inf	-Inf	31.81	3	Horizontal	297	1.29	78.63	27.61	4.20	-
PK	2.4942G	58.30	74.00	-15.70	31.92	3	Horizontal	297	1.29	26.38	27.69	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91254G	33.78	54.00	-20.22	3.53	3	Vertical	113	1.06	30.25	32.78	5.40	34.65
AV	7.36686G	38.28	54.00	-15.72	8.72	3	Vertical	99	2.25	29.56	36.83	6.67	34.78
PK	4.91548G	42.56	74.00	-31.44	3.55	3	Vertical	113	1.06	39.01	32.79	5.41	34.65
PK	7.36728G	49.02	74.00	-24.98	8.72	3	Vertical	99	2.25	40.30	36.83	6.67	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91354G	33.75	54.00	-20.25	3.54	3	Horizontal	183	2.54	30.21	32.78	5.41	34.65
AV	7.36742G	38.28	54.00	-15.72	8.72	3	Horizontal	119	1.90	29.56	36.83	6.67	34.78
PK	4.91188G	44.02	74.00	-29.98	3.52	3	Horizontal	183	2.54	40.50	32.77	5.40	34.65
PK	7.36858G	47.90	74.00	-26.10	8.72	3	Horizontal	119	1.90	39.18	36.83	6.67	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	103.68	Inf	-Inf	31.84	3	Vertical	255	2.50	71.84	27.63	4.21	-
AV	2.4846G	46.13	54.00	-7.87	31.89	3	Vertical	255	2.50	14.24	27.67	4.22	-
PK	2.4626G	107.31	Inf	-Inf	31.84	3	Vertical	255	2.50	75.47	27.63	4.21	-
PK	2.4932G	57.86	74.00	-16.14	31.92	3	Vertical	255	2.50	25.94	27.69	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	107.33	Inf	-Inf	31.83	3	Horizontal	296	1.33	75.50	27.62	4.21	-
AV	2.4844G	47.27	54.00	-6.73	31.89	3	Horizontal	296	1.33	15.38	27.67	4.22	-
PK	2.4628G	110.63	Inf	-Inf	31.84	3	Horizontal	296	1.33	78.79	27.63	4.21	-
PK	2.4978G	58.50	74.00	-15.50	31.93	3	Horizontal	296	1.33	26.57	27.70	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92454G	33.81	54.00	-20.19	3.61	3	Vertical	163	2.73	30.20	32.85	5.41	34.65
AV	7.38148G	37.90	54.00	-16.10	8.65	3	Vertical	270	1.96	29.25	36.77	6.67	34.79
PK	4.92282G	43.85	74.00	-30.15	3.60	3	Vertical	163	2.73	40.25	32.84	5.41	34.65
PK	7.3888G	47.09	74.00	-26.91	8.62	3	Vertical	270	1.96	38.47	36.74	6.67	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9204G	33.76	54.00	-20.24	3.58	3	Horizontal	54	2.73	30.18	32.82	5.41	34.65
AV	7.38332G	37.89	54.00	-16.11	8.65	3	Horizontal	128	1.29	29.24	36.77	6.67	34.79
PK	4.92298G	43.17	74.00	-30.83	3.60	3	Horizontal	54	2.73	39.57	32.84	5.41	34.65
PK	7.38206G	46.50	74.00	-27.50	8.65	3	Horizontal	128	1.29	37.85	36.77	6.67	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	101.80	Inf	-Inf	31.84	3	Vertical	259	2.50	69.96	27.63	4.21	-
AV	2.4848G	45.97	54.00	-8.03	31.89	3	Vertical	259	2.50	14.08	27.67	4.22	-
PK	2.4664G	105.45	Inf	-Inf	31.84	3	Vertical	259	2.50	73.61	27.63	4.21	-
PK	2.484G	57.77	74.00	-16.23	31.89	3	Vertical	259	2.50	25.88	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	105.17	Inf	-Inf	31.84	3	Horizontal	296	1.14	73.33	27.63	4.21	-
AV	2.485G	46.93	54.00	-7.07	31.89	3	Horizontal	296	1.14	15.04	27.67	4.22	-
PK	2.4676G	108.86	Inf	-Inf	31.85	3	Horizontal	296	1.14	77.01	27.64	4.21	-
PK	2.4868G	58.99	74.00	-15.01	31.89	3	Horizontal	296	1.14	27.10	27.67	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.934G	36.42	54.00	-17.58	3.67	3	Vertical	251	1.50	32.75	32.90	5.42	34.65
AV	7.40022G	48.94	54.00	-5.06	8.59	3	Vertical	2	2.24	40.35	36.70	6.68	34.79
PK	4.93412G	45.11	74.00	-28.89	3.67	3	Vertical	251	1.50	41.44	32.90	5.42	34.65
PK	7.40172G	54.95	74.00	-19.05	8.58	3	Vertical	2	2.24	46.37	36.69	6.68	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.934G	44.83	54.00	-9.17	3.67	3	Horizontal	348	1.72	41.16	32.90	5.42	34.65
AV	7.40022G	47.11	54.00	-6.89	8.59	3	Horizontal	283	1.36	38.52	36.70	6.68	34.79
PK	4.934G	49.80	74.00	-24.20	3.67	3	Horizontal	348	1.72	46.13	32.90	5.42	34.65
PK	7.40034G	53.99	74.00	-20.01	8.59	3	Horizontal	283	1.36	45.40	36.70	6.68	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	98.23	Inf	-Inf	31.47	3	Vertical	282	2.18	66.76	27.64	3.83	-
AV	2.4858G	45.64	54.00	-8.36	31.51	3	Vertical	282	2.18	14.13	27.67	3.84	-
PK	2.4728G	101.99	Inf	-Inf	31.48	3	Vertical	282	2.18	70.51	27.65	3.83	-
PK	2.4835G	61.08	74.00	-12.92	31.51	3	Vertical	282	2.18	29.57	27.67	3.84	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	101.50	Inf	-Inf	31.47	3	Horizontal	297	1.07	70.03	27.64	3.83	-
AV	2.4858G	46.61	54.00	-7.39	31.51	3	Horizontal	297	1.07	15.10	27.67	3.84	-
PK	2.4726G	105.37	Inf	-Inf	31.48	3	Horizontal	297	1.07	73.89	27.65	3.83	-
PK	2.4835G	63.35	74.00	-10.65	31.51	3	Horizontal	297	1.07	31.84	27.67	3.84	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.944G	35.81	54.00	-18.19	3.75	3	Vertical	231	1.05	32.06	32.96	5.43	34.64
AV	7.41432G	37.72	54.00	-16.28	8.54	3	Vertical	280	1.30	29.18	36.64	6.69	34.79
PK	4.9442G	46.00	74.00	-28.00	3.76	3	Vertical	231	1.05	42.24	32.97	5.43	34.64
PK	7.41776G	48.96	74.00	-25.04	8.53	3	Vertical	280	1.30	40.43	36.63	6.69	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.944G	41.37	54.00	-12.63	3.75	3	Horizontal	349	2.65	37.62	32.96	5.43	34.64
AV	7.40624G	37.68	54.00	-16.32	8.57	3	Horizontal	37	1.65	29.11	36.68	6.68	34.79
PK	4.944G	48.64	74.00	-25.36	3.75	3	Horizontal	349	2.65	44.89	32.96	5.43	34.64
PK	7.42588G	49.47	74.00	-24.53	8.50	3	Horizontal	37	1.65	40.97	36.60	6.69	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.86	54.00	-8.14	31.54	3	Vertical	97	2.82	14.32	27.38	4.16	-
AV	2.414G	98.30	Inf	-Inf	31.64	3	Vertical	97	2.82	66.66	27.46	4.18	-
PK	2.3876G	57.53	74.00	-16.47	31.54	3	Vertical	97	2.82	25.99	27.38	4.16	-
PK	2.4132G	107.11	Inf	-Inf	31.63	3	Vertical	97	2.82	75.48	27.45	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.88	54.00	-7.12	31.54	3	Horizontal	62	1.13	15.34	27.38	4.16	-
AV	2.4156G	101.04	Inf	-Inf	31.64	3	Horizontal	62	1.13	69.40	27.46	4.18	-
PK	2.3898G	58.55	74.00	-15.45	31.54	3	Horizontal	62	1.13	27.01	27.38	4.16	-
PK	2.4144G	109.96	Inf	-Inf	31.64	3	Horizontal	62	1.13	78.32	27.46	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80948G	34.35	54.00	-19.65	2.93	3	Vertical	252	2.95	31.42	32.26	5.33	34.66
PK	4.8315G	46.59	74.00	-27.41	3.08	3	Vertical	252	2.95	43.51	32.39	5.34	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82826G	34.60	54.00	-19.40	3.06	3	Horizontal	354	1.50	31.54	32.37	5.34	34.65
PK	4.8309G	47.43	74.00	-26.57	3.08	3	Horizontal	354	1.50	44.35	32.39	5.34	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.79	54.00	-8.21	31.54	3	Vertical	92	2.84	14.25	27.38	4.16	-
AV	2.4192G	99.95	Inf	-Inf	31.66	3	Vertical	92	2.84	68.29	27.48	4.18	-
PK	2.3852G	57.79	74.00	-16.21	31.53	3	Vertical	92	2.84	26.26	27.37	4.16	-
PK	2.4202G	109.16	Inf	-Inf	31.66	3	Vertical	92	2.84	77.50	27.48	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.28	54.00	-7.72	31.54	3	Horizontal	60	1.09	14.74	27.38	4.16	-
AV	2.421G	102.58	Inf	-Inf	31.66	3	Horizontal	60	1.09	70.92	27.48	4.18	-
PK	2.388G	58.79	74.00	-15.21	31.54	3	Horizontal	60	1.09	27.25	27.38	4.16	-
PK	2.414G	111.44	Inf	-Inf	31.64	3	Horizontal	60	1.09	79.80	27.46	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82974G	34.46	54.00	-19.54	3.07	3	Vertical	89	2.85	31.39	32.38	5.34	34.65
AV	7.25346G	40.09	54.00	-13.91	8.94	3	Vertical	346	2.21	31.15	37.10	6.61	34.77
PK	4.84606G	45.93	74.00	-28.07	3.18	3	Vertical	89	2.85	42.75	32.48	5.35	34.65
PK	7.26132G	52.00	74.00	-22.00	8.95	3	Vertical	346	2.21	43.05	37.10	6.62	34.77

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83076G	34.93	54.00	-19.07	3.07	3	Horizontal	356	1.46	31.86	32.38	5.34	34.65
AV	7.2504G	39.06	54.00	-14.94	8.94	3	Horizontal	245	1.74	30.12	37.10	6.61	34.77
PK	4.83292G	47.15	74.00	-26.85	3.09	3	Horizontal	356	1.46	44.06	32.40	5.34	34.65
PK	7.2519G	50.38	74.00	-23.62	8.94	3	Horizontal	245	1.74	41.44	37.10	6.61	34.77

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	45.05	54.00	-8.95	31.54	3	Vertical	97	2.98	13.51	27.38	4.16	-
AV	2.4406G	100.87	Inf	-Inf	31.75	3	Vertical	97	2.98	69.12	27.56	4.19	-
AV	2.4835G	45.98	54.00	-8.02	31.89	3	Vertical	97	2.98	14.09	27.67	4.22	-
PK	2.3806G	57.60	74.00	-16.40	31.51	3	Vertical	97	2.98	26.09	27.36	4.15	-
PK	2.4414G	109.38	Inf	-Inf	31.76	3	Vertical	97	2.98	77.62	27.57	4.19	-
PK	2.485G	57.72	74.00	-16.28	31.89	3	Vertical	97	2.98	25.83	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.72	54.00	-8.28	31.54	3	Horizontal	64	1.28	14.18	27.38	4.16	-
AV	2.4406G	104.14	Inf	-Inf	31.75	3	Horizontal	64	1.28	72.39	27.56	4.19	-
AV	2.4835G	46.55	54.00	-7.45	31.89	3	Horizontal	64	1.28	14.66	27.67	4.22	-
PK	2.3886G	57.55	74.00	-16.45	31.54	3	Horizontal	64	1.28	26.01	27.38	4.16	-
PK	2.4406G	113.09	Inf	-Inf	31.75	3	Horizontal	64	1.28	81.34	27.56	4.19	-
PK	2.4978G	58.32	74.00	-15.68	31.93	3	Horizontal	64	1.28	26.39	27.70	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8719G	34.64	54.00	-19.36	3.31	3	Vertical	84	2.84	31.33	32.59	5.37	34.65
AV	7.3083G	40.38	54.00	-13.62	8.93	3	Vertical	0	2.16	31.45	37.07	6.64	34.78
PK	4.87742G	44.63	74.00	-29.37	3.34	3	Vertical	84	2.84	41.29	32.61	5.38	34.65
PK	7.31316G	51.92	74.00	-22.08	8.91	3	Vertical	0	2.16	43.01	37.05	6.64	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87514G	36.22	54.00	-17.78	3.33	3	Horizontal	355	1.65	32.89	32.60	5.38	34.65
AV	7.31358G	38.60	54.00	-15.40	8.91	3	Horizontal	209	1.50	29.69	37.05	6.64	34.78
PK	4.87268G	48.41	74.00	-25.59	3.31	3	Horizontal	355	1.65	45.10	32.59	5.37	34.65
PK	7.31262G	50.50	74.00	-23.50	8.91	3	Horizontal	209	1.50	41.59	37.05	6.64	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	99.22	Inf	-Inf	31.81	3	Vertical	96	2.73	67.41	27.61	4.20	-
AV	2.4838G	46.36	54.00	-7.64	31.89	3	Vertical	96	2.73	14.47	27.67	4.22	-
PK	2.4526G	108.25	Inf	-Inf	31.81	3	Vertical	96	2.73	76.44	27.61	4.20	-
PK	2.4836G	58.24	74.00	-15.76	31.89	3	Vertical	96	2.73	26.35	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	102.21	Inf	-Inf	31.81	3	Horizontal	62	1.10	70.40	27.61	4.20	-
AV	2.4835G	47.07	54.00	-6.93	31.89	3	Horizontal	62	1.10	15.18	27.67	4.22	-
PK	2.4556G	110.83	Inf	-Inf	31.81	3	Horizontal	62	1.10	79.02	27.61	4.20	-
PK	2.4842G	59.45	74.00	-14.55	31.89	3	Horizontal	62	1.10	27.56	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91448G	35.39	54.00	-18.61	3.55	3	Vertical	82	2.21	31.84	32.79	5.41	34.65
AV	7.36998G	39.70	54.00	-14.30	8.71	3	Vertical	340	2.29	30.99	36.82	6.67	34.78
PK	4.91058G	44.98	74.00	-29.02	3.51	3	Vertical	82	2.21	41.47	32.76	5.40	34.65
PK	7.37646G	51.09	74.00	-22.91	8.67	3	Vertical	340	2.29	42.42	36.79	6.67	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9149G	37.43	54.00	-16.57	3.55	3	Horizontal	12	2.56	33.88	32.79	5.41	34.65
AV	7.3617G	38.42	54.00	-15.58	8.73	3	Horizontal	342	1.50	29.69	36.85	6.66	34.78
PK	4.91832G	49.56	74.00	-24.44	3.57	3	Horizontal	12	2.56	45.99	32.81	5.41	34.65
PK	7.3638G	50.44	74.00	-23.56	8.72	3	Horizontal	342	1.50	41.72	36.84	6.66	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4584G	97.42	Inf	-Inf	31.83	3	Vertical	91	2.71	65.59	27.62	4.21	-
AV	2.4835G	46.32	54.00	-7.68	31.89	3	Vertical	91	2.71	14.43	27.67	4.22	-
PK	2.4584G	106.62	Inf	-Inf	31.83	3	Vertical	91	2.71	74.79	27.62	4.21	-
PK	2.4996G	58.21	74.00	-15.79	31.93	3	Vertical	91	2.71	26.28	27.70	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	100.90	Inf	-Inf	31.84	3	Horizontal	66	1.14	69.06	27.63	4.21	-
AV	2.4835G	46.85	54.00	-7.15	31.89	3	Horizontal	66	1.14	14.96	27.67	4.22	-
PK	2.4646G	110.14	Inf	-Inf	31.84	3	Horizontal	66	1.14	78.30	27.63	4.21	-
PK	2.4848G	58.84	74.00	-15.16	31.89	3	Horizontal	66	1.14	26.95	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92256G	35.19	54.00	-18.81	3.60	3	Vertical	85	2.90	31.59	32.84	5.41	34.65
AV	7.3824G	38.45	54.00	-15.55	8.65	3	Vertical	328	1.50	29.80	36.77	6.67	34.79
PK	4.92214G	46.61	74.00	-27.39	3.59	3	Vertical	85	2.90	43.02	32.83	5.41	34.65
PK	7.39716G	50.10	74.00	-23.90	8.60	3	Vertical	328	1.50	41.50	36.71	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92346G	36.42	54.00	-17.58	3.60	3	Horizontal	12	1.80	32.82	32.84	5.41	34.65
AV	7.37124G	38.29	54.00	-15.71	8.71	3	Horizontal	256	1.50	29.58	36.82	6.67	34.78
PK	4.92472G	48.69	74.00	-25.31	3.61	3	Horizontal	12	1.80	45.08	32.85	5.41	34.65
PK	7.39026G	50.05	74.00	-23.95	8.63	3	Horizontal	256	1.50	41.42	36.74	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	93.88	Inf	-Inf	31.85	3	Vertical	99	2.63	62.03	27.64	4.21	-
AV	2.4835G	47.37	54.00	-6.63	31.89	3	Vertical	99	2.63	15.48	27.67	4.22	-
PK	2.471G	103.09	Inf	-Inf	31.85	3	Vertical	99	2.63	71.24	27.64	4.21	-
PK	2.4835G	59.87	74.00	-14.13	31.89	3	Vertical	99	2.63	27.98	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	97.39	Inf	-Inf	31.84	3	Horizontal	65	1.20	65.55	27.63	4.21	-
AV	2.4835G	48.82	54.00	-5.18	31.89	3	Horizontal	65	1.20	16.93	27.67	4.22	-
PK	2.4656G	106.50	Inf	-Inf	31.84	3	Horizontal	65	1.20	74.66	27.63	4.21	-
PK	2.4835G	60.95	74.00	-13.05	31.89	3	Horizontal	65	1.20	29.06	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92488G	34.15	54.00	-19.85	3.61	3	Vertical	88	1.50	30.54	32.85	5.41	34.65
AV	7.41228G	38.07	54.00	-15.93	8.54	3	Vertical	356	1.25	29.53	36.65	6.68	34.79
PK	4.94132G	44.34	74.00	-29.66	3.74	3	Vertical	88	1.50	40.60	32.95	5.43	34.64
PK	7.39248G	49.48	74.00	-24.52	8.62	3	Vertical	356	1.25	40.86	36.73	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93496G	34.72	54.00	-19.28	3.68	3	Horizontal	10	1.50	31.04	32.91	5.42	34.65
AV	7.4148G	38.08	54.00	-15.92	8.54	3	Horizontal	260	1.50	29.54	36.64	6.69	34.79
PK	4.9319G	47.09	74.00	-26.91	3.66	3	Horizontal	10	1.50	43.43	32.89	5.42	34.65
PK	7.39446G	50.18	74.00	-23.82	8.61	3	Horizontal	260	1.50	41.57	36.72	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4768G	91.85	Inf	-Inf	31.87	3	Vertical	102	3.00	59.98	27.65	4.22	-
AV	2.4835G	49.77	54.00	-4.23	31.89	3	Vertical	102	3.00	17.88	27.67	4.22	-
PK	2.476G	101.06	Inf	-Inf	31.87	3	Vertical	102	3.00	69.19	27.65	4.22	-
PK	2.4835G	69.19	74.00	-4.81	31.89	3	Vertical	102	3.00	37.30	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4664G	94.86	Inf	-Inf	31.84	3	Horizontal	65	1.19	63.02	27.63	4.21	-
AV	2.4835G	51.44	54.00	-2.56	31.89	3	Horizontal	65	1.19	19.55	27.67	4.22	-
PK	2.4668G	104.90	Inf	-Inf	31.84	3	Horizontal	65	1.19	73.06	27.63	4.21	-
PK	2.4835G	70.79	74.00	-3.21	31.89	3	Horizontal	65	1.19	38.90	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95408G	34.01	54.00	-19.99	3.82	3	Vertical	70	2.73	30.19	33.02	5.44	34.64
AV	7.41468G	38.07	54.00	-15.93	8.54	3	Vertical	19	1.00	29.53	36.64	6.69	34.79
PK	4.95288G	45.30	74.00	-28.70	3.80	3	Vertical	70	2.73	41.50	33.01	5.43	34.64
PK	7.41732G	49.87	74.00	-24.13	8.53	3	Vertical	19	1.00	41.34	36.63	6.69	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94814G	34.11	54.00	-19.89	3.78	3	Horizontal	314	1.50	30.33	32.99	5.43	34.64
AV	7.41834G	38.08	54.00	-15.92	8.53	3	Horizontal	32	3.00	29.55	36.63	6.69	34.79
PK	4.94982G	46.13	74.00	-27.87	3.79	3	Horizontal	314	1.50	42.34	33.00	5.43	34.64
PK	7.4112G	49.98	74.00	-24.02	8.55	3	Horizontal	32	2.65	41.43	36.66	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.50	54.00	-8.50	31.54	3	Vertical	266	2.72	13.96	27.38	4.16	-
AV	2.416G	96.51	Inf	-Inf	31.64	3	Vertical	266	2.72	64.87	27.46	4.18	-
PK	2.362G	57.50	74.00	-16.50	31.45	3	Vertical	266	2.72	26.05	27.32	4.13	-
PK	2.4144G	105.42	Inf	-Inf	31.64	3	Vertical	266	2.72	73.78	27.46	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.84	54.00	-7.16	31.54	3	Horizontal	298	1.23	15.30	27.38	4.16	-
AV	2.4098G	100.61	Inf	-Inf	31.62	3	Horizontal	298	1.23	68.99	27.44	4.18	-
PK	2.39G	58.63	74.00	-15.37	31.54	3	Horizontal	298	1.23	27.09	27.38	4.16	-
PK	2.4144G	109.72	Inf	-Inf	31.64	3	Horizontal	298	1.23	78.08	27.46	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8267G	34.44	54.00	-19.56	3.05	3	Vertical	248	3.00	31.39	32.36	5.34	34.65
PK	4.82544G	45.38	74.00	-28.62	3.04	3	Vertical	248	3.00	42.34	32.35	5.34	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82376G	35.78	54.00	-18.22	3.03	3	Horizontal	287	1.42	32.75	32.34	5.34	34.65
PK	4.82442G	47.49	74.00	-26.51	3.04	3	Horizontal	287	1.42	44.45	32.35	5.34	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	45.55	54.00	-8.45	31.54	3	Vertical	263	2.84	14.01	27.38	4.16	-
AV	2.4192G	98.83	Inf	-Inf	31.66	3	Vertical	263	2.84	67.17	27.48	4.18	-
PK	2.3776G	58.00	74.00	-16.00	31.51	3	Vertical	263	2.84	26.49	27.36	4.15	-
PK	2.4188G	107.97	Inf	-Inf	31.66	3	Vertical	263	2.84	76.31	27.48	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.93	54.00	-7.07	31.54	3	Horizontal	292	1.14	15.39	27.38	4.16	-
AV	2.4208G	102.30	Inf	-Inf	31.66	3	Horizontal	292	1.14	70.64	27.48	4.18	-
PK	2.3826G	59.11	74.00	-14.89	31.52	3	Horizontal	292	1.14	27.59	27.37	4.15	-
PK	2.4206G	111.54	Inf	-Inf	31.66	3	Horizontal	292	1.14	79.88	27.48	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83046G	34.88	54.00	-19.12	3.07	3	Vertical	267	2.98	31.81	32.38	5.34	34.65
AV	7.2516G	46.12	54.00	-7.88	8.94	3	Vertical	345	2.33	37.18	37.10	6.61	34.77
PK	4.82986G	46.67	74.00	-27.33	3.07	3	Vertical	267	2.98	43.60	32.38	5.34	34.65
PK	7.25454G	59.01	74.00	-14.99	8.94	3	Vertical	345	2.33	50.07	37.10	6.61	34.77

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	36.44	54.00	-17.56	3.10	3	Horizontal	347	1.78	33.34	32.40	5.35	34.65
AV	7.25033G	38.67	54.00	-15.33	8.94	3	Horizontal	114	1.00	29.73	37.10	6.61	34.77
PK	4.83418G	48.71	74.00	-25.29	3.11	3	Horizontal	347	1.78	45.60	32.41	5.35	34.65
PK	7.2509G	50.20	74.00	-23.80	8.94	3	Horizontal	114	1.00	41.26	37.10	6.61	34.77

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.14	54.00	-8.86	31.54	3	Vertical	264	2.50	13.60	27.38	4.16	-
AV	2.435G	100.05	Inf	-Inf	31.73	3	Vertical	264	2.50	68.32	27.54	4.19	-
AV	2.4835G	45.90	54.00	-8.10	31.89	3	Vertical	264	2.50	14.01	27.67	4.22	-
PK	2.371G	56.77	74.00	-17.23	31.48	3	Vertical	264	2.50	25.29	27.34	4.14	-
PK	2.4326G	108.57	Inf	-Inf	31.72	3	Vertical	264	2.50	76.85	27.53	4.19	-
PK	2.4958G	57.79	74.00	-16.21	31.92	3	Vertical	264	2.50	25.87	27.69	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.36	54.00	-7.64	31.54	3	Horizontal	295	1.39	14.82	27.38	4.16	-
AV	2.435G	103.87	Inf	-Inf	31.73	3	Horizontal	295	1.39	72.14	27.54	4.19	-
AV	2.4835G	46.79	54.00	-7.21	31.89	3	Horizontal	295	1.39	14.90	27.67	4.22	-
PK	2.3838G	58.21	74.00	-15.79	31.52	3	Horizontal	295	1.39	26.69	27.37	4.15	-
PK	2.4406G	113.04	Inf	-Inf	31.75	3	Horizontal	295	1.39	81.29	27.56	4.19	-
PK	2.4946G	58.39	74.00	-15.61	31.92	3	Horizontal	295	1.39	26.47	27.69	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87124G	34.35	54.00	-19.65	3.30	3	Vertical	0	1.50	31.05	32.58	5.37	34.65
AV	7.31034G	40.19	54.00	-13.81	8.92	3	Vertical	4	1.50	31.27	37.06	6.64	34.78
PK	4.86998G	45.97	74.00	-28.03	3.30	3	Vertical	0	1.50	42.67	32.58	5.37	34.65
PK	7.31154G	52.48	74.00	-21.52	8.91	3	Vertical	4	1.50	43.57	37.05	6.64	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87172G	35.12	54.00	-18.88	3.31	3	Horizontal	0	2.84	31.81	32.59	5.37	34.65
AV	7.30974G	44.94	54.00	-9.06	8.92	3	Horizontal	282	1.45	36.02	37.06	6.64	34.78
PK	4.87124G	47.31	74.00	-26.69	3.30	3	Horizontal	0	2.84	44.01	32.58	5.37	34.65
PK	7.31292G	57.95	74.00	-16.05	8.91	3	Horizontal	282	1.45	49.04	37.05	6.64	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	98.07	Inf	-Inf	31.81	3	Vertical	249	2.47	66.26	27.61	4.20	-
AV	2.4838G	45.97	54.00	-8.03	31.89	3	Vertical	249	2.47	14.08	27.67	4.22	-
PK	2.453G	106.56	Inf	-Inf	31.81	3	Vertical	249	2.47	74.75	27.61	4.20	-
PK	2.484G	58.18	74.00	-15.82	31.89	3	Vertical	249	2.47	26.29	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.453G	102.09	Inf	-Inf	31.81	3	Horizontal	294	1.29	70.28	27.61	4.20	-
AV	2.4835G	47.00	54.00	-7.00	31.89	3	Horizontal	294	1.29	15.11	27.67	4.22	-
PK	2.4524G	111.02	Inf	-Inf	31.80	3	Horizontal	294	1.29	79.22	27.60	4.20	-
PK	2.487G	59.65	74.00	-14.35	31.89	3	Horizontal	294	1.29	27.76	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91334G	34.26	54.00	-19.74	3.54	3	Vertical	7	1.50	30.72	32.78	5.41	34.65
AV	7.36746G	41.78	54.00	-12.22	8.72	3	Vertical	318	2.93	33.06	36.83	6.67	34.78
PK	4.91766G	45.53	74.00	-28.47	3.57	3	Vertical	7	1.50	41.96	32.81	5.41	34.65
PK	7.36278G	54.47	74.00	-19.53	8.73	3	Vertical	318	2.93	45.74	36.85	6.66	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	35.22	54.00	-18.78	3.54	3	Horizontal	360	1.47	31.68	32.78	5.41	34.65
AV	7.37004G	42.34	54.00	-11.66	8.71	3	Horizontal	280	1.48	33.63	36.82	6.67	34.78
PK	4.91682G	47.24	74.00	-26.76	3.56	3	Horizontal	360	1.47	43.68	32.80	5.41	34.65
PK	7.3659G	54.85	74.00	-19.15	8.72	3	Horizontal	280	1.48	46.13	36.84	6.66	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	97.46	Inf	-Inf	31.83	3	Vertical	260	2.80	65.63	27.62	4.21	-
AV	2.4835G	46.21	54.00	-7.79	31.89	3	Vertical	260	2.80	14.32	27.67	4.22	-
PK	2.4586G	106.89	Inf	-Inf	31.83	3	Vertical	260	2.80	75.06	27.62	4.21	-
PK	2.4856G	57.99	74.00	-16.01	31.89	3	Vertical	260	2.80	26.10	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4584G	100.71	Inf	-Inf	31.83	3	Horizontal	296	1.32	68.88	27.62	4.21	-
AV	2.4835G	47.65	54.00	-6.35	31.89	3	Horizontal	296	1.32	15.76	27.67	4.22	-
PK	2.4598G	109.51	Inf	-Inf	31.83	3	Horizontal	296	1.32	77.68	27.62	4.21	-
PK	2.4835G	59.90	74.00	-14.10	31.89	3	Horizontal	296	1.32	28.01	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92352G	34.16	54.00	-19.84	3.60	3	Vertical	250	1.56	30.56	32.84	5.41	34.65
AV	7.38324G	40.11	54.00	-13.89	8.65	3	Vertical	329	2.95	31.46	36.77	6.67	34.79
PK	4.92754G	44.64	74.00	-29.36	3.64	3	Vertical	250	1.56	41.00	32.87	5.42	34.65
PK	7.38324G	53.49	74.00	-20.51	8.65	3	Vertical	329	2.95	44.84	36.77	6.67	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92412G	35.12	54.00	-18.88	3.60	3	Horizontal	358	1.49	31.52	32.84	5.41	34.65
AV	7.38564G	40.68	54.00	-13.32	8.64	3	Horizontal	280	1.37	32.04	36.76	6.67	34.79
PK	4.92406G	47.24	74.00	-26.76	3.60	3	Horizontal	358	1.49	43.64	32.84	5.41	34.65
PK	7.38738G	52.99	74.00	-21.01	8.63	3	Horizontal	280	1.37	44.36	36.75	6.67	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	92.79	Inf	-Inf	31.84	3	Vertical	255	2.50	60.95	27.63	4.21	-
AV	2.4835G	46.82	54.00	-7.18	31.89	3	Vertical	255	2.50	14.93	27.67	4.22	-
PK	2.4638G	101.95	Inf	-Inf	31.84	3	Vertical	255	2.50	70.11	27.63	4.21	-
PK	2.4835G	57.96	74.00	-16.04	31.89	3	Vertical	255	2.50	26.07	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	96.26	Inf	-Inf	31.84	3	Horizontal	295	1.13	64.42	27.63	4.21	-
AV	2.4835G	48.51	54.00	-5.49	31.89	3	Horizontal	295	1.13	16.62	27.67	4.22	-
PK	2.4642G	105.76	Inf	-Inf	31.84	3	Horizontal	295	1.13	73.92	27.63	4.21	-
PK	2.4835G	59.90	74.00	-14.10	31.89	3	Horizontal	295	1.13	28.01	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92458G	33.98	54.00	-20.02	3.61	3	Vertical	148	1.50	30.37	32.85	5.41	34.65
AV	7.41486G	38.19	54.00	-15.81	8.54	3	Vertical	252	1.50	29.65	36.64	6.69	34.79
PK	4.92116G	44.60	74.00	-29.40	3.59	3	Vertical	148	1.50	41.01	32.83	5.41	34.65
PK	7.40652G	50.04	74.00	-23.96	8.56	3	Vertical	252	1.50	41.48	36.67	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92188G	34.04	54.00	-19.96	3.59	3	Horizontal	149	1.50	30.45	32.83	5.41	34.65
AV	7.40532G	38.28	54.00	-15.72	8.57	3	Horizontal	282	1.50	29.71	36.68	6.68	34.79
PK	4.93502G	46.52	74.00	-27.48	3.68	3	Horizontal	149	1.50	42.84	32.91	5.42	34.65
PK	7.40148G	50.67	74.00	-23.33	8.58	3	Horizontal	282	1.50	42.09	36.69	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4762G	90.20	Inf	-Inf	31.87	3	Vertical	256	3.00	58.33	27.65	4.22	-
AV	2.4835G	49.44	54.00	-4.56	31.89	3	Vertical	256	3.00	17.55	27.67	4.22	-
PK	2.476G	99.36	Inf	-Inf	31.87	3	Vertical	256	3.00	67.49	27.65	4.22	-
PK	2.4835G	66.14	74.00	-7.86	31.89	3	Vertical	256	3.00	34.25	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	93.55	Inf	-Inf	31.84	3	Horizontal	295	1.18	61.71	27.63	4.21	-
AV	2.4835G	51.61	54.00	-2.39	31.89	3	Horizontal	295	1.18	19.72	27.67	4.22	-
PK	2.4676G	102.55	Inf	-Inf	31.85	3	Horizontal	295	1.18	70.70	27.64	4.21	-
PK	2.4835G	70.65	74.00	-3.35	31.89	3	Horizontal	295	1.18	38.76	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95576G	33.99	54.00	-20.01	3.82	3	Vertical	348	1.50	30.17	33.02	5.44	34.64
AV	7.42056G	38.42	54.00	-15.58	8.52	3	Vertical	3	1.50	29.90	36.62	6.69	34.79
PK	4.93176G	44.70	74.00	-29.30	3.66	3	Vertical	348	1.50	41.04	32.89	5.42	34.65
PK	7.40958G	50.97	74.00	-23.03	8.55	3	Vertical	3	1.50	42.42	36.66	6.68	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95378G	34.04	54.00	-19.96	3.82	3	Horizontal	19	1.39	30.22	33.02	5.44	34.64
AV	7.4169G	38.24	54.00	-15.76	8.53	3	Horizontal	298	1.50	29.71	36.63	6.69	34.79
PK	4.9539G	46.34	74.00	-27.66	3.82	3	Horizontal	19	1.39	42.52	33.02	5.44	34.64
PK	7.42062G	51.17	74.00	-22.83	8.52	3	Horizontal	298	1.50	42.65	36.62	6.69	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.02	54.00	-8.98	31.14	3	Vertical	98	2.30	13.88	27.38	3.76	-
AV	2.4156G	95.74	Inf	-Inf	31.24	3	Vertical	98	2.30	64.50	27.46	3.78	-
PK	2.384G	56.78	74.00	-17.22	31.12	3	Vertical	98	2.30	25.66	27.37	3.75	-
PK	2.416G	104.10	Inf	-Inf	31.24	3	Vertical	98	2.30	72.86	27.46	3.78	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.60	54.00	-8.40	31.14	3	Horizontal	57	1.50	14.46	27.38	3.76	-
AV	2.414G	98.12	Inf	-Inf	31.24	3	Horizontal	57	1.50	66.88	27.46	3.78	-
PK	2.39G	58.28	74.00	-15.72	31.14	3	Horizontal	57	1.50	27.14	27.38	3.76	-
PK	2.4086G	106.84	Inf	-Inf	31.21	3	Horizontal	57	1.50	75.63	27.43	3.78	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.812G	34.15	54.00	-19.85	2.94	3	Vertical	257	2.51	31.21	32.27	5.33	34.66
PK	4.82814G	45.34	74.00	-28.66	3.06	3	Vertical	257	2.51	42.28	32.37	5.34	34.65

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81158G	34.24	54.00	-19.76	2.94	3	Horizontal	8	1.50	31.30	32.27	5.33	34.66
PK	4.83636G	46.61	74.00	-27.39	3.12	3	Horizontal	8	1.50	43.49	32.42	5.35	34.65

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	45.01	54.00	-8.99	31.14	3	Vertical	87	2.28	13.87	27.38	3.76	-
AV	2.421G	97.06	Inf	-Inf	31.27	3	Vertical	87	2.28	65.79	27.48	3.79	-
PK	2.3792G	57.12	74.00	-16.88	31.11	3	Vertical	87	2.28	26.01	27.36	3.75	-
PK	2.4194G	105.62	Inf	-Inf	31.27	3	Vertical	87	2.28	74.35	27.48	3.79	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.62	54.00	-8.38	31.14	3	Horizontal	58	1.55	14.48	27.38	3.76	-
AV	2.4206G	99.82	Inf	-Inf	31.27	3	Horizontal	58	1.55	68.55	27.48	3.79	-
PK	2.3884G	57.39	74.00	-16.61	31.14	3	Horizontal	58	1.55	26.25	27.38	3.76	-
PK	2.42G	108.71	Inf	-Inf	31.27	3	Horizontal	58	1.55	77.44	27.48	3.79	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82938G	34.17	54.00	-19.83	3.07	3	Vertical	90	1.50	31.10	32.38	5.34	34.65
AV	7.25196G	39.56	54.00	-14.44	8.94	3	Vertical	346	2.27	30.62	37.10	6.61	34.77
PK	4.8427G	45.71	74.00	-28.29	3.16	3	Vertical	90	1.50	42.55	32.46	5.35	34.65
PK	7.25646G	52.06	74.00	-21.94	8.95	3	Vertical	346	2.27	43.11	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82992G	34.49	54.00	-19.51	3.07	3	Horizontal	63	1.64	31.42	32.38	5.34	34.65
AV	7.25742G	38.72	54.00	-15.28	8.95	3	Horizontal	160	1.50	29.77	37.10	6.62	34.77
PK	4.8295G	46.31	74.00	-27.69	3.07	3	Horizontal	63	1.64	43.24	32.38	5.34	34.65
PK	7.25424G	50.85	74.00	-23.15	8.94	3	Horizontal	160	1.50	41.91	37.10	6.61	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.39	54.00	-9.61	31.14	3	Vertical	88	2.05	13.25	27.38	3.76	-
AV	2.4342G	97.86	Inf	-Inf	31.34	3	Vertical	88	2.05	66.52	27.54	3.80	-
AV	2.4938G	45.16	54.00	-8.84	31.54	3	Vertical	88	2.05	13.62	27.69	3.85	-
PK	2.369G	56.27	74.00	-17.73	31.08	3	Vertical	88	2.05	25.19	27.34	3.74	-
PK	2.4362G	106.67	Inf	-Inf	31.34	3	Vertical	88	2.05	75.33	27.54	3.80	-
PK	2.489G	56.78	74.00	-17.22	31.53	3	Vertical	88	2.05	25.25	27.68	3.85	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.69	54.00	-9.31	31.14	3	Horizontal	58	1.41	13.55	27.38	3.76	-
AV	2.433G	100.42	Inf	-Inf	31.33	3	Horizontal	58	1.41	69.09	27.53	3.80	-
AV	2.4906G	45.45	54.00	-8.55	31.53	3	Horizontal	58	1.41	13.92	27.68	3.85	-
PK	2.3802G	56.50	74.00	-17.50	31.11	3	Horizontal	58	1.41	25.39	27.36	3.75	-
PK	2.4362G	109.07	Inf	-Inf	31.34	3	Horizontal	58	1.41	77.73	27.54	3.80	-
PK	2.4994G	57.21	74.00	-16.79	31.55	3	Horizontal	58	1.41	25.66	27.70	3.85	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8707G	34.06	54.00	-19.94	3.30	3	Vertical	93	2.16	30.76	32.58	5.37	34.65
AV	7.3098G	39.37	54.00	-14.63	8.92	3	Vertical	332	2.26	30.45	37.06	6.64	34.78
PK	4.8707G	44.84	74.00	-29.16	3.30	3	Vertical	93	2.16	41.54	32.58	5.37	34.65
PK	7.30794G	51.44	74.00	-22.56	8.93	3	Vertical	332	2.26	42.51	37.07	6.64	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87466G	34.87	54.00	-19.13	3.33	3	Horizontal	354	1.59	31.54	32.60	5.38	34.65
AV	7.3074G	38.65	54.00	-15.35	8.93	3	Horizontal	276	1.50	29.72	37.07	6.64	34.78
PK	4.87316G	46.91	74.00	-27.09	3.31	3	Horizontal	354	1.59	43.60	32.59	5.37	34.65
PK	7.31292G	50.87	74.00	-23.13	8.91	3	Horizontal	276	1.50	41.96	37.05	6.64	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	96.84	Inf	-Inf	31.43	3	Vertical	94	2.29	65.41	27.61	3.82	-
AV	2.4934G	45.32	54.00	-8.68	31.54	3	Vertical	94	2.29	13.78	27.69	3.85	-
PK	2.4544G	106.04	Inf	-Inf	31.43	3	Vertical	94	2.29	74.61	27.61	3.82	-
PK	2.4835G	57.62	74.00	-16.38	31.51	3	Vertical	94	2.29	26.11	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	99.12	Inf	-Inf	31.43	3	Horizontal	58	1.34	67.69	27.61	3.82	-
AV	2.487G	45.73	54.00	-8.27	31.51	3	Horizontal	58	1.34	14.22	27.67	3.84	-
PK	2.4548G	108.10	Inf	-Inf	31.43	3	Horizontal	58	1.34	76.67	27.61	3.82	-
PK	2.4974G	57.99	74.00	-16.01	31.54	3	Horizontal	58	1.34	26.45	27.69	3.85	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91502G	34.88	54.00	-19.12	3.55	3	Vertical	91	2.83	31.33	32.79	5.41	34.65
AV	7.36548G	38.82	54.00	-15.18	8.72	3	Vertical	4	2.78	30.10	36.84	6.66	34.78
PK	4.91616G	45.05	74.00	-28.95	3.56	3	Vertical	91	2.83	41.49	32.80	5.41	34.65
PK	7.37568G	50.49	74.00	-23.51	8.68	3	Vertical	4	2.78	41.81	36.80	6.67	34.79

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91508G	36.40	54.00	-17.60	3.55	3	Horizontal	11	2.56	32.85	32.79	5.41	34.65
AV	7.35834G	38.52	54.00	-15.48	8.75	3	Horizontal	303	1.50	29.77	36.87	6.66	34.78
PK	4.91652G	49.54	74.00	-24.46	3.56	3	Horizontal	11	2.56	45.98	32.80	5.41	34.65
PK	7.36152G	50.42	74.00	-23.58	8.73	3	Horizontal	303	1.50	41.69	36.85	6.66	34.78

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	95.61	Inf	-Inf	31.44	3	Vertical	93	2.32	64.17	27.62	3.82	-
AV	2.4838G	45.52	54.00	-8.48	31.51	3	Vertical	93	2.32	14.01	27.67	3.84	-
PK	2.4634G	104.67	Inf	-Inf	31.45	3	Vertical	93	2.32	73.22	27.63	3.82	-
PK	2.4886G	57.22	74.00	-16.78	31.53	3	Vertical	93	2.32	25.69	27.68	3.85	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	97.85	Inf	-Inf	31.45	3	Horizontal	57	1.69	66.40	27.63	3.82	-
AV	2.4835G	46.39	54.00	-7.61	31.51	3	Horizontal	57	1.69	14.88	27.67	3.84	-
PK	2.4666G	106.39	Inf	-Inf	31.46	3	Horizontal	57	1.69	74.93	27.63	3.83	-
PK	2.4836G	58.75	74.00	-15.25	31.51	3	Horizontal	57	1.69	27.24	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92244G	34.40	54.00	-19.60	3.59	3	Vertical	100	1.50	30.81	32.83	5.41	34.65
AV	7.37178G	38.32	54.00	-15.68	8.70	3	Vertical	120	1.50	29.62	36.81	6.67	34.78
PK	4.9294G	44.81	74.00	-29.19	3.65	3	Vertical	100	1.50	41.16	32.88	5.42	34.65
PK	7.38318G	50.45	74.00	-23.55	8.65	3	Vertical	120	1.50	41.80	36.77	6.67	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92274G	35.29	54.00	-18.71	3.60	3	Horizontal	66	1.53	31.69	32.84	5.41	34.65
AV	7.37106G	38.38	54.00	-15.62	8.71	3	Horizontal	360	2.31	29.67	36.82	6.67	34.78
PK	4.91956G	46.97	74.00	-27.03	3.58	3	Horizontal	66	1.53	43.39	32.82	5.41	34.65
PK	7.37436G	50.16	74.00	-23.84	8.69	3	Horizontal	360	2.31	41.47	36.80	6.67	34.78

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	92.81	Inf	-Inf	31.45	3	Vertical	95	2.33	61.36	27.63	3.82	-
AV	2.4835G	46.63	54.00	-7.37	31.51	3	Vertical	95	2.33	15.12	27.67	3.84	-
PK	2.4656G	101.52	Inf	-Inf	31.46	3	Vertical	95	2.33	70.06	27.63	3.83	-
PK	2.4835G	59.03	74.00	-14.97	31.51	3	Vertical	95	2.33	27.52	27.67	3.84	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	95.10	Inf	-Inf	31.46	3	Horizontal	58	1.73	63.64	27.63	3.83	-
AV	2.4835G	48.38	54.00	-5.62	31.51	3	Horizontal	58	1.73	16.87	27.67	3.84	-
PK	2.4642G	103.75	Inf	-Inf	31.45	3	Horizontal	58	1.73	72.30	27.63	3.82	-
PK	2.4835G	59.18	74.00	-14.82	31.51	3	Horizontal	58	1.73	27.67	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9238G	34.02	54.00	-19.98	3.60	3	Vertical	359	2.84	30.42	32.84	5.41	34.65
AV	7.41528G	38.13	54.00	-15.87	8.54	3	Vertical	357	1.48	29.59	36.64	6.69	34.79
PK	4.94834G	45.04	74.00	-28.96	3.78	3	Vertical	359	2.84	41.26	32.99	5.43	34.64
PK	7.41498G	50.40	74.00	-23.60	8.54	3	Vertical	357	1.48	41.86	36.64	6.69	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9364G	34.42	54.00	-19.58	3.69	3	Horizontal	354	1.65	30.73	32.92	5.42	34.65
AV	7.4136G	38.16	54.00	-15.84	8.55	3	Horizontal	69	1.50	29.61	36.65	6.69	34.79
PK	4.9352G	46.92	74.00	-27.08	3.68	3	Horizontal	354	1.65	43.24	32.91	5.42	34.65
PK	7.41156G	50.36	74.00	-23.64	8.54	3	Horizontal	69	1.50	41.82	36.65	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	86.88	Inf	-Inf	31.46	3	Vertical	92	2.33	55.42	27.63	3.83	-
AV	2.4835G	47.34	54.00	-6.66	31.51	3	Vertical	92	2.33	15.83	27.67	3.84	-
PK	2.4654G	95.69	Inf	-Inf	31.46	3	Vertical	92	2.33	64.23	27.63	3.83	-
PK	2.4835G	61.65	74.00	-12.35	31.51	3	Vertical	92	2.33	30.14	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)

2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4764G	89.76	Inf	-Inf	31.48	3	Horizontal	58	1.57	58.28	27.65	3.83	-
AV	2.4835G	50.02	54.00	-3.98	31.51	3	Horizontal	58	1.57	18.51	27.67	3.84	-
PK	2.4738G	98.94	Inf	-Inf	31.48	3	Horizontal	58	1.57	67.46	27.65	3.83	-
PK	2.4835G	65.48	74.00	-8.52	31.51	3	Horizontal	58	1.57	33.97	27.67	3.84	-