


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95522G	33.99	54.00	-20.01	3.82	3	Vertical	267	1.50	30.17	33.02	5.44	34.64
AV	7.42248G	38.15	54.00	-15.85	8.51	3	Vertical	95	3.00	29.64	36.61	6.69	34.79
PK	4.94502G	44.53	74.00	-29.47	3.76	3	Vertical	267	1.50	40.77	32.97	5.43	34.64
PK	7.42536G	50.23	74.00	-23.77	8.50	3	Vertical	95	3.00	41.73	36.60	6.69	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95882G	34.01	54.00	-19.99	3.84	3	Horizontal	0	1.50	30.17	33.04	5.44	34.64
AV	7.4208G	38.21	54.00	-15.79	8.52	3	Horizontal	315	1.50	29.69	36.62	6.69	34.79
PK	4.94604G	45.91	74.00	-28.09	3.77	3	Horizontal	0	1.50	42.14	32.98	5.43	34.64
PK	7.41672G	51.25	74.00	-22.75	8.53	3	Horizontal	315	1.50	42.72	36.63	6.69	34.79

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.20	54.00	-8.80	31.14	3	Vertical	255	2.87	14.06	27.38	3.76	-
AV	2.416G	94.24	Inf	-Inf	31.24	3	Vertical	255	2.87	63.00	27.46	3.78	-
PK	2.39G	57.62	74.00	-16.38	31.14	3	Vertical	255	2.87	26.48	27.38	3.76	-
PK	2.4154G	102.64	Inf	-Inf	31.24	3	Vertical	255	2.87	71.40	27.46	3.78	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.32	54.00	-7.68	31.14	3	Horizontal	297	1.00	15.18	27.38	3.76	-
AV	2.4146G	98.29	Inf	-Inf	31.24	3	Horizontal	297	1.00	67.05	27.46	3.78	-
PK	2.3896G	59.45	74.00	-14.55	31.14	3	Horizontal	297	1.00	28.31	27.38	3.76	-
PK	2.4132G	106.90	Inf	-Inf	31.23	3	Horizontal	297	1.00	75.67	27.45	3.78	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX



2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	44.78	54.00	-9.22	31.14	3	Vertical	240	2.88	13.64	27.38	3.76	-
AV	2.4212G	96.13	Inf	-Inf	31.27	3	Vertical	240	2.88	64.86	27.48	3.79	-
PK	2.3852G	56.52	74.00	-17.48	31.12	3	Vertical	240	2.88	25.40	27.37	3.75	-
PK	2.4212G	104.75	Inf	-Inf	31.27	3	Vertical	240	2.88	73.48	27.48	3.79	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.56	54.00	-8.44	31.14	3	Horizontal	295	1.14	14.42	27.38	3.76	-
AV	2.421G	99.96	Inf	-Inf	31.27	3	Horizontal	295	1.14	68.69	27.48	3.79	-
PK	2.389G	57.36	74.00	-16.64	31.14	3	Horizontal	295	1.14	26.22	27.38	3.76	-
PK	2.4206G	108.52	Inf	-Inf	31.27	3	Horizontal	295	1.14	77.25	27.48	3.79	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82912G	35.60	54.00	-18.40	3.06	3	Vertical	3	1.38	32.54	32.37	5.34	34.65
AV	7.25143G	38.59	54.00	-15.41	8.94	3	Vertical	277	2.28	29.65	37.10	6.61	34.77
PK	4.83062G	47.58	74.00	-26.42	3.07	3	Vertical	3	1.38	44.51	32.38	5.34	34.65
PK	7.25066G	50.08	74.00	-23.92	8.94	3	Vertical	277	2.28	41.14	37.10	6.61	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82914G	33.96	54.00	-20.04	3.06	3	Horizontal	82	1.10	30.90	32.37	5.34	34.65
AV	7.25044G	38.67	54.00	-15.33	8.94	3	Horizontal	333	2.40	29.73	37.10	6.61	34.77
PK	4.83808G	46.26	74.00	-27.74	3.13	3	Horizontal	82	1.10	43.13	32.43	5.35	34.65
PK	7.2513G	50.63	74.00	-23.37	8.94	3	Horizontal	333	2.40	41.69	37.10	6.61	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3846G	44.38	54.00	-9.62	31.12	3	Vertical	256	2.24	13.26	27.37	3.75	-
AV	2.4406G	96.97	Inf	-Inf	31.36	3	Vertical	256	2.24	65.61	27.56	3.80	-
AV	2.4954G	45.22	54.00	-8.78	31.54	3	Vertical	256	2.24	13.68	27.69	3.85	-
PK	2.3802G	56.71	74.00	-17.29	31.11	3	Vertical	256	2.24	25.60	27.36	3.75	-
PK	2.4334G	105.99	Inf	-Inf	31.33	3	Vertical	256	2.24	74.66	27.53	3.80	-
PK	2.4906G	57.09	74.00	-16.91	31.53	3	Vertical	256	2.24	25.56	27.68	3.85	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3834G	44.72	54.00	-9.28	31.12	3	Horizontal	300	1.38	13.60	27.37	3.75	-
AV	2.433G	100.43	Inf	-Inf	31.33	3	Horizontal	300	1.38	69.10	27.53	3.80	-
AV	2.4838G	45.37	54.00	-8.63	31.51	3	Horizontal	300	1.38	13.86	27.67	3.84	-
PK	2.3834G	57.04	74.00	-16.96	31.12	3	Horizontal	300	1.38	25.92	27.37	3.75	-
PK	2.4334G	108.97	Inf	-Inf	31.33	3	Horizontal	300	1.38	77.64	27.53	3.80	-
PK	2.4994G	57.49	74.00	-16.51	31.55	3	Horizontal	300	1.38	25.94	27.70	3.85	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86902G	33.64	54.00	-20.36	3.30	3	Vertical	94	2.05	30.34	32.58	5.37	34.65
AV	7.31072G	38.63	54.00	-15.37	8.92	3	Vertical	313	2.17	29.71	37.06	6.64	34.78
PK	4.8701G	45.99	74.00	-28.01	3.30	3	Vertical	94	2.05	42.69	32.58	5.37	34.65
PK	7.3085G	50.09	74.00	-23.91	8.93	3	Vertical	313	2.17	41.16	37.07	6.64	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86986G	33.69	54.00	-20.31	3.30	3	Horizontal	209	2.60	30.39	32.58	5.37	34.65
AV	7.31062G	38.59	54.00	-15.41	8.92	3	Horizontal	298	2.55	29.67	37.06	6.64	34.78
PK	4.8698G	45.84	74.00	-28.16	3.30	3	Horizontal	209	2.60	42.54	32.58	5.37	34.65
PK	7.3069G	49.81	74.00	-24.19	8.93	3	Horizontal	298	2.55	40.88	37.07	6.64	34.78

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	96.09	Inf	-Inf	31.43	3	Vertical	266	2.26	64.66	27.61	3.82	-
AV	2.4836G	45.09	54.00	-8.91	31.51	3	Vertical	266	2.26	13.58	27.67	3.84	-
PK	2.4528G	104.79	Inf	-Inf	31.42	3	Vertical	266	2.26	73.37	27.61	3.81	-
PK	2.4848G	57.72	74.00	-16.28	31.51	3	Vertical	266	2.26	26.21	27.67	3.84	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4532G	99.79	Inf	-Inf	31.43	3	Horizontal	295	1.29	68.36	27.61	3.82	-
AV	2.4835G	45.52	54.00	-8.48	31.51	3	Horizontal	295	1.29	14.01	27.67	3.84	-
PK	2.4526G	109.05	Inf	-Inf	31.42	3	Horizontal	295	1.29	77.63	27.61	3.81	-
PK	2.484G	58.01	74.00	-15.99	31.51	3	Horizontal	295	1.29	26.50	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91094G	33.94	54.00	-20.06	3.52	3	Vertical	98	1.47	30.42	32.77	5.40	34.65
AV	7.36676G	38.40	54.00	-15.60	8.72	3	Vertical	46	1.96	29.68	36.83	6.67	34.78
PK	4.9154G	46.44	74.00	-27.56	3.55	3	Vertical	98	1.47	42.89	32.79	5.41	34.65
PK	7.36886G	49.71	74.00	-24.29	8.71	3	Vertical	46	1.96	41.00	36.82	6.67	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91892G	33.97	54.00	-20.03	3.57	3	Horizontal	319	2.39	30.40	32.81	5.41	34.65
AV	7.36696G	38.41	54.00	-15.59	8.72	3	Horizontal	271	2.07	29.69	36.83	6.67	34.78
PK	4.909G	46.16	74.00	-27.84	3.50	3	Horizontal	319	2.39	42.66	32.75	5.40	34.65
PK	7.36926G	50.07	74.00	-23.93	8.71	3	Horizontal	271	2.07	41.36	36.82	6.67	34.78

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4584G	94.08	Inf	-Inf	31.44	3	Vertical	255	2.47	62.64	27.62	3.82	-
AV	2.4838G	45.43	54.00	-8.57	31.51	3	Vertical	255	2.47	13.92	27.67	3.84	-
PK	2.458G	102.55	Inf	-Inf	31.44	3	Vertical	255	2.47	71.11	27.62	3.82	-
PK	2.4838G	57.71	74.00	-16.29	31.51	3	Vertical	255	2.47	26.20	27.67	3.84	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	97.81	Inf	-Inf	31.44	3	Horizontal	293	1.12	66.37	27.62	3.82	-
AV	2.4835G	46.29	54.00	-7.71	31.51	3	Horizontal	293	1.12	14.78	27.67	3.84	-
PK	2.4652G	106.51	Inf	-Inf	31.46	3	Horizontal	293	1.12	75.05	27.63	3.83	-
PK	2.484G	58.33	74.00	-15.67	31.51	3	Horizontal	293	1.12	26.82	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92462G	34.03	54.00	-19.97	3.61	3	Vertical	27	2.39	30.42	32.85	5.41	34.65
AV	7.38192G	38.04	54.00	-15.96	8.65	3	Vertical	304	2.07	29.39	36.77	6.67	34.79
PK	4.92764G	45.95	74.00	-28.05	3.64	3	Vertical	27	2.39	42.31	32.87	5.42	34.65
PK	7.39024G	49.47	74.00	-24.53	8.63	3	Vertical	304	2.07	40.84	36.74	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.923G	34.00	54.00	-20.00	3.60	3	Horizontal	108	2.75	30.40	32.84	5.41	34.65
AV	7.3812G	38.06	54.00	-15.94	8.66	3	Horizontal	266	1.42	29.40	36.78	6.67	34.79
PK	4.9246G	46.59	74.00	-27.41	3.61	3	Horizontal	108	2.75	42.98	32.85	5.41	34.65
PK	7.38982G	49.76	74.00	-24.24	8.63	3	Horizontal	266	1.42	41.13	36.74	6.68	34.79

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	90.25	Inf	-Inf	31.45	3	Vertical	254	2.47	58.80	27.63	3.82	-
AV	2.4835G	45.65	54.00	-8.35	31.51	3	Vertical	254	2.47	14.14	27.67	3.84	-
PK	2.4644G	98.85	Inf	-Inf	31.45	3	Vertical	254	2.47	67.40	27.63	3.82	-
PK	2.4956G	57.07	74.00	-16.93	31.54	3	Vertical	254	2.47	25.53	27.69	3.85	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	94.12	Inf	-Inf	31.45	3	Horizontal	297	1.11	62.67	27.63	3.82	-
AV	2.4835G	46.81	54.00	-7.19	31.51	3	Horizontal	297	1.11	15.30	27.67	3.84	-
PK	2.463G	102.78	Inf	-Inf	31.45	3	Horizontal	297	1.11	71.33	27.63	3.82	-
PK	2.4836G	58.11	74.00	-15.89	31.51	3	Horizontal	297	1.11	26.60	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	33.88	54.00	-20.12	3.71	3	Vertical	347	2.98	30.17	32.93	5.42	34.64
AV	7.40546G	38.03	54.00	-15.97	8.57	3	Vertical	310	2.10	29.46	36.68	6.68	34.79
PK	4.93832G	46.35	74.00	-27.65	3.71	3	Vertical	347	2.98	42.64	32.93	5.42	34.64
PK	7.4005G	49.90	74.00	-24.10	8.59	3	Vertical	310	2.10	41.31	36.70	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92972G	33.79	54.00	-20.21	3.65	3	Horizontal	139	2.70	30.14	32.88	5.42	34.65
AV	7.40448G	37.96	54.00	-16.04	8.57	3	Horizontal	353	2.60	29.39	36.68	6.68	34.79
PK	4.93346G	46.28	74.00	-27.72	3.67	3	Horizontal	139	2.70	42.61	32.90	5.42	34.65
PK	7.40346G	49.54	74.00	-24.46	8.58	3	Horizontal	353	2.60	40.96	36.69	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4758G	88.78	Inf	-Inf	31.48	3	Vertical	264	3.00	57.30	27.65	3.83	-
AV	2.4835G	49.32	54.00	-4.68	31.51	3	Vertical	264	3.00	17.81	27.67	3.84	-
PK	2.4774G	97.54	Inf	-Inf	31.49	3	Vertical	264	3.00	66.05	27.65	3.84	-
PK	2.4835G	66.94	74.00	-7.06	31.51	3	Vertical	264	3.00	35.43	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	92.18	Inf	-Inf	31.46	3	Horizontal	297	1.07	60.72	27.63	3.83	-
AV	2.4835G	51.31	54.00	-2.69	31.51	3	Horizontal	297	1.07	19.80	27.67	3.84	-
PK	2.4664G	101.03	Inf	-Inf	31.46	3	Horizontal	297	1.07	69.57	27.63	3.83	-
PK	2.4836G	67.61	74.00	-6.39	31.51	3	Horizontal	297	1.07	36.10	27.67	3.84	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9479G	33.91	54.00	-20.09	3.78	3	Vertical	181	1.49	30.13	32.99	5.43	34.64
AV	7.4158G	38.14	54.00	-15.86	8.54	3	Vertical	343	1.18	29.60	36.64	6.69	34.79
PK	4.9459G	46.51	74.00	-27.49	3.77	3	Vertical	181	1.49	42.74	32.98	5.43	34.64
PK	7.41712G	49.19	74.00	-24.81	8.53	3	Vertical	343	1.18	40.66	36.63	6.69	34.79

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9473G	33.97	54.00	-20.03	3.77	3	Horizontal	221	2.74	30.20	32.98	5.43	34.64
AV	7.41776G	38.13	54.00	-15.87	8.53	3	Horizontal	308	2.10	29.60	36.63	6.69	34.79
PK	4.94252G	46.88	74.00	-27.12	3.75	3	Horizontal	221	2.74	43.13	32.96	5.43	34.64
PK	7.4139G	49.84	74.00	-24.16	8.54	3	Horizontal	308	2.10	41.30	36.64	6.69	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.87	54.00	-6.13	31.54	3	Vertical	90	2.84	16.33	27.38	4.16	-
AV	2.4158G	100.90	Inf	-Inf	31.64	3	Vertical	90	2.84	69.26	27.46	4.18	-
PK	2.3898G	60.53	74.00	-13.47	31.54	3	Vertical	90	2.84	28.99	27.38	4.16	-
PK	2.4144G	110.20	Inf	-Inf	31.64	3	Vertical	90	2.84	78.56	27.46	4.18	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.10	54.00	-2.90	31.54	3	Horizontal	300	1.20	19.56	27.38	4.16	-
AV	2.414G	104.42	Inf	-Inf	31.64	3	Horizontal	300	1.20	72.78	27.46	4.18	-
PK	2.3898G	67.27	74.00	-6.73	31.54	3	Horizontal	300	1.20	35.73	27.38	4.16	-
PK	2.4136G	112.85	Inf	-Inf	31.63	3	Horizontal	300	1.20	81.22	27.45	4.18	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS8)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8239G	36.66	54.00	-17.34	3.03	3	Vertical	254	2.91	33.63	32.34	5.34	34.65
PK	4.82626G	49.41	74.00	-24.59	3.05	3	Vertical	254	2.91	46.36	32.36	5.34	34.65

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS8)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82418G	36.62	54.00	-17.38	3.04	3	Horizontal	158	1.74	33.58	32.35	5.34	34.65
PK	4.8247G	48.83	74.00	-25.17	3.04	3	Horizontal	158	1.74	45.79	32.35	5.34	34.65

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.81	54.00	-2.19	31.14	3	Vertical	259	2.82	20.67	27.38	3.76	-
AV	2.413G	99.25	Inf	-Inf	31.23	3	Vertical	259	2.82	68.02	27.45	3.78	-
PK	2.3892G	64.59	74.00	-9.41	31.14	3	Vertical	259	2.82	33.45	27.38	3.76	-
PK	2.4132G	109.57	Inf	-Inf	31.23	3	Vertical	259	2.82	78.34	27.45	3.78	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.45	54.00	-2.55	31.14	3	Horizontal	68	1.02	20.31	27.38	3.76	-
AV	2.4132G	102.39	Inf	-Inf	31.23	3	Horizontal	68	1.02	71.16	27.45	3.78	-
PK	2.3892G	65.14	74.00	-8.86	31.14	3	Horizontal	68	1.02	34.00	27.38	3.76	-
PK	2.4134G	111.48	Inf	-Inf	31.23	3	Horizontal	68	1.02	80.25	27.45	3.78	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8296G	35.60	54.00	-18.40	3.07	3	Vertical	105	1.79	32.53	32.38	5.34	34.65
AV	7.25014G	40.71	54.00	-13.29	8.94	3	Vertical	250	1.41	31.77	37.10	6.61	34.77
PK	4.82958G	47.74	74.00	-26.26	3.07	3	Vertical	105	1.79	44.67	32.38	5.34	34.65
PK	7.25045G	53.40	74.00	-20.60	8.94	3	Vertical	250	1.41	44.46	37.10	6.61	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.829G	35.59	54.00	-18.41	3.06	3	Horizontal	148	1.14	32.53	32.37	5.34	34.65
AV	7.25002G	40.72	54.00	-13.28	8.94	3	Horizontal	331	1.47	31.78	37.10	6.61	34.77
PK	4.8305G	47.80	74.00	-26.20	3.07	3	Horizontal	148	1.14	44.73	32.38	5.34	34.65
PK	7.25027G	53.54	74.00	-20.46	8.94	3	Horizontal	331	1.47	44.60	37.10	6.61	34.77

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	46.91	54.00	-7.09	31.54	3	Vertical	89	2.05	15.37	27.38	4.16	-
AV	2.4342G	103.76	Inf	-Inf	31.73	3	Vertical	89	2.05	72.03	27.54	4.19	-
AV	2.4838G	48.20	54.00	-5.80	31.89	3	Vertical	89	2.05	16.31	27.67	4.22	-
PK	2.3866G	58.41	74.00	-15.59	31.53	3	Vertical	89	2.05	26.88	27.37	4.16	-
PK	2.4338G	112.39	Inf	-Inf	31.73	3	Vertical	89	2.05	80.66	27.54	4.19	-
PK	2.4846G	59.49	74.00	-14.51	31.89	3	Vertical	89	2.05	27.60	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	50.41	54.00	-3.59	31.54	3	Horizontal	299	1.10	18.87	27.38	4.16	-
AV	2.4342G	107.15	Inf	-Inf	31.73	3	Horizontal	299	1.10	75.42	27.54	4.19	-
AV	2.4838G	50.02	54.00	-3.98	31.89	3	Horizontal	299	1.10	18.13	27.67	4.22	-
PK	2.3898G	62.52	74.00	-11.48	31.54	3	Horizontal	299	1.10	30.98	27.38	4.16	-
PK	2.433G	115.56	Inf	-Inf	31.72	3	Horizontal	299	1.10	83.84	27.53	4.19	-
PK	2.4838G	62.51	74.00	-11.49	31.89	3	Horizontal	299	1.10	30.62	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86958G	33.63	54.00	-20.37	3.30	3	Vertical	113	1.76	30.33	32.58	5.37	34.65
AV	7.31111G	38.62	54.00	-15.38	8.92	3	Vertical	338	2.39	29.70	37.06	6.64	34.78
PK	4.87712G	46.03	74.00	-27.97	3.34	3	Vertical	113	1.76	42.69	32.61	5.38	34.65
PK	7.3121G	50.16	74.00	-23.84	8.91	3	Vertical	338	2.39	41.25	37.05	6.64	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.869G	33.71	54.00	-20.29	3.30	3	Horizontal	248	2.47	30.41	32.58	5.37	34.65
AV	7.31318G	38.62	54.00	-15.38	8.91	3	Horizontal	185	1.61	29.71	37.05	6.64	34.78
PK	4.86998G	46.05	74.00	-27.95	3.30	3	Horizontal	248	2.47	42.75	32.58	5.37	34.65
PK	7.31174G	49.71	74.00	-24.29	8.91	3	Horizontal	185	1.61	40.80	37.05	6.64	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4532G	99.16	Inf	-Inf	31.81	3	Vertical	100	3.00	67.35	27.61	4.20	-
AV	2.4836G	49.28	54.00	-4.72	31.89	3	Vertical	100	3.00	17.39	27.67	4.22	-
PK	2.4544G	108.54	Inf	-Inf	31.81	3	Vertical	100	3.00	76.73	27.61	4.20	-
PK	2.4835G	62.86	74.00	-11.14	31.89	3	Vertical	100	3.00	30.97	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	101.58	Inf	-Inf	31.81	3	Horizontal	61	1.27	69.77	27.61	4.20	-
AV	2.4835G	50.76	54.00	-3.24	31.89	3	Horizontal	61	1.27	18.87	27.67	4.22	-
PK	2.4558G	111.41	Inf	-Inf	31.81	3	Horizontal	61	1.27	79.60	27.61	4.20	-
PK	2.4848G	65.36	74.00	-8.64	31.89	3	Horizontal	61	1.27	33.47	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91428G	33.95	54.00	-20.05	3.55	3	Vertical	106	1.74	30.40	32.79	5.41	34.65
AV	7.36984G	38.34	54.00	-15.66	8.71	3	Vertical	323	2.34	29.63	36.82	6.67	34.78
PK	4.90926G	46.29	74.00	-27.71	3.51	3	Vertical	106	1.74	42.78	32.76	5.40	34.65
PK	7.36774G	49.78	74.00	-24.22	8.72	3	Vertical	323	2.34	41.06	36.83	6.67	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91218G	33.95	54.00	-20.05	3.52	3	Horizontal	239	1.85	30.43	32.77	5.40	34.65
AV	7.3683G	38.40	54.00	-15.60	8.72	3	Horizontal	214	2.88	29.68	36.83	6.67	34.78
PK	4.91398G	46.44	74.00	-27.56	3.54	3	Horizontal	239	1.85	42.90	32.78	5.41	34.65
PK	7.36702G	49.57	74.00	-24.43	8.72	3	Horizontal	214	2.88	40.85	36.83	6.67	34.78

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	100.96	Inf	-Inf	31.82	3	Vertical	92	2.33	69.14	27.62	4.20	-
AV	2.4842G	48.36	54.00	-5.64	31.89	3	Vertical	92	2.33	16.47	27.67	4.22	-
PK	2.4594G	109.89	Inf	-Inf	31.83	3	Vertical	92	2.33	78.06	27.62	4.21	-
PK	2.484G	62.75	74.00	-11.25	31.89	3	Vertical	92	2.33	30.86	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	103.62	Inf	-Inf	31.83	3	Horizontal	298	1.06	71.79	27.62	4.21	-
AV	2.4835G	52.06	54.00	-1.94	31.89	3	Horizontal	298	1.06	20.17	27.67	4.22	-
PK	2.4594G	112.26	Inf	-Inf	31.83	3	Horizontal	298	1.06	80.43	27.62	4.21	-
PK	2.484G	66.07	74.00	-7.93	31.89	3	Horizontal	298	1.06	34.18	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92254G	34.03	54.00	-19.97	3.60	3	Vertical	3	1.98	30.43	32.84	5.41	34.65
AV	7.38356G	37.99	54.00	-16.01	8.65	3	Vertical	319	2.02	29.34	36.77	6.67	34.79
PK	4.92086G	46.22	74.00	-27.78	3.59	3	Vertical	3	1.98	42.63	32.83	5.41	34.65
PK	7.38514G	50.06	74.00	-23.94	8.64	3	Vertical	319	2.02	41.42	36.76	6.67	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92348G	34.01	54.00	-19.99	3.60	3	Horizontal	350	1.43	30.41	32.84	5.41	34.65
AV	7.38434G	38.03	54.00	-15.97	8.64	3	Horizontal	313	1.59	29.39	36.76	6.67	34.79
PK	4.9221G	45.90	74.00	-28.10	3.59	3	Horizontal	350	1.43	42.31	32.83	5.41	34.65
PK	7.38662G	49.19	74.00	-24.81	8.63	3	Horizontal	313	1.59	40.56	36.75	6.67	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.471G	94.17	Inf	-Inf	31.85	3	Vertical	94	2.64	62.32	27.64	4.21	-
AV	2.4835G	47.56	54.00	-6.44	31.89	3	Vertical	94	2.64	15.67	27.67	4.22	-
PK	2.4668G	102.52	Inf	-Inf	31.84	3	Vertical	94	2.64	70.68	27.63	4.21	-
PK	2.4838G	58.39	74.00	-15.61	31.89	3	Vertical	94	2.64	26.50	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	96.57	Inf	-Inf	31.84	3	Horizontal	301	1.20	64.73	27.63	4.21	-
AV	2.4835G	48.77	54.00	-5.23	31.89	3	Horizontal	301	1.20	16.88	27.67	4.22	-
PK	2.4636G	105.03	Inf	-Inf	31.84	3	Horizontal	301	1.20	73.19	27.63	4.21	-
PK	2.4835G	59.56	74.00	-14.44	31.89	3	Horizontal	301	1.20	27.67	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93618G	33.77	54.00	-20.23	3.69	3	Vertical	301	2.57	30.08	32.92	5.42	34.65
AV	7.40526G	38.01	54.00	-15.99	8.57	3	Vertical	157	2.58	29.44	36.68	6.68	34.79
PK	4.93152G	46.03	74.00	-27.97	3.66	3	Vertical	301	2.57	42.37	32.89	5.42	34.65
PK	7.39714G	49.25	74.00	-24.75	8.60	3	Vertical	157	2.58	40.65	36.71	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93382G	33.81	54.00	-20.19	3.67	3	Horizontal	230	1.35	30.14	32.90	5.42	34.65
AV	7.40312G	37.96	54.00	-16.04	8.58	3	Horizontal	53	2.27	29.38	36.69	6.68	34.79
PK	4.9376G	46.70	74.00	-27.30	3.71	3	Horizontal	230	1.35	42.99	32.93	5.42	34.64
PK	7.3991G	49.27	74.00	-24.73	8.59	3	Horizontal	53	2.27	40.68	36.70	6.68	34.79

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	90.11	Inf	-Inf	31.84	3	Vertical	93	2.19	58.27	27.63	4.21	-
AV	2.4835G	48.88	54.00	-5.12	31.89	3	Vertical	93	2.19	16.99	27.67	4.22	-
PK	2.466G	99.07	Inf	-Inf	31.84	3	Vertical	93	2.19	67.23	27.63	4.21	-
PK	2.4835G	66.01	74.00	-7.99	31.89	3	Vertical	93	2.19	34.12	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4752G	92.90	Inf	-Inf	31.87	3	Horizontal	297	1.38	61.03	27.65	4.22	-
AV	2.4835G	48.94	54.00	-5.06	31.89	3	Horizontal	297	1.38	17.05	27.67	4.22	-
PK	2.4738G	101.97	Inf	-Inf	31.86	3	Horizontal	297	1.38	70.11	27.65	4.21	-
PK	2.4835G	70.01	74.00	-3.99	31.89	3	Horizontal	297	1.38	38.12	27.67	4.22	-

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9488G	33.93	54.00	-20.07	3.78	3	Vertical	164	1.49	30.15	32.99	5.43	34.64
AV	7.42064G	38.08	54.00	-15.92	8.52	3	Vertical	139	1.53	29.56	36.62	6.69	34.79
PK	4.94848G	46.87	74.00	-27.13	3.78	3	Vertical	164	1.49	43.09	32.99	5.43	34.64
PK	7.41994G	49.86	74.00	-24.14	8.52	3	Vertical	139	1.53	41.34	36.62	6.69	34.79

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94854G	33.87	54.00	-20.13	3.78	3	Horizontal	62	1.07	30.09	32.99	5.43	34.64
AV	7.41484G	38.15	54.00	-15.85	8.54	3	Horizontal	166	1.78	29.61	36.64	6.69	34.79
PK	4.94492G	46.08	74.00	-27.92	3.76	3	Horizontal	62	1.07	42.32	32.97	5.43	34.64
PK	7.41898G	49.99	74.00	-24.01	8.52	3	Horizontal	166	1.78	41.47	36.62	6.69	34.79

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.44	54.00	-8.56	31.14	3	Vertical	86	2.04	14.30	27.38	3.76	-
AV	2.4316G	93.10	Inf	-Inf	31.33	3	Vertical	86	2.04	61.77	27.53	3.80	-
AV	2.4896G	45.22	54.00	-8.78	31.53	3	Vertical	86	2.04	13.69	27.68	3.85	-
PK	2.384G	56.98	74.00	-17.02	31.12	3	Vertical	86	2.04	25.86	27.37	3.75	-
PK	2.4304G	102.09	Inf	-Inf	31.32	3	Vertical	86	2.04	70.77	27.52	3.80	-
PK	2.4872G	57.32	74.00	-16.68	31.51	3	Vertical	86	2.04	25.81	27.67	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.49	54.00	-7.51	31.14	3	Horizontal	56	1.39	15.35	27.38	3.76	-
AV	2.4312G	96.15	Inf	-Inf	31.32	3	Horizontal	56	1.39	64.83	27.52	3.80	-
AV	2.488G	45.47	54.00	-8.53	31.52	3	Horizontal	56	1.39	13.95	27.68	3.84	-
PK	2.3896G	60.17	74.00	-13.83	31.14	3	Horizontal	56	1.39	29.03	27.38	3.76	-
PK	2.4304G	105.21	Inf	-Inf	31.32	3	Horizontal	56	1.39	73.89	27.52	3.80	-
PK	2.4972G	59.15	74.00	-14.85	31.54	3	Horizontal	56	1.39	27.61	27.69	3.85	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84762G	33.69	54.00	-20.31	3.20	3	Vertical	272	1.16	30.49	32.49	5.36	34.65
AV	7.261G	39.77	54.00	-14.23	8.95	3	Vertical	346	1.00	30.82	37.10	6.62	34.77
PK	4.84734G	45.79	74.00	-28.21	3.19	3	Vertical	272	1.16	42.60	32.48	5.36	34.65
PK	7.26222G	51.07	74.00	-22.93	8.95	3	Vertical	346	1.00	42.12	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8483G	33.68	54.00	-20.32	3.20	3	Horizontal	138	2.39	30.48	32.49	5.36	34.65
AV	7.26104G	39.85	54.00	-14.15	8.95	3	Horizontal	62	2.05	30.90	37.10	6.62	34.77
PK	4.83976G	45.61	74.00	-28.39	3.14	3	Horizontal	138	2.39	42.47	32.44	5.35	34.65
PK	7.2635G	51.56	74.00	-22.44	8.95	3	Horizontal	62	2.05	42.61	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.82	54.00	-5.18	31.14	3	Vertical	87	2.06	17.68	27.38	3.76	-
AV	2.4358G	95.17	Inf	-Inf	31.34	3	Vertical	87	2.06	63.83	27.54	3.80	-
AV	2.4846G	46.44	54.00	-7.56	31.51	3	Vertical	87	2.06	14.93	27.67	3.84	-
PK	2.3894G	63.32	74.00	-10.68	31.14	3	Vertical	87	2.06	32.18	27.38	3.76	-
PK	2.437G	104.15	Inf	-Inf	31.35	3	Vertical	87	2.06	72.80	27.55	3.80	-
PK	2.485G	58.64	74.00	-15.36	31.51	3	Vertical	87	2.06	27.13	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.08	54.00	-2.92	31.14	3	Horizontal	56	1.39	19.94	27.38	3.76	-
AV	2.4318G	97.76	Inf	-Inf	31.33	3	Horizontal	56	1.39	66.43	27.53	3.80	-
AV	2.4838G	47.58	54.00	-6.42	31.51	3	Horizontal	56	1.39	16.07	27.67	3.84	-
PK	2.3898G	67.53	74.00	-6.47	31.14	3	Horizontal	56	1.39	36.39	27.38	3.76	-
PK	2.433G	106.94	Inf	-Inf	31.33	3	Horizontal	56	1.39	75.61	27.53	3.80	-
PK	2.4838G	60.71	74.00	-13.29	31.51	3	Horizontal	56	1.39	29.20	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8551G	33.92	54.00	-20.08	3.23	3	Vertical	47	1.75	30.69	32.52	5.36	34.65
AV	7.27956G	38.40	54.00	-15.60	8.96	3	Vertical	62	1.40	29.44	37.10	6.63	34.77
PK	4.85318G	46.22	74.00	-27.78	3.22	3	Vertical	47	1.75	43.00	32.51	5.36	34.65
PK	7.28096G	50.29	74.00	-23.71	8.96	3	Vertical	62	1.40	41.33	37.10	6.63	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85396G	33.92	54.00	-20.08	3.23	3	Horizontal	206	1.18	30.69	32.52	5.36	34.65
AV	7.276G	38.42	54.00	-15.58	8.95	3	Horizontal	3	2.25	29.47	37.10	6.62	34.77
PK	4.85664G	46.06	74.00	-27.94	3.24	3	Horizontal	206	1.18	42.82	32.53	5.36	34.65
PK	7.27934G	50.91	74.00	-23.09	8.96	3	Horizontal	3	2.25	41.95	37.10	6.63	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.29	54.00	-7.71	31.14	3	Vertical	87	2.06	15.15	27.38	3.76	-
AV	2.4398G	95.66	Inf	-Inf	31.36	3	Vertical	87	2.06	64.30	27.56	3.80	-
AV	2.4835G	48.33	54.00	-5.67	31.51	3	Vertical	87	2.06	16.82	27.67	3.84	-
PK	2.3898G	58.51	74.00	-15.49	31.14	3	Vertical	87	2.06	27.37	27.38	3.76	-
PK	2.4386G	104.90	Inf	-Inf	31.35	3	Vertical	87	2.06	73.55	27.55	3.80	-
PK	2.4862G	61.00	74.00	-13.00	31.51	3	Vertical	87	2.06	29.49	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.94	54.00	-6.06	31.14	3	Horizontal	57	1.39	16.80	27.38	3.76	-
AV	2.4314G	98.18	Inf	-Inf	31.33	3	Horizontal	57	1.39	66.85	27.53	3.80	-
AV	2.4835G	50.59	54.00	-3.41	31.51	3	Horizontal	57	1.39	19.08	27.67	3.84	-
PK	2.3898G	60.76	74.00	-13.24	31.14	3	Horizontal	57	1.39	29.62	27.38	3.76	-
PK	2.429G	107.54	Inf	-Inf	31.31	3	Horizontal	57	1.39	76.23	27.52	3.79	-
PK	2.4838G	63.99	74.00	-10.01	31.51	3	Horizontal	57	1.39	32.48	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86952G	33.68	54.00	-20.32	3.30	3	Vertical	158	1.76	30.38	32.58	5.37	34.65
AV	7.31396G	38.60	54.00	-15.40	8.90	3	Vertical	258	1.85	29.70	37.04	6.64	34.78
PK	4.87284G	45.65	74.00	-28.35	3.31	3	Vertical	158	1.76	42.34	32.59	5.37	34.65
PK	7.31392G	49.97	74.00	-24.03	8.90	3	Vertical	258	1.85	41.07	37.04	6.64	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86912G	33.67	54.00	-20.33	3.30	3	Horizontal	160	1.36	30.37	32.58	5.37	34.65
AV	7.3108G	38.57	54.00	-15.43	8.92	3	Horizontal	196	1.31	29.65	37.06	6.64	34.78
PK	4.87002G	45.66	74.00	-28.34	3.30	3	Horizontal	160	1.36	42.36	32.58	5.37	34.65
PK	7.31244G	50.13	74.00	-23.87	8.91	3	Horizontal	196	1.31	41.22	37.05	6.64	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	44.98	54.00	-9.02	31.13	3	Vertical	80	2.86	13.85	27.37	3.76	-
AV	2.441G	93.70	Inf	-Inf	31.36	3	Vertical	80	2.86	62.34	27.56	3.80	-
AV	2.4835G	49.26	54.00	-4.74	31.51	3	Vertical	80	2.86	17.75	27.67	3.84	-
PK	2.359G	56.63	74.00	-17.37	31.05	3	Vertical	80	2.86	25.58	27.32	3.73	-
PK	2.441G	103.10	Inf	-Inf	31.36	3	Vertical	80	2.86	71.74	27.56	3.80	-
PK	2.4842G	64.00	74.00	-10.00	31.51	3	Vertical	80	2.86	32.49	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.51	54.00	-8.49	31.14	3	Horizontal	62	1.39	14.37	27.38	3.76	-
AV	2.441G	97.28	Inf	-Inf	31.36	3	Horizontal	62	1.39	65.92	27.56	3.80	-
AV	2.4835G	51.82	54.00	-2.18	31.51	3	Horizontal	62	1.39	20.31	27.67	3.84	-
PK	2.3834G	57.95	74.00	-16.05	31.12	3	Horizontal	62	1.39	26.83	27.37	3.75	-
PK	2.4426G	105.82	Inf	-Inf	31.38	3	Horizontal	62	1.39	74.44	27.57	3.81	-
PK	2.4835G	67.25	74.00	-6.75	31.51	3	Horizontal	62	1.39	35.74	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8968G	33.49	54.00	-20.51	3.43	3	Vertical	227	2.17	30.06	32.69	5.39	34.65
AV	7.34436G	38.25	54.00	-15.75	8.79	3	Vertical	68	1.28	29.46	36.92	6.65	34.78
PK	4.897G	45.73	74.00	-28.27	3.43	3	Vertical	227	2.17	42.30	32.69	5.39	34.65
PK	7.34032G	50.14	74.00	-23.86	8.81	3	Vertical	68	1.28	41.33	36.94	6.65	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89768G	33.50	54.00	-20.50	3.43	3	Horizontal	118	2.87	30.07	32.69	5.39	34.65
AV	7.33938G	38.27	54.00	-15.73	8.81	3	Horizontal	137	2.73	29.46	36.94	6.65	34.78
PK	4.89296G	45.85	74.00	-28.15	3.41	3	Horizontal	118	2.87	42.44	32.67	5.39	34.65
PK	7.3433G	50.44	74.00	-23.56	8.80	3	Horizontal	137	2.73	41.64	36.93	6.65	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.52	54.00	-9.48	31.14	3	Vertical	93	2.32	13.38	27.38	3.76	-
AV	2.4616G	92.91	Inf	-Inf	31.44	3	Vertical	93	2.32	61.47	27.62	3.82	-
AV	2.4835G	46.47	54.00	-7.53	31.51	3	Vertical	93	2.32	14.96	27.67	3.84	-
PK	2.3888G	56.52	74.00	-17.48	31.14	3	Vertical	93	2.32	25.38	27.38	3.76	-
PK	2.4612G	101.75	Inf	-Inf	31.44	3	Vertical	93	2.32	70.31	27.62	3.82	-
PK	2.4852G	58.87	74.00	-15.13	31.51	3	Vertical	93	2.32	27.36	27.67	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.61	54.00	-9.39	31.14	3	Horizontal	59	1.31	13.47	27.38	3.76	-
AV	2.4544G	95.11	Inf	-Inf	31.43	3	Horizontal	59	1.31	63.68	27.61	3.82	-
AV	2.4835G	48.03	54.00	-5.97	31.51	3	Horizontal	59	1.31	16.52	27.67	3.84	-
PK	2.3836G	57.33	74.00	-16.67	31.12	3	Horizontal	59	1.31	26.21	27.37	3.75	-
PK	2.456G	104.45	Inf	-Inf	31.43	3	Horizontal	59	1.31	73.02	27.61	3.82	-
PK	2.488G	62.26	74.00	-11.74	31.52	3	Horizontal	59	1.31	30.74	27.68	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90892G	33.88	54.00	-20.12	3.50	3	Vertical	216	1.04	30.38	32.75	5.40	34.65
AV	7.35732G	38.40	54.00	-15.60	8.75	3	Vertical	291	2.83	29.65	36.87	6.66	34.78
PK	4.90864G	46.67	74.00	-27.33	3.50	3	Vertical	216	1.04	43.17	32.75	5.40	34.65
PK	7.35308G	50.15	74.00	-23.85	8.77	3	Vertical	291	2.83	41.38	36.89	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90848G	33.82	54.00	-20.18	3.50	3	Horizontal	277	1.66	30.32	32.75	5.40	34.65
AV	7.354G	38.41	54.00	-15.59	8.76	3	Horizontal	193	1.29	29.65	36.88	6.66	34.78
PK	4.90264G	45.85	74.00	-28.15	3.47	3	Horizontal	277	1.66	42.38	32.72	5.40	34.65
PK	7.35156G	50.21	74.00	-23.79	8.77	3	Horizontal	193	1.29	41.44	36.89	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.25	54.00	-9.75	31.14	3	Vertical	92	2.31	13.11	27.38	3.76	-
AV	2.4618G	90.01	Inf	-Inf	31.44	3	Vertical	92	2.31	58.57	27.62	3.82	-
AV	2.4835G	48.54	54.00	-5.46	31.51	3	Vertical	92	2.31	17.03	27.67	3.84	-
PK	2.3806G	56.83	74.00	-17.17	31.11	3	Vertical	92	2.31	25.72	27.36	3.75	-
PK	2.4602G	98.70	Inf	-Inf	31.44	3	Vertical	92	2.31	67.26	27.62	3.82	-
PK	2.4835G	59.67	74.00	-14.33	31.51	3	Vertical	92	2.31	28.16	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	44.32	54.00	-9.68	31.13	3	Horizontal	60	1.68	13.19	27.37	3.76	-
AV	2.4662G	92.25	Inf	-Inf	31.46	3	Horizontal	60	1.68	60.79	27.63	3.83	-
AV	2.4835G	51.15	54.00	-2.85	31.51	3	Horizontal	60	1.68	19.64	27.67	3.84	-
PK	2.3898G	56.62	74.00	-17.38	31.14	3	Horizontal	60	1.68	25.48	27.38	3.76	-
PK	2.4654G	101.46	Inf	-Inf	31.46	3	Horizontal	60	1.68	70.00	27.63	3.83	-
PK	2.4838G	63.29	74.00	-10.71	31.51	3	Horizontal	60	1.68	31.78	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91278G	33.99	54.00	-20.01	3.53	3	Vertical	28	2.67	30.46	32.78	5.40	34.65
AV	7.36992G	38.39	54.00	-15.61	8.71	3	Vertical	145	1.22	29.68	36.82	6.67	34.78
PK	4.91048G	46.26	74.00	-27.74	3.51	3	Vertical	28	2.67	42.75	32.76	5.40	34.65
PK	7.36808G	49.92	74.00	-24.08	8.72	3	Vertical	145	1.22	41.20	36.83	6.67	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91418G	33.95	54.00	-20.05	3.55	3	Horizontal	0	2.96	30.40	32.79	5.41	34.65
AV	7.36734G	38.39	54.00	-15.61	8.72	3	Horizontal	72	1.55	29.67	36.83	6.67	34.78
PK	4.91592G	46.89	74.00	-27.11	3.56	3	Horizontal	0	2.96	43.33	32.80	5.41	34.65
PK	7.36832G	50.18	74.00	-23.82	8.72	3	Horizontal	72	1.55	41.46	36.83	6.67	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3804G	44.21	54.00	-9.79	31.11	3	Vertical	104	2.28	13.10	27.36	3.75	-
AV	2.4464G	86.68	Inf	-Inf	31.40	3	Vertical	104	2.28	55.28	27.59	3.81	-
AV	2.4835G	48.06	54.00	-5.94	31.51	3	Vertical	104	2.28	16.55	27.67	3.84	-
PK	2.3648G	56.21	74.00	-17.79	31.06	3	Vertical	104	2.28	25.15	27.33	3.73	-
PK	2.4464G	96.05	Inf	-Inf	31.40	3	Vertical	104	2.28	64.65	27.59	3.81	-
PK	2.4835G	59.49	74.00	-14.51	31.51	3	Vertical	104	2.28	27.98	27.67	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	44.28	54.00	-9.72	31.14	3	Horizontal	59	1.32	13.14	27.38	3.76	-
AV	2.454G	89.36	Inf	-Inf	31.43	3	Horizontal	59	1.32	57.93	27.61	3.82	-
AV	2.4835G	50.06	54.00	-3.94	31.51	3	Horizontal	59	1.32	18.55	27.67	3.84	-
PK	2.388G	56.17	74.00	-17.83	31.14	3	Horizontal	59	1.32	25.03	27.38	3.76	-
PK	2.4532G	98.73	Inf	-Inf	31.43	3	Horizontal	59	1.32	67.30	27.61	3.82	-
PK	2.4835G	65.07	74.00	-8.93	31.51	3	Horizontal	59	1.32	33.56	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92464G	33.99	54.00	-20.01	3.61	3	Vertical	32	2.42	30.38	32.85	5.41	34.65
AV	7.3811G	38.01	54.00	-15.99	8.66	3	Vertical	110	2.26	29.35	36.78	6.67	34.79
PK	4.91908G	45.90	74.00	-28.10	3.57	3	Vertical	32	2.42	42.33	32.81	5.41	34.65
PK	7.38512G	49.65	74.00	-24.35	8.64	3	Vertical	110	2.26	41.01	36.76	6.67	34.79

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92474G	34.10	54.00	-19.90	3.61	3	Horizontal	94	1.37	30.49	32.85	5.41	34.65
AV	7.38196G	38.03	54.00	-15.97	8.65	3	Horizontal	48	1.64	29.38	36.77	6.67	34.79
PK	4.92288G	46.17	74.00	-27.83	3.60	3	Horizontal	94	1.37	42.57	32.84	5.41	34.65
PK	7.38246G	49.31	74.00	-24.69	8.65	3	Horizontal	48	1.64	40.66	36.77	6.67	34.79

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.11	54.00	-7.89	31.14	3	Vertical	262	2.84	14.97	27.38	3.76	-
AV	2.4204G	92.22	Inf	-Inf	31.27	3	Vertical	262	2.84	60.95	27.48	3.79	-
AV	2.4884G	45.13	54.00	-8.87	31.53	3	Vertical	262	2.84	13.60	27.68	3.85	-
PK	2.3844G	57.57	74.00	-16.43	31.12	3	Vertical	262	2.84	26.45	27.37	3.75	-
PK	2.4164G	101.39	Inf	-Inf	31.25	3	Vertical	262	2.84	70.14	27.47	3.78	-
PK	2.4876G	57.55	74.00	-16.45	31.52	3	Vertical	262	2.84	26.03	27.68	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.51	54.00	-5.49	31.14	3	Horizontal	298	1.08	17.37	27.38	3.76	-
AV	2.4248G	95.97	Inf	-Inf	31.29	3	Horizontal	298	1.08	64.68	27.50	3.79	-
AV	2.4964G	45.32	54.00	-8.68	31.54	3	Horizontal	298	1.08	13.78	27.69	3.85	-
PK	2.3892G	60.17	74.00	-13.83	31.14	3	Horizontal	298	1.08	29.03	27.38	3.76	-
PK	2.4256G	104.50	Inf	-Inf	31.29	3	Horizontal	298	1.08	73.21	27.50	3.79	-
PK	2.4872G	57.55	74.00	-16.45	31.51	3	Horizontal	298	1.08	26.04	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84888G	33.69	54.00	-20.31	3.20	3	Vertical	274	1.35	30.49	32.49	5.36	34.65
AV	7.26204G	39.49	54.00	-14.51	8.95	3	Vertical	285	1.60	30.54	37.10	6.62	34.77
PK	4.84312G	45.87	74.00	-28.13	3.16	3	Vertical	274	1.35	42.71	32.46	5.35	34.65
PK	7.2613G	51.32	74.00	-22.68	8.95	3	Vertical	285	1.60	42.37	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84864G	33.69	54.00	-20.31	3.20	3	Horizontal	344	2.58	30.49	32.49	5.36	34.65
AV	7.26146G	39.53	54.00	-14.47	8.95	3	Horizontal	306	2.75	30.58	37.10	6.62	34.77
PK	4.84436G	45.74	74.00	-28.26	3.17	3	Horizontal	344	2.58	42.57	32.47	5.35	34.65
PK	7.26254G	51.09	74.00	-22.91	8.95	3	Horizontal	306	2.75	42.14	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.96	54.00	-6.04	31.14	3	Vertical	264	2.83	16.82	27.38	3.76	-
AV	2.4222G	93.39	Inf	-Inf	31.28	3	Vertical	264	2.83	62.11	27.49	3.79	-
AV	2.4838G	45.31	54.00	-8.69	31.51	3	Vertical	264	2.83	13.80	27.67	3.84	-
PK	2.3882G	61.74	74.00	-12.26	31.14	3	Vertical	264	2.83	30.60	27.38	3.76	-
PK	2.4202G	102.57	Inf	-Inf	31.27	3	Vertical	264	2.83	71.30	27.48	3.79	-
PK	2.485G	57.07	74.00	-16.93	31.51	3	Vertical	264	2.83	25.56	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.94	54.00	-2.06	31.14	3	Horizontal	293	1.12	20.80	27.38	3.76	-
AV	2.4242G	97.58	Inf	-Inf	31.29	3	Horizontal	293	1.12	66.29	27.50	3.79	-
AV	2.4835G	46.18	54.00	-7.82	31.51	3	Horizontal	293	1.12	14.67	27.67	3.84	-
PK	2.3898G	64.48	74.00	-9.52	31.14	3	Horizontal	293	1.12	33.34	27.38	3.76	-
PK	2.4166G	106.79	Inf	-Inf	31.25	3	Horizontal	293	1.12	75.54	27.47	3.78	-
PK	2.4838G	59.18	74.00	-14.82	31.51	3	Horizontal	293	1.12	27.67	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85554G	33.91	54.00	-20.09	3.23	3	Vertical	196	1.06	30.68	32.52	5.36	34.65
AV	7.27838G	38.43	54.00	-15.57	8.96	3	Vertical	314	1.40	29.47	37.10	6.63	34.77
PK	4.85802G	46.54	74.00	-27.46	3.24	3	Vertical	196	1.06	43.30	32.53	5.36	34.65
PK	7.2797G	50.21	74.00	-23.79	8.96	3	Vertical	314	1.40	41.25	37.10	6.63	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85672G	33.93	54.00	-20.07	3.24	3	Horizontal	77	2.45	30.69	32.53	5.36	34.65
AV	7.27788G	38.43	54.00	-15.57	8.96	3	Horizontal	101	2.44	29.47	37.10	6.63	34.77
PK	4.8525G	47.00	74.00	-27.00	3.22	3	Horizontal	77	2.45	43.78	32.51	5.36	34.65
PK	7.27968G	49.95	74.00	-24.05	8.96	3	Horizontal	101	2.44	40.99	37.10	6.63	34.77

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.08	54.00	-7.92	31.14	3	Vertical	258	2.23	14.94	27.38	3.76	-
AV	2.4422G	94.46	Inf	-Inf	31.38	3	Vertical	258	2.23	63.08	27.57	3.81	-
AV	2.4835G	49.25	54.00	-4.75	31.51	3	Vertical	258	2.23	17.74	27.67	3.84	-
PK	2.3782G	57.21	74.00	-16.79	31.11	3	Vertical	258	2.23	26.10	27.36	3.75	-
PK	2.4454G	103.79	Inf	-Inf	31.39	3	Vertical	258	2.23	72.40	27.58	3.81	-
PK	2.4835G	62.09	74.00	-11.91	31.51	3	Vertical	258	2.23	30.58	27.67	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.24	54.00	-5.76	31.14	3	Horizontal	296	1.09	17.10	27.38	3.76	-
AV	2.4254G	97.98	Inf	-Inf	31.29	3	Horizontal	296	1.09	66.69	27.50	3.79	-
AV	2.4835G	51.94	54.00	-2.06	31.51	3	Horizontal	296	1.09	20.43	27.67	3.84	-
PK	2.389G	61.37	74.00	-12.63	31.14	3	Horizontal	296	1.09	30.23	27.38	3.76	-
PK	2.4274G	106.99	Inf	-Inf	31.30	3	Horizontal	296	1.09	75.69	27.51	3.79	-
PK	2.4835G	65.63	74.00	-8.37	31.51	3	Horizontal	296	1.09	34.12	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86964G	33.66	54.00	-20.34	3.30	3	Vertical	64	1.63	30.36	32.58	5.37	34.65
AV	7.31278G	38.60	54.00	-15.40	8.91	3	Vertical	294	2.47	29.69	37.05	6.64	34.78
PK	4.87014G	45.65	74.00	-28.35	3.30	3	Vertical	64	1.63	42.35	32.58	5.37	34.65
PK	7.31054G	50.38	74.00	-23.62	8.92	3	Vertical	294	2.47	41.46	37.06	6.64	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86946G	33.68	54.00	-20.32	3.30	3	Horizontal	79	1.21	30.38	32.58	5.37	34.65
AV	7.30866G	38.56	54.00	-15.44	8.93	3	Horizontal	39	1.94	29.63	37.07	6.64	34.78
PK	4.87312G	45.41	74.00	-28.59	3.31	3	Horizontal	79	1.21	42.10	32.59	5.37	34.65
PK	7.30912G	50.15	74.00	-23.85	8.92	3	Horizontal	39	1.94	41.23	37.06	6.64	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.385G	44.62	54.00	-9.38	31.12	3	Vertical	256	2.24	13.50	27.37	3.75	-
AV	2.443G	93.10	Inf	-Inf	31.38	3	Vertical	256	2.24	61.72	27.57	3.81	-
AV	2.4835G	49.01	54.00	-4.99	31.51	3	Vertical	256	2.24	17.50	27.67	3.84	-
PK	2.3766G	57.00	74.00	-17.00	31.10	3	Vertical	256	2.24	25.90	27.35	3.75	-
PK	2.4426G	101.82	Inf	-Inf	31.38	3	Vertical	256	2.24	70.44	27.57	3.81	-
PK	2.4846G	62.90	74.00	-11.10	31.51	3	Vertical	256	2.24	31.39	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	45.37	54.00	-8.63	31.14	3	Horizontal	295	1.46	14.23	27.38	3.76	-
AV	2.4442G	96.66	Inf	-Inf	31.39	3	Horizontal	295	1.46	65.27	27.58	3.81	-
AV	2.4835G	51.77	54.00	-2.23	31.51	3	Horizontal	295	1.46	20.26	27.67	3.84	-
PK	2.3838G	57.59	74.00	-16.41	31.12	3	Horizontal	295	1.46	26.47	27.37	3.75	-
PK	2.4454G	105.36	Inf	-Inf	31.39	3	Horizontal	295	1.46	73.97	27.58	3.81	-
PK	2.4838G	65.44	74.00	-8.56	31.51	3	Horizontal	295	1.46	33.93	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89822G	33.60	54.00	-20.40	3.43	3	Vertical	31	2.78	30.17	32.69	5.39	34.65
AV	7.34506G	38.32	54.00	-15.68	8.80	3	Vertical	153	2.03	29.52	36.92	6.66	34.78
PK	4.89296G	45.27	74.00	-28.73	3.41	3	Vertical	31	2.78	41.86	32.67	5.39	34.65
PK	7.34444G	50.12	74.00	-23.88	8.79	3	Vertical	153	2.03	41.33	36.92	6.65	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8966G	33.52	54.00	-20.48	3.43	3	Horizontal	27	1.00	30.09	32.69	5.39	34.65
AV	7.34468G	38.30	54.00	-15.70	8.80	3	Horizontal	274	1.33	29.50	36.92	6.66	34.78
PK	4.89156G	45.37	74.00	-28.63	3.41	3	Horizontal	27	1.00	41.96	32.67	5.39	34.65
PK	7.34238G	49.61	74.00	-24.39	8.80	3	Horizontal	274	1.33	40.81	36.93	6.65	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	44.46	54.00	-9.54	31.14	3	Vertical	260	2.24	13.32	27.38	3.76	-
AV	2.4432G	91.95	Inf	-Inf	31.38	3	Vertical	260	2.24	60.57	27.57	3.81	-
AV	2.4835G	47.25	54.00	-6.75	31.51	3	Vertical	260	2.24	15.74	27.67	3.84	-
PK	2.39G	56.85	74.00	-17.15	31.14	3	Vertical	260	2.24	25.71	27.38	3.76	-
PK	2.4452G	101.91	Inf	-Inf	31.39	3	Vertical	260	2.24	70.52	27.58	3.81	-
PK	2.4884G	60.00	74.00	-14.00	31.53	3	Vertical	260	2.24	28.47	27.68	3.85	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.81	54.00	-9.19	31.14	3	Horizontal	298	1.28	13.67	27.38	3.76	-
AV	2.4536G	95.54	Inf	-Inf	31.43	3	Horizontal	298	1.28	64.11	27.61	3.82	-
AV	2.4835G	49.27	54.00	-4.73	31.51	3	Horizontal	298	1.28	17.76	27.67	3.84	-
PK	2.39G	56.49	74.00	-17.51	31.14	3	Horizontal	298	1.28	25.35	27.38	3.76	-
PK	2.4436G	105.10	Inf	-Inf	31.38	3	Horizontal	298	1.28	73.72	27.57	3.81	-
PK	2.4844G	62.14	74.00	-11.86	31.51	3	Horizontal	298	1.28	30.63	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9077G	33.86	54.00	-20.14	3.50	3	Vertical	58	1.16	30.36	32.75	5.40	34.65
AV	7.35786G	38.42	54.00	-15.58	8.75	3	Vertical	25	2.20	29.67	36.87	6.66	34.78
PK	4.9018G	45.85	74.00	-28.15	3.46	3	Vertical	58	1.16	42.39	32.71	5.40	34.65
PK	7.36034G	49.83	74.00	-24.17	8.74	3	Vertical	25	2.20	41.09	36.86	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90842G	33.82	54.00	-20.18	3.50	3	Horizontal	132	2.77	30.32	32.75	5.40	34.65
AV	7.35576G	38.41	54.00	-15.59	8.76	3	Horizontal	88	2.15	29.65	36.88	6.66	34.78
PK	4.909G	46.11	74.00	-27.89	3.50	3	Horizontal	132	2.77	42.61	32.75	5.40	34.65
PK	7.35634G	50.32	74.00	-23.68	8.75	3	Horizontal	88	2.15	41.57	36.87	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3726G	44.21	54.00	-9.79	31.09	3	Vertical	258	2.42	13.12	27.35	3.74	-
AV	2.4542G	87.11	Inf	-Inf	31.43	3	Vertical	258	2.42	55.68	27.61	3.82	-
AV	2.4835G	46.63	54.00	-7.37	31.51	3	Vertical	258	2.42	15.12	27.67	3.84	-
PK	2.3682G	56.09	74.00	-17.91	31.08	3	Vertical	258	2.42	25.01	27.34	3.74	-
PK	2.4526G	96.33	Inf	-Inf	31.42	3	Vertical	258	2.42	64.91	27.61	3.81	-
PK	2.493G	57.48	74.00	-16.52	31.54	3	Vertical	258	2.42	25.94	27.69	3.85	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	44.34	54.00	-9.66	31.13	3	Horizontal	297	1.29	13.21	27.37	3.76	-
AV	2.453G	91.05	Inf	-Inf	31.43	3	Horizontal	297	1.29	59.62	27.61	3.82	-
AV	2.4835G	48.95	54.00	-5.05	31.51	3	Horizontal	297	1.29	17.44	27.67	3.84	-
PK	2.371G	56.42	74.00	-17.58	31.08	3	Horizontal	297	1.29	25.34	27.34	3.74	-
PK	2.4522G	100.13	Inf	-Inf	31.41	3	Horizontal	297	1.29	68.72	27.60	3.81	-
PK	2.4835G	60.37	74.00	-13.63	31.51	3	Horizontal	297	1.29	28.86	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9115G	33.96	54.00	-20.04	3.52	3	Vertical	209	1.72	30.44	32.77	5.40	34.65
AV	7.36802G	38.43	54.00	-15.57	8.72	3	Vertical	304	2.62	29.71	36.83	6.67	34.78
PK	4.91558G	46.17	74.00	-27.83	3.55	3	Vertical	209	1.72	42.62	32.79	5.41	34.65
PK	7.37278G	49.87	74.00	-24.13	8.70	3	Vertical	304	2.62	41.17	36.81	6.67	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9094G	33.96	54.00	-20.04	3.51	3	Horizontal	226	2.26	30.45	32.76	5.40	34.65
AV	7.36844G	38.38	54.00	-15.62	8.72	3	Horizontal	264	1.56	29.66	36.83	6.67	34.78
PK	4.91038G	46.18	74.00	-27.82	3.51	3	Horizontal	226	2.26	42.67	32.76	5.40	34.65
PK	7.36604G	49.36	74.00	-24.64	8.72	3	Horizontal	264	1.56	40.64	36.84	6.66	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3796G	44.26	54.00	-9.74	31.11	3	Vertical	250	2.28	13.15	27.36	3.75	-
AV	2.4536G	86.83	Inf	-Inf	31.43	3	Vertical	250	2.28	55.40	27.61	3.82	-
AV	2.4835G	48.83	54.00	-5.17	31.51	3	Vertical	250	2.28	17.32	27.67	3.84	-
PK	2.3888G	55.72	74.00	-18.28	31.14	3	Vertical	250	2.28	24.58	27.38	3.76	-
PK	2.4496G	95.82	Inf	-Inf	31.41	3	Vertical	250	2.28	64.41	27.60	3.81	-
PK	2.4835G	60.23	74.00	-13.77	31.51	3	Vertical	250	2.28	28.72	27.67	3.84	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	44.37	54.00	-9.63	31.14	3	Horizontal	296	1.30	13.23	27.38	3.76	-
AV	2.4544G	90.59	Inf	-Inf	31.43	3	Horizontal	296	1.30	59.16	27.61	3.82	-
AV	2.4835G	52.18	54.00	-1.82	31.51	3	Horizontal	296	1.30	20.67	27.67	3.84	-
PK	2.362G	56.54	74.00	-17.46	31.05	3	Horizontal	296	1.30	25.49	27.32	3.73	-
PK	2.446G	99.58	Inf	-Inf	31.39	3	Horizontal	296	1.30	68.19	27.58	3.81	-
PK	2.4835G	62.98	74.00	-11.02	31.51	3	Horizontal	296	1.30	31.47	27.67	3.84	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	34.01	54.00	-19.99	3.60	3	Vertical	170	1.88	30.41	32.84	5.41	34.65
AV	7.38132G	38.06	54.00	-15.94	8.65	3	Vertical	251	2.23	29.41	36.77	6.67	34.79
PK	4.92442G	46.33	74.00	-27.67	3.61	3	Vertical	170	1.88	42.72	32.85	5.41	34.65
PK	7.3909G	49.46	74.00	-24.54	8.63	3	Vertical	251	2.23	40.83	36.74	6.68	34.79

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92256G	34.02	54.00	-19.98	3.60	3	Horizontal	80	1.60	30.42	32.84	5.41	34.65
AV	7.38394G	38.08	54.00	-15.92	8.64	3	Horizontal	293	1.32	29.44	36.76	6.67	34.79
PK	4.92244G	46.03	74.00	-27.97	3.59	3	Horizontal	80	1.60	42.44	32.83	5.41	34.65
PK	7.38394G	49.74	74.00	-24.26	8.64	3	Horizontal	293	1.32	41.10	36.76	6.67	34.79

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.41	54.00	-7.59	31.54	3	Vertical	91	2.08	14.87	27.38	4.16	-
AV	2.4316G	94.68	Inf	-Inf	31.72	3	Vertical	91	2.08	62.96	27.53	4.19	-
AV	2.4992G	45.83	54.00	-8.17	31.93	3	Vertical	91	2.08	13.90	27.70	4.23	-
PK	2.3824G	58.28	74.00	-15.72	31.51	3	Vertical	91	2.08	26.77	27.36	4.15	-
PK	2.4304G	103.80	Inf	-Inf	31.71	3	Vertical	91	2.08	72.09	27.52	4.19	-
PK	2.486G	57.78	74.00	-16.22	31.89	3	Vertical	91	2.08	25.89	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.59	54.00	-6.41	31.54	3	Horizontal	55	1.23	16.05	27.38	4.16	-
AV	2.412G	97.80	Inf	-Inf	31.63	3	Horizontal	55	1.23	66.17	27.45	4.18	-
AV	2.4856G	46.21	54.00	-7.79	31.89	3	Horizontal	55	1.23	14.32	27.67	4.22	-
PK	2.3864G	58.98	74.00	-15.02	31.53	3	Horizontal	55	1.23	27.45	27.37	4.16	-
PK	2.4124G	106.99	Inf	-Inf	31.63	3	Horizontal	55	1.23	75.36	27.45	4.18	-
PK	2.496G	58.53	74.00	-15.47	31.92	3	Horizontal	55	1.23	26.61	27.69	4.23	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84374G	33.66	54.00	-20.34	3.16	3	Vertical	218	1.90	30.50	32.46	5.35	34.65
AV	7.26102G	39.68	54.00	-14.32	8.95	3	Vertical	119	1.54	30.73	37.10	6.62	34.77
PK	4.84404G	46.00	74.00	-28.00	3.16	3	Vertical	218	1.90	42.84	32.46	5.35	34.65
PK	7.26202G	50.58	74.00	-23.42	8.95	3	Vertical	119	1.54	41.63	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84372G	33.69	54.00	-20.31	3.16	3	Horizontal	338	1.76	30.53	32.46	5.35	34.65
AV	7.261G	39.61	54.00	-14.39	8.95	3	Horizontal	231	2.58	30.66	37.10	6.62	34.77
PK	4.84196G	45.68	74.00	-28.32	3.15	3	Horizontal	338	1.76	42.53	32.45	5.35	34.65
PK	7.26188G	51.45	74.00	-22.55	8.95	3	Horizontal	231	2.58	42.50	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.06	54.00	-6.94	31.54	3	Vertical	88	2.88	15.52	27.38	4.16	-
AV	2.4222G	93.71	Inf	-Inf	31.67	3	Vertical	88	2.88	62.04	27.49	4.18	-
AV	2.495G	45.86	54.00	-8.14	31.92	3	Vertical	88	2.88	13.94	27.69	4.23	-
PK	2.3874G	59.24	74.00	-14.76	31.53	3	Vertical	88	2.88	27.71	27.37	4.16	-
PK	2.4374G	104.10	Inf	-Inf	31.74	3	Vertical	88	2.88	72.36	27.55	4.19	-
PK	2.495G	58.26	74.00	-15.74	31.92	3	Vertical	88	2.88	26.34	27.69	4.23	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.05	54.00	-1.95	31.54	3	Horizontal	302	1.09	20.51	27.38	4.16	-
AV	2.4246G	96.68	Inf	-Inf	31.68	3	Horizontal	302	1.09	65.00	27.50	4.18	-
AV	2.4866G	46.17	54.00	-7.83	31.89	3	Horizontal	302	1.09	14.28	27.67	4.22	-
PK	2.3894G	64.45	74.00	-9.55	31.54	3	Horizontal	302	1.09	32.91	27.38	4.16	-
PK	2.4294G	107.27	Inf	-Inf	31.71	3	Horizontal	302	1.09	75.56	27.52	4.19	-
PK	2.4958G	58.01	74.00	-15.99	31.92	3	Horizontal	302	1.09	26.09	27.69	4.23	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85538G	33.91	54.00	-20.09	3.23	3	Vertical	12	1.70	30.68	32.52	5.36	34.65
AV	7.27716G	38.42	54.00	-15.58	8.95	3	Vertical	93	1.64	29.47	37.10	6.62	34.77
PK	4.85742G	47.34	74.00	-26.66	3.24	3	Vertical	12	1.70	44.10	32.53	5.36	34.65
PK	7.2773G	50.14	74.00	-23.86	8.95	3	Vertical	93	1.64	41.19	37.10	6.62	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85568G	33.97	54.00	-20.03	3.23	3	Horizontal	266	1.08	30.74	32.52	5.36	34.65
AV	7.27636G	38.36	54.00	-15.64	8.95	3	Horizontal	306	2.06	29.41	37.10	6.62	34.77
PK	4.85556G	46.88	74.00	-27.12	3.23	3	Horizontal	266	1.08	43.65	32.52	5.36	34.65
PK	7.28188G	49.60	74.00	-24.40	8.96	3	Horizontal	306	2.06	40.64	37.10	6.63	34.77

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.73	54.00	-7.27	31.54	3	Vertical	93	2.25	15.19	27.38	4.16	-
AV	2.443G	97.72	Inf	-Inf	31.77	3	Vertical	93	2.25	65.95	27.57	4.20	-
AV	2.4842G	49.74	54.00	-4.26	31.89	3	Vertical	93	2.25	17.85	27.67	4.22	-
PK	2.3898G	58.42	74.00	-15.58	31.54	3	Vertical	93	2.25	26.88	27.38	4.16	-
PK	2.443G	107.30	Inf	-Inf	31.77	3	Vertical	93	2.25	75.53	27.57	4.20	-
PK	2.4838G	62.09	74.00	-11.91	31.89	3	Vertical	93	2.25	30.20	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.16	54.00	-4.84	31.54	3	Horizontal	298	1.08	17.62	27.38	4.16	-
AV	2.4318G	100.64	Inf	-Inf	31.72	3	Horizontal	298	1.08	68.92	27.53	4.19	-
AV	2.4835G	52.33	54.00	-1.67	31.89	3	Horizontal	298	1.08	20.44	27.67	4.22	-
PK	2.3894G	61.37	74.00	-12.63	31.54	3	Horizontal	298	1.08	29.83	27.38	4.16	-
PK	2.4266G	110.37	Inf	-Inf	31.70	3	Horizontal	298	1.08	78.67	27.51	4.19	-
PK	2.4835G	65.14	74.00	-8.86	31.89	3	Horizontal	298	1.08	33.25	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86978G	33.71	54.00	-20.29	3.30	3	Vertical	203	1.63	30.41	32.58	5.37	34.65
AV	7.30742G	38.64	54.00	-15.36	8.93	3	Vertical	209	2.84	29.71	37.07	6.64	34.78
PK	4.87348G	45.52	74.00	-28.48	3.32	3	Vertical	203	1.63	42.20	32.59	5.38	34.65
PK	7.31572G	49.70	74.00	-24.30	8.90	3	Vertical	209	2.84	40.80	37.04	6.64	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86912G	33.72	54.00	-20.28	3.30	3	Horizontal	262	2.28	30.42	32.58	5.37	34.65
AV	7.31312G	38.62	54.00	-15.38	8.91	3	Horizontal	239	2.06	29.71	37.05	6.64	34.78
PK	4.87454G	45.71	74.00	-28.29	3.33	3	Horizontal	262	2.28	42.38	32.60	5.38	34.65
PK	7.30936G	50.50	74.00	-23.50	8.92	3	Horizontal	239	2.06	41.58	37.06	6.64	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	45.27	54.00	-8.73	31.54	3	Vertical	98	2.74	13.73	27.38	4.16	-
AV	2.4546G	93.22	Inf	-Inf	31.81	3	Vertical	98	2.74	61.41	27.61	4.20	-
AV	2.4835G	48.02	54.00	-5.98	31.89	3	Vertical	98	2.74	16.13	27.67	4.22	-
PK	2.365G	56.87	74.00	-17.13	31.47	3	Vertical	98	2.74	25.40	27.33	4.14	-
PK	2.4518G	103.11	Inf	-Inf	31.80	3	Vertical	98	2.74	71.31	27.60	4.20	-
PK	2.4858G	60.51	74.00	-13.49	31.89	3	Vertical	98	2.74	28.62	27.67	4.22	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.01	54.00	-7.99	31.54	3	Horizontal	300	1.21	14.47	27.38	4.16	-
AV	2.443G	96.80	Inf	-Inf	31.77	3	Horizontal	300	1.21	65.03	27.57	4.20	-
AV	2.4835G	51.56	54.00	-2.44	31.89	3	Horizontal	300	1.21	19.67	27.67	4.22	-
PK	2.383G	58.02	74.00	-15.98	31.52	3	Horizontal	300	1.21	26.50	27.37	4.15	-
PK	2.443G	107.12	Inf	-Inf	31.77	3	Horizontal	300	1.21	75.35	27.57	4.20	-
PK	2.4866G	65.16	74.00	-8.84	31.89	3	Horizontal	300	1.21	33.27	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89762G	33.45	54.00	-20.55	3.43	3	Vertical	175	1.18	30.02	32.69	5.39	34.65
AV	7.33754G	38.29	54.00	-15.71	8.82	3	Vertical	189	1.76	29.47	36.95	6.65	34.78
PK	4.89618G	45.79	74.00	-28.21	3.42	3	Vertical	175	1.18	42.37	32.68	5.39	34.65
PK	7.34462G	49.78	74.00	-24.22	8.80	3	Vertical	189	1.76	40.98	36.92	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89806G	33.52	54.00	-20.48	3.43	3	Horizontal	313	2.28	30.09	32.69	5.39	34.65
AV	7.33808G	38.34	54.00	-15.66	8.82	3	Horizontal	348	1.05	29.52	36.95	6.65	34.78
PK	4.89826G	45.59	74.00	-28.41	3.43	3	Horizontal	313	2.28	42.16	32.69	5.39	34.65
PK	7.33726G	49.73	74.00	-24.27	8.82	3	Horizontal	348	1.05	40.91	36.95	6.65	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	45.17	54.00	-8.83	31.54	3	Vertical	96	2.74	13.63	27.38	4.16	-
AV	2.4552G	95.52	Inf	-Inf	31.81	3	Vertical	96	2.74	63.71	27.61	4.20	-
AV	2.4844G	49.90	54.00	-4.10	31.89	3	Vertical	96	2.74	18.01	27.67	4.22	-
PK	2.378G	57.43	74.00	-16.57	31.51	3	Vertical	96	2.74	25.92	27.36	4.15	-
PK	2.4568G	104.55	Inf	-Inf	31.81	3	Vertical	96	2.74	72.74	27.61	4.20	-
PK	2.486G	61.81	74.00	-12.19	31.89	3	Vertical	96	2.74	29.92	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.23	54.00	-7.77	31.54	3	Horizontal	297	1.22	14.69	27.38	4.16	-
AV	2.444G	98.72	Inf	-Inf	31.78	3	Horizontal	297	1.22	66.94	27.58	4.20	-
AV	2.4835G	51.02	54.00	-2.98	31.89	3	Horizontal	297	1.22	19.13	27.67	4.22	-
PK	2.3892G	58.43	74.00	-15.57	31.54	3	Horizontal	297	1.22	26.89	27.38	4.16	-
PK	2.4448G	107.53	Inf	-Inf	31.78	3	Horizontal	297	1.22	75.75	27.58	4.20	-
PK	2.486G	64.11	74.00	-9.89	31.89	3	Horizontal	297	1.22	32.22	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90752G	33.84	54.00	-20.16	3.50	3	Vertical	31	2.94	30.34	32.75	5.40	34.65
AV	7.35218G	38.38	54.00	-15.62	8.77	3	Vertical	148	1.92	29.61	36.89	6.66	34.78
PK	4.90732G	46.33	74.00	-27.67	3.49	3	Vertical	31	2.94	42.84	32.74	5.40	34.65
PK	7.35954G	50.03	74.00	-23.97	8.74	3	Vertical	148	1.92	41.29	36.86	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9083G	33.80	54.00	-20.20	3.50	3	Horizontal	248	1.88	30.30	32.75	5.40	34.65
AV	7.35996G	38.50	54.00	-15.50	8.74	3	Horizontal	315	2.25	29.76	36.86	6.66	34.78
PK	4.90466G	45.36	74.00	-28.64	3.48	3	Horizontal	248	1.88	41.88	32.73	5.40	34.65
PK	7.35352G	49.86	74.00	-24.14	8.77	3	Horizontal	315	2.25	41.09	36.89	6.66	34.78

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	44.73	54.00	-9.27	31.53	3	Vertical	83	2.82	13.20	27.37	4.16	-
AV	2.463G	87.73	Inf	-Inf	31.84	3	Vertical	83	2.82	55.89	27.63	4.21	-
AV	2.4835G	47.14	54.00	-6.86	31.89	3	Vertical	83	2.82	15.25	27.67	4.22	-
PK	2.373G	57.06	74.00	-16.94	31.49	3	Vertical	83	2.82	25.57	27.35	4.14	-
PK	2.455G	97.22	Inf	-Inf	31.81	3	Vertical	83	2.82	65.41	27.61	4.20	-
PK	2.4835G	58.40	74.00	-15.60	31.89	3	Vertical	83	2.82	26.51	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	44.99	54.00	-9.01	31.54	3	Horizontal	295	1.28	13.45	27.38	4.16	-
AV	2.453G	90.67	Inf	-Inf	31.81	3	Horizontal	295	1.28	58.86	27.61	4.20	-
AV	2.4835G	49.89	54.00	-4.11	31.89	3	Horizontal	295	1.28	18.00	27.67	4.22	-
PK	2.3602G	56.60	74.00	-17.40	31.45	3	Horizontal	295	1.28	25.15	27.32	4.13	-
PK	2.445G	101.29	Inf	-Inf	31.78	3	Horizontal	295	1.28	69.51	27.58	4.20	-
PK	2.4835G	62.48	74.00	-11.52	31.89	3	Horizontal	295	1.28	30.59	27.67	4.22	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91754G	33.98	54.00	-20.02	3.57	3	Vertical	123	1.06	30.41	32.81	5.41	34.65
AV	7.36678G	38.34	54.00	-15.66	8.72	3	Vertical	279	2.86	29.62	36.83	6.67	34.78
PK	4.9123G	46.02	74.00	-27.98	3.52	3	Vertical	123	1.06	42.50	32.77	5.40	34.65
PK	7.37066G	50.17	74.00	-23.83	8.71	3	Vertical	279	2.86	41.46	36.82	6.67	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91198G	33.98	54.00	-20.02	3.52	3	Horizontal	0	2.90	30.46	32.77	5.40	34.65
AV	7.36674G	38.38	54.00	-15.62	8.72	3	Horizontal	214	2.57	29.66	36.83	6.67	34.78
PK	4.91156G	46.09	74.00	-27.91	3.52	3	Horizontal	0	2.90	42.57	32.77	5.40	34.65
PK	7.3689G	49.91	74.00	-24.09	8.71	3	Horizontal	214	2.57	41.20	36.82	6.67	34.78

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3748G	44.55	54.00	-9.45	31.50	3	Vertical	229	1.50	13.05	27.35	4.15	-
AV	2.4728G	86.05	Inf	-Inf	31.86	3	Vertical	229	1.50	54.19	27.65	4.21	-
AV	2.4835G	47.75	54.00	-6.25	31.89	3	Vertical	229	1.50	15.86	27.67	4.22	-
PK	2.3836G	56.54	74.00	-17.46	31.52	3	Vertical	229	1.50	25.02	27.37	4.15	-
PK	2.4732G	94.98	Inf	-Inf	31.86	3	Vertical	229	1.50	63.12	27.65	4.21	-
PK	2.4835G	59.21	74.00	-14.79	31.89	3	Vertical	229	1.50	27.32	27.67	4.22	-

2.4-2.4835GHz_802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	44.85	54.00	-9.15	31.54	3	Horizontal	298	1.39	13.31	27.38	4.16	-
AV	2.474G	90.03	Inf	-Inf	31.86	3	Horizontal	298	1.39	58.17	27.65	4.21	-
AV	2.4835G	50.29	54.00	-3.71	31.89	3	Horizontal	298	1.39	18.40	27.67	4.22	-
PK	2.3876G	56.72	74.00	-17.28	31.54	3	Horizontal	298	1.39	25.18	27.38	4.16	-
PK	2.476G	98.81	Inf	-Inf	31.87	3	Horizontal	298	1.39	66.94	27.65	4.22	-
PK	2.4835G	61.26	74.00	-12.74	31.89	3	Horizontal	298	1.39	29.37	27.67	4.22	-

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92274G	34.00	54.00	-20.00	3.60	3	Vertical	11	2.34	30.40	32.84	5.41	34.65
AV	7.38238G	37.97	54.00	-16.03	8.65	3	Vertical	198	1.96	29.32	36.77	6.67	34.79
PK	4.9278G	46.27	74.00	-27.73	3.64	3	Vertical	11	2.34	42.63	32.87	5.42	34.65
PK	7.38212G	49.58	74.00	-24.42	8.65	3	Vertical	198	1.96	40.93	36.77	6.67	34.79

2.4-2.4835GHz_802.11n_HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92286G	34.01	54.00	-19.99	3.60	3	Horizontal	131	1.93	30.41	32.84	5.41	34.65
AV	7.381G	38.06	54.00	-15.94	8.66	3	Horizontal	167	1.80	29.40	36.78	6.67	34.79
PK	4.92452G	46.02	74.00	-27.98	3.61	3	Horizontal	131	1.93	42.41	32.85	5.41	34.65
PK	7.3861G	49.30	74.00	-24.70	8.64	3	Horizontal	167	1.80	40.66	36.76	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.29	54.00	-8.71	31.14	3	Vertical	108	2.86	14.15	27.38	3.76	-
AV	2.4148G	94.98	Inf	-Inf	31.24	3	Vertical	108	2.86	63.74	27.46	3.78	-
PK	2.3644G	57.28	74.00	-16.72	31.06	3	Vertical	108	2.86	26.22	27.33	3.73	-
PK	2.4158G	106.18	Inf	-Inf	31.24	3	Vertical	108	2.86	74.94	27.46	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.05	54.00	-7.95	31.14	3	Horizontal	61	1.69	14.91	27.38	3.76	-
AV	2.4136G	96.94	Inf	-Inf	31.23	3	Horizontal	61	1.69	65.71	27.45	3.78	-
PK	2.3894G	58.14	74.00	-15.86	31.14	3	Horizontal	61	1.69	27.00	27.38	3.76	-
PK	2.4098G	108.12	Inf	-Inf	31.22	3	Horizontal	61	1.69	76.90	27.44	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82426G	36.77	54.00	-17.23	3.04	3	Vertical	300	1.84	33.73	32.35	5.34	34.65
PK	4.82716G	49.50	74.00	-24.50	3.05	3	Vertical	300	1.84	46.45	32.36	5.34	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82378G	36.67	54.00	-17.33	3.03	3	Horizontal	320	2.98	33.64	32.34	5.34	34.65
PK	4.82314G	49.11	74.00	-24.89	3.03	3	Horizontal	320	2.98	46.08	32.34	5.34	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.82	54.00	-9.18	31.14	3	Vertical	93	2.84	13.68	27.38	3.76	-
AV	2.4188G	95.53	Inf	-Inf	31.27	3	Vertical	93	2.84	64.26	27.48	3.79	-
PK	2.387G	56.39	74.00	-17.61	31.13	3	Vertical	93	2.84	25.26	27.37	3.76	-
PK	2.4182G	106.73	Inf	-Inf	31.26	3	Vertical	93	2.84	75.47	27.47	3.79	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.24	54.00	-8.76	31.14	3	Horizontal	62	1.56	14.10	27.38	3.76	-
AV	2.421G	97.83	Inf	-Inf	31.27	3	Horizontal	62	1.56	66.56	27.48	3.79	-
PK	2.3738G	56.84	74.00	-17.16	31.09	3	Horizontal	62	1.56	25.75	27.35	3.74	-
PK	2.4162G	109.10	Inf	-Inf	31.24	3	Horizontal	62	1.56	77.86	27.46	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82924G	35.76	54.00	-18.24	3.07	3	Vertical	136	1.72	32.69	32.38	5.34	34.65
AV	7.25G	40.60	54.00	-13.40	8.94	3	Vertical	231	2.00	31.66	37.10	6.61	34.77
PK	4.82966G	47.81	74.00	-26.19	3.07	3	Vertical	136	1.72	44.74	32.38	5.34	34.65
PK	7.2502G	52.96	74.00	-21.04	8.94	3	Vertical	231	2.00	44.02	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82916G	35.74	54.00	-18.26	3.06	3	Horizontal	98	1.49	32.68	32.37	5.34	34.65
AV	7.25G	40.70	54.00	-13.30	8.94	3	Horizontal	306	2.99	31.76	37.10	6.61	34.77
PK	4.8308G	48.15	74.00	-25.85	3.07	3	Horizontal	98	1.49	45.08	32.38	5.34	34.65
PK	7.25112G	53.36	74.00	-20.64	8.94	3	Horizontal	306	2.99	44.42	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.28	54.00	-9.72	31.14	3	Vertical	90	2.06	13.14	27.38	3.76	-
AV	2.4346G	95.30	Inf	-Inf	31.34	3	Vertical	90	2.06	63.96	27.54	3.80	-
AV	2.4835G	45.21	54.00	-8.79	31.51	3	Vertical	90	2.06	13.70	27.67	3.84	-
PK	2.3826G	56.16	74.00	-17.84	31.12	3	Vertical	90	2.06	25.04	27.37	3.75	-
PK	2.4322G	106.49	Inf	-Inf	31.33	3	Vertical	90	2.06	75.16	27.53	3.80	-
PK	2.491G	56.65	74.00	-17.35	31.53	3	Vertical	90	2.06	25.12	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.42	54.00	-9.58	31.14	3	Horizontal	62	1.40	13.28	27.38	3.76	-
AV	2.433G	98.00	Inf	-Inf	31.33	3	Horizontal	62	1.40	66.67	27.53	3.80	-
AV	2.4958G	45.27	54.00	-8.73	31.54	3	Horizontal	62	1.40	13.73	27.69	3.85	-
PK	2.3734G	56.53	74.00	-17.47	31.09	3	Horizontal	62	1.40	25.44	27.35	3.74	-
PK	2.4346G	108.49	Inf	-Inf	31.34	3	Horizontal	62	1.40	77.15	27.54	3.80	-
PK	2.489G	57.44	74.00	-16.56	31.53	3	Horizontal	62	1.40	25.91	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8697G	33.69	54.00	-20.31	3.30	3	Vertical	102	1.46	30.39	32.58	5.37	34.65
AV	7.31234G	38.64	54.00	-15.36	8.91	3	Vertical	175	1.82	29.73	37.05	6.64	34.78
PK	4.86958G	46.44	74.00	-27.56	3.30	3	Vertical	102	1.46	43.14	32.58	5.37	34.65
PK	7.30698G	50.55	74.00	-23.45	8.93	3	Vertical	175	1.82	41.62	37.07	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86906G	33.68	54.00	-20.32	3.30	3	Horizontal	323	1.11	30.38	32.58	5.37	34.65
AV	7.31052G	38.67	54.00	-15.33	8.92	3	Horizontal	52	1.18	29.75	37.06	6.64	34.78
PK	4.87614G	46.31	74.00	-27.69	3.33	3	Horizontal	323	1.11	42.98	32.60	5.38	34.65
PK	7.30856G	49.67	74.00	-24.33	8.93	3	Horizontal	52	1.18	40.74	37.07	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	95.40	Inf	-Inf	31.43	3	Vertical	105	3.00	63.97	27.61	3.82	-
AV	2.4835G	45.58	54.00	-8.42	31.51	3	Vertical	105	3.00	14.07	27.67	3.84	-
PK	2.4544G	106.95	Inf	-Inf	31.43	3	Vertical	105	3.00	75.52	27.61	3.82	-
PK	2.4896G	57.54	74.00	-16.46	31.53	3	Vertical	105	3.00	26.01	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	97.94	Inf	-Inf	31.43	3	Horizontal	62	1.83	66.51	27.61	3.82	-
AV	2.4835G	45.76	54.00	-8.24	31.51	3	Horizontal	62	1.83	14.25	27.67	3.84	-
PK	2.4556G	109.03	Inf	-Inf	31.43	3	Horizontal	62	1.83	77.60	27.61	3.82	-
PK	2.4868G	57.72	74.00	-16.28	31.51	3	Horizontal	62	1.83	26.21	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9181G	33.95	54.00	-20.05	3.57	3	Vertical	359	2.42	30.38	32.81	5.41	34.65
AV	7.36768G	38.43	54.00	-15.57	8.72	3	Vertical	322	2.50	29.71	36.83	6.67	34.78
PK	4.9116G	46.42	74.00	-27.58	3.52	3	Vertical	359	2.42	42.90	32.77	5.40	34.65
PK	7.36888G	49.96	74.00	-24.04	8.71	3	Vertical	322	2.50	41.25	36.82	6.67	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91418G	33.92	54.00	-20.08	3.55	3	Horizontal	340	1.71	30.37	32.79	5.41	34.65
AV	7.36682G	38.38	54.00	-15.62	8.72	3	Horizontal	278	2.70	29.66	36.83	6.67	34.78
PK	4.91186G	46.69	74.00	-27.31	3.52	3	Horizontal	340	1.71	43.17	32.77	5.40	34.65
PK	7.3707G	50.26	74.00	-23.74	8.71	3	Horizontal	278	2.70	41.55	36.82	6.67	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	94.34	Inf	-Inf	31.45	3	Vertical	95	2.71	62.89	27.63	3.82	-
AV	2.4836G	45.78	54.00	-8.22	31.51	3	Vertical	95	2.71	14.27	27.67	3.84	-
PK	2.4648G	106.01	Inf	-Inf	31.46	3	Vertical	95	2.71	74.55	27.63	3.83	-
PK	2.4896G	57.52	74.00	-16.48	31.53	3	Vertical	95	2.71	25.99	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	96.63	Inf	-Inf	31.45	3	Horizontal	63	1.72	65.18	27.63	3.82	-
AV	2.4835G	46.40	54.00	-7.60	31.51	3	Horizontal	63	1.72	14.89	27.67	3.84	-
PK	2.461G	107.75	Inf	-Inf	31.44	3	Horizontal	63	1.72	76.31	27.62	3.82	-
PK	2.4868G	58.12	74.00	-15.88	31.51	3	Horizontal	63	1.72	26.61	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92604G	33.98	54.00	-20.02	3.62	3	Vertical	341	2.20	30.36	32.86	5.41	34.65
AV	7.38206G	38.02	54.00	-15.98	8.65	3	Vertical	108	2.03	29.37	36.77	6.67	34.79
PK	4.92264G	46.18	74.00	-27.82	3.60	3	Vertical	341	2.20	42.58	32.84	5.41	34.65
PK	7.38544G	49.75	74.00	-24.25	8.64	3	Vertical	108	2.03	41.11	36.76	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92172G	33.98	54.00	-20.02	3.59	3	Horizontal	347	1.76	30.39	32.83	5.41	34.65
AV	7.381G	38.07	54.00	-15.93	8.66	3	Horizontal	263	1.07	29.41	36.78	6.67	34.79
PK	4.92288G	46.22	74.00	-27.78	3.60	3	Horizontal	347	1.76	42.62	32.84	5.41	34.65
PK	7.38722G	48.89	74.00	-25.11	8.63	3	Horizontal	263	1.07	40.26	36.75	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.471G	92.30	Inf	-Inf	31.47	3	Vertical	106	3.00	60.83	27.64	3.83	-
AV	2.4835G	47.88	54.00	-6.12	31.51	3	Vertical	106	3.00	16.37	27.67	3.84	-
PK	2.466G	104.10	Inf	-Inf	31.46	3	Vertical	106	3.00	72.64	27.63	3.83	-
PK	2.4835G	59.73	74.00	-14.27	31.51	3	Vertical	106	3.00	28.22	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.468G	94.26	Inf	-Inf	31.47	3	Horizontal	63	1.78	62.79	27.64	3.83	-
AV	2.4835G	48.78	54.00	-5.22	31.51	3	Horizontal	63	1.78	17.27	27.67	3.84	-
PK	2.4648G	105.85	Inf	-Inf	31.46	3	Horizontal	63	1.78	74.39	27.63	3.83	-
PK	2.4835G	61.04	74.00	-12.96	31.51	3	Horizontal	63	1.78	29.53	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92962G	33.77	54.00	-20.23	3.65	3	Vertical	97	2.05	30.12	32.88	5.42	34.65
AV	7.40204G	37.95	54.00	-16.05	8.58	3	Vertical	269	2.54	29.37	36.69	6.68	34.79
PK	4.93312G	45.96	74.00	-28.04	3.67	3	Vertical	97	2.05	42.29	32.90	5.42	34.65
PK	7.4024G	49.78	74.00	-24.22	8.58	3	Vertical	269	2.54	41.20	36.69	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9322G	33.74	54.00	-20.26	3.66	3	Horizontal	296	1.06	30.08	32.89	5.42	34.65
AV	7.4017G	37.98	54.00	-16.02	8.58	3	Horizontal	285	1.94	29.40	36.69	6.68	34.79
PK	4.93888G	45.99	74.00	-28.01	3.71	3	Horizontal	296	1.06	42.28	32.93	5.42	34.64
PK	7.39638G	49.17	74.00	-24.83	8.60	3	Horizontal	285	1.94	40.57	36.71	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4766G	83.44	Inf	-Inf	31.49	3	Vertical	105	3.00	51.95	27.65	3.84	-
AV	2.4835G	47.35	54.00	-6.65	31.51	3	Vertical	105	3.00	15.84	27.67	3.84	-
PK	2.477G	95.41	Inf	-Inf	31.49	3	Vertical	105	3.00	63.92	27.65	3.84	-
PK	2.4835G	63.36	74.00	-10.64	31.51	3	Vertical	105	3.00	31.85	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.475G	85.38	Inf	-Inf	31.48	3	Horizontal	61	1.71	53.90	27.65	3.83	-
AV	2.4835G	48.15	54.00	-5.85	31.51	3	Horizontal	61	1.71	16.64	27.67	3.84	-
PK	2.4744G	97.20	Inf	-Inf	31.48	3	Horizontal	61	1.71	65.72	27.65	3.83	-
PK	2.4835G	63.87	74.00	-10.13	31.51	3	Horizontal	61	1.71	32.36	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9482G	33.83	54.00	-20.17	3.78	3	Vertical	6	2.73	30.05	32.99	5.43	34.64
AV	7.41754G	38.16	54.00	-15.84	8.53	3	Vertical	319	1.32	29.63	36.63	6.69	34.79
PK	4.94366G	46.61	74.00	-27.39	3.75	3	Vertical	6	2.73	42.86	32.96	5.43	34.64
PK	7.4138G	50.14	74.00	-23.86	8.54	3	Vertical	319	1.32	41.60	36.64	6.69	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94862G	33.89	54.00	-20.11	3.78	3	Horizontal	145	2.12	30.11	32.99	5.43	34.64
AV	7.42094G	38.13	54.00	-15.87	8.52	3	Horizontal	92	2.23	29.61	36.62	6.69	34.79
PK	4.94802G	45.75	74.00	-28.25	3.78	3	Horizontal	145	2.12	41.97	32.99	5.43	34.64
PK	7.41314G	50.48	74.00	-23.52	8.55	3	Horizontal	92	2.23	41.93	36.65	6.69	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.34	54.00	-7.66	31.14	3	Vertical	253	2.83	15.20	27.38	3.76	-
AV	2.41G	93.69	Inf	-Inf	31.22	3	Vertical	253	2.83	62.47	27.44	3.78	-
PK	2.3896G	59.97	74.00	-14.03	31.14	3	Vertical	253	2.83	28.83	27.38	3.76	-
PK	2.411G	105.70	Inf	-Inf	31.22	3	Vertical	253	2.83	74.48	27.44	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.74	54.00	-6.26	31.14	3	Horizontal	297	1.68	16.60	27.38	3.76	-
AV	2.4082G	96.23	Inf	-Inf	31.21	3	Horizontal	297	1.68	65.02	27.43	3.78	-
PK	2.3896G	60.46	74.00	-13.54	31.14	3	Horizontal	297	1.68	29.32	27.38	3.76	-
PK	2.4072G	107.68	Inf	-Inf	31.21	3	Horizontal	297	1.68	76.47	27.43	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82382G	36.63	54.00	-17.37	3.03	3	Vertical	186	1.92	33.60	32.34	5.34	34.65
PK	4.82344G	49.18	74.00	-24.82	3.03	3	Vertical	186	1.92	46.15	32.34	5.34	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82476G	36.61	54.00	-17.39	3.04	3	Horizontal	271	1.72	33.57	32.35	5.34	34.65
PK	4.82148G	49.25	74.00	-24.75	3.02	3	Horizontal	271	1.72	46.23	32.33	5.34	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.81	54.00	-9.19	31.14	3	Vertical	254	2.83	13.67	27.38	3.76	-
AV	2.4144G	94.52	Inf	-Inf	31.24	3	Vertical	254	2.83	63.28	27.46	3.78	-
PK	2.389G	55.96	74.00	-18.04	31.14	3	Vertical	254	2.83	24.82	27.38	3.76	-
PK	2.4154G	106.18	Inf	-Inf	31.24	3	Vertical	254	2.83	74.94	27.46	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.33	54.00	-8.67	31.14	3	Horizontal	304	1.50	14.19	27.38	3.76	-
AV	2.414G	96.89	Inf	-Inf	31.24	3	Horizontal	304	1.50	65.65	27.46	3.78	-
PK	2.3778G	56.77	74.00	-17.23	31.11	3	Horizontal	304	1.50	25.66	27.36	3.75	-
PK	2.4128G	108.29	Inf	-Inf	31.23	3	Horizontal	304	1.50	77.06	27.45	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82916G	35.81	54.00	-18.19	3.06	3	Vertical	265	2.48	32.75	32.37	5.34	34.65
AV	7.25001G	40.73	54.00	-13.27	8.94	3	Vertical	315	1.50	31.79	37.10	6.61	34.77
PK	4.82968G	47.86	74.00	-26.14	3.07	3	Vertical	265	2.48	44.79	32.38	5.34	34.65
PK	7.25031G	55.04	74.00	-18.96	8.94	3	Vertical	315	1.50	46.10	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82908G	35.73	54.00	-18.27	3.06	3	Horizontal	243	2.31	32.67	32.37	5.34	34.65
AV	7.25014G	40.58	54.00	-13.42	8.94	3	Horizontal	48	2.14	31.64	37.10	6.61	34.77
PK	4.83084G	47.36	74.00	-26.64	3.08	3	Horizontal	243	2.31	44.28	32.39	5.34	34.65
PK	7.25039G	55.57	74.00	-18.43	8.94	3	Horizontal	48	2.14	46.63	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.27	54.00	-9.73	31.14	3	Vertical	266	2.23	13.13	27.38	3.76	-
AV	2.4398G	93.78	Inf	-Inf	31.36	3	Vertical	266	2.23	62.42	27.56	3.80	-
AV	2.4946G	45.08	54.00	-8.92	31.54	3	Vertical	266	2.23	13.54	27.69	3.85	-
PK	2.3462G	56.92	74.00	-17.08	31.00	3	Vertical	266	2.23	25.92	27.29	3.71	-
PK	2.4402G	104.86	Inf	-Inf	31.36	3	Vertical	266	2.23	73.50	27.56	3.80	-
PK	2.4958G	56.77	74.00	-17.23	31.54	3	Vertical	266	2.23	25.23	27.69	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.50	54.00	-9.50	31.14	3	Horizontal	303	1.40	13.36	27.38	3.76	-
AV	2.4334G	97.31	Inf	-Inf	31.33	3	Horizontal	303	1.40	65.98	27.53	3.80	-
AV	2.4835G	45.16	54.00	-8.84	31.51	3	Horizontal	303	1.40	13.65	27.67	3.84	-
PK	2.3686G	56.48	74.00	-17.52	31.08	3	Horizontal	303	1.40	25.40	27.34	3.74	-
PK	2.4402G	108.70	Inf	-Inf	31.36	3	Horizontal	303	1.40	77.34	27.56	3.80	-
PK	2.4894G	57.46	74.00	-16.54	31.53	3	Horizontal	303	1.40	25.93	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8701G	33.68	54.00	-20.32	3.30	3	Vertical	141	2.06	30.38	32.58	5.37	34.65
AV	7.313G	38.61	54.00	-15.39	8.91	3	Vertical	128	1.64	29.70	37.05	6.64	34.78
PK	4.87014G	45.50	74.00	-28.50	3.30	3	Vertical	141	2.06	42.20	32.58	5.37	34.65
PK	7.30642G	50.11	74.00	-23.89	8.93	3	Vertical	128	1.64	41.18	37.07	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86952G	33.63	54.00	-20.37	3.30	3	Horizontal	265	2.11	30.33	32.58	5.37	34.65
AV	7.30966G	38.57	54.00	-15.43	8.92	3	Horizontal	115	1.24	29.65	37.06	6.64	34.78
PK	4.87034G	46.36	74.00	-27.64	3.30	3	Horizontal	265	2.11	43.06	32.58	5.37	34.65
PK	7.31548G	50.53	74.00	-23.47	8.90	3	Horizontal	115	1.24	41.63	37.04	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	94.15	Inf	-Inf	31.43	3	Vertical	250	2.73	62.72	27.61	3.82	-
AV	2.4835G	45.38	54.00	-8.62	31.51	3	Vertical	250	2.73	13.87	27.67	3.84	-
PK	2.458G	105.31	Inf	-Inf	31.44	3	Vertical	250	2.73	73.87	27.62	3.82	-
PK	2.4836G	57.49	74.00	-16.51	31.51	3	Vertical	250	2.73	25.98	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4532G	96.86	Inf	-Inf	31.43	3	Horizontal	298	1.30	65.43	27.61	3.82	-
AV	2.4835G	45.97	54.00	-8.03	31.51	3	Horizontal	298	1.30	14.46	27.67	3.84	-
PK	2.456G	108.44	Inf	-Inf	31.43	3	Horizontal	298	1.30	77.01	27.61	3.82	-
PK	2.484G	58.54	74.00	-15.46	31.51	3	Horizontal	298	1.30	27.03	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91856G	33.94	54.00	-20.06	3.57	3	Vertical	283	1.33	30.37	32.81	5.41	34.65
AV	7.36614G	38.46	54.00	-15.54	8.72	3	Vertical	183	1.23	29.74	36.84	6.66	34.78
PK	4.91874G	45.81	74.00	-28.19	3.57	3	Vertical	283	1.33	42.24	32.81	5.41	34.65
PK	7.37388G	49.82	74.00	-24.18	8.69	3	Vertical	183	1.23	41.13	36.80	6.67	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91768G	33.92	54.00	-20.08	3.57	3	Horizontal	49	1.31	30.35	32.81	5.41	34.65
AV	7.37164G	38.38	54.00	-15.62	8.70	3	Horizontal	96	1.58	29.68	36.81	6.67	34.78
PK	4.9169G	46.16	74.00	-27.84	3.56	3	Horizontal	49	1.31	42.60	32.80	5.41	34.65
PK	7.36616G	49.33	74.00	-24.67	8.72	3	Horizontal	96	1.58	40.61	36.84	6.66	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	91.88	Inf	-Inf	31.44	3	Vertical	256	3.00	60.44	27.62	3.82	-
AV	2.4835G	46.28	54.00	-7.72	31.51	3	Vertical	256	3.00	14.77	27.67	3.84	-
PK	2.4596G	103.63	Inf	-Inf	31.44	3	Vertical	256	3.00	72.19	27.62	3.82	-
PK	2.4854G	58.35	74.00	-15.65	31.51	3	Vertical	256	3.00	26.84	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	95.15	Inf	-Inf	31.44	3	Horizontal	300	1.50	63.71	27.62	3.82	-
AV	2.4835G	47.57	54.00	-6.43	31.51	3	Horizontal	300	1.50	16.06	27.67	3.84	-
PK	2.465G	106.86	Inf	-Inf	31.46	3	Horizontal	300	1.50	75.40	27.63	3.83	-
PK	2.486G	59.54	74.00	-14.46	31.51	3	Horizontal	300	1.50	28.03	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92286G	33.99	54.00	-20.01	3.60	3	Vertical	43	2.30	30.39	32.84	5.41	34.65
AV	7.38114G	38.00	54.00	-16.00	8.66	3	Vertical	119	2.10	29.34	36.78	6.67	34.79
PK	4.92388G	47.12	74.00	-26.88	3.60	3	Vertical	43	2.30	43.52	32.84	5.41	34.65
PK	7.38192G	49.49	74.00	-24.51	8.65	3	Vertical	119	2.10	40.84	36.77	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91986G	33.96	54.00	-20.04	3.58	3	Horizontal	8	2.46	30.38	32.82	5.41	34.65
AV	7.38428G	38.03	54.00	-15.97	8.64	3	Horizontal	115	2.41	29.39	36.76	6.67	34.79
PK	4.92262G	46.32	74.00	-27.68	3.60	3	Horizontal	8	2.46	42.72	32.84	5.41	34.65
PK	7.38132G	49.82	74.00	-24.18	8.65	3	Horizontal	115	2.41	41.17	36.77	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	91.52	Inf	-Inf	31.46	3	Vertical	251	2.75	60.06	27.63	3.83	-
AV	2.4835G	48.44	54.00	-5.56	31.51	3	Vertical	251	2.75	16.93	27.67	3.84	-
PK	2.4648G	102.86	Inf	-Inf	31.46	3	Vertical	251	2.75	71.40	27.63	3.83	-
PK	2.4835G	60.08	74.00	-13.92	31.51	3	Vertical	251	2.75	28.57	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	94.30	Inf	-Inf	31.46	3	Horizontal	298	3.00	62.84	27.63	3.83	-
AV	2.4835G	49.97	54.00	-4.03	31.51	3	Horizontal	298	3.00	18.46	27.67	3.84	-
PK	2.469G	105.51	Inf	-Inf	31.47	3	Horizontal	298	3.00	74.04	27.64	3.83	-
PK	2.4836G	61.26	74.00	-12.74	31.51	3	Horizontal	298	3.00	29.75	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92918G	33.74	54.00	-20.26	3.65	3	Vertical	234	2.89	30.09	32.88	5.42	34.65
AV	7.39742G	37.90	54.00	-16.10	8.60	3	Vertical	360	1.76	29.30	36.71	6.68	34.79
PK	4.93082G	46.44	74.00	-27.56	3.65	3	Vertical	234	2.89	42.79	32.88	5.42	34.65
PK	7.4008G	50.03	74.00	-23.97	8.59	3	Vertical	360	1.76	41.44	36.70	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93814G	33.76	54.00	-20.24	3.71	3	Horizontal	252	1.66	30.05	32.93	5.42	34.64
AV	7.4023G	38.02	54.00	-15.98	8.58	3	Horizontal	248	2.87	29.44	36.69	6.68	34.79
PK	4.93012G	46.54	74.00	-27.46	3.65	3	Horizontal	252	1.66	42.89	32.88	5.42	34.65
PK	7.40012G	50.32	74.00	-23.68	8.59	3	Horizontal	248	2.87	41.73	36.70	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	83.87	Inf	-Inf	31.45	3	Vertical	248	2.76	52.42	27.63	3.82	-
AV	2.4835G	47.10	54.00	-6.90	31.51	3	Vertical	248	2.76	15.59	27.67	3.84	-
PK	2.465G	95.39	Inf	-Inf	31.46	3	Vertical	248	2.76	63.93	27.63	3.83	-
PK	2.4835G	61.45	74.00	-12.55	31.51	3	Vertical	248	2.76	29.94	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.477G	87.19	Inf	-Inf	31.49	3	Horizontal	299	1.44	55.70	27.65	3.84	-
AV	2.4835G	48.99	54.00	-5.01	31.51	3	Horizontal	299	1.44	17.48	27.67	3.84	-
PK	2.4748G	98.77	Inf	-Inf	31.48	3	Horizontal	299	1.44	67.29	27.65	3.83	-
PK	2.4835G	66.00	74.00	-8.00	31.51	3	Horizontal	299	1.44	34.49	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94756G	33.92	54.00	-20.08	3.78	3	Vertical	243	2.74	30.14	32.99	5.43	34.64
AV	7.41868G	38.10	54.00	-15.90	8.53	3	Vertical	5	2.75	29.57	36.63	6.69	34.79
PK	4.94678G	45.41	74.00	-28.59	3.77	3	Vertical	243	2.74	41.64	32.98	5.43	34.64
PK	7.42052G	49.54	74.00	-24.46	8.52	3	Vertical	5	2.75	41.02	36.62	6.69	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94822G	33.89	54.00	-20.11	3.78	3	Horizontal	338	1.91	30.11	32.99	5.43	34.64
AV	7.41314G	38.07	54.00	-15.93	8.55	3	Horizontal	119	2.20	29.52	36.65	6.69	34.79
PK	4.9417G	45.79	74.00	-28.21	3.74	3	Horizontal	338	1.91	42.05	32.95	5.43	34.64
PK	7.41214G	49.53	74.00	-24.47	8.54	3	Horizontal	119	2.20	40.99	36.65	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.95	54.00	-7.05	31.14	3	Vertical	97	2.68	15.81	27.38	3.76	-
AV	2.414G	98.81	Inf	-Inf	31.24	3	Vertical	97	2.68	67.57	27.46	3.78	-
PK	2.3898G	58.55	74.00	-15.45	31.14	3	Vertical	97	2.68	27.41	27.38	3.76	-
PK	2.4144G	110.16	Inf	-Inf	31.24	3	Vertical	97	2.68	78.92	27.46	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.61	54.00	-5.39	31.14	3	Horizontal	69	1.02	17.47	27.38	3.76	-
AV	2.4138G	101.99	Inf	-Inf	31.24	3	Horizontal	69	1.02	70.75	27.46	3.78	-
PK	2.3876G	60.65	74.00	-13.35	31.14	3	Horizontal	69	1.02	29.51	27.38	3.76	-
PK	2.4098G	113.16	Inf	-Inf	31.22	3	Horizontal	69	1.02	81.94	27.44	3.78	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.60	54.00	-4.40	31.14	3	Vertical	92	3.00	18.46	27.38	3.76	-
AV	2.413G	98.11	Inf	-Inf	31.23	3	Vertical	92	3.00	66.88	27.45	3.78	-
PK	2.39G	63.11	74.00	-10.89	31.14	3	Vertical	92	3.00	31.97	27.38	3.76	-
PK	2.4138G	109.60	Inf	-Inf	31.24	3	Vertical	92	3.00	78.36	27.46	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.04	54.00	-2.96	31.14	3	Horizontal	63	1.00	19.90	27.38	3.76	-
AV	2.413G	102.03	Inf	-Inf	31.23	3	Horizontal	63	1.00	70.80	27.45	3.78	-
PK	2.39G	64.03	74.00	-9.97	31.14	3	Horizontal	63	1.00	32.89	27.38	3.76	-
PK	2.4122G	113.51	Inf	-Inf	31.23	3	Horizontal	63	1.00	82.28	27.45	3.78	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8291G	35.68	54.00	-18.32	3.06	3	Vertical	132	1.18	32.62	32.37	5.34	34.65
AV	7.25001G	40.63	54.00	-13.37	8.94	3	Vertical	52	1.39	31.69	37.10	6.61	34.77
PK	4.82974G	47.75	74.00	-26.25	3.07	3	Vertical	132	1.18	44.68	32.38	5.34	34.65
PK	7.25125G	53.24	74.00	-20.76	8.94	3	Vertical	52	1.39	44.30	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82902G	35.62	54.00	-18.38	3.06	3	Horizontal	350	1.13	32.56	32.37	5.34	34.65
AV	7.25032G	40.58	54.00	-13.42	8.94	3	Horizontal	294	1.99	31.64	37.10	6.61	34.77
PK	4.82942G	47.68	74.00	-26.32	3.07	3	Horizontal	350	1.13	44.61	32.38	5.34	34.65
PK	7.25073G	53.93	74.00	-20.07	8.94	3	Horizontal	294	1.99	44.99	37.10	6.61	34.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.01	54.00	-5.99	31.54	3	Vertical	253	3.00	16.47	27.38	4.16	-
AV	2.4334G	102.52	Inf	-Inf	31.72	3	Vertical	253	3.00	70.80	27.53	4.19	-
AV	2.4835G	48.50	54.00	-5.50	31.89	3	Vertical	253	3.00	16.61	27.67	4.22	-
PK	2.3894G	59.18	74.00	-14.82	31.54	3	Vertical	253	3.00	27.64	27.38	4.16	-
PK	2.4382G	113.52	Inf	-Inf	31.74	3	Vertical	253	3.00	81.78	27.55	4.19	-
PK	2.4994G	60.59	74.00	-13.41	31.93	3	Vertical	253	3.00	28.66	27.70	4.23	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.93	54.00	-4.07	31.54	3	Horizontal	58	1.78	18.39	27.38	4.16	-
AV	2.4354G	105.64	Inf	-Inf	31.73	3	Horizontal	58	1.78	73.91	27.54	4.19	-
AV	2.4835G	51.09	54.00	-2.91	31.89	3	Horizontal	58	1.78	19.20	27.67	4.22	-
PK	2.3874G	61.17	74.00	-12.83	31.53	3	Horizontal	58	1.78	29.64	27.37	4.16	-
PK	2.4318G	116.80	Inf	-Inf	31.72	3	Horizontal	58	1.78	85.08	27.53	4.19	-
PK	2.4842G	66.00	74.00	-8.00	31.89	3	Horizontal	58	1.78	34.11	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87384G	30.49	54.00	-23.51	3.33	3	Vertical	1	2.67	27.16	32.60	5.38	34.65
AV	7.30916G	38.30	54.00	-15.70	8.92	3	Vertical	13	2.54	29.38	37.06	6.64	34.78
PK	4.87264G	45.13	74.00	-28.87	3.31	3	Vertical	1	2.67	41.82	32.59	5.37	34.65
PK	7.30252G	52.54	74.00	-21.46	8.95	3	Vertical	13	2.54	43.59	37.09	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87344G	36.15	54.00	-17.85	3.32	3	Horizontal	23	2.46	32.83	32.59	5.38	34.65
AV	7.30716G	35.09	54.00	-18.91	8.93	3	Horizontal	85	1.50	26.16	37.07	6.64	34.78
PK	4.87288G	50.87	74.00	-23.13	3.31	3	Horizontal	23	2.46	47.56	32.59	5.37	34.65
PK	7.30988G	49.29	74.00	-24.71	8.92	3	Horizontal	85	1.50	40.37	37.06	6.64	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	98.84	Inf	-Inf	31.43	3	Vertical	282	2.75	67.41	27.61	3.82	-
AV	2.4835G	48.93	54.00	-5.07	31.51	3	Vertical	282	2.75	17.42	27.67	3.84	-
PK	2.455G	110.32	Inf	-Inf	31.43	3	Vertical	282	2.75	78.89	27.61	3.82	-
PK	2.4838G	62.32	74.00	-11.68	31.51	3	Vertical	282	2.75	30.81	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	102.85	Inf	-Inf	31.43	3	Horizontal	68	1.01	71.42	27.61	3.82	-
AV	2.4835G	51.56	54.00	-2.44	31.51	3	Horizontal	68	1.01	20.05	27.67	3.84	-
PK	2.4562G	114.37	Inf	-Inf	31.43	3	Horizontal	68	1.01	82.94	27.61	3.82	-
PK	2.4836G	66.31	74.00	-7.69	31.51	3	Horizontal	68	1.01	34.80	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91648G	33.97	54.00	-20.03	3.56	3	Vertical	61	1.06	30.41	32.80	5.41	34.65
AV	7.36608G	38.39	54.00	-15.61	8.72	3	Vertical	353	1.85	29.67	36.84	6.66	34.78
PK	4.91442G	45.86	74.00	-28.14	3.55	3	Vertical	61	1.06	42.31	32.79	5.41	34.65
PK	7.37348G	49.89	74.00	-24.11	8.70	3	Vertical	353	1.85	41.19	36.81	6.67	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91176G	33.98	54.00	-20.02	3.52	3	Horizontal	120	1.62	30.46	32.77	5.40	34.65
AV	7.36762G	38.41	54.00	-15.59	8.72	3	Horizontal	218	2.61	29.69	36.83	6.67	34.78
PK	4.91244G	46.81	74.00	-27.19	3.52	3	Horizontal	120	1.62	43.29	32.77	5.40	34.65
PK	7.37308G	49.61	74.00	-24.39	8.70	3	Horizontal	218	2.61	40.91	36.81	6.67	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	98.11	Inf	-Inf	31.84	3	Vertical	90	2.86	66.27	27.63	4.21	-
AV	2.4835G	49.20	54.00	-4.80	31.89	3	Vertical	90	2.86	17.31	27.67	4.22	-
PK	2.4582G	108.68	Inf	-Inf	31.82	3	Vertical	90	2.86	76.86	27.62	4.20	-
PK	2.4838G	61.78	74.00	-12.22	31.89	3	Vertical	90	2.86	29.89	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	101.51	Inf	-Inf	31.84	3	Horizontal	62	1.18	69.67	27.63	4.21	-
AV	2.4835G	51.33	54.00	-2.67	31.89	3	Horizontal	62	1.18	19.44	27.67	4.22	-
PK	2.4646G	112.42	Inf	-Inf	31.84	3	Horizontal	62	1.18	80.58	27.63	4.21	-
PK	2.484G	64.24	74.00	-9.76	31.89	3	Horizontal	62	1.18	32.35	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92224G	34.00	54.00	-20.00	3.59	3	Vertical	34	2.67	30.41	32.83	5.41	34.65
AV	7.38326G	38.00	54.00	-16.00	8.65	3	Vertical	288	2.99	29.35	36.77	6.67	34.79
PK	4.91988G	46.69	74.00	-27.31	3.58	3	Vertical	34	2.67	43.11	32.82	5.41	34.65
PK	7.38216G	49.42	74.00	-24.58	8.65	3	Vertical	288	2.99	40.77	36.77	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92124G	33.99	54.00	-20.01	3.59	3	Horizontal	44	1.38	30.40	32.83	5.41	34.65
AV	7.38512G	38.02	54.00	-15.98	8.64	3	Horizontal	306	2.48	29.38	36.76	6.67	34.79
PK	4.9238G	46.04	74.00	-27.96	3.60	3	Horizontal	44	1.38	42.44	32.84	5.41	34.65
PK	7.38732G	49.59	74.00	-24.41	8.63	3	Horizontal	306	2.48	40.96	36.75	6.67	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4688G	92.19	Inf	-Inf	31.85	3	Vertical	105	2.63	60.34	27.64	4.21	-
AV	2.4835G	47.10	54.00	-6.90	31.89	3	Vertical	105	2.63	15.21	27.67	4.22	-
PK	2.4694G	103.14	Inf	-Inf	31.85	3	Vertical	105	2.63	71.29	27.64	4.21	-
PK	2.4836G	57.86	74.00	-16.14	31.89	3	Vertical	105	2.63	25.97	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	95.36	Inf	-Inf	31.84	3	Horizontal	64	1.18	63.52	27.63	4.21	-
AV	2.4835G	48.96	54.00	-5.04	31.89	3	Horizontal	64	1.18	17.07	27.67	4.22	-
PK	2.466G	107.19	Inf	-Inf	31.84	3	Horizontal	64	1.18	75.35	27.63	4.21	-
PK	2.4835G	59.99	74.00	-14.01	31.89	3	Horizontal	64	1.18	28.10	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93488G	33.76	54.00	-20.24	3.68	3	Vertical	159	1.58	30.08	32.91	5.42	34.65
AV	7.4032G	37.95	54.00	-16.05	8.58	3	Vertical	326	1.15	29.37	36.69	6.68	34.79
PK	4.92918G	46.15	74.00	-27.85	3.65	3	Vertical	159	1.58	42.50	32.88	5.42	34.65
PK	7.40342G	49.66	74.00	-24.34	8.58	3	Vertical	326	1.15	41.08	36.69	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93832G	33.84	54.00	-20.16	3.71	3	Horizontal	213	2.98	30.13	32.93	5.42	34.64
AV	7.4035G	38.00	54.00	-16.00	8.58	3	Horizontal	260	2.77	29.42	36.69	6.68	34.79
PK	4.93816G	45.54	74.00	-28.46	3.71	3	Horizontal	213	2.98	41.83	32.93	5.42	34.64
PK	7.39654G	49.40	74.00	-24.60	8.60	3	Horizontal	260	2.77	40.80	36.71	6.68	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	82.60	Inf	-Inf	31.46	3	Vertical	83	2.95	51.14	27.63	3.83	-
AV	2.4835G	46.44	54.00	-7.56	31.51	3	Vertical	83	2.95	14.93	27.67	3.84	-
PK	2.4752G	94.21	Inf	-Inf	31.48	3	Vertical	83	2.95	62.73	27.65	3.83	-
PK	2.4838G	58.11	74.00	-15.89	31.51	3	Vertical	83	2.95	26.60	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4734G	85.57	Inf	-Inf	31.48	3	Horizontal	59	1.49	54.09	27.65	3.83	-
AV	2.4835G	47.73	54.00	-6.27	31.51	3	Horizontal	59	1.49	16.22	27.67	3.84	-
PK	2.4748G	97.59	Inf	-Inf	31.48	3	Horizontal	59	1.49	66.11	27.65	3.83	-
PK	2.4835G	65.28	74.00	-8.72	31.51	3	Horizontal	59	1.49	33.77	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.947G	33.99	54.00	-20.01	4.10	3	Vertical	25	2.92	29.89	32.98	5.76	34.64
AV	7.4068G	37.77	54.00	-16.23	8.76	3	Vertical	81	2.57	29.01	36.67	6.88	34.79
PK	4.95036G	45.12	74.00	-28.88	4.12	3	Vertical	25	2.92	41.00	33.00	5.76	34.64
PK	7.41952G	49.21	74.00	-24.79	8.72	3	Vertical	81	2.57	40.49	36.62	6.89	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94778G	34.16	54.00	-19.84	4.11	3	Horizontal	287	2.13	30.05	32.99	5.76	34.64
AV	7.40608G	37.78	54.00	-16.22	8.77	3	Horizontal	308	1.34	29.01	36.68	6.88	34.79
PK	4.94736G	45.53	74.00	-28.47	4.10	3	Horizontal	287	2.13	41.43	32.98	5.76	34.64
PK	7.41748G	49.75	74.00	-24.25	8.73	3	Horizontal	308	1.34	41.02	36.63	6.89	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	45.60	54.00	-8.40	31.14	3	Vertical	110	2.85	14.46	27.38	3.76	-
AV	2.418G	92.64	Inf	-Inf	31.26	3	Vertical	110	2.85	61.38	27.47	3.79	-
AV	2.4888G	45.33	54.00	-8.67	31.53	3	Vertical	110	2.85	13.80	27.68	3.85	-
PK	2.3432G	57.25	74.00	-16.75	31.00	3	Vertical	110	2.85	26.25	27.29	3.71	-
PK	2.4324G	104.75	Inf	-Inf	31.33	3	Vertical	110	2.85	73.42	27.53	3.80	-
PK	2.4912G	58.38	74.00	-15.62	31.53	3	Vertical	110	2.85	26.85	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.46	54.00	-7.54	31.14	3	Horizontal	62	1.39	15.32	27.38	3.76	-
AV	2.43G	95.15	Inf	-Inf	31.32	3	Horizontal	62	1.39	63.83	27.52	3.80	-
AV	2.4932G	45.46	54.00	-8.54	31.54	3	Horizontal	62	1.39	13.92	27.69	3.85	-
PK	2.3884G	59.98	74.00	-14.02	31.14	3	Horizontal	62	1.39	28.84	27.38	3.76	-
PK	2.4256G	107.19	Inf	-Inf	31.29	3	Horizontal	62	1.39	75.90	27.50	3.79	-
PK	2.4956G	57.72	74.00	-16.28	31.54	3	Horizontal	62	1.39	26.18	27.69	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83952G	33.88	54.00	-20.12	3.14	3	Vertical	332	2.70	30.74	32.44	5.35	34.65
AV	7.26154G	39.65	54.00	-14.35	8.95	3	Vertical	291	2.04	30.70	37.10	6.62	34.77
PK	4.84104G	46.12	74.00	-27.88	3.15	3	Vertical	332	2.70	42.97	32.45	5.35	34.65
PK	7.26108G	51.56	74.00	-22.44	8.95	3	Vertical	291	2.04	42.61	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83918G	33.89	54.00	-20.11	3.14	3	Horizontal	0	2.40	30.75	32.44	5.35	34.65
AV	7.26114G	39.71	54.00	-14.29	8.95	3	Horizontal	293	2.33	30.76	37.10	6.62	34.77
PK	4.83914G	45.75	74.00	-28.25	3.13	3	Horizontal	0	2.40	42.62	32.43	5.35	34.65
PK	7.26818G	51.66	74.00	-22.34	8.95	3	Horizontal	293	2.33	42.71	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.34	54.00	-5.66	31.14	3	Vertical	93	2.84	17.20	27.38	3.76	-
AV	2.421G	94.19	Inf	-Inf	31.27	3	Vertical	93	2.84	62.92	27.48	3.79	-
AV	2.4838G	46.03	54.00	-7.97	31.51	3	Vertical	93	2.84	14.52	27.67	3.84	-
PK	2.3886G	63.57	74.00	-10.43	31.14	3	Vertical	93	2.84	32.43	27.38	3.76	-
PK	2.435G	106.01	Inf	-Inf	31.34	3	Vertical	93	2.84	74.67	27.54	3.80	-
PK	2.4926G	58.82	74.00	-15.18	31.54	3	Vertical	93	2.84	27.28	27.69	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.42	54.00	-3.58	31.14	3	Horizontal	63	1.56	19.28	27.38	3.76	-
AV	2.4222G	96.73	Inf	-Inf	31.28	3	Horizontal	63	1.56	65.45	27.49	3.79	-
AV	2.4854G	47.38	54.00	-6.62	31.51	3	Horizontal	63	1.56	15.87	27.67	3.84	-
PK	2.3882G	65.33	74.00	-8.67	31.14	3	Horizontal	63	1.56	34.19	27.38	3.76	-
PK	2.4234G	108.32	Inf	-Inf	31.28	3	Horizontal	63	1.56	77.04	27.49	3.79	-
PK	2.4882G	61.45	74.00	-12.55	31.52	3	Horizontal	63	1.56	29.93	27.68	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85744G	33.93	54.00	-20.07	3.24	3	Vertical	120	1.32	30.69	32.53	5.36	34.65
AV	7.2776G	38.40	54.00	-15.60	8.95	3	Vertical	274	1.70	29.45	37.10	6.62	34.77
PK	4.855G	46.01	74.00	-27.99	3.23	3	Vertical	120	1.32	42.78	32.52	5.36	34.65
PK	7.27656G	50.00	74.00	-24.00	8.95	3	Vertical	274	1.70	41.05	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85596G	33.94	54.00	-20.06	3.23	3	Horizontal	275	2.65	30.71	32.52	5.36	34.65
AV	7.27808G	38.41	54.00	-15.59	8.96	3	Horizontal	43	2.57	29.45	37.10	6.63	34.77
PK	4.85482G	46.34	74.00	-27.66	3.23	3	Horizontal	275	2.65	43.11	32.52	5.36	34.65
PK	7.27756G	50.73	74.00	-23.27	8.95	3	Horizontal	43	2.57	41.78	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.43	54.00	-7.57	31.14	3	Vertical	94	3.00	15.29	27.38	3.76	-
AV	2.4422G	94.92	Inf	-Inf	31.38	3	Vertical	94	3.00	63.54	27.57	3.81	-
AV	2.4835G	48.53	54.00	-5.47	31.51	3	Vertical	94	3.00	17.02	27.67	3.84	-
PK	2.3894G	58.12	74.00	-15.88	31.14	3	Vertical	94	3.00	26.98	27.38	3.76	-
PK	2.435G	106.24	Inf	-Inf	31.34	3	Vertical	94	3.00	74.90	27.54	3.80	-
PK	2.487G	61.22	74.00	-12.78	31.51	3	Vertical	94	3.00	29.71	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.85	54.00	-6.15	31.14	3	Horizontal	63	1.40	16.71	27.38	3.76	-
AV	2.4326G	97.28	Inf	-Inf	31.33	3	Horizontal	63	1.40	65.95	27.53	3.80	-
AV	2.4835G	49.65	54.00	-4.35	31.51	3	Horizontal	63	1.40	18.14	27.67	3.84	-
PK	2.3898G	60.25	74.00	-13.75	31.14	3	Horizontal	63	1.40	29.11	27.38	3.76	-
PK	2.4338G	109.24	Inf	-Inf	31.34	3	Horizontal	63	1.40	77.90	27.54	3.80	-
PK	2.4835G	63.56	74.00	-10.44	31.51	3	Horizontal	63	1.40	32.05	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86906G	33.70	54.00	-20.30	3.30	3	Vertical	245	1.95	30.40	32.58	5.37	34.65
AV	7.3081G	38.57	54.00	-15.43	8.93	3	Vertical	41	2.89	29.64	37.07	6.64	34.78
PK	4.8714G	45.92	74.00	-28.08	3.31	3	Vertical	245	1.95	42.61	32.59	5.37	34.65
PK	7.31582G	50.56	74.00	-23.44	8.90	3	Vertical	41	2.89	41.66	37.04	6.64	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8694G	33.73	54.00	-20.27	3.30	3	Horizontal	68	1.85	30.43	32.58	5.37	34.65
AV	7.3085G	38.56	54.00	-15.44	8.93	3	Horizontal	111	1.81	29.63	37.07	6.64	34.78
PK	4.87896G	46.89	74.00	-27.11	3.35	3	Horizontal	68	1.85	43.54	32.62	5.38	34.65
PK	7.31202G	50.63	74.00	-23.37	8.91	3	Horizontal	111	1.81	41.72	37.05	6.64	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.98	54.00	-9.02	31.14	3	Vertical	91	3.00	13.84	27.38	3.76	-
AV	2.455G	94.68	Inf	-Inf	31.43	3	Vertical	91	3.00	63.25	27.61	3.82	-
AV	2.4842G	49.43	54.00	-4.57	31.51	3	Vertical	91	3.00	17.92	27.67	3.84	-
PK	2.3802G	56.67	74.00	-17.33	31.11	3	Vertical	91	3.00	25.56	27.36	3.75	-
PK	2.4534G	105.62	Inf	-Inf	31.43	3	Vertical	91	3.00	74.19	27.61	3.82	-
PK	2.4842G	63.84	74.00	-10.16	31.51	3	Vertical	91	3.00	32.33	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.93	54.00	-8.07	31.14	3	Horizontal	68	1.03	14.79	27.38	3.76	-
AV	2.453G	98.06	Inf	-Inf	31.43	3	Horizontal	68	1.03	66.63	27.61	3.82	-
AV	2.4835G	51.99	54.00	-2.01	31.51	3	Horizontal	68	1.03	20.48	27.67	3.84	-
PK	2.3782G	57.38	74.00	-16.62	31.11	3	Horizontal	68	1.03	26.27	27.36	3.75	-
PK	2.4514G	109.22	Inf	-Inf	31.41	3	Horizontal	68	1.03	77.81	27.60	3.81	-
PK	2.4838G	66.88	74.00	-7.12	31.51	3	Horizontal	68	1.03	35.37	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89716G	33.51	54.00	-20.49	3.43	3	Vertical	337	1.39	30.08	32.69	5.39	34.65
AV	7.34576G	38.25	54.00	-15.75	8.80	3	Vertical	85	2.31	29.45	36.92	6.66	34.78
PK	4.88984G	45.46	74.00	-28.54	3.40	3	Vertical	337	1.39	42.06	32.66	5.39	34.65
PK	7.34396G	50.22	74.00	-23.78	8.79	3	Vertical	85	2.31	41.43	36.92	6.65	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89568G	33.50	54.00	-20.50	3.42	3	Horizontal	107	1.09	30.08	32.68	5.39	34.65
AV	7.34566G	38.28	54.00	-15.72	8.80	3	Horizontal	42	2.30	29.48	36.92	6.66	34.78
PK	4.89628G	45.37	74.00	-28.63	3.43	3	Horizontal	107	1.09	41.94	32.69	5.39	34.65
PK	7.34058G	49.95	74.00	-24.05	8.81	3	Horizontal	42	2.30	41.14	36.94	6.65	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3864G	44.40	54.00	-9.60	31.13	3	Vertical	97	2.80	13.27	27.37	3.76	-
AV	2.456G	92.18	Inf	-Inf	31.43	3	Vertical	97	2.80	60.75	27.61	3.82	-
AV	2.4835G	46.47	54.00	-7.53	31.51	3	Vertical	97	2.80	14.96	27.67	3.84	-
PK	2.3584G	56.69	74.00	-17.31	31.05	3	Vertical	97	2.80	25.64	27.32	3.73	-
PK	2.4576G	103.81	Inf	-Inf	31.44	3	Vertical	97	2.80	72.37	27.62	3.82	-
PK	2.4868G	59.46	74.00	-14.54	31.51	3	Vertical	97	2.80	27.95	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	44.62	54.00	-9.38	31.14	3	Horizontal	65	1.85	13.48	27.38	3.76	-
AV	2.456G	94.31	Inf	-Inf	31.43	3	Horizontal	65	1.85	62.88	27.61	3.82	-
AV	2.4835G	47.85	54.00	-6.15	31.51	3	Horizontal	65	1.85	16.34	27.67	3.84	-
PK	2.3636G	56.64	74.00	-17.36	31.06	3	Horizontal	65	1.85	25.58	27.33	3.73	-
PK	2.4624G	106.97	Inf	-Inf	31.44	3	Horizontal	65	1.85	75.53	27.62	3.82	-
PK	2.4848G	60.91	74.00	-13.09	31.51	3	Horizontal	65	1.85	29.40	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90878G	33.84	54.00	-20.16	3.50	3	Vertical	200	1.64	30.34	32.75	5.40	34.65
AV	7.36018G	38.39	54.00	-15.61	8.74	3	Vertical	35	1.59	29.65	36.86	6.66	34.78
PK	4.90872G	45.96	74.00	-28.04	3.50	3	Vertical	200	1.64	42.46	32.75	5.40	34.65
PK	7.35852G	50.14	74.00	-23.86	8.75	3	Vertical	35	1.59	41.39	36.87	6.66	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90866G	33.87	54.00	-20.13	3.50	3	Horizontal	317	2.76	30.37	32.75	5.40	34.65
AV	7.3575G	38.40	54.00	-15.60	8.75	3	Horizontal	285	2.35	29.65	36.87	6.66	34.78
PK	4.908G	45.91	74.00	-28.09	3.50	3	Horizontal	317	2.76	42.41	32.75	5.40	34.65
PK	7.3511G	50.27	74.00	-23.73	8.78	3	Horizontal	285	2.35	41.49	36.90	6.66	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3838G	44.23	54.00	-9.77	31.12	3	Vertical	107	3.00	13.11	27.37	3.75	-
AV	2.469G	88.96	Inf	-Inf	31.47	3	Vertical	107	3.00	57.49	27.64	3.83	-
AV	2.4835G	49.22	54.00	-4.78	31.51	3	Vertical	107	3.00	17.71	27.67	3.84	-
PK	2.3862G	56.37	74.00	-17.63	31.13	3	Vertical	107	3.00	25.24	27.37	3.76	-
PK	2.467G	100.60	Inf	-Inf	31.46	3	Vertical	107	3.00	69.14	27.63	3.83	-
PK	2.4835G	60.45	74.00	-13.55	31.51	3	Vertical	107	3.00	28.94	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.31	54.00	-9.69	31.14	3	Horizontal	64	1.70	13.17	27.38	3.76	-
AV	2.4658G	91.25	Inf	-Inf	31.46	3	Horizontal	64	1.70	59.79	27.63	3.83	-
AV	2.4835G	50.20	54.00	-3.80	31.51	3	Horizontal	64	1.70	18.69	27.67	3.84	-
PK	2.3798G	56.11	74.00	-17.89	31.11	3	Horizontal	64	1.70	25.00	27.36	3.75	-
PK	2.4546G	103.26	Inf	-Inf	31.43	3	Horizontal	64	1.70	71.83	27.61	3.82	-
PK	2.4835G	61.46	74.00	-12.54	31.51	3	Horizontal	64	1.70	29.95	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91072G	33.94	54.00	-20.06	3.51	3	Vertical	24	2.52	30.43	32.76	5.40	34.65
AV	7.36702G	38.43	54.00	-15.57	8.72	3	Vertical	359	1.09	29.71	36.83	6.67	34.78
PK	4.91678G	46.19	74.00	-27.81	3.56	3	Vertical	24	2.52	42.63	32.80	5.41	34.65
PK	7.37336G	49.63	74.00	-24.37	8.70	3	Vertical	359	1.09	40.93	36.81	6.67	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91258G	33.95	54.00	-20.05	3.53	3	Horizontal	183	1.34	30.42	32.78	5.40	34.65
AV	7.36754G	38.38	54.00	-15.62	8.72	3	Horizontal	140	1.04	29.66	36.83	6.67	34.78
PK	4.90982G	46.05	74.00	-27.95	3.51	3	Horizontal	183	1.34	42.54	32.76	5.40	34.65
PK	7.36712G	50.81	74.00	-23.19	8.72	3	Horizontal	140	1.04	42.09	36.83	6.67	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3668G	44.24	54.00	-9.76	31.07	3	Vertical	105	3.00	13.17	27.33	3.74	-
AV	2.4756G	85.15	Inf	-Inf	31.48	3	Vertical	105	3.00	53.67	27.65	3.83	-
AV	2.4835G	48.31	54.00	-5.69	31.51	3	Vertical	105	3.00	16.80	27.67	3.84	-
PK	2.3848G	56.19	74.00	-17.81	31.12	3	Vertical	105	3.00	25.07	27.37	3.75	-
PK	2.476G	97.09	Inf	-Inf	31.48	3	Vertical	105	3.00	65.61	27.65	3.83	-
PK	2.4835G	61.85	74.00	-12.15	31.51	3	Vertical	105	3.00	30.34	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3796G	44.26	54.00	-9.74	31.11	3	Horizontal	63	1.62	13.15	27.36	3.75	-
AV	2.4764G	86.88	Inf	-Inf	31.48	3	Horizontal	63	1.62	55.40	27.65	3.83	-
AV	2.4835G	49.67	54.00	-4.33	31.51	3	Horizontal	63	1.62	18.16	27.67	3.84	-
PK	2.3644G	56.04	74.00	-17.96	31.06	3	Horizontal	63	1.62	24.98	27.33	3.73	-
PK	2.4692G	98.27	Inf	-Inf	31.47	3	Horizontal	63	1.62	66.80	27.64	3.83	-
PK	2.4835G	63.99	74.00	-10.01	31.51	3	Horizontal	63	1.62	32.48	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92286G	34.00	54.00	-20.00	3.60	3	Vertical	345	1.64	30.40	32.84	5.41	34.65
AV	7.3824G	38.07	54.00	-15.93	8.65	3	Vertical	308	1.44	29.42	36.77	6.67	34.79
PK	4.92008G	45.85	74.00	-28.15	3.58	3	Vertical	345	1.64	42.27	32.82	5.41	34.65
PK	7.38824G	49.20	74.00	-24.80	8.63	3	Vertical	308	1.44	40.57	36.75	6.67	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9239G	34.04	54.00	-19.96	3.60	3	Horizontal	195	2.49	30.44	32.84	5.41	34.65
AV	7.38322G	38.01	54.00	-15.99	8.65	3	Horizontal	79	2.92	29.36	36.77	6.67	34.79
PK	4.9194G	45.88	74.00	-28.12	3.58	3	Horizontal	195	2.49	42.30	32.82	5.41	34.65
PK	7.38972G	49.74	74.00	-24.26	8.63	3	Horizontal	79	2.92	41.11	36.74	6.68	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.09	54.00	-7.91	31.14	3	Vertical	271	2.85	14.95	27.38	3.76	-
AV	2.4232G	91.10	Inf	-Inf	31.28	3	Vertical	271	2.85	59.82	27.49	3.79	-
AV	2.4964G	45.12	54.00	-8.88	31.54	3	Vertical	271	2.85	13.58	27.69	3.85	-
PK	2.3896G	58.12	74.00	-15.88	31.14	3	Vertical	271	2.85	26.98	27.38	3.76	-
PK	2.4284G	102.77	Inf	-Inf	31.30	3	Vertical	271	2.85	71.47	27.51	3.79	-
PK	2.4976G	56.83	74.00	-17.17	31.55	3	Vertical	271	2.85	25.28	27.70	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.52	54.00	-5.48	31.14	3	Horizontal	300	1.40	17.38	27.38	3.76	-
AV	2.4312G	94.01	Inf	-Inf	31.32	3	Horizontal	300	1.40	62.69	27.52	3.80	-
AV	2.4856G	45.28	54.00	-8.72	31.51	3	Horizontal	300	1.40	13.77	27.67	3.84	-
PK	2.3896G	60.90	74.00	-13.10	31.14	3	Horizontal	300	1.40	29.76	27.38	3.76	-
PK	2.4316G	105.20	Inf	-Inf	31.33	3	Horizontal	300	1.40	73.87	27.53	3.80	-
PK	2.4872G	57.10	74.00	-16.90	31.51	3	Horizontal	300	1.40	25.59	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84684G	33.65	54.00	-20.35	3.19	3	Vertical	115	1.78	30.46	32.48	5.36	34.65
AV	7.26178G	39.71	54.00	-14.29	8.95	3	Vertical	117	1.58	30.76	37.10	6.62	34.77
PK	4.84736G	45.71	74.00	-28.29	3.19	3	Vertical	115	1.78	42.52	32.48	5.36	34.65
PK	7.261G	51.42	74.00	-22.58	8.95	3	Vertical	117	1.58	42.47	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84874G	33.74	54.00	-20.26	3.20	3	Horizontal	15	2.78	30.54	32.49	5.36	34.65
AV	7.26196G	39.70	54.00	-14.30	8.95	3	Horizontal	43	2.38	30.75	37.10	6.62	34.77
PK	4.84846G	46.16	74.00	-27.84	3.20	3	Horizontal	15	2.78	42.96	32.49	5.36	34.65
PK	7.2613G	52.69	74.00	-21.31	8.95	3	Horizontal	43	2.38	43.74	37.10	6.62	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.15	54.00	-4.85	31.14	3	Vertical	261	2.07	18.01	27.38	3.76	-
AV	2.433G	93.19	Inf	-Inf	31.33	3	Vertical	261	2.07	61.86	27.53	3.80	-
AV	2.4835G	45.85	54.00	-8.15	31.51	3	Vertical	261	2.07	14.34	27.67	3.84	-
PK	2.3882G	63.79	74.00	-10.21	31.14	3	Vertical	261	2.07	32.65	27.38	3.76	-
PK	2.4378G	105.49	Inf	-Inf	31.35	3	Vertical	261	2.07	74.14	27.55	3.80	-
PK	2.4846G	60.17	74.00	-13.83	31.51	3	Vertical	261	2.07	28.66	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.67	54.00	-2.33	31.14	3	Horizontal	303	1.40	20.53	27.38	3.76	-
AV	2.4334G	96.45	Inf	-Inf	31.33	3	Horizontal	303	1.40	65.12	27.53	3.80	-
AV	2.4842G	47.37	54.00	-6.63	31.51	3	Horizontal	303	1.40	15.86	27.67	3.84	-
PK	2.389G	68.79	74.00	-5.21	31.14	3	Horizontal	303	1.40	37.65	27.38	3.76	-
PK	2.435G	107.46	Inf	-Inf	31.34	3	Horizontal	303	1.40	76.12	27.54	3.80	-
PK	2.4866G	61.55	74.00	-12.45	31.51	3	Horizontal	303	1.40	30.04	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85394G	33.89	54.00	-20.11	3.23	3	Vertical	330	1.83	30.66	32.52	5.36	34.65
AV	7.27602G	38.44	54.00	-15.56	8.95	3	Vertical	323	1.32	29.49	37.10	6.62	34.77
PK	4.85766G	46.34	74.00	-27.66	3.24	3	Vertical	330	1.83	43.10	32.53	5.36	34.65
PK	7.28562G	49.63	74.00	-24.37	8.96	3	Vertical	323	1.32	40.67	37.10	6.63	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8541G	33.94	54.00	-20.06	3.23	3	Horizontal	16	1.89	30.71	32.52	5.36	34.65
AV	7.28268G	38.45	54.00	-15.55	8.96	3	Horizontal	354	1.21	29.49	37.10	6.63	34.77
PK	4.85166G	45.72	74.00	-28.28	3.22	3	Horizontal	16	1.89	42.50	32.51	5.36	34.65
PK	7.28G	49.36	74.00	-24.64	8.96	3	Horizontal	354	1.21	40.40	37.10	6.63	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.85	54.00	-8.15	31.14	3	Vertical	261	2.07	14.71	27.38	3.76	-
AV	2.4346G	92.81	Inf	-Inf	31.34	3	Vertical	261	2.07	61.47	27.54	3.80	-
AV	2.4835G	47.48	54.00	-6.52	31.51	3	Vertical	261	2.07	15.97	27.67	3.84	-
PK	2.3898G	57.33	74.00	-16.67	31.14	3	Vertical	261	2.07	26.19	27.38	3.76	-
PK	2.433G	104.47	Inf	-Inf	31.33	3	Vertical	261	2.07	73.14	27.53	3.80	-
PK	2.4835G	59.96	74.00	-14.04	31.51	3	Vertical	261	2.07	28.45	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.25	54.00	-6.75	31.14	3	Horizontal	297	1.46	16.11	27.38	3.76	-
AV	2.443G	96.17	Inf	-Inf	31.38	3	Horizontal	297	1.46	64.79	27.57	3.81	-
AV	2.4835G	50.33	54.00	-3.67	31.51	3	Horizontal	297	1.46	18.82	27.67	3.84	-
PK	2.3894G	61.44	74.00	-12.56	31.14	3	Horizontal	297	1.46	30.30	27.38	3.76	-
PK	2.4474G	108.22	Inf	-Inf	31.40	3	Horizontal	297	1.46	76.82	27.59	3.81	-
PK	2.4842G	65.35	74.00	-8.65	31.51	3	Horizontal	297	1.46	33.84	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86906G	33.74	54.00	-20.26	3.30	3	Vertical	2	2.85	30.44	32.58	5.37	34.65
AV	7.3087G	38.64	54.00	-15.36	8.93	3	Vertical	6	2.47	29.71	37.07	6.64	34.78
PK	4.87674G	45.64	74.00	-28.36	3.34	3	Vertical	2	2.85	42.30	32.61	5.38	34.65
PK	7.30698G	50.32	74.00	-23.68	8.93	3	Vertical	6	2.47	41.39	37.07	6.64	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86964G	33.70	54.00	-20.30	3.30	3	Horizontal	360	2.82	30.40	32.58	5.37	34.65
AV	7.3081G	38.57	54.00	-15.43	8.93	3	Horizontal	51	1.21	29.64	37.07	6.64	34.78
PK	4.87G	45.88	74.00	-28.12	3.30	3	Horizontal	360	2.82	42.58	32.58	5.37	34.65
PK	7.30992G	50.07	74.00	-23.93	8.92	3	Horizontal	51	1.21	41.15	37.06	6.64	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.58	54.00	-9.42	31.14	3	Vertical	284	2.84	13.44	27.38	3.76	-
AV	2.439G	91.01	Inf	-Inf	31.36	3	Vertical	284	2.84	59.65	27.56	3.80	-
AV	2.4835G	48.29	54.00	-5.71	31.51	3	Vertical	284	2.84	16.78	27.67	3.84	-
PK	2.3574G	56.58	74.00	-17.42	31.04	3	Vertical	284	2.84	25.54	27.31	3.73	-
PK	2.4414G	102.94	Inf	-Inf	31.38	3	Vertical	284	2.84	71.56	27.57	3.81	-
PK	2.4835G	62.76	74.00	-11.24	31.51	3	Vertical	284	2.84	31.25	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.22	54.00	-8.78	31.14	3	Horizontal	297	1.20	14.08	27.38	3.76	-
AV	2.441G	95.56	Inf	-Inf	31.36	3	Horizontal	297	1.20	64.20	27.56	3.80	-
AV	2.4835G	51.76	54.00	-2.24	31.51	3	Horizontal	297	1.20	20.25	27.67	3.84	-
PK	2.3698G	57.42	74.00	-16.58	31.08	3	Horizontal	297	1.20	26.34	27.34	3.74	-
PK	2.4394G	107.10	Inf	-Inf	31.36	3	Horizontal	297	1.20	75.74	27.56	3.80	-
PK	2.4854G	66.97	74.00	-7.03	31.51	3	Horizontal	297	1.20	35.46	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8968G	33.48	54.00	-20.52	3.43	3	Vertical	142	1.78	30.05	32.69	5.39	34.65
AV	7.34386G	38.32	54.00	-15.68	8.79	3	Vertical	321	1.08	29.53	36.92	6.65	34.78
PK	4.8982G	45.79	74.00	-28.21	3.43	3	Vertical	142	1.78	42.36	32.69	5.39	34.65
PK	7.34034G	50.29	74.00	-23.71	8.81	3	Vertical	321	1.08	41.48	36.94	6.65	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89818G	33.50	54.00	-20.50	3.43	3	Horizontal	45	2.53	30.07	32.69	5.39	34.65
AV	7.33928G	38.22	54.00	-15.78	8.81	3	Horizontal	56	1.92	29.41	36.94	6.65	34.78
PK	4.89608G	46.10	74.00	-27.90	3.42	3	Horizontal	45	2.53	42.68	32.68	5.39	34.65
PK	7.3376G	49.63	74.00	-24.37	8.82	3	Horizontal	56	1.92	40.81	36.95	6.65	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3836G	44.31	54.00	-9.69	31.12	3	Vertical	258	3.00	13.19	27.37	3.75	-
AV	2.4456G	89.91	Inf	-Inf	31.39	3	Vertical	258	3.00	58.52	27.58	3.81	-
AV	2.484G	46.02	54.00	-7.98	31.51	3	Vertical	258	3.00	14.51	27.67	3.84	-
PK	2.3744G	56.60	74.00	-17.40	31.09	3	Vertical	258	3.00	25.51	27.35	3.74	-
PK	2.4456G	101.94	Inf	-Inf	31.39	3	Vertical	258	3.00	70.55	27.58	3.81	-
PK	2.496G	57.76	74.00	-16.24	31.54	3	Vertical	258	3.00	26.22	27.69	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.52	54.00	-9.48	31.14	3	Horizontal	299	1.46	13.38	27.38	3.76	-
AV	2.4436G	92.88	Inf	-Inf	31.38	3	Horizontal	299	1.46	61.50	27.57	3.81	-
AV	2.4835G	47.27	54.00	-6.73	31.51	3	Horizontal	299	1.46	15.76	27.67	3.84	-
PK	2.3712G	56.21	74.00	-17.79	31.08	3	Horizontal	299	1.46	25.13	27.34	3.74	-
PK	2.4412G	104.80	Inf	-Inf	31.37	3	Horizontal	299	1.46	73.43	27.56	3.81	-
PK	2.4848G	59.88	74.00	-14.12	31.51	3	Horizontal	299	1.46	28.37	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9089G	33.80	54.00	-20.20	3.50	3	Vertical	9	2.78	30.30	32.75	5.40	34.65
AV	7.3591G	38.41	54.00	-15.59	8.74	3	Vertical	28	1.38	29.67	36.86	6.66	34.78
PK	4.90544G	45.81	74.00	-28.19	3.48	3	Vertical	9	2.78	42.33	32.73	5.40	34.65
PK	7.35442G	50.61	74.00	-23.39	8.76	3	Vertical	28	1.38	41.85	36.88	6.66	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90882G	33.82	54.00	-20.18	3.50	3	Horizontal	99	2.44	30.32	32.75	5.40	34.65
AV	7.3586G	38.42	54.00	-15.58	8.75	3	Horizontal	52	2.28	29.67	36.87	6.66	34.78
PK	4.90536G	45.97	74.00	-28.03	3.48	3	Horizontal	99	2.44	42.49	32.73	5.40	34.65
PK	7.3525G	51.02	74.00	-22.98	8.77	3	Horizontal	52	2.28	42.25	36.89	6.66	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3858G	44.23	54.00	-9.77	31.13	3	Vertical	256	3.00	13.10	27.37	3.76	-
AV	2.4458G	85.24	Inf	-Inf	31.39	3	Vertical	256	3.00	53.85	27.58	3.81	-
AV	2.4835G	46.60	54.00	-7.40	31.51	3	Vertical	256	3.00	15.09	27.67	3.84	-
PK	2.3766G	56.26	74.00	-17.74	31.10	3	Vertical	256	3.00	25.16	27.35	3.75	-
PK	2.4506G	96.86	Inf	-Inf	31.41	3	Vertical	256	3.00	65.45	27.60	3.81	-
PK	2.4835G	59.26	74.00	-14.74	31.51	3	Vertical	256	3.00	27.75	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.28	54.00	-9.72	31.14	3	Horizontal	300	1.30	13.14	27.38	3.76	-
AV	2.4538G	88.23	Inf	-Inf	31.43	3	Horizontal	300	1.30	56.80	27.61	3.82	-
AV	2.4835G	48.12	54.00	-5.88	31.51	3	Horizontal	300	1.30	16.61	27.67	3.84	-
PK	2.3726G	56.55	74.00	-17.45	31.09	3	Horizontal	300	1.30	25.46	27.35	3.74	-
PK	2.449G	100.12	Inf	-Inf	31.41	3	Horizontal	300	1.30	68.71	27.60	3.81	-
PK	2.4838G	59.66	74.00	-14.34	31.51	3	Horizontal	300	1.30	28.15	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91752G	33.94	54.00	-20.06	3.57	3	Vertical	183	1.33	30.37	32.81	5.41	34.65
AV	7.3671G	38.32	54.00	-15.68	8.72	3	Vertical	307	1.97	29.60	36.83	6.67	34.78
PK	4.91572G	46.47	74.00	-27.53	3.55	3	Vertical	183	1.33	42.92	32.79	5.41	34.65
PK	7.36808G	49.99	74.00	-24.01	8.72	3	Vertical	307	1.97	41.27	36.83	6.67	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90958G	33.92	54.00	-20.08	3.51	3	Horizontal	178	1.90	30.41	32.76	5.40	34.65
AV	7.3686G	38.33	54.00	-15.67	8.72	3	Horizontal	308	1.08	29.61	36.83	6.67	34.78
PK	4.91366G	46.37	74.00	-27.63	3.54	3	Horizontal	178	1.90	42.83	32.78	5.41	34.65
PK	7.36788G	49.70	74.00	-24.30	8.72	3	Horizontal	308	1.08	40.98	36.83	6.67	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.17	54.00	-9.83	31.14	3	Vertical	271	3.00	13.03	27.38	3.76	-
AV	2.476G	82.52	Inf	-Inf	31.48	3	Vertical	271	3.00	51.04	27.65	3.83	-
AV	2.4835G	47.16	54.00	-6.84	31.51	3	Vertical	271	3.00	15.65	27.67	3.84	-
PK	2.366G	56.52	74.00	-17.48	31.06	3	Vertical	271	3.00	25.46	27.33	3.73	-
PK	2.472G	93.69	Inf	-Inf	31.47	3	Vertical	271	3.00	62.22	27.64	3.83	-
PK	2.4835G	57.43	74.00	-16.57	31.51	3	Vertical	271	3.00	25.92	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3676G	44.24	54.00	-9.76	31.08	3	Horizontal	300	1.45	13.16	27.34	3.74	-
AV	2.476G	85.49	Inf	-Inf	31.48	3	Horizontal	300	1.45	54.01	27.65	3.83	-
AV	2.4835G	48.84	54.00	-5.16	31.51	3	Horizontal	300	1.45	17.33	27.67	3.84	-
PK	2.3824G	56.45	74.00	-17.55	31.11	3	Horizontal	300	1.45	25.34	27.36	3.75	-
PK	2.4712G	96.78	Inf	-Inf	31.47	3	Horizontal	300	1.45	65.31	27.64	3.83	-
PK	2.4835G	62.01	74.00	-11.99	31.51	3	Horizontal	300	1.45	30.50	27.67	3.84	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91966G	34.03	54.00	-19.97	3.58	3	Vertical	100	1.16	30.45	32.82	5.41	34.65
AV	7.38226G	38.00	54.00	-16.00	8.65	3	Vertical	22	1.64	29.35	36.77	6.67	34.79
PK	4.92294G	46.47	74.00	-27.53	3.60	3	Vertical	100	1.16	42.87	32.84	5.41	34.65
PK	7.38994G	50.20	74.00	-23.80	8.63	3	Vertical	22	1.64	41.57	36.74	6.68	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92404G	34.04	54.00	-19.96	3.60	3	Horizontal	30	2.00	30.44	32.84	5.41	34.65
AV	7.38308G	38.08	54.00	-15.92	8.65	3	Horizontal	51	1.08	29.43	36.77	6.67	34.79
PK	4.9234G	46.14	74.00	-27.86	3.60	3	Horizontal	30	2.00	42.54	32.84	5.41	34.65
PK	7.383G	49.28	74.00	-24.72	8.65	3	Horizontal	51	1.08	40.63	36.77	6.67	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.55	54.00	-9.45	31.14	3	Vertical	106	2.92	13.41	27.38	3.76	-
AV	2.4236G	96.50	Inf	-Inf	31.28	3	Vertical	106	2.92	65.22	27.49	3.79	-
AV	2.4884G	45.27	54.00	-8.73	31.53	3	Vertical	106	2.92	13.74	27.68	3.85	-
PK	2.3436G	56.88	74.00	-17.12	31.00	3	Vertical	106	2.92	25.88	27.29	3.71	-
PK	2.4228G	108.73	Inf	-Inf	31.28	3	Vertical	106	2.92	77.45	27.49	3.79	-
PK	2.4944G	57.09	74.00	-16.91	31.54	3	Vertical	106	2.92	25.55	27.69	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.89	54.00	-9.11	31.14	3	Horizontal	65	1.46	13.75	27.38	3.76	-
AV	2.4236G	98.28	Inf	-Inf	31.28	3	Horizontal	65	1.46	67.00	27.49	3.79	-
AV	2.4884G	45.38	54.00	-8.62	31.53	3	Horizontal	65	1.46	13.85	27.68	3.85	-
PK	2.3888G	57.03	74.00	-16.97	31.14	3	Horizontal	65	1.46	25.89	27.38	3.76	-
PK	2.4248G	110.29	Inf	-Inf	31.29	3	Horizontal	65	1.46	79.00	27.50	3.79	-
PK	2.4888G	57.51	74.00	-16.49	31.53	3	Horizontal	65	1.46	25.98	27.68	3.85	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84016G	33.81	54.00	-20.19	3.48	3	Vertical	252	1.51	30.33	32.44	5.69	34.65
AV	7.27052G	38.54	54.00	-15.46	9.13	3	Vertical	305	1.77	29.41	37.10	6.80	34.77
PK	4.85036G	44.98	74.00	-29.02	3.55	3	Vertical	252	1.51	41.43	32.50	5.70	34.65
PK	7.27376G	50.00	74.00	-24.00	9.13	3	Vertical	305	1.77	40.87	37.10	6.80	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84264G	33.74	54.00	-20.26	3.51	3	Horizontal	45	2.86	30.23	32.46	5.70	34.65
AV	7.2752G	38.41	54.00	-15.59	9.13	3	Horizontal	151	1.15	29.28	37.10	6.80	34.77
PK	4.8506G	45.06	74.00	-28.94	3.55	3	Horizontal	45	2.86	41.51	32.50	5.70	34.65
PK	7.27276G	50.46	74.00	-23.54	9.13	3	Horizontal	151	1.15	41.33	37.10	6.80	34.77