


2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2427MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.53	54.00	-4.47	31.14	3	Vertical	101	2.08	18.39	27.38	3.76	-
AV	2.421G	95.00	Inf	-Inf	31.27	3	Vertical	101	2.08	63.73	27.48	3.79	-
AV	2.4842G	46.67	54.00	-7.33	31.51	3	Vertical	101	2.08	15.16	27.67	3.84	-
PK	2.3878G	65.08	74.00	-8.92	31.14	3	Vertical	101	2.08	33.94	27.38	3.76	-
PK	2.4178G	107.27	Inf	-Inf	31.26	3	Vertical	101	2.08	76.01	27.47	3.79	-
PK	2.485G	58.74	74.00	-15.26	31.51	3	Vertical	101	2.08	27.23	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2427MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.00	54.00	-2.00	31.14	3	Horizontal	56	1.55	20.86	27.38	3.76	-
AV	2.4242G	97.82	Inf	-Inf	31.29	3	Horizontal	56	1.55	66.53	27.50	3.79	-
AV	2.4846G	48.15	54.00	-5.85	31.51	3	Horizontal	56	1.55	16.64	27.67	3.84	-
PK	2.3898G	65.28	74.00	-8.72	31.14	3	Horizontal	56	1.55	34.14	27.38	3.76	-
PK	2.4278G	109.52	Inf	-Inf	31.30	3	Horizontal	56	1.55	78.22	27.51	3.79	-
PK	2.4846G	61.35	74.00	-12.65	31.51	3	Horizontal	56	1.55	29.84	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2427MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8552G	33.98	54.00	-20.02	3.23	3	Vertical	120	1.00	30.75	32.52	5.36	34.65
AV	7.2793G	38.39	54.00	-15.61	8.96	3	Vertical	316	2.98	29.43	37.10	6.63	34.77
PK	4.85238G	45.68	74.00	-28.32	3.22	3	Vertical	120	1.00	42.46	32.51	5.36	34.65
PK	7.27668G	49.90	74.00	-24.10	8.95	3	Vertical	316	2.98	40.95	37.10	6.62	34.77

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2427MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85416G	33.90	54.00	-20.10	3.23	3	Horizontal	280	2.03	30.67	32.52	5.36	34.65
AV	7.27666G	38.47	54.00	-15.53	8.95	3	Horizontal	280	1.72	29.52	37.10	6.62	34.77
PK	4.85782G	46.37	74.00	-27.63	3.24	3	Horizontal	280	2.03	43.13	32.53	5.36	34.65
PK	7.28452G	49.82	74.00	-24.18	8.96	3	Horizontal	280	1.72	40.86	37.10	6.63	34.77

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.75	54.00	-7.25	31.54	3	Vertical	102	2.32	15.21	27.38	4.16	-
AV	2.4434G	95.49	Inf	-Inf	31.77	3	Vertical	102	2.32	63.72	27.57	4.20	-
AV	2.4835G	48.42	54.00	-5.58	31.89	3	Vertical	102	2.32	16.53	27.67	4.22	-
PK	2.385G	57.74	74.00	-16.26	31.53	3	Vertical	102	2.32	26.21	27.37	4.16	-
PK	2.4438G	106.51	Inf	-Inf	31.78	3	Vertical	102	2.32	74.73	27.58	4.20	-
PK	2.4974G	61.36	74.00	-12.64	31.92	3	Vertical	102	2.32	29.44	27.69	4.23	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.79	54.00	-5.21	31.54	3	Horizontal	62	1.65	17.25	27.38	4.16	-
AV	2.4418G	98.60	Inf	-Inf	31.77	3	Horizontal	62	1.65	66.83	27.57	4.20	-
AV	2.4835G	50.93	54.00	-3.07	31.89	3	Horizontal	62	1.65	19.04	27.67	4.22	-
PK	2.3898G	61.06	74.00	-12.94	31.54	3	Horizontal	62	1.65	29.52	27.38	4.16	-
PK	2.4326G	110.07	Inf	-Inf	31.72	3	Horizontal	62	1.65	78.35	27.53	4.19	-
PK	2.4835G	62.73	74.00	-11.27	31.89	3	Horizontal	62	1.65	30.84	27.67	4.22	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8948G	29.03	54.00	-24.97	3.42	3	Vertical	79	2.46	25.61	32.68	5.39	34.65
AV	7.3075G	33.89	54.00	-20.11	8.93	3	Vertical	352	2.63	24.96	37.07	6.64	34.78
PK	4.8628G	43.22	74.00	-30.78	3.27	3	Vertical	79	2.46	39.95	32.55	5.37	34.65
PK	7.3354G	47.66	74.00	-26.34	8.83	3	Vertical	352	2.63	38.83	36.96	6.65	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8826G	29.69	54.00	-24.31	3.36	3	Horizontal	23	1.68	26.33	32.63	5.38	34.65
AV	7.2863G	33.48	54.00	-20.52	8.96	3	Horizontal	206	1.50	24.52	37.10	6.63	34.77
PK	4.873G	44.14	74.00	-29.86	3.31	3	Horizontal	23	1.68	40.83	32.59	5.37	34.65
PK	7.3182G	48.00	74.00	-26.00	8.89	3	Horizontal	206	1.50	39.11	37.03	6.64	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.78	54.00	-9.22	31.14	3	Vertical	234	2.63	13.64	27.38	3.76	-
AV	2.441G	90.75	Inf	-Inf	31.36	3	Vertical	234	2.63	59.39	27.56	3.80	-
AV	2.4835G	49.04	54.00	-4.96	31.51	3	Vertical	234	2.63	17.53	27.67	3.84	-
PK	2.3798G	56.88	74.00	-17.12	31.11	3	Vertical	234	2.63	25.77	27.36	3.75	-
PK	2.443G	102.46	Inf	-Inf	31.38	3	Vertical	234	2.63	71.08	27.57	3.81	-
PK	2.4835G	62.55	74.00	-11.45	31.51	3	Vertical	234	2.63	31.04	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	45.93	54.00	-8.07	31.14	3	Horizontal	67	1.14	14.79	27.38	3.76	-
AV	2.4414G	97.02	Inf	-Inf	31.38	3	Horizontal	67	1.14	65.64	27.57	3.81	-
AV	2.4835G	51.75	54.00	-2.25	31.51	3	Horizontal	67	1.14	20.24	27.67	3.84	-
PK	2.3682G	57.89	74.00	-16.11	31.08	3	Horizontal	67	1.14	26.81	27.34	3.74	-
PK	2.4406G	108.54	Inf	-Inf	31.36	3	Horizontal	67	1.14	77.18	27.56	3.80	-
PK	2.4842G	67.37	74.00	-6.63	31.51	3	Horizontal	67	1.14	35.86	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89854G	33.48	54.00	-20.52	3.43	3	Vertical	309	1.59	30.05	32.69	5.39	34.65
AV	7.34002G	38.30	54.00	-15.70	8.81	3	Vertical	258	1.24	29.49	36.94	6.65	34.78
PK	4.89254G	45.54	74.00	-28.46	3.41	3	Vertical	309	1.59	42.13	32.67	5.39	34.65
PK	7.33768G	49.72	74.00	-24.28	8.82	3	Vertical	258	1.24	40.90	36.95	6.65	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89884G	33.53	54.00	-20.47	3.44	3	Horizontal	243	1.41	30.09	32.70	5.39	34.65
AV	7.34152G	38.32	54.00	-15.68	8.80	3	Horizontal	10	2.57	29.52	36.93	6.65	34.78
PK	4.88986G	45.33	74.00	-28.67	3.40	3	Horizontal	243	1.41	41.93	32.66	5.39	34.65
PK	7.34222G	49.49	74.00	-24.51	8.80	3	Horizontal	10	2.57	40.69	36.93	6.65	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.88	54.00	-9.12	31.54	3	Vertical	113	2.86	13.34	27.38	4.16	-
AV	2.444G	92.31	Inf	-Inf	31.78	3	Vertical	113	2.86	60.53	27.58	4.20	-
AV	2.484G	47.13	54.00	-6.87	31.89	3	Vertical	113	2.86	15.24	27.67	4.22	-
PK	2.3712G	57.23	74.00	-16.77	31.48	3	Vertical	113	2.86	25.75	27.34	4.14	-
PK	2.4404G	104.09	Inf	-Inf	31.75	3	Vertical	113	2.86	72.34	27.56	4.19	-
PK	2.4835G	57.91	74.00	-16.09	31.89	3	Vertical	113	2.86	26.02	27.67	4.22	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	45.43	54.00	-8.57	31.54	3	Horizontal	60	1.68	13.89	27.38	4.16	-
AV	2.4528G	94.99	Inf	-Inf	31.81	3	Horizontal	60	1.68	63.18	27.61	4.20	-
AV	2.4835G	48.88	54.00	-5.12	31.89	3	Horizontal	60	1.68	16.99	27.67	4.22	-
PK	2.3572G	56.78	74.00	-17.22	31.44	3	Horizontal	60	1.68	25.34	27.31	4.13	-
PK	2.4468G	106.42	Inf	-Inf	31.79	3	Horizontal	60	1.68	74.63	27.59	4.20	-
PK	2.4844G	60.64	74.00	-13.36	31.89	3	Horizontal	60	1.68	28.75	27.67	4.22	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89632G	33.82	54.00	-20.18	3.77	3	Vertical	254	1.41	30.05	32.69	5.73	34.65
AV	7.33752G	38.37	54.00	-15.63	9.01	3	Vertical	138	1.84	29.36	36.95	6.84	34.78
PK	4.90104G	45.81	74.00	-28.19	3.79	3	Vertical	254	1.41	42.02	32.71	5.73	34.65
PK	7.35464G	49.51	74.00	-24.49	8.95	3	Vertical	138	1.84	40.56	36.88	6.85	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9104G	34.53	54.00	-19.47	3.85	3	Horizontal	13	1.76	30.68	32.76	5.74	34.65
AV	7.34032G	38.55	54.00	-15.45	9.00	3	Horizontal	290	1.61	29.55	36.94	6.84	34.78
PK	4.90288G	46.91	74.00	-27.09	3.80	3	Horizontal	13	1.76	43.11	32.72	5.73	34.65
PK	7.34016G	50.39	74.00	-23.61	9.00	3	Horizontal	290	1.61	41.39	36.94	6.84	34.78



2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.36	54.00	-9.64	31.14	3	Vertical	93	2.32	13.22	27.38	3.76	-
AV	2.463G	87.38	Inf	-Inf	31.45	3	Vertical	93	2.32	55.93	27.63	3.82	-
AV	2.4835G	46.89	54.00	-7.11	31.51	3	Vertical	93	2.32	15.38	27.67	3.84	-
PK	2.3706G	56.78	74.00	-17.22	31.08	3	Vertical	93	2.32	25.70	27.34	3.74	-
PK	2.4614G	99.05	Inf	-Inf	31.44	3	Vertical	93	2.32	67.61	27.62	3.82	-
PK	2.4862G	57.90	74.00	-16.10	31.51	3	Vertical	93	2.32	26.39	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.39	54.00	-9.61	31.14	3	Horizontal	57	1.55	13.25	27.38	3.76	-
AV	2.465G	89.80	Inf	-Inf	31.46	3	Horizontal	57	1.55	58.34	27.63	3.83	-
AV	2.4835G	49.09	54.00	-4.91	31.51	3	Horizontal	57	1.55	17.58	27.67	3.84	-
PK	2.3766G	56.22	74.00	-17.78	31.10	3	Horizontal	57	1.55	25.12	27.35	3.75	-
PK	2.463G	102.24	Inf	-Inf	31.45	3	Horizontal	57	1.55	70.79	27.63	3.82	-
PK	2.4838G	59.60	74.00	-14.40	31.51	3	Horizontal	57	1.55	28.09	27.67	3.84	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9123G	33.96	54.00	-20.04	3.52	3	Vertical	96	1.18	30.44	32.77	5.40	34.65
AV	7.36872G	38.35	54.00	-15.65	8.72	3	Vertical	145	1.13	29.63	36.83	6.67	34.78
PK	4.91882G	46.00	74.00	-28.00	3.57	3	Vertical	96	1.18	42.43	32.81	5.41	34.65
PK	7.36694G	49.86	74.00	-24.14	8.72	3	Vertical	145	1.13	41.14	36.83	6.67	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91368G	33.96	54.00	-20.04	3.54	3	Horizontal	33	2.67	30.42	32.78	5.41	34.65
AV	7.36748G	38.36	54.00	-15.64	8.72	3	Horizontal	271	1.14	29.64	36.83	6.67	34.78
PK	4.91796G	46.47	74.00	-27.53	3.57	3	Horizontal	33	2.67	42.90	32.81	5.41	34.65
PK	7.37346G	49.77	74.00	-24.23	8.70	3	Horizontal	271	1.14	41.07	36.81	6.67	34.78

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	44.28	54.00	-9.72	31.14	3	Vertical	91	2.84	13.14	27.38	3.76	-
AV	2.4636G	88.73	Inf	-Inf	31.45	3	Vertical	91	2.84	57.28	27.63	3.82	-
AV	2.4952G	45.12	54.00	-8.88	31.54	3	Vertical	91	2.84	13.58	27.69	3.85	-
PK	2.3628G	56.58	74.00	-17.42	31.06	3	Vertical	91	2.84	25.52	27.33	3.73	-
PK	2.4636G	99.97	Inf	-Inf	31.45	3	Vertical	91	2.84	68.52	27.63	3.82	-
PK	2.494G	57.78	74.00	-16.22	31.54	3	Vertical	91	2.84	26.24	27.69	3.85	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.17	54.00	-9.83	31.14	3	Horizontal	64	1.26	13.03	27.38	3.76	-
AV	2.4648G	90.33	Inf	-Inf	31.46	3	Horizontal	64	1.26	58.87	27.63	3.83	-
AV	2.5G	44.98	54.00	-9.02	31.55	3	Horizontal	64	1.26	13.43	27.70	3.85	-
PK	2.372G	56.38	74.00	-17.62	31.08	3	Horizontal	64	1.26	25.30	27.34	3.74	-
PK	2.4632G	101.91	Inf	-Inf	31.45	3	Horizontal	64	1.26	70.46	27.63	3.82	-
PK	2.4916G	57.33	74.00	-16.67	31.53	3	Horizontal	64	1.26	25.80	27.68	3.85	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94296G	33.83	54.00	-20.17	4.08	3	Vertical	191	2.70	29.75	32.96	5.76	34.64
AV	7.39264G	38.05	54.00	-15.95	8.82	3	Vertical	221	1.76	29.23	36.73	6.88	34.79
PK	4.92384G	45.28	74.00	-28.72	3.93	3	Vertical	191	2.70	41.35	32.84	5.74	34.65
PK	7.3788G	49.39	74.00	-24.61	8.86	3	Vertical	221	1.76	40.53	36.78	6.87	34.79

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94288G	33.88	54.00	-20.12	4.08	3	Horizontal	355	1.50	29.80	32.96	5.76	34.64
AV	7.39032G	38.00	54.00	-16.00	8.82	3	Horizontal	244	1.50	29.18	36.74	6.87	34.79
PK	4.92864G	45.99	74.00	-28.01	3.97	3	Horizontal	355	1.50	42.02	32.87	5.75	34.65
PK	7.37288G	50.21	74.00	-23.79	8.89	3	Horizontal	244	1.50	41.32	36.81	6.86	34.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.483.5GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	2.389G	71.06	74.00	-2.94	3	Horizontal	64	1.42
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	2.3898G	49.64	54.00	-4.36	3	Horizontal	298	1.60
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	AV	2.4835G	49.98	54.00	-4.02	3	Horizontal	68	1.16
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	AV	2.4848G	45.41	54.00	-8.59	3	Horizontal	297	2.03
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	AV	2.493G	45.38	54.00	-8.62	3	Horizontal	70	1.59
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	AV	2.4886G	45.32	54.00	-8.68	3	Vertical	270	2.28
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	PK	2.4835G	71.57	74.00	-2.43	3	Horizontal	59	1.44
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	PK	2.4835G	70.29	74.00	-3.71	3	Horizontal	292	1.39
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	AV	2.3896G	51.24	54.00	-2.76	3	Horizontal	71	1.38
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	AV	2.3898G	49.81	54.00	-4.19	3	Horizontal	304	1.56
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	2.4914G	45.44	54.00	-8.56	3	Vertical	89	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	AV	2.4835G	51.66	54.00	-2.34	3	Horizontal	294	1.40
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	2.4954G	50.36	54.00	-3.64	3	Horizontal	66	1.38
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	2.4835G	46.69	54.00	-7.31	3	Horizontal	66	1.47
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	2.4842G	48.67	54.00	-5.33	3	Horizontal	300	1.57
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	PK	2.4874G	72.22	74.00	-1.78	3	Horizontal	301	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	2.3898G	50.49	54.00	-3.51	3	Horizontal	304	1.58
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	2.4835G	51.55	54.00	-2.45	3	Horizontal	302	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	AV	2.3898G	52.30	54.00	-1.70	3	Horizontal	69	1.40
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	AV	2.3898G	50.55	54.00	-3.45	3	Horizontal	303	1.58
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	AV	2.4835G	51.84	54.00	-2.16	3	Horizontal	56	1.58
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	AV	2.4835G	51.02	54.00	-2.98	3	Horizontal	297	1.17
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	AV	2.4835G	50.93	54.00	-3.07	3	Horizontal	70	1.39
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	PK	2.4835G	71.77	74.00	-2.23	3	Horizontal	300	1.07



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.43	54.00	-5.57	3	Vertical	82	2.63
2412MHz	Pass	AV	2.4038G	108.39	Inf	-Inf	3	Vertical	82	2.63
2412MHz	Pass	PK	2.389G	68.24	74.00	-5.76	3	Vertical	82	2.63
2412MHz	Pass	PK	2.4038G	116.55	Inf	-Inf	3	Vertical	82	2.63
2412MHz	Pass	AV	2.39G	50.18	54.00	-3.82	3	Horizontal	64	1.42
2412MHz	Pass	AV	2.4038G	111.22	Inf	-Inf	3	Horizontal	64	1.42
2412MHz	Pass	PK	2.389G	71.06	74.00	-2.94	3	Horizontal	64	1.42
2412MHz	Pass	PK	2.404G	119.53	Inf	-Inf	3	Horizontal	64	1.42
2412MHz	Pass	AV	4.83054G	34.17	54.00	-19.83	3	Vertical	8	1.50
2412MHz	Pass	PK	4.8158G	47.04	74.00	-26.96	3	Vertical	8	1.50
2412MHz	Pass	AV	4.83134G	34.11	54.00	-19.89	3	Horizontal	212	1.50
2412MHz	Pass	PK	4.82956G	45.71	74.00	-28.29	3	Horizontal	212	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3874G	45.70	54.00	-8.30	3	Vertical	281	2.95
2412MHz	Pass	AV	2.4036G	105.66	Inf	-Inf	3	Vertical	281	2.95
2412MHz	Pass	PK	2.3892G	59.62	74.00	-14.38	3	Vertical	281	2.95
2412MHz	Pass	PK	2.404G	114.12	Inf	-Inf	3	Vertical	281	2.95
2412MHz	Pass	AV	2.3876G	46.56	54.00	-7.44	3	Horizontal	299	1.47
2412MHz	Pass	AV	2.4038G	109.39	Inf	-Inf	3	Horizontal	299	1.47
2412MHz	Pass	PK	2.3892G	62.37	74.00	-11.63	3	Horizontal	299	1.47
2412MHz	Pass	PK	2.404G	117.80	Inf	-Inf	3	Horizontal	299	1.47
2412MHz	Pass	AV	4.82992G	34.10	54.00	-19.90	3	Vertical	160	1.50
2412MHz	Pass	PK	4.83036G	46.17	74.00	-27.83	3	Vertical	160	1.50
2412MHz	Pass	AV	4.82894G	34.05	54.00	-19.95	3	Horizontal	326	1.50
2412MHz	Pass	PK	4.8201G	46.36	74.00	-27.64	3	Horizontal	326	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.96	54.00	-7.04	3	Vertical	281	2.94
2412MHz	Pass	AV	2.4038G	107.01	Inf	-Inf	3	Vertical	281	2.94
2412MHz	Pass	PK	2.39G	66.22	74.00	-7.78	3	Vertical	281	2.94
2412MHz	Pass	PK	2.4038G	116.13	Inf	-Inf	3	Vertical	281	2.94
2412MHz	Pass	AV	2.39G	47.92	54.00	-6.08	3	Horizontal	66	1.62
2412MHz	Pass	AV	2.404G	111.19	Inf	-Inf	3	Horizontal	66	1.62
2412MHz	Pass	PK	2.39G	67.68	74.00	-6.32	3	Horizontal	66	1.62
2412MHz	Pass	PK	2.4038G	120.69	Inf	-Inf	3	Horizontal	66	1.62
2412MHz	Pass	AV	4.83054G	34.12	54.00	-19.88	3	Vertical	111	1.50
2412MHz	Pass	PK	4.83058G	45.80	74.00	-28.20	3	Vertical	111	1.50
2412MHz	Pass	AV	4.82892G	34.24	54.00	-19.76	3	Horizontal	332	2.74
2412MHz	Pass	PK	4.82254G	47.22	74.00	-26.78	3	Horizontal	332	2.74
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3874G	45.42	54.00	-8.58	3	Vertical	82	2.82
2437MHz	Pass	AV	2.429G	108.77	Inf	-Inf	3	Vertical	82	2.82
2437MHz	Pass	AV	2.4835G	46.05	54.00	-7.95	3	Vertical	82	2.82
2437MHz	Pass	PK	2.3702G	57.83	74.00	-16.17	3	Vertical	82	2.82
2437MHz	Pass	PK	2.4286G	116.77	Inf	-Inf	3	Vertical	82	2.82
2437MHz	Pass	PK	2.4838G	59.25	74.00	-14.75	3	Vertical	82	2.82
2437MHz	Pass	AV	2.3874G	46.20	54.00	-7.80	3	Horizontal	65	1.25
2437MHz	Pass	AV	2.4286G	111.75	Inf	-Inf	3	Horizontal	65	1.25
2437MHz	Pass	AV	2.4835G	47.17	54.00	-6.83	3	Horizontal	65	1.25
2437MHz	Pass	PK	2.375G	57.99	74.00	-16.01	3	Horizontal	65	1.25
2437MHz	Pass	PK	2.429G	119.91	Inf	-Inf	3	Horizontal	65	1.25
2437MHz	Pass	PK	2.4838G	62.32	74.00	-11.68	3	Horizontal	65	1.25
2437MHz	Pass	AV	4.88382G	33.47	54.00	-20.53	3	Vertical	114	3.00
2437MHz	Pass	PK	4.8812G	45.44	74.00	-28.56	3	Vertical	114	3.00
2437MHz	Pass	AV	4.88326G	33.55	54.00	-20.45	3	Horizontal	360	1.50
2437MHz	Pass	PK	4.8749G	46.92	74.00	-27.08	3	Horizontal	360	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3898G	48.13	54.00	-5.87	3	Vertical	257	2.85
2437MHz	Pass	AV	2.4286G	110.42	Inf	-Inf	3	Vertical	257	2.85
2437MHz	Pass	AV	2.4954G	46.81	54.00	-7.19	3	Vertical	257	2.85
2437MHz	Pass	PK	2.3898G	65.78	74.00	-8.22	3	Vertical	257	2.85



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.429G	117.74	Inf	-Inf	3	Vertical	257	2.85
2437MHz	Pass	PK	2.4858G	61.95	74.00	-12.05	3	Vertical	257	2.85
2437MHz	Pass	AV	2.3898G	49.64	54.00	-4.36	3	Horizontal	298	1.60
2437MHz	Pass	AV	2.4286G	113.17	Inf	-Inf	3	Horizontal	298	1.60
2437MHz	Pass	AV	2.4835G	48.34	54.00	-5.66	3	Horizontal	298	1.60
2437MHz	Pass	PK	2.3898G	65.80	74.00	-8.20	3	Horizontal	298	1.60
2437MHz	Pass	PK	2.429G	120.54	Inf	-Inf	3	Horizontal	298	1.60
2437MHz	Pass	PK	2.4858G	64.83	74.00	-9.17	3	Horizontal	298	1.60
2437MHz	Pass	AV	4.88318G	33.42	54.00	-20.58	3	Vertical	78	1.50
2437MHz	Pass	PK	4.88054G	45.41	74.00	-28.59	3	Vertical	78	1.50
2437MHz	Pass	AV	4.88254G	33.50	54.00	-20.50	3	Horizontal	334	1.50
2437MHz	Pass	PK	4.86532G	45.34	74.00	-28.66	3	Horizontal	334	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.379G	47.85	54.00	-6.15	3	Vertical	83	2.72
2437MHz	Pass	AV	2.4286G	110.73	Inf	-Inf	3	Vertical	83	2.72
2437MHz	Pass	AV	2.4862G	48.56	54.00	-5.44	3	Vertical	83	2.72
2437MHz	Pass	PK	2.3882G	60.68	74.00	-13.32	3	Vertical	83	2.72
2437MHz	Pass	PK	2.429G	119.68	Inf	-Inf	3	Vertical	83	2.72
2437MHz	Pass	PK	2.485G	62.28	74.00	-11.72	3	Vertical	83	2.72
2437MHz	Pass	AV	2.383G	49.42	54.00	-4.58	3	Horizontal	66	1.38
2437MHz	Pass	AV	2.4286G	113.44	Inf	-Inf	3	Horizontal	66	1.38
2437MHz	Pass	AV	2.4954G	50.36	54.00	-3.64	3	Horizontal	66	1.38
2437MHz	Pass	PK	2.3898G	62.70	74.00	-11.30	3	Horizontal	66	1.38
2437MHz	Pass	PK	2.429G	121.67	Inf	-Inf	3	Horizontal	66	1.38
2437MHz	Pass	PK	2.4858G	63.21	74.00	-10.79	3	Horizontal	66	1.38
2437MHz	Pass	AV	4.88226G	33.53	54.00	-20.47	3	Vertical	16	2.97
2437MHz	Pass	PK	4.8681G	47.47	74.00	-26.53	3	Vertical	16	2.97
2437MHz	Pass	AV	4.88304G	33.62	54.00	-20.38	3	Horizontal	360	1.56
2437MHz	Pass	PK	4.87284G	49.64	74.00	-24.36	3	Horizontal	360	1.56
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4704G	106.52	Inf	-Inf	3	Vertical	86	2.74
2462MHz	Pass	AV	2.4835G	48.43	54.00	-5.57	3	Vertical	86	2.74
2462MHz	Pass	PK	2.4698G	114.78	Inf	-Inf	3	Vertical	86	2.74
2462MHz	Pass	PK	2.4866G	66.73	74.00	-7.27	3	Vertical	86	2.74
2462MHz	Pass	AV	2.4704G	110.31	Inf	-Inf	3	Horizontal	68	1.16
2462MHz	Pass	AV	2.4835G	49.98	54.00	-4.02	3	Horizontal	68	1.16
2462MHz	Pass	PK	2.4698G	118.55	Inf	-Inf	3	Horizontal	68	1.16
2462MHz	Pass	PK	2.4866G	69.43	74.00	-4.57	3	Horizontal	68	1.16
2462MHz	Pass	AV	4.9265G	33.87	54.00	-20.13	3	Vertical	328	2.84
2462MHz	Pass	PK	4.92316G	46.18	74.00	-27.82	3	Vertical	328	2.84
2462MHz	Pass	AV	4.92274G	33.95	54.00	-20.05	3	Horizontal	315	1.50
2462MHz	Pass	PK	4.92518G	47.66	74.00	-26.34	3	Horizontal	315	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4704G	82.51	Inf	-Inf	3	Vertical	264	2.19
2462MHz	Pass	AV	2.4992G	45.34	54.00	-8.66	3	Vertical	264	2.19
2462MHz	Pass	PK	2.47G	91.00	Inf	-Inf	3	Vertical	264	2.19
2462MHz	Pass	PK	2.4854G	57.45	74.00	-16.55	3	Vertical	264	2.19
2462MHz	Pass	AV	2.4702G	84.30	Inf	-Inf	3	Horizontal	301	2.16
2462MHz	Pass	AV	2.4928G	45.33	54.00	-8.67	3	Horizontal	301	2.16
2462MHz	Pass	PK	2.4696G	92.73	Inf	-Inf	3	Horizontal	301	2.16
2462MHz	Pass	PK	2.4844G	57.55	74.00	-16.45	3	Horizontal	301	2.16
2462MHz	Pass	AV	4.93306G	33.88	54.00	-20.12	3	Vertical	88	2.62
2462MHz	Pass	PK	4.92724G	46.01	74.00	-27.99	3	Vertical	88	2.62
2462MHz	Pass	AV	4.9322G	33.92	54.00	-20.08	3	Horizontal	249	1.50
2462MHz	Pass	PK	4.92962G	46.37	74.00	-27.63	3	Horizontal	249	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4706G	83.12	Inf	-Inf	3	Vertical	85	2.26
2462MHz	Pass	AV	2.4916G	45.41	54.00	-8.59	3	Vertical	85	2.26
2462MHz	Pass	PK	2.47G	92.28	Inf	-Inf	3	Vertical	85	2.26
2462MHz	Pass	PK	2.4944G	57.55	74.00	-16.45	3	Vertical	85	2.26
2462MHz	Pass	AV	2.4704G	90.30	Inf	-Inf	3	Horizontal	68	1.17
2462MHz	Pass	AV	2.4862G	45.39	54.00	-8.61	3	Horizontal	68	1.17



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	2.4696G	99.09	Inf	-Inf	3	Horizontal	68	1.17
2462MHz	Pass	PK	2.4868G	57.61	74.00	-16.39	3	Horizontal	68	1.17
2462MHz	Pass	AV	4.9253G	34.02	54.00	-19.98	3	Vertical	50	2.81
2462MHz	Pass	PK	4.93138G	43.83	74.00	-30.17	3	Vertical	50	2.81
2462MHz	Pass	AV	4.93356G	33.94	54.00	-20.06	3	Horizontal	175	2.10
2462MHz	Pass	PK	4.91558G	44.17	74.00	-29.83	3	Horizontal	175	2.10
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4755G	82.22	Inf	-Inf	3	Vertical	118	1.71
2467MHz	Pass	AV	2.4846G	45.29	54.00	-8.71	3	Vertical	118	1.71
2467MHz	Pass	PK	2.4748G	90.71	Inf	-Inf	3	Vertical	118	1.71
2467MHz	Pass	PK	2.4967G	57.51	74.00	-16.49	3	Vertical	118	1.71
2467MHz	Pass	AV	2.4755G	82.53	Inf	-Inf	3	Horizontal	67	2.12
2467MHz	Pass	AV	2.4835G	45.12	54.00	-8.88	3	Horizontal	67	2.12
2467MHz	Pass	PK	2.4749G	91.19	Inf	-Inf	3	Horizontal	67	2.12
2467MHz	Pass	PK	2.492G	57.50	74.00	-16.50	3	Horizontal	67	2.12
2467MHz	Pass	AV	4.94138G	34.04	54.00	-19.96	3	Vertical	304	1.50
2467MHz	Pass	PK	4.9373G	46.53	74.00	-27.47	3	Vertical	304	1.50
2467MHz	Pass	AV	4.94156G	34.27	54.00	-19.73	3	Horizontal	360	2.65
2467MHz	Pass	PK	4.93626G	48.26	74.00	-25.74	3	Horizontal	360	2.65
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4756G	81.33	Inf	-Inf	3	Vertical	264	2.25
2467MHz	Pass	AV	2.4978G	45.34	54.00	-8.66	3	Vertical	264	2.25
2467MHz	Pass	PK	2.4752G	89.67	Inf	-Inf	3	Vertical	264	2.25
2467MHz	Pass	PK	2.4932G	57.41	74.00	-16.59	3	Vertical	264	2.25
2467MHz	Pass	AV	2.4752G	85.24	Inf	-Inf	3	Horizontal	297	2.03
2467MHz	Pass	AV	2.4848G	45.41	54.00	-8.59	3	Horizontal	297	2.03
2467MHz	Pass	PK	2.4752G	93.44	Inf	-Inf	3	Horizontal	297	2.03
2467MHz	Pass	PK	2.4846G	57.79	74.00	-16.21	3	Horizontal	297	2.03
2467MHz	Pass	AV	4.94364G	34.03	54.00	-19.97	3	Vertical	118	1.43
2467MHz	Pass	PK	4.9291G	45.38	74.00	-28.62	3	Vertical	118	1.43
2467MHz	Pass	AV	4.94122G	34.10	54.00	-19.90	3	Horizontal	328	2.30
2467MHz	Pass	PK	4.93534G	46.13	74.00	-27.87	3	Horizontal	328	2.30
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4758G	79.38	Inf	-Inf	3	Vertical	91	2.28
2467MHz	Pass	AV	2.493G	45.30	54.00	-8.70	3	Vertical	91	2.28
2467MHz	Pass	PK	2.4752G	88.90	Inf	-Inf	3	Vertical	91	2.28
2467MHz	Pass	PK	2.4936G	57.36	74.00	-16.64	3	Vertical	91	2.28
2467MHz	Pass	AV	2.4756G	85.59	Inf	-Inf	3	Horizontal	67	1.42
2467MHz	Pass	AV	2.4938G	45.36	54.00	-8.64	3	Horizontal	67	1.42
2467MHz	Pass	PK	2.475G	94.77	Inf	-Inf	3	Horizontal	67	1.42
2467MHz	Pass	PK	2.4988G	57.59	74.00	-16.41	3	Horizontal	67	1.42
2467MHz	Pass	AV	4.94098G	42.36	54.00	-11.64	3	Vertical	73	1.22
2467MHz	Pass	PK	4.93942G	50.63	74.00	-23.37	3	Vertical	73	1.22
2467MHz	Pass	AV	4.94084G	42.45	54.00	-11.55	3	Horizontal	32	2.03
2467MHz	Pass	PK	4.94096G	49.80	74.00	-24.20	3	Horizontal	32	2.03
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4802G	72.44	Inf	-Inf	3	Vertical	121	2.17
2472MHz	Pass	AV	2.4888G	45.34	54.00	-8.66	3	Vertical	121	2.17
2472MHz	Pass	PK	2.48G	84.33	Inf	-Inf	3	Vertical	121	2.17
2472MHz	Pass	PK	2.4986G	57.82	74.00	-16.18	3	Vertical	121	2.17
2472MHz	Pass	AV	2.4802G	77.80	Inf	-Inf	3	Horizontal	66	1.24
2472MHz	Pass	AV	2.4874G	45.35	54.00	-8.65	3	Horizontal	66	1.24
2472MHz	Pass	PK	2.48G	89.66	Inf	-Inf	3	Horizontal	66	1.24
2472MHz	Pass	PK	2.498G	57.46	74.00	-16.54	3	Horizontal	66	1.24
2472MHz	Pass	AV	4.95132G	34.12	54.00	-19.88	3	Vertical	7	1.32
2472MHz	Pass	PK	4.94902G	45.96	74.00	-28.04	3	Vertical	7	1.32
2472MHz	Pass	AV	4.94742G	34.35	54.00	-19.65	3	Horizontal	14	2.73
2472MHz	Pass	PK	4.94528G	47.74	74.00	-26.26	3	Horizontal	14	2.73
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4804G	71.05	Inf	-Inf	3	Vertical	267	2.21
2472MHz	Pass	AV	2.495G	45.39	54.00	-8.61	3	Vertical	267	2.21
2472MHz	Pass	PK	2.4802G	83.73	Inf	-Inf	3	Vertical	267	2.21





RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2472MHz	Pass	PK	2.493G	56.83	74.00	-17.17	3	Vertical	267	2.21
2472MHz	Pass	AV	2.4802G	76.47	Inf	-Inf	3	Horizontal	297	1.56
2472MHz	Pass	AV	2.4852G	45.14	54.00	-8.86	3	Horizontal	297	1.56
2472MHz	Pass	PK	2.4802G	88.69	Inf	-Inf	3	Horizontal	297	1.56
2472MHz	Pass	PK	2.4888G	56.75	74.00	-17.25	3	Horizontal	297	1.56
2472MHz	Pass	AV	4.94902G	34.12	54.00	-19.88	3	Vertical	201	1.50
2472MHz	Pass	PK	4.94294G	45.91	74.00	-28.09	3	Vertical	201	1.50
2472MHz	Pass	AV	4.95G	34.19	54.00	-19.81	3	Horizontal	62	3.00
2472MHz	Pass	PK	4.953G	46.16	74.00	-27.84	3	Horizontal	62	3.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4802G	85.02	Inf	-Inf	3	Vertical	89	2.27
2472MHz	Pass	AV	2.4835G	45.88	54.00	-8.12	3	Vertical	89	2.27
2472MHz	Pass	PK	2.4806G	97.13	Inf	-Inf	3	Vertical	89	2.27
2472MHz	Pass	PK	2.4838G	58.34	74.00	-15.66	3	Vertical	89	2.27
2472MHz	Pass	AV	2.4804G	89.89	Inf	-Inf	3	Horizontal	66	1.47
2472MHz	Pass	AV	2.4835G	46.69	54.00	-7.31	3	Horizontal	66	1.47
2472MHz	Pass	PK	2.4798G	101.01	Inf	-Inf	3	Horizontal	66	1.47
2472MHz	Pass	PK	2.4835G	62.90	74.00	-11.10	3	Horizontal	66	1.47
2472MHz	Pass	AV	4.94082G	42.35	54.00	-11.65	3	Vertical	138	2.22
2472MHz	Pass	PK	4.94128G	49.69	74.00	-24.31	3	Vertical	138	2.22
2472MHz	Pass	AV	4.94082G	42.43	54.00	-11.57	3	Horizontal	194	2.46
2472MHz	Pass	PK	4.9419G	50.14	74.00	-23.86	3	Horizontal	194	2.46
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3888G	44.55	54.00	-9.45	3	Vertical	86	2.28
2412MHz	Pass	AV	2.4036G	82.47	Inf	-Inf	3	Vertical	86	2.28
2412MHz	Pass	PK	2.3834G	56.82	74.00	-17.18	3	Vertical	86	2.28
2412MHz	Pass	PK	2.403G	92.30	Inf	-Inf	3	Vertical	86	2.28
2412MHz	Pass	AV	2.3778G	44.58	54.00	-9.42	3	Horizontal	70	2.28
2412MHz	Pass	AV	2.4038G	80.99	Inf	-Inf	3	Horizontal	70	2.28
2412MHz	Pass	PK	2.3802G	57.34	74.00	-16.66	3	Horizontal	70	2.28
2412MHz	Pass	PK	2.4046G	90.77	Inf	-Inf	3	Horizontal	70	2.28
2412MHz	Pass	AV	4.82718G	34.05	54.00	-19.95	3	Vertical	293	2.71
2412MHz	Pass	PK	4.82453G	43.90	74.00	-30.10	3	Vertical	293	2.71
2412MHz	Pass	AV	4.82837G	34.04	54.00	-19.96	3	Horizontal	328	1.06
2412MHz	Pass	PK	4.82347G	43.94	74.00	-30.06	3	Horizontal	328	1.06
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3782G	44.57	54.00	-9.43	3	Vertical	288	2.28
2412MHz	Pass	AV	2.4036G	80.24	Inf	-Inf	3	Vertical	288	2.28
2412MHz	Pass	PK	2.3692G	56.90	74.00	-17.10	3	Vertical	288	2.28
2412MHz	Pass	PK	2.4052G	90.56	Inf	-Inf	3	Vertical	288	2.28
2412MHz	Pass	AV	2.3894G	44.57	54.00	-9.43	3	Horizontal	301	1.68
2412MHz	Pass	AV	2.4042G	88.62	Inf	-Inf	3	Horizontal	301	1.68
2412MHz	Pass	PK	2.3804G	56.87	74.00	-17.13	3	Horizontal	301	1.68
2412MHz	Pass	PK	2.4054G	98.66	Inf	-Inf	3	Horizontal	301	1.68
2412MHz	Pass	AV	4.82718G	34.05	54.00	-19.95	3	Vertical	293	2.71
2412MHz	Pass	PK	4.82453G	43.90	74.00	-30.10	3	Vertical	293	2.71
2412MHz	Pass	AV	4.82837G	34.04	54.00	-19.96	3	Horizontal	328	1.06
2412MHz	Pass	PK	4.82347G	43.94	74.00	-30.06	3	Horizontal	328	1.06
2412MHz	Pass	AV	4.82737G	34.04	54.00	-19.96	3	Vertical	171	2.32
2412MHz	Pass	PK	4.82347G	44.09	74.00	-29.91	3	Vertical	171	2.32
2412MHz	Pass	AV	4.8285G	34.09	54.00	-19.91	3	Horizontal	136	2.11
2412MHz	Pass	PK	4.82002G	44.87	74.00	-29.13	3	Horizontal	136	2.11
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.38945G	44.99	54.00	-9.01	3	Vertical	260.1	2.29
2412MHz	Pass	AV	2.40408G	96.12	Inf	-Inf	3	Vertical	260.1	2.29
2412MHz	Pass	PK	2.38986G	63.76	74.00	-10.24	3	Vertical	260.1	2.29
2412MHz	Pass	PK	2.40609G	106.66	Inf	-Inf	3	Vertical	260.1	2.29
2412MHz	Pass	AV	2.3898G	45.65	54.00	-8.35	3	Horizontal	69	1.63
2412MHz	Pass	AV	2.404G	102.03	Inf	-Inf	3	Horizontal	69	1.63
2412MHz	Pass	PK	2.3892G	67.85	74.00	-6.15	3	Horizontal	69	1.63
2412MHz	Pass	PK	2.4038G	113.21	Inf	-Inf	3	Horizontal	69	1.63
2412MHz	Pass	AV	4.82813G	34.11	54.00	-19.89	3	Vertical	138	2.01



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.82857G	44.76	74.00	-29.24	3	Vertical	138	2.01
2412MHz	Pass	AV	4.82839G	34.12	54.00	-19.88	3	Horizontal	4	2.20
2412MHz	Pass	PK	4.82885G	45.31	74.00	-28.69	3	Horizontal	4	2.20
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.387G	44.55	54.00	-9.45	3	Vertical	88	2.24
2437MHz	Pass	AV	2.4294G	82.64	Inf	-Inf	3	Vertical	88	2.24
2437MHz	Pass	AV	2.4974G	45.35	54.00	-8.65	3	Vertical	88	2.24
2437MHz	Pass	PK	2.3542G	56.30	74.00	-17.70	3	Vertical	88	2.24
2437MHz	Pass	PK	2.429G	92.25	Inf	-Inf	3	Vertical	88	2.24
2437MHz	Pass	PK	2.4994G	56.99	74.00	-17.01	3	Vertical	88	2.24
2437MHz	Pass	AV	2.3886G	44.58	54.00	-9.42	3	Horizontal	70	1.59
2437MHz	Pass	AV	2.429G	89.88	Inf	-Inf	3	Horizontal	70	1.59
2437MHz	Pass	AV	2.493G	45.38	54.00	-8.62	3	Horizontal	70	1.59
2437MHz	Pass	PK	2.3846G	57.36	74.00	-16.64	3	Horizontal	70	1.59
2437MHz	Pass	PK	2.429G	99.52	Inf	-Inf	3	Horizontal	70	1.59
2437MHz	Pass	PK	2.491G	57.02	74.00	-16.98	3	Horizontal	70	1.59
2437MHz	Pass	AV	4.87884G	33.32	54.00	-20.68	3	Vertical	324	1.63
2437MHz	Pass	PK	4.86952G	44.06	74.00	-29.94	3	Vertical	324	1.63
2437MHz	Pass	AV	4.87764G	33.30	54.00	-20.70	3	Horizontal	74	2.69
2437MHz	Pass	PK	4.87753G	44.89	74.00	-29.11	3	Horizontal	74	2.69
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3874G	44.52	54.00	-9.48	3	Vertical	270	2.28
2437MHz	Pass	AV	2.4286G	83.21	Inf	-Inf	3	Vertical	270	2.28
2437MHz	Pass	AV	2.4886G	45.32	54.00	-8.68	3	Vertical	270	2.28
2437MHz	Pass	PK	2.3834G	56.76	74.00	-17.24	3	Vertical	270	2.28
2437MHz	Pass	PK	2.4286G	92.71	Inf	-Inf	3	Vertical	270	2.28
2437MHz	Pass	PK	2.493G	57.24	74.00	-16.76	3	Vertical	270	2.28
2437MHz	Pass	AV	2.377G	44.51	54.00	-9.49	3	Horizontal	303	2.28
2437MHz	Pass	AV	2.4294G	81.73	Inf	-Inf	3	Horizontal	303	2.28
2437MHz	Pass	AV	2.4922G	45.32	54.00	-8.68	3	Horizontal	303	2.28
2437MHz	Pass	PK	2.3402G	57.08	74.00	-16.92	3	Horizontal	303	2.28
2437MHz	Pass	PK	2.4282G	91.08	Inf	-Inf	3	Horizontal	303	2.28
2437MHz	Pass	PK	2.4874G	57.65	74.00	-16.35	3	Horizontal	303	2.28
2437MHz	Pass	AV	4.87853G	33.35	54.00	-20.65	3	Vertical	228	1.32
2437MHz	Pass	PK	4.87101G	43.34	74.00	-30.66	3	Vertical	228	1.32
2437MHz	Pass	AV	4.87875G	33.26	54.00	-20.74	3	Horizontal	130	2.84
2437MHz	Pass	PK	4.87027G	43.90	74.00	-30.10	3	Horizontal	130	2.84
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.389G	44.56	54.00	-9.44	3	Vertical	88	2.30
2437MHz	Pass	AV	2.4286G	84.68	Inf	-Inf	3	Vertical	88	2.30
2437MHz	Pass	AV	2.4986G	45.37	54.00	-8.63	3	Vertical	88	2.30
2437MHz	Pass	PK	2.3666G	56.97	74.00	-17.03	3	Vertical	88	2.30
2437MHz	Pass	PK	2.431G	94.18	Inf	-Inf	3	Vertical	88	2.30
2437MHz	Pass	PK	2.4842G	57.17	74.00	-16.83	3	Vertical	88	2.30
2437MHz	Pass	AV	2.3798G	48.33	54.00	-5.67	3	Horizontal	300	1.57
2437MHz	Pass	AV	2.429G	108.34	Inf	-Inf	3	Horizontal	300	1.57
2437MHz	Pass	AV	2.4842G	48.67	54.00	-5.33	3	Horizontal	300	1.57
2437MHz	Pass	PK	2.3898G	63.88	74.00	-10.12	3	Horizontal	300	1.57
2437MHz	Pass	PK	2.4286G	117.91	Inf	-Inf	3	Horizontal	300	1.57
2437MHz	Pass	PK	2.4842G	65.23	74.00	-8.77	3	Horizontal	300	1.57
2437MHz	Pass	AV	4.87873G	33.26	54.00	-20.74	3	Vertical	24	2.44
2437MHz	Pass	PK	4.87348G	43.53	74.00	-30.47	3	Vertical	24	2.44
2437MHz	Pass	AV	4.87778G	33.25	54.00	-20.75	3	Horizontal	253	1.56
2437MHz	Pass	PK	4.87885G	43.62	74.00	-30.38	3	Horizontal	253	1.56
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4684G	79.10	Inf	-Inf	3	Vertical	93	2.30
2462MHz	Pass	AV	2.4888G	45.38	54.00	-8.62	3	Vertical	93	2.30
2462MHz	Pass	PK	2.468G	90.88	Inf	-Inf	3	Vertical	93	2.30
2462MHz	Pass	PK	2.4868G	57.54	74.00	-16.46	3	Vertical	93	2.30
2462MHz	Pass	AV	2.4698G	104.51	Inf	-Inf	3	Horizontal	70	1.17
2462MHz	Pass	AV	2.4835G	46.71	54.00	-7.29	3	Horizontal	70	1.17
2462MHz	Pass	PK	2.4694G	116.51	Inf	-Inf	3	Horizontal	70	1.17



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	2.4868G	71.43	74.00	-2.57	3	Horizontal	70	1.17
2462MHz	Pass	AV	4.92561G	33.89	54.00	-20.11	3	Vertical	209	2.28
2462MHz	Pass	PK	4.91904G	44.87	74.00	-29.13	3	Vertical	209	2.28
2462MHz	Pass	AV	4.92101G	33.92	54.00	-20.08	3	Horizontal	260	1.46
2462MHz	Pass	PK	4.92412G	45.24	74.00	-28.76	3	Horizontal	260	1.46
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4692G	103.67	Inf	-Inf	3	Vertical	255	2.97
2462MHz	Pass	AV	2.4842G	46.71	54.00	-7.29	3	Vertical	255	2.97
2462MHz	Pass	PK	2.4684G	114.21	Inf	-Inf	3	Vertical	255	2.97
2462MHz	Pass	PK	2.4836G	64.55	74.00	-9.45	3	Vertical	255	2.97
2462MHz	Pass	AV	2.469G	106.24	Inf	-Inf	3	Horizontal	297	1.11
2462MHz	Pass	AV	2.4844G	47.34	54.00	-6.66	3	Horizontal	297	1.11
2462MHz	Pass	PK	2.4686G	117.45	Inf	-Inf	3	Horizontal	297	1.11
2462MHz	Pass	PK	2.4835G	66.25	74.00	-7.75	3	Horizontal	297	1.11
2462MHz	Pass	AV	4.92638G	33.89	54.00	-20.11	3	Vertical	333	1.28
2462MHz	Pass	PK	4.92815G	44.07	74.00	-29.93	3	Vertical	333	1.28
2462MHz	Pass	AV	4.9252G	33.86	54.00	-20.14	3	Horizontal	289	1.84
2462MHz	Pass	PK	4.92259G	44.59	74.00	-29.41	3	Horizontal	289	1.84
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.469G	100.32	Inf	-Inf	3	Vertical	83	2.66
2462MHz	Pass	AV	2.4866G	45.88	54.00	-8.12	3	Vertical	83	2.66
2462MHz	Pass	PK	2.47G	111.53	Inf	-Inf	3	Vertical	83	2.66
2462MHz	Pass	PK	2.4876G	67.19	74.00	-6.81	3	Vertical	83	2.66
2462MHz	Pass	AV	2.4684G	102.32	Inf	-Inf	3	Horizontal	301	1.50
2462MHz	Pass	AV	2.4848G	46.23	54.00	-7.77	3	Horizontal	301	1.50
2462MHz	Pass	PK	2.4688G	114.34	Inf	-Inf	3	Horizontal	301	1.50
2462MHz	Pass	PK	2.4874G	72.22	74.00	-1.78	3	Horizontal	301	1.50
2462MHz	Pass	AV	4.92482G	33.87	54.00	-20.13	3	Vertical	18	2.65
2462MHz	Pass	PK	4.92485G	45.57	74.00	-28.43	3	Vertical	18	2.65
2462MHz	Pass	AV	4.92347G	33.82	54.00	-20.18	3	Horizontal	33	2.63
2462MHz	Pass	PK	4.92446G	44.08	74.00	-29.92	3	Horizontal	33	2.63
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4734G	102.93	Inf	-Inf	3	Vertical	96	2.62
2467MHz	Pass	AV	2.4835G	48.20	54.00	-5.80	3	Vertical	96	2.62
2467MHz	Pass	PK	2.4742G	113.04	Inf	-Inf	3	Vertical	96	2.62
2467MHz	Pass	PK	2.4835G	68.74	74.00	-5.26	3	Vertical	96	2.62
2467MHz	Pass	AV	2.4744G	106.25	Inf	-Inf	3	Horizontal	59	1.44
2467MHz	Pass	AV	2.4835G	50.28	54.00	-3.72	3	Horizontal	59	1.44
2467MHz	Pass	PK	2.4744G	116.61	Inf	-Inf	3	Horizontal	59	1.44
2467MHz	Pass	PK	2.4835G	71.57	74.00	-2.43	3	Horizontal	59	1.44
2467MHz	Pass	AV	4.939G	34.24	54.00	-19.76	3	Vertical	337	1.18
2467MHz	Pass	PK	4.93803G	44.37	74.00	-29.63	3	Vertical	337	1.18
2467MHz	Pass	AV	4.939G	34.28	54.00	-19.72	3	Horizontal	163	1.29
2467MHz	Pass	PK	4.93558G	44.94	74.00	-29.06	3	Horizontal	163	1.29
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4746G	102.59	Inf	-Inf	3	Vertical	255	2.95
2467MHz	Pass	AV	2.4835G	47.54	54.00	-6.46	3	Vertical	255	2.95
2467MHz	Pass	PK	2.4744G	112.46	Inf	-Inf	3	Vertical	255	2.95
2467MHz	Pass	PK	2.4835G	68.12	74.00	-5.88	3	Vertical	255	2.95
2467MHz	Pass	AV	2.4748G	104.86	Inf	-Inf	3	Horizontal	292	1.39
2467MHz	Pass	AV	2.4835G	48.43	54.00	-5.57	3	Horizontal	292	1.39
2467MHz	Pass	PK	2.4738G	114.91	Inf	-Inf	3	Horizontal	292	1.39
2467MHz	Pass	PK	2.4835G	70.29	74.00	-3.71	3	Horizontal	292	1.39
2467MHz	Pass	AV	4.93698G	33.99	54.00	-20.01	3	Vertical	268	1.79
2467MHz	Pass	PK	4.93624G	45.56	74.00	-28.44	3	Vertical	268	1.79
2467MHz	Pass	AV	4.93826G	34.03	54.00	-19.97	3	Horizontal	172	1.47
2467MHz	Pass	PK	4.93254G	44.69	74.00	-29.31	3	Horizontal	172	1.47
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4742G	102.13	Inf	-Inf	3	Vertical	86	3.00
2467MHz	Pass	AV	2.4835G	48.11	54.00	-5.89	3	Vertical	86	3.00
2467MHz	Pass	PK	2.4746G	112.35	Inf	-Inf	3	Vertical	86	3.00
2467MHz	Pass	PK	2.4835G	66.59	74.00	-7.41	3	Vertical	86	3.00



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2467MHz	Pass	AV	2.4742G	105.91	Inf	-Inf	3	Horizontal	56	1.60
2467MHz	Pass	AV	2.4835G	50.31	54.00	-3.69	3	Horizontal	56	1.60
2467MHz	Pass	PK	2.4744G	116.51	Inf	-Inf	3	Horizontal	56	1.60
2467MHz	Pass	PK	2.4835G	70.59	74.00	-3.41	3	Horizontal	56	1.60
2467MHz	Pass	AV	4.93883G	34.01	54.00	-19.99	3	Vertical	82	1.65
2467MHz	Pass	PK	4.92925G	44.24	74.00	-29.76	3	Vertical	82	1.65
2467MHz	Pass	AV	4.938G	34.00	54.00	-20.00	3	Horizontal	123	1.09
2467MHz	Pass	PK	4.93037G	44.08	74.00	-29.92	3	Horizontal	123	1.09
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4794G	84.98	Inf	-Inf	3	Vertical	115	2.15
2472MHz	Pass	AV	2.4835G	45.92	54.00	-8.08	3	Vertical	115	2.15
2472MHz	Pass	PK	2.4792G	97.55	Inf	-Inf	3	Vertical	115	2.15
2472MHz	Pass	PK	2.4835G	58.34	74.00	-15.66	3	Vertical	115	2.15
2472MHz	Pass	AV	2.4786G	89.21	Inf	-Inf	3	Horizontal	61	1.45
2472MHz	Pass	AV	2.4835G	46.70	54.00	-7.30	3	Horizontal	61	1.45
2472MHz	Pass	PK	2.4784G	101.69	Inf	-Inf	3	Horizontal	61	1.45
2472MHz	Pass	PK	2.4835G	63.73	74.00	-10.27	3	Horizontal	61	1.45
2472MHz	Pass	AV	4.94106G	35.18	54.00	-18.82	3	Vertical	341	2.86
2472MHz	Pass	PK	4.9401G	46.52	74.00	-27.48	3	Vertical	341	2.86
2472MHz	Pass	AV	4.949G	34.14	54.00	-19.86	3	Horizontal	85	1.78
2472MHz	Pass	PK	4.94101G	44.69	74.00	-29.31	3	Horizontal	85	1.78
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4782G	84.97	Inf	-Inf	3	Vertical	252	2.97
2472MHz	Pass	AV	2.4835G	45.67	54.00	-8.33	3	Vertical	252	2.97
2472MHz	Pass	PK	2.479G	97.38	Inf	-Inf	3	Vertical	252	2.97
2472MHz	Pass	PK	2.4835G	58.47	74.00	-15.53	3	Vertical	252	2.97
2472MHz	Pass	AV	2.4792G	86.68	Inf	-Inf	3	Horizontal	300	1.50
2472MHz	Pass	AV	2.4835G	45.99	54.00	-8.01	3	Horizontal	300	1.50
2472MHz	Pass	PK	2.48G	98.64	Inf	-Inf	3	Horizontal	300	1.50
2472MHz	Pass	PK	2.4835G	61.40	74.00	-12.60	3	Horizontal	300	1.50
2472MHz	Pass	AV	4.94795G	34.13	54.00	-19.87	3	Vertical	278	2.07
2472MHz	Pass	PK	4.94111G	44.46	74.00	-29.54	3	Vertical	278	2.07
2472MHz	Pass	AV	4.94837G	34.16	54.00	-19.84	3	Horizontal	68	2.02
2472MHz	Pass	PK	4.94672G	44.74	74.00	-29.26	3	Horizontal	68	2.02
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.48G	86.15	Inf	-Inf	3	Vertical	101	2.96
2472MHz	Pass	AV	2.4835G	46.03	54.00	-7.97	3	Vertical	101	2.96
2472MHz	Pass	PK	2.4786G	97.95	Inf	-Inf	3	Vertical	101	2.96
2472MHz	Pass	PK	2.4838G	59.81	74.00	-14.19	3	Vertical	101	2.96
2472MHz	Pass	AV	2.479G	80.90	Inf	-Inf	3	Horizontal	55	1.61
2472MHz	Pass	AV	2.4835G	45.48	54.00	-8.52	3	Horizontal	55	1.61
2472MHz	Pass	PK	2.4788G	91.91	Inf	-Inf	3	Horizontal	55	1.61
2472MHz	Pass	PK	2.4838G	57.86	74.00	-16.14	3	Horizontal	55	1.61
2472MHz	Pass	AV	4.94788G	34.17	54.00	-19.83	3	Vertical	174	1.01
2472MHz	Pass	PK	4.94722G	44.65	74.00	-29.35	3	Vertical	174	1.01
2472MHz	Pass	AV	4.94896G	34.16	54.00	-19.84	3	Horizontal	103	2.56
2472MHz	Pass	PK	4.94522G	45.49	74.00	-28.51	3	Horizontal	103	2.56
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.44	54.00	-6.56	3	Vertical	88	1.62
2412MHz	Pass	AV	2.4094G	101.00	Inf	-Inf	3	Vertical	88	1.62
2412MHz	Pass	PK	2.3894G	62.04	74.00	-11.96	3	Vertical	88	1.62
2412MHz	Pass	PK	2.41G	111.55	Inf	-Inf	3	Vertical	88	1.62
2412MHz	Pass	AV	2.3896G	51.24	54.00	-2.76	3	Horizontal	71	1.38
2412MHz	Pass	AV	2.4098G	105.67	Inf	-Inf	3	Horizontal	71	1.38
2412MHz	Pass	PK	2.3896G	68.02	74.00	-5.98	3	Horizontal	71	1.38
2412MHz	Pass	PK	2.4064G	116.74	Inf	-Inf	3	Horizontal	71	1.38
2412MHz	Pass	AV	4.82982G	34.16	54.00	-19.84	3	Vertical	219	1.50
2412MHz	Pass	PK	4.82974G	46.10	74.00	-27.90	3	Vertical	219	1.50
2412MHz	Pass	AV	4.81422G	36.51	54.00	-17.49	3	Horizontal	358	2.66
2412MHz	Pass	PK	4.81434G	47.78	74.00	-26.22	3	Horizontal	358	2.66
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3744G	44.56	54.00	-9.44	3	Vertical	291	2.30



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	2.4038G	78.01	Inf	-Inf	3	Vertical	291	2.30
2412MHz	Pass	PK	2.386G	56.25	74.00	-17.75	3	Vertical	291	2.30
2412MHz	Pass	PK	2.4044G	88.64	Inf	-Inf	3	Vertical	291	2.30
2412MHz	Pass	AV	2.39G	46.95	54.00	-7.05	3	Horizontal	303	1.69
2412MHz	Pass	AV	2.4092G	104.33	Inf	-Inf	3	Horizontal	303	1.69
2412MHz	Pass	PK	2.3886G	62.29	74.00	-11.71	3	Horizontal	303	1.69
2412MHz	Pass	PK	2.4102G	115.19	Inf	-Inf	3	Horizontal	303	1.69
2412MHz	Pass	AV	4.81344G	36.67	54.00	-17.33	3	Vertical	267	2.65
2412MHz	Pass	PK	4.81074G	45.29	74.00	-28.71	3	Vertical	267	2.65
2412MHz	Pass	AV	4.81299G	38.02	54.00	-15.98	3	Horizontal	292	1.50
2412MHz	Pass	PK	4.8162G	47.93	74.00	-26.07	3	Horizontal	292	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	46.25	54.00	-7.75	3	Vertical	263	1.98
2412MHz	Pass	AV	2.405G	101.34	Inf	-Inf	3	Vertical	263	1.98
2412MHz	Pass	PK	2.3888G	63.35	74.00	-10.65	3	Vertical	263	1.98
2412MHz	Pass	PK	2.4078G	112.41	Inf	-Inf	3	Vertical	263	1.98
2412MHz	Pass	AV	2.3896G	47.75	54.00	-6.25	3	Horizontal	70	1.63
2412MHz	Pass	AV	2.4048G	105.33	Inf	-Inf	3	Horizontal	70	1.63
2412MHz	Pass	PK	2.3888G	64.54	74.00	-9.46	3	Horizontal	70	1.63
2412MHz	Pass	PK	2.4056G	117.12	Inf	-Inf	3	Horizontal	70	1.63
2412MHz	Pass	AV	4.81272G	35.80	54.00	-18.20	3	Vertical	264	2.97
2412MHz	Pass	PK	4.82118G	44.41	74.00	-29.59	3	Vertical	264	2.97
2412MHz	Pass	AV	4.81293G	37.92	54.00	-16.08	3	Horizontal	356	2.56
2412MHz	Pass	PK	4.81404G	48.36	74.00	-25.64	3	Horizontal	356	2.56
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3882G	44.54	54.00	-9.46	3	Vertical	88	2.31
2437MHz	Pass	AV	2.4346G	80.19	Inf	-Inf	3	Vertical	88	2.31
2437MHz	Pass	AV	2.491G	45.28	54.00	-8.72	3	Vertical	88	2.31
2437MHz	Pass	PK	2.3734G	56.59	74.00	-17.41	3	Vertical	88	2.31
2437MHz	Pass	PK	2.431G	90.81	Inf	-Inf	3	Vertical	88	2.31
2437MHz	Pass	PK	2.4986G	57.21	74.00	-16.79	3	Vertical	88	2.31
2437MHz	Pass	AV	2.3898G	45.86	54.00	-8.14	3	Horizontal	70	1.22
2437MHz	Pass	AV	2.4318G	106.65	Inf	-Inf	3	Horizontal	70	1.22
2437MHz	Pass	AV	2.4838G	46.91	54.00	-7.09	3	Horizontal	70	1.22
2437MHz	Pass	PK	2.3886G	57.85	74.00	-16.15	3	Horizontal	70	1.22
2437MHz	Pass	PK	2.4314G	117.53	Inf	-Inf	3	Horizontal	70	1.22
2437MHz	Pass	PK	2.4894G	58.75	74.00	-15.25	3	Horizontal	70	1.22
2437MHz	Pass	AV	4.86402G	34.97	54.00	-19.03	3	Vertical	95	2.31
2437MHz	Pass	PK	4.86552G	46.38	74.00	-27.62	3	Vertical	95	2.31
2437MHz	Pass	AV	4.86402G	38.63	54.00	-15.37	3	Horizontal	356	2.60
2437MHz	Pass	PK	4.8643G	50.60	74.00	-23.40	3	Horizontal	356	2.60
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3894G	44.62	54.00	-9.38	3	Vertical	273	2.31
2437MHz	Pass	AV	2.435G	80.86	Inf	-Inf	3	Vertical	273	2.31
2437MHz	Pass	AV	2.4998G	45.34	54.00	-8.66	3	Vertical	273	2.31
2437MHz	Pass	PK	2.3614G	56.95	74.00	-17.05	3	Vertical	273	2.31
2437MHz	Pass	PK	2.4282G	91.15	Inf	-Inf	3	Vertical	273	2.31
2437MHz	Pass	PK	2.489G	56.81	74.00	-17.19	3	Vertical	273	2.31
2437MHz	Pass	AV	2.3898G	49.81	54.00	-4.19	3	Horizontal	304	1.56
2437MHz	Pass	AV	2.4314G	107.58	Inf	-Inf	3	Horizontal	304	1.56
2437MHz	Pass	AV	2.4835G	48.51	54.00	-5.49	3	Horizontal	304	1.56
2437MHz	Pass	PK	2.3882G	65.79	74.00	-8.21	3	Horizontal	304	1.56
2437MHz	Pass	PK	2.4302G	118.44	Inf	-Inf	3	Horizontal	304	1.56
2437MHz	Pass	PK	2.487G	62.83	74.00	-11.17	3	Horizontal	304	1.56
2437MHz	Pass	AV	4.86323G	34.88	54.00	-19.12	3	Vertical	270	2.45
2437MHz	Pass	PK	4.86611G	44.16	74.00	-29.84	3	Vertical	270	2.45
2437MHz	Pass	AV	4.86398G	36.61	54.00	-17.39	3	Horizontal	350	2.54
2437MHz	Pass	PK	4.86413G	46.75	74.00	-27.25	3	Horizontal	350	2.54
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3838G	47.13	54.00	-6.87	3	Vertical	88	1.50
2437MHz	Pass	AV	2.4302G	103.78	Inf	-Inf	3	Vertical	88	1.50
2437MHz	Pass	AV	2.4842G	47.50	54.00	-6.50	3	Vertical	88	1.50



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.3782G	58.88	74.00	-15.12	3	Vertical	88	1.50
2437MHz	Pass	PK	2.4322G	114.73	Inf	-Inf	3	Vertical	88	1.50
2437MHz	Pass	PK	2.4874G	62.61	74.00	-11.39	3	Vertical	88	1.50
2437MHz	Pass	AV	2.3898G	50.49	54.00	-3.51	3	Horizontal	304	1.58
2437MHz	Pass	AV	2.433G	108.33	Inf	-Inf	3	Horizontal	304	1.58
2437MHz	Pass	AV	2.4835G	50.17	54.00	-3.83	3	Horizontal	304	1.58
2437MHz	Pass	PK	2.383G	65.04	74.00	-8.96	3	Horizontal	304	1.58
2437MHz	Pass	PK	2.4346G	118.93	Inf	-Inf	3	Horizontal	304	1.58
2437MHz	Pass	PK	2.4835G	66.47	74.00	-7.53	3	Horizontal	304	1.58
2437MHz	Pass	AV	4.86347G	37.65	54.00	-16.35	3	Vertical	94	2.98
2437MHz	Pass	PK	4.86635G	45.60	74.00	-28.40	3	Vertical	94	2.98
2437MHz	Pass	AV	4.86302G	41.07	54.00	-12.93	3	Horizontal	12	2.54
2437MHz	Pass	PK	4.86539G	53.26	74.00	-20.74	3	Horizontal	12	2.54
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4642G	76.47	Inf	-Inf	3	Vertical	94	2.21
2462MHz	Pass	AV	2.4954G	45.38	54.00	-8.62	3	Vertical	94	2.21
2462MHz	Pass	PK	2.4644G	88.37	Inf	-Inf	3	Vertical	94	2.21
2462MHz	Pass	PK	2.496G	57.04	74.00	-16.96	3	Vertical	94	2.21
2462MHz	Pass	AV	2.4644G	82.26	Inf	-Inf	3	Horizontal	58	1.71
2462MHz	Pass	AV	2.4864G	45.33	54.00	-8.67	3	Horizontal	58	1.71
2462MHz	Pass	PK	2.466G	93.22	Inf	-Inf	3	Horizontal	58	1.71
2462MHz	Pass	PK	2.499G	57.49	74.00	-16.51	3	Horizontal	58	1.71
2462MHz	Pass	AV	4.93501G	37.37	54.00	-16.63	3	Vertical	96	2.78
2462MHz	Pass	PK	4.93042G	46.47	74.00	-27.53	3	Vertical	96	2.78
2462MHz	Pass	AV	4.93438G	40.51	54.00	-13.49	3	Horizontal	10	1.63
2462MHz	Pass	PK	4.93678G	50.17	74.00	-23.83	3	Horizontal	10	1.63
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4644G	101.56	Inf	-Inf	3	Vertical	256	3.00
2462MHz	Pass	AV	2.4835G	47.13	54.00	-6.87	3	Vertical	256	3.00
2462MHz	Pass	PK	2.4644G	113.24	Inf	-Inf	3	Vertical	256	3.00
2462MHz	Pass	PK	2.4835G	63.42	74.00	-10.58	3	Vertical	256	3.00
2462MHz	Pass	AV	2.4646G	104.35	Inf	-Inf	3	Horizontal	297	1.15
2462MHz	Pass	AV	2.4835G	48.26	54.00	-5.74	3	Horizontal	297	1.15
2462MHz	Pass	PK	2.4636G	115.73	Inf	-Inf	3	Horizontal	297	1.15
2462MHz	Pass	PK	2.4835G	66.08	74.00	-7.92	3	Horizontal	297	1.15
2462MHz	Pass	AV	4.93777G	34.63	54.00	-19.37	3	Vertical	217.1	1.50
2462MHz	Pass	PK	4.91188G	43.37	74.00	-30.63	3	Vertical	217.1	1.50
2462MHz	Pass	AV	4.93489G	36.01	54.00	-17.99	3	Horizontal	360	2.41
2462MHz	Pass	PK	4.93717G	46.40	74.00	-27.60	3	Horizontal	360	2.41
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.4646G	102.08	Inf	-Inf	3	Vertical	82	2.79
2462MHz	Pass	AV	2.4835G	47.51	54.00	-6.49	3	Vertical	82	2.79
2462MHz	Pass	PK	2.464G	112.58	Inf	-Inf	3	Vertical	82	2.79
2462MHz	Pass	PK	2.4838G	67.66	74.00	-6.34	3	Vertical	82	2.79
2462MHz	Pass	AV	2.4656G	104.66	Inf	-Inf	3	Horizontal	297	1.11
2462MHz	Pass	AV	2.4835G	49.13	54.00	-4.87	3	Horizontal	297	1.11
2462MHz	Pass	PK	2.4652G	115.50	Inf	-Inf	3	Horizontal	297	1.11
2462MHz	Pass	PK	2.4835G	70.50	74.00	-3.50	3	Horizontal	297	1.11
2462MHz	Pass	AV	4.93534G	37.05	54.00	-16.95	3	Vertical	97	2.73
2462MHz	Pass	PK	4.93342G	47.82	74.00	-26.18	3	Vertical	97	2.73
2462MHz	Pass	AV	4.93522G	39.77	54.00	-14.23	3	Horizontal	14	2.59
2462MHz	Pass	PK	4.93444G	49.42	74.00	-24.58	3	Horizontal	14	2.59
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4692G	67.61	Inf	-Inf	3	Vertical	93	1.81
2467MHz	Pass	AV	2.4988G	45.37	54.00	-8.63	3	Vertical	93	1.81
2467MHz	Pass	PK	2.4744G	78.73	Inf	-Inf	3	Vertical	93	1.81
2467MHz	Pass	PK	2.4962G	57.99	74.00	-16.01	3	Vertical	93	1.81
2467MHz	Pass	AV	2.4694G	72.17	Inf	-Inf	3	Horizontal	57	1.12
2467MHz	Pass	AV	2.495G	45.42	54.00	-8.58	3	Horizontal	57	1.12
2467MHz	Pass	PK	2.4712G	82.83	Inf	-Inf	3	Horizontal	57	1.12
2467MHz	Pass	PK	2.485G	57.09	74.00	-16.91	3	Horizontal	57	1.12
2467MHz	Pass	AV	4.94432G	33.77	54.00	-20.23	3	Vertical	256	1.50



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2467MHz	Pass	PK	4.94904G	46.30	74.00	-27.70	3	Vertical	256	1.50
2467MHz	Pass	AV	4.94652G	33.85	54.00	-20.15	3	Horizontal	297	1.20
2467MHz	Pass	PK	4.9396G	45.76	74.00	-28.24	3	Horizontal	297	1.20
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.473G	99.60	Inf	-Inf	3	Vertical	254	2.97
2467MHz	Pass	AV	2.4835G	49.94	54.00	-4.06	3	Vertical	254	2.97
2467MHz	Pass	PK	2.4688G	110.80	Inf	-Inf	3	Vertical	254	2.97
2467MHz	Pass	PK	2.4836G	68.15	74.00	-5.85	3	Vertical	254	2.97
2467MHz	Pass	AV	2.4732G	102.47	Inf	-Inf	3	Horizontal	294	1.40
2467MHz	Pass	AV	2.4835G	51.66	54.00	-2.34	3	Horizontal	294	1.40
2467MHz	Pass	PK	2.4688G	113.73	Inf	-Inf	3	Horizontal	294	1.40
2467MHz	Pass	PK	2.4835G	68.23	74.00	-5.77	3	Horizontal	294	1.40
2467MHz	Pass	AV	4.94536G	33.71	54.00	-20.29	3	Vertical	14	1.81
2467MHz	Pass	PK	4.95288G	45.61	74.00	-28.39	3	Vertical	14	1.81
2467MHz	Pass	AV	4.94496G	35.47	54.00	-18.53	3	Horizontal	302	2.60
2467MHz	Pass	PK	4.9452G	45.18	74.00	-28.82	3	Horizontal	302	2.60
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
2467MHz	Pass	AV	2.4706G	99.54	Inf	-Inf	3	Vertical	80	2.66
2467MHz	Pass	AV	2.4835G	49.50	54.00	-4.50	3	Vertical	80	2.66
2467MHz	Pass	PK	2.4694G	110.87	Inf	-Inf	3	Vertical	80	2.66
2467MHz	Pass	PK	2.4835G	64.22	74.00	-9.78	3	Vertical	80	2.66
2467MHz	Pass	AV	2.4706G	101.64	Inf	-Inf	3	Horizontal	302	1.50
2467MHz	Pass	AV	2.4835G	51.55	54.00	-2.45	3	Horizontal	302	1.50
2467MHz	Pass	PK	2.4756G	112.80	Inf	-Inf	3	Horizontal	302	1.50
2467MHz	Pass	PK	2.4835G	68.77	74.00	-5.23	3	Horizontal	302	1.50
2467MHz	Pass	AV	4.94516G	37.14	54.00	-16.86	3	Vertical	90	2.50
2467MHz	Pass	PK	4.94576G	46.05	74.00	-27.95	3	Vertical	90	2.50
2467MHz	Pass	AV	4.94438G	39.98	54.00	-14.02	3	Horizontal	11	2.55
2467MHz	Pass	PK	4.94852G	49.42	74.00	-24.58	3	Horizontal	11	2.55
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.48G	55.42	Inf	-Inf	3	Vertical	89	1.50
2472MHz	Pass	AV	2.4914G	45.44	54.00	-8.56	3	Vertical	89	1.50
2472MHz	Pass	PK	2.4766G	66.83	Inf	-Inf	3	Vertical	89	1.50
2472MHz	Pass	PK	2.4888G	57.00	74.00	-17.00	3	Vertical	89	1.50
2472MHz	Pass	AV	2.4802G	60.59	Inf	-Inf	3	Horizontal	58	1.62
2472MHz	Pass	AV	2.4854G	45.34	54.00	-8.66	3	Horizontal	58	1.62
2472MHz	Pass	PK	2.4792G	72.58	Inf	-Inf	3	Horizontal	58	1.62
2472MHz	Pass	PK	2.499G	57.84	74.00	-16.16	3	Horizontal	58	1.62
2472MHz	Pass	AV	4.94928G	33.86	54.00	-20.14	3	Vertical	71	2.20
2472MHz	Pass	PK	4.93868G	45.07	74.00	-28.93	3	Vertical	71	2.20
2472MHz	Pass	AV	4.95156G	33.80	54.00	-20.20	3	Horizontal	28	2.24
2472MHz	Pass	PK	4.95632G	44.49	74.00	-29.51	3	Horizontal	28	2.24
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4748G	86.18	Inf	-Inf	3	Vertical	253.9	2.95
2472MHz	Pass	AV	2.4835G	45.81	54.00	-8.19	3	Vertical	253.9	2.95
2472MHz	Pass	PK	2.4776G	98.41	Inf	-Inf	3	Vertical	253.9	2.95
2472MHz	Pass	PK	2.4835G	61.75	74.00	-12.25	3	Vertical	253.9	2.95
2472MHz	Pass	AV	2.475G	88.65	Inf	-Inf	3	Horizontal	294	1.37
2472MHz	Pass	AV	2.4835G	46.19	54.00	-7.81	3	Horizontal	294	1.37
2472MHz	Pass	PK	2.4748G	100.59	Inf	-Inf	3	Horizontal	294	1.37
2472MHz	Pass	PK	2.4836G	61.46	74.00	-12.54	3	Horizontal	294	1.37
2472MHz	Pass	AV	4.9536G	33.74	54.00	-20.26	3	Vertical	33	1.39
2472MHz	Pass	PK	4.95832G	44.95	74.00	-29.05	3	Vertical	33	1.39
2472MHz	Pass	AV	4.94944G	33.79	54.00	-20.21	3	Horizontal	339	1.10
2472MHz	Pass	PK	4.95776G	44.73	74.00	-29.27	3	Horizontal	339	1.10
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
2472MHz	Pass	AV	2.4788G	85.93	Inf	-Inf	3	Vertical	104	2.96
2472MHz	Pass	AV	2.4835G	45.98	54.00	-8.02	3	Vertical	104	2.96
2472MHz	Pass	PK	2.4746G	97.35	Inf	-Inf	3	Vertical	104	2.96
2472MHz	Pass	PK	2.4835G	62.10	74.00	-11.90	3	Vertical	104	2.96
2472MHz	Pass	AV	2.4744G	88.67	Inf	-Inf	3	Horizontal	295	1.41
2472MHz	Pass	AV	2.4835G	46.16	54.00	-7.84	3	Horizontal	295	1.41



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2472MHz	Pass	PK	2.4752G	100.31	Inf	-Inf	3	Horizontal	295	1.41
2472MHz	Pass	PK	2.4835G	64.84	74.00	-9.16	3	Horizontal	295	1.41
2472MHz	Pass	AV	4.9492G	33.63	54.00	-20.37	3	Vertical	284	1.30
2472MHz	Pass	PK	4.92768G	44.56	74.00	-29.44	3	Vertical	284	1.30
2472MHz	Pass	AV	4.95208G	33.80	54.00	-20.20	3	Horizontal	53	2.76
2472MHz	Pass	PK	4.9468G	44.72	74.00	-29.28	3	Horizontal	53	2.76
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	45.52	54.00	-8.48	3	Vertical	90	1.61
2422MHz	Pass	AV	2.41G	95.95	Inf	-Inf	3	Vertical	90	1.61
2422MHz	Pass	AV	2.492G	45.41	54.00	-8.59	3	Vertical	90	1.61
2422MHz	Pass	PK	2.3472G	57.09	74.00	-16.91	3	Vertical	90	1.61
2422MHz	Pass	PK	2.408G	107.10	Inf	-Inf	3	Vertical	90	1.61
2422MHz	Pass	PK	2.4876G	57.72	74.00	-16.28	3	Vertical	90	1.61
2422MHz	Pass	AV	2.39G	47.79	54.00	-6.21	3	Horizontal	71	1.34
2422MHz	Pass	AV	2.4096G	100.60	Inf	-Inf	3	Horizontal	71	1.34
2422MHz	Pass	AV	2.4956G	45.95	54.00	-8.05	3	Horizontal	71	1.34
2422MHz	Pass	PK	2.3892G	59.75	74.00	-14.25	3	Horizontal	71	1.34
2422MHz	Pass	PK	2.4148G	111.66	Inf	-Inf	3	Horizontal	71	1.34
2422MHz	Pass	PK	2.4948G	58.15	74.00	-15.85	3	Horizontal	71	1.34
2422MHz	Pass	AV	4.83132G	34.77	54.00	-19.23	3	Vertical	294	1.43
2422MHz	Pass	PK	4.82856G	45.43	74.00	-28.57	3	Vertical	294	1.43
2422MHz	Pass	AV	4.82908G	35.42	54.00	-18.58	3	Horizontal	360	2.60
2422MHz	Pass	PK	4.82704G	46.07	74.00	-27.93	3	Horizontal	360	2.60
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	47.14	54.00	-6.86	3	Vertical	267	1.97
2422MHz	Pass	AV	2.4108G	96.00	Inf	-Inf	3	Vertical	267	1.97
2422MHz	Pass	AV	2.4964G	45.46	54.00	-8.54	3	Vertical	267	1.97
2422MHz	Pass	PK	2.3896G	58.75	74.00	-15.25	3	Vertical	267	1.97
2422MHz	Pass	PK	2.4108G	107.26	Inf	-Inf	3	Vertical	267	1.97
2422MHz	Pass	PK	2.4892G	57.62	74.00	-16.38	3	Vertical	267	1.97
2422MHz	Pass	AV	2.39G	49.80	54.00	-4.20	3	Horizontal	302	1.67
2422MHz	Pass	AV	2.4108G	100.88	Inf	-Inf	3	Horizontal	302	1.67
2422MHz	Pass	AV	2.4864G	45.75	54.00	-8.25	3	Horizontal	302	1.67
2422MHz	Pass	PK	2.39G	64.23	74.00	-9.77	3	Horizontal	302	1.67
2422MHz	Pass	PK	2.4096G	112.20	Inf	-Inf	3	Horizontal	302	1.67
2422MHz	Pass	PK	2.4964G	57.71	74.00	-16.29	3	Horizontal	302	1.67
2422MHz	Pass	AV	4.82804G	34.88	54.00	-19.12	3	Vertical	129	2.36
2422MHz	Pass	PK	4.83216G	46.03	74.00	-27.97	3	Vertical	129	2.36
2422MHz	Pass	AV	4.82824G	35.63	54.00	-18.37	3	Horizontal	346	2.38
2422MHz	Pass	PK	4.83796G	45.86	74.00	-28.14	3	Horizontal	346	2.38
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	47.37	54.00	-6.63	3	Vertical	266	1.95
2422MHz	Pass	AV	2.4088G	96.16	Inf	-Inf	3	Vertical	266	1.95
2422MHz	Pass	AV	2.5G	45.70	54.00	-8.30	3	Vertical	266	1.95
2422MHz	Pass	PK	2.3896G	61.63	74.00	-12.37	3	Vertical	266	1.95
2422MHz	Pass	PK	2.4136G	108.11	Inf	-Inf	3	Vertical	266	1.95
2422MHz	Pass	PK	2.4944G	57.65	74.00	-16.35	3	Vertical	266	1.95
2422MHz	Pass	AV	2.39G	48.58	54.00	-5.42	3	Horizontal	72	1.50
2422MHz	Pass	AV	2.414G	100.08	Inf	-Inf	3	Horizontal	72	1.50
2422MHz	Pass	AV	2.492G	46.30	54.00	-7.70	3	Horizontal	72	1.50
2422MHz	Pass	PK	2.3892G	61.22	74.00	-12.78	3	Horizontal	72	1.50
2422MHz	Pass	PK	2.4088G	112.30	Inf	-Inf	3	Horizontal	72	1.50
2422MHz	Pass	PK	2.4996G	57.92	74.00	-16.08	3	Horizontal	72	1.50
2422MHz	Pass	AV	4.82996G	34.83	54.00	-19.17	3	Vertical	134	1.50
2422MHz	Pass	PK	4.82552G	45.63	74.00	-28.37	3	Vertical	134	1.50
2422MHz	Pass	AV	4.82732G	35.72	54.00	-18.28	3	Horizontal	351	2.62
2422MHz	Pass	PK	4.8346G	46.70	74.00	-27.30	3	Horizontal	351	2.62
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3898G	49.89	54.00	-4.11	3	Vertical	85	2.31
2437MHz	Pass	AV	2.431G	99.88	Inf	-Inf	3	Vertical	85	2.31
2437MHz	Pass	AV	2.4835G	48.84	54.00	-5.16	3	Vertical	85	2.31
2437MHz	Pass	PK	2.389G	63.32	74.00	-10.68	3	Vertical	85	2.31





RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4314G	110.89	Inf	-Inf	3	Vertical	85	2.31
2437MHz	Pass	PK	2.4835G	61.46	74.00	-12.54	3	Vertical	85	2.31
2437MHz	Pass	AV	2.3898G	52.30	54.00	-1.70	3	Horizontal	69	1.40
2437MHz	Pass	AV	2.431G	102.77	Inf	-Inf	3	Horizontal	69	1.40
2437MHz	Pass	AV	2.4835G	50.69	54.00	-3.31	3	Horizontal	69	1.40
2437MHz	Pass	PK	2.3898G	65.59	74.00	-8.41	3	Horizontal	69	1.40
2437MHz	Pass	PK	2.429G	114.20	Inf	-Inf	3	Horizontal	69	1.40
2437MHz	Pass	PK	2.4835G	65.16	74.00	-8.84	3	Horizontal	69	1.40
2437MHz	Pass	AV	4.85436G	35.19	54.00	-18.81	3	Vertical	87	2.68
2437MHz	Pass	PK	4.89312G	45.47	74.00	-28.53	3	Vertical	87	2.68
2437MHz	Pass	AV	4.85428G	37.13	54.00	-16.87	3	Horizontal	11	2.61
2437MHz	Pass	PK	4.85832G	47.44	74.00	-26.56	3	Horizontal	11	2.61
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3898G	48.34	54.00	-5.66	3	Vertical	258	2.32
2437MHz	Pass	AV	2.4258G	99.59	Inf	-Inf	3	Vertical	258	2.32
2437MHz	Pass	AV	2.4835G	47.19	54.00	-6.81	3	Vertical	258	2.32
2437MHz	Pass	PK	2.3894G	62.70	74.00	-11.30	3	Vertical	258	2.32
2437MHz	Pass	PK	2.427G	110.98	Inf	-Inf	3	Vertical	258	2.32
2437MHz	Pass	PK	2.4835G	60.38	74.00	-13.62	3	Vertical	258	2.32
2437MHz	Pass	AV	2.3898G	50.55	54.00	-3.45	3	Horizontal	303	1.58
2437MHz	Pass	AV	2.4298G	102.82	Inf	-Inf	3	Horizontal	303	1.58
2437MHz	Pass	AV	2.4835G	49.22	54.00	-4.78	3	Horizontal	303	1.58
2437MHz	Pass	PK	2.3878G	66.53	74.00	-7.47	3	Horizontal	303	1.58
2437MHz	Pass	PK	2.4262G	113.59	Inf	-Inf	3	Horizontal	303	1.58
2437MHz	Pass	PK	2.4842G	64.52	74.00	-9.48	3	Horizontal	303	1.58
2437MHz	Pass	AV	4.85568G	34.49	54.00	-19.51	3	Vertical	259	1.50
2437MHz	Pass	PK	4.86572G	45.75	74.00	-28.25	3	Vertical	259	1.50
2437MHz	Pass	AV	4.85408G	34.85	54.00	-19.15	3	Horizontal	289	1.67
2437MHz	Pass	PK	4.86128G	44.81	74.00	-29.19	3	Horizontal	289	1.67
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3898G	48.32	54.00	-5.68	3	Vertical	89	2.33
2437MHz	Pass	AV	2.4306G	99.65	Inf	-Inf	3	Vertical	89	2.33
2437MHz	Pass	AV	2.4835G	48.41	54.00	-5.59	3	Vertical	89	2.33
2437MHz	Pass	PK	2.3878G	60.78	74.00	-13.22	3	Vertical	89	2.33
2437MHz	Pass	PK	2.4282G	110.96	Inf	-Inf	3	Vertical	89	2.33
2437MHz	Pass	PK	2.4835G	60.67	74.00	-13.33	3	Vertical	89	2.33
2437MHz	Pass	AV	2.3894G	50.45	54.00	-3.55	3	Horizontal	70	1.39
2437MHz	Pass	AV	2.429G	103.67	Inf	-Inf	3	Horizontal	70	1.39
2437MHz	Pass	AV	2.4835G	50.93	54.00	-3.07	3	Horizontal	70	1.39
2437MHz	Pass	PK	2.3882G	62.84	74.00	-11.16	3	Horizontal	70	1.39
2437MHz	Pass	PK	2.4262G	114.90	Inf	-Inf	3	Horizontal	70	1.39
2437MHz	Pass	PK	2.4835G	64.91	74.00	-9.09	3	Horizontal	70	1.39
2437MHz	Pass	AV	4.85408G	35.16	54.00	-18.84	3	Vertical	96	3.00
2437MHz	Pass	PK	4.8898G	45.60	74.00	-28.40	3	Vertical	96	3.00
2437MHz	Pass	AV	4.8542G	36.78	54.00	-17.22	3	Horizontal	11	2.53
2437MHz	Pass	PK	4.85868G	46.90	74.00	-27.10	3	Horizontal	11	2.53
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2452MHz	Pass	AV	2.386G	44.77	54.00	-9.23	3	Vertical	88	3.00
2452MHz	Pass	AV	2.4632G	98.45	Inf	-Inf	3	Vertical	88	3.00
2452MHz	Pass	AV	2.4835G	49.52	54.00	-4.48	3	Vertical	88	3.00
2452MHz	Pass	PK	2.3668G	56.55	74.00	-17.45	3	Vertical	88	3.00
2452MHz	Pass	PK	2.4648G	109.58	Inf	-Inf	3	Vertical	88	3.00
2452MHz	Pass	PK	2.4844G	61.91	74.00	-12.09	3	Vertical	88	3.00
2452MHz	Pass	AV	2.3884G	45.08	54.00	-8.92	3	Horizontal	55	1.33
2452MHz	Pass	AV	2.464G	101.08	Inf	-Inf	3	Horizontal	55	1.33
2452MHz	Pass	AV	2.4835G	51.40	54.00	-2.60	3	Horizontal	55	1.33
2452MHz	Pass	PK	2.3724G	57.30	74.00	-16.70	3	Horizontal	55	1.33
2452MHz	Pass	PK	2.4584G	112.10	Inf	-Inf	3	Horizontal	55	1.33
2452MHz	Pass	PK	2.4835G	63.94	74.00	-10.06	3	Horizontal	55	1.33
2452MHz	Pass	AV	4.923G	35.35	54.00	-18.65	3	Vertical	98	2.72
2452MHz	Pass	PK	4.91524G	45.89	74.00	-28.11	3	Vertical	98	2.72
2452MHz	Pass	AV	4.92364G	37.58	54.00	-16.42	3	Horizontal	11	2.65



RSE TX above 1GHz\_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	PK	4.92304G	47.50	74.00	-26.50	3	Horizontal	11	2.65
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2452MHz	Pass	AV	2.388G	44.83	54.00	-9.17	3	Vertical	260	3.00
2452MHz	Pass	AV	2.4592G	97.35	Inf	-Inf	3	Vertical	260	3.00
2452MHz	Pass	AV	2.4835G	48.59	54.00	-5.41	3	Vertical	260	3.00
2452MHz	Pass	PK	2.3828G	56.70	74.00	-17.30	3	Vertical	260	3.00
2452MHz	Pass	PK	2.4608G	108.84	Inf	-Inf	3	Vertical	260	3.00
2452MHz	Pass	PK	2.484G	61.53	74.00	-12.47	3	Vertical	260	3.00
2452MHz	Pass	AV	2.3828G	45.01	54.00	-8.99	3	Horizontal	299	1.15
2452MHz	Pass	AV	2.4596G	99.62	Inf	-Inf	3	Horizontal	299	1.15
2452MHz	Pass	AV	2.4835G	50.12	54.00	-3.88	3	Horizontal	299	1.15
2452MHz	Pass	PK	2.3612G	57.12	74.00	-16.88	3	Horizontal	299	1.15
2452MHz	Pass	PK	2.4604G	110.47	Inf	-Inf	3	Horizontal	299	1.15
2452MHz	Pass	PK	2.484G	64.57	74.00	-9.43	3	Horizontal	299	1.15
2452MHz	Pass	AV	4.90976G	34.59	54.00	-19.41	3	Vertical	0	1.50
2452MHz	Pass	PK	4.90908G	45.62	74.00	-28.38	3	Vertical	0	1.50
2452MHz	Pass	AV	4.92292G	35.03	54.00	-18.97	3	Horizontal	-0.1	1.50
2452MHz	Pass	PK	4.88892G	45.53	74.00	-28.47	3	Horizontal	-0.1	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
2452MHz	Pass	AV	2.3852G	45.28	54.00	-8.72	3	Vertical	87	3.00
2452MHz	Pass	AV	2.4596G	98.20	Inf	-Inf	3	Vertical	87	3.00
2452MHz	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	87	3.00
2452MHz	Pass	PK	2.3596G	57.05	74.00	-16.95	3	Vertical	87	3.00
2452MHz	Pass	PK	2.4596G	109.11	Inf	-Inf	3	Vertical	87	3.00
2452MHz	Pass	PK	2.4835G	62.43	74.00	-11.57	3	Vertical	87	3.00
2452MHz	Pass	AV	2.3876G	45.55	54.00	-8.45	3	Horizontal	54	1.12
2452MHz	Pass	AV	2.4652G	100.56	Inf	-Inf	3	Horizontal	54	1.12
2452MHz	Pass	AV	2.4835G	50.75	54.00	-3.25	3	Horizontal	54	1.12
2452MHz	Pass	PK	2.3836G	57.81	74.00	-16.19	3	Horizontal	54	1.12
2452MHz	Pass	PK	2.4592G	111.78	Inf	-Inf	3	Horizontal	54	1.12
2452MHz	Pass	PK	2.4852G	63.08	74.00	-10.92	3	Horizontal	54	1.12
2452MHz	Pass	AV	4.9212G	33.64	54.00	-20.36	3	Vertical	308	1.70
2452MHz	Pass	PK	4.91456G	44.20	74.00	-29.80	3	Vertical	308	1.70
2452MHz	Pass	AV	4.92264G	35.22	54.00	-18.78	3	Horizontal	314	2.52
2452MHz	Pass	PK	4.91408G	45.17	74.00	-28.83	3	Horizontal	314	2.52
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2457MHz	Pass	AV	2.387G	44.63	54.00	-9.37	3	Vertical	86	3.00
2457MHz	Pass	AV	2.4634G	93.69	Inf	-Inf	3	Vertical	86	3.00
2457MHz	Pass	AV	2.4835G	49.40	54.00	-4.60	3	Vertical	86	3.00
2457MHz	Pass	PK	2.3614G	56.85	74.00	-17.15	3	Vertical	86	3.00
2457MHz	Pass	PK	2.4662G	104.72	Inf	-Inf	3	Vertical	86	3.00
2457MHz	Pass	PK	2.4838G	59.06	74.00	-14.94	3	Vertical	86	3.00
2457MHz	Pass	AV	2.3898G	44.63	54.00	-9.37	3	Horizontal	56	1.58
2457MHz	Pass	AV	2.471G	96.59	Inf	-Inf	3	Horizontal	56	1.58
2457MHz	Pass	AV	2.4835G	51.84	54.00	-2.16	3	Horizontal	56	1.58
2457MHz	Pass	PK	2.3782G	56.35	74.00	-17.65	3	Horizontal	56	1.58
2457MHz	Pass	PK	2.4622G	107.16	Inf	-Inf	3	Horizontal	56	1.58
2457MHz	Pass	PK	2.4835G	65.45	74.00	-8.55	3	Horizontal	56	1.58
2457MHz	Pass	AV	4.92252G	33.21	54.00	-20.79	3	Vertical	98	1.04
2457MHz	Pass	PK	4.90492G	45.43	74.00	-28.57	3	Vertical	98	1.04
2457MHz	Pass	AV	4.92384G	33.43	54.00	-20.57	3	Horizontal	174	1.69
2457MHz	Pass	PK	4.90912G	45.01	74.00	-28.99	3	Horizontal	174	1.69
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2457MHz	Pass	AV	2.375G	44.64	54.00	-9.36	3	Vertical	258	3.00
2457MHz	Pass	AV	2.4634G	93.18	Inf	-Inf	3	Vertical	258	3.00
2457MHz	Pass	AV	2.4835G	49.22	54.00	-4.78	3	Vertical	258	3.00
2457MHz	Pass	PK	2.3834G	56.22	74.00	-17.78	3	Vertical	258	3.00
2457MHz	Pass	PK	2.4654G	104.16	Inf	-Inf	3	Vertical	258	3.00
2457MHz	Pass	PK	2.4838G	60.43	74.00	-13.57	3	Vertical	258	3.00
2457MHz	Pass	AV	2.3874G	44.76	54.00	-9.24	3	Horizontal	297	1.17
2457MHz	Pass	AV	2.4646G	95.76	Inf	-Inf	3	Horizontal	297	1.17
2457MHz	Pass	AV	2.4835G	51.02	54.00	-2.98	3	Horizontal	297	1.17



RSE TX above 1GHz\_Partial RU

Appendix F.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.3662G	56.71	74.00	-17.29	3	Horizontal	297	1.17
2457MHz	Pass	PK	2.4654G	106.86	Inf	-Inf	3	Horizontal	297	1.17
2457MHz	Pass	PK	2.4835G	61.86	74.00	-12.14	3	Horizontal	297	1.17
2457MHz	Pass	AV	4.89568G	33.33	54.00	-20.67	3	Vertical	222	1.74
2457MHz	Pass	PK	4.9332G	45.29	74.00	-28.71	3	Vertical	222	1.74
2457MHz	Pass	AV	4.93296G	33.61	54.00	-20.39	3	Horizontal	93	1.66
2457MHz	Pass	PK	4.93152G	45.93	74.00	-28.07	3	Horizontal	93	1.66
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
2457MHz	Pass	AV	2.3874G	44.66	54.00	-9.34	3	Vertical	97	2.65
2457MHz	Pass	AV	2.4646G	93.99	Inf	-Inf	3	Vertical	97	2.65
2457MHz	Pass	AV	2.4835G	49.21	54.00	-4.79	3	Vertical	97	2.65
2457MHz	Pass	PK	2.3862G	57.46	74.00	-16.54	3	Vertical	97	2.65
2457MHz	Pass	PK	2.467G	105.41	Inf	-Inf	3	Vertical	97	2.65
2457MHz	Pass	PK	2.4835G	59.93	74.00	-14.07	3	Vertical	97	2.65
2457MHz	Pass	AV	2.3686G	44.94	54.00	-9.06	3	Horizontal	296	1.20
2457MHz	Pass	AV	2.4646G	96.12	Inf	-Inf	3	Horizontal	296	1.20
2457MHz	Pass	AV	2.4835G	51.47	54.00	-2.53	3	Horizontal	296	1.20
2457MHz	Pass	PK	2.3822G	56.79	74.00	-17.21	3	Horizontal	296	1.20
2457MHz	Pass	PK	2.4658G	107.68	Inf	-Inf	3	Horizontal	296	1.20
2457MHz	Pass	PK	2.4835G	63.39	74.00	-10.61	3	Horizontal	296	1.20
2457MHz	Pass	AV	4.89792G	33.40	54.00	-20.60	3	Vertical	72	1.46
2457MHz	Pass	PK	4.92344G	45.46	74.00	-28.54	3	Vertical	72	1.46
2457MHz	Pass	AV	4.93248G	34.04	54.00	-19.96	3	Horizontal	353	2.61
2457MHz	Pass	PK	4.9304G	45.09	74.00	-28.91	3	Horizontal	353	2.61
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.3644G	44.55	54.00	-9.45	3	Vertical	87	3.00
2462MHz	Pass	AV	2.4636G	90.46	Inf	-Inf	3	Vertical	87	3.00
2462MHz	Pass	AV	2.4835G	47.20	54.00	-6.80	3	Vertical	87	3.00
2462MHz	Pass	PK	2.3696G	56.30	74.00	-17.70	3	Vertical	87	3.00
2462MHz	Pass	PK	2.468G	101.82	Inf	-Inf	3	Vertical	87	3.00
2462MHz	Pass	PK	2.4835G	65.97	74.00	-8.03	3	Vertical	87	3.00
2462MHz	Pass	AV	2.3896G	44.60	54.00	-9.40	3	Horizontal	57	1.30
2462MHz	Pass	AV	2.464G	93.40	Inf	-Inf	3	Horizontal	57	1.30
2462MHz	Pass	AV	2.4835G	48.80	54.00	-5.20	3	Horizontal	57	1.30
2462MHz	Pass	PK	2.378G	57.07	74.00	-16.93	3	Horizontal	57	1.30
2462MHz	Pass	PK	2.4648G	105.61	Inf	-Inf	3	Horizontal	57	1.30
2462MHz	Pass	PK	2.4835G	71.05	74.00	-2.95	3	Horizontal	57	1.30
2462MHz	Pass	AV	4.93364G	33.28	54.00	-20.72	3	Vertical	135	1.22
2462MHz	Pass	PK	4.93388G	44.53	74.00	-29.47	3	Vertical	135	1.22
2462MHz	Pass	AV	4.93252G	33.29	54.00	-20.71	3	Horizontal	7	1.48
2462MHz	Pass	PK	4.9224G	44.93	74.00	-29.07	3	Horizontal	7	1.48
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.3744G	44.60	54.00	-9.40	3	Vertical	257	3.00
2462MHz	Pass	AV	2.464G	88.35	Inf	-Inf	3	Vertical	257	3.00
2462MHz	Pass	AV	2.4835G	47.95	54.00	-6.05	3	Vertical	257	3.00
2462MHz	Pass	PK	2.3776G	56.97	74.00	-17.03	3	Vertical	257	3.00
2462MHz	Pass	PK	2.4784G	100.06	Inf	-Inf	3	Vertical	257	3.00
2462MHz	Pass	PK	2.4835G	68.34	74.00	-5.66	3	Vertical	257	3.00
2462MHz	Pass	AV	2.3896G	44.60	54.00	-9.40	3	Horizontal	296	1.18
2462MHz	Pass	AV	2.4648G	90.92	Inf	-Inf	3	Horizontal	296	1.18
2462MHz	Pass	AV	2.4835G	49.08	54.00	-4.92	3	Horizontal	296	1.18
2462MHz	Pass	PK	2.376G	56.17	74.00	-17.83	3	Horizontal	296	1.18
2462MHz	Pass	PK	2.466G	102.38	Inf	-Inf	3	Horizontal	296	1.18
2462MHz	Pass	PK	2.4835G	70.28	74.00	-3.72	3	Horizontal	296	1.18
2462MHz	Pass	AV	4.93952G	33.62	54.00	-20.38	3	Vertical	213	2.03
2462MHz	Pass	PK	4.93464G	44.31	74.00	-29.69	3	Vertical	213	2.03
2462MHz	Pass	AV	4.94192G	33.59	54.00	-20.41	3	Horizontal	307	1.82
2462MHz	Pass	PK	4.94384G	44.87	74.00	-29.13	3	Horizontal	307	1.82
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
2462MHz	Pass	AV	2.384G	44.53	54.00	-9.47	3	Vertical	84	2.69
2462MHz	Pass	AV	2.4732G	87.96	Inf	-Inf	3	Vertical	84	2.69
2462MHz	Pass	AV	2.4835G	47.15	54.00	-6.85	3	Vertical	84	2.69



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	2.3796G	57.17	74.00	-16.83	3	Vertical	84	2.69
2462MHz	Pass	PK	2.4688G	99.49	Inf	-Inf	3	Vertical	84	2.69
2462MHz	Pass	PK	2.4835G	69.17	74.00	-4.83	3	Vertical	84	2.69
2462MHz	Pass	AV	2.3796G	44.67	54.00	-9.33	3	Horizontal	300	1.07
2462MHz	Pass	AV	2.4684G	90.41	Inf	-Inf	3	Horizontal	300	1.07
2462MHz	Pass	AV	2.4835G	48.79	54.00	-5.21	3	Horizontal	300	1.07
2462MHz	Pass	PK	2.3864G	57.12	74.00	-16.88	3	Horizontal	300	1.07
2462MHz	Pass	PK	2.4648G	102.27	Inf	-Inf	3	Horizontal	300	1.07
2462MHz	Pass	PK	2.4835G	71.77	74.00	-2.23	3	Horizontal	300	1.07
2462MHz	Pass	AV	4.9436G	33.49	54.00	-20.51	3	Vertical	193	2.86
2462MHz	Pass	PK	4.93176G	44.49	74.00	-29.51	3	Vertical	193	2.86
2462MHz	Pass	AV	4.94208G	33.52	54.00	-20.48	3	Horizontal	132	2.54
2462MHz	Pass	PK	4.92504G	45.27	74.00	-28.73	3	Horizontal	132	2.54

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.43	54.00	-5.57	31.54	3	Vertical	82	2.63	16.89	27.38	4.16	-
AV	2.4038G	108.39	Inf	-Inf	31.59	3	Vertical	82	2.63	76.80	27.42	4.17	-
PK	2.389G	68.24	74.00	-5.76	31.54	3	Vertical	82	2.63	36.70	27.38	4.16	-
PK	2.4038G	116.55	Inf	-Inf	31.59	3	Vertical	82	2.63	84.96	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.18	54.00	-3.82	31.54	3	Horizontal	64	1.42	18.64	27.38	4.16	-
AV	2.4036G	111.22	Inf	-Inf	31.58	3	Horizontal	64	1.42	79.64	27.41	4.17	-
PK	2.389G	71.06	74.00	-2.94	31.54	3	Horizontal	64	1.42	39.52	27.38	4.16	-
PK	2.404G	119.53	Inf	-Inf	31.59	3	Horizontal	64	1.42	87.94	27.42	4.17	-


2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

2412MHz\_TX




2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

2412MHz\_TX



2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	45.70	54.00	-8.30	31.53	3	Vertical	281	2.95	14.17	27.37	4.16	-
AV	2.4036G	105.66	Inf	-Inf	31.58	3	Vertical	281	2.95	74.08	27.41	4.17	-
PK	2.3892G	59.62	74.00	-14.38	31.54	3	Vertical	281	2.95	28.08	27.38	4.16	-
PK	2.404G	114.12	Inf	-Inf	31.59	3	Vertical	281	2.95	82.53	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	46.56	54.00	-7.44	31.54	3	Horizontal	299	1.47	15.02	27.38	4.16	-
AV	2.4038G	109.39	Inf	-Inf	31.59	3	Horizontal	299	1.47	77.80	27.42	4.17	-
PK	2.3892G	62.37	74.00	-11.63	31.54	3	Horizontal	299	1.47	30.83	27.38	4.16	-
PK	2.404G	117.80	Inf	-Inf	31.59	3	Horizontal	299	1.47	86.21	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82992G	34.10	54.00	-19.90	3.42	3	Vertical	160	1.50	30.68	32.38	5.69	34.65
PK	4.83036G	46.17	74.00	-27.83	3.42	3	Vertical	160	1.50	42.75	32.38	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82894G	34.05	54.00	-19.95	3.41	3	Horizontal	326	1.50	30.64	32.37	5.69	34.65
PK	4.8201G	46.36	74.00	-27.64	3.35	3	Horizontal	326	1.50	43.01	32.32	5.68	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.96	54.00	-7.04	31.54	3	Vertical	281	2.94	15.42	27.38	4.16	-
AV	2.4038G	107.01	Inf	-Inf	31.59	3	Vertical	281	2.94	75.42	27.42	4.17	-
PK	2.39G	66.22	74.00	-7.78	31.54	3	Vertical	281	2.94	34.68	27.38	4.16	-
PK	2.4038G	116.13	Inf	-Inf	31.59	3	Vertical	281	2.94	84.54	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.92	54.00	-6.08	31.54	3	Horizontal	66	1.62	16.38	27.38	4.16	-
AV	2.404G	111.19	Inf	-Inf	31.59	3	Horizontal	66	1.62	79.60	27.42	4.17	-
PK	2.39G	67.68	74.00	-6.32	31.54	3	Horizontal	66	1.62	36.14	27.38	4.16	-
PK	2.4038G	120.69	Inf	-Inf	31.59	3	Horizontal	66	1.62	89.10	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83054G	34.12	54.00	-19.88	3.42	3	Vertical	111	1.50	30.70	32.38	5.69	34.65
PK	4.83058G	45.80	74.00	-28.20	3.42	3	Vertical	111	1.50	42.38	32.38	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82892G	34.24	54.00	-19.76	3.41	3	Horizontal	332	2.74	30.83	32.37	5.69	34.65
PK	4.82254G	47.22	74.00	-26.78	3.37	3	Horizontal	332	2.74	43.85	32.34	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	45.42	54.00	-8.58	31.53	3	Vertical	82	2.82	13.89	27.37	4.16	-
AV	2.429G	108.77	Inf	-Inf	31.71	3	Vertical	82	2.82	77.06	27.52	4.19	-
AV	2.4835G	46.05	54.00	-7.95	31.89	3	Vertical	82	2.82	14.16	27.67	4.22	-
PK	2.3702G	57.83	74.00	-16.17	31.48	3	Vertical	82	2.82	26.35	27.34	4.14	-
PK	2.4286G	116.77	Inf	-Inf	31.70	3	Vertical	82	2.82	85.07	27.51	4.19	-
PK	2.4838G	59.25	74.00	-14.75	31.89	3	Vertical	82	2.82	27.36	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	46.20	54.00	-7.80	31.53	3	Horizontal	65	1.25	14.67	27.37	4.16	-
AV	2.4286G	111.75	Inf	-Inf	31.70	3	Horizontal	65	1.25	80.05	27.51	4.19	-
AV	2.4835G	47.17	54.00	-6.83	31.89	3	Horizontal	65	1.25	15.28	27.67	4.22	-
PK	2.375G	57.99	74.00	-16.01	31.50	3	Horizontal	65	1.25	26.49	27.35	4.15	-
PK	2.429G	119.91	Inf	-Inf	31.71	3	Horizontal	65	1.25	88.20	27.52	4.19	-
PK	2.4838G	62.32	74.00	-11.68	31.89	3	Horizontal	65	1.25	30.43	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88382G	33.47	54.00	-20.53	3.71	3	Vertical	114	3.00	29.76	32.64	5.72	34.65
PK	4.8812G	45.44	74.00	-28.56	3.69	3	Vertical	114	3.00	41.75	32.62	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88326G	33.55	54.00	-20.45	3.70	3	Horizontal	360	1.50	29.85	32.63	5.72	34.65
PK	4.8749G	46.92	74.00	-27.08	3.66	3	Horizontal	360	1.50	43.26	32.60	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.13	54.00	-5.87	31.54	3	Vertical	257	2.85	16.59	27.38	4.16	-
AV	2.4286G	110.42	Inf	-Inf	31.70	3	Vertical	257	2.85	78.72	27.51	4.19	-
AV	2.4954G	46.81	54.00	-7.19	31.92	3	Vertical	257	2.85	14.89	27.69	4.23	-
PK	2.3898G	65.78	74.00	-8.22	31.54	3	Vertical	257	2.85	34.24	27.38	4.16	-
PK	2.429G	117.74	Inf	-Inf	31.71	3	Vertical	257	2.85	86.03	27.52	4.19	-
PK	2.4858G	61.95	74.00	-12.05	31.89	3	Vertical	257	2.85	30.06	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.64	54.00	-4.36	31.54	3	Horizontal	298	1.60	18.10	27.38	4.16	-
AV	2.4286G	113.17	Inf	-Inf	31.70	3	Horizontal	298	1.60	81.47	27.51	4.19	-
AV	2.4835G	48.34	54.00	-5.66	31.89	3	Horizontal	298	1.60	16.45	27.67	4.22	-
PK	2.3898G	65.80	74.00	-8.20	31.54	3	Horizontal	298	1.60	34.26	27.38	4.16	-
PK	2.429G	120.54	Inf	-Inf	31.71	3	Horizontal	298	1.60	88.83	27.52	4.19	-
PK	2.4858G	64.83	74.00	-9.17	31.89	3	Horizontal	298	1.60	32.94	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88318G	33.42	54.00	-20.58	3.70	3	Vertical	78	1.50	29.72	32.63	5.72	34.65
PK	4.88054G	45.41	74.00	-28.59	3.69	3	Vertical	78	1.50	41.72	32.62	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88254G	33.50	54.00	-20.50	3.70	3	Horizontal	334	1.50	29.80	32.63	5.72	34.65
PK	4.86532G	45.34	74.00	-28.66	3.62	3	Horizontal	334	1.50	41.72	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.379G	47.85	54.00	-6.15	31.51	3	Vertical	83	2.72	16.34	27.36	4.15	-
AV	2.4286G	110.73	Inf	-Inf	31.70	3	Vertical	83	2.72	79.03	27.51	4.19	-
AV	2.4862G	48.56	54.00	-5.44	31.89	3	Vertical	83	2.72	16.67	27.67	4.22	-
PK	2.3882G	60.68	74.00	-13.32	31.54	3	Vertical	83	2.72	29.14	27.38	4.16	-
PK	2.429G	119.68	Inf	-Inf	31.71	3	Vertical	83	2.72	87.97	27.52	4.19	-
PK	2.485G	62.28	74.00	-11.72	31.89	3	Vertical	83	2.72	30.39	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.383G	49.42	54.00	-4.58	31.52	3	Horizontal	66	1.38	17.90	27.37	4.15	-
AV	2.4286G	113.44	Inf	-Inf	31.70	3	Horizontal	66	1.38	81.74	27.51	4.19	-
AV	2.4954G	50.36	54.00	-3.64	31.92	3	Horizontal	66	1.38	18.44	27.69	4.23	-
PK	2.3898G	62.70	74.00	-11.30	31.54	3	Horizontal	66	1.38	31.16	27.38	4.16	-
PK	2.429G	121.67	Inf	-Inf	31.71	3	Horizontal	66	1.38	89.96	27.52	4.19	-
PK	2.4858G	63.21	74.00	-10.79	31.89	3	Horizontal	66	1.38	31.32	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88226G	33.53	54.00	-20.47	3.70	3	Vertical	16	2.97	29.83	32.63	5.72	34.65
PK	4.8681G	47.47	74.00	-26.53	3.63	3	Vertical	16	2.97	43.84	32.57	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88304G	33.62	54.00	-20.38	3.70	3	Horizontal	360	1.56	29.92	32.63	5.72	34.65
PK	4.87284G	49.64	74.00	-24.36	3.65	3	Horizontal	360	1.56	45.99	32.59	5.71	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4704G	106.52	Inf	-Inf	31.85	3	Vertical	86	2.74	74.67	27.64	4.21	-
AV	2.4835G	48.43	54.00	-5.57	31.89	3	Vertical	86	2.74	16.54	27.67	4.22	-
PK	2.4698G	114.78	Inf	-Inf	31.85	3	Vertical	86	2.74	82.93	27.64	4.21	-
PK	2.4866G	66.73	74.00	-7.27	31.89	3	Vertical	86	2.74	34.84	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4704G	110.31	Inf	-Inf	31.85	3	Horizontal	68	1.16	78.46	27.64	4.21	-
AV	2.4835G	49.98	54.00	-4.02	31.89	3	Horizontal	68	1.16	18.09	27.67	4.22	-
PK	2.4698G	118.55	Inf	-Inf	31.85	3	Horizontal	68	1.16	86.70	27.64	4.21	-
PK	2.4866G	69.43	74.00	-4.57	31.89	3	Horizontal	68	1.16	37.54	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9265G	33.87	54.00	-20.13	3.96	3	Vertical	328	2.84	29.91	32.86	5.75	34.65
PK	4.92316G	46.18	74.00	-27.82	3.93	3	Vertical	328	2.84	42.25	32.84	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92274G	33.95	54.00	-20.05	3.93	3	Horizontal	315	1.50	30.02	32.84	5.74	34.65
PK	4.92518G	47.66	74.00	-26.34	3.95	3	Horizontal	315	1.50	43.71	32.85	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4704G	82.51	Inf	-Inf	31.85	3	Vertical	264	2.19	50.66	27.64	4.21	-
AV	2.4992G	45.34	54.00	-8.66	31.93	3	Vertical	264	2.19	13.41	27.70	4.23	-
PK	2.47G	91.00	Inf	-Inf	31.85	3	Vertical	264	2.19	59.15	27.64	4.21	-
PK	2.4854G	57.45	74.00	-16.55	31.89	3	Vertical	264	2.19	25.56	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	84.30	Inf	-Inf	31.85	3	Horizontal	301	2.16	52.45	27.64	4.21	-
AV	2.4928G	45.33	54.00	-8.67	31.92	3	Horizontal	301	2.16	13.41	27.69	4.23	-
PK	2.4696G	92.73	Inf	-Inf	31.85	3	Horizontal	301	2.16	60.88	27.64	4.21	-
PK	2.4844G	57.55	74.00	-16.45	31.89	3	Horizontal	301	2.16	25.66	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93306G	33.88	54.00	-20.12	4.00	3	Vertical	88	2.62	29.88	32.90	5.75	34.65
PK	4.92724G	46.01	74.00	-27.99	3.96	3	Vertical	88	2.62	42.05	32.86	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9322G	33.92	54.00	-20.08	3.99	3	Horizontal	249	1.50	29.93	32.89	5.75	34.65
PK	4.92962G	46.37	74.00	-27.63	3.98	3	Horizontal	249	1.50	42.39	32.88	5.75	34.65

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	83.12	Inf	-Inf	31.85	3	Vertical	85	2.26	51.27	27.64	4.21	-
AV	2.4916G	45.41	54.00	-8.59	31.90	3	Vertical	85	2.26	13.51	27.68	4.22	-
PK	2.47G	92.28	Inf	-Inf	31.85	3	Vertical	85	2.26	60.43	27.64	4.21	-
PK	2.4944G	57.55	74.00	-16.45	31.92	3	Vertical	85	2.26	25.63	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4704G	90.30	Inf	-Inf	31.85	3	Horizontal	68	1.17	58.45	27.64	4.21	-
AV	2.4862G	45.39	54.00	-8.61	31.89	3	Horizontal	68	1.17	13.50	27.67	4.22	-
PK	2.4896G	99.09	Inf	-Inf	31.85	3	Horizontal	68	1.17	67.24	27.64	4.21	-
PK	2.4888G	57.61	74.00	-16.39	31.89	3	Horizontal	68	1.17	25.72	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9253G	34.02	54.00	-19.98	3.95	3	Vertical	50	2.81	30.07	32.85	5.75	34.65
PK	4.93138G	43.83	74.00	-30.17	3.99	3	Vertical	50	2.81	39.84	32.89	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93356G	33.94	54.00	-20.06	4.00	3	Horizontal	175	2.10	29.94	32.90	5.75	34.65
PK	4.91558G	44.17	74.00	-29.83	3.88	3	Horizontal	175	2.10	40.29	32.79	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4755G	82.22	Inf	-Inf	31.87	3	Vertical	118	1.71	50.35	27.65	4.22	-
AV	2.4846G	45.29	54.00	-8.71	31.89	3	Vertical	118	1.71	13.40	27.67	4.22	-
PK	2.4748G	90.71	Inf	-Inf	31.86	3	Vertical	118	1.71	58.85	27.65	4.21	-
PK	2.4967G	57.51	74.00	-16.49	31.92	3	Vertical	118	1.71	25.59	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4755G	82.53	Inf	-Inf	31.87	3	Horizontal	67	2.12	50.66	27.65	4.22	-
AV	2.4835G	45.12	54.00	-8.88	31.89	3	Horizontal	67	2.12	13.23	27.67	4.22	-
PK	2.4749G	91.19	Inf	-Inf	31.86	3	Horizontal	67	2.12	59.33	27.65	4.21	-
PK	2.492G	57.50	74.00	-16.50	31.91	3	Horizontal	67	2.12	25.59	27.68	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94138G	34.04	54.00	-19.96	4.06	3	Vertical	304	1.50	29.98	32.95	5.75	34.64
PK	4.9373G	46.53	74.00	-27.47	4.02	3	Vertical	304	1.50	42.51	32.92	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94156G	34.27	54.00	-19.73	4.06	3	Horizontal	360	2.65	30.21	32.95	5.75	34.64
PK	4.93626G	48.26	74.00	-25.74	4.02	3	Horizontal	360	2.65	44.24	32.92	5.75	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4756G	81.33	Inf	-Inf	31.87	3	Vertical	264	2.25	49.46	27.65	4.22	-
AV	2.4978G	45.34	54.00	-8.66	31.93	3	Vertical	264	2.25	13.41	27.70	4.23	-
PK	2.4752G	89.67	Inf	-Inf	31.87	3	Vertical	264	2.25	57.80	27.65	4.22	-
PK	2.4932G	57.41	74.00	-16.59	31.92	3	Vertical	264	2.25	25.49	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4752G	85.24	Inf	-Inf	31.87	3	Horizontal	297	2.03	53.37	27.65	4.22	-
AV	2.4848G	45.41	54.00	-8.59	31.89	3	Horizontal	297	2.03	13.52	27.67	4.22	-
PK	2.4752G	93.44	Inf	-Inf	31.87	3	Horizontal	297	2.03	61.57	27.65	4.22	-
PK	2.4846G	57.79	74.00	-16.21	31.89	3	Horizontal	297	2.03	25.90	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94364G	34.03	54.00	-19.97	4.08	3	Vertical	118	1.43	29.95	32.96	5.76	34.64
PK	4.9291G	45.38	74.00	-28.62	3.97	3	Vertical	118	1.43	41.41	32.87	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94122G	34.10	54.00	-19.90	4.06	3	Horizontal	328	2.30	30.04	32.95	5.75	34.64
PK	4.93534G	46.13	74.00	-27.87	4.01	3	Horizontal	328	2.30	42.12	32.91	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4758G	79.38	Inf	-Inf	31.87	3	Vertical	91	2.28	47.51	27.65	4.22	-
AV	2.493G	45.30	54.00	-8.70	31.92	3	Vertical	91	2.28	13.38	27.69	4.23	-
PK	2.4752G	88.90	Inf	-Inf	31.87	3	Vertical	91	2.28	57.03	27.65	4.22	-
PK	2.4936G	57.36	74.00	-16.64	31.92	3	Vertical	91	2.28	25.44	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4756G	85.59	Inf	-Inf	31.87	3	Horizontal	67	1.42	53.72	27.65	4.22	-
AV	2.4938G	45.36	54.00	-8.64	31.92	3	Horizontal	67	1.42	13.44	27.69	4.23	-
PK	2.475G	94.77	Inf	-Inf	31.86	3	Horizontal	67	1.42	62.91	27.65	4.21	-
PK	2.4988G	57.59	74.00	-16.41	31.93	3	Horizontal	67	1.42	25.66	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94098G	42.36	54.00	-11.64	4.06	3	Vertical	73	1.22	38.30	32.95	5.75	34.64
PK	4.93942G	50.63	74.00	-23.37	4.05	3	Vertical	73	1.22	46.58	32.94	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94084G	42.45	54.00	-11.55	4.06	3	Horizontal	32	2.03	38.39	32.95	5.75	34.64
PK	4.94096G	49.80	74.00	-24.20	4.06	3	Horizontal	32	2.03	45.74	32.95	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	72.44	Inf	-Inf	31.88	3	Vertical	121	2.17	40.56	27.66	4.22	-
AV	2.4888G	45.34	54.00	-8.66	31.90	3	Vertical	121	2.17	13.44	27.68	4.22	-
PK	2.48G	84.33	Inf	-Inf	31.88	3	Vertical	121	2.17	52.45	27.66	4.22	-
PK	2.4986G	57.82	74.00	-16.18	31.93	3	Vertical	121	2.17	25.89	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	77.80	Inf	-Inf	31.88	3	Horizontal	66	1.24	45.92	27.66	4.22	-
AV	2.4874G	45.35	54.00	-8.65	31.89	3	Horizontal	66	1.24	13.46	27.67	4.22	-
PK	2.48G	89.66	Inf	-Inf	31.88	3	Horizontal	66	1.24	57.78	27.66	4.22	-
PK	2.498G	57.46	74.00	-16.54	31.93	3	Horizontal	66	1.24	25.53	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95132G	34.12	54.00	-19.88	4.13	3	Vertical	7	1.32	29.99	33.01	5.76	34.64
PK	4.94902G	45.96	74.00	-28.04	4.11	3	Vertical	7	1.32	41.85	32.99	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94742G	34.35	54.00	-19.65	4.10	3	Horizontal	14	2.73	30.25	32.98	5.76	34.64
PK	4.94528G	47.74	74.00	-26.26	4.09	3	Horizontal	14	2.73	43.65	32.97	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4804G	71.05	Inf	-Inf	31.88	3	Vertical	267	2.21	39.17	27.66	4.22	-
AV	2.495G	45.39	54.00	-8.61	31.92	3	Vertical	267	2.21	13.47	27.69	4.23	-
PK	2.4802G	83.73	Inf	-Inf	31.88	3	Vertical	267	2.21	51.85	27.66	4.22	-
PK	2.493G	56.83	74.00	-17.17	31.92	3	Vertical	267	2.21	24.91	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	76.47	Inf	-Inf	31.88	3	Horizontal	297	1.56	44.59	27.66	4.22	-
AV	2.4852G	45.14	54.00	-8.86	31.89	3	Horizontal	297	1.56	13.25	27.67	4.22	-
PK	2.4802G	88.69	Inf	-Inf	31.88	3	Horizontal	297	1.56	56.81	27.66	4.22	-
PK	2.4888G	56.75	74.00	-17.25	31.90	3	Horizontal	297	1.56	24.85	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94902G	34.12	54.00	-19.88	4.11	3	Vertical	201	1.50	30.01	32.99	5.76	34.64
PK	4.94294G	45.91	74.00	-28.09	4.08	3	Vertical	201	1.50	41.83	32.96	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95G	34.19	54.00	-19.81	4.12	3	Horizontal	62	3.00	30.07	33.00	5.76	34.64
PK	4.953G	46.16	74.00	-27.84	4.13	3	Horizontal	62	3.00	42.03	33.01	5.76	34.64



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	85.02	Inf	-Inf	31.88	3	Vertical	89	2.27	53.14	27.66	4.22	-
AV	2.4835G	45.88	54.00	-8.12	31.89	3	Vertical	89	2.27	13.99	27.67	4.22	-
PK	2.4806G	97.13	Inf	-Inf	31.88	3	Vertical	89	2.27	65.25	27.66	4.22	-
PK	2.4838G	58.34	74.00	-15.66	31.89	3	Vertical	89	2.27	26.45	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4804G	89.89	Inf	-Inf	31.88	3	Horizontal	66	1.47	58.01	27.66	4.22	-
AV	2.4835G	46.69	54.00	-7.31	31.89	3	Horizontal	66	1.47	14.80	27.67	4.22	-
PK	2.4798G	101.01	Inf	-Inf	31.88	3	Horizontal	66	1.47	69.13	27.66	4.22	-
PK	2.4835G	62.90	74.00	-11.10	31.89	3	Horizontal	66	1.47	31.01	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94082G	42.35	54.00	-11.65	4.05	3	Vertical	138	2.22	38.30	32.94	5.75	34.64
PK	4.94128G	49.69	74.00	-24.31	4.06	3	Vertical	138	2.22	45.63	32.95	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94082G	42.43	54.00	-11.57	4.05	3	Horizontal	194	2.46	38.38	32.94	5.75	34.64
PK	4.9419G	50.14	74.00	-23.86	4.07	3	Horizontal	194	2.46	46.07	32.95	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	44.55	54.00	-9.45	31.54	3	Vertical	86	2.28	13.01	27.38	4.16	-
AV	2.4036G	82.47	Inf	-Inf	31.58	3	Vertical	86	2.28	50.89	27.41	4.17	-
PK	2.3834G	56.82	74.00	-17.18	31.52	3	Vertical	86	2.28	25.30	27.37	4.15	-
PK	2.403G	92.30	Inf	-Inf	31.58	3	Vertical	86	2.28	60.72	27.41	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3778G	44.58	54.00	-9.42	31.51	3	Horizontal	70	2.28	13.07	27.36	4.15	-
AV	2.4038G	80.99	Inf	-Inf	31.59	3	Horizontal	70	2.28	49.40	27.42	4.17	-
PK	2.3802G	57.34	74.00	-16.66	31.51	3	Horizontal	70	2.28	25.83	27.36	4.15	-
PK	2.4046G	90.77	Inf	-Inf	31.59	3	Horizontal	70	2.28	59.18	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82718G	34.05	54.00	-19.95	3.40	3	Vertical	293	2.71	30.65	32.36	5.69	34.65
PK	4.82453G	43.90	74.00	-30.10	3.38	3	Vertical	293	2.71	40.52	32.35	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82837G	34.04	54.00	-19.96	3.41	3	Horizontal	328	1.06	30.63	32.37	5.69	34.65
PK	4.82347G	43.94	74.00	-30.06	3.37	3	Horizontal	328	1.06	40.57	32.34	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3782G	44.57	54.00	-9.43	31.51	3	Vertical	288	2.28	13.06	27.36	4.15	-
AV	2.4036G	80.24	Inf	-Inf	31.58	3	Vertical	288	2.28	48.66	27.41	4.17	-
PK	2.3692G	56.90	74.00	-17.10	31.48	3	Vertical	288	2.28	25.42	27.34	4.14	-
PK	2.4052G	90.56	Inf	-Inf	31.59	3	Vertical	288	2.28	58.97	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.57	54.00	-9.43	31.54	3	Horizontal	301	1.68	13.03	27.38	4.16	-
AV	2.4042G	88.62	Inf	-Inf	31.59	3	Horizontal	301	1.68	57.03	27.42	4.17	-
PK	2.3804G	56.87	74.00	-17.13	31.51	3	Horizontal	301	1.68	25.36	27.36	4.15	-
PK	2.4054G	98.66	Inf	-Inf	31.59	3	Horizontal	301	1.68	67.07	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82737G	34.04	54.00	-19.96	3.40	3	Vertical	171	2.32	30.64	32.36	5.69	34.65
PK	4.82347G	44.09	74.00	-29.91	3.37	3	Vertical	171	2.32	40.72	32.34	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8285G	34.09	54.00	-19.91	3.41	3	Horizontal	136	2.11	30.68	32.37	5.69	34.65
PK	4.82002G	44.87	74.00	-29.13	3.35	3	Horizontal	136	2.11	41.52	32.32	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38945G	44.99	54.00	-9.01	31.54	3	Vertical	260.1	2.29	13.45	27.38	4.16	-
AV	2.40408G	96.12	Inf	-Inf	31.59	3	Vertical	260.1	2.29	64.53	27.42	4.17	-
PK	2.38986G	63.76	74.00	-10.24	31.54	3	Vertical	260.1	2.29	32.22	27.38	4.16	-
PK	2.40609G	106.66	Inf	-Inf	31.59	3	Vertical	260.1	2.29	75.07	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.65	54.00	-8.35	31.54	3	Horizontal	69	1.63	14.11	27.38	4.16	-
AV	2.404G	102.03	Inf	-Inf	31.59	3	Horizontal	69	1.63	70.44	27.42	4.17	-
PK	2.3892G	67.85	74.00	-6.15	31.54	3	Horizontal	69	1.63	36.31	27.38	4.16	-
PK	2.4038G	113.21	Inf	-Inf	31.59	3	Horizontal	69	1.63	81.62	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82813G	34.11	54.00	-19.89	3.41	3	Vertical	138	2.01	30.70	32.37	5.69	34.65
PK	4.82857G	44.76	74.00	-29.24	3.41	3	Vertical	138	2.01	41.35	32.37	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82839G	34.12	54.00	-19.88	3.41	3	Horizontal	4	2.20	30.71	32.37	5.69	34.65
PK	4.82885G	45.31	74.00	-28.69	3.41	3	Horizontal	4	2.20	41.90	32.37	5.69	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	44.55	54.00	-9.45	31.53	3	Vertical	88	2.24	13.02	27.37	4.16	-
AV	2.4294G	82.64	Inf	-Inf	31.71	3	Vertical	88	2.24	50.93	27.52	4.19	-
AV	2.4974G	45.35	54.00	-8.65	31.92	3	Vertical	88	2.24	13.43	27.69	4.23	-
PK	2.3542G	56.30	74.00	-17.70	31.44	3	Vertical	88	2.24	24.86	27.31	4.13	-
PK	2.429G	92.25	Inf	-Inf	31.71	3	Vertical	88	2.24	60.54	27.52	4.19	-
PK	2.4994G	56.99	74.00	-17.01	31.93	3	Vertical	88	2.24	25.06	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.58	54.00	-9.42	31.54	3	Horizontal	70	1.59	13.04	27.38	4.16	-
AV	2.429G	89.88	Inf	-Inf	31.71	3	Horizontal	70	1.59	58.17	27.52	4.19	-
AV	2.493G	45.38	54.00	-8.62	31.92	3	Horizontal	70	1.59	13.46	27.69	4.23	-
PK	2.3846G	57.36	74.00	-16.64	31.53	3	Horizontal	70	1.59	25.83	27.37	4.16	-
PK	2.429G	99.52	Inf	-Inf	31.71	3	Horizontal	70	1.59	67.81	27.52	4.19	-
PK	2.491G	57.02	74.00	-16.98	31.90	3	Horizontal	70	1.59	25.12	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87884G	33.32	54.00	-20.68	3.69	3	Vertical	324	1.63	29.63	32.62	5.72	34.65
PK	4.86952G	44.06	74.00	-29.94	3.64	3	Vertical	324	1.63	40.42	32.58	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87764G	33.30	54.00	-20.70	3.68	3	Horizontal	74	2.69	29.62	32.61	5.72	34.65
PK	4.87753G	44.89	74.00	-29.11	3.68	3	Horizontal	74	2.69	41.21	32.61	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	44.52	54.00	-9.48	31.53	3	Vertical	270	2.28	12.99	27.37	4.16	-
AV	2.4286G	83.21	Inf	-Inf	31.70	3	Vertical	270	2.28	51.51	27.51	4.19	-
AV	2.4886G	45.32	54.00	-8.68	31.90	3	Vertical	270	2.28	13.42	27.68	4.22	-
PK	2.3834G	56.76	74.00	-17.24	31.52	3	Vertical	270	2.28	25.24	27.37	4.15	-
PK	2.4286G	92.71	Inf	-Inf	31.70	3	Vertical	270	2.28	61.01	27.51	4.19	-
PK	2.493G	57.24	74.00	-16.76	31.92	3	Vertical	270	2.28	25.32	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.377G	44.51	54.00	-9.49	31.50	3	Horizontal	303	2.28	13.01	27.35	4.15	-
AV	2.4294G	81.73	Inf	-Inf	31.71	3	Horizontal	303	2.28	50.02	27.52	4.19	-
AV	2.4922G	45.32	54.00	-8.68	31.91	3	Horizontal	303	2.28	13.41	27.68	4.23	-
PK	2.3402G	57.08	74.00	-16.92	31.39	3	Horizontal	303	2.28	25.69	27.28	4.11	-
PK	2.4282G	91.08	Inf	-Inf	31.70	3	Horizontal	303	2.28	59.38	27.51	4.19	-
PK	2.4874G	57.65	74.00	-16.35	31.89	3	Horizontal	303	2.28	25.76	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87853G	33.35	54.00	-20.65	3.68	3	Vertical	228	1.32	29.67	32.61	5.72	34.65
PK	4.87101G	43.34	74.00	-30.66	3.64	3	Vertical	228	1.32	39.70	32.58	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87875G	33.26	54.00	-20.74	3.69	3	Horizontal	130	2.84	29.57	32.62	5.72	34.65
PK	4.87027G	43.90	74.00	-30.10	3.64	3	Horizontal	130	2.84	40.26	32.58	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.56	54.00	-9.44	31.54	3	Vertical	88	2.30	13.02	27.38	4.16	-
AV	2.4286G	84.68	Inf	-Inf	31.70	3	Vertical	88	2.30	52.98	27.51	4.19	-
AV	2.4986G	45.37	54.00	-8.63	31.93	3	Vertical	88	2.30	13.44	27.70	4.23	-
PK	2.3666G	56.97	74.00	-17.03	31.47	3	Vertical	88	2.30	25.50	27.33	4.14	-
PK	2.431G	94.18	Inf	-Inf	31.71	3	Vertical	88	2.30	62.47	27.52	4.19	-
PK	2.4842G	57.17	74.00	-16.83	31.89	3	Vertical	88	2.30	25.28	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3798G	48.33	54.00	-5.67	31.51	3	Horizontal	300	1.57	16.82	27.36	4.15	-
AV	2.429G	108.34	Inf	-Inf	31.71	3	Horizontal	300	1.57	76.63	27.52	4.19	-
AV	2.4842G	48.67	54.00	-5.33	31.89	3	Horizontal	300	1.57	16.78	27.67	4.22	-
PK	2.3898G	63.88	74.00	-10.12	31.54	3	Horizontal	300	1.57	32.34	27.38	4.16	-
PK	2.4286G	117.91	Inf	-Inf	31.70	3	Horizontal	300	1.57	86.21	27.51	4.19	-
PK	2.4842G	65.23	74.00	-8.77	31.89	3	Horizontal	300	1.57	33.34	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87873G	33.26	54.00	-20.74	3.68	3	Vertical	24	2.44	29.58	32.61	5.72	34.65
PK	4.87348G	43.53	74.00	-30.47	3.65	3	Vertical	24	2.44	39.88	32.59	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87778G	33.25	54.00	-20.75	3.68	3	Horizontal	253	1.56	29.57	32.61	5.72	34.65
PK	4.87885G	43.62	74.00	-30.38	3.69	3	Horizontal	253	1.56	39.93	32.62	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4684G	79.10	Inf	-Inf	31.85	3	Vertical	93	2.30	47.25	27.64	4.21	-
AV	2.4888G	45.38	54.00	-8.62	31.90	3	Vertical	93	2.30	13.48	27.68	4.22	-
PK	2.468G	90.88	Inf	-Inf	31.85	3	Vertical	93	2.30	59.03	27.64	4.21	-
PK	2.4868G	57.54	74.00	-16.46	31.89	3	Vertical	93	2.30	25.65	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4698G	104.51	Inf	-Inf	31.85	3	Horizontal	70	1.17	72.66	27.64	4.21	-
AV	2.4835G	46.71	54.00	-7.29	31.89	3	Horizontal	70	1.17	14.82	27.67	4.22	-
PK	2.4694G	116.51	Inf	-Inf	31.85	3	Horizontal	70	1.17	84.66	27.64	4.21	-
PK	2.4868G	71.43	74.00	-2.57	31.89	3	Horizontal	70	1.17	39.54	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92561G	33.89	54.00	-20.11	3.95	3	Vertical	209	2.28	29.94	32.85	5.75	34.65
PK	4.91904G	44.87	74.00	-29.13	3.90	3	Vertical	209	2.28	40.97	32.81	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92101G	33.92	54.00	-20.08	3.92	3	Horizontal	260	1.46	30.00	32.83	5.74	34.65
PK	4.92412G	45.24	74.00	-28.76	3.93	3	Horizontal	260	1.46	41.31	32.84	5.74	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	103.67	Inf	-Inf	31.85	3	Vertical	255	2.97	71.82	27.64	4.21	-
AV	2.4842G	46.71	54.00	-7.29	31.89	3	Vertical	255	2.97	14.82	27.67	4.22	-
PK	2.4684G	114.21	Inf	-Inf	31.85	3	Vertical	255	2.97	82.36	27.64	4.21	-
PK	2.4836G	64.55	74.00	-9.45	31.89	3	Vertical	255	2.97	32.66	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	106.24	Inf	-Inf	31.85	3	Horizontal	297	1.11	74.39	27.64	4.21	-
AV	2.4844G	47.34	54.00	-6.66	31.89	3	Horizontal	297	1.11	15.45	27.67	4.22	-
PK	2.4686G	117.45	Inf	-Inf	31.85	3	Horizontal	297	1.11	85.60	27.64	4.21	-
PK	2.4835G	66.25	74.00	-7.75	31.89	3	Horizontal	297	1.11	34.36	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92638G	33.89	54.00	-20.11	3.96	3	Vertical	333	1.28	29.93	32.86	5.75	34.65
PK	4.92815G	44.07	74.00	-29.93	3.97	3	Vertical	333	1.28	40.10	32.87	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9252G	33.86	54.00	-20.14	3.95	3	Horizontal	289	1.84	29.91	32.85	5.75	34.65
PK	4.92259G	44.59	74.00	-29.41	3.93	3	Horizontal	289	1.84	40.66	32.84	5.74	34.65

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	100.32	Inf	-Inf	31.85	3	Vertical	83	2.66	68.47	27.64	4.21	-
AV	2.4866G	45.88	54.00	-8.12	31.89	3	Vertical	83	2.66	13.99	27.67	4.22	-
PK	2.47G	111.53	Inf	-Inf	31.85	3	Vertical	83	2.66	79.68	27.64	4.21	-
PK	2.4876G	67.19	74.00	-6.81	31.90	3	Vertical	83	2.66	35.29	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4684G	102.32	Inf	-Inf	31.85	3	Horizontal	301	1.50	70.47	27.64	4.21	-
AV	2.4848G	46.23	54.00	-7.77	31.89	3	Horizontal	301	1.50	14.34	27.67	4.22	-
PK	2.4688G	114.34	Inf	-Inf	31.85	3	Horizontal	301	1.50	82.49	27.64	4.21	-
PK	2.4874G	72.22	74.00	-1.78	31.89	3	Horizontal	301	1.50	40.33	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92482G	33.87	54.00	-20.13	3.94	3	Vertical	18	2.65	29.93	32.85	5.74	34.65
PK	4.92485G	45.57	74.00	-28.43	3.94	3	Vertical	18	2.65	41.63	32.85	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92347G	33.82	54.00	-20.18	3.93	3	Horizontal	33	2.63	29.89	32.84	5.74	34.65
PK	4.92446G	44.08	74.00	-29.92	3.94	3	Horizontal	33	2.63	40.14	32.85	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4734G	102.93	Inf	-Inf	31.86	3	Vertical	96	2.62	71.07	27.65	4.21	-
AV	2.4835G	48.20	54.00	-5.80	31.89	3	Vertical	96	2.62	16.31	27.67	4.22	-
PK	2.4742G	113.04	Inf	-Inf	31.86	3	Vertical	96	2.62	81.18	27.65	4.21	-
PK	2.4835G	68.74	74.00	-5.26	31.89	3	Vertical	96	2.62	36.85	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4744G	106.25	Inf	-Inf	31.86	3	Horizontal	59	1.44	74.39	27.65	4.21	-
AV	2.4835G	50.28	54.00	-3.72	31.89	3	Horizontal	59	1.44	18.39	27.67	4.22	-
PK	2.4744G	116.61	Inf	-Inf	31.86	3	Horizontal	59	1.44	84.75	27.65	4.21	-
PK	2.4835G	71.57	74.00	-2.43	31.89	3	Horizontal	59	1.44	39.68	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	34.24	54.00	-19.76	4.04	3	Vertical	337	1.18	30.20	32.93	5.75	34.64
PK	4.93803G	44.37	74.00	-29.63	4.04	3	Vertical	337	1.18	40.33	32.93	5.75	34.64

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	34.28	54.00	-19.72	4.04	3	Horizontal	163	1.29	30.24	32.93	5.75	34.64
PK	4.93558G	44.94	74.00	-29.06	4.01	3	Horizontal	163	1.29	40.93	32.91	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4746G	102.59	Inf	-Inf	31.86	3	Vertical	255	2.95	70.73	27.65	4.21	-
AV	2.4835G	47.54	54.00	-6.46	31.89	3	Vertical	255	2.95	15.65	27.67	4.22	-
PK	2.4744G	112.46	Inf	-Inf	31.86	3	Vertical	255	2.95	80.60	27.65	4.21	-
PK	2.4835G	68.12	74.00	-5.88	31.89	3	Vertical	255	2.95	36.23	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4748G	104.86	Inf	-Inf	31.86	3	Horizontal	292	1.39	73.00	27.65	4.21	-
AV	2.4835G	48.43	54.00	-5.57	31.89	3	Horizontal	292	1.39	16.54	27.67	4.22	-
PK	2.4738G	114.91	Inf	-Inf	31.86	3	Horizontal	292	1.39	83.05	27.65	4.21	-
PK	2.4835G	70.29	74.00	-3.71	31.89	3	Horizontal	292	1.39	38.40	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93698G	33.99	54.00	-20.01	4.02	3	Vertical	268	1.79	29.97	32.92	5.75	34.65
PK	4.93624G	45.56	74.00	-28.44	4.02	3	Vertical	268	1.79	41.54	32.92	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93826G	34.03	54.00	-19.97	4.04	3	Horizontal	172	1.47	29.99	32.93	5.75	34.64
PK	4.93254G	44.69	74.00	-29.31	4.00	3	Horizontal	172	1.47	40.69	32.90	5.75	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4742G	102.13	Inf	-Inf	31.86	3	Vertical	86	3.00	70.27	27.65	4.21	-
AV	2.4835G	48.11	54.00	-5.89	31.89	3	Vertical	86	3.00	16.22	27.67	4.22	-
PK	2.4746G	112.35	Inf	-Inf	31.86	3	Vertical	86	3.00	80.49	27.65	4.21	-
PK	2.4835G	66.59	74.00	-7.41	31.89	3	Vertical	86	3.00	34.70	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4742G	105.91	Inf	-Inf	31.86	3	Horizontal	56	1.60	74.05	27.65	4.21	-
AV	2.4835G	50.31	54.00	-3.69	31.89	3	Horizontal	56	1.60	18.42	27.67	4.22	-
PK	2.4744G	116.51	Inf	-Inf	31.86	3	Horizontal	56	1.60	84.65	27.65	4.21	-
PK	2.4835G	70.59	74.00	-3.41	31.89	3	Horizontal	56	1.60	38.70	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93883G	34.01	54.00	-19.99	4.04	3	Vertical	82	1.65	29.97	32.93	5.75	34.64
PK	4.92925G	44.24	74.00	-29.76	3.98	3	Vertical	82	1.65	40.26	32.88	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.938G	34.00	54.00	-20.00	4.04	3	Horizontal	123	1.09	29.96	32.93	5.75	34.64
PK	4.93037G	44.08	74.00	-29.92	3.98	3	Horizontal	123	1.09	40.10	32.88	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4794G	84.98	Inf	-Inf	31.88	3	Vertical	115	2.15	53.10	27.66	4.22	-
AV	2.4835G	45.92	54.00	-8.08	31.89	3	Vertical	115	2.15	14.03	27.67	4.22	-
PK	2.4792G	97.55	Inf	-Inf	31.88	3	Vertical	115	2.15	65.67	27.66	4.22	-
PK	2.4835G	58.34	74.00	-15.66	31.89	3	Vertical	115	2.15	26.45	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4786G	89.21	Inf	-Inf	31.88	3	Horizontal	61	1.45	57.33	27.66	4.22	-
AV	2.4835G	46.70	54.00	-7.30	31.89	3	Horizontal	61	1.45	14.81	27.67	4.22	-
PK	2.4784G	101.69	Inf	-Inf	31.88	3	Horizontal	61	1.45	69.81	27.66	4.22	-
PK	2.4835G	63.73	74.00	-10.27	31.89	3	Horizontal	61	1.45	31.84	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94106G	35.18	54.00	-18.82	4.06	3	Vertical	341	2.86	31.12	32.95	5.75	34.64
PK	4.9401G	46.52	74.00	-27.48	4.05	3	Vertical	341	2.86	42.47	32.94	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.949G	34.14	54.00	-19.86	4.11	3	Horizontal	85	1.78	30.03	32.99	5.76	34.64
PK	4.94101G	44.69	74.00	-29.31	4.06	3	Horizontal	85	1.78	40.63	32.95	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4782G	84.97	Inf	-Inf	31.88	3	Vertical	252	2.97	53.09	27.66	4.22	-
AV	2.4835G	45.67	54.00	-8.33	31.89	3	Vertical	252	2.97	13.78	27.67	4.22	-
PK	2.479G	97.38	Inf	-Inf	31.88	3	Vertical	252	2.97	65.50	27.66	4.22	-
PK	2.4835G	58.47	74.00	-15.53	31.89	3	Vertical	252	2.97	26.58	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4792G	86.68	Inf	-Inf	31.88	3	Horizontal	300	1.50	54.80	27.66	4.22	-
AV	2.4835G	45.99	54.00	-8.01	31.89	3	Horizontal	300	1.50	14.10	27.67	4.22	-
PK	2.48G	98.64	Inf	-Inf	31.88	3	Horizontal	300	1.50	66.76	27.66	4.22	-
PK	2.4835G	61.40	74.00	-12.60	31.89	3	Horizontal	300	1.50	29.51	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94795G	34.13	54.00	-19.87	4.11	3	Vertical	278	2.07	30.02	32.99	5.76	34.64
PK	4.94111G	44.46	74.00	-29.54	4.06	3	Vertical	278	2.07	40.40	32.95	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94837G	34.16	54.00	-19.84	4.11	3	Horizontal	68	2.02	30.05	32.99	5.76	34.64
PK	4.94672G	44.74	74.00	-29.26	4.10	3	Horizontal	68	2.02	40.64	32.98	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.48G	86.15	Inf	-Inf	31.88	3	Vertical	101	2.96	54.27	27.66	4.22	-
AV	2.4835G	46.03	54.00	-7.97	31.89	3	Vertical	101	2.96	14.14	27.67	4.22	-
PK	2.4786G	97.95	Inf	-Inf	31.88	3	Vertical	101	2.96	66.07	27.66	4.22	-
PK	2.4838G	59.81	74.00	-14.19	31.89	3	Vertical	101	2.96	27.92	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.479G	80.90	Inf	-Inf	31.88	3	Horizontal	55	1.61	49.02	27.66	4.22	-
AV	2.4835G	45.48	54.00	-8.52	31.89	3	Horizontal	55	1.61	13.59	27.67	4.22	-
PK	2.4788G	91.91	Inf	-Inf	31.88	3	Horizontal	55	1.61	60.03	27.66	4.22	-
PK	2.4838G	57.86	74.00	-16.14	31.89	3	Horizontal	55	1.61	25.97	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94788G	34.17	54.00	-19.83	4.11	3	Vertical	174	1.01	30.06	32.99	5.76	34.64
PK	4.94722G	44.65	74.00	-29.35	4.10	3	Vertical	174	1.01	40.55	32.98	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

2472MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94896G	34.16	54.00	-19.84	4.11	3	Horizontal	103	2.56	30.05	32.99	5.76	34.64
PK	4.94522G	45.49	74.00	-28.51	4.09	3	Horizontal	103	2.56	41.40	32.97	5.76	34.64



2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.44	54.00	-6.56	31.54	3	Vertical	88	1.62	15.90	27.38	4.16	-
AV	2.4094G	101.00	Inf	-Inf	31.62	3	Vertical	88	1.62	69.38	27.44	4.18	-
PK	2.3894G	62.04	74.00	-11.96	31.54	3	Vertical	88	1.62	30.50	27.38	4.16	-
PK	2.41G	111.55	Inf	-Inf	31.62	3	Vertical	88	1.62	79.93	27.44	4.18	-

2.4-2.483.5GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.24	54.00	-2.76	31.54	3	Horizontal	71	1.38	19.70	27.38	4.16	-
AV	2.4098G	105.67	Inf	-Inf	31.62	3	Horizontal	71	1.38	74.05	27.44	4.18	-
PK	2.3896G	68.02	74.00	-5.98	31.54	3	Horizontal	71	1.38	36.48	27.38	4.16	-
PK	2.4064G	116.74	Inf	-Inf	31.60	3	Horizontal	71	1.38	85.14	27.43	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82982G	34.16	54.00	-19.84	3.42	3	Vertical	219	1.50	30.74	32.38	5.69	34.65
PK	4.82974G	46.10	74.00	-27.90	3.42	3	Vertical	219	1.50	42.68	32.38	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81422G	36.51	54.00	-17.49	3.32	3	Horizontal	358	2.66	33.19	32.29	5.68	34.65
PK	4.81434G	47.78	74.00	-26.22	3.32	3	Horizontal	358	2.66	44.46	32.29	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3744G	44.56	54.00	-9.44	31.50	3	Vertical	291	2.30	13.06	27.35	4.15	-
AV	2.4038G	78.01	Inf	-Inf	31.59	3	Vertical	291	2.30	46.42	27.42	4.17	-
PK	2.386G	56.25	74.00	-17.75	31.53	3	Vertical	291	2.30	24.72	27.37	4.16	-
PK	2.4044G	88.64	Inf	-Inf	31.59	3	Vertical	291	2.30	57.05	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.95	54.00	-7.05	31.54	3	Horizontal	303	1.69	15.41	27.38	4.16	-
AV	2.4092G	104.33	Inf	-Inf	31.62	3	Horizontal	303	1.69	72.71	27.44	4.18	-
PK	2.3886G	62.29	74.00	-11.71	31.54	3	Horizontal	303	1.69	30.75	27.38	4.16	-
PK	2.4102G	115.19	Inf	-Inf	31.62	3	Horizontal	303	1.69	83.57	27.44	4.18	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81344G	36.67	54.00	-17.33	3.31	3	Vertical	267	2.65	33.36	32.28	5.68	34.65
PK	4.81074G	45.29	74.00	-28.71	3.28	3	Vertical	267	2.65	42.01	32.26	5.68	34.66

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81299G	38.02	54.00	-15.98	3.31	3	Horizontal	292	1.50	34.71	32.28	5.68	34.65
PK	4.8162G	47.93	74.00	-26.07	3.33	3	Horizontal	292	1.50	44.60	32.30	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.25	54.00	-7.75	31.54	3	Vertical	263	1.98	14.71	27.38	4.16	-
AV	2.405G	101.34	Inf	-Inf	31.59	3	Vertical	263	1.98	69.75	27.42	4.17	-
PK	2.3888G	63.35	74.00	-10.65	31.54	3	Vertical	263	1.98	31.81	27.38	4.16	-
PK	2.4078G	112.41	Inf	-Inf	31.60	3	Vertical	263	1.98	80.81	27.43	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.75	54.00	-6.25	31.54	3	Horizontal	70	1.63	16.21	27.38	4.16	-
AV	2.4048G	105.33	Inf	-Inf	31.59	3	Horizontal	70	1.63	73.74	27.42	4.17	-
PK	2.3888G	64.54	74.00	-9.46	31.54	3	Horizontal	70	1.63	33.00	27.38	4.16	-
PK	2.4056G	117.12	Inf	-Inf	31.59	3	Horizontal	70	1.63	85.53	27.42	4.17	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81272G	35.80	54.00	-18.20	3.31	3	Vertical	264	2.97	32.49	32.28	5.68	34.65
PK	4.82118G	44.41	74.00	-29.59	3.36	3	Vertical	264	2.97	41.05	32.33	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81293G	37.92	54.00	-16.08	3.31	3	Horizontal	356	2.56	34.61	32.28	5.68	34.65
PK	4.81404G	48.36	74.00	-25.64	3.31	3	Horizontal	356	2.56	45.05	32.28	5.68	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	44.54	54.00	-9.46	31.54	3	Vertical	88	2.31	13.00	27.38	4.16	-
AV	2.4346G	80.19	Inf	-Inf	31.73	3	Vertical	88	2.31	48.46	27.54	4.19	-
AV	2.491G	45.28	54.00	-8.72	31.90	3	Vertical	88	2.31	13.38	27.68	4.22	-
PK	2.3734G	56.59	74.00	-17.41	31.49	3	Vertical	88	2.31	25.10	27.35	4.14	-
PK	2.431G	90.81	Inf	-Inf	31.71	3	Vertical	88	2.31	59.10	27.52	4.19	-
PK	2.4986G	57.21	74.00	-16.79	31.93	3	Vertical	88	2.31	25.28	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.86	54.00	-8.14	31.54	3	Horizontal	70	1.22	14.32	27.38	4.16	-
AV	2.4318G	106.65	Inf	-Inf	31.72	3	Horizontal	70	1.22	74.93	27.53	4.19	-
AV	2.4838G	46.91	54.00	-7.09	31.89	3	Horizontal	70	1.22	15.02	27.67	4.22	-
PK	2.3886G	57.85	74.00	-16.15	31.54	3	Horizontal	70	1.22	26.31	27.38	4.16	-
PK	2.4314G	117.53	Inf	-Inf	31.72	3	Horizontal	70	1.22	85.81	27.53	4.19	-
PK	2.4894G	58.75	74.00	-15.25	31.90	3	Horizontal	70	1.22	26.85	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86402G	34.97	54.00	-19.03	3.62	3	Vertical	95	2.31	31.35	32.56	5.71	34.65
PK	4.86552G	46.38	74.00	-27.62	3.62	3	Vertical	95	2.31	42.76	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86402G	38.63	54.00	-15.37	3.62	3	Horizontal	356	2.60	35.01	32.56	5.71	34.65
PK	4.8643G	50.60	74.00	-23.40	3.62	3	Horizontal	356	2.60	46.98	32.56	5.71	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.62	54.00	-9.38	31.54	3	Vertical	273	2.31	13.08	27.38	4.16	-
AV	2.435G	80.86	Inf	-Inf	31.73	3	Vertical	273	2.31	49.13	27.54	4.19	-
AV	2.4998G	45.34	54.00	-8.66	31.93	3	Vertical	273	2.31	13.41	27.70	4.23	-
PK	2.3614G	56.95	74.00	-17.05	31.45	3	Vertical	273	2.31	25.50	27.32	4.13	-
PK	2.4282G	91.15	Inf	-Inf	31.70	3	Vertical	273	2.31	59.45	27.51	4.19	-
PK	2.489G	56.81	74.00	-17.19	31.90	3	Vertical	273	2.31	24.91	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.81	54.00	-4.19	31.54	3	Horizontal	304	1.56	18.27	27.38	4.16	-
AV	2.4314G	107.58	Inf	-Inf	31.72	3	Horizontal	304	1.56	75.86	27.53	4.19	-
AV	2.4835G	48.51	54.00	-5.49	31.89	3	Horizontal	304	1.56	16.62	27.67	4.22	-
PK	2.3882G	65.79	74.00	-8.21	31.54	3	Horizontal	304	1.56	34.25	27.38	4.16	-
PK	2.4302G	118.44	Inf	-Inf	31.71	3	Horizontal	304	1.56	86.73	27.52	4.19	-
PK	2.487G	62.83	74.00	-11.17	31.89	3	Horizontal	304	1.56	30.94	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86323G	34.88	54.00	-19.12	3.61	3	Vertical	270	2.45	31.27	32.55	5.71	34.65
PK	4.86611G	44.16	74.00	-29.84	3.62	3	Vertical	270	2.45	40.54	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86398G	36.61	54.00	-17.39	3.62	3	Horizontal	350	2.54	32.99	32.56	5.71	34.65
PK	4.86413G	46.75	74.00	-27.25	3.62	3	Horizontal	350	2.54	43.13	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3838G	47.13	54.00	-6.87	31.52	3	Vertical	88	1.50	15.61	27.37	4.15	-
AV	2.4302G	103.78	Inf	-Inf	31.71	3	Vertical	88	1.50	72.07	27.52	4.19	-
AV	2.4842G	47.50	54.00	-6.50	31.89	3	Vertical	88	1.50	15.61	27.67	4.22	-
PK	2.3782G	58.88	74.00	-15.12	31.51	3	Vertical	88	1.50	27.37	27.36	4.15	-
PK	2.4322G	114.73	Inf	-Inf	31.72	3	Vertical	88	1.50	83.01	27.53	4.19	-
PK	2.4874G	62.61	74.00	-11.39	31.89	3	Vertical	88	1.50	30.72	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.49	54.00	-3.51	31.54	3	Horizontal	304	1.58	18.95	27.38	4.16	-
AV	2.433G	108.33	Inf	-Inf	31.72	3	Horizontal	304	1.58	76.61	27.53	4.19	-
AV	2.4835G	50.17	54.00	-3.83	31.89	3	Horizontal	304	1.58	18.28	27.67	4.22	-
PK	2.383G	65.04	74.00	-8.96	31.52	3	Horizontal	304	1.58	33.52	27.37	4.15	-
PK	2.4346G	118.93	Inf	-Inf	31.73	3	Horizontal	304	1.58	87.20	27.54	4.19	-
PK	2.4835G	66.47	74.00	-7.53	31.89	3	Horizontal	304	1.58	34.58	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86347G	37.65	54.00	-16.35	3.61	3	Vertical	94	2.98	34.04	32.55	5.71	34.65
PK	4.86635G	45.60	74.00	-28.40	3.63	3	Vertical	94	2.98	41.97	32.57	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86302G	41.07	54.00	-12.93	3.61	3	Horizontal	12	2.54	37.46	32.55	5.71	34.65
PK	4.86539G	53.26	74.00	-20.74	3.62	3	Horizontal	12	2.54	49.64	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	76.47	Inf	-Inf	31.84	3	Vertical	94	2.21	44.63	27.63	4.21	-
AV	2.4954G	45.38	54.00	-8.62	31.92	3	Vertical	94	2.21	13.46	27.69	4.23	-
PK	2.4644G	88.37	Inf	-Inf	31.84	3	Vertical	94	2.21	56.53	27.63	4.21	-
PK	2.496G	57.04	74.00	-16.96	31.92	3	Vertical	94	2.21	25.12	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	82.26	Inf	-Inf	31.84	3	Horizontal	58	1.71	50.42	27.63	4.21	-
AV	2.4864G	45.33	54.00	-8.67	31.89	3	Horizontal	58	1.71	13.44	27.67	4.22	-
PK	2.466G	93.22	Inf	-Inf	31.84	3	Horizontal	58	1.71	61.38	27.63	4.21	-
PK	2.499G	57.49	74.00	-16.51	31.93	3	Horizontal	58	1.71	25.56	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93501G	37.37	54.00	-16.63	4.01	3	Vertical	96	2.78	33.36	32.91	5.75	34.65
PK	4.93042G	46.47	74.00	-27.53	3.98	3	Vertical	96	2.78	42.49	32.88	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93438G	40.51	54.00	-13.49	4.01	3	Horizontal	10	1.63	36.50	32.91	5.75	34.65
PK	4.93678G	50.17	74.00	-23.83	4.02	3	Horizontal	10	1.63	46.15	32.92	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	101.56	Inf	-Inf	31.84	3	Vertical	256	3.00	69.72	27.63	4.21	-
AV	2.4835G	47.13	54.00	-6.87	31.89	3	Vertical	256	3.00	15.24	27.67	4.22	-
PK	2.4644G	113.24	Inf	-Inf	31.84	3	Vertical	256	3.00	81.40	27.63	4.21	-
PK	2.4835G	63.42	74.00	-10.58	31.89	3	Vertical	256	3.00	31.53	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	104.35	Inf	-Inf	31.84	3	Horizontal	297	1.15	72.51	27.63	4.21	-
AV	2.4835G	48.26	54.00	-5.74	31.89	3	Horizontal	297	1.15	16.37	27.67	4.22	-
PK	2.4636G	115.73	Inf	-Inf	31.84	3	Horizontal	297	1.15	83.89	27.63	4.21	-
PK	2.4835G	66.08	74.00	-7.92	31.89	3	Horizontal	297	1.15	34.19	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93777G	34.63	54.00	-19.37	4.04	3	Vertical	217.1	1.50	30.59	32.93	5.75	34.64
PK	4.91188G	43.37	74.00	-30.63	3.86	3	Vertical	217.1	1.50	39.51	32.77	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93489G	36.01	54.00	-17.99	4.01	3	Horizontal	360	2.41	32.00	32.91	5.75	34.65
PK	4.93717G	46.40	74.00	-27.60	4.02	3	Horizontal	360	2.41	42.38	32.92	5.75	34.65



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	102.08	Inf	-Inf	31.84	3	Vertical	82	2.79	70.24	27.63	4.21	-
AV	2.4835G	47.51	54.00	-6.49	31.89	3	Vertical	82	2.79	15.62	27.67	4.22	-
PK	2.464G	112.58	Inf	-Inf	31.84	3	Vertical	82	2.79	80.74	27.63	4.21	-
PK	2.4838G	67.66	74.00	-6.34	31.89	3	Vertical	82	2.79	35.77	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	104.66	Inf	-Inf	31.84	3	Horizontal	297	1.11	72.82	27.63	4.21	-
AV	2.4835G	49.13	54.00	-4.87	31.89	3	Horizontal	297	1.11	17.24	27.67	4.22	-
PK	2.4652G	115.50	Inf	-Inf	31.84	3	Horizontal	297	1.11	83.66	27.63	4.21	-
PK	2.4835G	70.50	74.00	-3.50	31.89	3	Horizontal	297	1.11	38.61	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93534G	37.05	54.00	-16.95	4.01	3	Vertical	97	2.73	33.04	32.91	5.75	34.65
PK	4.93342G	47.82	74.00	-26.18	4.00	3	Vertical	97	2.73	43.82	32.90	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93522G	39.77	54.00	-14.23	4.01	3	Horizontal	14	2.59	35.76	32.91	5.75	34.65
PK	4.93444G	49.42	74.00	-24.58	4.01	3	Horizontal	14	2.59	45.41	32.91	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	67.61	Inf	-Inf	31.85	3	Vertical	93	1.81	35.76	27.64	4.21	-
AV	2.4988G	45.37	54.00	-8.63	31.93	3	Vertical	93	1.81	13.44	27.70	4.23	-
PK	2.4744G	78.73	Inf	-Inf	31.86	3	Vertical	93	1.81	46.87	27.65	4.21	-
PK	2.4962G	57.99	74.00	-16.01	31.92	3	Vertical	93	1.81	26.07	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	72.17	Inf	-Inf	31.85	3	Horizontal	57	1.12	40.32	27.64	4.21	-
AV	2.495G	45.42	54.00	-8.58	31.92	3	Horizontal	57	1.12	13.50	27.69	4.23	-
PK	2.4712G	82.83	Inf	-Inf	31.85	3	Horizontal	57	1.12	50.98	27.64	4.21	-
PK	2.485G	57.09	74.00	-16.91	31.89	3	Horizontal	57	1.12	25.20	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94432G	33.77	54.00	-20.23	4.09	3	Vertical	256	1.50	29.68	32.97	5.76	34.64
PK	4.94904G	46.30	74.00	-27.70	4.11	3	Vertical	256	1.50	42.19	32.99	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94652G	33.85	54.00	-20.15	4.10	3	Horizontal	297	1.20	29.75	32.98	5.76	34.64
PK	4.9396G	45.76	74.00	-28.24	4.05	3	Horizontal	297	1.20	41.71	32.94	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.473G	99.60	Inf	-Inf	31.86	3	Vertical	254	2.97	67.74	27.65	4.21	-
AV	2.4835G	49.94	54.00	-4.06	31.89	3	Vertical	254	2.97	18.05	27.67	4.22	-
PK	2.4688G	110.80	Inf	-Inf	31.85	3	Vertical	254	2.97	78.95	27.64	4.21	-
PK	2.4836G	68.15	74.00	-5.85	31.89	3	Vertical	254	2.97	36.26	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4732G	102.47	Inf	-Inf	31.86	3	Horizontal	294	1.40	70.61	27.65	4.21	-
AV	2.4835G	51.66	54.00	-2.34	31.89	3	Horizontal	294	1.40	19.77	27.67	4.22	-
PK	2.4688G	113.73	Inf	-Inf	31.85	3	Horizontal	294	1.40	81.88	27.64	4.21	-
PK	2.4835G	68.23	74.00	-5.77	31.89	3	Horizontal	294	1.40	36.34	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94536G	33.71	54.00	-20.29	4.09	3	Vertical	14	1.81	29.62	32.97	5.76	34.64
PK	4.95288G	45.61	74.00	-28.39	4.13	3	Vertical	14	1.81	41.48	33.01	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94496G	35.47	54.00	-18.53	4.09	3	Horizontal	302	2.60	31.38	32.97	5.76	34.64
PK	4.9452G	45.18	74.00	-28.82	4.09	3	Horizontal	302	2.60	41.09	32.97	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	99.54	Inf	-Inf	31.85	3	Vertical	80	2.66	67.69	27.64	4.21	-
AV	2.4835G	49.50	54.00	-4.50	31.89	3	Vertical	80	2.66	17.61	27.67	4.22	-
PK	2.4694G	110.87	Inf	-Inf	31.85	3	Vertical	80	2.66	79.02	27.64	4.21	-
PK	2.4835G	64.22	74.00	-9.78	31.89	3	Vertical	80	2.66	32.33	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	101.64	Inf	-Inf	31.85	3	Horizontal	302	1.50	69.79	27.64	4.21	-
AV	2.4835G	51.55	54.00	-2.45	31.89	3	Horizontal	302	1.50	19.66	27.67	4.22	-
PK	2.4756G	112.80	Inf	-Inf	31.87	3	Horizontal	302	1.50	80.93	27.65	4.22	-
PK	2.4835G	68.77	74.00	-5.23	31.89	3	Horizontal	302	1.50	36.88	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94516G	37.14	54.00	-16.86	4.09	3	Vertical	90	2.50	33.05	32.97	5.76	34.64
PK	4.94576G	46.05	74.00	-27.95	4.09	3	Vertical	90	2.50	41.96	32.97	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94438G	39.98	54.00	-14.02	4.09	3	Horizontal	11	2.55	35.89	32.97	5.76	34.64
PK	4.94852G	49.42	74.00	-24.58	4.11	3	Horizontal	11	2.55	45.31	32.99	5.76	34.64



2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.48G	55.42	Inf	-Inf	31.88	3	Vertical	89	1.50	23.54	27.66	4.22	-
AV	2.4914G	45.44	54.00	-8.56	31.90	3	Vertical	89	1.50	13.54	27.68	4.22	-
PK	2.4766G	66.83	Inf	-Inf	31.87	3	Vertical	89	1.50	34.96	27.65	4.22	-
PK	2.4888G	57.00	74.00	-17.00	31.90	3	Vertical	89	1.50	25.10	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	60.59	Inf	-Inf	31.88	3	Horizontal	58	1.62	28.71	27.66	4.22	-
AV	2.4854G	45.34	54.00	-8.66	31.89	3	Horizontal	58	1.62	13.45	27.67	4.22	-
PK	2.4792G	72.58	Inf	-Inf	31.88	3	Horizontal	58	1.62	40.70	27.66	4.22	-
PK	2.499G	57.84	74.00	-16.16	31.93	3	Horizontal	58	1.62	25.91	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94928G	33.86	54.00	-20.14	4.12	3	Vertical	71	2.20	29.74	33.00	5.76	34.64
PK	4.93868G	45.07	74.00	-28.93	4.04	3	Vertical	71	2.20	41.03	32.93	5.75	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95156G	33.80	54.00	-20.20	4.13	3	Horizontal	28	2.24	29.67	33.01	5.76	34.64
PK	4.95632G	44.49	74.00	-29.51	4.15	3	Horizontal	28	2.24	40.34	33.03	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4748G	86.18	Inf	-Inf	31.86	3	Vertical	253.9	2.95	54.32	27.65	4.21	-
AV	2.4835G	45.81	54.00	-8.19	31.89	3	Vertical	253.9	2.95	13.92	27.67	4.22	-
PK	2.4776G	98.41	Inf	-Inf	31.88	3	Vertical	253.9	2.95	66.53	27.66	4.22	-
PK	2.4835G	61.75	74.00	-12.25	31.89	3	Vertical	253.9	2.95	29.86	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.475G	88.65	Inf	-Inf	31.86	3	Horizontal	294	1.37	56.79	27.65	4.21	-
AV	2.4835G	46.19	54.00	-7.81	31.89	3	Horizontal	294	1.37	14.30	27.67	4.22	-
PK	2.4748G	100.59	Inf	-Inf	31.86	3	Horizontal	294	1.37	68.73	27.65	4.21	-
PK	2.4836G	61.46	74.00	-12.54	31.89	3	Horizontal	294	1.37	29.57	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9536G	33.74	54.00	-20.26	4.13	3	Vertical	33	1.39	29.61	33.01	5.76	34.64
PK	4.95832G	44.95	74.00	-29.05	4.15	3	Vertical	33	1.39	40.80	33.03	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94944G	33.79	54.00	-20.21	4.12	3	Horizontal	339	1.10	29.67	33.00	5.76	34.64
PK	4.95776G	44.73	74.00	-29.27	4.15	3	Horizontal	339	1.10	40.58	33.03	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4788G	85.93	Inf	-Inf	31.88	3	Vertical	104	2.96	54.05	27.66	4.22	-
AV	2.4835G	45.98	54.00	-8.02	31.89	3	Vertical	104	2.96	14.09	27.67	4.22	-
PK	2.4746G	97.35	Inf	-Inf	31.86	3	Vertical	104	2.96	65.49	27.65	4.21	-
PK	2.4835G	62.10	74.00	-11.90	31.89	3	Vertical	104	2.96	30.21	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4744G	88.67	Inf	-Inf	31.86	3	Horizontal	295	1.41	56.81	27.65	4.21	-
AV	2.4835G	46.16	54.00	-7.84	31.89	3	Horizontal	295	1.41	14.27	27.67	4.22	-
PK	2.4752G	100.31	Inf	-Inf	31.87	3	Horizontal	295	1.41	68.44	27.65	4.22	-
PK	2.4835G	64.84	74.00	-9.16	31.89	3	Horizontal	295	1.41	32.95	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9492G	33.63	54.00	-20.37	4.12	3	Vertical	284	1.30	29.51	33.00	5.76	34.64
PK	4.92768G	44.56	74.00	-29.44	3.97	3	Vertical	284	1.30	40.59	32.87	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.95208G	33.80	54.00	-20.20	4.13	3	Horizontal	53	2.76	29.67	33.01	5.76	34.64
PK	4.9468G	44.72	74.00	-29.28	4.10	3	Horizontal	53	2.76	40.62	32.98	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.52	54.00	-8.48	31.54	3	Vertical	90	1.61	13.98	27.38	4.16	-
AV	2.41G	95.95	Inf	-Inf	31.62	3	Vertical	90	1.61	64.33	27.44	4.18	-
AV	2.492G	45.41	54.00	-8.59	31.91	3	Vertical	90	1.61	13.50	27.68	4.23	-
PK	2.3472G	57.09	74.00	-16.91	31.41	3	Vertical	90	1.61	25.68	27.29	4.12	-
PK	2.408G	107.10	Inf	-Inf	31.60	3	Vertical	90	1.61	75.50	27.43	4.17	-
PK	2.4876G	57.72	74.00	-16.28	31.90	3	Vertical	90	1.61	25.82	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.79	54.00	-6.21	31.54	3	Horizontal	71	1.34	16.25	27.38	4.16	-
AV	2.4096G	100.60	Inf	-Inf	31.62	3	Horizontal	71	1.34	68.98	27.44	4.18	-
AV	2.4956G	45.95	54.00	-8.05	31.92	3	Horizontal	71	1.34	14.03	27.69	4.23	-
PK	2.3892G	59.75	74.00	-14.25	31.54	3	Horizontal	71	1.34	28.21	27.38	4.16	-
PK	2.4148G	111.66	Inf	-Inf	31.64	3	Horizontal	71	1.34	80.02	27.46	4.18	-
PK	2.4948G	58.15	74.00	-15.85	31.92	3	Horizontal	71	1.34	26.23	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83132G	34.77	54.00	-19.23	3.43	3	Vertical	294	1.43	31.34	32.39	5.69	34.65
PK	4.82856G	45.43	74.00	-28.57	3.41	3	Vertical	294	1.43	42.02	32.37	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82908G	35.42	54.00	-18.58	3.41	3	Horizontal	360	2.60	32.01	32.37	5.69	34.65
PK	4.82704G	46.07	74.00	-27.93	3.40	3	Horizontal	360	2.60	42.67	32.36	5.69	34.65



2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.14	54.00	-6.86	31.54	3	Vertical	267	1.97	15.60	27.38	4.16	-
AV	2.4108G	96.00	Inf	-Inf	31.62	3	Vertical	267	1.97	64.38	27.44	4.18	-
AV	2.4964G	45.46	54.00	-8.54	31.92	3	Vertical	267	1.97	13.54	27.69	4.23	-
PK	2.3896G	58.75	74.00	-15.25	31.54	3	Vertical	267	1.97	27.21	27.38	4.16	-
PK	2.4108G	107.26	Inf	-Inf	31.62	3	Vertical	267	1.97	75.64	27.44	4.18	-
PK	2.4892G	57.62	74.00	-16.38	31.90	3	Vertical	267	1.97	25.72	27.68	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.80	54.00	-4.20	31.54	3	Horizontal	302	1.67	18.26	27.38	4.16	-
AV	2.4108G	100.88	Inf	-Inf	31.62	3	Horizontal	302	1.67	69.26	27.44	4.18	-
AV	2.4864G	45.75	54.00	-8.25	31.89	3	Horizontal	302	1.67	13.86	27.67	4.22	-
PK	2.39G	64.23	74.00	-9.77	31.54	3	Horizontal	302	1.67	32.69	27.38	4.16	-
PK	2.4096G	112.20	Inf	-Inf	31.62	3	Horizontal	302	1.67	80.58	27.44	4.18	-
PK	2.4864G	57.71	74.00	-16.29	31.92	3	Horizontal	302	1.67	25.79	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82804G	34.88	54.00	-19.12	31.47	3	Vertical	129	2.36	-	32.37	5.69	34.65
PK	4.83216G	46.03	74.00	-27.97	42.60	3	Vertical	129	2.36	-	32.39	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82824G	35.63	54.00	-18.37	32.22	3	Horizontal	346	2.38	-	32.37	5.69	34.65
PK	4.83796G	45.86	74.00	-28.14	42.39	3	Horizontal	346	2.38	-	32.43	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.37	54.00	-6.63	31.54	3	Vertical	266	1.95	15.83	27.38	4.16	-
AV	2.4088G	96.16	Inf	-Inf	31.62	3	Vertical	266	1.95	64.54	27.44	4.18	-
AV	2.5G	45.70	54.00	-8.30	31.93	3	Vertical	266	1.95	13.77	27.70	4.23	-
PK	2.3896G	61.63	74.00	-12.37	31.54	3	Vertical	266	1.95	30.09	27.38	4.16	-
PK	2.4136G	108.11	Inf	-Inf	31.63	3	Vertical	266	1.95	76.48	27.45	4.18	-
PK	2.4944G	57.65	74.00	-16.35	31.92	3	Vertical	266	1.95	25.73	27.69	4.23	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.58	54.00	-5.42	31.54	3	Horizontal	72	1.50	17.04	27.38	4.16	-
AV	2.414G	100.08	Inf	-Inf	31.64	3	Horizontal	72	1.50	68.44	27.46	4.18	-
AV	2.492G	46.30	54.00	-7.70	31.91	3	Horizontal	72	1.50	14.39	27.68	4.23	-
PK	2.3892G	61.22	74.00	-12.78	31.54	3	Horizontal	72	1.50	29.68	27.38	4.16	-
PK	2.4088G	112.30	Inf	-Inf	31.62	3	Horizontal	72	1.50	80.68	27.44	4.18	-
PK	2.4996G	57.92	74.00	-16.08	31.93	3	Horizontal	72	1.50	25.99	27.70	4.23	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82996G	34.83	54.00	-19.17	31.41	3	Vertical	134	1.50	-	32.38	5.69	34.65
PK	4.82552G	45.63	74.00	-28.37	42.24	3	Vertical	134	1.50	-	32.35	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82732G	35.72	54.00	-18.28	32.32	3	Horizontal	351	2.62	-	32.36	5.69	34.65
PK	4.8346G	46.70	74.00	-27.30	43.25	3	Horizontal	351	2.62	-	32.41	5.69	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.89	54.00	-4.11	31.54	3	Vertical	85	2.31	18.35	27.38	4.16	-
AV	2.431G	99.88	Inf	-Inf	31.71	3	Vertical	85	2.31	68.17	27.52	4.19	-
AV	2.4835G	48.84	54.00	-5.16	31.89	3	Vertical	85	2.31	16.95	27.67	4.22	-
PK	2.389G	63.32	74.00	-10.68	31.54	3	Vertical	85	2.31	31.78	27.38	4.16	-
PK	2.4314G	110.89	Inf	-Inf	31.72	3	Vertical	85	2.31	79.17	27.53	4.19	-
PK	2.4835G	61.46	74.00	-12.54	31.89	3	Vertical	85	2.31	29.57	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.30	54.00	-1.70	31.54	3	Horizontal	69	1.40	20.76	27.38	4.16	-
AV	2.431G	102.77	Inf	-Inf	31.71	3	Horizontal	69	1.40	71.06	27.52	4.19	-
AV	2.4835G	50.69	54.00	-3.31	31.89	3	Horizontal	69	1.40	18.80	27.67	4.22	-
PK	2.3898G	65.59	74.00	-8.41	31.54	3	Horizontal	69	1.40	34.05	27.38	4.16	-
PK	2.429G	114.20	Inf	-Inf	31.71	3	Horizontal	69	1.40	82.49	27.52	4.19	-
PK	2.4835G	65.16	74.00	-8.84	31.89	3	Horizontal	69	1.40	33.27	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.85436G	35.19	54.00	-18.81	31.62	3	Vertical	87	2.68	-	32.52	5.70	34.65
PK	4.89312G	45.47	74.00	-28.53	41.72	3	Vertical	87	2.68	-	32.67	5.73	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.85428G	37.13	54.00	-16.87	33.56	3	Horizontal	11	2.61	-	32.52	5.70	34.65
PK	4.85832G	47.44	74.00	-26.56	43.86	3	Horizontal	11	2.61	-	32.53	5.70	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.34	54.00	-5.66	31.54	3	Vertical	258	2.32	16.80	27.38	4.16	-
AV	2.4258G	99.59	Inf	-Inf	31.69	3	Vertical	258	2.32	67.90	27.50	4.19	-
AV	2.4835G	47.19	54.00	-6.81	31.89	3	Vertical	258	2.32	15.30	27.67	4.22	-
PK	2.3894G	62.70	74.00	-11.30	31.54	3	Vertical	258	2.32	31.16	27.38	4.16	-
PK	2.427G	110.98	Inf	-Inf	31.70	3	Vertical	258	2.32	79.28	27.51	4.19	-
PK	2.4835G	60.38	74.00	-13.62	31.89	3	Vertical	258	2.32	28.49	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.55	54.00	-3.45	31.54	3	Horizontal	303	1.58	19.01	27.38	4.16	-
AV	2.4298G	102.82	Inf	-Inf	31.71	3	Horizontal	303	1.58	71.11	27.52	4.19	-
AV	2.4835G	49.22	54.00	-4.78	31.89	3	Horizontal	303	1.58	17.33	27.67	4.22	-
PK	2.3878G	66.53	74.00	-7.47	31.54	3	Horizontal	303	1.58	34.99	27.38	4.16	-
PK	2.4262G	113.59	Inf	-Inf	31.69	3	Horizontal	303	1.58	81.90	27.50	4.19	-
PK	2.4842G	64.52	74.00	-9.48	31.89	3	Horizontal	303	1.58	32.63	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.85568G	34.49	54.00	-19.51	30.92	3	Vertical	259	1.50	-	32.52	5.70	34.65
PK	4.86572G	45.75	74.00	-28.25	42.13	3	Vertical	259	1.50	-	32.56	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.85408G	34.85	54.00	-19.15	31.28	3	Horizontal	289	1.67	-	32.52	5.70	34.65
PK	4.86128G	44.81	74.00	-29.19	41.20	3	Horizontal	289	1.67	-	32.55	5.71	34.65



2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.32	54.00	-5.68	31.54	3	Vertical	89	2.33	16.78	27.38	4.16	-
AV	2.4306G	99.65	Inf	-Inf	31.71	3	Vertical	89	2.33	67.94	27.52	4.19	-
AV	2.4835G	48.41	54.00	-5.59	31.89	3	Vertical	89	2.33	16.52	27.67	4.22	-
PK	2.3878G	60.78	74.00	-13.22	31.54	3	Vertical	89	2.33	29.24	27.38	4.16	-
PK	2.4282G	110.96	Inf	-Inf	31.70	3	Vertical	89	2.33	79.26	27.51	4.19	-
PK	2.4835G	60.67	74.00	-13.33	31.89	3	Vertical	89	2.33	28.78	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.45	54.00	-3.55	31.54	3	Horizontal	70	1.39	18.91	27.38	4.16	-
AV	2.429G	103.67	Inf	-Inf	31.71	3	Horizontal	70	1.39	71.96	27.52	4.19	-
AV	2.4835G	50.93	54.00	-3.07	31.89	3	Horizontal	70	1.39	19.04	27.67	4.22	-
PK	2.3882G	62.84	74.00	-11.16	31.54	3	Horizontal	70	1.39	31.30	27.38	4.16	-
PK	2.4262G	114.90	Inf	-Inf	31.69	3	Horizontal	70	1.39	83.21	27.50	4.19	-
PK	2.4835G	64.91	74.00	-9.09	31.89	3	Horizontal	70	1.39	33.02	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.85408G	35.16	54.00	-18.84	31.59	3	Vertical	96	3.00	-	32.52	5.70	34.65
PK	4.8898G	45.60	74.00	-28.40	41.87	3	Vertical	96	3.00	-	32.66	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.8542G	36.78	54.00	-17.22	33.21	3	Horizontal	11	2.53	-	32.52	5.70	34.65
PK	4.85868G	46.90	74.00	-27.10	43.31	3	Horizontal	11	2.53	-	32.53	5.71	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	44.77	54.00	-9.23	31.53	3	Vertical	88	3.00	13.24	27.37	4.16	-
AV	2.4632G	98.45	Inf	-Inf	31.84	3	Vertical	88	3.00	66.61	27.63	4.21	-
AV	2.4835G	49.52	54.00	-4.48	31.89	3	Vertical	88	3.00	17.63	27.67	4.22	-
PK	2.3668G	56.55	74.00	-17.45	31.47	3	Vertical	88	3.00	25.08	27.33	4.14	-
PK	2.4648G	109.58	Inf	-Inf	31.84	3	Vertical	88	3.00	77.74	27.63	4.21	-
PK	2.4844G	61.91	74.00	-12.09	31.89	3	Vertical	88	3.00	30.02	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	45.08	54.00	-8.92	31.54	3	Horizontal	55	1.33	13.54	27.38	4.16	-
AV	2.464G	101.08	Inf	-Inf	31.84	3	Horizontal	55	1.33	69.24	27.63	4.21	-
AV	2.4835G	51.40	54.00	-2.60	31.89	3	Horizontal	55	1.33	19.51	27.67	4.22	-
PK	2.3724G	57.30	74.00	-16.70	31.48	3	Horizontal	55	1.33	25.82	27.34	4.14	-
PK	2.4584G	112.10	Inf	-Inf	31.83	3	Horizontal	55	1.33	80.27	27.62	4.21	-
PK	2.4835G	63.94	74.00	-10.06	31.89	3	Horizontal	55	1.33	32.05	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.923G	35.35	54.00	-18.65	31.42	3	Vertical	98	2.72	-	32.84	5.74	34.65
PK	4.91524G	45.89	74.00	-28.11	42.01	3	Vertical	98	2.72	-	32.79	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.92364G	37.58	54.00	-16.42	33.65	3	Horizontal	11	2.65	-	32.84	5.74	34.65
PK	4.92304G	47.50	74.00	-26.50	43.57	3	Horizontal	11	2.65	-	32.84	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	44.83	54.00	-9.17	31.54	3	Vertical	260	3.00	13.29	27.38	4.16	-
AV	2.4592G	97.35	Inf	-Inf	31.83	3	Vertical	260	3.00	65.52	27.62	4.21	-
AV	2.4835G	48.59	54.00	-5.41	31.89	3	Vertical	260	3.00	16.70	27.67	4.22	-
PK	2.3828G	56.70	74.00	-17.30	31.52	3	Vertical	260	3.00	25.18	27.37	4.15	-
PK	2.4608G	108.84	Inf	-Inf	31.83	3	Vertical	260	3.00	77.01	27.62	4.21	-
PK	2.484G	61.53	74.00	-12.47	31.89	3	Vertical	260	3.00	29.64	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3828G	45.01	54.00	-8.99	31.52	3	Horizontal	299	1.15	13.49	27.37	4.15	-
AV	2.4596G	99.62	Inf	-Inf	31.83	3	Horizontal	299	1.15	67.79	27.62	4.21	-
AV	2.4835G	50.12	54.00	-3.88	31.89	3	Horizontal	299	1.15	18.23	27.67	4.22	-
PK	2.3612G	57.12	74.00	-16.88	31.45	3	Horizontal	299	1.15	25.67	27.32	4.13	-
PK	2.4604G	110.47	Inf	-Inf	31.83	3	Horizontal	299	1.15	78.64	27.62	4.21	-
PK	2.484G	64.57	74.00	-9.43	31.89	3	Horizontal	299	1.15	32.68	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90976G	34.59	54.00	-19.41	3.85	3	Vertical	0	1.50	30.74	32.76	5.74	34.65
PK	4.90908G	45.62	74.00	-28.38	3.84	3	Vertical	0	1.50	41.78	32.75	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92292G	35.03	54.00	-18.97	3.93	3	Horizontal	-0.1	1.50	31.10	32.84	5.74	34.65
PK	4.88892G	45.53	74.00	-28.47	3.73	3	Horizontal	-0.1	1.50	41.80	32.66	5.72	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3852G	45.28	54.00	-8.72	31.53	3	Vertical	87	3.00	13.75	27.37	4.16	-
AV	2.4596G	98.20	Inf	-Inf	31.83	3	Vertical	87	3.00	66.37	27.62	4.21	-
AV	2.4835G	49.88	54.00	-4.12	31.89	3	Vertical	87	3.00	17.99	27.67	4.22	-
PK	2.3596G	57.05	74.00	-16.95	31.45	3	Vertical	87	3.00	25.60	27.32	4.13	-
PK	2.4596G	109.11	Inf	-Inf	31.83	3	Vertical	87	3.00	77.28	27.62	4.21	-
PK	2.4835G	62.43	74.00	-11.57	31.89	3	Vertical	87	3.00	30.54	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	45.55	54.00	-8.45	31.54	3	Horizontal	54	1.12	14.01	27.38	4.16	-
AV	2.4652G	100.56	Inf	-Inf	31.84	3	Horizontal	54	1.12	68.72	27.63	4.21	-
AV	2.4835G	50.75	54.00	-3.25	31.89	3	Horizontal	54	1.12	18.86	27.67	4.22	-
PK	2.3836G	57.81	74.00	-16.19	31.52	3	Horizontal	54	1.12	26.29	27.37	4.15	-
PK	2.4592G	111.78	Inf	-Inf	31.83	3	Horizontal	54	1.12	79.95	27.62	4.21	-
PK	2.4852G	63.08	74.00	-10.92	31.89	3	Horizontal	54	1.12	31.19	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9212G	33.64	54.00	-20.36	3.92	3	Vertical	308	1.70	29.72	32.83	5.74	34.65
PK	4.91456G	44.20	74.00	-29.80	3.88	3	Vertical	308	1.70	40.32	32.79	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92264G	35.22	54.00	-18.78	3.93	3	Horizontal	314	2.52	31.29	32.84	5.74	34.65
PK	4.91408G	45.17	74.00	-28.83	3.87	3	Horizontal	314	2.52	41.30	32.78	5.74	34.65



2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	44.63	54.00	-9.37	31.53	3	Vertical	86	3.00	13.10	27.37	4.16	-
AV	2.4634G	93.69	Inf	-Inf	31.84	3	Vertical	86	3.00	61.85	27.63	4.21	-
AV	2.4835G	49.40	54.00	-4.60	31.89	3	Vertical	86	3.00	17.51	27.67	4.22	-
PK	2.3614G	56.85	74.00	-17.15	31.45	3	Vertical	86	3.00	25.40	27.32	4.13	-
PK	2.4662G	104.72	Inf	-Inf	31.84	3	Vertical	86	3.00	72.88	27.63	4.21	-
PK	2.4838G	59.06	74.00	-14.94	31.89	3	Vertical	86	3.00	27.17	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.63	54.00	-9.37	31.54	3	Horizontal	56	1.58	13.09	27.38	4.16	-
AV	2.471G	96.59	Inf	-Inf	31.85	3	Horizontal	56	1.58	64.74	27.64	4.21	-
AV	2.4835G	51.84	54.00	-2.16	31.89	3	Horizontal	56	1.58	19.95	27.67	4.22	-
PK	2.3782G	56.35	74.00	-17.65	31.51	3	Horizontal	56	1.58	24.84	27.36	4.15	-
PK	2.4622G	107.16	Inf	-Inf	31.83	3	Horizontal	56	1.58	75.33	27.62	4.21	-
PK	2.4835G	65.45	74.00	-8.55	31.89	3	Horizontal	56	1.58	33.56	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92252G	33.21	54.00	-20.79	3.93	3	Vertical	98	1.04	29.28	32.84	5.74	34.65
PK	4.90492G	45.43	74.00	-28.57	3.81	3	Vertical	98	1.04	41.62	32.73	5.73	34.65

2.4-2.483.5GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92384G	33.43	54.00	-20.57	3.93	3	Horizontal	174	1.69	29.50	32.84	5.74	34.65
PK	4.90912G	45.01	74.00	-28.99	3.84	3	Horizontal	174	1.69	41.17	32.75	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.375G	44.64	54.00	-9.36	31.50	3	Vertical	258	3.00	13.14	27.35	4.15	-
AV	2.4634G	93.18	Inf	-Inf	31.84	3	Vertical	258	3.00	61.34	27.63	4.21	-
AV	2.4835G	49.22	54.00	-4.78	31.89	3	Vertical	258	3.00	17.33	27.67	4.22	-
PK	2.3834G	56.22	74.00	-17.78	31.52	3	Vertical	258	3.00	24.70	27.37	4.15	-
PK	2.4654G	104.16	Inf	-Inf	31.84	3	Vertical	258	3.00	72.32	27.63	4.21	-
PK	2.4838G	60.43	74.00	-13.57	31.89	3	Vertical	258	3.00	28.54	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	44.76	54.00	-9.24	31.53	3	Horizontal	297	1.17	13.23	27.37	4.16	-
AV	2.4646G	95.76	Inf	-Inf	31.84	3	Horizontal	297	1.17	63.92	27.63	4.21	-
AV	2.4835G	51.02	54.00	-2.98	31.89	3	Horizontal	297	1.17	19.13	27.67	4.22	-
PK	2.3662G	56.71	74.00	-17.29	31.47	3	Horizontal	297	1.17	25.24	27.33	4.14	-
PK	2.4654G	106.86	Inf	-Inf	31.84	3	Horizontal	297	1.17	75.02	27.63	4.21	-
PK	2.4835G	61.86	74.00	-12.14	31.89	3	Horizontal	297	1.17	29.97	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89568G	33.33	54.00	-20.67	3.76	3	Vertical	222	1.74	29.57	32.68	5.73	34.65
PK	4.9332G	45.29	74.00	-28.71	4.00	3	Vertical	222	1.74	41.29	32.90	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93296G	33.61	54.00	-20.39	4.00	3	Horizontal	93	1.66	29.61	32.90	5.75	34.65
PK	4.93152G	45.93	74.00	-28.07	3.99	3	Horizontal	93	1.66	41.94	32.89	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	44.66	54.00	-9.34	31.53	3	Vertical	97	2.65	13.13	27.37	4.16	-
AV	2.4646G	93.99	Inf	-Inf	31.84	3	Vertical	97	2.65	62.15	27.63	4.21	-
AV	2.4835G	49.21	54.00	-4.79	31.89	3	Vertical	97	2.65	17.32	27.67	4.22	-
PK	2.3862G	57.46	74.00	-16.54	31.53	3	Vertical	97	2.65	25.93	27.37	4.16	-
PK	2.467G	105.41	Inf	-Inf	31.84	3	Vertical	97	2.65	73.57	27.63	4.21	-
PK	2.4835G	59.93	74.00	-14.07	31.89	3	Vertical	97	2.65	28.04	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3686G	44.94	54.00	-9.06	31.48	3	Horizontal	296	1.20	13.46	27.34	4.14	-
AV	2.4646G	96.12	Inf	-Inf	31.84	3	Horizontal	296	1.20	64.28	27.63	4.21	-
AV	2.4835G	51.47	54.00	-2.53	31.89	3	Horizontal	296	1.20	19.58	27.67	4.22	-
PK	2.3822G	56.79	74.00	-17.21	31.51	3	Horizontal	296	1.20	25.28	27.36	4.15	-
PK	2.4658G	107.68	Inf	-Inf	31.84	3	Horizontal	296	1.20	75.84	27.63	4.21	-
PK	2.4835G	63.39	74.00	-10.61	31.89	3	Horizontal	296	1.20	31.50	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89792G	33.40	54.00	-20.60	3.77	3	Vertical	72	1.46	29.63	32.69	5.73	34.65
PK	4.92344G	45.46	74.00	-28.54	3.93	3	Vertical	72	1.46	41.53	32.84	5.74	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93248G	34.04	54.00	-19.96	3.99	3	Horizontal	353	2.61	30.05	32.89	5.75	34.65
PK	4.9304G	45.09	74.00	-28.91	3.98	3	Horizontal	353	2.61	41.11	32.88	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3644G	44.55	54.00	-9.45	31.47	3	Vertical	87	3.00	13.08	27.33	4.14	-
AV	2.4636G	90.46	Inf	-Inf	31.84	3	Vertical	87	3.00	58.62	27.63	4.21	-
AV	2.4835G	47.20	54.00	-6.80	31.89	3	Vertical	87	3.00	15.31	27.67	4.22	-
PK	2.3696G	56.30	74.00	-17.70	31.48	3	Vertical	87	3.00	24.82	27.34	4.14	-
PK	2.468G	101.82	Inf	-Inf	31.85	3	Vertical	87	3.00	69.97	27.64	4.21	-
PK	2.4835G	65.97	74.00	-8.03	31.89	3	Vertical	87	3.00	34.08	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.60	54.00	-9.40	31.54	3	Horizontal	57	1.30	13.06	27.38	4.16	-
AV	2.464G	93.40	Inf	-Inf	31.84	3	Horizontal	57	1.30	61.56	27.63	4.21	-
AV	2.4835G	48.80	54.00	-5.20	31.89	3	Horizontal	57	1.30	16.91	27.67	4.22	-
PK	2.378G	57.07	74.00	-16.93	31.51	3	Horizontal	57	1.30	25.56	27.36	4.15	-
PK	2.4648G	105.61	Inf	-Inf	31.84	3	Horizontal	57	1.30	73.77	27.63	4.21	-
PK	2.4835G	71.05	74.00	-2.95	31.89	3	Horizontal	57	1.30	39.16	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93364G	33.28	54.00	-20.72	4.00	3	Vertical	135	1.22	29.28	32.90	5.75	34.65
PK	4.93388G	44.53	74.00	-29.47	4.00	3	Vertical	135	1.22	40.53	32.90	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93252G	33.29	54.00	-20.71	4.00	3	Horizontal	7	1.48	29.29	32.90	5.75	34.65
PK	4.9224G	44.93	74.00	-29.07	3.92	3	Horizontal	7	1.48	41.01	32.83	5.74	34.65



2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3744G	44.60	54.00	-9.40	31.50	3	Vertical	257	3.00	13.10	27.35	4.15	-
AV	2.464G	88.35	Inf	-Inf	31.84	3	Vertical	257	3.00	56.51	27.63	4.21	-
AV	2.4835G	47.95	54.00	-6.05	31.89	3	Vertical	257	3.00	16.06	27.67	4.22	-
PK	2.3776G	56.97	74.00	-17.03	31.51	3	Vertical	257	3.00	25.46	27.36	4.15	-
PK	2.4784G	100.06	Inf	-Inf	31.88	3	Vertical	257	3.00	68.18	27.66	4.22	-
PK	2.4835G	68.34	74.00	-5.66	31.89	3	Vertical	257	3.00	36.45	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.60	54.00	-9.40	31.54	3	Horizontal	296	1.18	13.06	27.38	4.16	-
AV	2.4648G	90.92	Inf	-Inf	31.84	3	Horizontal	296	1.18	59.08	27.63	4.21	-
AV	2.4835G	49.08	54.00	-4.92	31.89	3	Horizontal	296	1.18	17.19	27.67	4.22	-
PK	2.376G	56.17	74.00	-17.83	31.50	3	Horizontal	296	1.18	24.67	27.35	4.15	-
PK	2.466G	102.38	Inf	-Inf	31.84	3	Horizontal	296	1.18	70.54	27.63	4.21	-
PK	2.4835G	70.28	74.00	-3.72	31.89	3	Horizontal	296	1.18	38.39	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93952G	33.62	54.00	-20.38	4.05	3	Vertical	213	2.03	29.57	32.94	5.75	34.64
PK	4.93464G	44.31	74.00	-29.69	4.01	3	Vertical	213	2.03	40.30	32.91	5.75	34.65

2.4-2.483.5GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94192G	33.59	54.00	-20.41	4.07	3	Horizontal	307	1.82	29.52	32.95	5.76	34.64
PK	4.94384G	44.87	74.00	-29.13	4.08	3	Horizontal	307	1.82	40.79	32.96	5.76	34.64

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.384G	44.53	54.00	-9.47	31.52	3	Vertical	84	2.69	13.01	27.37	4.15	-
AV	2.4732G	87.96	Inf	-Inf	31.86	3	Vertical	84	2.69	56.10	27.65	4.21	-
AV	2.4835G	47.15	54.00	-6.85	31.89	3	Vertical	84	2.69	15.26	27.67	4.22	-
PK	2.3796G	57.17	74.00	-16.83	31.51	3	Vertical	84	2.69	25.66	27.36	4.15	-
PK	2.4688G	99.49	Inf	-Inf	31.85	3	Vertical	84	2.69	67.64	27.64	4.21	-
PK	2.4835G	69.17	74.00	-4.83	31.89	3	Vertical	84	2.69	37.28	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3796G	44.67	54.00	-9.33	31.51	3	Horizontal	300	1.07	13.16	27.36	4.15	-
AV	2.4684G	90.41	Inf	-Inf	31.85	3	Horizontal	300	1.07	58.56	27.64	4.21	-
AV	2.4835G	48.79	54.00	-5.21	31.89	3	Horizontal	300	1.07	16.90	27.67	4.22	-
PK	2.3864G	57.12	74.00	-16.88	31.53	3	Horizontal	300	1.07	25.59	27.37	4.16	-
PK	2.4648G	102.27	Inf	-Inf	31.84	3	Horizontal	300	1.07	70.43	27.63	4.21	-
PK	2.4835G	71.77	74.00	-2.23	31.89	3	Horizontal	300	1.07	39.88	27.67	4.22	-

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9436G	33.49	54.00	-20.51	4.08	3	Vertical	193	2.86	29.41	32.96	5.76	34.64
PK	4.93176G	44.49	74.00	-29.51	3.99	3	Vertical	193	2.86	40.50	32.89	5.75	34.65

2.4-2.483.5GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94208G	33.52	54.00	-20.48	4.07	3	Horizontal	132	2.54	29.45	32.95	5.76	34.64
PK	4.92504G	45.27	74.00	-28.73	3.95	3	Horizontal	132	2.54	41.32	32.85	5.75	34.65



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32



**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83392G	41.83	54.00	-12.17	3	Vertical	267	3.00
Mode 1	Pass	AV	4.96211G	35.08	54.00	-18.92	3	Vertical	350	1.50
Mode 1	Pass	AV	7.25183G	44.79	54.00	-9.21	3	Vertical	346	2.24
Mode 1	Pass	PK	4.83398G	47.46	74.00	-26.54	3	Vertical	267	3.00
Mode 1	Pass	PK	4.96363G	45.24	74.00	-28.76	3	Vertical	350	1.50
Mode 1	Pass	PK	7.25217G	52.39	74.00	-21.61	3	Vertical	346	2.24
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 1	Pass	AV	4.96042G	35.74	54.00	-18.26	3	Horizontal	356	2.69
Mode 1	Pass	AV	7.25181G	42.45	54.00	-11.55	3	Horizontal	281	1.50
Mode 1	Pass	PK	4.834G	50.50	74.00	-23.50	3	Horizontal	351	1.87
Mode 1	Pass	PK	4.96228G	45.94	74.00	-28.06	3	Horizontal	356	2.69
Mode 1	Pass	PK	7.25456G	52.06	74.00	-21.94	3	Horizontal	281	1.50
Mode 2	Pass	AV	4.96207G	35.09	54.00	-18.91	3	Vertical	231	1.50
Mode 2	Pass	AV	11.51488G	42.82	54.00	-11.18	3	Vertical	318	1.50
Mode 2	Pass	AV	17.36468G	46.35	68.20	-21.85	3	Vertical	16	1.50
Mode 2	Pass	PK	4.96463G	45.38	74.00	-28.62	3	Vertical	231	1.50
Mode 2	Pass	PK	11.55848G	53.21	74.00	-20.79	3	Vertical	318	1.50
Mode 2	Pass	PK	17.36188G	56.44	68.20	-11.76	3	Vertical	16	1.50
Mode 2	Pass	AV	4.96023G	37.16	54.00	-16.84	3	Horizontal	9	2.66
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 2	Pass	AV	17.3054G	46.31	68.20	-21.89	3	Horizontal	41	1.50
Mode 2	Pass	PK	4.9597G	46.34	74.00	-27.66	3	Horizontal	9	2.66
Mode 2	Pass	PK	11.52856G	53.14	74.00	-20.86	3	Horizontal	83	1.50
Mode 2	Pass	PK	17.30164G	56.97	68.20	-11.23	3	Horizontal	41	1.50
Mode 3	Pass	AV	4.95978G	35.21	54.00	-18.79	3	Vertical	357	1.91
Mode 3	Pass	AV	11.70682G	43.08	54.00	-10.92	3	Vertical	21	1.65
Mode 3	Pass	AV	17.56871G	46.36	68.20	-21.84	3	Vertical	323	2.08
Mode 3	Pass	PK	4.95766G	45.14	74.00	-28.86	3	Vertical	357	1.91
Mode 3	Pass	PK	11.7135G	53.43	74.00	-20.57	3	Vertical	21	1.65
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 3	Pass	AV	4.95983G	36.87	54.00	-17.13	3	Horizontal	11	2.72
Mode 3	Pass	AV	11.71469G	42.95	54.00	-11.05	3	Horizontal	151	2.35
Mode 3	Pass	AV	17.56619G	46.33	68.20	-21.87	3	Horizontal	50	2.13
Mode 3	Pass	PK	4.96019G	46.22	74.00	-27.78	3	Horizontal	11	2.72
Mode 3	Pass	PK	11.71474G	53.83	74.00	-20.17	3	Horizontal	151	2.35
Mode 3	Pass	PK	17.56895G	56.65	68.20	-11.55	3	Horizontal	50	2.13
Mode 4	Pass	AV	4.95954G	34.77	54.00	-19.23	3	Vertical	0	1.50
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32
Mode 4	Pass	PK	4.9586G	45.63	74.00	-28.37	3	Vertical	0	1.50
Mode 4	Pass	PK	12.69035G	54.41	74.00	-19.59	3	Vertical	173	2.32
Mode 4	Pass	AV	4.96397G	34.99	54.00	-19.01	3	Horizontal	32	1.84
Mode 4	Pass	AV	12.69461G	44.20	54.00	-9.80	3	Horizontal	66	1.65
Mode 4	Pass	PK	4.96115G	45.05	74.00	-28.95	3	Horizontal	32	1.84
Mode 4	Pass	PK	12.68741G	54.43	74.00	-19.57	3	Horizontal	66	1.65


## Radiated Emissions above 1GHz\_Mode 1



05/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83392G	41.83	54.00	-12.17	3.20	3	Vertical	267	3.00	38.63	32.50	5.35	34.65
AV	4.96211G	35.08	54.00	-18.92	3.65	3	Vertical	350	1.50	31.43	32.85	5.44	34.64
AV	7.25183G	44.79	54.00	-9.21	8.64	3	Vertical	346	2.24	36.15	36.80	6.61	34.77
PK	4.83398G	47.46	74.00	-26.54	3.20	3	Vertical	267	3.00	44.26	32.50	5.35	34.65
PK	4.96363G	45.24	74.00	-28.76	3.65	3	Vertical	350	1.50	41.59	32.85	5.44	34.64
PK	7.25217G	52.39	74.00	-21.61	8.64	3	Vertical	346	2.24	43.75	36.80	6.61	34.77

## Radiated Emissions above 1GHz\_Mode 1



05/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.834G	45.82	54.00	-8.18	3.20	3	Horizontal	351	1.87	42.62	32.50	5.35	34.65
AV	4.96042G	35.74	54.00	-18.26	3.64	3	Horizontal	356	2.69	32.10	32.84	5.44	34.64
AV	7.25181G	42.45	54.00	-11.55	8.64	3	Horizontal	281	1.50	33.81	36.80	6.61	34.77
PK	4.834G	50.50	74.00	-23.50	3.20	3	Horizontal	351	1.87	47.30	32.50	5.35	34.65
PK	4.96228G	45.94	74.00	-28.06	3.65	3	Horizontal	356	2.69	42.29	32.85	5.44	34.64
PK	7.25456G	52.06	74.00	-21.94	8.63	3	Horizontal	281	1.50	43.43	36.79	6.61	34.77