


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49128G	42.76	54.00	-11.24	12.94	3	Vertical	346	1.99	29.82	39.01	8.50	34.57
PK	11.53796G	54.05	74.00	-19.95	12.75	3	Vertical	346	1.99	41.30	38.81	8.52	34.58
PK	17.29476G	56.42	68.20	-11.78	14.14	3	Vertical	83	2.90	42.28	38.20	10.24	34.30

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48876G	42.36	54.00	-11.64	12.94	3	Horizontal	285	1.18	29.42	39.01	8.50	34.57
PK	11.49248G	54.20	74.00	-19.80	12.94	3	Horizontal	285	1.18	41.26	39.01	8.50	34.57
PK	17.27388G	56.67	68.20	-11.53	14.16	3	Horizontal	36	1.50	42.51	38.20	10.24	34.28

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	95.11	Inf	-Inf	4.32	3	Vertical	354	1.48	90.79	32.97	5.94	34.59
AV	5.3508G	45.24	54.00	-8.76	4.28	3	Vertical	354	1.48	40.96	32.90	5.96	34.58
PK	5.3168G	105.60	Inf	-Inf	4.32	3	Vertical	354	1.48	101.28	32.97	5.94	34.59
PK	5.368G	57.39	74.00	-16.61	4.33	3	Vertical	354	1.48	53.06	32.94	5.97	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	101.01	Inf	-Inf	4.32	3	Horizontal	14	2.52	96.69	32.97	5.94	34.59
AV	5.35G	46.63	54.00	-7.37	4.28	3	Horizontal	14	2.52	42.35	32.90	5.96	34.58
PK	5.3196G	111.61	Inf	-Inf	4.32	3	Horizontal	14	2.52	107.29	32.96	5.95	34.59
PK	5.3504G	62.80	74.00	-11.20	4.28	3	Horizontal	14	2.52	58.52	32.90	5.96	34.58



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91332G	43.11	54.00	-10.89	12.39	3	Vertical	76	1.50	30.72	37.67	9.91	35.19
PK	10.60476G	53.47	74.00	-20.53	12.53	3	Vertical	251	1.50	40.94	39.10	8.12	34.69
PK	15.92628G	55.47	74.00	-18.53	12.37	3	Vertical	76	1.50	43.10	37.65	9.92	35.20

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90036G	43.13	54.00	-10.87	12.43	3	Horizontal	167	1.50	30.70	37.70	9.91	35.18
PK	10.60908G	53.19	74.00	-20.81	12.55	3	Horizontal	192	1.26	40.64	39.11	8.13	34.69
PK	15.90648G	55.02	74.00	-18.98	12.42	3	Horizontal	167	1.50	42.60	37.69	9.91	35.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.679G	98.34	Inf	-Inf	4.80	3	Vertical	356	1.38	93.54	33.23	6.12	34.55
PK	5.6838G	109.22	Inf	-Inf	4.84	3	Vertical	356	1.38	104.38	33.27	6.12	34.55
PK	5.7252G	59.78	68.20	-8.42	5.16	3	Vertical	356	1.38	54.62	33.55	6.15	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6838G	101.96	Inf	-Inf	4.84	3	Horizontal	17	3.00	97.12	33.27	6.12	34.55
PK	5.6844G	112.81	Inf	-Inf	4.85	3	Horizontal	17	3.00	107.96	33.28	6.12	34.55
PK	5.7276G	60.59	68.20	-7.61	5.18	3	Horizontal	17	3.00	55.41	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33532G	41.79	54.00	-12.21	12.90	3	Vertical	25	1.50	28.89	39.04	8.43	34.57
PK	11.33916G	53.66	74.00	-20.34	12.90	3	Vertical	25	1.50	40.76	39.04	8.43	34.57
PK	16.9806G	56.29	68.20	-11.91	13.73	3	Vertical	29	1.01	42.56	37.70	10.17	34.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35452G	41.81	54.00	-12.19	12.92	3	Horizontal	95	1.48	28.89	39.05	8.44	34.57
PK	11.3244G	53.90	74.00	-20.10	12.88	3	Horizontal	95	1.48	41.02	39.02	8.43	34.57
PK	17.02344G	56.09	68.20	-12.11	13.77	3	Horizontal	68	1.49	42.32	37.72	10.18	34.13

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8046G	99.74	Inf	-Inf	5.57	3	Vertical	6	1.35	94.17	33.91	6.20	34.54
PK	5.597G	57.55	68.20	-10.65	4.40	3	Vertical	6	1.35	53.15	32.89	6.06	34.55
PK	5.8058G	110.91	Inf	-Inf	5.57	3	Vertical	6	1.35	105.34	33.91	6.20	34.54
PK	5.987G	58.54	68.20	-9.66	5.90	3	Vertical	6	1.35	52.64	34.13	6.29	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8034G	102.17	Inf	-Inf	5.57	3	Horizontal	20	2.90	96.60	33.91	6.20	34.54
PK	5.645G	57.56	68.20	-10.64	4.53	3	Horizontal	20	2.90	53.03	32.99	6.09	34.55
PK	5.807G	113.34	Inf	-Inf	5.57	3	Horizontal	20	2.90	107.77	33.91	6.20	34.54
PK	6.0098G	58.79	68.20	-9.41	5.88	3	Horizontal	20	2.90	52.91	34.10	6.30	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56048G	41.90	54.00	-12.10	12.64	3	Vertical	0	1.11	29.26	38.70	8.53	34.59
PK	11.56816G	53.64	74.00	-20.36	12.60	3	Vertical	0	1.11	41.04	38.66	8.53	34.59
PK	17.37828G	56.84	68.20	-11.36	14.34	3	Vertical	1	1.50	42.50	38.43	10.26	34.35

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56276G	41.92	54.00	-12.08	12.63	3	Horizontal	261	2.15	29.29	38.69	8.53	34.59
PK	11.57356G	54.32	74.00	-19.68	12.57	3	Horizontal	261	2.15	41.75	38.63	8.53	34.59
PK	17.4126G	58.16	68.20	-10.04	14.40	3	Horizontal	56	1.27	43.76	38.50	10.27	34.37

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.32G	95.90	Inf	-Inf	4.32	3	Vertical	30	1.50	91.58	32.96	5.95	34.59
AV	5.35G	46.32	54.00	-7.68	4.28	3	Vertical	30	1.50	42.04	32.90	5.96	34.58
PK	5.3188G	107.27	Inf	-Inf	4.32	3	Vertical	30	1.50	102.95	32.96	5.95	34.59
PK	5.3504G	59.18	74.00	-14.82	4.28	3	Vertical	30	1.50	54.90	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	98.14	Inf	-Inf	4.31	3	Horizontal	18	1.50	93.83	32.95	5.95	34.59
AV	5.35G	47.51	54.00	-6.49	4.28	3	Horizontal	18	1.50	43.23	32.90	5.96	34.58
PK	5.3164G	108.93	Inf	-Inf	4.32	3	Horizontal	18	1.50	104.61	32.97	5.94	34.59
PK	5.35G	60.81	74.00	-13.19	4.28	3	Horizontal	18	1.50	56.53	32.90	5.96	34.58



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9G	43.09	54.00	-10.91	12.43	3	Vertical	316	1.50	30.66	37.70	9.91	35.18
PK	10.63176G	53.41	74.00	-20.59	12.59	3	Vertical	42	1.56	40.82	39.13	8.14	34.68
PK	15.90432G	55.17	74.00	-18.83	12.42	3	Vertical	316	1.50	42.75	37.69	9.91	35.18

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.912G	43.10	54.00	-10.90	12.41	3	Horizontal	338	1.50	30.69	37.68	9.91	35.18
PK	10.64952G	53.48	74.00	-20.52	12.61	3	Horizontal	89	1.50	40.87	39.15	8.14	34.68
PK	15.90648G	55.35	74.00	-18.65	12.42	3	Horizontal	338	1.50	42.93	37.69	9.91	35.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6832G	95.84	Inf	-Inf	4.84	3	Vertical	26	1.33	91.00	33.27	6.12	34.55
PK	5.6772G	106.79	Inf	-Inf	4.78	3	Vertical	26	1.33	102.01	33.22	6.11	34.55
PK	5.7894G	59.08	68.20	-9.12	5.51	3	Vertical	26	1.33	53.57	33.86	6.19	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6772G	96.30	Inf	-Inf	4.78	3	Horizontal	20	1.40	91.52	33.22	6.11	34.55
PK	5.6796G	107.34	Inf	-Inf	4.81	3	Horizontal	20	1.40	102.53	33.24	6.12	34.55
PK	5.799G	58.88	68.20	-9.32	5.56	3	Horizontal	20	1.40	53.32	33.90	6.20	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33736G	41.80	54.00	-12.20	12.90	3	Vertical	360	1.50	28.90	39.04	8.43	34.57
PK	11.31084G	53.34	74.00	-20.66	12.86	3	Vertical	360	1.50	40.48	39.01	8.42	34.57
PK	17.037G	56.65	68.20	-11.55	13.78	3	Vertical	294	1.50	42.87	37.74	10.18	34.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35584G	41.83	54.00	-12.17	12.93	3	Horizontal	17	1.50	28.90	39.06	8.44	34.57
PK	11.3346G	54.19	74.00	-19.81	12.89	3	Horizontal	17	1.50	41.30	39.03	8.43	34.57
PK	16.98924G	55.38	68.20	-12.82	13.74	3	Horizontal	264	3.00	41.64	37.70	10.17	34.13

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8082G	101.25	Inf	-Inf	5.58	3	Vertical	25	1.31	95.67	33.92	6.20	34.54
PK	5.5586G	57.25	68.20	-10.95	4.31	3	Vertical	25	1.31	52.94	32.82	6.05	34.56
PK	5.8058G	111.67	Inf	-Inf	5.57	3	Vertical	25	1.31	106.10	33.91	6.20	34.54
PK	5.9511G	58.69	68.20	-9.51	5.96	3	Vertical	25	1.31	52.73	34.20	6.28	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8046G	100.08	Inf	-Inf	5.57	3	Horizontal	19	1.39	94.51	33.91	6.20	34.54
PK	5.6511G	58.57	68.94	-10.37	4.56	3	Horizontal	19	1.39	54.01	33.01	6.10	34.55
PK	5.8082G	111.00	Inf	-Inf	5.58	3	Horizontal	19	1.39	105.42	33.92	6.20	34.54
PK	5.9366G	58.94	68.20	-9.26	5.94	3	Horizontal	19	1.39	53.00	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56072G	41.93	54.00	-12.07	12.64	3	Vertical	270	1.50	29.29	38.70	8.53	34.59
PK	11.56072G	53.82	74.00	-20.18	12.64	3	Vertical	270	1.50	41.18	38.70	8.53	34.59
PK	17.41308G	57.87	68.20	-10.33	14.40	3	Vertical	152	1.50	43.47	38.50	10.27	34.37

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56036G	41.89	54.00	-12.11	12.64	3	Horizontal	214	1.13	29.25	38.70	8.53	34.59
PK	11.61532G	54.60	74.00	-19.40	12.44	3	Horizontal	214	1.13	42.16	38.50	8.55	34.61
PK	17.4144G	57.32	68.20	-10.88	14.40	3	Horizontal	177	1.50	42.92	38.50	10.27	34.37

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	97.44	Inf	-Inf	4.31	3	Vertical	13	1.50	93.13	32.95	5.95	34.59
AV	5.35G	48.78	54.00	-5.22	4.28	3	Vertical	13	1.50	44.50	32.90	5.96	34.58
PK	5.3208G	109.79	Inf	-Inf	4.32	3	Vertical	13	1.50	105.47	32.96	5.95	34.59
PK	5.35G	62.05	74.00	-11.95	4.28	3	Vertical	13	1.50	57.77	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	102.68	Inf	-Inf	4.31	3	Horizontal	14	2.48	98.37	32.96	5.94	34.59
AV	5.35G	51.24	54.00	-2.76	4.28	3	Horizontal	14	2.48	46.96	32.90	5.96	34.58
PK	5.3184G	113.44	Inf	-Inf	4.32	3	Horizontal	14	2.48	109.12	32.96	5.95	34.59
PK	5.35G	65.42	74.00	-8.58	4.28	3	Horizontal	14	2.48	61.14	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91152G	43.09	54.00	-10.91	12.41	3	Vertical	99	1.50	30.68	37.68	9.91	35.18
PK	10.59156G	53.33	68.20	-14.87	12.51	3	Vertical	29	1.50	40.82	39.08	8.12	34.69
PK	15.92748G	54.90	74.00	-19.10	12.37	3	Vertical	99	1.50	42.53	37.65	9.92	35.20

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91176G	43.12	54.00	-10.88	12.41	3	Horizontal	31	1.50	30.71	37.68	9.91	35.18
PK	10.6338G	53.68	74.00	-20.32	12.59	3	Horizontal	211	1.50	41.09	39.13	8.14	34.68
PK	15.9072G	54.94	74.00	-19.06	12.42	3	Horizontal	31	1.50	42.52	37.69	9.91	35.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6838G	100.83	Inf	-Inf	4.84	3	Vertical	14	1.32	95.99	33.27	6.12	34.55
PK	5.6838G	111.63	Inf	-Inf	4.84	3	Vertical	14	1.32	106.79	33.27	6.12	34.55
PK	5.8032G	62.44	68.20	-5.76	5.57	3	Vertical	14	1.32	56.87	33.91	6.20	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6844G	103.31	Inf	-Inf	4.85	3	Horizontal	19	2.99	98.46	33.28	6.12	34.55
PK	5.682G	114.19	Inf	-Inf	4.83	3	Horizontal	19	2.99	109.36	33.26	6.12	34.55
PK	5.727G	62.98	68.20	-5.22	5.17	3	Horizontal	19	2.99	57.81	33.56	6.15	34.54



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3586G	42.09	54.00	-11.91	12.93	3	Vertical	341	3.00	29.16	39.06	8.44	34.57
PK	11.33808G	53.61	74.00	-20.39	12.90	3	Vertical	341	3.00	40.71	39.04	8.43	34.57
PK	17.02524G	56.86	68.20	-11.34	13.77	3	Vertical	247	3.00	43.09	37.73	10.18	34.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3568G	41.84	54.00	-12.16	12.93	3	Horizontal	21	1.77	28.91	39.06	8.44	34.57
PK	11.3184G	53.72	74.00	-20.28	12.87	3	Horizontal	21	1.77	40.85	39.02	8.42	34.57
PK	17.02404G	55.80	68.20	-12.40	13.77	3	Horizontal	94	1.50	42.03	37.72	10.18	34.13

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	102.86	Inf	-Inf	5.56	3	Vertical	17	1.31	97.30	33.90	6.20	34.54
PK	5.6306G	58.14	68.20	-10.06	4.49	3	Vertical	17	1.31	53.65	32.96	6.08	34.55
PK	5.807G	113.97	Inf	-Inf	5.57	3	Vertical	17	1.31	108.40	33.91	6.20	34.54
PK	5.9846G	59.48	68.20	-8.72	5.90	3	Vertical	17	1.31	53.58	34.13	6.29	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8034G	103.80	Inf	-Inf	5.57	3	Horizontal	20	2.94	98.23	33.91	6.20	34.54
PK	5.5838G	57.67	68.20	-10.53	4.37	3	Horizontal	20	2.94	53.30	32.87	6.05	34.55
PK	5.807G	114.55	Inf	-Inf	5.57	3	Horizontal	20	2.94	108.98	33.91	6.20	34.54
PK	5.939G	59.21	68.20	-8.99	5.95	3	Horizontal	20	2.94	53.26	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56276G	41.91	54.00	-12.09	12.63	3	Vertical	49	1.50	29.28	38.69	8.53	34.59
PK	11.56324G	53.70	74.00	-20.30	12.62	3	Vertical	49	1.50	41.08	38.68	8.53	34.59
PK	17.40792G	57.54	68.20	-10.66	14.41	3	Vertical	0	1.01	43.13	38.50	10.27	34.36

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56036G	41.89	54.00	-12.11	12.64	3	Horizontal	265	1.50	29.25	38.70	8.53	34.59
PK	11.59276G	53.37	74.00	-20.63	12.48	3	Horizontal	265	1.50	40.89	38.54	8.54	34.60
PK	17.4126G	57.57	68.20	-10.63	14.40	3	Horizontal	57	2.20	43.17	38.50	10.27	34.37

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.65	54.00	-7.35	4.24	3	Vertical	95	2.34	42.41	33.00	5.86	34.62
AV	5.201G	85.65	Inf	-Inf	4.37	3	Vertical	95	2.34	81.28	33.10	5.88	34.61
AV	5.447G	44.98	54.00	-9.02	4.35	3	Vertical	95	2.34	40.63	32.91	6.01	34.57
PK	5.141G	59.84	74.00	-14.16	4.23	3	Vertical	95	2.34	55.61	33.00	5.85	34.62
PK	5.195G	96.90	Inf	-Inf	4.36	3	Vertical	95	2.34	92.54	33.09	5.88	34.61
PK	5.385G	57.14	74.00	-16.86	4.37	3	Vertical	95	2.34	52.77	32.97	5.98	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.68	54.00	-5.32	4.24	3	Horizontal	4	2.56	44.44	33.00	5.86	34.62
AV	5.199G	91.09	Inf	-Inf	4.37	3	Horizontal	4	2.56	86.72	33.10	5.88	34.61
AV	5.404G	45.21	54.00	-8.79	4.40	3	Horizontal	4	2.56	40.81	32.99	5.99	34.58
PK	5.146G	64.58	74.00	-9.42	4.24	3	Horizontal	4	2.56	60.34	33.00	5.86	34.62
PK	5.201G	102.02	Inf	-Inf	4.37	3	Horizontal	4	2.56	97.65	33.10	5.88	34.61
PK	5.388G	56.87	74.00	-17.13	4.38	3	Horizontal	4	2.56	52.49	32.98	5.98	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60696G	43.63	54.00	-10.37	13.13	3	Vertical	204	1.50	30.50	38.27	9.82	34.96
PK	10.41952G	54.41	68.20	-13.79	12.31	3	Vertical	283	1.50	42.10	39.06	8.05	34.80
PK	15.58944G	55.33	74.00	-18.67	13.18	3	Vertical	204	1.50	42.15	38.32	9.81	34.95

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60696G	43.62	54.00	-10.38	13.13	3	Horizontal	322	1.50	30.49	38.27	9.82	34.96
PK	10.41904G	53.40	68.20	-14.80	12.31	3	Horizontal	340	1.50	41.09	39.06	8.05	34.80
PK	15.62424G	55.35	74.00	-18.65	13.03	3	Horizontal	322	1.50	42.32	38.18	9.82	34.97

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.48	54.00	-9.52	4.28	3	Vertical	352	1.36	40.20	32.90	5.96	34.58
AV	5.425G	45.02	54.00	-8.98	4.38	3	Vertical	352	1.36	40.64	32.95	6.00	34.57
AV	5.506G	83.78	Inf	-Inf	4.27	3	Vertical	352	1.36	79.51	32.80	6.03	34.56
PK	5.312G	56.43	68.20	-11.77	4.33	3	Vertical	352	1.36	52.10	32.98	5.94	34.59
PK	5.457G	58.17	74.00	-15.83	4.33	3	Vertical	352	1.36	53.84	32.89	6.01	34.57
PK	5.469G	58.52	68.20	-9.68	4.31	3	Vertical	352	1.36	54.21	32.86	6.01	34.56
PK	5.507G	94.71	Inf	-Inf	4.27	3	Vertical	352	1.36	90.44	32.80	6.03	34.56
PK	5.728G	58.46	68.20	-9.74	5.18	3	Vertical	352	1.36	53.28	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.61	54.00	-9.39	4.28	3	Horizontal	10	1.49	40.33	32.90	5.96	34.58
AV	5.46G	45.33	54.00	-8.67	4.32	3	Horizontal	10	1.49	41.01	32.88	6.01	34.57
AV	5.5G	86.91	Inf	-Inf	4.27	3	Horizontal	10	1.49	82.64	32.80	6.03	34.56
PK	5.334G	56.27	68.20	-11.93	4.29	3	Horizontal	10	1.49	51.98	32.93	5.95	34.59
PK	5.46G	60.09	74.00	-13.91	4.32	3	Horizontal	10	1.49	55.77	32.88	6.01	34.57
PK	5.466G	60.45	68.20	-7.75	4.31	3	Horizontal	10	1.49	56.14	32.87	6.01	34.57
PK	5.499G	98.00	Inf	-Inf	4.26	3	Horizontal	10	1.49	93.74	32.80	6.02	34.56
PK	5.772G	57.96	68.20	-10.24	5.43	3	Horizontal	10	1.49	52.53	33.79	6.18	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06312G	42.08	54.00	-11.92	12.58	3	Vertical	137	2.75	29.50	38.84	8.32	34.58
PK	11.01944G	53.99	74.00	-20.01	12.60	3	Vertical	137	2.75	41.39	38.88	8.30	34.58
PK	16.62528G	56.78	68.20	-11.42	13.64	3	Vertical	360	1.19	43.14	38.15	10.09	34.60

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	42.07	54.00	-11.93	12.58	3	Horizontal	53	1.50	29.49	38.84	8.32	34.58
PK	11.05448G	54.57	74.00	-19.43	12.58	3	Horizontal	53	1.50	41.99	38.85	8.31	34.58
PK	16.57776G	56.31	68.20	-11.89	13.66	3	Horizontal	255	1.50	42.65	38.24	10.08	34.66

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	96.51	Inf	-Inf	5.39	3	Vertical	360	1.31	91.12	33.76	6.17	34.54
PK	5.6274G	57.55	68.20	-10.65	4.48	3	Vertical	360	1.31	53.07	32.95	6.08	34.55
PK	5.7618G	107.67	Inf	-Inf	5.38	3	Vertical	360	1.31	102.29	33.75	6.17	34.54
PK	5.9502G	58.93	68.20	-9.27	5.96	3	Vertical	360	1.31	52.97	34.20	6.28	34.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	99.94	Inf	-Inf	5.38	3	Horizontal	10	2.91	94.56	33.75	6.17	34.54
PK	5.6142G	58.09	68.20	-10.11	4.45	3	Horizontal	10	2.91	53.64	32.93	6.07	34.55
PK	5.7618G	110.94	Inf	-Inf	5.38	3	Horizontal	10	2.91	105.56	33.75	6.17	34.54
PK	5.9322G	59.29	68.20	-8.91	5.94	3	Horizontal	10	2.91	53.35	34.20	6.27	34.53



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49768G	42.05	54.00	-11.95	12.93	3	Vertical	267	2.46	29.12	39.00	8.50	34.57
PK	11.49432G	54.18	74.00	-19.82	12.94	3	Vertical	267	2.46	41.24	39.01	8.50	34.57
PK	17.32548G	56.80	68.20	-11.40	14.21	3	Vertical	207	1.21	42.59	38.28	10.25	34.32

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49576G	42.02	54.00	-11.98	12.93	3	Horizontal	197	3.00	29.09	39.00	8.50	34.57
PK	11.52144G	53.80	74.00	-20.20	12.82	3	Horizontal	197	3.00	40.98	38.89	8.51	34.58
PK	17.385G	56.26	68.20	-11.94	14.37	3	Horizontal	66	1.50	41.89	38.45	10.27	34.35

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.03	54.00	-7.97	4.24	3	Vertical	104	2.63	41.79	33.00	5.86	34.62
AV	5.202G	86.01	Inf	-Inf	4.37	3	Vertical	104	2.63	81.64	33.10	5.88	34.61
AV	5.376G	44.90	54.00	-9.10	4.35	3	Vertical	104	2.63	40.55	32.95	5.98	34.58
PK	5.147G	59.58	74.00	-14.42	4.24	3	Vertical	104	2.63	55.34	33.00	5.86	34.62
PK	5.186G	97.17	Inf	-Inf	4.33	3	Vertical	104	2.63	92.84	33.07	5.87	34.61
PK	5.389G	56.46	74.00	-17.54	4.38	3	Vertical	104	2.63	52.08	32.98	5.98	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.69	54.00	-7.31	4.24	3	Horizontal	290	1.52	42.45	33.00	5.86	34.62
AV	5.198G	88.66	Inf	-Inf	4.37	3	Horizontal	290	1.52	84.29	33.10	5.88	34.61
AV	5.381G	44.92	54.00	-9.08	4.36	3	Horizontal	290	1.52	40.56	32.96	5.98	34.58
PK	5.15G	62.73	74.00	-11.27	4.24	3	Horizontal	290	1.52	58.49	33.00	5.86	34.62
PK	5.198G	100.17	Inf	-Inf	4.37	3	Horizontal	290	1.52	95.80	33.10	5.88	34.61
PK	5.454G	56.67	74.00	-17.33	4.33	3	Horizontal	290	1.52	52.34	32.89	6.01	34.57

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60624G	43.64	54.00	-10.36	13.13	3	Vertical	104	2.96	30.51	38.27	9.82	34.96
PK	10.47592G	53.65	68.20	-14.55	12.28	3	Vertical	357	1.50	41.37	38.95	8.07	34.74
PK	15.59304G	55.27	74.00	-18.73	13.17	3	Vertical	104	2.96	42.10	38.31	9.81	34.95

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60504G	43.63	54.00	-10.37	13.13	3	Horizontal	288	1.86	30.50	38.27	9.82	34.96
PK	10.3996G	53.97	68.20	-14.23	12.32	3	Horizontal	52	2.62	41.65	39.10	8.04	34.82
PK	15.60888G	55.12	74.00	-18.88	13.12	3	Horizontal	288	1.86	42.00	38.26	9.82	34.96

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.54	54.00	-9.46	4.28	3	Vertical	24	1.50	40.26	32.90	5.96	34.58
AV	5.46G	44.97	54.00	-9.03	4.32	3	Vertical	24	1.50	40.65	32.88	6.01	34.57
AV	5.522G	84.12	Inf	-Inf	4.27	3	Vertical	24	1.50	79.85	32.80	6.03	34.56
PK	5.298G	57.20	68.20	-11.00	4.34	3	Vertical	24	1.50	52.86	33.00	5.93	34.59
PK	5.412G	57.17	74.00	-16.83	4.40	3	Vertical	24	1.50	52.77	32.98	5.99	34.57
PK	5.468G	56.07	68.20	-12.13	4.30	3	Vertical	24	1.50	51.77	32.86	6.01	34.57
PK	5.509G	95.10	Inf	-Inf	4.27	3	Vertical	24	1.50	90.83	32.80	6.03	34.56
PK	5.78G	57.91	68.20	-10.29	5.47	3	Vertical	24	1.50	52.44	33.82	6.19	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.52	54.00	-9.48	4.28	3	Horizontal	10	1.48	40.24	32.90	5.96	34.58
AV	5.446G	45.05	54.00	-8.95	4.35	3	Horizontal	10	1.48	40.70	32.91	6.01	34.57
AV	5.521G	86.27	Inf	-Inf	4.27	3	Horizontal	10	1.48	82.00	32.80	6.03	34.56
PK	5.331G	56.83	68.20	-11.37	4.30	3	Horizontal	10	1.48	52.53	32.94	5.95	34.59
PK	5.426G	57.76	74.00	-16.24	4.38	3	Horizontal	10	1.48	53.38	32.95	6.00	34.57
PK	5.468G	56.21	68.20	-11.99	4.30	3	Horizontal	10	1.48	51.91	32.86	6.01	34.57
PK	5.515G	97.55	Inf	-Inf	4.27	3	Horizontal	10	1.48	93.28	32.80	6.03	34.56
PK	5.778G	58.56	68.20	-9.64	5.45	3	Horizontal	10	1.48	53.11	33.81	6.18	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05976G	42.07	54.00	-11.93	12.58	3	Vertical	348	1.50	29.49	38.84	8.32	34.58
PK	11.0108G	54.39	74.00	-19.61	12.60	3	Vertical	348	1.50	41.79	38.89	8.29	34.58
PK	16.54536G	56.50	68.20	-11.70	13.68	3	Vertical	47	2.84	42.82	38.31	10.07	34.70

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	42.07	54.00	-11.93	12.58	3	Horizontal	349	1.50	29.49	38.84	8.32	34.58
PK	11.07344G	53.91	74.00	-20.09	12.57	3	Horizontal	349	1.50	41.34	38.83	8.32	34.58
PK	16.61184G	57.00	68.20	-11.20	13.64	3	Horizontal	44	1.50	43.36	38.18	10.08	34.62

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	97.90	Inf	-Inf	5.38	3	Vertical	16	1.29	92.52	33.75	6.17	34.54
PK	5.643G	59.62	68.20	-8.58	4.53	3	Vertical	16	1.29	55.09	32.99	6.09	34.55
PK	5.7618G	108.95	Inf	-Inf	5.38	3	Vertical	16	1.29	103.57	33.75	6.17	34.54
PK	5.9322G	58.65	68.20	-9.55	5.94	3	Vertical	16	1.29	52.71	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	97.69	Inf	-Inf	5.38	3	Horizontal	9	2.92	92.31	33.75	6.17	34.54
PK	5.6514G	60.12	69.24	-9.12	4.56	3	Horizontal	9	2.92	55.56	33.01	6.10	34.55
PK	5.7618G	109.23	Inf	-Inf	5.38	3	Horizontal	9	2.92	103.85	33.75	6.17	34.54
PK	5.9382G	58.46	68.20	-9.74	5.95	3	Horizontal	9	2.92	52.51	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49288G	42.16	54.00	-11.84	12.94	3	Vertical	304	1.69	29.22	39.01	8.50	34.57
PK	11.514G	53.31	74.00	-20.69	12.87	3	Vertical	304	1.69	40.44	38.93	8.51	34.57
PK	17.325G	56.38	68.20	-11.82	14.22	3	Vertical	103	1.50	42.16	38.28	10.25	34.31

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49168G	42.03	54.00	-11.97	12.94	3	Horizontal	146	1.50	29.09	39.01	8.50	34.57
PK	11.49048G	53.23	74.00	-20.77	12.94	3	Horizontal	146	1.50	40.29	39.01	8.50	34.57
PK	17.35068G	56.29	68.20	-11.91	14.28	3	Horizontal	237	1.50	42.01	38.35	10.26	34.33

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.85	54.00	-5.15	4.24	3	Vertical	105	2.62	44.61	33.00	5.86	34.62
AV	5.201G	90.60	Inf	-Inf	4.37	3	Vertical	105	2.62	86.23	33.10	5.88	34.61
AV	5.395G	45.11	54.00	-8.89	4.40	3	Vertical	105	2.62	40.71	32.99	5.99	34.58
PK	5.149G	65.64	74.00	-8.36	4.24	3	Vertical	105	2.62	61.40	33.00	5.86	34.62
PK	5.2G	102.71	Inf	-Inf	4.37	3	Vertical	105	2.62	98.34	33.10	5.88	34.61
PK	5.368G	57.07	74.00	-16.93	4.33	3	Vertical	105	2.62	52.74	32.94	5.97	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.55	54.00	-3.45	4.24	3	Horizontal	15	1.50	46.31	33.00	5.86	34.62
AV	5.189G	92.95	Inf	-Inf	4.35	3	Horizontal	15	1.50	88.60	33.08	5.88	34.61
AV	5.373G	45.68	54.00	-8.32	4.35	3	Horizontal	15	1.50	41.33	32.95	5.98	34.58
PK	5.15G	68.74	74.00	-5.26	4.24	3	Horizontal	15	1.50	64.50	33.00	5.86	34.62
PK	5.201G	104.63	Inf	-Inf	4.37	3	Horizontal	15	1.50	100.26	33.10	5.88	34.61
PK	5.399G	57.84	74.00	-16.16	4.41	3	Horizontal	15	1.50	53.43	33.00	5.99	34.58



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6048G	43.61	54.00	-10.39	13.14	3	Vertical	350	1.50	30.47	38.28	9.82	34.96
PK	10.384G	54.12	68.20	-14.08	12.24	3	Vertical	267	1.51	41.88	39.05	8.03	34.84
PK	15.60456G	55.51	74.00	-18.49	13.14	3	Vertical	350	1.50	42.37	38.28	9.82	34.96

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.606G	43.60	54.00	-10.40	13.13	3	Horizontal	216	1.02	30.47	38.27	9.82	34.96
PK	10.37656G	53.75	68.20	-14.45	12.21	3	Horizontal	343	1.50	41.54	39.03	8.03	34.85
PK	15.59976G	55.43	74.00	-18.57	13.16	3	Horizontal	216	1.02	42.27	38.30	9.81	34.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.60	54.00	-9.40	4.28	3	Vertical	357	1.36	40.32	32.90	5.96	34.58
AV	5.46G	47.37	54.00	-6.63	4.32	3	Vertical	357	1.36	43.05	32.88	6.01	34.57
AV	5.507G	92.27	Inf	-Inf	4.27	3	Vertical	357	1.36	88.00	32.80	6.03	34.56
PK	5.319G	56.84	68.20	-11.36	4.32	3	Vertical	357	1.36	52.52	32.96	5.95	34.59
PK	5.446G	58.68	74.00	-15.32	4.35	3	Vertical	357	1.36	54.33	32.91	6.01	34.57
PK	5.469G	60.36	68.20	-7.84	4.31	3	Vertical	357	1.36	56.05	32.86	6.01	34.56
PK	5.505G	103.86	Inf	-Inf	4.27	3	Vertical	357	1.36	99.59	32.80	6.03	34.56
PK	5.737G	58.80	68.20	-9.40	5.24	3	Vertical	357	1.36	53.56	33.62	6.16	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.01	54.00	-8.99	4.28	3	Horizontal	10	1.50	40.73	32.90	5.96	34.58
AV	5.46G	50.32	54.00	-3.68	4.32	3	Horizontal	10	1.50	46.00	32.88	6.01	34.57
AV	5.499G	95.56	Inf	-Inf	4.26	3	Horizontal	10	1.50	91.30	32.80	6.02	34.56
PK	5.289G	56.96	68.20	-11.24	4.36	3	Horizontal	10	1.50	52.60	33.02	5.93	34.59
PK	5.457G	62.41	74.00	-11.59	4.33	3	Horizontal	10	1.50	58.08	32.89	6.01	34.57
PK	5.47G	63.63	68.20	-4.57	4.31	3	Horizontal	10	1.50	59.32	32.86	6.01	34.56
PK	5.513G	107.65	Inf	-Inf	4.27	3	Horizontal	10	1.50	103.38	32.80	6.03	34.56
PK	5.742G	59.05	68.20	-9.15	5.27	3	Horizontal	10	1.50	53.78	33.65	6.16	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06216G	42.06	54.00	-11.94	12.58	3	Vertical	150	1.50	29.48	38.84	8.32	34.58
PK	11.02856G	53.73	74.00	-20.27	12.59	3	Vertical	150	1.50	41.14	38.87	8.30	34.58
PK	16.62912G	55.99	68.20	-12.21	13.64	3	Vertical	246	1.00	42.35	38.14	10.09	34.59

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05904G	42.06	54.00	-11.94	12.57	3	Horizontal	164	1.90	29.49	38.84	8.31	34.58
PK	11.078G	55.25	74.00	-18.75	12.56	3	Horizontal	164	1.90	42.69	38.82	8.32	34.58
PK	16.56552G	56.24	68.20	-11.96	13.66	3	Horizontal	10	1.50	42.58	38.27	10.07	34.68

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	99.17	Inf	-Inf	5.41	3	Vertical	360	1.24	93.76	33.77	6.18	34.54
PK	5.6454G	58.85	68.20	-9.35	4.53	3	Vertical	360	1.24	54.32	32.99	6.09	34.55
PK	5.7666G	111.37	Inf	-Inf	5.41	3	Vertical	360	1.24	105.96	33.77	6.18	34.54
PK	5.9346G	60.73	68.20	-7.47	5.94	3	Vertical	360	1.24	54.79	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	101.57	Inf	-Inf	5.37	3	Horizontal	9	2.93	96.20	33.74	6.17	34.54
PK	5.6418G	58.36	68.20	-9.84	4.52	3	Horizontal	9	2.93	53.84	32.98	6.09	34.55
PK	5.7426G	112.22	Inf	-Inf	5.28	3	Horizontal	9	2.93	106.94	33.66	6.16	34.54
PK	5.9262G	60.29	68.20	-7.91	5.93	3	Horizontal	9	2.93	54.36	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50392G	42.18	54.00	-11.82	12.91	3	Vertical	49	2.01	29.27	38.98	8.50	34.57
PK	11.5692G	53.41	74.00	-20.59	12.59	3	Vertical	49	2.01	40.82	38.65	8.53	34.59
PK	17.36244G	55.96	68.20	-12.24	14.31	3	Vertical	360	1.33	41.65	38.39	10.26	34.34

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49984G	42.07	54.00	-11.93	12.93	3	Horizontal	307	1.50	29.14	39.00	8.50	34.57
PK	11.50008G	53.49	74.00	-20.51	12.93	3	Horizontal	307	1.50	40.56	39.00	8.50	34.57
PK	17.28132G	57.29	68.20	-10.91	14.15	3	Horizontal	98	1.50	43.14	38.20	10.24	34.29

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.046G	45.94	54.00	-8.06	4.38	3	Vertical	345	1.49	41.56	33.20	5.81	34.63
AV	5.306G	86.71	Inf	-Inf	4.34	3	Vertical	345	1.49	82.37	32.99	5.94	34.59
AV	5.35G	45.55	54.00	-8.45	4.28	3	Vertical	345	1.49	41.27	32.90	5.96	34.58
PK	5.129G	58.45	74.00	-15.55	4.23	3	Vertical	345	1.49	54.22	33.00	5.85	34.62
PK	5.305G	97.79	Inf	-Inf	4.34	3	Vertical	345	1.49	93.45	32.99	5.94	34.59
PK	5.351G	57.50	74.00	-16.50	4.28	3	Vertical	345	1.49	53.22	32.90	5.96	34.58
PK	5.533G	57.12	68.20	-11.08	4.28	3	Vertical	345	1.49	52.84	32.80	6.04	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.04G	45.95	54.00	-8.05	4.38	3	Horizontal	5	1.57	41.57	33.20	5.81	34.63
AV	5.301G	92.69	Inf	-Inf	4.35	3	Horizontal	5	1.57	88.34	33.00	5.94	34.59
AV	5.35G	47.14	54.00	-6.86	4.28	3	Horizontal	5	1.57	42.86	32.90	5.96	34.58
PK	5.083G	57.80	74.00	-16.20	4.27	3	Horizontal	5	1.57	53.53	33.07	5.83	34.63
PK	5.302G	103.80	Inf	-Inf	4.35	3	Horizontal	5	1.57	99.45	33.00	5.94	34.59
PK	5.35G	58.84	74.00	-15.16	4.28	3	Horizontal	5	1.57	54.56	32.90	5.96	34.58
PK	5.523G	57.99	68.20	-10.21	4.27	3	Horizontal	5	1.57	53.72	32.80	6.03	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8136G	43.35	54.00	-10.65	12.73	3	Vertical	311	1.50	30.62	37.96	9.88	35.11
PK	10.54184G	53.12	68.20	-15.08	12.37	3	Vertical	128	1.50	40.75	38.98	8.10	34.71
PK	15.9048G	55.11	74.00	-18.89	12.42	3	Vertical	311	1.50	42.69	37.69	9.91	35.18

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81504G	43.36	54.00	-10.64	12.72	3	Horizontal	275	1.50	30.64	37.95	9.88	35.11
PK	10.52984G	53.60	68.20	-14.60	12.34	3	Horizontal	13	1.50	41.26	38.96	8.09	34.71
PK	15.82656G	55.04	74.00	-18.96	12.69	3	Horizontal	275	1.50	42.35	37.92	9.89	35.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	45.10	54.00	-8.90	4.33	3	Vertical	356	1.34	40.77	32.89	6.01	34.57
AV	5.622G	93.35	Inf	-Inf	4.47	3	Vertical	356	1.34	88.88	32.94	6.08	34.55
PK	5.398G	56.96	74.00	-17.04	4.41	3	Vertical	356	1.34	52.55	33.00	5.99	34.58
PK	5.463G	56.15	68.20	-12.05	4.31	3	Vertical	356	1.34	51.84	32.87	6.01	34.57
PK	5.625G	105.14	Inf	-Inf	4.48	3	Vertical	356	1.34	100.66	32.95	6.08	34.55
PK	5.826G	60.33	68.20	-7.87	5.63	3	Vertical	356	1.34	54.70	33.95	6.21	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.74	54.00	-8.26	4.34	3	Horizontal	10	3.00	41.40	32.90	6.01	34.57
AV	5.625G	97.51	Inf	-Inf	4.48	3	Horizontal	10	3.00	93.03	32.95	6.08	34.55
PK	5.422G	57.40	74.00	-16.60	4.39	3	Horizontal	10	3.00	53.01	32.96	6.00	34.57
PK	5.467G	57.09	68.20	-11.11	4.31	3	Horizontal	10	3.00	52.78	32.87	6.01	34.57
PK	5.642G	109.23	Inf	-Inf	4.52	3	Horizontal	10	3.00	104.71	32.98	6.09	34.55
PK	5.787G	61.08	68.20	-7.12	5.50	3	Horizontal	10	3.00	55.58	33.85	6.19	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17272G	41.78	54.00	-12.22	12.65	3	Vertical	65	2.71	29.13	38.87	8.36	34.58
PK	11.21376G	53.69	74.00	-20.31	12.71	3	Vertical	65	2.71	40.98	38.91	8.38	34.58
PK	16.8756G	56.46	68.20	-11.74	13.62	3	Vertical	219	1.50	42.84	37.75	10.15	34.28

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17032G	41.73	54.00	-12.27	12.65	3	Horizontal	300	1.50	29.08	38.87	8.36	34.58
PK	11.25984G	53.66	74.00	-20.34	12.79	3	Horizontal	300	1.50	40.87	38.96	8.40	34.57
PK	16.88424G	56.75	68.20	-11.45	13.61	3	Horizontal	193	1.42	43.14	37.73	10.15	34.27

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	97.16	Inf	-Inf	5.53	3	Vertical	355	1.34	91.63	33.87	6.20	34.54
PK	5.5338G	57.61	68.20	-10.59	4.28	3	Vertical	355	1.34	53.33	32.80	6.04	34.56
PK	5.7918G	108.12	Inf	-Inf	5.52	3	Vertical	355	1.34	102.60	33.87	6.19	34.54
PK	5.9898G	58.89	68.20	-9.31	5.89	3	Vertical	355	1.34	53.00	34.12	6.29	34.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8026G	99.59	Inf	-Inf	5.57	3	Horizontal	360	2.97	94.02	33.91	6.20	34.54
PK	5.6082G	57.78	68.20	-10.42	4.44	3	Horizontal	360	2.97	53.34	32.92	6.07	34.55
PK	5.8026G	111.28	Inf	-Inf	5.57	3	Horizontal	360	2.97	105.71	33.91	6.20	34.54
PK	5.9394G	58.63	68.20	-9.57	5.95	3	Horizontal	360	2.97	52.68	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4912G	42.02	54.00	-11.98	12.94	3	Vertical	198	2.84	29.08	39.01	8.50	34.57
PK	11.52744G	53.80	74.00	-20.20	12.79	3	Vertical	198	2.84	41.01	38.86	8.51	34.58
PK	17.3346G	56.61	68.20	-11.59	14.23	3	Vertical	0	1.50	42.38	38.30	10.25	34.32

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port1)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49024G	42.01	54.00	-11.99	12.94	3	Horizontal	85	2.82	29.07	39.01	8.50	34.57
PK	11.5272G	53.65	74.00	-20.35	12.79	3	Horizontal	85	2.82	40.86	38.86	8.51	34.58
PK	17.37372G	57.02	68.20	-11.18	14.34	3	Horizontal	50	1.50	42.68	38.42	10.26	34.34

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.04G	45.93	54.00	-8.07	4.38	3	Vertical	16	1.50	41.55	33.20	5.81	34.63
AV	5.319G	86.77	Inf	-Inf	4.32	3	Vertical	16	1.50	82.45	32.96	5.95	34.59
AV	5.35G	45.34	54.00	-8.66	4.28	3	Vertical	16	1.50	41.06	32.90	5.96	34.58
PK	5.057G	58.02	74.00	-15.98	4.36	3	Vertical	16	1.50	53.66	33.17	5.82	34.63
PK	5.304G	97.99	Inf	-Inf	4.34	3	Vertical	16	1.50	93.65	32.99	5.94	34.59
PK	5.389G	57.23	74.00	-16.77	4.38	3	Vertical	16	1.50	52.85	32.98	5.98	34.58
PK	5.537G	57.02	68.20	-11.18	4.28	3	Vertical	16	1.50	52.74	32.80	6.04	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.041G	45.95	54.00	-8.05	4.38	3	Horizontal	11	1.49	41.57	33.20	5.81	34.63
AV	5.298G	89.74	Inf	-Inf	4.34	3	Horizontal	11	1.49	85.40	33.00	5.93	34.59
AV	5.35G	45.76	54.00	-8.24	4.28	3	Horizontal	11	1.49	41.48	32.90	5.96	34.58
PK	5.108G	57.37	74.00	-16.63	4.22	3	Horizontal	11	1.49	53.15	33.00	5.84	34.62
PK	5.309G	100.87	Inf	-Inf	4.33	3	Horizontal	11	1.49	96.54	32.98	5.94	34.59
PK	5.4G	56.63	74.00	-17.37	4.41	3	Horizontal	11	1.49	52.22	33.00	5.99	34.58
PK	5.517G	57.00	68.20	-11.20	4.27	3	Horizontal	11	1.49	52.73	32.80	6.03	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81768G	43.33	54.00	-10.67	12.71	3	Vertical	21	1.50	30.62	37.95	9.88	35.12
PK	10.53656G	53.73	68.20	-14.47	12.36	3	Vertical	360	1.71	41.37	38.97	8.10	34.71
PK	15.91632G	55.11	74.00	-18.89	12.39	3	Vertical	21	1.50	42.72	37.67	9.91	35.19

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81456G	43.34	54.00	-10.66	12.73	3	Horizontal	278	1.50	30.61	37.96	9.88	35.11
PK	10.62848G	53.32	74.00	-20.68	12.58	3	Horizontal	191	2.28	40.74	39.13	8.13	34.68
PK	15.846G	54.97	74.00	-19.03	12.61	3	Horizontal	278	1.50	42.36	37.86	9.89	35.14

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	44.89	54.00	-9.11	4.33	3	Vertical	25	1.50	40.56	32.89	6.01	34.57
AV	5.638G	94.74	Inf	-Inf	4.52	3	Vertical	25	1.50	90.22	32.98	6.09	34.55
PK	5.381G	56.91	74.00	-17.09	4.36	3	Vertical	25	1.50	52.55	32.96	5.98	34.58
PK	5.465G	55.78	68.20	-12.42	4.31	3	Vertical	25	1.50	51.47	32.87	6.01	34.57
PK	5.639G	106.24	Inf	-Inf	4.52	3	Vertical	25	1.50	101.72	32.98	6.09	34.55
PK	5.815G	59.10	68.20	-9.10	5.61	3	Vertical	25	1.50	53.49	33.93	6.21	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.424G	45.02	54.00	-8.98	4.38	3	Horizontal	11	1.50	40.64	32.95	6.00	34.57
AV	5.621G	96.26	Inf	-Inf	4.46	3	Horizontal	11	1.50	91.80	32.94	6.07	34.55
PK	5.397G	57.89	74.00	-16.11	4.40	3	Horizontal	11	1.50	53.49	32.99	5.99	34.58
PK	5.461G	56.11	68.20	-12.09	4.32	3	Horizontal	11	1.50	51.79	32.88	6.01	34.57
PK	5.636G	107.17	Inf	-Inf	4.51	3	Horizontal	11	1.50	102.66	32.97	6.09	34.55
PK	5.819G	59.42	68.20	-8.78	5.62	3	Horizontal	11	1.50	53.80	33.94	6.21	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17032G	41.67	54.00	-12.33	12.65	3	Vertical	210	1.00	29.02	38.87	8.36	34.58
PK	11.21832G	53.21	74.00	-20.79	12.72	3	Vertical	210	1.00	40.49	38.92	8.38	34.58
PK	16.82952G	56.59	68.20	-11.61	13.63	3	Vertical	193	1.50	42.96	37.84	10.13	34.34

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17104G	41.70	54.00	-12.30	12.65	3	Horizontal	9	1.18	29.05	38.87	8.36	34.58
PK	11.16504G	53.96	74.00	-20.04	12.65	3	Horizontal	9	1.18	41.31	38.87	8.36	34.58
PK	16.80864G	57.33	68.20	-10.87	13.65	3	Horizontal	86	1.50	43.68	37.88	10.13	34.36

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.805G	97.62	Inf	-Inf	5.57	3	Vertical	16	1.30	92.05	33.91	6.20	34.54
PK	5.818G	57.35	68.20	-10.85	4.36	3	Vertical	16	1.30	52.99	32.86	6.05	34.55
PK	5.8002G	109.56	Inf	-Inf	5.56	3	Vertical	16	1.30	104.00	33.90	6.20	34.54
PK	5.9286G	59.25	68.20	-8.95	5.93	3	Vertical	16	1.30	53.32	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	97.12	Inf	-Inf	5.48	3	Horizontal	288	1.50	91.64	33.83	6.19	34.54
PK	5.6226G	57.26	68.20	-10.94	4.48	3	Horizontal	288	1.50	52.78	32.95	6.08	34.55
PK	5.7846G	109.84	Inf	-Inf	5.49	3	Horizontal	288	1.50	104.35	33.84	6.19	34.54
PK	5.931G	59.03	68.20	-9.17	5.94	3	Horizontal	288	1.50	53.09	34.20	6.27	34.53



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49288G	42.00	54.00	-12.00	12.94	3	Vertical	63	2.77	29.06	39.01	8.50	34.57
PK	11.50416G	53.48	74.00	-20.52	12.91	3	Vertical	63	2.77	40.57	38.98	8.50	34.57
PK	17.28132G	56.21	68.20	-11.99	14.15	3	Vertical	103	2.35	42.06	38.20	10.24	34.29

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49096G	42.01	54.00	-11.99	12.94	3	Horizontal	337	2.22	29.07	39.01	8.50	34.57
PK	11.5116G	54.22	74.00	-19.78	12.87	3	Horizontal	337	2.22	41.35	38.94	8.50	34.57
PK	17.32668G	56.39	68.20	-11.81	14.21	3	Horizontal	33	1.50	42.18	38.28	10.25	34.32

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.05G	45.95	54.00	-8.05	4.38	3	Vertical	0	1.46	41.57	33.20	5.81	34.63
AV	5.308G	90.43	Inf	-Inf	4.33	3	Vertical	0	1.46	86.10	32.98	5.94	34.59
AV	5.35G	45.70	54.00	-8.30	4.28	3	Vertical	0	1.46	41.42	32.90	5.96	34.58
PK	5.141G	57.76	74.00	-16.24	4.23	3	Vertical	0	1.46	53.53	33.00	5.85	34.62
PK	5.311G	101.32	Inf	-Inf	4.33	3	Vertical	0	1.46	96.99	32.98	5.94	34.59
PK	5.451G	57.37	74.00	-16.63	4.34	3	Vertical	0	1.46	53.03	32.90	6.01	34.57
PK	5.464G	58.04	68.20	-10.16	4.31	3	Vertical	0	1.46	53.73	32.87	6.01	34.57

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.051G	46.00	54.00	-8.00	4.38	3	Horizontal	12	1.50	41.62	33.20	5.81	34.63
AV	5.304G	94.47	Inf	-Inf	4.34	3	Horizontal	12	1.50	90.13	32.99	5.94	34.59
AV	5.35G	47.31	54.00	-6.69	4.28	3	Horizontal	12	1.50	43.03	32.90	5.96	34.58
PK	5.042G	57.83	74.00	-16.17	4.38	3	Horizontal	12	1.50	53.45	33.20	5.81	34.63
PK	5.311G	106.29	Inf	-Inf	4.33	3	Horizontal	12	1.50	101.96	32.98	5.94	34.59
PK	5.35G	58.18	74.00	-15.82	4.28	3	Horizontal	12	1.50	53.90	32.90	5.96	34.58
PK	5.474G	58.42	68.20	-9.78	4.31	3	Horizontal	12	1.50	54.11	32.85	6.02	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81432G	43.32	54.00	-10.68	12.73	3	Vertical	0	1.50	30.59	37.96	9.88	35.11
PK	10.52096G	53.22	68.20	-14.98	12.32	3	Vertical	302	1.50	40.90	38.94	8.09	34.71
PK	15.90528G	55.19	74.00	-18.81	12.42	3	Vertical	0	1.50	42.77	37.69	9.91	35.18

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81288G	43.32	54.00	-10.68	12.73	3	Horizontal	264	1.88	30.59	37.96	9.88	35.11
PK	10.54976G	54.07	68.20	-14.13	12.39	3	Horizontal	338	1.50	41.68	39.00	8.10	34.71
PK	15.91704G	55.17	74.00	-18.83	12.39	3	Horizontal	264	1.88	42.78	37.67	9.91	35.19

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.41	54.00	-8.59	4.32	3	Vertical	358	1.34	41.09	32.88	6.01	34.57
AV	5.623G	97.42	Inf	-Inf	4.48	3	Vertical	358	1.34	92.94	32.95	6.08	34.55
PK	5.364G	57.28	74.00	-16.72	4.32	3	Vertical	358	1.34	52.96	32.93	5.97	34.58
PK	5.462G	56.57	68.20	-11.63	4.32	3	Vertical	358	1.34	52.25	32.88	6.01	34.57
PK	5.628G	109.02	Inf	-Inf	4.49	3	Vertical	358	1.34	104.53	32.96	6.08	34.55
PK	5.791G	61.92	68.20	-6.28	5.51	3	Vertical	358	1.34	56.41	33.86	6.19	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.14	54.00	-7.86	4.33	3	Horizontal	9	1.46	41.81	32.89	6.01	34.57
AV	5.628G	99.68	Inf	-Inf	4.49	3	Horizontal	9	1.46	95.19	32.96	6.08	34.55
PK	5.453G	57.92	74.00	-16.08	4.33	3	Horizontal	9	1.46	53.59	32.89	6.01	34.57
PK	5.467G	57.95	68.20	-10.25	4.31	3	Horizontal	9	1.46	53.64	32.87	6.01	34.57
PK	5.631G	111.31	Inf	-Inf	4.49	3	Horizontal	9	1.46	106.82	32.96	6.08	34.55
PK	5.781G	62.80	68.20	-5.40	5.47	3	Horizontal	9	1.46	57.33	33.82	6.19	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17344G	41.66	54.00	-12.34	12.65	3	Vertical	0	2.42	29.01	38.87	8.36	34.58
PK	11.23416G	53.08	74.00	-20.92	12.74	3	Vertical	0	2.42	40.34	38.93	8.39	34.58
PK	16.87008G	56.52	68.20	-11.68	13.61	3	Vertical	169	1.50	42.91	37.76	10.14	34.29

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17032G	41.68	54.00	-12.32	12.65	3	Horizontal	103	1.49	29.03	38.87	8.36	34.58
PK	11.1708G	53.65	74.00	-20.35	12.65	3	Horizontal	103	1.49	41.00	38.87	8.36	34.58
PK	16.84704G	56.08	68.20	-12.12	13.63	3	Horizontal	250	1.00	42.45	37.81	10.14	34.32

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	99.85	Inf	-Inf	5.49	3	Vertical	360	1.26	94.36	33.84	6.19	34.54
PK	5.6478G	58.52	68.20	-9.68	4.54	3	Vertical	360	1.26	53.98	33.00	6.09	34.55
PK	5.7882G	110.80	Inf	-Inf	5.50	3	Vertical	360	1.26	105.30	33.85	6.19	34.54
PK	5.925G	60.35	68.20	-7.85	5.93	3	Vertical	360	1.26	54.42	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	101.60	Inf	-Inf	5.51	3	Horizontal	8	2.94	96.09	33.86	6.19	34.54
PK	5.5866G	57.95	68.20	-10.25	4.38	3	Horizontal	8	2.94	53.57	32.87	6.06	34.55
PK	5.8038G	111.96	Inf	-Inf	5.57	3	Horizontal	8	2.94	106.39	33.91	6.20	34.54
PK	5.9406G	59.87	68.20	-8.33	5.95	3	Horizontal	8	2.94	53.92	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51016G	42.19	54.00	-11.81	12.88	3	Vertical	272	2.23	29.31	38.95	8.50	34.57
PK	11.52776G	51.63	74.00	-22.37	12.79	3	Vertical	272	2.23	38.84	38.86	8.51	34.58
PK	17.27172G	56.48	68.20	-11.72	14.16	3	Vertical	22	2.56	42.32	38.20	10.24	34.28

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5008G	42.00	54.00	-12.00	12.93	3	Horizontal	140	1.50	29.07	39.00	8.50	34.57
PK	11.54448G	53.53	74.00	-20.47	12.72	3	Horizontal	140	1.50	40.81	38.78	8.52	34.58
PK	17.35548G	56.89	68.20	-11.31	14.30	3	Horizontal	0	1.50	42.59	38.37	10.26	34.33

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.71	54.00	-7.29	3.90	3	Vertical	93	2.52	42.81	33.00	5.52	34.62
AV	5.2152G	83.84	Inf	-Inf	4.02	3	Vertical	93	2.52	79.82	33.10	5.53	34.61
AV	5.454G	44.78	54.00	-9.22	3.94	3	Vertical	93	2.52	40.84	32.89	5.62	34.57
PK	5.15G	60.81	74.00	-13.19	3.90	3	Vertical	93	2.52	56.91	33.00	5.52	34.62
PK	5.2116G	95.15	Inf	-Inf	4.02	3	Vertical	93	2.52	91.13	33.10	5.53	34.61
PK	5.4264G	57.02	74.00	-16.98	3.97	3	Vertical	93	2.52	53.05	32.95	5.59	34.57
PK	5.4792G	56.89	68.20	-11.31	3.92	3	Vertical	93	2.52	52.97	32.84	5.64	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.14	54.00	-5.86	3.90	3	Horizontal	0	1.50	44.24	33.00	5.52	34.62
AV	5.2356G	87.91	Inf	-Inf	4.04	3	Horizontal	0	1.50	83.87	33.10	5.54	34.60
AV	5.4276G	45.11	54.00	-8.89	3.96	3	Horizontal	0	1.50	41.15	32.94	5.59	34.57
PK	5.15G	63.73	74.00	-10.27	3.90	3	Horizontal	0	1.50	59.83	33.00	5.52	34.62
PK	5.232G	98.62	Inf	-Inf	4.04	3	Horizontal	0	1.50	94.58	33.10	5.54	34.60
PK	5.3916G	57.06	74.00	-16.94	3.97	3	Horizontal	0	1.50	53.09	32.98	5.57	34.58
PK	5.5464G	56.82	68.20	-11.38	3.94	3	Horizontal	0	1.50	52.88	32.80	5.70	34.56



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79896G	43.22	54.00	-10.78	12.78	3	Vertical	342	1.96	30.44	38.00	9.88	35.10
PK	10.61568G	53.71	74.00	-20.29	12.56	3	Vertical	242	1.50	41.15	39.12	8.13	34.69
PK	15.80088G	52.40	74.00	-21.60	12.78	3	Vertical	342	1.96	39.62	38.00	9.88	35.10

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.41	54.00	-10.59	12.99	3	Horizontal	360	2.11	30.42	38.15	9.82	34.98
PK	10.4544G	53.42	68.20	-14.78	12.28	3	Horizontal	190	1.50	41.14	38.99	8.06	34.77
PK	15.63144G	55.65	74.00	-18.35	12.98	3	Horizontal	360	2.11	42.67	38.14	9.82	34.98

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.49	54.00	-5.51	3.93	3	Vertical	350	1.24	44.56	32.88	5.62	34.57
AV	5.528G	85.92	Inf	-Inf	3.93	3	Vertical	350	1.24	81.99	32.80	5.69	34.56
PK	5.33G	56.17	68.20	-12.03	3.91	3	Vertical	350	1.24	52.26	32.94	5.56	34.59
PK	5.4332G	60.77	74.00	-13.23	3.96	3	Vertical	350	1.24	56.81	32.93	5.60	34.57
PK	5.4692G	62.49	68.20	-5.71	3.93	3	Vertical	350	1.24	58.56	32.86	5.63	34.56
PK	5.5328G	98.17	Inf	-Inf	3.93	3	Vertical	350	1.24	94.24	32.80	5.69	34.56
PK	5.81G	59.21	68.20	-8.99	5.18	3	Vertical	350	1.24	54.03	33.92	5.80	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.30	54.00	-1.70	3.93	3	Horizontal	355	1.50	48.37	32.88	5.62	34.57
AV	5.5364G	89.23	Inf	-Inf	3.93	3	Horizontal	355	1.50	85.30	32.80	5.69	34.56
PK	5.3492G	56.52	68.20	-11.68	3.88	3	Horizontal	355	1.50	52.64	32.90	5.56	34.58
PK	5.4584G	65.35	74.00	-8.65	3.93	3	Horizontal	355	1.50	61.42	32.88	5.62	34.57
PK	5.4656G	67.41	68.20	-0.79	3.93	3	Horizontal	355	1.50	63.48	32.87	5.63	34.57
PK	5.532G	100.82	Inf	-Inf	3.96	3	Horizontal	355	1.50	96.86	32.81	5.71	34.56
PK	5.7476G	58.10	68.20	-10.10	4.94	3	Horizontal	355	1.50	53.16	33.69	5.79	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06224G	42.07	54.00	-11.93	12.58	3	Vertical	359	3.00	29.49	38.84	8.32	34.58
PK	11.1976G	54.57	74.00	-19.43	12.69	3	Vertical	359	3.00	41.88	38.90	8.37	34.58
PK	16.75128G	56.16	68.20	-12.04	13.63	3	Vertical	144	1.99	42.53	37.95	10.12	34.44

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07184G	42.10	54.00	-11.90	12.57	3	Horizontal	340	1.50	29.53	38.83	8.32	34.58
PK	11.07184G	54.56	74.00	-19.44	12.57	3	Horizontal	340	1.50	41.99	38.83	8.32	34.58
PK	16.61832G	56.77	68.20	-11.43	13.64	3	Horizontal	218	1.50	43.13	38.16	10.09	34.61

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0484G	46.01	54.00	-7.99	4.05	3	Vertical	110	2.72	41.96	33.20	5.48	34.63
AV	5.2284G	82.80	Inf	-Inf	4.04	3	Vertical	110	2.72	78.76	33.10	5.54	34.60
AV	5.46G	44.71	54.00	-9.29	3.93	3	Vertical	110	2.72	40.78	32.88	5.62	34.57
PK	5.15G	59.48	74.00	-14.52	3.90	3	Vertical	110	2.72	55.58	33.00	5.52	34.62
PK	5.232G	94.59	Inf	-Inf	4.04	3	Vertical	110	2.72	90.55	33.10	5.54	34.60
PK	5.376G	56.42	74.00	-17.58	3.94	3	Vertical	110	2.72	52.48	32.95	5.57	34.58
PK	5.5332G	56.82	68.20	-11.38	3.93	3	Vertical	110	2.72	52.89	32.80	5.69	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.35	54.00	-7.65	3.90	3	Horizontal	356	1.50	42.45	33.00	5.52	34.62
AV	5.2212G	86.83	Inf	-Inf	4.03	3	Horizontal	356	1.50	82.80	33.10	5.53	34.60
AV	5.4456G	44.83	54.00	-9.17	3.95	3	Horizontal	356	1.50	40.88	32.91	5.61	34.57
PK	5.15G	63.29	74.00	-10.71	3.90	3	Horizontal	356	1.50	59.39	33.00	5.52	34.62
PK	5.2068G	97.71	Inf	-Inf	4.02	3	Horizontal	356	1.50	93.69	33.10	5.53	34.61
PK	5.3952G	57.24	74.00	-16.76	3.98	3	Horizontal	356	1.50	53.26	32.99	5.57	34.58
PK	5.526G	56.86	68.20	-11.34	3.92	3	Horizontal	356	1.50	52.94	32.80	5.68	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.40	54.00	-10.60	12.99	3	Vertical	273	2.37	30.41	38.15	9.82	34.98
PK	10.39104G	53.45	68.20	-14.75	12.27	3	Vertical	229	1.50	41.18	39.07	8.03	34.83
PK	15.64872G	55.42	74.00	-18.58	12.90	3	Vertical	273	2.37	42.52	38.06	9.83	34.99

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80024G	43.32	54.00	-10.68	12.78	3	Horizontal	149	2.73	30.54	38.00	9.88	35.10
PK	10.4136G	53.67	68.20	-14.53	12.30	3	Horizontal	232	1.50	41.37	39.07	8.04	34.81
PK	15.82712G	51.76	74.00	-22.24	12.69	3	Horizontal	149	2.73	39.07	37.92	9.89	35.12

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	45.25	54.00	-8.75	3.94	3	Vertical	12	1.96	41.31	32.90	5.61	34.57
AV	5.5532G	89.38	Inf	-Inf	3.96	3	Vertical	12	1.96	85.42	32.81	5.71	34.56
PK	5.3444G	56.56	68.20	-11.64	3.89	3	Vertical	12	1.96	52.67	32.91	5.56	34.58
PK	5.414G	56.72	74.00	-17.28	3.98	3	Vertical	12	1.96	52.74	32.97	5.58	34.57
PK	5.462G	57.16	68.20	-11.04	3.94	3	Vertical	12	1.96	53.22	32.88	5.63	34.57
PK	5.5472G	100.41	Inf	-Inf	3.94	3	Vertical	12	1.96	96.47	32.80	5.70	34.56
PK	5.8256G	58.92	68.20	-9.28	5.23	3	Vertical	12	1.96	53.69	33.95	5.81	34.53

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	45.65	54.00	-8.35	3.95	3	Horizontal	354	1.43	41.70	32.91	5.61	34.57
AV	5.552G	90.49	Inf	-Inf	3.95	3	Horizontal	354	1.43	86.54	32.80	5.71	34.56
PK	5.35G	56.41	74.00	-17.59	3.88	3	Horizontal	354	1.43	52.53	32.90	5.56	34.58
PK	5.4008G	57.40	74.00	-16.60	3.99	3	Horizontal	354	1.43	53.41	33.00	5.57	34.58
PK	5.4632G	56.81	68.20	-11.39	3.93	3	Horizontal	354	1.43	52.88	32.87	5.63	34.57
PK	5.5424G	101.89	Inf	-Inf	3.94	3	Horizontal	354	1.43	97.95	32.80	5.70	34.56
PK	5.7296G	58.78	68.20	-9.42	4.82	3	Horizontal	354	1.43	53.96	33.58	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06128G	42.08	54.00	-11.92	12.58	3	Vertical	112	1.50	29.50	38.84	8.32	34.58
PK	11.0896G	54.60	74.00	-19.40	12.56	3	Vertical	112	1.50	42.04	38.81	8.33	34.58
PK	16.70856G	56.08	68.20	-12.12	13.61	3	Vertical	257	1.50	42.47	37.99	10.11	34.49

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06224G	42.08	54.00	-11.92	12.58	3	Horizontal	142	1.50	29.50	38.84	8.32	34.58
PK	11.0728G	53.74	74.00	-20.26	12.57	3	Horizontal	142	1.50	41.17	38.83	8.32	34.58
PK	16.61352G	56.72	68.20	-11.48	13.64	3	Horizontal	136	1.50	43.08	38.17	10.08	34.61

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.24	54.00	-6.76	3.89	3	Vertical	97	2.46	43.35	33.00	5.51	34.62
AV	5.208G	86.00	Inf	-Inf	4.02	3	Vertical	97	2.46	81.98	33.10	5.53	34.61
AV	5.4528G	44.90	54.00	-9.10	3.94	3	Vertical	97	2.46	40.96	32.89	5.62	34.57
PK	5.15G	62.78	74.00	-11.22	3.90	3	Vertical	97	2.46	58.88	33.00	5.52	34.62
PK	5.2212G	96.80	Inf	-Inf	4.03	3	Vertical	97	2.46	92.77	33.10	5.53	34.60
PK	5.3604G	57.31	74.00	-16.69	3.90	3	Vertical	97	2.46	53.41	32.92	5.56	34.58
PK	5.5368G	56.54	68.20	-11.66	3.93	3	Vertical	97	2.46	52.61	32.80	5.69	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.03	54.00	-4.97	3.90	3	Horizontal	3	2.39	45.13	33.00	5.52	34.62
AV	5.2032G	90.14	Inf	-Inf	4.02	3	Horizontal	3	2.39	86.12	33.10	5.53	34.61
AV	5.3952G	45.56	54.00	-8.44	3.98	3	Horizontal	3	2.39	41.58	32.99	5.57	34.58
PK	5.1492G	66.34	74.00	-7.66	3.89	3	Horizontal	3	2.39	62.45	33.00	5.51	34.62
PK	5.208G	101.53	Inf	-Inf	4.02	3	Horizontal	3	2.39	97.51	33.10	5.53	34.61
PK	5.3832G	57.34	74.00	-16.66	3.96	3	Horizontal	3	2.39	53.38	32.97	5.57	34.58
PK	5.4888G	56.77	68.20	-11.43	3.91	3	Horizontal	3	2.39	52.86	32.82	5.65	34.56



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63096G	43.41	54.00	-10.59	12.99	3	Vertical	195	1.96	30.42	38.15	9.82	34.98
PK	10.43184G	53.21	68.20	-14.99	12.30	3	Vertical	290	1.50	40.91	39.04	8.05	34.79
PK	15.65544G	55.13	74.00	-18.87	12.85	3	Vertical	195	1.96	42.28	38.02	9.83	35.00

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.39	54.00	-10.61	12.99	3	Horizontal	250	1.50	30.40	38.15	9.82	34.98
PK	10.4856G	53.81	68.20	-14.39	12.27	3	Horizontal	96	1.50	41.54	38.93	8.07	34.73
PK	15.63816G	54.93	74.00	-19.07	12.96	3	Horizontal	250	1.50	41.97	38.11	9.83	34.98

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.52	54.00	-5.48	3.93	3	Vertical	353	1.87	44.59	32.88	5.62	34.57
AV	5.5472G	89.84	Inf	-Inf	3.94	3	Vertical	353	1.87	85.90	32.80	5.70	34.56
PK	5.3252G	56.66	68.20	-11.54	3.92	3	Vertical	353	1.87	52.74	32.95	5.56	34.59
PK	5.4584G	59.34	74.00	-14.66	3.93	3	Vertical	353	1.87	55.41	32.88	5.62	34.57
PK	5.4632G	61.53	68.20	-6.67	3.93	3	Vertical	353	1.87	57.60	32.87	5.63	34.57
PK	5.5352G	101.73	Inf	-Inf	3.93	3	Vertical	353	1.87	97.80	32.80	5.69	34.56
PK	5.8208G	59.04	68.20	-9.16	5.22	3	Vertical	353	1.87	53.82	33.94	5.81	34.53

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.91	54.00	-3.09	3.93	3	Horizontal	356	2.99	46.98	32.88	5.62	34.57
AV	5.5508G	91.93	Inf	-Inf	3.95	3	Horizontal	356	2.99	87.98	32.80	5.71	34.56
PK	5.2712G	57.08	68.20	-11.12	4.00	3	Horizontal	356	2.99	53.08	33.06	5.54	34.60
PK	5.4584G	61.74	74.00	-12.26	3.93	3	Horizontal	356	2.99	57.81	32.88	5.62	34.57
PK	5.468G	64.76	68.20	-3.44	3.92	3	Horizontal	356	2.99	60.84	32.86	5.63	34.57
PK	5.54G	102.88	Inf	-Inf	3.94	3	Horizontal	356	2.99	98.94	32.80	5.70	34.56
PK	5.7632G	59.25	68.20	-8.95	5.00	3	Horizontal	356	2.99	54.25	33.75	5.79	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06944G	42.10	54.00	-11.90	12.57	3	Vertical	358	1.50	29.53	38.83	8.32	34.58
PK	11.02384G	54.28	74.00	-19.72	12.60	3	Vertical	358	1.50	41.68	38.88	8.30	34.58
PK	16.59576G	56.28	68.20	-11.92	13.65	3	Vertical	45	1.50	42.63	38.21	10.08	34.64

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06032G	42.07	54.00	-11.93	12.58	3	Horizontal	0	1.50	29.49	38.84	8.32	34.58
PK	11.07712G	53.77	74.00	-20.23	12.56	3	Horizontal	0	1.50	41.21	38.82	8.32	34.58
PK	16.6068G	56.53	68.20	-11.67	13.65	3	Horizontal	243	1.50	42.88	38.19	10.08	34.62

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0316G	46.02	54.00	-7.98	4.05	3	Vertical	92	2.50	41.97	33.20	5.48	34.63
AV	5.2644G	80.53	Inf	-Inf	4.01	3	Vertical	92	2.50	76.52	33.07	5.54	34.60
AV	5.4564G	44.81	54.00	-9.19	3.94	3	Vertical	92	2.50	40.87	32.89	5.62	34.57
PK	5.0676G	57.18	74.00	-16.82	3.99	3	Vertical	92	2.50	53.19	33.13	5.49	34.63
PK	5.2896G	91.03	Inf	-Inf	3.98	3	Vertical	92	2.50	87.05	33.02	5.55	34.59
PK	5.364G	55.64	74.00	-18.36	3.91	3	Vertical	92	2.50	51.73	32.93	5.56	34.58
PK	5.5476G	56.39	68.20	-11.81	3.94	3	Vertical	92	2.50	52.45	32.80	5.70	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.04G	46.00	54.00	-8.00	4.05	3	Horizontal	0	1.50	41.95	33.20	5.48	34.63
AV	5.268G	85.18	Inf	-Inf	4.00	3	Horizontal	0	1.50	81.18	33.06	5.54	34.60
AV	5.35G	45.45	54.00	-8.55	3.88	3	Horizontal	0	1.50	41.57	32.90	5.56	34.58
PK	5.148G	56.64	74.00	-17.36	3.89	3	Horizontal	0	1.50	52.75	33.00	5.51	34.62
PK	5.2668G	95.96	Inf	-Inf	4.01	3	Horizontal	0	1.50	91.95	33.07	5.54	34.60
PK	5.37G	60.08	74.00	-13.92	3.92	3	Horizontal	0	1.50	56.16	32.94	5.56	34.58
PK	5.5356G	56.82	68.20	-11.38	3.93	3	Horizontal	0	1.50	52.89	32.80	5.69	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63048G	43.42	54.00	-10.58	12.99	3	Vertical	356	1.50	30.43	38.15	9.82	34.98
PK	10.53744G	55.02	68.20	-13.18	12.36	3	Vertical	92	2.74	42.66	38.97	8.10	34.71
PK	15.65256G	55.19	74.00	-18.81	12.88	3	Vertical	356	1.50	42.31	38.04	9.83	34.99

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63096G	43.38	54.00	-10.62	12.99	3	Horizontal	360	1.20	30.39	38.15	9.82	34.98
PK	10.46736G	53.43	68.20	-14.77	12.29	3	Horizontal	21	1.50	41.14	38.97	8.07	34.75
PK	15.67128G	54.92	74.00	-19.08	12.77	3	Horizontal	360	1.20	42.15	37.94	9.84	35.01

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.23	54.00	-6.77	3.93	3	Vertical	345	2.58	43.30	32.88	5.62	34.57
AV	5.5952G	91.09	Inf	-Inf	4.09	3	Vertical	345	2.58	87.00	32.89	5.75	34.55
PK	5.2724G	54.77	68.20	-13.43	4.00	3	Vertical	345	2.58	50.77	33.06	5.54	34.60
PK	5.4584G	59.21	74.00	-14.79	3.93	3	Vertical	345	2.58	55.28	32.88	5.62	34.57
PK	5.4668G	59.14	68.20	-9.06	3.93	3	Vertical	345	2.58	55.21	32.87	5.63	34.57
PK	5.5928G	102.79	Inf	-Inf	4.08	3	Vertical	345	2.58	98.71	32.89	5.74	34.55
PK	5.7344G	65.62	68.20	-2.58	4.85	3	Vertical	345	2.58	60.77	33.61	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.92	54.00	-4.08	3.93	3	Horizontal	351	1.45	45.99	32.88	5.62	34.57
AV	5.6012G	94.26	Inf	-Inf	4.10	3	Horizontal	351	1.45	90.16	32.90	5.75	34.55
PK	5.3G	56.59	68.20	-11.61	3.96	3	Horizontal	351	1.45	52.63	33.00	5.55	34.59
PK	5.4548G	59.90	74.00	-14.10	3.94	3	Horizontal	351	1.45	55.96	32.89	5.62	34.57
PK	5.4668G	61.90	68.20	-6.30	3.93	3	Horizontal	351	1.45	57.97	32.87	5.63	34.57
PK	5.5844G	105.29	Inf	-Inf	4.06	3	Horizontal	351	1.45	101.23	32.87	5.74	34.55
PK	5.7296G	67.69	68.20	-0.51	4.82	3	Horizontal	351	1.45	62.87	33.58	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05888G	42.06	54.00	-11.94	12.57	3	Vertical	29	1.50	29.49	38.84	8.31	34.58
PK	11.02624G	53.97	74.00	-20.03	12.59	3	Vertical	29	1.50	41.38	38.87	8.30	34.58
PK	16.82856G	56.25	68.20	-11.95	13.63	3	Vertical	44.	1.50	42.62	37.84	10.13	34.34

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07472G	42.08	54.00	-11.92	12.57	3	Horizontal	54	1.00	29.51	38.83	8.32	34.58
PK	11.2216G	54.99	74.00	-19.01	12.72	3	Horizontal	54	1.00	42.27	38.92	8.38	34.58
PK	16.7652G	56.53	68.20	-11.67	13.63	3	Horizontal	320	2.18	42.90	37.93	10.12	34.42

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0616G	45.99	54.00	-8.01	4.01	3	Vertical	4	1.18	41.98	33.15	5.49	34.63
AV	5.2788G	79.75	Inf	-Inf	3.99	3	Vertical	4	1.18	75.76	33.04	5.55	34.60
AV	5.4468G	44.78	54.00	-9.22	3.95	3	Vertical	4	1.18	40.83	32.91	5.61	34.57
PK	5.058G	56.12	74.00	-17.88	4.03	3	Vertical	4	1.18	52.09	33.17	5.49	34.63
PK	5.2944G	91.63	Inf	-Inf	3.97	3	Vertical	4	1.18	87.66	33.01	5.55	34.59
PK	5.3532G	56.41	74.00	-17.59	3.89	3	Vertical	4	1.18	52.52	32.91	5.56	34.58
PK	5.4816G	56.68	68.20	-11.52	3.92	3	Vertical	4	1.18	52.76	32.84	5.64	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0472G	46.05	54.00	-7.95	4.05	3	Horizontal	355	1.50	42.00	33.20	5.48	34.63
AV	5.2644G	83.86	Inf	-Inf	4.01	3	Horizontal	355	1.50	79.85	33.07	5.54	34.60
AV	5.4468G	44.86	54.00	-9.14	3.95	3	Horizontal	355	1.50	40.91	32.91	5.61	34.57
PK	5.1288G	56.58	74.00	-17.42	3.89	3	Horizontal	355	1.50	52.69	33.00	5.51	34.62
PK	5.268G	93.70	Inf	-Inf	4.00	3	Horizontal	355	1.50	89.70	33.06	5.54	34.60
PK	5.3532G	57.51	74.00	-16.49	3.89	3	Horizontal	355	1.50	53.62	32.91	5.56	34.58
PK	5.5164G	55.27	68.20	-12.93	3.91	3	Horizontal	355	1.50	51.36	32.80	5.67	34.56



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63096G	43.40	54.00	-10.60	12.99	3	Vertical	317	2.35	30.41	38.15	9.82	34.98
PK	10.42848G	53.63	68.20	-14.57	12.30	3	Vertical	36	1.50	41.33	39.04	8.05	34.79
PK	15.71976G	54.85	74.00	-19.15	12.65	3	Vertical	317	2.35	42.20	37.84	9.85	35.04

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.38	54.00	-10.62	12.99	3	Horizontal	139	1.50	30.39	38.15	9.82	34.98
PK	10.42416G	53.57	68.20	-14.63	12.30	3	Horizontal	11	2.70	41.27	39.05	8.05	34.80
PK	15.63432G	54.91	74.00	-19.09	12.97	3	Horizontal	139	1.50	41.94	38.13	9.82	34.98

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.29	54.00	-7.71	3.94	3	Vertical	12	1.32	42.35	32.89	5.62	34.57
AV	5.6036G	92.58	Inf	-Inf	4.11	3	Vertical	12	1.32	88.47	32.91	5.75	34.55
PK	5.3036G	55.66	68.20	-12.54	3.95	3	Vertical	12	1.32	51.71	32.99	5.55	34.59
PK	5.456G	56.18	74.00	-17.82	3.94	3	Vertical	12	1.32	52.24	32.89	5.62	34.57
PK	5.4692G	57.04	68.20	-11.16	3.93	3	Vertical	12	1.32	53.11	32.86	5.63	34.56
PK	5.6228G	103.34	Inf	-Inf	4.16	3	Vertical	12	1.32	99.18	32.95	5.76	34.55
PK	5.7464G	61.35	68.20	-6.85	4.93	3	Vertical	12	1.32	56.42	33.68	5.79	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.00	54.00	-7.00	3.93	3	Horizontal	3	1.37	43.07	32.88	5.62	34.57
AV	5.6012G	93.97	Inf	-Inf	4.10	3	Horizontal	3	1.37	89.87	32.90	5.75	34.55
PK	5.3204G	55.70	68.20	-12.50	3.92	3	Horizontal	3	1.37	51.78	32.96	5.55	34.59
PK	5.4584G	57.24	74.00	-16.76	3.93	3	Horizontal	3	1.37	53.31	32.88	5.62	34.57
PK	5.4692G	57.98	68.20	-10.22	3.93	3	Horizontal	3	1.37	54.05	32.86	5.63	34.56
PK	5.63G	105.48	Inf	-Inf	4.17	3	Horizontal	3	1.37	101.31	32.96	5.76	34.55
PK	5.738G	64.23	68.20	-3.97	4.87	3	Horizontal	3	1.37	59.36	33.63	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06224G	42.07	54.00	-11.93	12.58	3	Vertical	57	1.26	29.49	38.84	8.32	34.58
PK	11.03968G	54.34	74.00	-19.66	12.59	3	Vertical	57	1.26	41.75	38.86	8.31	34.58
PK	16.66056G	57.01	68.20	-11.19	13.63	3	Vertical	73	1.50	43.38	38.08	10.10	34.55

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 675\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06864G	42.08	54.00	-11.92	12.57	3	Horizontal	215	1.49	29.51	38.83	8.32	34.58
PK	11.07184G	52.54	74.00	-21.46	12.57	3	Horizontal	215	1.49	39.97	38.83	8.32	34.58
PK	16.63608G	56.17	68.20	-12.03	13.63	3	Horizontal	141	1.50	42.54	38.13	10.09	34.59

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.058G	46.03	54.00	-7.97	4.03	3	Vertical	93	2.49	42.00	33.17	5.49	34.63
AV	5.2644G	81.42	Inf	-Inf	4.01	3	Vertical	93	2.49	77.41	33.07	5.54	34.60
AV	5.454G	44.84	54.00	-9.16	3.94	3	Vertical	93	2.49	40.90	32.89	5.62	34.57
PK	5.1324G	56.56	74.00	-17.44	3.89	3	Vertical	93	2.49	52.67	33.00	5.51	34.62
PK	5.2884G	91.33	Inf	-Inf	3.98	3	Vertical	93	2.49	87.35	33.02	5.55	34.59
PK	5.4516G	55.00	74.00	-19.00	3.95	3	Vertical	93	2.49	51.05	32.90	5.62	34.57
PK	5.5488G	56.05	68.20	-12.15	3.94	3	Vertical	93	2.49	52.11	32.80	5.70	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0424G	46.02	54.00	-7.98	4.05	3	Horizontal	0	1.50	41.97	33.20	5.48	34.63
AV	5.2656G	86.05	Inf	-Inf	4.01	3	Horizontal	0	1.50	82.04	33.07	5.54	34.60
AV	5.3508G	45.64	54.00	-8.36	3.88	3	Horizontal	0	1.50	41.76	32.90	5.56	34.58
PK	5.0124G	57.80	74.00	-16.20	4.03	3	Horizontal	0	1.50	53.77	33.20	5.47	34.64
PK	5.274G	97.11	Inf	-Inf	3.99	3	Horizontal	0	1.50	93.12	33.05	5.54	34.60
PK	5.3664G	61.64	74.00	-12.36	3.91	3	Horizontal	0	1.50	57.73	32.93	5.56	34.58
PK	5.4756G	56.50	68.20	-11.70	3.93	3	Horizontal	0	1.50	52.57	32.85	5.64	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63096G	43.43	54.00	-10.57	12.99	3	Vertical	72	1.50	30.44	38.15	9.82	34.98
PK	10.45536G	53.20	68.20	-15.00	12.28	3	Vertical	130	2.29	40.92	38.99	8.06	34.77
PK	15.68856G	54.81	74.00	-19.19	12.68	3	Vertical	72	1.50	42.13	37.86	9.84	35.02

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.42	54.00	-10.58	12.99	3	Horizontal	258	1.50	30.43	38.15	9.82	34.98
PK	10.42176G	54.11	68.20	-14.09	12.31	3	Horizontal	224	1.50	41.80	39.06	8.05	34.80
PK	15.67224G	55.16	74.00	-18.84	12.77	3	Horizontal	258	1.50	42.39	37.94	9.84	35.01

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.21	54.00	-5.79	3.93	3	Vertical	4	2.60	44.28	32.88	5.62	34.57
AV	5.6024G	95.13	Inf	-Inf	4.10	3	Vertical	4	2.60	91.03	32.90	5.75	34.55
PK	5.2976G	56.31	68.20	-11.89	3.96	3	Vertical	4	2.60	52.35	33.00	5.55	34.59
PK	5.4596G	58.96	74.00	-15.04	3.93	3	Vertical	4	2.60	55.03	32.88	5.62	34.57
PK	5.4656G	58.31	68.20	-9.89	3.93	3	Vertical	4	2.60	54.38	32.87	5.63	34.57
PK	5.6156G	105.68	Inf	-Inf	4.13	3	Vertical	4	2.60	101.55	32.93	5.75	34.55
PK	5.7368G	67.22	68.20	-0.98	4.86	3	Vertical	4	2.60	62.36	33.62	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.62	54.00	-2.38	3.93	3	Horizontal	352	1.50	47.69	32.88	5.62	34.57
AV	5.5928G	96.94	Inf	-Inf	4.08	3	Horizontal	352	1.50	92.86	32.89	5.74	34.55
PK	5.2988G	56.33	68.20	-11.87	3.96	3	Horizontal	352	1.50	52.37	33.00	5.55	34.59
PK	5.4572G	62.45	74.00	-11.55	3.94	3	Horizontal	352	1.50	58.51	32.89	5.62	34.57
PK	5.4656G	62.96	68.20	-5.24	3.93	3	Horizontal	352	1.50	59.03	32.87	5.63	34.57
PK	5.6G	107.34	Inf	-Inf	4.10	3	Horizontal	352	1.50	103.24	32.90	5.75	34.55
PK	5.7296G	67.37	68.20	-0.83	4.82	3	Horizontal	352	1.50	62.55	33.58	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0608G	42.02	54.00	-11.98	12.58	3	Vertical	359	1.50	29.44	38.84	8.32	34.58
PK	11.0416G	54.39	74.00	-19.61	12.59	3	Vertical	359	1.50	41.80	38.86	8.31	34.58
PK	16.80072G	56.87	68.20	-11.33	13.65	3	Vertical	214	1.50	43.22	37.90	10.13	34.38

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0),RU 996,#RU 67S\_2TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0608G	42.08	54.00	-11.92	12.58	3	Horizontal	279	1.68	29.50	38.84	8.32	34.58
PK	11.08672G	54.60	74.00	-19.40	12.56	3	Horizontal	279	1.68	42.04	38.81	8.33	34.58
PK	16.82424G	56.33	68.20	-11.87	13.64	3	Horizontal	2	2.77	42.69	37.85	10.13	34.34



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	AV	5.8958G	87.66	89.61	-1.95	3	Vertical	354	1.42
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	AV	5.8958G	87.82	89.61	-1.79	3	Vertical	355	1.42
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	5.8958G	87.34	89.61	-2.27	3	Vertical	354	2.02
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	AV	5.8958G	87.96	89.61	-1.65	3	Horizontal	2	1.50
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	AV	5.8958G	87.90	89.61	-1.71	3	Horizontal	3	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	AV	5.8958G	87.11	89.61	-2.50	3	Vertical	9	1.24
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	5.8958G	87.85	89.61	-1.76	3	Horizontal	360	2.25
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	5.8958G	88.07	89.61	-1.54	3	Horizontal	360	2.93
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	5.8958G	87.58	89.61	-2.03	3	Horizontal	360	2.94
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	AV	5.8954G	82.24	89.91	-7.67	3	Vertical	357	1.95
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	AV	5.8954G	81.69	89.91	-8.22	3	Horizontal	8	1.41
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	AV	5.8954G	81.73	89.91	-8.18	3	Vertical	357	2.03
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	PK	5.609G	57.21	68.20	-10.99	3	Horizontal	358	1.46
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	PK	5.6138G	56.55	68.20	-11.65	3	Horizontal	355	2.12
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	PK	5.6438G	56.48	68.20	-11.72	3	Horizontal	358	1.46
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)	Pass	AV	5.9302G	58.19	68.20	-10.01	3	Vertical	357	2.01
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)	Pass	PK	5.6212G	58.64	68.20	-9.56	3	Horizontal	8	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_2TX	Pass	AV	5.9254G	60.33	68.20	-7.87	3	Vertical	356	1.21





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8534G	103.71	Inf	-Inf	3	Vertical	315	1.50
5845MHz	Pass	AV	5.9542G	48.41	68.20	-19.79	3	Vertical	315	1.50
5845MHz	Pass	PK	5.563G	57.18	68.20	-11.02	3	Vertical	315	1.50
5845MHz	Pass	PK	5.8546G	111.83	Inf	-Inf	3	Vertical	315	1.50
5845MHz	Pass	PK	5.9302G	58.66	88.20	-29.54	3	Vertical	315	1.50
5845MHz	Pass	AV	5.8534G	104.86	Inf	-Inf	3	Horizontal	314	1.50
5845MHz	Pass	AV	5.9314G	48.29	68.20	-19.91	3	Horizontal	314	1.50
5845MHz	Pass	PK	5.6182G	57.13	68.20	-11.07	3	Horizontal	314	1.50
5845MHz	Pass	PK	5.8534G	113.08	Inf	-Inf	3	Horizontal	314	1.50
5845MHz	Pass	PK	6.0622G	58.17	88.20	-30.03	3	Horizontal	314	1.50
5845MHz	Pass	AV	11.69G	42.92	54.00	-11.08	3	Vertical	111	1.08
5845MHz	Pass	AV	17.535G	45.93	68.20	-22.27	3	Vertical	274	1.84
5845MHz	Pass	PK	11.69G	53.75	74.00	-20.25	3	Vertical	111	1.08
5845MHz	Pass	PK	17.535G	57.16	88.20	-31.04	3	Vertical	274	1.84
5845MHz	Pass	AV	11.69G	42.73	54.00	-11.27	3	Horizontal	121	1.59
5845MHz	Pass	AV	17.535G	46.41	68.20	-21.79	3	Horizontal	301	2.01
5845MHz	Pass	PK	11.69G	54.74	74.00	-19.26	3	Horizontal	121	1.59
5845MHz	Pass	PK	17.535G	56.43	88.20	-31.77	3	Horizontal	301	2.01
5865MHz	Pass	AV	5.8734G	107.13	Inf	-Inf	3	Vertical	270	1.50
5865MHz	Pass	AV	6.0066G	48.89	68.20	-19.31	3	Vertical	270	1.50
5865MHz	Pass	PK	5.5974G	57.36	68.20	-10.84	3	Vertical	270	1.50
5865MHz	Pass	PK	5.8734G	114.69	Inf	-Inf	3	Vertical	270	1.50
5865MHz	Pass	PK	6.0186G	59.21	88.20	-28.99	3	Vertical	270	1.50
5865MHz	Pass	AV	5.8734G	104.94	Inf	-Inf	3	Horizontal	321	1.50
5865MHz	Pass	AV	5.9274G	48.27	68.20	-19.93	3	Horizontal	321	1.50
5865MHz	Pass	PK	5.6142G	57.48	68.20	-10.72	3	Horizontal	321	1.50
5865MHz	Pass	PK	5.8734G	112.05	Inf	-Inf	3	Horizontal	321	1.50
5865MHz	Pass	PK	5.9778G	58.83	88.20	-29.37	3	Horizontal	321	1.50
5865MHz	Pass	AV	11.7334G	43.60	54.00	-10.40	3	Vertical	140	2.21
5865MHz	Pass	AV	17.6012G	47.07	68.20	-21.13	3	Vertical	300	2.20
5865MHz	Pass	PK	11.72972G	54.37	74.00	-19.63	3	Vertical	140	2.21
5865MHz	Pass	PK	17.596G	57.26	88.20	-30.94	3	Vertical	300	2.20
5865MHz	Pass	AV	11.73576G	43.64	54.00	-10.36	3	Horizontal	185	1.79
5865MHz	Pass	AV	17.60156G	46.82	68.20	-21.38	3	Horizontal	215	2.38
5865MHz	Pass	PK	11.7272G	54.33	74.00	-19.67	3	Horizontal	185	1.79
5865MHz	Pass	PK	17.6048G	56.90	88.20	-31.30	3	Horizontal	215	2.38
5885MHz	Pass	AV	5.8934G	105.05	Inf	-Inf	3	Vertical	351	1.96
5885MHz	Pass	AV	5.8958G	87.45	89.61	-2.16	3	Vertical	351	1.96
5885MHz	Pass	PK	5.6006G	56.80	68.20	-11.40	3	Vertical	351	1.96
5885MHz	Pass	PK	5.8934G	112.66	Inf	-Inf	3	Vertical	351	1.96
5885MHz	Pass	PK	5.8958G	96.43	109.61	-13.18	3	Vertical	351	1.96
5885MHz	Pass	AV	5.8934G	105.56	Inf	-Inf	3	Horizontal	360	2.25
5885MHz	Pass	AV	5.8958G	87.85	89.61	-1.76	3	Horizontal	360	2.25
5885MHz	Pass	PK	5.6354G	56.84	68.20	-11.36	3	Horizontal	360	2.25
5885MHz	Pass	PK	5.8934G	113.04	Inf	-Inf	3	Horizontal	360	2.25
5885MHz	Pass	PK	5.8958G	97.71	109.61	-11.90	3	Horizontal	360	2.25
5885MHz	Pass	AV	11.77224G	43.10	54.00	-10.90	3	Vertical	34	2.92
5885MHz	Pass	AV	17.6556G	46.86	68.20	-21.34	3	Vertical	19	2.67
5885MHz	Pass	PK	11.76276G	53.73	74.00	-20.27	3	Vertical	34	2.92
5885MHz	Pass	PK	17.65456G	57.22	88.20	-30.98	3	Vertical	19	2.67
5885MHz	Pass	AV	11.7676G	43.53	54.00	-10.47	3	Horizontal	286	1.67
5885MHz	Pass	AV	17.65768G	46.66	68.20	-21.54	3	Horizontal	245	2.64
5885MHz	Pass	PK	11.77624G	53.95	74.00	-20.05	3	Horizontal	286	1.67
5885MHz	Pass	PK	17.65048G	57.46	88.20	-30.74	3	Horizontal	245	2.64
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8522G	110.15	Inf	-Inf	3	Vertical	349	1.14
5845MHz	Pass	AV	6.0166G	50.09	68.20	-18.11	3	Vertical	349	1.14
5845MHz	Pass	PK	5.6422G	57.51	68.20	-10.69	3	Vertical	349	1.14
5845MHz	Pass	PK	5.8534G	118.76	Inf	-Inf	3	Vertical	349	1.14
5845MHz	Pass	PK	5.947G	60.88	88.20	-27.32	3	Vertical	349	1.14



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	AV	5.8522G	110.47	Inf	-Inf	3	Horizontal	360	3.00
5845MHz	Pass	AV	5.9494G	49.80	68.20	-18.40	3	Horizontal	360	3.00
5845MHz	Pass	PK	5.623G	57.38	68.20	-10.82	3	Horizontal	360	3.00
5845MHz	Pass	PK	5.8522G	118.96	Inf	-Inf	3	Horizontal	360	3.00
5845MHz	Pass	PK	5.9866G	60.54	88.20	-27.66	3	Horizontal	360	3.00
5845MHz	Pass	AV	11.6886G	43.20	54.00	-10.80	3	Vertical	115	2.67
5845MHz	Pass	AV	17.52628G	46.20	68.20	-22.00	3	Vertical	46	2.71
5845MHz	Pass	PK	11.6854G	53.89	74.00	-20.11	3	Vertical	115	2.67
5845MHz	Pass	PK	17.53824G	57.38	88.20	-30.82	3	Vertical	46	2.71
5845MHz	Pass	AV	11.69396G	43.05	54.00	-10.95	3	Horizontal	59	1.50
5845MHz	Pass	AV	17.5356G	46.22	68.20	-21.98	3	Horizontal	25	1.21
5845MHz	Pass	PK	11.69632G	53.47	74.00	-20.53	3	Horizontal	59	1.50
5845MHz	Pass	PK	17.53904G	57.15	88.20	-31.05	3	Horizontal	25	1.21
5865MHz	Pass	AV	5.8734G	110.34	Inf	-Inf	3	Vertical	0	1.93
5865MHz	Pass	AV	6.0186G	50.83	68.20	-17.37	3	Vertical	0	1.93
5865MHz	Pass	PK	5.6238G	57.50	68.20	-10.70	3	Vertical	0	1.93
5865MHz	Pass	PK	5.871G	119.20	Inf	-Inf	3	Vertical	0	1.93
5865MHz	Pass	PK	6.0342G	61.33	88.20	-26.87	3	Vertical	0	1.93
5865MHz	Pass	AV	5.8734G	110.38	Inf	-Inf	3	Horizontal	358	2.23
5865MHz	Pass	AV	5.979G	49.89	68.20	-18.31	3	Horizontal	358	2.23
5865MHz	Pass	PK	5.5926G	57.35	68.20	-10.85	3	Horizontal	358	2.23
5865MHz	Pass	PK	5.8734G	119.71	Inf	-Inf	3	Horizontal	358	2.23
5865MHz	Pass	PK	6.0378G	61.19	88.20	-27.01	3	Horizontal	358	2.23
5865MHz	Pass	AV	11.73072G	43.41	54.00	-10.59	3	Vertical	282	2.40
5865MHz	Pass	AV	17.59688G	46.61	68.20	-21.59	3	Vertical	202	2.75
5865MHz	Pass	PK	11.73252G	53.66	74.00	-20.34	3	Vertical	282	2.40
5865MHz	Pass	PK	17.59292G	56.93	88.20	-31.27	3	Vertical	202	2.75
5865MHz	Pass	AV	11.7392G	43.28	54.00	-10.72	3	Horizontal	353	1.63
5865MHz	Pass	AV	17.60396G	46.40	68.20	-21.80	3	Horizontal	38	2.69
5865MHz	Pass	PK	11.72016G	53.30	74.00	-20.70	3	Horizontal	353	1.63
5865MHz	Pass	PK	17.60384G	57.22	88.20	-30.98	3	Horizontal	38	2.69
5885MHz	Pass	AV	5.8934G	105.09	Inf	-Inf	3	Vertical	350	1.12
5885MHz	Pass	AV	5.8958G	87.36	89.61	-2.25	3	Vertical	350	1.12
5885MHz	Pass	PK	5.6198G	57.40	68.20	-10.80	3	Vertical	350	1.12
5885MHz	Pass	PK	5.891G	113.77	Inf	-Inf	3	Vertical	350	1.12
5885MHz	Pass	PK	5.8958G	99.54	109.61	-10.07	3	Vertical	350	1.12
5885MHz	Pass	AV	5.8934G	105.55	Inf	-Inf	3	Horizontal	360	2.93
5885MHz	Pass	AV	5.8958G	88.07	89.61	-1.54	3	Horizontal	360	2.93
5885MHz	Pass	PK	5.6486G	56.95	68.20	-11.25	3	Horizontal	360	2.93
5885MHz	Pass	PK	5.891G	114.34	Inf	-Inf	3	Horizontal	360	2.93
5885MHz	Pass	PK	5.8958G	97.68	109.61	-11.93	3	Horizontal	360	2.93
5885MHz	Pass	AV	11.77932G	43.28	54.00	-10.72	3	Vertical	47	2.12
5885MHz	Pass	AV	17.65872G	47.10	68.20	-21.10	3	Vertical	317	2.97
5885MHz	Pass	PK	11.768G	53.33	74.00	-20.67	3	Vertical	47	2.12
5885MHz	Pass	PK	17.651G	57.08	88.20	-31.12	3	Vertical	317	2.97
5885MHz	Pass	AV	11.77712G	43.18	54.00	-10.82	3	Horizontal	172	2.95
5885MHz	Pass	AV	17.66468G	46.81	68.20	-21.39	3	Horizontal	360	2.81
5885MHz	Pass	PK	11.7632G	53.75	74.00	-20.25	3	Horizontal	172	2.95
5885MHz	Pass	PK	17.65104G	57.79	88.20	-30.41	3	Horizontal	360	2.81
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8474G	107.57	Inf	-Inf	3	Vertical	0	1.98
5845MHz	Pass	AV	5.9902G	50.28	68.20	-17.92	3	Vertical	0	1.98
5845MHz	Pass	PK	5.6362G	57.88	68.20	-10.32	3	Vertical	0	1.98
5845MHz	Pass	PK	5.851G	116.74	Inf	-Inf	3	Vertical	0	1.98
5845MHz	Pass	PK	5.9902G	60.86	88.20	-27.34	3	Vertical	0	1.98
5845MHz	Pass	AV	5.8522G	107.88	Inf	-Inf	3	Horizontal	360	2.96
5845MHz	Pass	AV	5.9482G	49.99	68.20	-18.21	3	Horizontal	360	2.96
5845MHz	Pass	PK	5.6374G	57.81	68.20	-10.39	3	Horizontal	360	2.96
5845MHz	Pass	PK	5.851G	117.75	Inf	-Inf	3	Horizontal	360	2.96
5845MHz	Pass	PK	5.989G	60.32	88.20	-27.88	3	Horizontal	360	2.96
5845MHz	Pass	AV	11.69732G	43.30	54.00	-10.70	3	Vertical	122	1.15
5845MHz	Pass	AV	17.5438G	46.28	68.20	-21.92	3	Vertical	13	1.71



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	PK	11.6914G	53.47	74.00	-20.53	3	Vertical	122	1.15
5845MHz	Pass	PK	17.54136G	56.91	88.20	-31.29	3	Vertical	13	1.71
5845MHz	Pass	AV	11.68348G	42.94	54.00	-11.06	3	Horizontal	107	1.78
5845MHz	Pass	AV	17.54024G	46.43	68.20	-21.77	3	Horizontal	253	1.24
5845MHz	Pass	PK	11.69904G	52.89	74.00	-21.11	3	Horizontal	107	1.78
5845MHz	Pass	PK	17.52868G	56.77	88.20	-31.43	3	Horizontal	253	1.24
5865MHz	Pass	AV	5.8686G	107.76	Inf	-Inf	3	Vertical	0	1.95
5865MHz	Pass	AV	6.0162G	50.88	68.20	-17.32	3	Vertical	0	1.95
5865MHz	Pass	PK	5.6202G	57.87	68.20	-10.33	3	Vertical	0	1.95
5865MHz	Pass	PK	5.8722G	117.11	Inf	-Inf	3	Vertical	0	1.95
5865MHz	Pass	PK	6.0522G	60.90	88.20	-27.30	3	Vertical	0	1.95
5865MHz	Pass	AV	5.8686G	107.72	Inf	-Inf	3	Horizontal	360	2.96
5865MHz	Pass	AV	6.0126G	50.10	68.20	-18.10	3	Horizontal	360	2.96
5865MHz	Pass	PK	5.6418G	58.56	68.20	-9.64	3	Horizontal	360	2.96
5865MHz	Pass	PK	5.8686G	117.09	Inf	-Inf	3	Horizontal	360	2.96
5865MHz	Pass	PK	5.943G	60.27	88.20	-27.93	3	Horizontal	360	2.96
5865MHz	Pass	AV	11.7294G	43.16	54.00	-10.84	3	Vertical	151	2.36
5865MHz	Pass	AV	17.604G	46.43	68.20	-21.77	3	Vertical	112	2.57
5865MHz	Pass	PK	11.7248G	53.91	74.00	-20.09	3	Vertical	151	2.36
5865MHz	Pass	PK	17.59948G	57.34	88.20	-30.86	3	Vertical	112	2.57
5865MHz	Pass	AV	11.7398G	43.14	54.00	-10.86	3	Horizontal	118	2.04
5865MHz	Pass	AV	17.60376G	46.62	68.20	-21.58	3	Horizontal	63	2.54
5865MHz	Pass	PK	11.72748G	53.37	74.00	-20.63	3	Horizontal	118	2.04
5865MHz	Pass	PK	17.58936G	56.48	88.20	-31.72	3	Horizontal	63	2.54
5885MHz	Pass	AV	5.8874G	103.60	Inf	-Inf	3	Vertical	348	1.12
5885MHz	Pass	AV	5.8958G	86.55	89.61	-3.06	3	Vertical	348	1.12
5885MHz	Pass	PK	5.6306G	57.39	68.20	-10.81	3	Vertical	348	1.12
5885MHz	Pass	PK	5.8934G	113.74	Inf	-Inf	3	Vertical	348	1.12
5885MHz	Pass	PK	5.8958G	96.00	109.61	-13.61	3	Vertical	348	1.12
5885MHz	Pass	AV	5.8886G	103.73	Inf	-Inf	3	Horizontal	360	2.94
5885MHz	Pass	AV	5.8958G	87.58	89.61	-2.03	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.6114G	57.66	68.20	-10.54	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.8874G	112.37	Inf	-Inf	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.8958G	95.46	109.61	-14.15	3	Horizontal	360	2.94
5885MHz	Pass	AV	11.76772G	43.76	54.00	-10.24	3	Vertical	165	1.61
5885MHz	Pass	AV	17.6601G	46.77	68.20	-21.43	3	Vertical	31	2.25
5885MHz	Pass	PK	11.77584G	52.89	74.00	-21.11	3	Vertical	165	1.61
5885MHz	Pass	PK	17.65728G	57.08	88.20	-31.12	3	Vertical	31	2.25
5885MHz	Pass	AV	11.77072G	43.36	54.00	-10.64	3	Horizontal	34	2.54
5885MHz	Pass	AV	17.6464G	46.78	68.20	-21.42	3	Horizontal	251	2.39
5885MHz	Pass	PK	11.76748G	54.76	74.00	-19.24	3	Horizontal	34	2.54
5885MHz	Pass	PK	17.65792G	57.82	88.20	-30.38	3	Horizontal	251	2.39
802.11ax HEW20_Nss1,(MCS0)_RU 26,#RU 8_ITX(Port1)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8534G	109.31	Inf	-Inf	3	Vertical	354	1.97
5845MHz	Pass	AV	6.037G	47.51	68.20	-20.69	3	Vertical	354	1.97
5845MHz	Pass	PK	5.6386G	56.97	68.20	-11.23	3	Vertical	354	1.97
5845MHz	Pass	PK	5.8522G	118.05	Inf	-Inf	3	Vertical	354	1.97
5845MHz	Pass	PK	5.9374G	58.69	88.20	-29.51	3	Vertical	354	1.97
5845MHz	Pass	AV	5.8534G	107.87	Inf	-Inf	3	Horizontal	356	1.50
5845MHz	Pass	AV	6.0202G	46.65	68.20	-21.55	3	Horizontal	356	1.50
5845MHz	Pass	PK	5.641G	56.94	68.20	-11.26	3	Horizontal	356	1.50
5845MHz	Pass	PK	5.8534G	116.29	Inf	-Inf	3	Horizontal	356	1.50
5845MHz	Pass	PK	5.9746G	57.62	88.20	-30.58	3	Horizontal	356	1.50
5845MHz	Pass	AV	11.76568G	41.46	54.00	-12.54	3	Vertical	83	1.32
5845MHz	Pass	AV	17.59076G	47.27	68.20	-20.93	3	Vertical	348	1.11
5845MHz	Pass	PK	11.7796G	52.59	74.00	-21.41	3	Vertical	83	1.32
5845MHz	Pass	PK	17.60188G	56.42	88.20	-31.78	3	Vertical	348	1.11
5845MHz	Pass	AV	11.7052G	41.55	54.00	-12.45	3	Horizontal	157	2.91
5845MHz	Pass	AV	17.615G	45.32	68.20	-22.88	3	Horizontal	269	1.83
5845MHz	Pass	PK	11.6964G	52.97	74.00	-21.03	3	Horizontal	157	2.91
5845MHz	Pass	PK	17.59044G	56.56	88.20	-31.64	3	Horizontal	269	1.83
5865MHz	Pass	AV	5.8734G	108.52	Inf	-Inf	3	Vertical	351	1.12



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	AV	6.0642G	47.51	68.20	-20.69	3	Vertical	351	1.12
5865MHz	Pass	PK	5.5902G	56.86	68.20	-11.34	3	Vertical	351	1.12
5865MHz	Pass	PK	5.8734G	116.59	Inf	-Inf	3	Vertical	351	1.12
5865MHz	Pass	PK	6.069G	58.47	88.20	-29.73	3	Vertical	351	1.12
5865MHz	Pass	AV	5.8734G	107.63	Inf	-Inf	3	Horizontal	356	1.48
5865MHz	Pass	AV	6.0354G	46.85	68.20	-21.35	3	Horizontal	356	1.48
5865MHz	Pass	PK	5.607G	57.06	68.20	-11.14	3	Horizontal	356	1.48
5865MHz	Pass	PK	5.8722G	115.77	Inf	-Inf	3	Horizontal	356	1.48
5865MHz	Pass	PK	5.9526G	58.38	88.20	-29.82	3	Horizontal	356	1.48
5865MHz	Pass	AV	11.7484G	41.45	54.00	-12.55	3	Vertical	8	2.28
5865MHz	Pass	AV	17.66444G	45.49	68.20	-22.71	3	Vertical	20	1.10
5865MHz	Pass	PK	11.73368G	52.93	74.00	-21.07	3	Vertical	8	2.28
5865MHz	Pass	PK	17.63052G	56.64	88.20	-31.56	3	Vertical	20	1.10
5865MHz	Pass	AV	11.76424G	41.49	54.00	-12.51	3	Horizontal	307	1.39
5865MHz	Pass	AV	17.64332G	45.44	68.20	-22.76	3	Horizontal	32	1.91
5865MHz	Pass	PK	11.79912G	52.39	74.00	-21.61	3	Horizontal	307	1.39
5865MHz	Pass	PK	17.63596G	56.22	88.20	-31.98	3	Horizontal	32	1.91
5885MHz	Pass	AV	5.8934G	105.38	Inf	-Inf	3	Vertical	354	1.42
5885MHz	Pass	AV	5.8958G	87.66	89.61	-1.95	3	Vertical	354	1.42
5885MHz	Pass	PK	5.5934G	56.11	68.20	-12.09	3	Vertical	354	1.42
5885MHz	Pass	PK	5.8922G	113.51	Inf	-Inf	3	Vertical	354	1.42
5885MHz	Pass	PK	5.8958G	100.56	109.61	-9.05	3	Vertical	354	1.42
5885MHz	Pass	AV	5.8934G	103.60	Inf	-Inf	3	Horizontal	360	2.92
5885MHz	Pass	AV	5.8958G	85.84	89.61	-3.77	3	Horizontal	360	2.92
5885MHz	Pass	PK	5.6378G	57.19	68.20	-11.01	3	Horizontal	360	2.92
5885MHz	Pass	PK	5.8922G	112.05	Inf	-Inf	3	Horizontal	360	2.92
5885MHz	Pass	PK	5.8958G	98.23	109.61	-11.38	3	Horizontal	360	2.92
5885MHz	Pass	AV	11.82376G	41.52	54.00	-12.48	3	Vertical	93	1.98
5885MHz	Pass	AV	17.735G	45.99	54.00	-8.01	3	Vertical	130	1.68
5885MHz	Pass	PK	11.76728G	52.93	74.00	-21.07	3	Vertical	93	1.98
5885MHz	Pass	PK	17.63788G	57.27	108.20	-50.93	3	Vertical	130	1.68
5885MHz	Pass	AV	11.7828G	41.47	54.00	-12.53	3	Horizontal	58	2.23
5885MHz	Pass	AV	17.7334G	45.91	54.00	-8.09	3	Horizontal	98	1.71
5885MHz	Pass	PK	11.84968G	53.88	74.00	-20.12	3	Horizontal	58	2.23
5885MHz	Pass	PK	17.73308G	57.45	74.00	-16.55	3	Horizontal	98	1.71
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8522G	106.73	Inf	-Inf	3	Vertical	355	2.02
5845MHz	Pass	AV	6.0238G	46.82	68.20	-21.38	3	Vertical	355	2.02
5845MHz	Pass	PK	5.6386G	57.29	68.20	-10.91	3	Vertical	355	2.02
5845MHz	Pass	PK	5.851G	116.38	Inf	-Inf	3	Vertical	355	2.02
5845MHz	Pass	PK	5.9494G	58.12	88.20	-30.08	3	Vertical	355	2.02
5845MHz	Pass	AV	5.8522G	105.40	Inf	-Inf	3	Horizontal	360	1.50
5845MHz	Pass	AV	5.9386G	46.44	68.20	-21.76	3	Horizontal	360	1.50
5845MHz	Pass	PK	5.6266G	56.41	68.20	-11.79	3	Horizontal	360	1.50
5845MHz	Pass	PK	5.851G	115.10	Inf	-Inf	3	Horizontal	360	1.50
5845MHz	Pass	PK	5.9422G	58.40	88.20	-29.80	3	Horizontal	360	1.50
5845MHz	Pass	AV	11.61176G	40.79	54.00	-13.21	3	Vertical	203	2.92
5845MHz	Pass	AV	17.61372G	45.35	68.20	-22.85	3	Vertical	35	2.80
5845MHz	Pass	PK	11.6284G	50.39	74.00	-23.61	3	Vertical	203	2.92
5845MHz	Pass	PK	17.605G	54.26	88.20	-33.94	3	Vertical	35	2.80
5845MHz	Pass	AV	11.77776G	41.49	54.00	-12.51	3	Horizontal	273	1.67
5845MHz	Pass	AV	17.57164G	45.69	68.20	-22.51	3	Horizontal	337	1.54
5845MHz	Pass	PK	11.77328G	53.01	74.00	-20.99	3	Horizontal	273	1.67
5845MHz	Pass	PK	17.5716G	56.78	88.20	-31.42	3	Horizontal	337	1.54
5865MHz	Pass	AV	5.8722G	106.49	Inf	-Inf	3	Vertical	354	2.06
5865MHz	Pass	AV	6.051G	46.80	68.20	-21.40	3	Vertical	354	2.06
5865MHz	Pass	PK	5.6046G	56.90	68.20	-11.30	3	Vertical	354	2.06
5865MHz	Pass	PK	5.8734G	116.09	Inf	-Inf	3	Vertical	354	2.06
5865MHz	Pass	PK	6.0066G	58.99	88.20	-29.21	3	Vertical	354	2.06
5865MHz	Pass	AV	5.8722G	104.92	Inf	-Inf	3	Horizontal	357	1.47
5865MHz	Pass	AV	5.925G	46.42	68.20	-21.78	3	Horizontal	357	1.47
5865MHz	Pass	PK	5.5866G	57.03	68.20	-11.17	3	Horizontal	357	1.47



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	PK	5.8722G	114.93	Inf	-Inf	3	Horizontal	357	1.47
5865MHz	Pass	PK	5.9598G	58.26	88.20	-29.94	3	Horizontal	357	1.47
5865MHz	Pass	AV	11.76008G	41.46	54.00	-12.54	3	Vertical	304	2.79
5865MHz	Pass	AV	17.57244G	46.76	68.20	-21.44	3	Vertical	173	2.54
5865MHz	Pass	PK	11.69336G	52.93	74.00	-21.07	3	Vertical	304	2.79
5865MHz	Pass	PK	17.5726G	56.63	88.20	-31.57	3	Vertical	173	2.54
5865MHz	Pass	AV	11.65352G	40.96	54.00	-13.04	3	Horizontal	28	2.47
5865MHz	Pass	AV	17.64268G	45.43	68.20	-22.77	3	Horizontal	292	2.32
5865MHz	Pass	PK	11.69192G	52.52	74.00	-21.48	3	Horizontal	28	2.47
5865MHz	Pass	PK	17.64492G	56.56	88.20	-31.64	3	Horizontal	292	2.32
5885MHz	Pass	AV	5.8922G	105.16	Inf	-Inf	3	Vertical	355	1.42
5885MHz	Pass	AV	5.8958G	87.82	89.61	-1.79	3	Vertical	355	1.42
5885MHz	Pass	PK	5.6138G	56.40	68.20	-11.80	3	Vertical	355	1.42
5885MHz	Pass	PK	5.8922G	113.90	Inf	-Inf	3	Vertical	355	1.42
5885MHz	Pass	PK	5.8958G	101.62	109.61	-7.99	3	Vertical	355	1.42
5885MHz	Pass	AV	5.8922G	103.19	Inf	-Inf	3	Horizontal	356	1.50
5885MHz	Pass	AV	5.8958G	85.67	89.61	-3.94	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.6414G	57.09	68.20	-11.11	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.8922G	111.65	Inf	-Inf	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.8958G	96.83	109.61	-12.78	3	Horizontal	356	1.50
5885MHz	Pass	AV	11.694G	41.07	54.00	-12.93	3	Vertical	126	1.29
5885MHz	Pass	AV	17.735G	46.03	54.00	-7.97	3	Vertical	298	1.50
5885MHz	Pass	PK	11.74984G	53.47	74.00	-20.53	3	Vertical	126	1.29
5885MHz	Pass	PK	17.73324G	57.19	74.00	-16.81	3	Vertical	298	1.50
5885MHz	Pass	AV	11.8068G	41.46	54.00	-12.54	3	Horizontal	38	2.62
5885MHz	Pass	AV	17.72732G	45.96	54.00	-8.04	3	Horizontal	128	1.43
5885MHz	Pass	PK	11.76392G	52.49	74.00	-21.51	3	Horizontal	38	2.62
5885MHz	Pass	PK	17.71748G	56.54	74.00	-17.46	3	Horizontal	128	1.43
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8498G	104.01	Inf	-Inf	3	Vertical	354	1.97
5845MHz	Pass	AV	6.031G	46.92	68.20	-21.28	3	Vertical	354	1.97
5845MHz	Pass	PK	5.6386G	57.54	68.20	-10.66	3	Vertical	354	1.97
5845MHz	Pass	PK	5.8498G	114.54	Inf	-Inf	3	Vertical	354	1.97
5845MHz	Pass	PK	5.9794G	59.02	88.20	-29.18	3	Vertical	354	1.97
5845MHz	Pass	AV	5.8486G	102.63	Inf	-Inf	3	Horizontal	357	1.50
5845MHz	Pass	AV	5.9254G	46.50	68.20	-21.70	3	Horizontal	357	1.50
5845MHz	Pass	PK	5.551G	56.25	68.20	-11.95	3	Horizontal	357	1.50
5845MHz	Pass	PK	5.8486G	112.79	Inf	-Inf	3	Horizontal	357	1.50
5845MHz	Pass	PK	6.0334G	57.77	88.20	-30.43	3	Horizontal	357	1.50
5845MHz	Pass	AV	11.64248G	41.39	54.00	-12.61	3	Vertical	243	1.42
5845MHz	Pass	AV	17.61164G	45.32	68.20	-22.88	3	Vertical	73	1.29
5845MHz	Pass	PK	11.64184G	52.36	74.00	-21.64	3	Vertical	243	1.42
5845MHz	Pass	PK	17.60828G	56.51	88.20	-31.69	3	Vertical	73	1.29
5845MHz	Pass	AV	11.75976G	41.49	54.00	-12.51	3	Horizontal	265	1.94
5845MHz	Pass	AV	17.6134G	45.29	68.20	-22.91	3	Horizontal	263	2.82
5845MHz	Pass	PK	11.682G	53.12	74.00	-20.88	3	Horizontal	265	1.94
5845MHz	Pass	PK	17.60044G	56.19	88.20	-32.01	3	Horizontal	263	2.82
5865MHz	Pass	AV	5.871G	104.07	Inf	-Inf	3	Vertical	354	1.98
5865MHz	Pass	AV	6.0402G	47.12	68.20	-21.08	3	Vertical	354	1.98
5865MHz	Pass	PK	5.6478G	57.44	68.20	-10.76	3	Vertical	354	1.98
5865MHz	Pass	PK	5.871G	114.06	Inf	-Inf	3	Vertical	354	1.98
5865MHz	Pass	PK	6.0354G	58.71	88.20	-29.49	3	Vertical	354	1.98
5865MHz	Pass	AV	5.8674G	103.30	Inf	-Inf	3	Horizontal	7	2.94
5865MHz	Pass	AV	5.949G	46.43	68.20	-21.77	3	Horizontal	7	2.94
5865MHz	Pass	PK	5.6418G	56.55	68.20	-11.65	3	Horizontal	7	2.94
5865MHz	Pass	PK	5.8698G	114.75	Inf	-Inf	3	Horizontal	7	2.94
5865MHz	Pass	PK	5.9838G	58.79	88.20	-29.41	3	Horizontal	7	2.94
5865MHz	Pass	AV	11.76328G	41.45	54.00	-12.55	3	Vertical	299	2.26
5865MHz	Pass	AV	17.63996G	46.18	68.20	-22.02	3	Vertical	136	2.14
5865MHz	Pass	PK	11.70488G	53.40	74.00	-20.60	3	Vertical	299	2.26
5865MHz	Pass	PK	17.61948G	56.58	88.20	-31.62	3	Vertical	136	2.14
5865MHz	Pass	AV	11.75688G	41.48	54.00	-12.52	3	Horizontal	189	2.20



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	AV	17.63692G	45.51	68.20	-22.69	3	Horizontal	335	2.84
5865MHz	Pass	PK	11.80616G	52.54	74.00	-21.46	3	Horizontal	189	2.20
5865MHz	Pass	PK	17.6558G	56.73	88.20	-31.47	3	Horizontal	335	2.84
5885MHz	Pass	AV	5.891G	103.56	Inf	-Inf	3	Vertical	354	2.02
5885MHz	Pass	AV	5.8958G	87.34	89.61	-2.27	3	Vertical	354	2.02
5885MHz	Pass	PK	5.6474G	56.30	68.20	-11.90	3	Vertical	354	2.02
5885MHz	Pass	PK	5.8898G	114.59	Inf	-Inf	3	Vertical	354	2.02
5885MHz	Pass	PK	5.8958G	100.85	109.61	-8.76	3	Vertical	354	2.02
5885MHz	Pass	AV	5.891G	102.04	Inf	-Inf	3	Horizontal	356	1.50
5885MHz	Pass	AV	5.8958G	85.84	89.61	-3.77	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.5958G	56.10	68.20	-12.10	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.8898G	113.16	Inf	-Inf	3	Horizontal	356	1.50
5885MHz	Pass	PK	5.8958G	96.81	109.61	-12.80	3	Horizontal	356	1.50
5885MHz	Pass	AV	11.75704G	41.46	54.00	-12.54	3	Vertical	9	1.36
5885MHz	Pass	AV	17.63788G	46.18	68.20	-22.02	3	Vertical	360	1.21
5885MHz	Pass	PK	11.6948G	53.32	74.00	-20.68	3	Vertical	9	1.36
5885MHz	Pass	PK	17.72476G	57.52	74.00	-16.48	3	Vertical	360	1.21
5885MHz	Pass	AV	11.81832G	41.47	54.00	-12.53	3	Horizontal	270	1.61
5885MHz	Pass	AV	17.73468G	46.06	54.00	-7.94	3	Horizontal	8	2.13
5885MHz	Pass	PK	11.84552G	53.04	74.00	-20.96	3	Horizontal	270	1.61
5885MHz	Pass	PK	17.66828G	56.87	88.20	-31.33	3	Horizontal	8	2.13
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8534G	109.06	Inf	-Inf	3	Vertical	9	1.25
5845MHz	Pass	AV	6.0034G	46.80	68.20	-21.40	3	Vertical	9	1.25
5845MHz	Pass	PK	5.581G	57.81	68.20	-10.39	3	Vertical	9	1.25
5845MHz	Pass	PK	5.8534G	117.34	Inf	-Inf	3	Vertical	9	1.25
5845MHz	Pass	PK	5.9434G	58.07	88.20	-30.13	3	Vertical	9	1.25
5845MHz	Pass	AV	5.8534G	108.93	Inf	-Inf	3	Horizontal	4	1.42
5845MHz	Pass	AV	6.0118G	46.79	68.20	-21.41	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.647G	56.79	68.20	-11.41	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.8534G	117.03	Inf	-Inf	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.9254G	58.22	88.20	-29.98	3	Horizontal	4	1.42
5845MHz	Pass	AV	11.75992G	41.55	54.00	-12.45	3	Vertical	163	1.40
5845MHz	Pass	AV	17.61404G	45.37	68.20	-22.83	3	Vertical	245	2.38
5845MHz	Pass	PK	11.66888G	52.89	74.00	-21.11	3	Vertical	163	1.40
5845MHz	Pass	PK	17.47404G	56.23	88.20	-31.97	3	Vertical	245	2.38
5845MHz	Pass	AV	11.74472G	41.45	54.00	-12.55	3	Horizontal	260	1.18
5845MHz	Pass	AV	17.61308G	45.34	68.20	-22.86	3	Horizontal	8	1.69
5845MHz	Pass	PK	11.73224G	53.26	74.00	-20.74	3	Horizontal	260	1.18
5845MHz	Pass	PK	17.4998G	56.48	88.20	-31.72	3	Horizontal	8	1.69
5865MHz	Pass	AV	5.8734G	108.26	Inf	-Inf	3	Vertical	9	1.26
5865MHz	Pass	AV	6.0114G	46.76	68.20	-21.44	3	Vertical	9	1.26
5865MHz	Pass	PK	5.6034G	56.37	68.20	-11.83	3	Vertical	9	1.26
5865MHz	Pass	PK	5.8722G	116.50	Inf	-Inf	3	Vertical	9	1.26
5865MHz	Pass	PK	5.9574G	57.99	88.20	-30.21	3	Vertical	9	1.26
5865MHz	Pass	AV	5.8734G	108.61	Inf	-Inf	3	Horizontal	4	1.39
5865MHz	Pass	AV	6.0318G	46.71	68.20	-21.49	3	Horizontal	4	1.39
5865MHz	Pass	PK	5.6322G	57.26	68.20	-10.94	3	Horizontal	4	1.39
5865MHz	Pass	PK	5.8734G	117.10	Inf	-Inf	3	Horizontal	4	1.39
5865MHz	Pass	PK	5.9502G	58.51	88.20	-29.69	3	Horizontal	4	1.39
5865MHz	Pass	AV	11.76008G	41.46	54.00	-12.54	3	Vertical	336	2.21
5865MHz	Pass	AV	17.63948G	46.17	68.20	-22.03	3	Vertical	355	1.63
5865MHz	Pass	PK	11.67016G	52.84	74.00	-21.16	3	Vertical	336	2.21
5865MHz	Pass	PK	17.64108G	56.52	88.20	-31.68	3	Vertical	355	1.63
5865MHz	Pass	AV	11.75528G	41.48	54.00	-12.52	3	Horizontal	328	1.78
5865MHz	Pass	AV	17.64076G	45.54	68.20	-22.66	3	Horizontal	143	1.20
5865MHz	Pass	PK	11.72904G	52.57	74.00	-21.43	3	Horizontal	328	1.78
5865MHz	Pass	PK	17.64972G	56.40	88.20	-31.80	3	Horizontal	143	1.20
5885MHz	Pass	AV	5.8934G	105.60	Inf	-Inf	3	Vertical	10	1.42
5885MHz	Pass	AV	5.8958G	87.92	89.61	-1.69	3	Vertical	10	1.42
5885MHz	Pass	PK	5.6258G	56.95	68.20	-11.25	3	Vertical	10	1.42
5885MHz	Pass	PK	5.8934G	112.31	Inf	-Inf	3	Vertical	10	1.42





RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5885MHz	Pass	PK	5.8958G	98.73	109.61	-10.88	3	Vertical	10	1.42
5885MHz	Pass	AV	5.8934G	105.72	Inf	-Inf	3	Horizontal	2	1.50
5885MHz	Pass	AV	5.8958G	87.96	89.61	-1.65	3	Horizontal	2	1.50
5885MHz	Pass	PK	5.6042G	56.88	68.20	-11.32	3	Horizontal	2	1.50
5885MHz	Pass	PK	5.8934G	112.58	Inf	-Inf	3	Horizontal	2	1.50
5885MHz	Pass	PK	5.8958G	100.62	109.61	-8.99	3	Horizontal	2	1.50
5885MHz	Pass	AV	11.76456G	41.52	54.00	-12.48	3	Vertical	148	2.87
5885MHz	Pass	AV	17.63868G	46.12	68.20	-22.08	3	Vertical	209	1.17
5885MHz	Pass	PK	11.70792G	52.98	74.00	-21.02	3	Vertical	148	2.87
5885MHz	Pass	PK	17.64428G	57.39	88.20	-30.81	3	Vertical	209	1.17
5885MHz	Pass	AV	11.75628G	41.51	54.00	-12.49	3	Horizontal	312	1.26
5885MHz	Pass	AV	17.72796G	45.97	54.00	-8.03	3	Horizontal	338	1.55
5885MHz	Pass	PK	11.72168G	53.00	74.00	-21.00	3	Horizontal	312	1.26
5885MHz	Pass	PK	17.735G	57.19	74.00	-16.81	3	Horizontal	338	1.55
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8522G	106.60	Inf	-Inf	3	Vertical	10	1.25
5845MHz	Pass	AV	5.9278G	46.60	68.20	-21.60	3	Vertical	10	1.25
5845MHz	Pass	PK	5.617G	56.54	68.20	-11.66	3	Vertical	10	1.25
5845MHz	Pass	PK	5.8522G	116.42	Inf	-Inf	3	Vertical	10	1.25
5845MHz	Pass	PK	6.0034G	58.40	88.20	-29.80	3	Vertical	10	1.25
5845MHz	Pass	AV	5.8522G	106.48	Inf	-Inf	3	Horizontal	4	1.42
5845MHz	Pass	AV	5.9278G	46.55	68.20	-21.65	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.6386G	57.73	68.20	-10.47	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.851G	116.85	Inf	-Inf	3	Horizontal	4	1.42
5845MHz	Pass	PK	5.959G	58.27	88.20	-29.93	3	Horizontal	4	1.42
5845MHz	Pass	AV	11.7588G	41.46	54.00	-12.54	3	Vertical	7	1.19
5845MHz	Pass	AV	17.61244G	45.39	68.20	-22.81	3	Vertical	186	2.67
5845MHz	Pass	PK	11.6516G	52.69	74.00	-21.31	3	Vertical	7	1.19
5845MHz	Pass	PK	17.59244G	57.02	88.20	-31.18	3	Vertical	186	2.67
5845MHz	Pass	AV	11.76616G	41.45	54.00	-12.55	3	Horizontal	83	1.71
5845MHz	Pass	AV	17.61404G	45.35	68.20	-22.85	3	Horizontal	264	1.38
5845MHz	Pass	PK	11.74728G	53.63	74.00	-20.37	3	Horizontal	83	1.71
5845MHz	Pass	PK	17.56924G	56.36	88.20	-31.84	3	Horizontal	264	1.38
5865MHz	Pass	AV	5.8734G	105.89	Inf	-Inf	3	Vertical	9	2.08
5865MHz	Pass	AV	5.9262G	46.74	68.20	-21.46	3	Vertical	9	2.08
5865MHz	Pass	PK	5.6034G	56.70	68.20	-11.50	3	Vertical	9	2.08
5865MHz	Pass	PK	5.8734G	115.52	Inf	-Inf	3	Vertical	9	2.08
5865MHz	Pass	PK	5.9754G	58.50	88.20	-29.70	3	Vertical	9	2.08
5865MHz	Pass	AV	5.8722G	106.25	Inf	-Inf	3	Horizontal	6	1.39
5865MHz	Pass	AV	5.9406G	46.64	68.20	-21.56	3	Horizontal	6	1.39
5865MHz	Pass	PK	5.577G	56.56	68.20	-11.64	3	Horizontal	6	1.39
5865MHz	Pass	PK	5.871G	116.24	Inf	-Inf	3	Horizontal	6	1.39
5865MHz	Pass	PK	6.0618G	58.10	88.20	-30.10	3	Horizontal	6	1.39
5865MHz	Pass	AV	11.76104G	41.52	54.00	-12.48	3	Vertical	254	2.18
5865MHz	Pass	AV	17.63916G	46.20	68.20	-22.00	3	Vertical	198	2.69
5865MHz	Pass	PK	11.67128G	52.17	74.00	-21.83	3	Vertical	254	2.18
5865MHz	Pass	PK	17.65308G	56.37	88.20	-31.83	3	Vertical	198	2.69
5865MHz	Pass	AV	11.7652G	41.50	54.00	-12.50	3	Horizontal	80	1.61
5865MHz	Pass	AV	17.6334G	45.53	68.20	-22.67	3	Horizontal	149	2.07
5865MHz	Pass	PK	11.70728G	53.19	74.00	-20.81	3	Horizontal	80	1.61
5865MHz	Pass	PK	17.5678G	56.57	88.20	-31.63	3	Horizontal	149	2.07
5885MHz	Pass	AV	5.8922G	105.38	Inf	-Inf	3	Vertical	9	1.43
5885MHz	Pass	AV	5.8958G	87.88	89.61	-1.73	3	Vertical	9	1.43
5885MHz	Pass	PK	5.5898G	56.78	68.20	-11.42	3	Vertical	9	1.43
5885MHz	Pass	PK	5.8922G	114.98	Inf	-Inf	3	Vertical	9	1.43
5885MHz	Pass	PK	5.8958G	99.54	109.61	-10.07	3	Vertical	9	1.43
5885MHz	Pass	AV	5.891G	105.09	Inf	-Inf	3	Horizontal	3	1.50
5885MHz	Pass	AV	5.8958G	87.90	89.61	-1.71	3	Horizontal	3	1.50
5885MHz	Pass	PK	5.645G	55.93	68.20	-12.27	3	Horizontal	3	1.50
5885MHz	Pass	PK	5.8922G	113.91	Inf	-Inf	3	Horizontal	3	1.50
5885MHz	Pass	PK	5.8958G	99.51	109.61	-10.10	3	Horizontal	3	1.50
5885MHz	Pass	AV	11.758G	41.34	54.00	-12.66	3	Vertical	19	1.76



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5885MHz	Pass	AV	17.63836G	45.81	68.20	-22.39	3	Vertical	293	2.14
5885MHz	Pass	PK	11.71224G	53.47	74.00	-20.53	3	Vertical	19	1.76
5885MHz	Pass	PK	17.71628G	56.08	74.00	-17.92	3	Vertical	293	2.14
5885MHz	Pass	AV	11.76232G	41.49	54.00	-12.51	3	Horizontal	76	1.60
5885MHz	Pass	AV	17.735G	46.05	54.00	-7.95	3	Horizontal	53	1.33
5885MHz	Pass	PK	11.84296G	52.55	74.00	-21.45	3	Horizontal	76	1.60
5885MHz	Pass	PK	17.73436G	56.92	74.00	-17.08	3	Horizontal	53	1.33
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8498G	103.97	Inf	-Inf	3	Vertical	9	1.16
5845MHz	Pass	AV	5.9278G	46.67	68.20	-21.53	3	Vertical	9	1.16
5845MHz	Pass	PK	5.6482G	56.75	68.20	-11.45	3	Vertical	9	1.16
5845MHz	Pass	PK	5.8498G	114.87	Inf	-Inf	3	Vertical	9	1.16
5845MHz	Pass	PK	6.0238G	58.30	88.20	-29.90	3	Vertical	9	1.16
5845MHz	Pass	AV	5.8474G	103.82	Inf	-Inf	3	Horizontal	5	1.50
5845MHz	Pass	AV	5.929G	46.62	68.20	-21.58	3	Horizontal	5	1.50
5845MHz	Pass	PK	5.6074G	57.13	68.20	-11.07	3	Horizontal	5	1.50
5845MHz	Pass	PK	5.851G	115.10	Inf	-Inf	3	Horizontal	5	1.50
5845MHz	Pass	PK	5.9518G	58.35	88.20	-29.85	3	Horizontal	5	1.50
5845MHz	Pass	AV	11.75336G	41.47	54.00	-12.53	3	Vertical	244	1.86
5845MHz	Pass	AV	17.61484G	45.35	68.20	-22.85	3	Vertical	60	2.72
5845MHz	Pass	PK	11.61784G	53.17	74.00	-20.83	3	Vertical	244	1.86
5845MHz	Pass	PK	17.5558G	57.47	88.20	-30.73	3	Vertical	60	2.72
5845MHz	Pass	AV	11.76488G	41.48	54.00	-12.52	3	Horizontal	205	1.06
5845MHz	Pass	AV	17.61308G	45.30	68.20	-22.90	3	Horizontal	259	1.40
5845MHz	Pass	PK	11.73416G	52.61	74.00	-21.39	3	Horizontal	205	1.06
5845MHz	Pass	PK	17.5366G	56.24	88.20	-31.96	3	Horizontal	259	1.40
5865MHz	Pass	AV	5.8698G	102.88	Inf	-Inf	3	Vertical	14	1.34
5865MHz	Pass	AV	5.925G	46.47	68.20	-21.73	3	Vertical	14	1.34
5865MHz	Pass	PK	5.6094G	56.41	68.20	-11.79	3	Vertical	14	1.34
5865MHz	Pass	PK	5.871G	114.20	Inf	-Inf	3	Vertical	14	1.34
5865MHz	Pass	PK	6.0234G	58.46	88.20	-29.74	3	Vertical	14	1.34
5865MHz	Pass	AV	5.8674G	103.67	Inf	-Inf	3	Horizontal	356	2.85
5865MHz	Pass	AV	5.9766G	46.62	68.20	-21.58	3	Horizontal	356	2.85
5865MHz	Pass	PK	5.6454G	57.12	68.20	-11.08	3	Horizontal	356	2.85
5865MHz	Pass	PK	5.8698G	114.30	Inf	-Inf	3	Horizontal	356	2.85
5865MHz	Pass	PK	6.0606G	58.27	88.20	-29.93	3	Horizontal	356	2.85
5865MHz	Pass	AV	11.74968G	41.55	54.00	-12.45	3	Vertical	288	2.82
5865MHz	Pass	AV	17.63964G	46.24	68.20	-21.96	3	Vertical	178	2.07
5865MHz	Pass	PK	11.65992G	53.50	74.00	-20.50	3	Vertical	288	2.82
5865MHz	Pass	PK	17.6286G	57.39	88.20	-30.81	3	Vertical	178	2.07
5865MHz	Pass	AV	11.77288G	41.48	54.00	-12.52	3	Horizontal	71	3.00
5865MHz	Pass	AV	17.64044G	45.57	68.20	-22.63	3	Horizontal	223	2.45
5865MHz	Pass	PK	11.68904G	52.86	74.00	-21.14	3	Horizontal	71	3.00
5865MHz	Pass	PK	17.66636G	56.46	88.20	-31.74	3	Horizontal	223	2.45
5885MHz	Pass	AV	5.8922G	103.25	Inf	-Inf	3	Vertical	9	1.24
5885MHz	Pass	AV	5.8958G	87.11	89.61	-2.50	3	Vertical	9	1.24
5885MHz	Pass	PK	5.603G	56.23	68.20	-11.97	3	Vertical	9	1.24
5885MHz	Pass	PK	5.8934G	114.38	Inf	-Inf	3	Vertical	9	1.24
5885MHz	Pass	PK	5.8958G	101.15	109.61	-8.46	3	Vertical	9	1.24
5885MHz	Pass	AV	5.8922G	103.22	Inf	-Inf	3	Horizontal	5	1.35
5885MHz	Pass	AV	5.8958G	87.04	89.61	-2.57	3	Horizontal	5	1.35
5885MHz	Pass	PK	5.591G	56.47	68.20	-11.73	3	Horizontal	5	1.35
5885MHz	Pass	PK	5.8874G	113.47	Inf	-Inf	3	Horizontal	5	1.35
5885MHz	Pass	PK	5.8958G	99.72	109.61	-9.89	3	Horizontal	5	1.35
5885MHz	Pass	AV	11.7644G	41.49	54.00	-12.51	3	Vertical	87	1.30
5885MHz	Pass	AV	17.64044G	46.28	68.20	-21.92	3	Vertical	209	1.26
5885MHz	Pass	PK	11.75784G	52.88	74.00	-21.12	3	Vertical	87	1.30
5885MHz	Pass	PK	17.70316G	57.79	74.00	-16.21	3	Vertical	209	1.26
5885MHz	Pass	AV	11.78408G	41.45	54.00	-12.55	3	Horizontal	210	2.36
5885MHz	Pass	AV	17.72892G	45.89	54.00	-8.11	3	Horizontal	220	1.32
5885MHz	Pass	PK	11.71688G	53.34	74.00	-20.66	3	Horizontal	210	2.36
5885MHz	Pass	PK	17.60508G	57.24	88.20	-30.96	3	Horizontal	220	1.32





RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8458G	101.88	Inf	-Inf	3	Vertical	355	1.96
5835MHz	Pass	AV	6.0318G	46.81	68.20	-21.39	3	Vertical	355	1.96
5835MHz	Pass	PK	5.5926G	56.39	68.20	-11.81	3	Vertical	355	1.96
5835MHz	Pass	PK	5.8458G	112.59	Inf	-Inf	3	Vertical	355	1.96
5835MHz	Pass	PK	6.0654G	58.01	88.20	-30.19	3	Vertical	355	1.96
5835MHz	Pass	AV	5.847G	100.23	Inf	-Inf	3	Horizontal	360	1.50
5835MHz	Pass	AV	5.9274G	46.48	68.20	-21.72	3	Horizontal	360	1.50
5835MHz	Pass	PK	5.6022G	56.69	68.20	-11.51	3	Horizontal	360	1.50
5835MHz	Pass	PK	5.8458G	111.42	Inf	-Inf	3	Horizontal	360	1.50
5835MHz	Pass	PK	5.9322G	57.80	88.20	-30.40	3	Horizontal	360	1.50
5835MHz	Pass	AV	11.73496G	41.36	54.00	-12.64	3	Vertical	212	2.78
5835MHz	Pass	AV	17.47412G	45.39	68.20	-22.81	3	Vertical	158	1.01
5835MHz	Pass	PK	11.66152G	52.87	74.00	-21.13	3	Vertical	212	2.78
5835MHz	Pass	PK	17.45796G	56.74	88.20	-31.46	3	Vertical	158	1.01
5835MHz	Pass	AV	11.74424G	41.43	54.00	-12.57	3	Horizontal	243	1.14
5835MHz	Pass	AV	17.553G	45.11	68.20	-23.09	3	Horizontal	217	1.02
5835MHz	Pass	PK	11.74296G	53.09	74.00	-20.91	3	Horizontal	243	1.14
5835MHz	Pass	PK	17.43044G	57.29	88.20	-30.91	3	Horizontal	217	1.02
5875MHz	Pass	AV	5.8822G	101.00	Inf	-Inf	3	Vertical	357	1.95
5875MHz	Pass	AV	5.8954G	82.24	89.91	-7.67	3	Vertical	357	1.95
5875MHz	Pass	PK	5.9666G	57.18	68.20	-11.02	3	Vertical	357	1.95
5875MHz	Pass	PK	5.881G	110.96	Inf	-Inf	3	Vertical	357	1.95
5875MHz	Pass	PK	5.8954G	94.03	109.91	-15.88	3	Vertical	357	1.95
5875MHz	Pass	AV	5.887G	99.57	Inf	-Inf	3	Horizontal	360	1.50
5875MHz	Pass	AV	5.8954G	80.61	89.91	-9.30	3	Horizontal	360	1.50
5875MHz	Pass	PK	5.6458G	56.45	68.20	-11.75	3	Horizontal	360	1.50
5875MHz	Pass	PK	5.8846G	110.64	Inf	-Inf	3	Horizontal	360	1.50
5875MHz	Pass	PK	5.8954G	90.66	109.91	-19.25	3	Horizontal	360	1.50
5875MHz	Pass	AV	11.82792G	41.52	54.00	-12.48	3	Vertical	160	1.43
5875MHz	Pass	AV	17.59972G	45.60	68.20	-22.60	3	Vertical	271	2.57
5875MHz	Pass	PK	11.70376G	52.75	74.00	-21.25	3	Vertical	160	1.43
5875MHz	Pass	PK	17.68628G	57.19	88.20	-31.01	3	Vertical	271	2.57
5875MHz	Pass	AV	11.82488G	41.47	54.00	-12.53	3	Horizontal	223	2.39
5875MHz	Pass	AV	17.70212G	45.52	54.00	-8.48	3	Horizontal	156	1.34
5875MHz	Pass	PK	11.742G	53.07	74.00	-20.93	3	Horizontal	223	2.39
5875MHz	Pass	PK	17.65444G	56.95	88.20	-31.25	3	Horizontal	156	1.34
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8422G	101.38	Inf	-Inf	3	Vertical	0	1.16
5835MHz	Pass	AV	5.925G	46.71	68.20	-21.49	3	Vertical	0	1.16
5835MHz	Pass	PK	5.5974G	57.09	68.20	-11.11	3	Vertical	0	1.16
5835MHz	Pass	PK	5.8422G	112.37	Inf	-Inf	3	Vertical	0	1.16
5835MHz	Pass	PK	5.9394G	58.31	88.20	-29.89	3	Vertical	0	1.16
5835MHz	Pass	AV	5.847G	101.35	Inf	-Inf	3	Horizontal	7	1.50
5835MHz	Pass	AV	5.925G	46.64	68.20	-21.56	3	Horizontal	7	1.50
5835MHz	Pass	PK	5.583G	56.69	68.20	-11.51	3	Horizontal	7	1.50
5835MHz	Pass	PK	5.8446G	112.52	Inf	-Inf	3	Horizontal	7	1.50
5835MHz	Pass	PK	5.9514G	57.92	88.20	-30.28	3	Horizontal	7	1.50
5835MHz	Pass	AV	11.74776G	41.47	54.00	-12.53	3	Vertical	85	2.91
5835MHz	Pass	AV	17.5834G	45.27	68.20	-22.93	3	Vertical	213	2.21
5835MHz	Pass	PK	11.69176G	53.85	74.00	-20.15	3	Vertical	85	2.91
5835MHz	Pass	PK	17.48724G	55.89	88.20	-32.31	3	Vertical	213	2.21
5835MHz	Pass	AV	11.74264G	41.38	54.00	-12.62	3	Horizontal	302	1.69
5835MHz	Pass	AV	17.55396G	45.12	68.20	-23.08	3	Horizontal	63	2.56
5835MHz	Pass	PK	11.62552G	52.35	74.00	-21.65	3	Horizontal	302	1.69
5835MHz	Pass	PK	17.57252G	56.45	88.20	-31.75	3	Horizontal	63	2.56
5875MHz	Pass	AV	5.8834G	101.12	Inf	-Inf	3	Vertical	10	1.14
5875MHz	Pass	AV	5.8954G	81.53	89.91	-8.38	3	Vertical	10	1.14
5875MHz	Pass	PK	5.5978G	56.53	68.20	-11.67	3	Vertical	10	1.14
5875MHz	Pass	PK	5.8834G	111.44	Inf	-Inf	3	Vertical	10	1.14
5875MHz	Pass	PK	5.8954G	95.34	109.91	-14.57	3	Vertical	10	1.14
5875MHz	Pass	AV	5.8822G	100.72	Inf	-Inf	3	Horizontal	8	1.41



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	AV	5.8954G	81.69	89.91	-8.22	3	Horizontal	8	1.41
5875MHz	Pass	PK	5.623G	57.51	68.20	-10.69	3	Horizontal	8	1.41
5875MHz	Pass	PK	5.8834G	111.36	Inf	-Inf	3	Horizontal	8	1.41
5875MHz	Pass	PK	5.8954G	94.15	109.91	-15.76	3	Horizontal	8	1.41
5875MHz	Pass	AV	11.77288G	41.51	54.00	-12.49	3	Vertical	182	1.57
5875MHz	Pass	AV	17.59508G	45.59	68.20	-22.61	3	Vertical	207	2.59
5875MHz	Pass	PK	11.72856G	52.94	74.00	-21.06	3	Vertical	182	1.57
5875MHz	Pass	PK	17.60148G	56.53	88.20	-31.67	3	Vertical	207	2.59
5875MHz	Pass	AV	11.77528G	41.46	54.00	-12.54	3	Horizontal	209	2.22
5875MHz	Pass	AV	17.705G	45.54	54.00	-8.46	3	Horizontal	314	1.17
5875MHz	Pass	PK	11.77688G	52.71	74.00	-21.29	3	Horizontal	209	2.22
5875MHz	Pass	PK	17.70348G	56.50	74.00	-17.50	3	Horizontal	314	1.17
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8634G	98.57	Inf	-Inf	3	Vertical	357	2.02
5855MHz	Pass	AV	5.9246G	53.52	68.49	-14.97	3	Vertical	357	2.02
5855MHz	Pass	PK	5.6462G	56.77	68.20	-11.43	3	Vertical	357	2.02
5855MHz	Pass	PK	5.8646G	109.79	Inf	-Inf	3	Vertical	357	2.02
5855MHz	Pass	PK	5.9318G	66.34	88.20	-21.86	3	Vertical	357	2.02
5855MHz	Pass	AV	5.8634G	97.35	Inf	-Inf	3	Horizontal	358	1.46
5855MHz	Pass	AV	5.9246G	51.88	68.49	-16.61	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.609G	57.21	68.20	-10.99	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.8658G	108.76	Inf	-Inf	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.9258G	64.24	88.20	-23.96	3	Horizontal	358	1.46
5855MHz	Pass	AV	11.76232G	41.43	54.00	-12.57	3	Vertical	110	1.95
5855MHz	Pass	AV	17.49452G	45.45	68.20	-22.75	3	Vertical	341	1.37
5855MHz	Pass	PK	11.70472G	52.57	74.00	-21.43	3	Vertical	110	1.95
5855MHz	Pass	PK	17.49684G	57.29	88.20	-30.91	3	Vertical	341	1.37
5855MHz	Pass	AV	11.76312G	41.50	54.00	-12.50	3	Horizontal	348	1.03
5855MHz	Pass	AV	17.62356G	45.45	68.20	-22.75	3	Horizontal	293	2.83
5855MHz	Pass	PK	11.72632G	53.00	74.00	-21.00	3	Horizontal	348	1.03
5855MHz	Pass	PK	17.6034G	56.99	88.20	-31.21	3	Horizontal	293	2.83
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8826G	97.33	Inf	-Inf	3	Vertical	8	2.08
5855MHz	Pass	AV	5.9246G	53.32	68.49	-15.17	3	Vertical	8	2.08
5855MHz	Pass	PK	5.5562G	56.31	68.20	-11.89	3	Vertical	8	2.08
5855MHz	Pass	PK	5.8634G	108.35	Inf	-Inf	3	Vertical	8	2.08
5855MHz	Pass	PK	5.9318G	64.57	88.20	-23.63	3	Vertical	8	2.08
5855MHz	Pass	AV	5.8634G	97.55	Inf	-Inf	3	Horizontal	355	2.12
5855MHz	Pass	AV	5.9258G	52.80	68.20	-15.40	3	Horizontal	355	2.12
5855MHz	Pass	PK	5.6138G	56.55	68.20	-11.65	3	Horizontal	355	2.12
5855MHz	Pass	PK	5.8706G	109.31	Inf	-Inf	3	Horizontal	355	2.12
5855MHz	Pass	PK	5.9186G	69.37	92.89	-23.52	3	Horizontal	355	2.12
5855MHz	Pass	AV	11.76616G	41.54	54.00	-12.46	3	Vertical	351	2.06
5855MHz	Pass	AV	17.62548G	45.44	68.20	-22.76	3	Vertical	258	1.33
5855MHz	Pass	PK	11.68424G	52.63	74.00	-21.37	3	Vertical	351	2.06
5855MHz	Pass	PK	17.57716G	56.75	88.20	-31.45	3	Vertical	258	1.33
5855MHz	Pass	AV	11.76152G	41.45	54.00	-12.55	3	Horizontal	233	1.13
5855MHz	Pass	AV	17.63188G	45.46	68.20	-22.74	3	Horizontal	86	2.31
5855MHz	Pass	PK	11.68568G	52.09	74.00	-21.91	3	Horizontal	233	1.13
5855MHz	Pass	PK	17.54644G	55.99	88.20	-32.21	3	Horizontal	86	2.31
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8312G	95.33	Inf	-Inf	3	Vertical	357	2.01
5815MHz	Pass	AV	5.9302G	58.19	68.20	-10.01	3	Vertical	357	2.01
5815MHz	Pass	PK	5.6314G	56.89	68.20	-11.31	3	Vertical	357	2.01
5815MHz	Pass	PK	5.8414G	107.19	Inf	-Inf	3	Vertical	357	2.01
5815MHz	Pass	PK	5.9386G	71.25	88.20	-16.95	3	Vertical	357	2.01
5815MHz	Pass	AV	5.8312G	94.44	Inf	-Inf	3	Horizontal	357	1.50
5815MHz	Pass	AV	5.9266G	56.13	68.20	-12.07	3	Horizontal	357	1.50
5815MHz	Pass	PK	5.6122G	57.46	68.20	-10.74	3	Horizontal	357	1.50
5815MHz	Pass	PK	5.8378G	105.71	Inf	-Inf	3	Horizontal	357	1.50
5815MHz	Pass	PK	5.9242G	69.67	88.79	-19.12	3	Horizontal	357	1.50
5815MHz	Pass	AV	11.70952G	41.31	54.00	-12.69	3	Vertical	61	1.66



RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5815MHz	Pass	AV	17.36508G	45.04	68.20	-23.16	3	Vertical	235	2.19
5815MHz	Pass	PK	11.63864G	52.36	74.00	-21.64	3	Vertical	61	1.66
5815MHz	Pass	PK	17.36548G	56.28	88.20	-31.92	3	Vertical	235	2.19
5815MHz	Pass	AV	11.71G	41.37	54.00	-12.63	3	Horizontal	199	1.60
5815MHz	Pass	AV	17.525G	45.09	68.20	-23.11	3	Horizontal	331	2.65
5815MHz	Pass	PK	11.62104G	52.89	74.00	-21.11	3	Horizontal	199	1.60
5815MHz	Pass	PK	17.4914G	55.92	88.20	-32.28	3	Horizontal	331	2.65
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8372G	95.26	Inf	-Inf	3	Vertical	10	1.21
5815MHz	Pass	AV	5.9296G	56.03	68.20	-12.17	3	Vertical	10	1.21
5815MHz	Pass	PK	5.6368G	58.02	68.20	-10.18	3	Vertical	10	1.21
5815MHz	Pass	PK	5.8306G	105.84	Inf	-Inf	3	Vertical	10	1.21
5815MHz	Pass	PK	5.9608G	69.45	88.20	-18.75	3	Vertical	10	1.21
5815MHz	Pass	AV	5.8324G	94.86	Inf	-Inf	3	Horizontal	8	1.50
5815MHz	Pass	AV	5.9266G	55.42	68.20	-12.78	3	Horizontal	8	1.50
5815MHz	Pass	PK	5.6212G	58.64	68.20	-9.56	3	Horizontal	8	1.50
5815MHz	Pass	PK	5.8414G	106.00	Inf	-Inf	3	Horizontal	8	1.50
5815MHz	Pass	PK	5.9596G	69.05	88.20	-19.15	3	Horizontal	8	1.50
5815MHz	Pass	AV	11.70296G	41.34	54.00	-12.66	3	Vertical	329	1.74
5815MHz	Pass	AV	17.47556G	45.00	68.20	-23.20	3	Vertical	30	1.39
5815MHz	Pass	PK	11.6676G	52.64	74.00	-21.36	3	Vertical	329	1.74
5815MHz	Pass	PK	17.47396G	56.76	88.20	-31.44	3	Vertical	30	1.39
5815MHz	Pass	AV	11.70968G	41.42	54.00	-12.58	3	Horizontal	19	1.60
5815MHz	Pass	AV	17.525G	45.07	68.20	-23.13	3	Horizontal	119	2.39
5815MHz	Pass	PK	11.63864G	53.15	74.00	-20.85	3	Horizontal	19	1.60
5815MHz	Pass	PK	17.453G	57.18	88.20	-31.02	3	Horizontal	119	2.39
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.847G	101.31	Inf	-Inf	3	Vertical	357	1.95
5835MHz	Pass	AV	6.0234G	46.80	68.20	-21.40	3	Vertical	357	1.95
5835MHz	Pass	PK	5.595G	56.85	68.20	-11.35	3	Vertical	357	1.95
5835MHz	Pass	PK	5.8446G	111.99	Inf	-Inf	3	Vertical	357	1.95
5835MHz	Pass	PK	6.0198G	58.46	88.20	-29.74	3	Vertical	357	1.95
5835MHz	Pass	AV	5.841G	100.00	Inf	-Inf	3	Horizontal	360	1.41
5835MHz	Pass	AV	5.931G	46.39	68.20	-21.81	3	Horizontal	360	1.41
5835MHz	Pass	PK	5.6298G	56.83	68.20	-11.37	3	Horizontal	360	1.41
5835MHz	Pass	PK	5.8446G	110.21	Inf	-Inf	3	Horizontal	360	1.41
5835MHz	Pass	PK	5.9346G	58.33	88.20	-29.87	3	Horizontal	360	1.41
5835MHz	Pass	AV	11.74568G	41.40	54.00	-12.60	3	Vertical	209	2.71
5835MHz	Pass	AV	17.47524G	45.46	68.20	-22.74	3	Vertical	79	1.54
5835MHz	Pass	PK	11.6132G	52.81	74.00	-21.19	3	Vertical	209	2.71
5835MHz	Pass	PK	17.45364G	56.73	88.20	-31.47	3	Vertical	79	1.54
5835MHz	Pass	AV	11.7492G	41.37	54.00	-12.63	3	Horizontal	180	1.24
5835MHz	Pass	AV	17.55508G	45.05	68.20	-23.15	3	Horizontal	255	1.70
5835MHz	Pass	PK	11.6132G	52.55	74.00	-21.45	3	Horizontal	180	1.24
5835MHz	Pass	PK	17.54724G	56.25	88.20	-31.95	3	Horizontal	255	1.70
5875MHz	Pass	AV	5.8882G	100.50	Inf	-Inf	3	Vertical	357	2.03
5875MHz	Pass	AV	5.8954G	81.73	89.91	-8.18	3	Vertical	357	2.03
5875MHz	Pass	PK	5.6434G	56.10	68.20	-12.10	3	Vertical	357	2.03
5875MHz	Pass	PK	5.8822G	111.27	Inf	-Inf	3	Vertical	357	2.03
5875MHz	Pass	PK	5.8954G	95.49	109.91	-14.42	3	Vertical	357	2.03
5875MHz	Pass	AV	5.8822G	99.35	Inf	-Inf	3	Horizontal	359	1.50
5875MHz	Pass	AV	5.8954G	80.09	89.91	-9.82	3	Horizontal	359	1.50
5875MHz	Pass	PK	5.641G	56.76	68.20	-11.44	3	Horizontal	359	1.50
5875MHz	Pass	PK	5.8846G	110.68	Inf	-Inf	3	Horizontal	359	1.50
5875MHz	Pass	PK	5.8954G	93.62	109.91	-16.29	3	Horizontal	359	1.50
5875MHz	Pass	AV	11.76344G	41.49	54.00	-12.51	3	Vertical	114	2.91
5875MHz	Pass	AV	17.70468G	45.65	54.00	-8.35	3	Vertical	291	2.68
5875MHz	Pass	PK	11.70728G	52.75	74.00	-21.25	3	Vertical	114	2.91
5875MHz	Pass	PK	17.6506G	56.46	88.20	-31.74	3	Vertical	291	2.68
5875MHz	Pass	AV	11.82584G	41.49	54.00	-12.51	3	Horizontal	271	1.85
5875MHz	Pass	AV	17.70052G	45.50	54.00	-8.50	3	Horizontal	268	2.52
5875MHz	Pass	PK	11.69976G	52.47	74.00	-21.53	3	Horizontal	271	1.85




RSE TX above 1GHz\_Partial RU\_5850-5895(MHz)

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	PK	17.65572G	57.62	88.20	-30.58	3	Horizontal	268	2.52
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_2TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8634G	98.10	Inf	-Inf	3	Vertical	356	2.02
5855MHz	Pass	AV	5.8958G	72.59	89.61	-17.02	3	Vertical	356	2.02
5855MHz	Pass	PK	5.5838G	56.21	68.20	-11.99	3	Vertical	356	2.02
5855MHz	Pass	PK	5.8646G	108.49	Inf	-Inf	3	Vertical	356	2.02
5855MHz	Pass	PK	5.8958G	88.07	109.61	-21.54	3	Vertical	356	2.02
5855MHz	Pass	AV	5.8634G	96.67	Inf	-Inf	3	Horizontal	358	1.46
5855MHz	Pass	AV	5.9246G	49.49	68.49	-19.00	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.6438G	56.48	68.20	-11.72	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.8646G	107.69	Inf	-Inf	3	Horizontal	358	1.46
5855MHz	Pass	PK	5.8958G	84.07	109.61	-25.54	3	Horizontal	358	1.46
5855MHz	Pass	AV	11.75944G	41.47	54.00	-12.53	3	Vertical	69	2.59
5855MHz	Pass	AV	17.63412G	45.46	68.20	-22.74	3	Vertical	209	2.55
5855MHz	Pass	PK	11.68696G	53.55	74.00	-20.45	3	Vertical	69	2.59
5855MHz	Pass	PK	17.593G	56.17	88.20	-32.03	3	Vertical	209	2.55
5855MHz	Pass	AV	11.76632G	41.46	54.00	-12.54	3	Horizontal	201	2.28
5855MHz	Pass	AV	17.54276G	45.48	68.20	-22.72	3	Horizontal	248	2.92
5855MHz	Pass	PK	11.76248G	52.63	74.00	-21.37	3	Horizontal	201	2.28
5855MHz	Pass	PK	17.54196G	56.91	88.20	-31.29	3	Horizontal	248	2.92
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67s_2TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8372G	98.14	Inf	-Inf	3	Vertical	356	1.21
5815MHz	Pass	AV	5.9254G	60.33	68.20	-7.87	3	Vertical	356	1.21
5815MHz	Pass	PK	5.6416G	58.95	68.20	-9.25	3	Vertical	356	1.21
5815MHz	Pass	PK	5.8714G	109.72	Inf	-Inf	3	Vertical	356	1.21
5815MHz	Pass	PK	5.9278G	74.11	88.20	-14.09	3	Vertical	356	1.21
5815MHz	Pass	AV	5.8372G	98.19	Inf	-Inf	3	Horizontal	358	2.97
5815MHz	Pass	AV	5.926G	60.04	68.20	-8.16	3	Horizontal	358	2.97
5815MHz	Pass	PK	5.6494G	59.79	68.20	-8.41	3	Horizontal	358	2.97
5815MHz	Pass	PK	5.836G	108.84	Inf	-Inf	3	Horizontal	358	2.97
5815MHz	Pass	PK	5.9248G	71.32	88.35	-17.03	3	Horizontal	358	2.97
5815MHz	Pass	AV	11.6908G	41.27	54.00	-12.73	3	Vertical	276	2.27
5815MHz	Pass	AV	17.5194G	45.03	68.20	-23.17	3	Vertical	243	2.90
5815MHz	Pass	PK	11.69784G	53.35	74.00	-20.65	3	Vertical	276	2.27
5815MHz	Pass	PK	17.51444G	56.61	88.20	-31.59	3	Vertical	243	2.90
5815MHz	Pass	AV	11.70872G	41.30	54.00	-12.70	3	Horizontal	105	1.34
5815MHz	Pass	AV	17.51828G	45.03	68.20	-23.17	3	Horizontal	143	2.57
5815MHz	Pass	PK	11.59128G	52.47	74.00	-21.53	3	Horizontal	105	1.34
5815MHz	Pass	PK	17.4242G	55.98	88.20	-32.22	3	Horizontal	143	2.57

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	103.71	Inf	-Inf	5.30	3	Vertical	315	1.50	98.41	34.01	5.82	34.53
AV	5.9542G	48.41	68.20	-19.79	5.54	3	Vertical	315	1.50	42.87	34.19	5.87	34.52
PK	5.563G	57.18	68.20	-11.02	4.00	3	Vertical	315	1.50	53.18	32.83	5.72	34.55
PK	5.8546G	111.83	Inf	-Inf	5.31	3	Vertical	315	1.50	106.52	34.02	5.82	34.53
PK	5.9302G	58.66	88.20	-29.54	5.53	3	Vertical	315	1.50	53.13	34.20	5.86	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	104.86	Inf	-Inf	5.30	3	Horizontal	314	1.50	99.56	34.01	5.82	34.53
AV	5.9314G	48.29	68.20	-19.91	5.53	3	Horizontal	314	1.50	42.76	34.20	5.86	34.53
PK	5.6182G	57.13	68.20	-11.07	4.14	3	Horizontal	314	1.50	52.99	32.94	5.75	34.55
PK	5.8534G	113.08	Inf	-Inf	5.30	3	Horizontal	314	1.50	107.78	34.01	5.82	34.53
PK	6.0622G	58.17	88.20	-30.03	5.53	3	Horizontal	314	1.50	52.64	34.10	5.94	34.51

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69G	42.92	54.00	-11.08	12.25	3	Vertical	111	1.08	30.67	38.50	8.38	34.63
AV	17.535G	45.93	68.20	-22.27	14.55	3	Vertical	274	1.84	31.38	38.71	10.27	34.43
PK	11.69G	53.75	74.00	-20.25	12.25	3	Vertical	111	1.08	41.50	38.50	8.38	34.63
PK	17.535G	57.16	88.20	-31.04	14.55	3	Vertical	274	1.84	42.61	38.71	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69G	42.73	54.00	-11.27	12.25	3	Horizontal	121	1.59	30.48	38.50	8.38	34.63
AV	17.535G	46.41	68.20	-21.79	14.55	3	Horizontal	301	2.01	31.86	38.71	10.27	34.43
PK	11.69G	54.74	74.00	-19.26	12.25	3	Horizontal	121	1.59	42.49	38.50	8.38	34.63
PK	17.535G	56.43	88.20	-31.77	14.55	3	Horizontal	301	2.01	41.88	38.71	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	107.13	Inf	-Inf	5.39	3	Vertical	270	1.50	101.74	34.09	5.83	34.53
AV	6.0066G	48.89	68.20	-19.31	5.47	3	Vertical	270	1.50	43.42	34.10	5.89	34.52
PK	5.5974G	57.36	68.20	-10.84	4.09	3	Vertical	270	1.50	53.27	32.89	5.75	34.55
PK	5.8734G	114.69	Inf	-Inf	5.39	3	Vertical	270	1.50	109.30	34.09	5.83	34.53
PK	6.0186G	59.21	88.20	-28.99	5.48	3	Vertical	270	1.50	53.73	34.10	5.90	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	104.94	Inf	-Inf	5.39	3	Horizontal	321	1.50	99.55	34.09	5.83	34.53
AV	5.9274G	48.27	68.20	-19.93	5.53	3	Horizontal	321	1.50	42.74	34.20	5.86	34.53
PK	5.6142G	57.48	68.20	-10.72	4.13	3	Horizontal	321	1.50	53.35	32.93	5.75	34.55
PK	5.8734G	112.05	Inf	-Inf	5.39	3	Horizontal	321	1.50	106.66	34.09	5.83	34.53
PK	5.9778G	58.83	88.20	-29.37	5.50	3	Horizontal	321	1.50	53.33	34.14	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7334G	43.60	54.00	-10.40	12.26	3	Vertical	140	2.21	31.34	38.50	8.40	34.64
AV	17.6012G	47.07	68.20	-21.13	14.94	3	Vertical	300	2.20	32.13	39.10	10.29	34.45
PK	11.72972G	54.37	74.00	-19.63	12.25	3	Vertical	140	2.21	42.12	38.50	8.39	34.64
PK	17.596G	57.26	88.20	-30.94	14.93	3	Vertical	300	2.20	42.33	39.08	10.29	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73576G	43.64	54.00	-10.36	12.25	3	Horizontal	185	1.79	31.39	38.50	8.40	34.65
AV	17.60156G	46.82	68.20	-21.38	14.95	3	Horizontal	215	2.38	31.87	39.11	10.29	34.45
PK	11.7272G	54.33	74.00	-19.67	12.25	3	Horizontal	185	1.79	42.08	38.50	8.39	34.64
PK	17.60488G	56.90	88.20	-31.30	14.96	3	Horizontal	215	2.38	41.94	39.12	10.29	34.45



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.05	Inf	-Inf	5.48	3	Vertical	351	1.96	99.57	34.17	5.84	34.53
AV	5.8958G	87.45	89.61	-2.16	5.49	3	Vertical	351	1.96	81.96	34.18	5.84	34.53
PK	5.6006G	56.80	68.20	-11.40	4.10	3	Vertical	351	1.96	52.70	32.90	5.75	34.55
PK	5.8934G	112.66	Inf	-Inf	5.48	3	Vertical	351	1.96	107.18	34.17	5.84	34.53
PK	5.8958G	96.43	109.61	-13.18	5.49	3	Vertical	351	1.96	90.94	34.18	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.56	Inf	-Inf	5.48	3	Horizontal	360	2.25	100.08	34.17	5.84	34.53
AV	5.8958G	87.85	89.61	-1.76	5.49	3	Horizontal	360	2.25	82.36	34.18	5.84	34.53
PK	5.6354G	56.84	68.20	-11.36	4.18	3	Horizontal	360	2.25	52.66	32.97	5.76	34.55
PK	5.8934G	113.04	Inf	-Inf	5.48	3	Horizontal	360	2.25	107.56	34.17	5.84	34.53
PK	5.8958G	97.71	109.61	-11.90	5.49	3	Horizontal	360	2.25	92.22	34.18	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77224G	43.10	54.00	-10.90	12.25	3	Vertical	34	2.92	30.85	38.50	8.41	34.66
AV	17.6556G	46.86	68.20	-21.34	15.17	3	Vertical	19	2.67	31.69	39.32	10.31	34.46
PK	11.76276G	53.73	74.00	-20.27	12.26	3	Vertical	34	2.92	41.47	38.50	8.41	34.65
PK	17.65456G	57.22	88.20	-30.98	15.17	3	Vertical	19	2.67	42.05	39.32	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7676G	43.53	54.00	-10.47	12.25	3	Horizontal	286	1.67	31.28	38.50	8.41	34.66
AV	17.65768G	46.66	68.20	-21.54	15.18	3	Horizontal	245	2.64	31.48	39.33	10.31	34.46
PK	11.77624G	53.95	74.00	-20.05	12.25	3	Horizontal	286	1.67	41.70	38.50	8.41	34.66
PK	17.65048G	57.46	88.20	-30.74	15.15	3	Horizontal	245	2.64	42.31	39.30	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	110.15	Inf	-Inf	5.30	3	Vertical	349	1.14	104.85	34.01	5.82	34.53
AV	6.0166G	50.09	68.20	-18.11	5.48	3	Vertical	349	1.14	44.61	34.10	5.90	34.52
PK	5.6422G	57.51	68.20	-10.69	4.19	3	Vertical	349	1.14	53.32	32.98	5.76	34.55
PK	5.8534G	118.76	Inf	-Inf	5.30	3	Vertical	349	1.14	113.46	34.01	5.82	34.53
PK	5.947G	60.88	88.20	-27.32	5.55	3	Vertical	349	1.14	55.33	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	110.47	Inf	-Inf	5.30	3	Horizontal	360	3.00	105.17	34.01	5.82	34.53
AV	5.9494G	49.80	68.20	-18.40	5.55	3	Horizontal	360	3.00	44.25	34.20	5.87	34.52
PK	5.623G	57.38	68.20	-10.82	4.16	3	Horizontal	360	3.00	53.22	32.95	5.76	34.55
PK	5.8522G	118.96	Inf	-Inf	5.30	3	Horizontal	360	3.00	113.66	34.01	5.82	34.53
PK	5.9866G	60.54	88.20	-27.66	5.49	3	Horizontal	360	3.00	55.05	34.13	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6886G	43.20	54.00	-10.80	12.25	3	Vertical	115	2.67	30.95	38.50	8.38	34.63
AV	17.52628G	46.20	68.20	-22.00	14.49	3	Vertical	46	2.71	31.71	38.66	10.26	34.43
PK	11.6854G	53.89	74.00	-20.11	12.25	3	Vertical	115	2.67	41.64	38.50	8.38	34.63
PK	17.53824G	57.38	88.20	-30.82	14.57	3	Vertical	46	2.71	42.81	38.73	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69396G	43.05	54.00	-10.95	12.25	3	Horizontal	59	1.50	30.80	38.50	8.38	34.63
AV	17.5356G	46.22	68.20	-21.98	14.55	3	Horizontal	25	1.21	31.67	38.71	10.27	34.43
PK	11.69632G	53.47	74.00	-20.53	12.25	3	Horizontal	59	1.50	41.22	38.50	8.38	34.63
PK	17.53904G	57.15	88.20	-31.05	14.57	3	Horizontal	25	1.21	42.58	38.73	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	110.34	Inf	-Inf	5.39	3	Vertical	0	1.93	104.95	34.09	5.83	34.53
AV	6.0186G	50.83	68.20	-17.37	5.48	3	Vertical	0	1.93	45.35	34.10	5.90	34.52
PK	5.6238G	57.50	68.20	-10.70	4.16	3	Vertical	0	1.93	53.34	32.95	5.76	34.55
PK	5.871G	119.20	Inf	-Inf	5.38	3	Vertical	0	1.93	113.82	34.08	5.83	34.53
PK	6.0342G	61.33	88.20	-26.87	5.50	3	Vertical	0	1.93	55.83	34.10	5.92	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	110.38	Inf	-Inf	5.39	3	Horizontal	358	2.23	104.99	34.09	5.83	34.53
AV	5.979G	49.89	68.20	-18.31	5.50	3	Horizontal	358	2.23	44.39	34.14	5.88	34.52
PK	5.5926G	57.35	68.20	-10.85	4.08	3	Horizontal	358	2.23	53.27	32.89	5.74	34.55
PK	5.8734G	119.71	Inf	-Inf	5.39	3	Horizontal	358	2.23	114.32	34.09	5.83	34.53
PK	6.0378G	61.19	88.20	-27.01	5.50	3	Horizontal	358	2.23	55.69	34.10	5.92	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73072G	43.41	54.00	-10.59	12.26	3	Vertical	282	2.40	31.15	38.50	8.40	34.64
AV	17.59688G	46.61	68.20	-21.59	14.92	3	Vertical	202	2.75	31.69	39.08	10.29	34.45
PK	11.73252G	53.66	74.00	-20.34	12.26	3	Vertical	282	2.40	41.40	38.50	8.40	34.64
PK	17.59292G	56.93	88.20	-31.27	14.91	3	Vertical	202	2.75	42.02	39.06	10.29	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7392G	43.28	54.00	-10.72	12.25	3	Horizontal	353	1.63	31.03	38.50	8.40	34.65
AV	17.60396G	46.40	68.20	-21.80	14.96	3	Horizontal	38	2.69	31.44	39.12	10.29	34.45
PK	11.72016G	53.30	74.00	-20.70	12.25	3	Horizontal	353	1.63	41.05	38.50	8.39	34.64
PK	17.60384G	57.22	88.20	-30.98	14.96	3	Horizontal	38	2.69	42.26	39.12	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.09	Inf	-Inf	5.48	3	Vertical	350	1.12	99.61	34.17	5.84	34.53
AV	5.8958G	87.36	89.61	-2.25	5.49	3	Vertical	350	1.12	81.87	34.18	5.84	34.53
PK	5.6198G	57.40	68.20	-10.80	4.14	3	Vertical	350	1.12	53.26	32.94	5.75	34.55
PK	5.891G	113.77	Inf	-Inf	5.47	3	Vertical	350	1.12	108.30	34.16	5.84	34.53
PK	5.8958G	99.54	109.61	-10.07	5.49	3	Vertical	350	1.12	94.05	34.18	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.55	Inf	-Inf	5.48	3	Horizontal	360	2.93	100.07	34.17	5.84	34.53
AV	5.8958G	88.07	89.61	-1.54	5.49	3	Horizontal	360	2.93	82.58	34.18	5.84	34.53
PK	5.6486G	56.95	68.20	-11.25	4.21	3	Horizontal	360	2.93	52.74	33.00	5.76	34.55
PK	5.891G	114.34	Inf	-Inf	5.47	3	Horizontal	360	2.93	108.87	34.16	5.84	34.53
PK	5.8958G	97.68	109.61	-11.93	5.49	3	Horizontal	360	2.93	92.19	34.18	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77932G	43.28	54.00	-10.72	12.25	3	Vertical	47	2.12	31.03	38.50	8.41	34.66
AV	17.65872G	47.10	68.20	-21.10	15.19	3	Vertical	317	2.97	31.91	39.33	10.32	34.46
PK	11.7688G	53.33	74.00	-20.67	12.25	3	Vertical	47	2.12	41.08	38.50	8.41	34.66
PK	17.651G	57.08	88.20	-31.12	15.15	3	Vertical	317	2.97	41.93	39.30	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77712G	43.18	54.00	-10.82	12.25	3	Horizontal	172	2.95	30.93	38.50	8.41	34.66
AV	17.66468G	46.81	68.20	-21.39	15.22	3	Horizontal	360	2.81	31.59	39.36	10.32	34.46
PK	11.7632G	53.75	74.00	-20.25	12.26	3	Horizontal	172	2.95	41.49	38.50	8.41	34.65
PK	17.65104G	57.79	88.20	-30.41	15.15	3	Horizontal	360	2.81	42.64	39.30	10.31	34.46





5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8474G	107.57	Inf	-Inf	5.28	3	Vertical	0	1.98	102.29	33.99	5.82	34.53
AV	5.9902G	50.28	68.20	-17.92	5.49	3	Vertical	0	1.98	44.79	34.12	5.89	34.52
PK	5.6362G	57.88	68.20	-10.32	4.18	3	Vertical	0	1.98	53.70	32.97	5.76	34.55
PK	5.851G	116.74	Inf	-Inf	5.29	3	Vertical	0	1.98	111.45	34.00	5.82	34.53
PK	5.9902G	60.86	88.20	-27.34	5.49	3	Vertical	0	1.98	55.37	34.12	5.89	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	107.88	Inf	-Inf	5.30	3	Horizontal	360	2.96	102.58	34.01	5.82	34.53
AV	5.9482G	49.99	68.20	-18.21	5.55	3	Horizontal	360	2.96	44.44	34.20	5.87	34.52
PK	5.6374G	57.81	68.20	-10.39	4.18	3	Horizontal	360	2.96	53.63	32.97	5.76	34.55
PK	5.851G	117.75	Inf	-Inf	5.29	3	Horizontal	360	2.96	112.46	34.00	5.82	34.53
PK	5.989G	60.32	88.20	-27.88	5.49	3	Horizontal	360	2.96	54.83	34.12	5.89	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69732G	43.30	54.00	-10.70	12.25	3	Vertical	122	1.15	31.05	38.50	8.38	34.63
AV	17.5438G	46.28	68.20	-21.92	14.60	3	Vertical	13	1.71	31.68	38.76	10.27	34.43
PK	11.6914G	53.47	74.00	-20.53	12.25	3	Vertical	122	1.15	41.22	38.50	8.38	34.63
PK	17.54136G	56.91	88.20	-31.29	14.59	3	Vertical	13	1.71	42.32	38.75	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68348G	42.94	54.00	-11.06	12.25	3	Horizontal	107	1.78	30.69	38.50	8.38	34.63
AV	17.54024G	46.43	68.20	-21.77	14.58	3	Horizontal	253	1.24	31.85	38.74	10.27	34.43
PK	11.69904G	52.89	74.00	-21.11	12.26	3	Horizontal	107	1.78	40.63	38.50	8.39	34.63
PK	17.52868G	56.77	88.20	-31.43	14.50	3	Horizontal	253	1.24	42.27	38.67	10.26	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8686G	107.76	Inf	-Inf	5.37	3	Vertical	0	1.95	102.39	34.07	5.83	34.53
AV	6.0162G	50.88	68.20	-17.32	5.48	3	Vertical	0	1.95	45.40	34.10	5.90	34.52
PK	5.6202G	57.87	68.20	-10.33	4.15	3	Vertical	0	1.95	53.72	32.94	5.76	34.55
PK	5.8722G	117.11	Inf	-Inf	5.39	3	Vertical	0	1.95	111.72	34.09	5.83	34.53
PK	6.0522G	60.90	88.20	-27.30	5.52	3	Vertical	0	1.95	55.38	34.10	5.93	34.51

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8686G	107.72	Inf	-Inf	5.37	3	Horizontal	360	2.96	102.35	34.07	5.83	34.53
AV	6.0126G	50.10	68.20	-18.10	5.48	3	Horizontal	360	2.96	44.62	34.10	5.90	34.52
PK	5.6418G	58.56	68.20	-9.64	4.19	3	Horizontal	360	2.96	54.37	32.98	5.76	34.55
PK	5.8686G	117.09	Inf	-Inf	5.37	3	Horizontal	360	2.96	111.72	34.07	5.83	34.53
PK	5.943G	60.27	88.20	-27.93	5.54	3	Horizontal	360	2.96	54.73	34.20	5.86	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7294G	43.16	54.00	-10.84	12.25	3	Vertical	151	2.36	30.91	38.50	8.39	34.64
AV	17.604G	46.43	68.20	-21.77	14.96	3	Vertical	112	2.57	31.47	39.12	10.29	34.45
PK	11.7248G	53.91	74.00	-20.09	12.25	3	Vertical	151	2.36	41.66	38.50	8.39	34.64
PK	17.59948G	57.34	88.20	-30.86	14.94	3	Vertical	112	2.57	42.40	39.10	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7398G	43.14	54.00	-10.86	12.25	3	Horizontal	118	2.04	30.89	38.50	8.40	34.65
AV	17.60376G	46.62	68.20	-21.58	14.96	3	Horizontal	63	2.54	31.66	39.12	10.29	34.45
PK	11.72748G	53.37	74.00	-20.63	12.25	3	Horizontal	118	2.04	41.12	38.50	8.39	34.64
PK	17.58936G	56.48	88.20	-31.72	14.89	3	Horizontal	63	2.54	41.59	39.04	10.29	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8874G	103.60	Inf	-Inf	5.46	3	Vertical	348	1.12	98.14	34.15	5.84	34.53
AV	5.8958G	86.55	89.61	-3.06	5.49	3	Vertical	348	1.12	81.06	34.18	5.84	34.53
PK	5.6306G	57.39	68.20	-10.81	4.17	3	Vertical	348	1.12	53.22	32.96	5.76	34.55
PK	5.8934G	113.74	Inf	-Inf	5.48	3	Vertical	348	1.12	108.26	34.17	5.84	34.53
PK	5.8958G	96.00	109.61	-13.61	5.49	3	Vertical	348	1.12	90.51	34.18	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8886G	103.73	Inf	-Inf	5.46	3	Horizontal	360	2.94	98.27	34.15	5.84	34.53
AV	5.8958G	87.58	89.61	-2.03	5.49	3	Horizontal	360	2.94	82.09	34.18	5.84	34.53
PK	5.6114G	57.66	68.20	-10.54	4.12	3	Horizontal	360	2.94	53.54	32.92	5.75	34.55
PK	5.8874G	112.37	Inf	-Inf	5.46	3	Horizontal	360	2.94	106.91	34.15	5.84	34.53
PK	5.8958G	95.46	109.61	-14.15	5.49	3	Horizontal	360	2.94	89.97	34.18	5.84	34.53



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76772G	43.76	54.00	-10.24	12.25	3	Vertical	165	1.61	31.51	38.50	8.41	34.66
AV	17.6601G	46.77	68.20	-21.43	15.20	3	Vertical	31	2.25	31.57	39.34	10.32	34.46
PK	11.77584G	52.89	74.00	-21.11	12.25	3	Vertical	165	1.61	40.64	38.50	8.41	34.66
PK	17.65728G	57.08	88.20	-31.12	15.18	3	Vertical	31	2.25	41.90	39.33	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77072G	43.36	54.00	-10.64	12.25	3	Horizontal	34	2.54	31.11	38.50	8.41	34.66
AV	17.6464G	46.78	68.20	-21.42	15.14	3	Horizontal	251	2.39	31.64	39.29	10.31	34.46
PK	11.76748G	54.76	74.00	-19.24	12.25	3	Horizontal	34	2.54	42.51	38.50	8.41	34.66
PK	17.65792G	57.82	88.20	-30.38	15.18	3	Horizontal	251	2.39	42.64	39.33	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	109.31	Inf	-Inf	5.40	3	Vertical	354	1.97	103.91	34.11	5.82	34.53
AV	6.037G	47.51	68.20	-20.69	5.50	3	Vertical	354	1.97	42.01	34.10	5.92	34.52
PK	5.6386G	56.97	68.20	-11.23	4.19	3	Vertical	354	1.97	52.78	32.98	5.76	34.55
PK	5.8522G	118.05	Inf	-Inf	5.40	3	Vertical	354	1.97	112.65	34.11	5.82	34.53
PK	5.9374G	58.69	88.20	-29.51	5.56	3	Vertical	354	1.97	53.13	34.23	5.86	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	107.87	Inf	-Inf	5.40	3	Horizontal	356	1.50	102.47	34.11	5.82	34.53
AV	6.0202G	46.65	68.20	-21.55	5.49	3	Horizontal	356	1.50	41.16	34.10	5.91	34.52
PK	5.641G	56.94	68.20	-11.26	4.19	3	Horizontal	356	1.50	52.75	32.98	5.76	34.55
PK	5.8534G	116.29	Inf	-Inf	5.40	3	Horizontal	356	1.50	110.89	34.11	5.82	34.53
PK	5.9746G	57.62	88.20	-30.58	5.51	3	Horizontal	356	1.50	52.11	34.15	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76568G	41.46	54.00	-12.54	12.28	3	Vertical	83	1.32	29.18	38.53	8.41	34.66
AV	17.59076G	47.27	68.20	-20.93	14.80	3	Vertical	348	1.11	32.47	38.95	10.29	34.44
PK	11.7796G	52.59	74.00	-21.41	12.31	3	Vertical	83	1.32	40.28	38.56	8.41	34.66
PK	17.60188G	56.42	88.20	-31.78	14.85	3	Vertical	348	1.11	41.57	39.01	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)

5845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7052G	41.55	54.00	-12.45	12.16	3	Horizontal	157	2.91	29.39	38.41	8.39	34.64
AV	17.615G	45.32	68.20	-22.88	14.91	3	Horizontal	269	1.83	30.41	39.06	10.30	34.45
PK	11.6964G	52.97	74.00	-21.03	12.15	3	Horizontal	157	2.91	40.82	38.40	8.38	34.63
PK	17.59044G	56.56	88.20	-31.64	14.80	3	Horizontal	269	1.83	41.76	38.95	10.29	34.44



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	108.52	Inf	-Inf	5.49	3	Vertical	351	1.12	103.03	34.19	5.83	34.53
AV	6.0642G	47.51	68.20	-20.69	5.50	3	Vertical	351	1.12	42.01	34.07	5.94	34.51
PK	5.5902G	56.86	68.20	-11.34	4.09	3	Vertical	351	1.12	52.77	32.90	5.74	34.55
PK	5.8734G	116.59	Inf	-Inf	5.49	3	Vertical	351	1.12	111.10	34.19	5.83	34.53
PK	6.069G	58.47	88.20	-29.73	5.49	3	Vertical	351	1.12	52.98	34.06	5.94	34.51

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	107.63	Inf	-Inf	5.49	3	Horizontal	356	1.48	102.14	34.19	5.83	34.53
AV	6.0354G	46.85	68.20	-21.35	5.50	3	Horizontal	356	1.48	41.35	34.10	5.92	34.52
PK	5.607G	57.06	68.20	-11.14	4.11	3	Horizontal	356	1.48	52.95	32.91	5.75	34.55
PK	5.8722G	115.77	Inf	-Inf	5.49	3	Horizontal	356	1.48	110.28	34.19	5.83	34.53
PK	5.9526G	58.38	88.20	-29.82	5.54	3	Horizontal	356	1.48	52.84	34.19	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7484G	41.45	54.00	-12.55	12.25	3	Vertical	8	2.28	29.20	38.50	8.40	34.65
AV	17.66444G	45.49	68.20	-22.71	15.12	3	Vertical	20	1.10	30.37	39.26	10.32	34.46
PK	11.73368G	52.93	74.00	-21.07	12.23	3	Vertical	8	2.28	40.70	38.47	8.40	34.64
PK	17.63052G	56.64	88.20	-31.56	14.97	3	Vertical	20	1.10	41.67	39.12	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76424G	41.49	54.00	-12.51	12.29	3	Horizontal	307	1.39	29.20	38.53	8.41	34.65
AV	17.64332G	45.44	68.20	-22.76	15.02	3	Horizontal	32	1.91	30.42	39.17	10.31	34.46
PK	11.79912G	52.39	74.00	-21.61	12.35	3	Horizontal	307	1.39	40.04	38.60	8.42	34.67
PK	17.63596G	56.22	88.20	-31.98	14.99	3	Horizontal	32	1.91	41.23	39.14	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.38	Inf	-Inf	5.58	3	Vertical	354	1.42	99.80	34.27	5.84	34.53
AV	5.8958G	87.66	89.61	-1.95	5.59	3	Vertical	354	1.42	82.07	34.28	5.84	34.53
PK	5.5934G	56.11	68.20	-12.09	4.09	3	Vertical	354	1.42	52.02	32.90	5.74	34.55
PK	5.8922G	113.51	Inf	-Inf	5.58	3	Vertical	354	1.42	107.93	34.27	5.84	34.53
PK	5.8958G	100.56	109.61	-9.05	5.59	3	Vertical	354	1.42	94.97	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	103.60	Inf	-Inf	5.58	3	Horizontal	360	2.92	98.02	34.27	5.84	34.53
AV	5.8958G	85.84	89.61	-3.77	5.59	3	Horizontal	360	2.92	80.25	34.28	5.84	34.53
PK	5.6378G	57.19	68.20	-11.01	4.19	3	Horizontal	360	2.92	53.00	32.98	5.76	34.55
PK	5.8922G	112.05	Inf	-Inf	5.58	3	Horizontal	360	2.92	106.47	34.27	5.84	34.53
PK	5.8958G	98.23	109.61	-11.38	5.59	3	Horizontal	360	2.92	92.64	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.82376G	41.52	54.00	-12.48	12.35	3	Vertical	93	1.98	29.17	38.60	8.42	34.67
AV	17.735G	45.99	54.00	-8.01	15.52	3	Vertical	130	1.68	30.47	39.65	10.35	34.48
PK	11.76728G	52.93	74.00	-21.07	12.28	3	Vertical	93	1.98	40.65	38.53	8.41	34.66
PK	17.63788G	57.27	108.20	-50.93	15.00	3	Vertical	130	1.68	42.27	39.15	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7828G	41.47	54.00	-12.53	12.32	3	Horizontal	58	2.23	29.15	38.57	8.41	34.66
AV	17.7334G	45.91	54.00	-8.09	15.49	3	Horizontal	98	1.71	30.42	39.63	10.34	34.48
PK	11.84968G	53.88	74.00	-20.12	12.35	3	Horizontal	58	2.23	41.53	38.60	8.43	34.68
PK	17.73308G	57.45	74.00	-16.55	15.49	3	Horizontal	98	1.71	41.96	39.63	10.34	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	106.73	Inf	-Inf	5.40	3	Vertical	355	2.02	101.33	34.11	5.82	34.53
AV	6.0238G	46.82	68.20	-21.38	5.49	3	Vertical	355	2.02	41.33	34.10	5.91	34.52
PK	5.6386G	57.29	68.20	-10.91	4.19	3	Vertical	355	2.02	53.10	32.98	5.76	34.55
PK	5.851G	116.38	Inf	-Inf	5.39	3	Vertical	355	2.02	110.99	34.10	5.82	34.53
PK	5.9494G	58.12	88.20	-30.08	5.55	3	Vertical	355	2.02	52.57	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	105.40	Inf	-Inf	5.40	3	Horizontal	360	1.50	100.00	34.11	5.82	34.53
AV	5.9386G	46.44	68.20	-21.76	5.56	3	Horizontal	360	1.50	40.88	34.22	5.86	34.52
PK	5.6266G	56.41	68.20	-11.79	4.16	3	Horizontal	360	1.50	52.25	32.95	5.76	34.55
PK	5.851G	115.10	Inf	-Inf	5.39	3	Horizontal	360	1.50	109.71	34.10	5.82	34.53
PK	5.9422G	58.40	88.20	-29.80	5.56	3	Horizontal	360	1.50	52.84	34.22	5.86	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61176G	40.79	54.00	-13.21	12.15	3	Vertical	203	2.92	28.64	38.40	8.36	34.61
AV	17.61372G	45.35	68.20	-22.85	14.90	3	Vertical	35	2.80	30.45	39.05	10.30	34.45
PK	11.6284G	50.39	74.00	-23.61	12.15	3	Vertical	203	2.92	38.24	38.40	8.36	34.61
PK	17.605G	54.26	88.20	-33.94	14.86	3	Vertical	35	2.80	39.40	39.02	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77776G	41.49	54.00	-12.51	12.31	3	Horizontal	273	1.67	29.18	38.56	8.41	34.66
AV	17.57164G	45.69	68.20	-22.51	14.70	3	Horizontal	337	1.54	30.99	38.86	10.28	34.44
PK	11.77328G	53.01	74.00	-20.99	12.30	3	Horizontal	273	1.67	40.71	38.55	8.41	34.66
PK	17.5716G	56.78	88.20	-31.42	14.70	3	Horizontal	337	1.54	42.08	38.86	10.28	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8722G	106.49	Inf	-Inf	5.49	3	Vertical	354	2.06	101.00	34.19	5.83	34.53
AV	6.051G	46.80	68.20	-21.40	5.52	3	Vertical	354	2.06	41.28	34.10	5.93	34.51
PK	5.6046G	56.90	68.20	-11.30	4.11	3	Vertical	354	2.06	52.79	32.91	5.75	34.55
PK	5.8734G	116.09	Inf	-Inf	5.49	3	Vertical	354	2.06	110.60	34.19	5.83	34.53
PK	6.0066G	58.99	88.20	-29.21	5.47	3	Vertical	354	2.06	53.52	34.10	5.89	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8722G	104.92	Inf	-Inf	5.49	3	Horizontal	357	1.47	99.43	34.19	5.83	34.53
AV	5.925G	46.42	68.20	-21.78	5.58	3	Horizontal	357	1.47	40.84	34.25	5.86	34.53
PK	5.5866G	57.03	68.20	-11.17	4.09	3	Horizontal	357	1.47	52.94	32.90	5.74	34.55
PK	5.8722G	114.93	Inf	-Inf	5.49	3	Horizontal	357	1.47	109.44	34.19	5.83	34.53
PK	5.9598G	58.26	88.20	-29.94	5.53	3	Horizontal	357	1.47	52.73	34.18	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76008G	41.46	54.00	-12.54	12.27	3	Vertical	304	2.79	29.19	38.52	8.40	34.65
AV	17.57244G	46.76	68.20	-21.44	14.70	3	Vertical	173	2.54	32.06	38.86	10.28	34.44
PK	11.69336G	52.93	74.00	-21.07	12.15	3	Vertical	304	2.79	40.78	38.40	8.38	34.63
PK	17.5726G	56.63	88.20	-31.57	14.70	3	Vertical	173	2.54	41.93	38.86	10.28	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)

5865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65352G	40.96	54.00	-13.04	12.15	3	Horizontal	28	2.47	28.81	38.40	8.37	34.62
AV	17.64268G	45.43	68.20	-22.77	15.02	3	Horizontal	292	2.32	30.41	39.17	10.31	34.46
PK	11.69192G	52.52	74.00	-21.48	12.15	3	Horizontal	28	2.47	40.37	38.40	8.38	34.63
PK	17.64492G	56.56	88.20	-31.64	15.03	3	Horizontal	292	2.32	41.53	39.18	10.31	34.46



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	105.16	Inf	-Inf	5.58	3	Vertical	355	1.42	99.58	34.27	5.84	34.53
AV	5.8958G	87.82	89.61	-1.79	5.59	3	Vertical	355	1.42	82.23	34.28	5.84	34.53
PK	5.6138G	56.40	68.20	-11.80	4.13	3	Vertical	355	1.42	52.27	32.93	5.75	34.55
PK	5.8922G	113.90	Inf	-Inf	5.58	3	Vertical	355	1.42	108.32	34.27	5.84	34.53
PK	5.8958G	101.62	109.61	-7.99	5.59	3	Vertical	355	1.42	96.03	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	103.19	Inf	-Inf	5.58	3	Horizontal	356	1.50	97.61	34.27	5.84	34.53
AV	5.8958G	85.67	89.61	-3.94	5.59	3	Horizontal	356	1.50	80.08	34.28	5.84	34.53
PK	5.6414G	57.09	68.20	-11.11	4.19	3	Horizontal	356	1.50	52.90	32.98	5.76	34.55
PK	5.8922G	111.65	Inf	-Inf	5.58	3	Horizontal	356	1.50	106.07	34.27	5.84	34.53
PK	5.8958G	96.83	109.61	-12.78	5.59	3	Horizontal	356	1.50	91.24	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.694G	41.07	54.00	-12.93	12.15	3	Vertical	126	1.29	28.92	38.40	8.38	34.63
AV	17.735G	46.03	54.00	-7.97	15.52	3	Vertical	298	1.50	30.51	39.65	10.35	34.48
PK	11.74984G	53.47	74.00	-20.53	12.25	3	Vertical	126	1.29	41.22	38.50	8.40	34.65
PK	17.73324G	57.19	74.00	-16.81	15.49	3	Vertical	298	1.50	41.70	39.63	10.34	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.8068G	41.46	54.00	-12.54	12.35	3	Horizontal	38	2.62	29.11	38.60	8.42	34.67
AV	17.72732G	45.96	54.00	-8.04	15.45	3	Horizontal	128	1.43	30.51	39.59	10.34	34.48
PK	11.76392G	52.49	74.00	-21.51	12.29	3	Horizontal	38	2.62	40.20	38.53	8.41	34.65
PK	17.71748G	56.54	74.00	-17.46	15.38	3	Horizontal	128	1.43	41.16	39.52	10.34	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8498G	104.01	Inf	-Inf	5.39	3	Vertical	354	1.97	98.62	34.10	5.82	34.53
AV	6.031G	46.92	68.20	-21.28	5.49	3	Vertical	354	1.97	41.43	34.10	5.91	34.52
PK	5.6386G	57.54	68.20	-10.66	4.19	3	Vertical	354	1.97	53.35	32.98	5.76	34.55
PK	5.8498G	114.54	Inf	-Inf	5.39	3	Vertical	354	1.97	109.15	34.10	5.82	34.53
PK	5.9794G	59.02	88.20	-29.18	5.50	3	Vertical	354	1.97	53.52	34.14	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	102.63	Inf	-Inf	5.38	3	Horizontal	357	1.50	97.25	34.09	5.82	34.53
AV	5.9254G	46.50	68.20	-21.70	5.58	3	Horizontal	357	1.50	40.92	34.25	5.86	34.53
PK	5.551G	56.25	68.20	-11.95	4.05	3	Horizontal	357	1.50	52.20	32.90	5.71	34.56
PK	5.8486G	112.79	Inf	-Inf	5.38	3	Horizontal	357	1.50	107.41	34.09	5.82	34.53
PK	6.0334G	57.77	88.20	-30.43	5.50	3	Horizontal	357	1.50	52.27	34.10	5.92	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64248G	41.39	54.00	-12.61	12.15	3	Vertical	243	1.42	29.24	38.40	8.37	34.62
AV	17.61164G	45.32	68.20	-22.88	14.90	3	Vertical	73	1.29	30.42	39.05	10.30	34.45
PK	11.64184G	52.36	74.00	-21.64	12.15	3	Vertical	243	1.42	40.21	38.40	8.37	34.62
PK	17.60828G	56.51	88.20	-31.69	14.88	3	Vertical	73	1.29	41.63	39.03	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75976G	41.49	54.00	-12.51	12.27	3	Horizontal	265	1.94	29.22	38.52	8.40	34.65
AV	17.6134G	45.29	68.20	-22.91	14.90	3	Horizontal	263	2.82	30.39	39.05	10.30	34.45
PK	11.682G	53.12	74.00	-20.88	12.15	3	Horizontal	265	1.94	40.97	38.40	8.38	34.63
PK	17.60044G	56.19	88.20	-32.01	14.84	3	Horizontal	263	2.82	41.35	39.00	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.871G	104.07	Inf	-Inf	5.48	3	Vertical	354	1.98	98.59	34.18	5.83	34.53
AV	6.0402G	47.12	68.20	-21.08	5.50	3	Vertical	354	1.98	41.62	34.10	5.92	34.52
PK	5.6478G	57.44	68.20	-10.76	4.21	3	Vertical	354	1.98	53.23	33.00	5.76	34.55
PK	5.871G	114.06	Inf	-Inf	5.48	3	Vertical	354	1.98	108.58	34.18	5.83	34.53
PK	6.0354G	58.71	88.20	-29.49	5.50	3	Vertical	354	1.98	53.21	34.10	5.92	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	103.30	Inf	-Inf	5.47	3	Horizontal	7	2.94	97.83	34.17	5.83	34.53
AV	5.949G	46.43	68.20	-21.77	5.55	3	Horizontal	7	2.94	40.88	34.20	5.87	34.52
PK	5.6418G	56.55	68.20	-11.65	4.19	3	Horizontal	7	2.94	52.36	32.98	5.76	34.55
PK	5.8698G	114.75	Inf	-Inf	5.48	3	Horizontal	7	2.94	109.27	34.18	5.83	34.53
PK	5.9838G	58.79	88.20	-29.41	5.49	3	Horizontal	7	2.94	53.30	34.13	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76328G	41.45	54.00	-12.55	12.29	3	Vertical	299	2.26	29.16	38.53	8.41	34.65
AV	17.63996G	46.18	68.20	-22.02	15.01	3	Vertical	136	2.14	31.17	39.16	10.31	34.46
PK	11.70488G	53.40	74.00	-20.60	12.16	3	Vertical	299	2.26	41.24	38.41	8.39	34.64
PK	17.61948G	56.58	88.20	-31.62	14.93	3	Vertical	136	2.14	41.65	39.08	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75688G	41.48	54.00	-12.52	12.26	3	Horizontal	189	2.20	29.22	38.51	8.40	34.65
AV	17.63692G	45.51	68.20	-22.69	15.00	3	Horizontal	335	2.84	30.51	39.15	10.31	34.46
PK	11.80616G	52.54	74.00	-21.46	12.35	3	Horizontal	189	2.20	40.19	38.60	8.42	34.67
PK	17.6558G	56.73	88.20	-31.47	15.07	3	Horizontal	335	2.84	41.66	39.22	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	103.56	Inf	-Inf	5.57	3	Vertical	354	2.02	97.99	34.26	5.84	34.53
AV	5.8958G	87.34	89.61	-2.27	5.59	3	Vertical	354	2.02	81.75	34.28	5.84	34.53
PK	5.6474G	56.30	68.20	-11.90	4.20	3	Vertical	354	2.02	52.10	32.99	5.76	34.55
PK	5.8898G	114.59	Inf	-Inf	5.57	3	Vertical	354	2.02	109.02	34.26	5.84	34.53
PK	5.8958G	100.85	109.61	-8.76	5.59	3	Vertical	354	2.02	95.26	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	102.04	Inf	-Inf	5.57	3	Horizontal	356	1.50	96.47	34.26	5.84	34.53
AV	5.8958G	85.84	89.61	-3.77	5.59	3	Horizontal	356	1.50	80.25	34.28	5.84	34.53
PK	5.5958G	56.10	68.20	-12.10	4.10	3	Horizontal	356	1.50	52.00	32.90	5.75	34.55
PK	5.8898G	113.16	Inf	-Inf	5.57	3	Horizontal	356	1.50	107.59	34.26	5.84	34.53
PK	5.8958G	96.81	109.61	-12.80	5.59	3	Horizontal	356	1.50	91.22	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75704G	41.46	54.00	-12.54	12.26	3	Vertical	9	1.36	29.20	38.51	8.40	34.65
AV	17.63788G	46.18	68.20	-22.02	15.00	3	Vertical	360	1.21	31.18	39.15	10.31	34.46
PK	11.6948G	53.32	74.00	-20.68	12.15	3	Vertical	9	1.36	41.17	38.40	8.38	34.63
PK	17.72476G	57.52	74.00	-16.48	15.43	3	Vertical	360	1.21	42.09	39.57	10.34	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)

5885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.81832G	41.47	54.00	-12.53	12.35	3	Horizontal	270	1.61	29.12	38.60	8.42	34.67
AV	17.73468G	46.06	54.00	-7.94	15.51	3	Horizontal	8	2.13	30.55	39.64	10.35	34.48
PK	11.84552G	53.04	74.00	-20.96	12.35	3	Horizontal	270	1.61	40.69	38.60	8.43	34.68
PK	17.66828G	56.87	88.20	-31.33	15.13	3	Horizontal	8	2.13	41.74	39.27	10.32	34.46



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	109.06	Inf	-Inf	5.40	3	Vertical	9	1.25	103.66	34.11	5.82	34.53
AV	6.0034G	46.80	68.20	-21.40	5.47	3	Vertical	9	1.25	41.33	34.10	5.89	34.52
PK	5.581G	57.81	68.20	-10.39	4.08	3	Vertical	9	1.25	53.73	32.90	5.73	34.55
PK	5.8534G	117.34	Inf	-Inf	5.40	3	Vertical	9	1.25	111.94	34.11	5.82	34.53
PK	5.9434G	58.07	88.20	-30.13	5.55	3	Vertical	9	1.25	52.52	34.21	5.86	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	108.93	Inf	-Inf	5.40	3	Horizontal	4	1.42	103.53	34.11	5.82	34.53
AV	6.0118G	46.79	68.20	-21.41	5.48	3	Horizontal	4	1.42	41.31	34.10	5.90	34.52
PK	5.647G	56.79	68.20	-11.41	4.20	3	Horizontal	4	1.42	52.59	32.99	5.76	34.55
PK	5.8534G	117.03	Inf	-Inf	5.40	3	Horizontal	4	1.42	111.63	34.11	5.82	34.53
PK	5.9254G	58.22	88.20	-29.98	5.58	3	Horizontal	4	1.42	52.64	34.25	5.86	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75992G	41.55	54.00	-12.45	12.27	3	Vertical	163	1.40	29.28	38.52	8.40	34.65
AV	17.61404G	45.37	68.20	-22.83	14.91	3	Vertical	245	2.38	30.46	39.06	10.30	34.45
PK	11.66888G	52.89	74.00	-21.11	12.16	3	Vertical	163	1.40	40.73	38.40	8.38	34.62
PK	17.47404G	56.23	88.20	-31.97	14.34	3	Vertical	245	2.38	41.89	38.50	10.24	34.40

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74472G	41.45	54.00	-12.55	12.24	3	Horizontal	260	1.18	29.21	38.49	8.40	34.65
AV	17.61308G	45.34	68.20	-22.86	14.90	3	Horizontal	8	1.69	30.44	39.05	10.30	34.45
PK	11.73224G	53.26	74.00	-20.74	12.22	3	Horizontal	260	1.18	41.04	38.46	8.40	34.64
PK	17.4998G	56.48	88.20	-31.72	14.33	3	Horizontal	8	1.69	42.15	38.50	10.25	34.42

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	108.26	Inf	-Inf	5.49	3	Vertical	9	1.26	102.77	34.19	5.83	34.53
AV	6.0114G	46.76	68.20	-21.44	5.48	3	Vertical	9	1.26	41.28	34.10	5.90	34.52
PK	5.6034G	56.37	68.20	-11.83	4.11	3	Vertical	9	1.26	52.26	32.91	5.75	34.55
PK	5.8722G	116.50	Inf	-Inf	5.49	3	Vertical	9	1.26	111.01	34.19	5.83	34.53
PK	5.9574G	57.99	88.20	-30.21	5.54	3	Vertical	9	1.26	52.45	34.19	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	108.61	Inf	-Inf	5.49	3	Horizontal	4	1.39	103.12	34.19	5.83	34.53
AV	6.0318G	46.71	68.20	-21.49	5.49	3	Horizontal	4	1.39	41.22	34.10	5.91	34.52
PK	5.6322G	57.26	68.20	-10.94	4.17	3	Horizontal	4	1.39	53.09	32.96	5.76	34.55
PK	5.8734G	117.10	Inf	-Inf	5.49	3	Horizontal	4	1.39	111.61	34.19	5.83	34.53
PK	5.9502G	58.51	88.20	-29.69	5.55	3	Horizontal	4	1.39	52.96	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76008G	41.46	54.00	-12.54	12.27	3	Vertical	336	2.21	29.19	38.52	8.40	34.65
AV	17.63948G	46.17	68.20	-22.03	15.01	3	Vertical	355	1.63	31.16	39.16	10.31	34.46
PK	11.67016G	52.84	74.00	-21.16	12.16	3	Vertical	336	2.21	40.68	38.40	8.38	34.62
PK	17.64108G	56.52	88.20	-31.68	15.01	3	Vertical	355	1.63	41.51	39.16	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75528G	41.48	54.00	-12.52	12.26	3	Horizontal	328	1.78	29.22	38.51	8.40	34.65
AV	17.64076G	45.54	68.20	-22.66	15.01	3	Horizontal	143	1.20	30.53	39.16	10.31	34.46
PK	11.72904G	52.57	74.00	-21.43	12.21	3	Horizontal	328	1.78	40.36	38.46	8.39	34.64
PK	17.64972G	56.40	88.20	-31.80	15.05	3	Horizontal	143	1.20	41.35	39.20	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.60	Inf	-Inf	5.58	3	Vertical	10	1.42	100.02	34.27	5.84	34.53
AV	5.8958G	87.92	89.61	-1.69	5.59	3	Vertical	10	1.42	82.33	34.28	5.84	34.53
PK	5.6258G	56.95	68.20	-11.25	4.16	3	Vertical	10	1.42	52.79	32.95	5.76	34.55
PK	5.8934G	112.31	Inf	-Inf	5.58	3	Vertical	10	1.42	106.73	34.27	5.84	34.53
PK	5.8958G	98.73	109.61	-10.88	5.59	3	Vertical	10	1.42	93.14	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	105.72	Inf	-Inf	5.58	3	Horizontal	2	1.50	100.14	34.27	5.84	34.53
AV	5.8958G	87.96	89.61	-1.65	5.59	3	Horizontal	2	1.50	82.37	34.28	5.84	34.53
PK	5.6042G	56.88	68.20	-11.32	4.11	3	Horizontal	2	1.50	52.77	32.91	5.75	34.55
PK	5.8934G	112.58	Inf	-Inf	5.58	3	Horizontal	2	1.50	107.00	34.27	5.84	34.53
PK	5.8958G	100.62	109.61	-8.99	5.59	3	Horizontal	2	1.50	95.03	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)

5885MHz\_TX




22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76456G	41.52	54.00	-12.48	12.29	3	Vertical	148	2.87	29.23	38.53	8.41	34.65
AV	17.63868G	46.12	68.20	-22.08	15.00	3	Vertical	209	1.17	31.12	39.15	10.31	34.46
PK	11.70792G	52.98	74.00	-21.02	12.17	3	Vertical	148	2.87	40.81	38.42	8.39	34.64
PK	17.64428G	57.39	88.20	-30.81	15.03	3	Vertical	209	1.17	42.36	39.18	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)

5885MHz\_TX




22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75528G	41.51	54.00	-12.49	12.26	3	Horizontal	312	1.26	29.25	38.51	8.40	34.65
AV	17.72796G	45.97	54.00	-8.03	15.46	3	Horizontal	338	1.55	30.51	39.60	10.34	34.48
PK	11.72168G	53.00	74.00	-21.00	12.19	3	Horizontal	312	1.26	40.81	38.44	8.39	34.64
PK	17.735G	57.19	74.00	-16.81	15.52	3	Horizontal	338	1.55	41.67	39.65	10.35	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	106.60	Inf	-Inf	5.40	3	Vertical	10	1.25	101.20	34.11	5.82	34.53
AV	5.9278G	46.60	68.20	-21.60	5.57	3	Vertical	10	1.25	41.03	34.24	5.86	34.53
PK	5.617G	56.54	68.20	-11.66	4.13	3	Vertical	10	1.25	52.41	32.93	5.75	34.55
PK	5.8522G	116.42	Inf	-Inf	5.40	3	Vertical	10	1.25	111.02	34.11	5.82	34.53
PK	6.0034G	58.40	88.20	-29.80	5.47	3	Vertical	10	1.25	52.93	34.10	5.89	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8522G	106.48	Inf	-Inf	5.40	3	Horizontal	4	1.42	101.08	34.11	5.82	34.53
AV	5.9278G	46.55	68.20	-21.65	5.57	3	Horizontal	4	1.42	40.98	34.24	5.86	34.53
PK	5.6386G	57.73	68.20	-10.47	4.19	3	Horizontal	4	1.42	53.54	32.98	5.76	34.55
PK	5.851G	116.85	Inf	-Inf	5.39	3	Horizontal	4	1.42	111.46	34.10	5.82	34.53
PK	5.959G	58.27	88.20	-29.93	5.53	3	Horizontal	4	1.42	52.74	34.18	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7588G	41.46	54.00	-12.54	12.27	3	Vertical	7	1.19	29.19	38.52	8.40	34.65
AV	17.61244G	45.39	68.20	-22.81	14.90	3	Vertical	186	2.67	30.49	39.05	10.30	34.45
PK	11.6516G	52.69	74.00	-21.31	12.15	3	Vertical	7	1.19	40.54	38.40	8.37	34.62
PK	17.59244G	57.02	88.20	-31.18	14.81	3	Vertical	186	2.67	42.21	38.96	10.29	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)

5845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76616G	41.45	54.00	-12.55	12.28	3	Horizontal	83	1.71	29.17	38.53	8.41	34.66
AV	17.61404G	45.35	68.20	-22.85	14.91	3	Horizontal	264	1.38	30.44	39.06	10.30	34.45
PK	11.74728G	53.63	74.00	-20.37	12.24	3	Horizontal	83	1.71	41.39	38.49	8.40	34.65
PK	17.56924G	56.36	88.20	-31.84	14.69	3	Horizontal	264	1.38	41.67	38.85	10.28	34.44



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	105.89	Inf	-Inf	5.49	3	Vertical	9	2.08	100.40	34.19	5.83	34.53
AV	5.9262G	46.74	68.20	-21.46	5.58	3	Vertical	9	2.08	41.16	34.25	5.86	34.53
PK	5.6034G	56.70	68.20	-11.50	4.11	3	Vertical	9	2.08	52.59	32.91	5.75	34.55
PK	5.8734G	115.52	Inf	-Inf	5.49	3	Vertical	9	2.08	110.03	34.19	5.83	34.53
PK	5.9754G	58.50	88.20	-29.70	5.51	3	Vertical	9	2.08	52.99	34.15	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8722G	106.25	Inf	-Inf	5.49	3	Horizontal	6	1.39	100.76	34.19	5.83	34.53
AV	5.9406G	46.64	68.20	-21.56	5.56	3	Horizontal	6	1.39	41.08	34.22	5.86	34.52
PK	5.577G	56.56	68.20	-11.64	4.08	3	Horizontal	6	1.39	52.48	32.90	5.73	34.55
PK	5.871G	116.24	Inf	-Inf	5.48	3	Horizontal	6	1.39	110.76	34.18	5.83	34.53
PK	6.0618G	58.10	88.20	-30.10	5.51	3	Horizontal	6	1.39	52.59	34.08	5.94	34.51

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76104G	41.52	54.00	-12.48	12.27	3	Vertical	254	2.18	29.25	38.52	8.40	34.65
AV	17.63916G	46.20	68.20	-22.00	15.01	3	Vertical	198	2.69	31.19	39.16	10.31	34.46
PK	11.67128G	52.17	74.00	-21.83	12.16	3	Vertical	254	2.18	40.01	38.40	8.38	34.62
PK	17.65308G	56.37	88.20	-31.83	15.06	3	Vertical	198	2.69	41.31	39.21	10.31	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7652G	41.50	54.00	-12.50	12.29	3	Horizontal	80	1.61	29.21	38.53	8.41	34.65
AV	17.6334G	45.53	68.20	-22.67	14.99	3	Horizontal	149	2.07	30.54	39.13	10.31	34.45
PK	11.70728G	53.19	74.00	-20.81	12.16	3	Horizontal	80	1.61	41.03	38.41	8.39	34.64
PK	17.5678G	56.57	88.20	-31.63	14.68	3	Horizontal	149	2.07	41.89	38.84	10.28	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	105.38	Inf	-Inf	5.58	3	Vertical	9	1.43	99.80	34.27	5.84	34.53
AV	5.8958G	87.88	89.61	-1.73	5.59	3	Vertical	9	1.43	82.29	34.28	5.84	34.53
PK	5.5898G	56.78	68.20	-11.42	4.09	3	Vertical	9	1.43	52.69	32.90	5.74	34.55
PK	5.8922G	114.98	Inf	-Inf	5.58	3	Vertical	9	1.43	109.40	34.27	5.84	34.53
PK	5.8958G	99.54	109.61	-10.07	5.59	3	Vertical	9	1.43	93.95	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	105.09	Inf	-Inf	5.57	3	Horizontal	3	1.50	99.52	34.26	5.84	34.53
AV	5.8958G	87.90	89.61	-1.71	5.59	3	Horizontal	3	1.50	82.31	34.28	5.84	34.53
PK	5.645G	55.93	68.20	-12.27	4.20	3	Horizontal	3	1.50	51.73	32.99	5.76	34.55
PK	5.8922G	113.91	Inf	-Inf	5.58	3	Horizontal	3	1.50	108.33	34.27	5.84	34.53
PK	5.8958G	99.51	109.61	-10.10	5.59	3	Horizontal	3	1.50	93.92	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.758G	41.34	54.00	-12.66	12.15	3	Vertical	19	1.76	29.19	38.40	8.40	34.65
AV	17.63836G	45.81	68.20	-22.39	14.57	3	Vertical	293	2.14	31.24	38.72	10.31	34.46
PK	11.71224G	53.47	74.00	-20.53	12.15	3	Vertical	19	1.76	41.32	38.40	8.39	34.64
PK	17.71628G	56.08	74.00	-17.92	14.87	3	Vertical	293	2.14	41.21	39.01	10.34	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76232G	41.49	54.00	-12.51	12.28	3	Horizontal	76	1.60	29.21	38.52	8.41	34.65
AV	17.735G	46.05	54.00	-7.95	15.52	3	Horizontal	53	1.33	30.53	39.65	10.35	34.48
PK	11.84296G	52.55	74.00	-21.45	12.35	3	Horizontal	76	1.60	40.20	38.60	8.43	34.68
PK	17.73436G	56.92	74.00	-17.08	15.51	3	Horizontal	53	1.33	41.41	39.64	10.35	34.48

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8498G	103.97	Inf	-Inf	5.39	3	Vertical	9	1.16	98.58	34.10	5.82	34.53
AV	5.9278G	46.67	68.20	-21.53	5.57	3	Vertical	9	1.16	41.10	34.24	5.86	34.53
PK	5.6482G	56.75	68.20	-11.45	4.21	3	Vertical	9	1.16	52.54	33.00	5.76	34.55
PK	5.8498G	114.87	Inf	-Inf	5.39	3	Vertical	9	1.16	109.48	34.10	5.82	34.53
PK	6.0238G	58.30	88.20	-29.90	5.49	3	Vertical	9	1.16	52.81	34.10	5.91	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8474G	103.82	Inf	-Inf	5.38	3	Horizontal	5	1.50	98.44	34.09	5.82	34.53
AV	5.929G	46.62	68.20	-21.58	5.57	3	Horizontal	5	1.50	41.05	34.24	5.86	34.53
PK	5.6074G	57.13	68.20	-11.07	4.11	3	Horizontal	5	1.50	53.02	32.91	5.75	34.55
PK	5.851G	115.10	Inf	-Inf	5.39	3	Horizontal	5	1.50	109.71	34.10	5.82	34.53
PK	5.9518G	58.35	88.20	-29.85	5.55	3	Horizontal	5	1.50	52.80	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75336G	41.47	54.00	-12.53	12.26	3	Vertical	244	1.86	29.21	38.51	8.40	34.65
AV	17.61484G	45.35	68.20	-22.85	14.91	3	Vertical	60	2.72	30.44	39.06	10.30	34.45
PK	11.61784G	53.17	74.00	-20.83	12.15	3	Vertical	244	1.86	41.02	38.40	8.36	34.61
PK	17.5558G	57.47	88.20	-30.73	14.62	3	Vertical	60	2.72	42.85	38.78	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76488G	41.48	54.00	-12.52	12.29	3	Horizontal	205	1.06	29.19	38.53	8.41	34.65
AV	17.61308G	45.30	68.20	-22.90	14.90	3	Horizontal	259	1.40	30.40	39.05	10.30	34.45
PK	11.73416G	52.61	74.00	-21.39	12.23	3	Horizontal	205	1.06	40.38	38.47	8.40	34.64
PK	17.5366G	56.24	88.20	-31.96	14.52	3	Horizontal	259	1.40	41.72	38.68	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8698G	102.88	Inf	-Inf	5.48	3	Vertical	14	1.34	97.40	34.18	5.83	34.53
AV	5.925G	46.47	68.20	-21.73	5.58	3	Vertical	14	1.34	40.89	34.25	5.86	34.53
PK	5.6094G	56.41	68.20	-11.79	4.12	3	Vertical	14	1.34	52.29	32.92	5.75	34.55
PK	5.871G	114.20	Inf	-Inf	5.48	3	Vertical	14	1.34	108.72	34.18	5.83	34.53
PK	6.0234G	58.46	88.20	-29.74	5.49	3	Vertical	14	1.34	52.97	34.10	5.91	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	103.67	Inf	-Inf	5.47	3	Horizontal	356	2.85	98.20	34.17	5.83	34.53
AV	5.9766G	46.62	68.20	-21.58	5.51	3	Horizontal	356	2.85	41.11	34.15	5.88	34.52
PK	5.6454G	57.12	68.20	-11.08	4.20	3	Horizontal	356	2.85	52.92	32.99	5.76	34.55
PK	5.8698G	114.30	Inf	-Inf	5.48	3	Horizontal	356	2.85	108.82	34.18	5.83	34.53
PK	6.0606G	58.27	88.20	-29.93	5.51	3	Horizontal	356	2.85	52.76	34.08	5.94	34.51

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5865MHz\_TX




22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74968G	41.55	54.00	-12.45	12.25	3	Vertical	288	2.82	29.30	38.50	8.40	34.65
AV	17.63964G	46.24	68.20	-21.96	15.01	3	Vertical	178	2.07	31.23	39.16	10.31	34.46
PK	11.65992G	53.50	74.00	-20.50	12.15	3	Vertical	288	2.82	41.35	38.40	8.37	34.62
PK	17.6286G	57.39	88.20	-30.81	14.96	3	Vertical	178	2.07	42.43	39.11	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5865MHz\_TX




22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77288G	41.48	54.00	-12.52	12.30	3	Horizontal	71	3.00	29.18	38.55	8.41	34.66
AV	17.64044G	45.57	68.20	-22.63	15.01	3	Horizontal	223	2.45	30.56	39.16	10.31	34.46
PK	11.68904G	52.86	74.00	-21.14	12.15	3	Horizontal	71	3.00	40.71	38.40	8.38	34.63
PK	17.66636G	56.46	88.20	-31.74	15.13	3	Horizontal	223	2.45	41.33	39.27	10.32	34.46



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	103.25	Inf	-Inf	5.58	3	Vertical	9	1.24	97.67	34.27	5.84	34.53
AV	5.8958G	87.11	89.61	-2.50	5.59	3	Vertical	9	1.24	81.52	34.28	5.84	34.53
PK	5.603G	56.23	68.20	-11.97	4.11	3	Vertical	9	1.24	52.12	32.91	5.75	34.55
PK	5.8934G	114.38	Inf	-Inf	5.58	3	Vertical	9	1.24	108.80	34.27	5.84	34.53
PK	5.8958G	101.15	109.61	-8.46	5.59	3	Vertical	9	1.24	95.56	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	103.22	Inf	-Inf	5.58	3	Horizontal	5	1.35	97.64	34.27	5.84	34.53
AV	5.8958G	87.04	89.61	-2.57	5.59	3	Horizontal	5	1.35	81.45	34.28	5.84	34.53
PK	5.591G	56.47	68.20	-11.73	4.09	3	Horizontal	5	1.35	52.38	32.90	5.74	34.55
PK	5.8874G	113.47	Inf	-Inf	5.56	3	Horizontal	5	1.35	107.91	34.25	5.84	34.53
PK	5.8958G	99.72	109.61	-9.89	5.59	3	Horizontal	5	1.35	94.13	34.28	5.84	34.53