


5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7644G	41.49	54.00	-12.51	12.29	3	Vertical	87	1.30	29.20	38.53	8.41	34.65
AV	17.64044G	46.28	68.20	-21.92	15.01	3	Vertical	209	1.26	31.27	39.16	10.31	34.46
PK	11.75784G	52.88	74.00	-21.12	12.27	3	Vertical	87	1.30	40.61	38.52	8.40	34.65
PK	17.70316G	57.79	74.00	-16.21	15.28	3	Vertical	209	1.26	42.51	39.42	10.33	34.47

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.78408G	41.45	54.00	-12.55	12.32	3	Horizontal	210	2.36	29.13	38.57	8.41	34.66
AV	17.72892G	45.89	54.00	-8.11	15.46	3	Horizontal	220	1.32	30.43	39.60	10.34	34.48
PK	11.71688G	53.34	74.00	-20.66	12.18	3	Horizontal	210	2.36	41.16	38.43	8.39	34.64
PK	17.60508G	57.24	88.20	-30.96	14.86	3	Horizontal	220	1.32	42.38	39.02	10.29	34.45

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8458G	101.88	Inf	-Inf	5.37	3	Vertical	355	1.96	96.51	34.08	5.82	34.53
AV	6.0318G	46.81	68.20	-21.39	5.49	3	Vertical	355	1.96	41.32	34.10	5.91	34.52
PK	5.5926G	56.39	68.20	-11.81	4.09	3	Vertical	355	1.96	52.30	32.90	5.74	34.55
PK	5.8458G	112.59	Inf	-Inf	5.37	3	Vertical	355	1.96	107.22	34.08	5.82	34.53
PK	6.0654G	58.01	88.20	-30.19	5.50	3	Vertical	355	1.96	52.51	34.07	5.94	34.51

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.847G	100.23	Inf	-Inf	5.38	3	Horizontal	360	1.50	94.85	34.09	5.82	34.53
AV	5.9274G	46.48	68.20	-21.72	5.58	3	Horizontal	360	1.50	40.90	34.25	5.86	34.53
PK	5.6022G	56.69	68.20	-11.51	4.10	3	Horizontal	360	1.50	52.59	32.90	5.75	34.55
PK	5.8458G	111.42	Inf	-Inf	5.37	3	Horizontal	360	1.50	106.05	34.08	5.82	34.53
PK	5.9322G	57.80	88.20	-30.40	5.57	3	Horizontal	360	1.50	52.23	34.24	5.86	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73496G	41.36	54.00	-12.64	12.22	3	Vertical	212	2.78	29.14	38.47	8.40	34.65
AV	17.47412G	45.39	68.20	-22.81	14.34	3	Vertical	158	1.01	31.05	38.50	10.24	34.40
PK	11.66152G	52.87	74.00	-21.13	12.15	3	Vertical	212	2.78	40.72	38.40	8.37	34.62
PK	17.45796G	56.74	88.20	-31.46	14.35	3	Vertical	158	1.01	42.39	38.50	10.24	34.39

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74424G	41.43	54.00	-12.57	12.24	3	Horizontal	243	1.14	29.19	38.49	8.40	34.65
AV	17.553G	45.11	68.20	-23.09	14.61	3	Horizontal	217	1.02	30.50	38.77	10.27	34.43
PK	11.74296G	53.09	74.00	-20.91	12.24	3	Horizontal	243	1.14	40.85	38.49	8.40	34.65
PK	17.43044G	57.29	88.20	-30.91	14.35	3	Horizontal	217	1.02	42.94	38.50	10.23	34.38

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	101.00	Inf	-Inf	5.54	3	Vertical	357	1.95	95.46	34.23	5.84	34.53
AV	5.8954G	82.24	89.91	-7.67	5.59	3	Vertical	357	1.95	76.65	34.28	5.84	34.53
PK	5.5966G	57.18	68.20	-11.02	4.10	3	Vertical	357	1.95	53.08	32.90	5.75	34.55
PK	5.881G	110.96	Inf	-Inf	5.53	3	Vertical	357	1.95	105.43	34.22	5.84	34.53
PK	5.8954G	94.03	109.91	-15.88	5.59	3	Vertical	357	1.95	88.44	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	99.57	Inf	-Inf	5.56	3	Horizontal	360	1.50	94.01	34.25	5.84	34.53
AV	5.8954G	80.61	89.91	-9.30	5.59	3	Horizontal	360	1.50	75.02	34.28	5.84	34.53
PK	5.6458G	56.45	68.20	-11.75	4.20	3	Horizontal	360	1.50	52.25	32.99	5.76	34.55
PK	5.8846G	110.64	Inf	-Inf	5.55	3	Horizontal	360	1.50	105.09	34.24	5.84	34.53
PK	5.8954G	90.66	109.91	-19.25	5.59	3	Horizontal	360	1.50	85.07	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.82792G	41.52	54.00	-12.48	12.36	3	Vertical	160	1.43	29.16	38.60	8.43	34.67
AV	17.59972G	45.60	68.20	-22.60	14.84	3	Vertical	271	2.57	30.76	39.00	10.29	34.45
PK	11.70376G	52.75	74.00	-21.25	12.16	3	Vertical	160	1.43	40.59	38.41	8.39	34.64
PK	17.68628G	57.19	88.20	-31.01	15.21	3	Vertical	271	2.57	41.98	39.35	10.33	34.47

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.82488G	41.47	54.00	-12.53	12.35	3	Horizontal	223	2.39	29.12	38.60	8.42	34.67
AV	17.70212G	45.52	54.00	-8.48	15.27	3	Horizontal	156	1.34	30.25	39.41	10.33	34.47
PK	11.742G	53.07	74.00	-20.93	12.23	3	Horizontal	223	2.39	40.84	38.48	8.40	34.65
PK	17.65444G	56.95	88.20	-31.25	15.07	3	Horizontal	156	1.34	41.88	39.22	10.31	34.46

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8422G	101.38	Inf	-Inf	5.36	3	Vertical	0	1.16	96.02	34.07	5.82	34.53
AV	5.925G	46.71	68.20	-21.49	5.58	3	Vertical	0	1.16	41.13	34.25	5.86	34.53
PK	5.5974G	57.09	68.20	-11.11	4.10	3	Vertical	0	1.16	52.99	32.90	5.75	34.55
PK	5.8422G	112.37	Inf	-Inf	5.36	3	Vertical	0	1.16	107.01	34.07	5.82	34.53
PK	5.9394G	58.31	88.20	-29.89	5.56	3	Vertical	0	1.16	52.75	34.22	5.86	34.52

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.847G	101.35	Inf	-Inf	5.38	3	Horizontal	7	1.50	95.97	34.09	5.82	34.53
AV	5.925G	46.64	68.20	-21.56	5.58	3	Horizontal	7	1.50	41.06	34.25	5.86	34.53
PK	5.583G	56.69	68.20	-11.51	4.08	3	Horizontal	7	1.50	52.61	32.90	5.73	34.55
PK	5.8446G	112.52	Inf	-Inf	5.37	3	Horizontal	7	1.50	107.15	34.08	5.82	34.53
PK	5.9514G	57.92	88.20	-30.28	5.55	3	Horizontal	7	1.50	52.37	34.20	5.87	34.52

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74776G	41.47	54.00	-12.53	12.25	3	Vertical	85	2.91	29.22	38.50	8.40	34.65
AV	17.5834G	45.27	68.20	-22.93	14.77	3	Vertical	213	2.21	30.50	38.92	10.29	34.44
PK	11.69176G	53.85	74.00	-20.15	12.15	3	Vertical	85	2.91	41.70	38.40	8.38	34.63
PK	17.48724G	55.89	88.20	-32.31	14.34	3	Vertical	213	2.21	41.55	38.50	10.25	34.41

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74264G	41.38	54.00	-12.62	12.24	3	Horizontal	302	1.69	29.14	38.49	8.40	34.65
AV	17.55396G	45.12	68.20	-23.08	14.61	3	Horizontal	63	2.56	30.51	38.77	10.27	34.43
PK	11.62552G	52.35	74.00	-21.65	12.15	3	Horizontal	302	1.69	40.20	38.40	8.36	34.61
PK	17.57252G	56.45	88.20	-31.75	14.70	3	Horizontal	63	2.56	41.75	38.86	10.28	34.44

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	101.12	Inf	-Inf	5.54	3	Vertical	10	1.14	95.58	34.23	5.84	34.53
AV	5.8954G	81.53	89.91	-8.38	5.59	3	Vertical	10	1.14	75.94	34.28	5.84	34.53
PK	5.5978G	56.53	68.20	-11.67	4.10	3	Vertical	10	1.14	52.43	32.90	5.75	34.55
PK	5.8834G	111.44	Inf	-Inf	5.54	3	Vertical	10	1.14	105.90	34.23	5.84	34.53
PK	5.8954G	95.34	109.91	-14.57	5.59	3	Vertical	10	1.14	89.75	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	100.72	Inf	-Inf	5.54	3	Horizontal	8	1.41	95.18	34.23	5.84	34.53
AV	5.8954G	81.69	89.91	-8.22	5.59	3	Horizontal	8	1.41	76.10	34.28	5.84	34.53
PK	5.623G	57.51	68.20	-10.69	4.16	3	Horizontal	8	1.41	53.35	32.95	5.76	34.55
PK	5.8834G	111.36	Inf	-Inf	5.54	3	Horizontal	8	1.41	105.82	34.23	5.84	34.53
PK	5.8954G	94.15	109.91	-15.76	5.59	3	Horizontal	8	1.41	88.56	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77288G	41.51	54.00	-12.49	12.30	3	Vertical	182	1.57	29.21	38.55	8.41	34.66
AV	17.59508G	45.59	68.20	-22.61	14.83	3	Vertical	207	2.59	30.76	38.98	10.29	34.44
PK	11.72856G	52.94	74.00	-21.06	12.21	3	Vertical	182	1.57	40.73	38.46	8.39	34.64
PK	17.60148G	56.53	88.20	-31.67	14.85	3	Vertical	207	2.59	41.68	39.01	10.29	34.45

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77528G	41.46	54.00	-12.54	12.30	3	Horizontal	209	2.22	29.16	38.55	8.41	34.66
AV	17.705G	45.54	54.00	-8.46	15.30	3	Horizontal	314	1.17	30.24	39.44	10.33	34.47
PK	11.77688G	52.71	74.00	-21.29	12.30	3	Horizontal	209	2.22	40.41	38.55	8.41	34.66
PK	17.70348G	56.50	74.00	-17.50	15.28	3	Horizontal	314	1.17	41.22	39.42	10.33	34.47

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	98.57	Inf	-Inf	5.45	3	Vertical	357	2.02	93.12	34.15	5.83	34.53
AV	5.9246G	53.52	68.49	-14.97	5.58	3	Vertical	357	2.02	47.94	34.25	5.86	34.53
PK	5.6462G	56.77	68.20	-11.43	4.20	3	Vertical	357	2.02	52.57	32.99	5.76	34.55
PK	5.8646G	109.79	Inf	-Inf	5.46	3	Vertical	357	2.02	104.33	34.16	5.83	34.53
PK	5.9318G	66.34	88.20	-21.86	5.57	3	Vertical	357	2.02	60.77	34.24	5.86	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	97.35	Inf	-Inf	5.45	3	Horizontal	358	1.46	91.90	34.15	5.83	34.53
AV	5.9246G	51.88	68.49	-16.61	5.58	3	Horizontal	358	1.46	46.30	34.25	5.86	34.53
PK	5.609G	57.21	68.20	-10.99	4.12	3	Horizontal	358	1.46	53.09	32.92	5.75	34.55
PK	5.8658G	108.76	Inf	-Inf	5.46	3	Horizontal	358	1.46	103.30	34.16	5.83	34.53
PK	5.9258G	64.24	88.20	-23.96	5.58	3	Horizontal	358	1.46	58.66	34.25	5.86	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76232G	41.43	54.00	-12.57	12.28	3	Vertical	110	1.95	29.15	38.52	8.41	34.65
AV	17.49452G	45.45	68.20	-22.75	14.33	3	Vertical	341	1.37	31.12	38.50	10.25	34.42
PK	11.70472G	52.57	74.00	-21.43	12.16	3	Vertical	110	1.95	40.41	38.41	8.39	34.64
PK	17.49684G	57.29	88.20	-30.91	14.33	3	Vertical	341	1.37	42.96	38.50	10.25	34.42

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76312G	41.50	54.00	-12.50	12.29	3	Horizontal	348	1.03	29.21	38.53	8.41	34.65
AV	17.62356G	45.45	68.20	-22.75	14.94	3	Horizontal	293	2.83	30.51	39.09	10.30	34.45
PK	11.72632G	53.00	74.00	-21.00	12.20	3	Horizontal	348	1.03	40.80	38.45	8.39	34.64
PK	17.6034G	56.99	88.20	-31.21	14.85	3	Horizontal	293	2.83	42.14	39.01	10.29	34.45

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	97.33	Inf	-Inf	5.54	3	Vertical	8	2.08	91.79	34.23	5.84	34.53
AV	5.9246G	53.32	68.49	-15.17	5.58	3	Vertical	8	2.08	47.74	34.25	5.86	34.53
PK	5.5562G	56.31	68.20	-11.89	4.05	3	Vertical	8	2.08	52.26	32.90	5.71	34.56
PK	5.8634G	108.35	Inf	-Inf	5.45	3	Vertical	8	2.08	102.90	34.15	5.83	34.53
PK	5.9318G	64.57	88.20	-23.63	5.57	3	Vertical	8	2.08	59.00	34.24	5.86	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	97.55	Inf	-Inf	5.45	3	Horizontal	355	2.12	92.10	34.15	5.83	34.53
AV	5.9258G	52.80	68.20	-15.40	5.58	3	Horizontal	355	2.12	47.22	34.25	5.86	34.53
PK	5.6138G	56.55	68.20	-11.65	4.13	3	Horizontal	355	2.12	52.42	32.93	5.75	34.55
PK	5.8706G	109.31	Inf	-Inf	5.48	3	Horizontal	355	2.12	103.83	34.18	5.83	34.53
PK	5.9186G	69.37	92.89	-23.52	5.58	3	Horizontal	355	2.12	63.79	34.26	5.85	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76616G	41.54	54.00	-12.46	12.28	3	Vertical	351	2.06	29.26	38.53	8.41	34.66
AV	17.62548G	45.44	68.20	-22.76	14.95	3	Vertical	258	1.33	30.49	39.10	10.30	34.45
PK	11.68424G	52.63	74.00	-21.37	12.15	3	Vertical	351	2.06	40.48	38.40	8.38	34.63
PK	17.57716G	56.75	88.20	-31.45	14.73	3	Vertical	258	1.33	42.02	38.89	10.28	34.44

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76152G	41.45	54.00	-12.55	12.27	3	Horizontal	233	1.13	29.18	38.52	8.40	34.65
AV	17.63188G	45.46	68.20	-22.74	14.98	3	Horizontal	86	2.31	30.48	39.13	10.30	34.45
PK	11.68568G	52.09	74.00	-21.91	12.15	3	Horizontal	233	1.13	39.94	38.40	8.38	34.63
PK	17.54644G	55.99	88.20	-32.21	14.57	3	Horizontal	86	2.31	41.42	38.73	10.27	34.43

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8312G	95.33	Inf	-Inf	5.30	3	Vertical	357	2.01	90.03	34.02	5.81	34.53
AV	5.9302G	58.19	68.20	-10.01	5.57	3	Vertical	357	2.01	52.62	34.24	5.86	34.53
PK	5.6314G	56.89	68.20	-11.31	4.17	3	Vertical	357	2.01	52.72	32.96	5.76	34.55
PK	5.8414G	107.19	Inf	-Inf	5.36	3	Vertical	357	2.01	101.83	34.07	5.82	34.53
PK	5.9386G	71.25	88.20	-16.95	5.56	3	Vertical	357	2.01	65.69	34.22	5.86	34.52

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8312G	94.44	Inf	-Inf	5.30	3	Horizontal	357	1.50	89.14	34.02	5.81	34.53
AV	5.9266G	56.13	68.20	-12.07	5.58	3	Horizontal	357	1.50	50.55	34.25	5.86	34.53
PK	5.6122G	57.46	68.20	-10.74	4.12	3	Horizontal	357	1.50	53.34	32.92	5.75	34.55
PK	5.8378G	105.71	Inf	-Inf	5.34	3	Horizontal	357	1.50	100.37	34.05	5.82	34.53
PK	5.9242G	69.67	88.79	-19.12	5.58	3	Horizontal	357	1.50	64.09	34.25	5.86	34.53

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70952G	41.31	54.00	-12.69	12.17	3	Vertical	61	1.66	29.14	38.42	8.39	34.64
AV	17.36508G	45.04	68.20	-23.16	14.26	3	Vertical	235	2.19	30.78	38.40	10.20	34.34
PK	11.63864G	52.36	74.00	-21.64	12.16	3	Vertical	61	1.66	40.20	38.40	8.37	34.61
PK	17.36548G	56.28	88.20	-31.92	14.26	3	Vertical	235	2.19	42.02	38.40	10.20	34.34

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port1)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.71G	41.37	54.00	-12.63	12.17	3	Horizontal	199	1.60	29.20	38.42	8.39	34.64
AV	17.525G	45.09	68.20	-23.11	14.45	3	Horizontal	331	2.65	30.64	38.62	10.26	34.43
PK	11.62104G	52.89	74.00	-21.11	12.15	3	Horizontal	199	1.60	40.74	38.40	8.36	34.61
PK	17.4914G	55.92	88.20	-32.28	14.34	3	Horizontal	331	2.65	41.58	38.50	10.25	34.41

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8372G	95.26	Inf	-Inf	5.34	3	Vertical	10	1.21	89.92	34.05	5.82	34.53
AV	5.9296G	56.03	68.20	-12.17	5.57	3	Vertical	10	1.21	50.46	34.24	5.86	34.53
PK	5.6368G	58.02	68.20	-10.18	4.18	3	Vertical	10	1.21	53.84	32.97	5.76	34.55
PK	5.8306G	105.84	Inf	-Inf	5.30	3	Vertical	10	1.21	100.54	34.02	5.81	34.53
PK	5.9608G	69.45	88.20	-18.75	5.53	3	Vertical	10	1.21	63.92	34.18	5.87	34.52

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8324G	94.86	Inf	-Inf	5.31	3	Horizontal	8	1.50	89.55	34.03	5.81	34.53
AV	5.9266G	55.42	68.20	-12.78	5.58	3	Horizontal	8	1.50	49.84	34.25	5.86	34.53
PK	5.6212G	58.64	68.20	-9.56	4.15	3	Horizontal	8	1.50	54.49	32.94	5.76	34.55
PK	5.8414G	106.00	Inf	-Inf	5.36	3	Horizontal	8	1.50	100.64	34.07	5.82	34.53
PK	5.9596G	69.05	88.20	-19.15	5.53	3	Horizontal	8	1.50	63.52	34.18	5.87	34.52

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70296G	41.34	54.00	-12.66	12.17	3	Vertical	329	1.74	29.17	38.41	8.39	34.63
AV	17.47556G	45.00	68.20	-23.20	14.33	3	Vertical	30	1.39	30.67	38.50	10.24	34.41
PK	11.6676G	52.64	74.00	-21.36	12.16	3	Vertical	329	1.74	40.48	38.40	8.38	34.62
PK	17.47396G	56.76	88.20	-31.44	14.34	3	Vertical	30	1.39	42.42	38.50	10.24	34.40

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_1TX(Port2)


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70968G	41.42	54.00	-12.58	12.17	3	Horizontal	19	1.60	29.25	38.42	8.39	34.64
AV	17.525G	45.07	68.20	-23.13	14.45	3	Horizontal	119	2.39	30.62	38.62	10.26	34.43
PK	11.63864G	53.15	74.00	-20.85	12.16	3	Horizontal	19	1.60	40.99	38.40	8.37	34.61
PK	17.453G	57.18	88.20	-31.02	14.34	3	Horizontal	119	2.39	42.84	38.50	10.23	34.39

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.847G	101.31	Inf	-Inf	5.38	3	Vertical	357	1.95	95.93	34.09	5.82	34.53
AV	6.0234G	46.80	68.20	-21.40	5.49	3	Vertical	357	1.95	41.31	34.10	5.91	34.52
PK	5.595G	56.85	68.20	-11.35	4.10	3	Vertical	357	1.95	52.75	32.90	5.75	34.55
PK	5.8446G	111.99	Inf	-Inf	5.37	3	Vertical	357	1.95	106.62	34.08	5.82	34.53
PK	6.0198G	58.46	88.20	-29.74	5.48	3	Vertical	357	1.95	52.98	34.10	5.90	34.52

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.841G	100.00	Inf	-Inf	5.35	3	Horizontal	360	1.41	94.65	34.06	5.82	34.53
AV	5.931G	46.39	68.20	-21.81	5.57	3	Horizontal	360	1.41	40.82	34.24	5.86	34.53
PK	5.6298G	56.83	68.20	-11.37	4.17	3	Horizontal	360	1.41	52.66	32.96	5.76	34.55
PK	5.8446G	110.21	Inf	-Inf	5.37	3	Horizontal	360	1.41	104.84	34.08	5.82	34.53
PK	5.9346G	58.33	88.20	-29.87	5.56	3	Horizontal	360	1.41	52.77	34.23	5.86	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74568G	41.40	54.00	-12.60	12.24	3	Vertical	209	2.71	29.16	38.49	8.40	34.65
AV	17.47524G	45.46	68.20	-22.74	14.33	3	Vertical	79	1.54	31.13	38.50	10.24	34.41
PK	11.6132G	52.81	74.00	-21.19	12.15	3	Vertical	209	2.71	40.66	38.40	8.36	34.61
PK	17.45364G	56.73	88.20	-31.47	14.34	3	Vertical	79	1.54	42.39	38.50	10.23	34.39

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7492G	41.37	54.00	-12.63	12.25	3	Horizontal	180	1.24	29.12	38.50	8.40	34.65
AV	17.55508G	45.05	68.20	-23.15	14.62	3	Horizontal	255	1.70	30.43	38.78	10.27	34.43
PK	11.6132G	52.55	74.00	-21.45	12.15	3	Horizontal	180	1.24	40.40	38.40	8.36	34.61
PK	17.54724G	56.25	88.20	-31.95	14.58	3	Horizontal	255	1.70	41.67	38.74	10.27	34.43

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8882G	100.50	Inf	-Inf	5.56	3	Vertical	357	2.03	94.94	34.25	5.84	34.53
AV	5.8954G	81.73	89.91	-8.18	5.59	3	Vertical	357	2.03	76.14	34.28	5.84	34.53
PK	5.6434G	56.10	68.20	-12.10	4.20	3	Vertical	357	2.03	51.90	32.99	5.76	34.55
PK	5.8822G	111.27	Inf	-Inf	5.54	3	Vertical	357	2.03	105.73	34.23	5.84	34.53
PK	5.8954G	95.49	109.91	-14.42	5.59	3	Vertical	357	2.03	89.90	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	99.35	Inf	-Inf	5.54	3	Horizontal	359	1.50	93.81	34.23	5.84	34.53
AV	5.8954G	80.09	89.91	-9.82	5.59	3	Horizontal	359	1.50	74.50	34.28	5.84	34.53
PK	5.641G	56.76	68.20	-11.44	4.19	3	Horizontal	359	1.50	52.57	32.98	5.76	34.55
PK	5.8846G	110.68	Inf	-Inf	5.55	3	Horizontal	359	1.50	105.13	34.24	5.84	34.53
PK	5.8954G	93.62	109.91	-16.29	5.59	3	Horizontal	359	1.50	88.03	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76344G	41.49	54.00	-12.51	12.29	3	Vertical	114	2.91	29.20	38.53	8.41	34.65
AV	17.70468G	45.65	54.00	-8.35	15.29	3	Vertical	291	2.68	30.36	39.43	10.33	34.47
PK	11.70728G	52.75	74.00	-21.25	12.16	3	Vertical	114	2.91	40.59	38.41	8.39	34.64
PK	17.6506G	56.46	88.20	-31.74	15.05	3	Vertical	291	2.68	41.41	39.20	10.31	34.46

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.82584G	41.49	54.00	-12.51	12.36	3	Horizontal	271	1.85	29.13	38.60	8.43	34.67
AV	17.70052G	45.50	54.00	-8.50	15.26	3	Horizontal	268	2.52	30.24	39.40	10.33	34.47
PK	11.69976G	52.47	74.00	-21.53	12.16	3	Horizontal	271	1.85	40.31	38.40	8.39	34.63
PK	17.65572G	57.62	88.20	-30.58	15.07	3	Horizontal	268	2.52	42.55	39.22	10.31	34.46

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	98.10	Inf	-Inf	5.45	3	Vertical	356	2.02	92.65	34.15	5.83	34.53
AV	5.8958G	72.59	89.61	-17.02	5.59	3	Vertical	356	2.02	67.00	34.28	5.84	34.53
PK	5.5838G	56.21	68.20	-11.99	4.09	3	Vertical	356	2.02	52.12	32.90	5.74	34.55
PK	5.8646G	108.49	Inf	-Inf	5.46	3	Vertical	356	2.02	103.03	34.16	5.83	34.53
PK	5.8958G	88.07	109.61	-21.54	5.59	3	Vertical	356	2.02	82.48	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	96.67	Inf	-Inf	5.45	3	Horizontal	358	1.46	91.22	34.15	5.83	34.53
AV	5.9246G	49.49	68.49	-19.00	5.58	3	Horizontal	358	1.46	43.91	34.25	5.86	34.53
PK	5.6438G	56.48	68.20	-11.72	4.20	3	Horizontal	358	1.46	52.28	32.99	5.76	34.55
PK	5.8646G	107.69	Inf	-Inf	5.46	3	Horizontal	358	1.46	102.23	34.16	5.83	34.53
PK	5.8958G	84.07	109.61	-25.54	5.59	3	Horizontal	358	1.46	78.48	34.28	5.84	34.53

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.75944G	41.47	54.00	-12.53	12.27	3	Vertical	69	2.59	29.20	38.52	8.40	34.65
AV	17.63412G	45.46	68.20	-22.74	15.00	3	Vertical	209	2.55	30.46	39.14	10.31	34.45
PK	11.68696G	53.55	74.00	-20.45	12.15	3	Vertical	69	2.59	41.40	38.40	8.38	34.63
PK	17.593G	56.17	88.20	-32.03	14.82	3	Vertical	209	2.55	41.35	38.97	10.29	34.44

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76632G	41.46	54.00	-12.54	12.28	3	Horizontal	201	2.28	29.18	38.53	8.41	34.66
AV	17.54276G	45.48	68.20	-22.72	14.55	3	Horizontal	248	2.92	30.93	38.71	10.27	34.43
PK	11.76248G	52.63	74.00	-21.37	12.28	3	Horizontal	201	2.28	40.35	38.52	8.41	34.65
PK	17.54196G	56.91	88.20	-31.29	14.55	3	Horizontal	248	2.92	42.36	38.71	10.27	34.43

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_2TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8372G	98.14	Inf	-Inf	5.34	3	Vertical	356	1.21	92.80	34.05	5.82	34.53
AV	5.9254G	60.33	68.20	-7.87	5.58	3	Vertical	356	1.21	54.75	34.25	5.86	34.53
PK	5.6416G	58.95	68.20	-9.25	4.19	3	Vertical	356	1.21	54.76	32.98	5.76	34.55
PK	5.8714G	109.72	Inf	-Inf	5.49	3	Vertical	356	1.21	104.23	34.19	5.83	34.53
PK	5.9278G	74.11	88.20	-14.09	5.57	3	Vertical	356	1.21	68.54	34.24	5.86	34.53

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_2TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8372G	98.19	Inf	-Inf	5.34	3	Horizontal	358	2.97	92.85	34.05	5.82	34.53
AV	5.926G	60.04	68.20	-8.16	5.58	3	Horizontal	358	2.97	54.46	34.25	5.86	34.53
PK	5.6494G	59.79	68.20	-8.41	4.21	3	Horizontal	358	2.97	55.58	33.00	5.76	34.55
PK	5.836G	108.84	Inf	-Inf	5.33	3	Horizontal	358	2.97	103.51	34.04	5.82	34.53
PK	5.9248G	71.32	88.35	-17.03	5.58	3	Horizontal	358	2.97	65.74	34.25	5.86	34.53

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_2TX

5815MHz_TX




22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6908G	41.27	54.00	-12.73	12.15	3	Vertical	276	2.27	29.12	38.40	8.38	34.63
AV	17.5194G	45.03	68.20	-23.17	14.43	3	Vertical	243	2.90	30.60	38.60	10.26	34.43
PK	11.69784G	53.35	74.00	-20.65	12.15	3	Vertical	276	2.27	41.20	38.40	8.38	34.63
PK	17.51444G	56.61	88.20	-31.59	14.41	3	Vertical	243	2.90	42.20	38.57	10.26	34.42

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67s_2TX

5815MHz_TX



22/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70872G	41.30	54.00	-12.70	12.17	3	Horizontal	105	1.34	29.13	38.42	8.39	34.64
AV	17.51828G	45.03	68.20	-23.17	14.43	3	Horizontal	143	2.57	30.60	38.59	10.26	34.42
PK	11.59128G	52.47	74.00	-21.53	12.18	3	Horizontal	105	1.34	40.29	38.43	8.35	34.60
PK	17.4242G	55.98	88.20	-32.22	14.35	3	Horizontal	143	2.57	41.63	38.50	10.22	34.37



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83392G	41.83	54.00	-12.17	3	Vertical	267	3.00
Mode 1	Pass	AV	4.96211G	35.08	54.00	-18.92	3	Vertical	350	1.50
Mode 1	Pass	AV	7.25183G	44.79	54.00	-9.21	3	Vertical	346	2.24
Mode 1	Pass	PK	4.83398G	47.46	74.00	-26.54	3	Vertical	267	3.00
Mode 1	Pass	PK	4.96363G	45.24	74.00	-28.76	3	Vertical	350	1.50
Mode 1	Pass	PK	7.25217G	52.39	74.00	-21.61	3	Vertical	346	2.24
Mode 1	Pass	AV	4.834G	45.82	54.00	-8.18	3	Horizontal	351	1.87
Mode 1	Pass	AV	4.96042G	35.74	54.00	-18.26	3	Horizontal	356	2.69
Mode 1	Pass	AV	7.25181G	42.45	54.00	-11.55	3	Horizontal	281	1.50
Mode 1	Pass	PK	4.834G	50.50	74.00	-23.50	3	Horizontal	351	1.87
Mode 1	Pass	PK	4.96228G	45.94	74.00	-28.06	3	Horizontal	356	2.69
Mode 1	Pass	PK	7.25456G	52.06	74.00	-21.94	3	Horizontal	281	1.50
Mode 2	Pass	AV	4.96207G	35.09	54.00	-18.91	3	Vertical	231	1.50
Mode 2	Pass	AV	11.51488G	42.82	54.00	-11.18	3	Vertical	318	1.50
Mode 2	Pass	AV	17.36468G	46.35	68.20	-21.85	3	Vertical	16	1.50
Mode 2	Pass	PK	4.96463G	45.38	74.00	-28.62	3	Vertical	231	1.50
Mode 2	Pass	PK	11.55848G	53.21	74.00	-20.79	3	Vertical	318	1.50
Mode 2	Pass	PK	17.36188G	56.44	68.20	-11.76	3	Vertical	16	1.50
Mode 2	Pass	AV	4.96023G	37.16	54.00	-16.84	3	Horizontal	9	2.66
Mode 2	Pass	AV	11.53008G	42.83	54.00	-11.17	3	Horizontal	83	1.50
Mode 2	Pass	AV	17.3054G	46.31	68.20	-21.89	3	Horizontal	41	1.50
Mode 2	Pass	PK	4.9597G	46.34	74.00	-27.66	3	Horizontal	9	2.66
Mode 2	Pass	PK	11.52856G	53.14	74.00	-20.86	3	Horizontal	83	1.50
Mode 2	Pass	PK	17.30164G	56.97	68.20	-11.23	3	Horizontal	41	1.50
Mode 3	Pass	AV	4.95978G	35.21	54.00	-18.79	3	Vertical	357	1.91
Mode 3	Pass	AV	11.70682G	43.08	54.00	-10.92	3	Vertical	21	1.65
Mode 3	Pass	AV	17.56871G	46.36	68.20	-21.84	3	Vertical	323	2.08
Mode 3	Pass	PK	4.95766G	45.14	74.00	-28.86	3	Vertical	357	1.91
Mode 3	Pass	PK	11.7135G	53.43	74.00	-20.57	3	Vertical	21	1.65
Mode 3	Pass	PK	17.56728G	57.49	68.20	-10.71	3	Vertical	323	2.08
Mode 3	Pass	AV	4.95983G	36.87	54.00	-17.13	3	Horizontal	11	2.72
Mode 3	Pass	AV	11.71469G	42.95	54.00	-11.05	3	Horizontal	151	2.35
Mode 3	Pass	AV	17.56619G	46.33	68.20	-21.87	3	Horizontal	50	2.13
Mode 3	Pass	PK	4.96019G	46.22	74.00	-27.78	3	Horizontal	11	2.72
Mode 3	Pass	PK	11.71474G	53.83	74.00	-20.17	3	Horizontal	151	2.35
Mode 3	Pass	PK	17.56895G	56.65	68.20	-11.55	3	Horizontal	50	2.13
Mode 4	Pass	AV	4.95954G	34.77	54.00	-19.23	3	Vertical	0	1.50
Mode 4	Pass	AV	12.68773G	44.27	54.00	-9.73	3	Vertical	173	2.32
Mode 4	Pass	PK	4.9586G	45.63	74.00	-28.37	3	Vertical	0	1.50
Mode 4	Pass	PK	12.69035G	54.41	74.00	-19.59	3	Vertical	173	2.32
Mode 4	Pass	AV	4.96397G	34.99	54.00	-19.01	3	Horizontal	32	1.84
Mode 4	Pass	AV	12.69461G	44.20	54.00	-9.80	3	Horizontal	66	1.65
Mode 4	Pass	PK	4.96115G	45.05	74.00	-28.95	3	Horizontal	32	1.84
Mode 4	Pass	PK	12.68741G	54.43	74.00	-19.57	3	Horizontal	66	1.65

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83392G	41.83	54.00	-12.17	3.20	3	Vertical	267	3.00	38.63	32.50	5.35	34.65
AV	4.96211G	35.08	54.00	-18.92	3.65	3	Vertical	350	1.50	31.43	32.85	5.44	34.64
AV	7.25183G	44.79	54.00	-9.21	8.64	3	Vertical	346	2.24	36.15	36.80	6.61	34.77
PK	4.83398G	47.46	74.00	-26.54	3.20	3	Vertical	267	3.00	44.26	32.50	5.35	34.65
PK	4.96363G	45.24	74.00	-28.76	3.65	3	Vertical	350	1.50	41.59	32.85	5.44	34.64
PK	7.25217G	52.39	74.00	-21.61	8.64	3	Vertical	346	2.24	43.75	36.80	6.61	34.77

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.834G	45.82	54.00	-8.18	3.20	3	Horizontal	351	1.87	42.62	32.50	5.35	34.65
AV	4.96042G	35.74	54.00	-18.26	3.64	3	Horizontal	356	2.69	32.10	32.84	5.44	34.64
AV	7.25181G	42.45	54.00	-11.55	8.64	3	Horizontal	281	1.50	33.81	36.80	6.61	34.77
PK	4.834G	50.50	74.00	-23.50	3.20	3	Horizontal	351	1.87	47.30	32.50	5.35	34.65
PK	4.96228G	45.94	74.00	-28.06	3.65	3	Horizontal	356	2.69	42.29	32.85	5.44	34.64
PK	7.25456G	52.06	74.00	-21.94	8.63	3	Horizontal	281	1.50	43.43	36.79	6.61	34.77

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96207G	35.09	54.00	-18.91	3.65	3	Vertical	231	1.50	31.44	32.85	5.44	34.64
AV	11.51488G	42.82	54.00	-11.18	12.42	3	Vertical	318	1.50	30.40	38.66	8.33	34.57
AV	17.36468G	46.35	68.20	-21.85	14.25	3	Vertical	16	1.50	32.10	38.39	10.20	34.34
PK	4.96463G	45.38	74.00	-28.62	3.66	3	Vertical	231	1.50	41.72	32.86	5.44	34.64
PK	11.55848G	53.21	74.00	-20.79	12.27	3	Vertical	318	1.50	40.94	38.52	8.34	34.59
PK	17.36188G	56.44	68.20	-11.76	14.25	3	Vertical	16	1.50	42.19	38.39	10.20	34.34

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96023G	37.16	54.00	-16.84	3.64	3	Horizontal	9	2.66	33.52	32.84	5.44	34.64
AV	11.53008G	42.83	54.00	-11.17	12.36	3	Horizontal	83	1.50	30.47	38.61	8.33	34.58
AV	17.3054G	46.31	68.20	-21.89	14.10	3	Horizontal	41	1.50	32.21	38.22	10.18	34.30
PK	4.9597G	46.34	74.00	-27.66	3.64	3	Horizontal	9	2.66	42.70	32.84	5.44	34.64
PK	11.52856G	53.14	74.00	-20.86	12.36	3	Horizontal	83	1.50	40.78	38.61	8.33	34.58
PK	17.30164G	56.97	68.20	-11.23	14.07	3	Horizontal	41	1.50	42.90	38.20	10.17	34.30

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95978G	35.21	54.00	-18.79	3.64	3	Vertical	357	1.91	31.57	32.84	5.44	34.64
AV	11.70682G	43.08	54.00	-10.92	12.16	3	Vertical	21	1.65	30.92	38.41	8.39	34.64
AV	17.56871G	46.36	68.20	-21.84	14.68	3	Vertical	323	2.08	31.68	38.84	10.28	34.44
PK	4.95766G	45.14	74.00	-28.86	3.63	3	Vertical	357	1.91	41.51	32.83	5.44	34.64
PK	11.7135G	53.43	74.00	-20.57	12.18	3	Vertical	21	1.65	41.25	38.43	8.39	34.64
PK	17.56728G	57.49	68.20	-10.71	14.68	3	Vertical	323	2.08	42.81	38.84	10.28	34.44

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95983G	36.87	54.00	-17.13	3.64	3	Horizontal	11	2.72	33.23	32.84	5.44	34.64
AV	11.71469G	42.95	54.00	-11.05	12.18	3	Horizontal	151	2.35	30.77	38.43	8.39	34.64
AV	17.56619G	46.33	68.20	-21.87	14.67	3	Horizontal	50	2.13	31.66	38.83	10.28	34.44
PK	4.96019G	46.22	74.00	-27.78	3.64	3	Horizontal	11	2.72	42.58	32.84	5.44	34.64
PK	11.71474G	53.83	74.00	-20.17	12.18	3	Horizontal	151	2.35	41.65	38.43	8.39	34.64
PK	17.56895G	56.65	68.20	-11.55	14.68	3	Horizontal	50	2.13	41.97	38.84	10.28	34.44

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95954G	34.77	54.00	-19.23	NaN	3	Vertical	0	1.50	NaN	NaN	5.44	34.64
AV	12.68773G	44.27	54.00	-9.73	NaN	3	Vertical	173	2.32	NaN	NaN	8.66	34.05
PK	4.9586G	45.63	74.00	-28.37	NaN	3	Vertical	0	1.50	NaN	NaN	5.44	34.64
PK	12.69035G	54.41	74.00	-19.59	NaN	3	Vertical	173	2.32	NaN	NaN	8.66	34.05

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96397G	34.99	54.00	-19.01	NaN	3	Horizontal	32	1.84	NaN	NaN	5.44	34.64
AV	12.69461G	44.20	54.00	-9.80	NaN	3	Horizontal	66	1.65	NaN	NaN	8.66	34.04
PK	4.96115G	45.05	74.00	-28.95	NaN	3	Horizontal	32	1.84	NaN	NaN	5.44	34.64
PK	12.68741G	54.43	74.00	-19.57	NaN	3	Horizontal	66	1.65	NaN	NaN	8.66	34.05

————THE END————