



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	7.09	12.86
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	7.67	13.41
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	7.59	13.36
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	7.73	13.47
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	7.51	13.28
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	7.7	13.44
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	7.49	13.26
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	7.57	13.31
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	7.31	13.08
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	7.58	13.32
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	7.39	13.16
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	7.67	13.41
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	7.4	13.16
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	7.35	13.11
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	7.55	13.31
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	7.41	13.17
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	7.68	13.44
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	7.65	13.41
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	7.72	13.49
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	7.26	13.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	7.72	13.48
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	4.51	10.28
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	3.98	9.72
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	6.57	12.33
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-38.94	-33.17
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-39.00	-33.26
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-38.14	-32.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	-0.03	-	-0.03	Inf	5.74	14.00
5865MHz	Pass	5.77	7.09	-	7.09	Inf	12.86	14.00
5885MHz	Pass	5.77	6.82	-	6.82	Inf	12.59	14.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	-0.14	-0.14	Inf	5.60	14.00
5865MHz	Pass	5.74	-	7.67	7.67	Inf	13.41	14.00
5885MHz	Pass	5.74	-	7.62	7.62	Inf	13.36	14.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	-2.49	-2.94	-0.21	Inf	5.55	14.00
5865MHz	Pass	5.76	4.7	4.33	7.40	Inf	13.16	14.00
5885MHz	Pass	5.76	4.54	4.37	7.35	Inf	13.11	14.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	7.33	-	7.33	Inf	13.10	14.00
5865MHz	Pass	5.77	7.59	-	7.59	Inf	13.36	14.00
5885MHz	Pass	5.77	7.15	-	7.15	Inf	12.92	14.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	7.73	7.73	Inf	13.47	14.00
5865MHz	Pass	5.74	-	7.5	7.50	Inf	13.24	14.00
5885MHz	Pass	5.74	-	7.54	7.54	Inf	13.28	14.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	4.89	4.28	7.32	Inf	13.08	14.00
5865MHz	Pass	5.76	4.81	4.49	7.35	Inf	13.11	14.00
5885MHz	Pass	5.76	4.75	4.38	7.31	Inf	13.07	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	-1.76	-	-1.76	Inf	4.01	14.00
5865MHz	Pass	5.77	7.51	-	7.51	Inf	13.28	14.00
5885MHz	Pass	5.77	7.33	-	7.33	Inf	13.10	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	-0.65	-0.65	Inf	5.09	14.00
5865MHz	Pass	5.74	-	7.7	7.70	Inf	13.44	14.00
5885MHz	Pass	5.74	-	7.67	7.67	Inf	13.41	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	-1.13	-3.07	-0.13	Inf	5.63	14.00
5865MHz	Pass	5.76	4.79	4.35	7.55	Inf	13.31	14.00
5885MHz	Pass	5.76	4.47	4.34	7.26	Inf	13.02	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	7.49	-	7.49	Inf	13.26	14.00
5865MHz	Pass	5.77	7.28	-	7.28	Inf	13.05	14.00
5885MHz	Pass	5.77	7.35	-	7.35	Inf	13.12	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	7.57	7.57	Inf	13.31	14.00
5865MHz	Pass	5.74	-	7.52	7.52	Inf	13.26	14.00
5885MHz	Pass	5.74	-	7.28	7.28	Inf	13.02	14.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	4.95	4.17	7.41	Inf	13.17	14.00
5865MHz	Pass	5.76	4.64	4.22	7.26	Inf	13.02	14.00
5885MHz	Pass	5.76	4.49	4.29	7.24	Inf	13.00	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	-2.6	-	-2.60	Inf	3.17	14.00
5865MHz	Pass	5.77	7.28	-	7.28	Inf	13.05	14.00
5885MHz	Pass	5.77	7.31	-	7.31	Inf	13.08	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	-2.43	-2.43	Inf	3.31	14.00
5865MHz	Pass	5.74	-	7.57	7.57	Inf	13.31	14.00







PSD\_Full RU\_5850-5895(MHz)

Appendix D.2


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5885MHz	Pass	5.74	-	7.58	7.58	Inf	13.32	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	-2.6	-3.43	-1.54	Inf	4.22	14.00
5865MHz	Pass	5.76	5.03	4.59	7.68	Inf	13.44	14.00
5885MHz	Pass	5.76	4.74	4.44	7.42	Inf	13.18	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.77	7.25		7.25	Inf	13.02	14.00
5865MHz	Pass	5.77	7.31		7.31	Inf	13.08	14.00
5885MHz	Pass	5.77	7.39		7.39	Inf	13.16	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-
5845MHz	Pass	5.74	-	7.67	7.67	Inf	13.41	14.00
5865MHz	Pass	5.74	-	7.26	7.26	Inf	13.00	14.00
5885MHz	Pass	5.74	-	7.49	7.49	Inf	13.23	14.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	5.76	4.82	4.61	7.65	Inf	13.41	14.00
5865MHz	Pass	5.76	4.74	4.82	7.65	Inf	13.41	14.00
5885MHz	Pass	5.76	4.52	4.05	7.29	Inf	13.05	14.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-
5835MHz	Pass	5.77	6.47		6.47	Inf	12.24	14.00
5875MHz	Pass	5.77	7.72		7.72	Inf	13.49	14.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-
5835MHz	Pass	5.74	-	6.02	6.02	Inf	11.76	14.00
5875MHz	Pass	5.74	-	7.26	7.26	Inf	13.00	14.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-
5835MHz	Pass	5.76	4.74	4.86	7.72	Inf	13.48	14.00
5875MHz	Pass	5.76	5.02	4.54	7.66	Inf	13.42	14.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-
5855MHz	Pass	5.77	4.51		4.51	Inf	10.28	14.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-
5855MHz	Pass	5.74	-	3.98	3.98	Inf	9.72	14.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-
5855MHz	Pass	5.76	3.92	3.32	6.57	Inf	12.33	14.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-
5815MHz	Pass	5.77	-38.94		-38.94	Inf	-33.17	14.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-
5815MHz	Pass	5.74	-	-39.00	-39.00	Inf	-33.26	14.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-	-	-	-	-	-	-	-
5815MHz	Pass	5.76	-41.09	-40.21	-38.14	Inf	-32.38	14.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

























































































































Note : Trace mode Average.



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	5.70	10.53
802.11a_Nss1,(6Mbps)_1TX(Port2)	6.85	10.96
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	4.38	9.21
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	6.43	10.54
802.11n HT20_Nss1,(MCS8)_2TX	9.23	13.70
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	5.03	9.86
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	6.42	10.53
802.11ax HEW20_Nss1,(MCS0)_2TX	9.03	13.50
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	2.30	7.13
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	3.27	7.38
802.11n HT40_Nss1,(MCS8)_2TX	6.39	10.86
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	1.89	6.72
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	3.26	7.37
802.11ax HEW40_Nss1,(MCS0)_2TX	5.70	10.17
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-3.52	1.31
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-3.16	0.95
802.11ac VHT80_Nss1,(MCS0)_2TX	-0.12	4.35
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-3.64	1.19
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-3.52	0.59
802.11ax HEW80_Nss1,(MCS0)_2TX	-0.31	4.16
802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)	-8.88	-4.05
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-8.65	-4.54
802.11ac VHT160_Nss1,(MCS0)_2TX	-6.84	-2.37
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-8.09	-3.26
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-8.07	-3.96
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.05	-2.58
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	6.90	12.13
802.11a_Nss1,(6Mbps)_1TX(Port2)	7.14	12.57
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	5.39	10.62
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	6.34	11.77
802.11n HT20_Nss1,(MCS8)_2TX	9.36	14.69
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	6.39	11.62
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	6.64	12.07
802.11ax HEW20_Nss1,(MCS0)_2TX	9.35	14.68
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	4.72	9.95
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	3.74	9.17
802.11n HT40_Nss1,(MCS8)_2TX	6.36	11.69
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	3.29	8.52
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	3.19	8.62
802.11ax HEW40_Nss1,(MCS0)_2TX	5.94	11.27
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-3.00	2.23
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-3.03	2.40
802.11ac VHT80_Nss1,(MCS0)_2TX	-1.94	3.39
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-3.77	1.46
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-3.95	1.48
802.11ax HEW80_Nss1,(MCS0)_2TX	-2.24	3.09
802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)	-8.31	-3.08
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-8.30	-2.87
802.11ac VHT160_Nss1,(MCS0)_2TX	-6.74	-1.41
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-7.42	-2.19
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-7.69	-2.26
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.00	-1.67
5.47-5.725GHz	-	-





Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX(Port1)	7.12	13.01
802.11a_Nss1,(6Mbps)_1TX(Port2)	6.76	12.92
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	5.79	11.68
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	5.80	11.96
802.11n HT20_Nss1,(MCS8)_2TX	10.22	16.25
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	7.60	13.49
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	7.46	13.62
802.11ax HEW20_Nss1,(MCS0)_2TX	9.81	15.84
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	4.14	10.03
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	3.73	9.89
802.11n HT40_Nss1,(MCS8)_2TX	6.94	12.97
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	4.75	10.64
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	4.21	10.37
802.11ax HEW40_Nss1,(MCS0)_2TX	6.73	12.76
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	0.91	6.80
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	0.55	6.71
802.11ac VHT80_Nss1,(MCS0)_2TX	3.44	9.47
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-3.36	2.53
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-4.15	2.01
802.11ax HEW80_Nss1,(MCS0)_2TX	3.53	9.56
802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)	-6.80	-0.91
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-6.19	-0.03
802.11ac VHT160_Nss1,(MCS0)_2TX	-4.51	1.52
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-6.03	-0.14
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-5.96	0.20
802.11ax HEW160_Nss1,(MCS0)_2TX	-4.78	1.25
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	5.04	11.06
802.11a_Nss1,(6Mbps)_1TX(Port2)	5.10	10.95
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	3.74	9.76
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	4.12	9.97
802.11n HT20_Nss1,(MCS8)_2TX	8.59	14.53
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	6.02	12.04
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	5.52	11.37
802.11ax HEW20_Nss1,(MCS0)_2TX	8.82	14.76
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	2.25	8.27
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	1.77	7.62
802.11n HT40_Nss1,(MCS8)_2TX	3.53	9.47
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	2.69	8.71
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	2.22	8.07
802.11ax HEW40_Nss1,(MCS0)_2TX	5.42	11.36
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-3.81	2.21
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-4.16	1.69
802.11ac VHT80_Nss1,(MCS0)_2TX	0.36	6.30
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-4.91	1.11
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-6.03	-0.18
802.11ax HEW80_Nss1,(MCS0)_2TX	-0.02	5.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.83	4.20		4.20	11.00	9.03	17.00
5200MHz	Pass	4.83	5.70		5.70	11.00	10.53	17.00
5240MHz	Pass	4.83	5.70		5.70	11.00	10.53	17.00
5260MHz	Pass	5.23	6.90		6.90	11.00	12.13	17.00
5300MHz	Pass	5.23	6.77		6.77	11.00	12.00	17.00
5320MHz	Pass	5.23	6.67		6.67	11.00	11.90	17.00
5500MHz	Pass	5.89	3.80		3.80	11.00	9.69	17.00
5580MHz	Pass	5.89	6.07		6.07	11.00	11.96	17.00
5700MHz	Pass	5.89	6.42		6.42	11.00	12.31	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.89	7.12		7.12	11.00	13.01	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.02	3.13		3.13	29.98	9.15	36.00
5745MHz	Pass	6.02	5.04		5.04	29.98	11.06	36.00
5785MHz	Pass	6.02	5.02		5.02	29.98	11.04	36.00
5825MHz	Pass	6.02	4.02		4.02	29.98	10.04	36.00
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.11	-	5.44	5.44	11.00	9.55	17.00
5200MHz	Pass	4.11	-	6.74	6.74	11.00	10.85	17.00
5240MHz	Pass	4.11	-	6.85	6.85	11.00	10.96	17.00
5260MHz	Pass	5.43	-	6.91	6.91	11.00	12.34	17.00
5300MHz	Pass	5.43	-	7.14	7.14	11.00	12.57	17.00
5320MHz	Pass	5.43	-	6.18	6.18	11.00	11.61	17.00
5500MHz	Pass	6.16	-	6.23	6.23	10.84	12.39	17.00
5580MHz	Pass	6.16	-	6.61	6.61	10.84	12.77	17.00
5700MHz	Pass	6.16	-	3.06	3.06	10.84	9.22	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.16	-	6.76	6.76	10.84	12.92	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.85	-	3.84	3.84	30.00	9.69	36.00
5745MHz	Pass	5.85	-	5.10	5.10	30.00	10.95	36.00
5785MHz	Pass	5.85	-	5.05	5.05	30.00	10.90	36.00
5825MHz	Pass	5.85	-	4.23	4.23	30.00	10.08	36.00
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.83	2.55		2.55	11.00	7.38	17.00
5200MHz	Pass	4.83	4.30		4.30	11.00	9.13	17.00
5240MHz	Pass	4.83	4.38		4.38	11.00	9.21	17.00
5260MHz	Pass	5.23	5.35		5.35	11.00	10.58	17.00
5300MHz	Pass	5.23	5.39		5.39	11.00	10.62	17.00
5320MHz	Pass	5.23	5.36		5.36	11.00	10.59	17.00
5500MHz	Pass	5.89	5.54		5.54	11.00	11.43	17.00
5580MHz	Pass	5.89	5.20		5.20	11.00	11.09	17.00
5700MHz	Pass	5.89	5.20		5.20	11.00	11.09	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.89	5.79		5.79	11.00	11.68	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.02	2.34		2.34	29.98	8.36	36.00
5745MHz	Pass	6.02	3.74		3.74	29.98	9.76	36.00
5785MHz	Pass	6.02	3.74		3.74	29.98	9.76	36.00
5825MHz	Pass	6.02	3.40		3.40	29.98	9.42	36.00
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.11	-	4.63	4.63	11.00	8.74	17.00
5200MHz	Pass	4.11	-	6.43	6.43	11.00	10.54	17.00
5240MHz	Pass	4.11	-	6.43	6.43	11.00	10.54	17.00
5260MHz	Pass	5.43	-	6.10	6.10	11.00	11.53	17.00
5300MHz	Pass	5.43	-	6.34	6.34	11.00	11.77	17.00
5320MHz	Pass	5.43	-	6.15	6.15	11.00	11.58	17.00
5500MHz	Pass	6.16	-	5.72	5.72	10.84	11.88	17.00
5580MHz	Pass	6.16	-	5.80	5.80	10.84	11.96	17.00
5700MHz	Pass	6.16	-	3.85	3.85	10.84	10.01	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5720MHz Straddle 5.47-5.725GHz	Pass	6.16	-	5.67	5.67	10.84	11.83	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.85	-	3.12	3.12	30.00	8.97	36.00
5745MHz	Pass	5.85	-	4.12	4.12	30.00	9.97	36.00
5785MHz	Pass	5.85	-	3.95	3.95	30.00	9.80	36.00
5825MHz	Pass	5.85	-	3.77	3.77	30.00	9.62	36.00
802.11n HT20_Nss1,(MCS8)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.47	4.96	5.41	8.17	11.00	12.64	17.00
5200MHz	Pass	4.47	6.00	6.25	9.11	11.00	13.58	17.00
5240MHz	Pass	4.47	6.10	6.45	9.23	11.00	13.70	17.00
5260MHz	Pass	5.33	6.18	6.41	9.22	11.00	14.55	17.00
5300MHz	Pass	5.33	6.18	6.67	9.36	11.00	14.69	17.00
5320MHz	Pass	5.33	5.02	5.57	8.28	11.00	13.61	17.00
5500MHz	Pass	6.03	2.68	2.93	5.78	10.97	11.81	17.00
5580MHz	Pass	6.03	7.03	7.44	10.22	10.97	16.25	17.00
5700MHz	Pass	6.03	2.60	2.74	5.68	10.97	11.71	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.03	5.84	5.95	8.87	10.97	14.90	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.94	3.08	3.06	6.08	30.00	12.02	36.00
5745MHz	Pass	5.94	5.41	5.65	8.47	30.00	14.41	36.00
5785MHz	Pass	5.94	5.55	5.70	8.59	30.00	14.53	36.00
5825MHz	Pass	5.94	5.30	5.51	8.38	30.00	14.32	36.00
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5190MHz	Pass	4.83	-1.39	-	-1.39	11.00	3.44	17.00
5230MHz	Pass	4.83	2.30	-	2.30	11.00	7.13	17.00
5270MHz	Pass	5.23	4.72	-	4.72	11.00	9.95	17.00
5310MHz	Pass	5.23	-0.52	-	-0.52	11.00	4.71	17.00
5510MHz	Pass	5.89	0.89	-	0.89	11.00	6.78	17.00
5550MHz	Pass	5.89	4.14	-	4.14	11.00	10.03	17.00
5670MHz	Pass	5.89	4.11	-	4.11	11.00	10.00	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.89	3.83	-	3.83	11.00	9.72	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.02	-0.64	-	-0.64	29.98	5.38	36.00
5755MHz	Pass	6.02	2.25	-	2.25	29.98	8.27	36.00
5795MHz	Pass	6.02	1.51	-	1.51	29.98	7.53	36.00
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5190MHz	Pass	4.11	-	-0.15	-0.15	11.00	3.96	17.00
5230MHz	Pass	4.11	-	3.27	3.27	11.00	7.38	17.00
5270MHz	Pass	5.43	-	3.74	3.74	11.00	9.17	17.00
5310MHz	Pass	5.43	-	-0.60	-0.60	11.00	4.83	17.00
5510MHz	Pass	6.16	-	0.31	0.31	10.84	6.47	17.00
5550MHz	Pass	6.16	-	3.73	3.73	10.84	9.89	17.00
5670MHz	Pass	6.16	-	2.18	2.18	10.84	8.34	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.16	-	3.36	3.36	10.84	9.52	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.85	-	-1.25	-1.25	30.00	4.60	36.00
5755MHz	Pass	5.85	-	1.77	1.77	30.00	7.62	36.00
5795MHz	Pass	5.85	-	1.07	1.07	30.00	6.92	36.00
802.11n HT40_Nss1,(MCS8)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.47	-0.30	-0.31	2.67	11.00	7.14	17.00
5230MHz	Pass	4.47	3.19	3.67	6.39	11.00	10.86	17.00
5270MHz	Pass	5.33	3.34	3.52	6.36	11.00	11.69	17.00
5310MHz	Pass	5.33	-2.26	-1.84	0.95	11.00	6.28	17.00
5510MHz	Pass	6.03	-0.53	-0.15	2.66	10.97	8.69	17.00
5550MHz	Pass	6.03	3.88	4.02	6.94	10.97	12.97	17.00
5670MHz	Pass	6.03	-0.51	-0.26	2.55	10.97	8.58	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.03	3.07	3.28	6.14	10.97	12.17	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.94	-1.71	-1.53	1.34	30.00	7.28	36.00
5755MHz	Pass	5.94	0.69	0.46	3.53	30.00	9.47	36.00
5795MHz	Pass	5.94	0.15	0.05	3.05	30.00	8.99	36.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5210MHz	Pass	4.83	-3.52	-	-3.52	11.00	1.31	17.00
5290MHz	Pass	5.23	-3.00	-	-3.00	11.00	2.23	17.00
5530MHz	Pass	5.89	-2.79	-	-2.79	11.00	3.10	17.00
5610MHz	Pass	5.89	0.91	-	0.91	11.00	6.80	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.89	0.86	-	0.86	11.00	6.75	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.02	-4.59	-	-4.59	29.98	1.43	36.00
5775MHz	Pass	6.02	-3.81	-	-3.81	29.98	2.21	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5210MHz	Pass	4.11	-	-3.16	-3.16	11.00	0.95	17.00
5290MHz	Pass	5.43	-	-3.03	-3.03	11.00	2.40	17.00
5530MHz	Pass	6.16	-	-2.81	-2.81	10.84	3.35	17.00
5610MHz	Pass	6.16	-	0.55	0.55	10.84	6.71	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.16	-	0.37	0.37	10.84	6.53	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.85	-	-5.17	-5.17	30.00	0.68	36.00
5775MHz	Pass	5.85	-	-4.16	-4.16	30.00	1.69	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.47	-3.29	-2.85	-0.12	11.00	4.35	17.00
5290MHz	Pass	5.33	-4.81	-4.94	-1.94	11.00	3.39	17.00
5530MHz	Pass	6.03	-0.85	-1.13	1.95	10.97	7.98	17.00
5610MHz	Pass	6.03	-0.64	-1.13	2.10	10.97	8.13	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.03	0.83	0.13	3.44	10.97	9.47	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.94	-4.26	-5.33	-1.81	30.00	4.13	36.00
5775MHz	Pass	5.94	-2.42	-2.64	0.36	30.00	6.30	36.00
802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-8.88	-	-8.88	11.00	-4.05	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.23	-8.31	-	-8.31	11.00	-3.08	17.00
5570MHz	Pass	5.89	-6.80	-	-6.80	11.00	-0.91	17.00
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.11	-	-8.65	-8.65	11.00	-4.54	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.43	-	-8.30	-8.30	11.00	-2.87	17.00
5570MHz	Pass	6.16	-	-6.19	-6.19	10.84	-0.03	17.00
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.47	-9.90	-9.77	-6.84	11.00	-2.37	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.33	-9.54	-9.86	-6.74	11.00	-1.41	17.00
5570MHz	Pass	6.03	-7.12	-7.71	-4.51	10.97	1.52	17.00
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.83	0.09	-	0.09	11.00	4.92	17.00
5200MHz	Pass	4.83	4.96	-	4.96	11.00	9.79	17.00
5240MHz	Pass	4.83	5.03	-	5.03	11.00	9.86	17.00
5260MHz	Pass	5.23	6.30	-	6.30	11.00	11.53	17.00
5300MHz	Pass	5.23	6.39	-	6.39	11.00	11.62	17.00
5320MHz	Pass	5.23	3.87	-	3.87	11.00	9.10	17.00
5500MHz	Pass	5.89	6.02	-	6.02	11.00	11.91	17.00
5580MHz	Pass	5.89	7.60	-	7.60	11.00	13.49	17.00
5700MHz	Pass	5.89	7.56	-	7.56	11.00	13.45	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.89	7.52	-	7.52	11.00	13.41	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.02	4.75	-	4.75	29.98	10.77	36.00
5745MHz	Pass	6.02	-0.15	-	-0.15	29.98	5.87	36.00
5785MHz	Pass	6.02	6.02	-	6.02	29.98	12.04	36.00
5825MHz	Pass	6.02	5.74	-	5.74	29.98	11.76	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5180MHz	Pass	4.11	-	1.20	1.20	11.00	5.31	17.00
5200MHz	Pass	4.11	-	6.42	6.42	11.00	10.53	17.00
5240MHz	Pass	4.11	-	6.42	6.42	11.00	10.53	17.00
5260MHz	Pass	5.43	-	6.36	6.36	11.00	11.79	17.00



PSD\_Partial RU\_5150-5850(MHz)

Appendix D.3

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5300MHz	Pass	5.43	-	6.64	6.64	11.00	12.07	17.00
5320MHz	Pass	5.43	-	3.86	3.86	11.00	9.29	17.00
5500MHz	Pass	6.16	-	7.46	7.46	10.84	13.62	17.00
5580MHz	Pass	6.16	-	7.32	7.32	10.84	13.48	17.00
5700MHz	Pass	6.16	-	5.53	5.53	10.84	11.69	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.16	-	7.12	7.12	10.84	13.28	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.85	-	4.30	4.30	30.00	10.15	36.00
5745MHz	Pass	5.85	-	-0.66	-0.66	30.00	5.19	36.00
5785MHz	Pass	5.85	-	5.44	5.44	30.00	11.29	36.00
5825MHz	Pass	5.85	-	5.52	5.52	30.00	11.37	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.47	4.72	5.34	8.04	11.00	12.51	17.00
5200MHz	Pass	4.47	5.78	6.12	8.95	11.00	13.42	17.00
5240MHz	Pass	4.47	5.96	6.12	9.03	11.00	13.50	17.00
5260MHz	Pass	5.33	6.17	6.13	9.13	11.00	14.46	17.00
5300MHz	Pass	5.33	6.38	6.36	9.35	11.00	14.68	17.00
5320MHz	Pass	5.33	5.16	5.23	8.16	11.00	13.49	17.00
5500MHz	Pass	6.03	5.95	5.13	8.53	10.97	14.56	17.00
5580MHz	Pass	6.03	7.12	6.54	9.81	10.97	15.84	17.00
5700MHz	Pass	6.03	5.07	4.43	7.72	10.97	13.75	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.03	7.06	6.37	9.72	10.97	15.75	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.94	4.32	3.74	7.04	30.00	12.98	36.00
5745MHz	Pass	5.94	6.27	5.36	8.82	30.00	14.76	36.00
5785MHz	Pass	5.94	6.14	5.33	8.73	30.00	14.67	36.00
5825MHz	Pass	5.94	5.83	5.31	8.56	30.00	14.50	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5190MHz	Pass	4.83	-2.08		-2.08	11.00	2.75	17.00
5230MHz	Pass	4.83	1.89		1.89	11.00	6.72	17.00
5270MHz	Pass	5.23	3.29		3.29	11.00	8.52	17.00
5310MHz	Pass	5.23	-0.89		-0.89	11.00	4.34	17.00
5510MHz	Pass	5.89	-0.37		-0.37	11.00	5.52	17.00
5550MHz	Pass	5.89	4.65		4.65	11.00	10.54	17.00
5670MHz	Pass	5.89	4.75		4.75	11.00	10.64	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.89	4.43		4.43	11.00	10.32	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.02	-0.14		-0.14	29.98	5.88	36.00
5755MHz	Pass	6.02	-2.03		-2.03	29.98	3.99	36.00
5795MHz	Pass	6.02	2.69		2.69	29.98	8.71	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5190MHz	Pass	4.11	-	-1.40	-1.40	11.00	2.71	17.00
5230MHz	Pass	4.11	-	3.26	3.26	11.00	7.37	17.00
5270MHz	Pass	5.43	-	3.19	3.19	11.00	8.62	17.00
5310MHz	Pass	5.43	-	-1.21	-1.21	11.00	4.22	17.00
5510MHz	Pass	6.16	-	-0.95	-0.95	10.84	5.21	17.00
5550MHz	Pass	6.16	-	4.21	4.21	10.84	10.37	17.00
5670MHz	Pass	6.16	-	2.53	2.53	10.84	8.69	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.16	-	3.77	3.77	10.84	9.93	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.85	-	-0.76	-0.76	30.00	5.09	36.00
5755MHz	Pass	5.85	-	-2.63	-2.63	30.00	3.22	36.00
5795MHz	Pass	5.85	-	2.22	2.22	30.00	8.07	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.47	-1.04	-0.87	2.04	11.00	6.51	17.00
5230MHz	Pass	4.47	2.68	2.78	5.70	11.00	10.17	17.00
5270MHz	Pass	5.33	3.21	2.75	5.94	11.00	11.27	17.00
5310MHz	Pass	5.33	-2.43	-2.62	0.47	11.00	5.80	17.00
5510MHz	Pass	6.03	1.46	0.79	4.12	10.97	10.15	17.00
5550MHz	Pass	6.03	4.20	3.33	6.73	10.97	12.76	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5670MHz	Pass	6.03	2.11	1.35	4.70	10.97	10.73	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.03	3.97	3.05	6.52	10.97	12.55	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.94	-0.46	-1.54	2.00	30.00	7.94	36.00
5755MHz	Pass	5.94	1.95	1.03	4.47	30.00	10.41	36.00
5795MHz	Pass	5.94	2.76	2.13	5.42	30.00	11.36	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5210MHz	Pass	4.83	-3.64		-3.64	11.00	1.19	17.00
5290MHz	Pass	5.23	-3.77		-3.77	11.00	1.46	17.00
5530MHz	Pass	5.89	-3.52		-3.52	11.00	2.37	17.00
5610MHz	Pass	5.89	-3.36		-3.36	11.00	2.53	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.89	-4.22		-4.22	11.00	1.67	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.02	-9.71		-9.71	29.98	-3.69	36.00
5775MHz	Pass	6.02	-4.91		-4.91	29.98	1.11	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5210MHz	Pass	4.11	-	-3.52	-3.52	11.00	0.59	17.00
5290MHz	Pass	5.43	-	-3.95	-3.95	11.00	1.48	17.00
5530MHz	Pass	6.16	-	-4.15	-4.15	10.84	2.01	17.00
5610MHz	Pass	6.16	-	-4.35	-4.35	10.84	1.81	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.16	-	-4.29	-4.29	10.84	1.87	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.85	-	-9.79	-9.79	30.00	-3.94	36.00
5775MHz	Pass	5.85	-	-6.03	-6.03	30.00	-0.18	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.47	-3.29	-3.25	-0.31	11.00	4.16	17.00
5290MHz	Pass	5.33	-5.06	-5.36	-2.24	11.00	3.09	17.00
5530MHz	Pass	6.03	-1.55	-1.93	1.21	10.97	7.24	17.00
5610MHz	Pass	6.03	0.66	0.01	3.33	10.97	9.36	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.03	0.91	0.24	3.53	10.97	9.56	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.94	-4.13	-5.25	-1.67	30.00	4.27	36.00
5775MHz	Pass	5.94	-2.81	-3.12	-0.02	30.00	5.92	36.00
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-8.09		-8.09	11.00	-3.26	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.23	-7.42		-7.42	11.00	-2.19	17.00
5570MHz	Pass	5.89	-6.03		-6.03	11.00	-0.14	17.00
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.11	-	-8.07	-8.07	11.00	-3.96	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.43	-	-7.69	-7.69	11.00	-2.26	17.00
5570MHz	Pass	6.16	-	-5.96	-5.96	10.84	0.20	17.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.47	-10.19	-9.92	-7.05	11.00	-2.58	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.33	-9.78	-10.09	-7.00	11.00	-1.67	17.00
5570MHz	Pass	6.03	-7.35	-8.12	-4.78	10.97	1.25	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

