



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2442G	102.97	Inf	-Inf	3	Vertical	3	1.50
5240MHz	Pass	PK	5.372G	56.47	74.00	-17.53	3	Vertical	3	1.50
5240MHz	Pass	AV	5.1218G	45.74	54.00	-8.26	3	Horizontal	64	1.55
5240MHz	Pass	AV	5.2376G	99.90	Inf	-Inf	3	Horizontal	64	1.55
5240MHz	Pass	AV	5.3606G	44.97	54.00	-9.03	3	Horizontal	64	1.55
5240MHz	Pass	PK	5.1026G	57.87	74.00	-16.13	3	Horizontal	64	1.55
5240MHz	Pass	PK	5.2436G	108.19	Inf	-Inf	3	Horizontal	64	1.55
5240MHz	Pass	PK	5.363G	56.39	74.00	-17.61	3	Horizontal	64	1.55
5240MHz	Pass	AV	15.71008G	42.30	54.00	-11.70	3	Vertical	129	1.67
5240MHz	Pass	PK	10.47928G	53.42	68.20	-14.78	3	Vertical	343	2.99
5240MHz	Pass	PK	15.7172G	53.69	74.00	-20.31	3	Vertical	129	1.67
5240MHz	Pass	AV	15.71012G	42.31	54.00	-11.69	3	Horizontal	268	2.38
5240MHz	Pass	PK	10.47932G	53.01	68.20	-15.19	3	Horizontal	182	2.95
5240MHz	Pass	PK	15.71252G	53.65	74.00	-20.35	3	Horizontal	268	2.38
5260MHz	Pass	AV	5.1172G	45.64	54.00	-8.36	3	Vertical	3	1.49
5260MHz	Pass	AV	5.2618G	95.41	Inf	-Inf	3	Vertical	3	1.49
5260MHz	Pass	AV	5.4088G	44.96	54.00	-9.04	3	Vertical	3	1.49
5260MHz	Pass	PK	5.1274G	57.38	74.00	-16.62	3	Vertical	3	1.49
5260MHz	Pass	PK	5.2642G	104.06	Inf	-Inf	3	Vertical	3	1.49
5260MHz	Pass	PK	5.4094G	56.32	74.00	-17.68	3	Vertical	3	1.49
5260MHz	Pass	AV	5.14G	45.79	54.00	-8.21	3	Horizontal	65	1.50
5260MHz	Pass	AV	5.2564G	99.70	Inf	-Inf	3	Horizontal	65	1.50
5260MHz	Pass	AV	5.4076G	44.97	54.00	-9.03	3	Horizontal	65	1.50
5260MHz	Pass	PK	5.113G	57.52	74.00	-16.48	3	Horizontal	65	1.50
5260MHz	Pass	PK	5.257G	107.76	Inf	-Inf	3	Horizontal	65	1.50
5260MHz	Pass	PK	5.3926G	57.06	74.00	-16.94	3	Horizontal	65	1.50
5260MHz	Pass	AV	15.77728G	42.64	54.00	-11.36	3	Vertical	141	2.81
5260MHz	Pass	PK	10.52924G	52.28	68.20	-15.92	3	Vertical	230	1.52
5260MHz	Pass	PK	15.7726G	53.67	74.00	-20.33	3	Vertical	141	2.81
5260MHz	Pass	AV	15.77692G	42.39	54.00	-11.61	3	Horizontal	148	2.42
5260MHz	Pass	PK	10.52756G	53.50	68.20	-14.70	3	Horizontal	179	1.30
5260MHz	Pass	PK	15.7716G	53.71	74.00	-20.29	3	Horizontal	148	2.42
5300MHz	Pass	AV	5.304G	96.37	Inf	-Inf	3	Vertical	4	1.50
5300MHz	Pass	AV	5.3508G	44.87	54.00	-9.13	3	Vertical	4	1.50
5300MHz	Pass	PK	5.2988G	104.96	Inf	-Inf	3	Vertical	4	1.50
5300MHz	Pass	PK	5.3924G	56.63	74.00	-17.37	3	Vertical	4	1.50
5300MHz	Pass	AV	5.296G	98.98	Inf	-Inf	3	Horizontal	65	1.50
5300MHz	Pass	AV	5.35G	44.95	54.00	-9.05	3	Horizontal	65	1.50
5300MHz	Pass	PK	5.2976G	107.43	Inf	-Inf	3	Horizontal	65	1.50
5300MHz	Pass	PK	5.3892G	57.11	74.00	-16.89	3	Horizontal	65	1.50
5300MHz	Pass	AV	10.60032G	41.38	54.00	-12.62	3	Vertical	46	2.46
5300MHz	Pass	AV	15.8902G	42.05	54.00	-11.95	3	Vertical	50	1.00
5300MHz	Pass	PK	10.59076G	52.60	68.20	-15.60	3	Vertical	46	2.46
5300MHz	Pass	PK	15.89692G	53.55	74.00	-20.45	3	Vertical	50	1.00
5300MHz	Pass	AV	10.60212G	41.39	54.00	-12.61	3	Horizontal	273	2.98
5300MHz	Pass	AV	15.89072G	42.10	54.00	-11.90	3	Horizontal	54	2.39
5300MHz	Pass	PK	10.596G	52.99	68.20	-15.21	3	Horizontal	273	2.98
5300MHz	Pass	PK	15.90784G	53.34	74.00	-20.66	3	Horizontal	54	2.39
5320MHz	Pass	AV	5.3174G	96.07	Inf	-Inf	3	Vertical	0	1.53
5320MHz	Pass	AV	5.3508G	45.33	54.00	-8.67	3	Vertical	0	1.53
5320MHz	Pass	PK	5.317G	104.53	Inf	-Inf	3	Vertical	0	1.53
5320MHz	Pass	PK	5.3518G	57.43	74.00	-16.57	3	Vertical	0	1.53
5320MHz	Pass	AV	5.3162G	98.30	Inf	-Inf	3	Horizontal	352	1.71
5320MHz	Pass	AV	5.35G	46.34	54.00	-7.66	3	Horizontal	352	1.71
5320MHz	Pass	PK	5.3172G	106.86	Inf	-Inf	3	Horizontal	352	1.71
5320MHz	Pass	PK	5.3566G	59.95	74.00	-14.05	3	Horizontal	352	1.71
5320MHz	Pass	AV	10.63768G	41.38	54.00	-12.62	3	Vertical	222	2.04
5320MHz	Pass	AV	15.96312G	41.74	54.00	-12.26	3	Vertical	47	1.86
5320MHz	Pass	PK	10.63548G	53.01	74.00	-20.99	3	Vertical	222	2.04
5320MHz	Pass	PK	15.95576G	54.10	74.00	-19.90	3	Vertical	47	1.86
5320MHz	Pass	AV	10.6342G	41.34	54.00	-12.66	3	Horizontal	10	2.13
5320MHz	Pass	AV	15.96168G	41.73	54.00	-12.27	3	Horizontal	88	1.17



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	10.63264G	52.63	74.00	-21.37	3	Horizontal	10	2.13
5320MHz	Pass	PK	15.95008G	54.67	74.00	-19.33	3	Horizontal	88	1.17
5500MHz	Pass	AV	5.4588G	45.15	54.00	-8.85	3	Vertical	360	1.47
5500MHz	Pass	AV	5.5016G	96.88	Inf	-Inf	3	Vertical	360	1.47
5500MHz	Pass	PK	5.4514G	56.52	74.00	-17.48	3	Vertical	360	1.47
5500MHz	Pass	PK	5.4694G	57.07	68.20	-11.13	3	Vertical	360	1.47
5500MHz	Pass	PK	5.5024G	105.62	Inf	-Inf	3	Vertical	360	1.47
5500MHz	Pass	AV	5.459G	45.24	54.00	-8.76	3	Horizontal	5	1.50
5500MHz	Pass	AV	5.5026G	97.51	Inf	-Inf	3	Horizontal	5	1.50
5500MHz	Pass	PK	5.4552G	56.51	74.00	-17.49	3	Horizontal	5	1.50
5500MHz	Pass	PK	5.4674G	57.53	68.20	-10.67	3	Horizontal	5	1.50
5500MHz	Pass	PK	5.4972G	106.22	Inf	-Inf	3	Horizontal	5	1.50
5500MHz	Pass	AV	10.99124G	41.80	54.00	-12.20	3	Vertical	66	2.19
5500MHz	Pass	PK	10.99888G	54.49	74.00	-19.51	3	Vertical	66	2.19
5500MHz	Pass	PK	16.49536G	55.16	68.20	-13.04	3	Vertical	352	1.91
5500MHz	Pass	AV	10.9986G	41.84	54.00	-12.16	3	Horizontal	312	1.91
5500MHz	Pass	PK	10.9976G	53.32	74.00	-20.68	3	Horizontal	312	1.91
5500MHz	Pass	PK	16.49376G	55.46	68.20	-12.74	3	Horizontal	34	2.63
5580MHz	Pass	AV	5.4582G	44.84	54.00	-9.16	3	Vertical	0	1.37
5580MHz	Pass	AV	5.5776G	97.69	Inf	-Inf	3	Vertical	0	1.37
5580MHz	Pass	PK	5.4426G	56.21	74.00	-17.79	3	Vertical	0	1.37
5580MHz	Pass	PK	5.4624G	55.88	68.20	-12.32	3	Vertical	0	1.37
5580MHz	Pass	PK	5.5764G	105.97	Inf	-Inf	3	Vertical	0	1.37
5580MHz	Pass	PK	5.73G	59.10	68.20	-9.10	3	Vertical	0	1.37
5580MHz	Pass	AV	5.4522G	44.86	54.00	-9.14	3	Horizontal	11	1.48
5580MHz	Pass	AV	5.5842G	98.52	Inf	-Inf	3	Horizontal	11	1.48
5580MHz	Pass	PK	5.451G	57.38	74.00	-16.62	3	Horizontal	11	1.48
5580MHz	Pass	PK	5.4618G	56.23	68.20	-11.97	3	Horizontal	11	1.48
5580MHz	Pass	PK	5.5836G	107.20	Inf	-Inf	3	Horizontal	11	1.48
5580MHz	Pass	PK	5.7294G	57.96	68.20	-10.24	3	Horizontal	11	1.48
5580MHz	Pass	AV	11.16596G	41.55	54.00	-12.45	3	Vertical	152	1.69
5580MHz	Pass	PK	11.1568G	53.79	74.00	-20.21	3	Vertical	152	1.69
5580MHz	Pass	PK	16.74916G	54.41	68.20	-13.79	3	Vertical	170	2.68
5580MHz	Pass	AV	11.16724G	41.56	54.00	-12.44	3	Horizontal	353	2.20
5580MHz	Pass	PK	11.15416G	52.84	74.00	-21.16	3	Horizontal	353	2.20
5580MHz	Pass	PK	16.7496G	55.07	68.20	-13.13	3	Horizontal	153	1.00
5700MHz	Pass	AV	5.6964G	97.26	Inf	-Inf	3	Vertical	14	1.20
5700MHz	Pass	PK	5.704G	106.32	Inf	-Inf	3	Vertical	14	1.20
5700MHz	Pass	PK	5.7276G	63.20	68.20	-5.00	3	Vertical	14	1.20
5700MHz	Pass	AV	5.7016G	98.85	Inf	-Inf	3	Horizontal	0	3.00
5700MHz	Pass	PK	5.6992G	107.57	Inf	-Inf	3	Horizontal	0	3.00
5700MHz	Pass	PK	5.728G	64.00	68.20	-4.20	3	Horizontal	0	3.00
5700MHz	Pass	AV	11.39048G	41.50	54.00	-12.50	3	Vertical	338	1.55
5700MHz	Pass	PK	11.39476G	52.80	74.00	-21.20	3	Vertical	338	1.55
5700MHz	Pass	PK	17.10104G	55.88	68.20	-12.32	3	Vertical	251	2.93
5700MHz	Pass	AV	11.3906G	41.51	54.00	-12.49	3	Horizontal	270	1.64
5700MHz	Pass	PK	11.40416G	52.96	74.00	-21.04	3	Horizontal	270	1.64
5700MHz	Pass	PK	17.10664G	55.74	68.20	-12.46	3	Horizontal	290	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.718G	99.00	Inf	-Inf	3	Vertical	0	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.718G	106.96	Inf	-Inf	3	Vertical	0	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.879G	59.39	68.20	-8.81	3	Vertical	0	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.717G	98.78	Inf	-Inf	3	Horizontal	11	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.723G	106.74	Inf	-Inf	3	Horizontal	11	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.92G	58.90	68.20	-9.30	3	Horizontal	11	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43076G	41.55	54.00	-12.45	3	Vertical	23	2.17
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43116G	53.86	74.00	-20.14	3	Vertical	23	2.17
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16836G	55.33	68.20	-12.87	3	Vertical	263	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44788G	41.57	54.00	-12.43	3	Horizontal	53	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4492G	53.44	74.00	-20.56	3	Horizontal	53	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1528G	55.99	68.20	-12.21	3	Horizontal	145	1.06
5745MHz	Pass	AV	5.457G	44.71	54.00	-9.29	3	Vertical	2	1.32
5745MHz	Pass	AV	5.7474G	100.03	Inf	-Inf	3	Vertical	2	1.32



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.649G	57.55	68.20	-10.65	3	Vertical	2	1.32
5745MHz	Pass	PK	5.7486G	108.69	Inf	-Inf	3	Vertical	2	1.32
5745MHz	Pass	PK	5.943G	58.36	68.20	-9.84	3	Vertical	2	1.32
5745MHz	Pass	AV	5.457G	44.71	54.00	-9.29	3	Horizontal	10	2.94
5745MHz	Pass	AV	5.7438G	99.33	Inf	-Inf	3	Horizontal	10	2.94
5745MHz	Pass	PK	5.5998G	57.12	68.20	-11.08	3	Horizontal	10	2.94
5745MHz	Pass	PK	5.7486G	108.03	Inf	-Inf	3	Horizontal	10	2.94
5745MHz	Pass	PK	6.0366G	58.31	68.20	-9.89	3	Horizontal	10	2.94
5745MHz	Pass	AV	11.49136G	41.60	54.00	-12.40	3	Vertical	142	2.88
5745MHz	Pass	PK	11.49404G	53.35	74.00	-20.65	3	Vertical	142	2.88
5745MHz	Pass	PK	17.23352G	55.41	68.20	-12.79	3	Vertical	39	2.89
5745MHz	Pass	AV	11.4944G	41.59	54.00	-12.41	3	Horizontal	274	2.10
5745MHz	Pass	PK	11.49028G	53.22	74.00	-20.78	3	Horizontal	274	2.10
5745MHz	Pass	PK	17.24448G	55.89	68.20	-12.31	3	Horizontal	309	2.26
5785MHz	Pass	AV	5.7814G	99.27	Inf	-Inf	3	Vertical	18	1.39
5785MHz	Pass	PK	5.5822G	57.14	68.20	-11.06	3	Vertical	18	1.39
5785MHz	Pass	PK	5.7886G	108.09	Inf	-Inf	3	Vertical	18	1.39
5785MHz	Pass	PK	5.9542G	58.99	68.20	-9.21	3	Vertical	18	1.39
5785MHz	Pass	AV	5.7886G	99.30	Inf	-Inf	3	Horizontal	360	1.50
5785MHz	Pass	PK	5.6494G	57.50	68.20	-10.70	3	Horizontal	360	1.50
5785MHz	Pass	PK	5.7826G	107.39	Inf	-Inf	3	Horizontal	360	1.50
5785MHz	Pass	PK	5.989G	57.78	68.20	-10.42	3	Horizontal	360	1.50
5785MHz	Pass	AV	11.56056G	41.10	54.00	-12.90	3	Vertical	302	2.05
5785MHz	Pass	PK	11.56468G	52.31	74.00	-21.69	3	Vertical	302	2.05
5785MHz	Pass	PK	17.35272G	56.59	68.20	-11.61	3	Vertical	73	1.29
5785MHz	Pass	AV	11.5632G	41.10	54.00	-12.90	3	Horizontal	252	1.68
5785MHz	Pass	PK	11.572G	53.25	74.00	-20.75	3	Horizontal	252	1.68
5785MHz	Pass	PK	17.34996G	56.48	68.20	-11.72	3	Horizontal	283	2.66
5825MHz	Pass	AV	5.8214G	100.27	Inf	-Inf	3	Vertical	4	1.28
5825MHz	Pass	PK	5.6342G	57.01	68.20	-11.19	3	Vertical	4	1.28
5825MHz	Pass	PK	5.8226G	108.96	Inf	-Inf	3	Vertical	4	1.28
5825MHz	Pass	PK	5.9366G	58.81	68.20	-9.39	3	Vertical	4	1.28
5825MHz	Pass	AV	5.8262G	99.59	Inf	-Inf	3	Horizontal	295	1.65
5825MHz	Pass	PK	5.5586G	57.86	68.20	-10.34	3	Horizontal	295	1.65
5825MHz	Pass	PK	5.8274G	109.02	Inf	-Inf	3	Horizontal	295	1.65
5825MHz	Pass	PK	5.9414G	58.95	68.20	-9.25	3	Horizontal	295	1.65
5825MHz	Pass	AV	11.64G	41.15	54.00	-12.85	3	Vertical	331	1.90
5825MHz	Pass	PK	11.64096G	53.18	74.00	-20.82	3	Vertical	331	1.90
5825MHz	Pass	PK	17.48292G	56.33	68.20	-11.87	3	Vertical	271	2.89
5825MHz	Pass	AV	11.64008G	41.17	54.00	-12.83	3	Horizontal	48	1.17
5825MHz	Pass	PK	11.6524G	52.52	74.00	-21.48	3	Horizontal	48	1.17
5825MHz	Pass	PK	17.47464G	57.52	68.20	-10.68	3	Horizontal	7	2.13
802.11n HT20_Nss1_(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	48.74	54.00	-5.26	3	Vertical	90	1.99
5180MHz	Pass	AV	5.184G	101.70	Inf	-Inf	3	Vertical	90	1.99
5180MHz	Pass	PK	5.1474G	62.55	74.00	-11.45	3	Vertical	90	1.99
5180MHz	Pass	PK	5.1836G	110.65	Inf	-Inf	3	Vertical	90	1.99
5180MHz	Pass	AV	5.15G	51.97	54.00	-2.03	3	Horizontal	346	2.61
5180MHz	Pass	AV	5.1828G	105.99	Inf	-Inf	3	Horizontal	346	2.61
5180MHz	Pass	PK	5.1454G	65.77	74.00	-8.23	3	Horizontal	346	2.61
5180MHz	Pass	PK	5.183G	115.11	Inf	-Inf	3	Horizontal	346	2.61
5180MHz	Pass	AV	15.54096G	42.32	54.00	-11.68	3	Vertical	131	2.49
5180MHz	Pass	PK	10.35824G	52.44	68.20	-15.76	3	Vertical	125	2.08
5180MHz	Pass	PK	15.531G	54.31	74.00	-19.69	3	Vertical	131	2.49
5180MHz	Pass	AV	15.54692G	42.32	54.00	-11.68	3	Horizontal	178	2.61
5180MHz	Pass	PK	10.363G	52.79	68.20	-15.41	3	Horizontal	277	2.85
5180MHz	Pass	PK	15.5454G	54.02	74.00	-19.98	3	Horizontal	178	2.61
5200MHz	Pass	AV	5.15G	47.69	54.00	-6.31	3	Vertical	94	2.85
5200MHz	Pass	AV	5.1972G	100.82	Inf	-Inf	3	Vertical	94	2.85
5200MHz	Pass	PK	5.1488G	58.95	74.00	-15.05	3	Vertical	94	2.85
5200MHz	Pass	PK	5.202G	110.98	Inf	-Inf	3	Vertical	94	2.85
5200MHz	Pass	AV	5.15G	49.06	54.00	-4.94	3	Horizontal	2	1.64



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	AV	5.1968G	104.43	Inf	-Inf	3	Horizontal	2	1.64
5200MHz	Pass	PK	5.1492G	61.05	74.00	-12.95	3	Horizontal	2	1.64
5200MHz	Pass	PK	5.2024G	114.38	Inf	-Inf	3	Horizontal	2	1.64
5200MHz	Pass	AV	15.60088G	42.63	54.00	-11.37	3	Vertical	150	1.58
5200MHz	Pass	PK	10.4012G	53.53	68.20	-14.67	3	Vertical	185	1.88
5200MHz	Pass	PK	15.60984G	53.89	74.00	-20.11	3	Vertical	150	1.58
5200MHz	Pass	AV	15.60036G	42.60	54.00	-11.40	3	Horizontal	21	1.36
5200MHz	Pass	PK	10.40388G	52.98	68.20	-15.22	3	Horizontal	50	1.43
5200MHz	Pass	PK	15.6066G	54.90	74.00	-19.10	3	Horizontal	21	1.36
5240MHz	Pass	AV	5.144G	46.24	54.00	-7.76	3	Vertical	96	2.88
5240MHz	Pass	AV	5.237G	100.71	Inf	-Inf	3	Vertical	96	2.88
5240MHz	Pass	AV	5.3612G	45.74	54.00	-8.26	3	Vertical	96	2.88
5240MHz	Pass	PK	5.141G	58.49	74.00	-15.51	3	Vertical	96	2.88
5240MHz	Pass	PK	5.2388G	111.25	Inf	-Inf	3	Vertical	96	2.88
5240MHz	Pass	PK	5.3708G	57.39	74.00	-16.61	3	Vertical	96	2.88
5240MHz	Pass	AV	5.1434G	46.75	54.00	-7.25	3	Horizontal	0	2.52
5240MHz	Pass	AV	5.2364G	104.85	Inf	-Inf	3	Horizontal	0	2.52
5240MHz	Pass	AV	5.3732G	47.87	54.00	-6.13	3	Horizontal	0	2.52
5240MHz	Pass	PK	5.0906G	58.78	74.00	-15.22	3	Horizontal	0	2.52
5240MHz	Pass	PK	5.2364G	115.41	Inf	-Inf	3	Horizontal	0	2.52
5240MHz	Pass	PK	5.3756G	59.06	74.00	-14.94	3	Horizontal	0	2.52
5240MHz	Pass	AV	15.7106G	42.19	54.00	-11.81	3	Vertical	173	1.62
5240MHz	Pass	PK	10.4872G	52.58	68.20	-15.62	3	Vertical	310	2.87
5240MHz	Pass	PK	15.71584G	53.85	74.00	-20.15	3	Vertical	173	1.62
5240MHz	Pass	AV	15.7126G	42.17	54.00	-11.83	3	Horizontal	152	1.05
5240MHz	Pass	PK	10.48276G	52.93	68.20	-15.27	3	Horizontal	229	2.64
5240MHz	Pass	PK	15.71048G	54.15	74.00	-19.85	3	Horizontal	152	1.05
5260MHz	Pass	AV	5.1448G	46.04	54.00	-7.96	3	Vertical	108	3.00
5260MHz	Pass	AV	5.2564G	100.67	Inf	-Inf	3	Vertical	108	3.00
5260MHz	Pass	AV	5.3938G	45.73	54.00	-8.27	3	Vertical	108	3.00
5260MHz	Pass	PK	5.1484G	57.87	74.00	-16.13	3	Vertical	108	3.00
5260MHz	Pass	PK	5.2588G	110.67	Inf	-Inf	3	Vertical	108	3.00
5260MHz	Pass	PK	5.3578G	57.14	74.00	-16.86	3	Vertical	108	3.00
5260MHz	Pass	AV	5.1448G	46.68	54.00	-7.32	3	Horizontal	3	2.44
5260MHz	Pass	AV	5.2588G	105.00	Inf	-Inf	3	Horizontal	3	2.44
5260MHz	Pass	AV	5.3968G	48.33	54.00	-5.67	3	Horizontal	3	2.44
5260MHz	Pass	PK	5.1274G	58.33	74.00	-15.67	3	Horizontal	3	2.44
5260MHz	Pass	PK	5.2624G	115.16	Inf	-Inf	3	Horizontal	3	2.44
5260MHz	Pass	PK	5.3824G	60.20	74.00	-13.80	3	Horizontal	3	2.44
5260MHz	Pass	AV	15.78272G	42.52	54.00	-11.48	3	Vertical	103	1.62
5260MHz	Pass	PK	10.51196G	53.27	68.20	-14.93	3	Vertical	61	2.51
5260MHz	Pass	PK	15.78G	54.30	74.00	-19.70	3	Vertical	103	1.62
5260MHz	Pass	AV	15.77736G	42.39	54.00	-11.61	3	Horizontal	280	1.55
5260MHz	Pass	PK	10.51648G	53.18	68.20	-15.02	3	Horizontal	99	1.02
5260MHz	Pass	PK	15.77016G	53.77	74.00	-20.23	3	Horizontal	280	1.55
5300MHz	Pass	AV	5.3024G	99.56	Inf	-Inf	3	Vertical	5	1.50
5300MHz	Pass	AV	5.3992G	46.23	54.00	-7.77	3	Vertical	5	1.50
5300MHz	Pass	PK	5.3032G	109.91	Inf	-Inf	3	Vertical	5	1.50
5300MHz	Pass	PK	5.3996G	57.88	74.00	-16.12	3	Vertical	5	1.50
5300MHz	Pass	AV	5.2984G	104.33	Inf	-Inf	3	Horizontal	10	1.64
5300MHz	Pass	AV	5.4G	48.08	54.00	-5.92	3	Horizontal	10	1.64
5300MHz	Pass	PK	5.3012G	114.26	Inf	-Inf	3	Horizontal	10	1.64
5300MHz	Pass	PK	5.354G	59.44	74.00	-14.56	3	Horizontal	10	1.64
5300MHz	Pass	AV	10.60024G	41.48	54.00	-12.52	3	Vertical	39	1.08
5300MHz	Pass	AV	15.89004G	42.19	54.00	-11.81	3	Vertical	164	2.03
5300MHz	Pass	PK	10.59596G	52.94	68.20	-15.26	3	Vertical	39	1.08
5300MHz	Pass	PK	15.89088G	53.40	74.00	-20.60	3	Vertical	164	2.03
5300MHz	Pass	AV	10.6002G	41.36	54.00	-12.64	3	Horizontal	217	1.21
5300MHz	Pass	AV	15.89048G	42.05	54.00	-11.95	3	Horizontal	252	2.99
5300MHz	Pass	PK	10.59356G	53.57	68.20	-14.63	3	Horizontal	217	1.21
5300MHz	Pass	PK	15.90988G	54.01	74.00	-19.99	3	Horizontal	252	2.99
5320MHz	Pass	AV	5.3238G	99.79	Inf	-Inf	3	Vertical	356	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.35G	46.55	54.00	-7.45	3	Vertical	356	1.50
5320MHz	Pass	PK	5.3234G	109.44	Inf	-Inf	3	Vertical	356	1.50
5320MHz	Pass	PK	5.3552G	60.99	74.00	-13.01	3	Vertical	356	1.50
5320MHz	Pass	AV	5.3164G	105.77	Inf	-Inf	3	Horizontal	1	1.67
5320MHz	Pass	AV	5.3658G	47.46	54.00	-6.54	3	Horizontal	1	1.67
5320MHz	Pass	PK	5.3182G	114.54	Inf	-Inf	3	Horizontal	1	1.67
5320MHz	Pass	PK	5.3504G	65.46	74.00	-8.54	3	Horizontal	1	1.67
5320MHz	Pass	AV	10.63904G	41.39	54.00	-12.61	3	Vertical	360	1.50
5320MHz	Pass	AV	15.965G	42.01	54.00	-11.99	3	Vertical	273	2.64
5320MHz	Pass	PK	10.63852G	53.78	74.00	-20.22	3	Vertical	360	1.50
5320MHz	Pass	PK	15.9644G	53.63	74.00	-20.37	3	Vertical	273	2.64
5320MHz	Pass	AV	10.63556G	41.34	54.00	-12.66	3	Horizontal	263	2.44
5320MHz	Pass	AV	15.96232G	41.73	54.00	-12.27	3	Horizontal	164	1.23
5320MHz	Pass	PK	10.64552G	52.45	74.00	-21.55	3	Horizontal	263	2.44
5320MHz	Pass	PK	15.95208G	52.69	74.00	-21.31	3	Horizontal	164	1.23
5500MHz	Pass	AV	5.4588G	44.77	54.00	-9.23	3	Vertical	8	1.03
5500MHz	Pass	AV	5.4978G	93.56	Inf	-Inf	3	Vertical	8	1.03
5500MHz	Pass	PK	5.4552G	53.85	74.00	-20.15	3	Vertical	8	1.03
5500MHz	Pass	PK	5.4694G	56.19	68.20	-12.01	3	Vertical	8	1.03
5500MHz	Pass	PK	5.497G	102.89	Inf	-Inf	3	Vertical	8	1.03
5500MHz	Pass	AV	5.46G	47.24	54.00	-6.76	3	Horizontal	360	2.45
5500MHz	Pass	AV	5.496G	101.49	Inf	-Inf	3	Horizontal	360	2.45
5500MHz	Pass	PK	5.4594G	59.10	74.00	-14.90	3	Horizontal	360	2.45
5500MHz	Pass	PK	5.4696G	64.09	68.20	-4.11	3	Horizontal	360	2.45
5500MHz	Pass	PK	5.497G	109.73	Inf	-Inf	3	Horizontal	360	2.45
5500MHz	Pass	AV	10.99208G	41.66	54.00	-12.34	3	Vertical	199	2.16
5500MHz	Pass	PK	11.00232G	52.89	74.00	-21.11	3	Vertical	199	2.16
5500MHz	Pass	PK	16.49852G	55.86	68.20	-12.34	3	Vertical	91	1.94
5500MHz	Pass	AV	10.99168G	41.67	54.00	-12.33	3	Horizontal	121	1.06
5500MHz	Pass	PK	10.99136G	53.35	74.00	-20.65	3	Horizontal	121	1.06
5500MHz	Pass	PK	16.49948G	55.13	68.20	-13.07	3	Horizontal	200	2.55
5580MHz	Pass	AV	5.4546G	46.52	54.00	-7.48	3	Vertical	358	1.21
5580MHz	Pass	AV	5.5824G	102.36	Inf	-Inf	3	Vertical	358	1.21
5580MHz	Pass	PK	5.4576G	58.24	74.00	-15.76	3	Vertical	358	1.21
5580MHz	Pass	PK	5.469G	57.30	68.20	-10.90	3	Vertical	358	1.21
5580MHz	Pass	PK	5.5836G	112.45	Inf	-Inf	3	Vertical	358	1.21
5580MHz	Pass	PK	5.7294G	62.18	68.20	-6.02	3	Vertical	358	1.21
5580MHz	Pass	AV	5.439G	47.37	54.00	-6.63	3	Horizontal	357	1.50
5580MHz	Pass	AV	5.5824G	104.00	Inf	-Inf	3	Horizontal	357	1.50
5580MHz	Pass	PK	5.4414G	59.39	74.00	-14.61	3	Horizontal	357	1.50
5580MHz	Pass	PK	5.4672G	58.36	68.20	-9.84	3	Horizontal	357	1.50
5580MHz	Pass	PK	5.5764G	114.37	Inf	-Inf	3	Horizontal	357	1.50
5580MHz	Pass	PK	5.7276G	62.92	68.20	-5.28	3	Horizontal	357	1.50
5580MHz	Pass	AV	11.1584G	42.23	54.00	-11.77	3	Vertical	288	3.00
5580MHz	Pass	PK	11.15596G	51.60	74.00	-22.40	3	Vertical	288	3.00
5580MHz	Pass	PK	16.73088G	54.08	68.20	-14.12	3	Vertical	341	2.27
5580MHz	Pass	AV	11.1584G	42.31	54.00	-11.69	3	Horizontal	306	2.43
5580MHz	Pass	PK	11.15156G	51.59	74.00	-22.41	3	Horizontal	306	2.43
5580MHz	Pass	PK	16.742G	55.09	68.20	-13.11	3	Horizontal	271	2.67
5700MHz	Pass	AV	5.7024G	96.97	Inf	-Inf	3	Vertical	352	1.02
5700MHz	Pass	PK	5.7032G	105.50	Inf	-Inf	3	Vertical	352	1.02
5700MHz	Pass	PK	5.7272G	62.26	68.20	-5.94	3	Vertical	352	1.02
5700MHz	Pass	AV	5.702G	99.31	Inf	-Inf	3	Horizontal	352	1.47
5700MHz	Pass	PK	5.702G	107.93	Inf	-Inf	3	Horizontal	352	1.47
5700MHz	Pass	PK	5.7284G	62.89	68.20	-5.31	3	Horizontal	352	1.47
5700MHz	Pass	AV	11.39004G	41.33	54.00	-12.67	3	Vertical	78	1.78
5700MHz	Pass	PK	11.39744G	53.53	74.00	-20.47	3	Vertical	78	1.78
5700MHz	Pass	PK	17.0944G	56.01	68.20	-12.19	3	Vertical	134	2.09
5700MHz	Pass	AV	11.39104G	41.38	54.00	-12.62	3	Horizontal	144	2.90
5700MHz	Pass	PK	11.39376G	53.42	74.00	-20.58	3	Horizontal	144	2.90
5700MHz	Pass	PK	17.10388G	55.43	68.20	-12.77	3	Horizontal	265	2.17
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.717G	102.26	Inf	-Inf	3	Vertical	10	1.32



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.717G	112.13	Inf	-Inf	3	Vertical	10	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.872G	59.80	68.20	-8.40	3	Vertical	10	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.723G	103.96	Inf	-Inf	3	Horizontal	12	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.723G	113.90	Inf	-Inf	3	Horizontal	12	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.865G	60.61	68.20	-7.59	3	Horizontal	12	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43004G	41.52	54.00	-12.48	3	Vertical	131	1.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43344G	53.47	74.00	-20.53	3	Vertical	131	1.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15956G	55.40	68.20	-12.80	3	Vertical	344	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43356G	41.54	54.00	-12.46	3	Horizontal	204	1.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43888G	52.89	74.00	-21.11	3	Horizontal	204	1.20
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16866G	55.72	68.20	-12.48	3	Horizontal	311	2.76
5745MHz	Pass	AV	5.4582G	44.78	54.00	-9.22	3	Vertical	2	1.29
5745MHz	Pass	AV	5.7486G	103.17	Inf	-Inf	3	Vertical	2	1.29
5745MHz	Pass	PK	5.6406G	57.20	68.20	-11.00	3	Vertical	2	1.29
5745MHz	Pass	PK	5.7486G	112.90	Inf	-Inf	3	Vertical	2	1.29
5745MHz	Pass	PK	5.925G	59.49	68.20	-8.71	3	Vertical	2	1.29
5745MHz	Pass	AV	5.457G	44.92	54.00	-9.08	3	Horizontal	0	1.50
5745MHz	Pass	AV	5.7486G	103.90	Inf	-Inf	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.6106G	58.60	68.20	-9.60	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.7486G	113.10	Inf	-Inf	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.925G	58.97	68.20	-9.23	3	Horizontal	0	1.50
5745MHz	Pass	AV	11.49288G	41.61	54.00	-12.39	3	Vertical	32	1.17
5745MHz	Pass	PK	11.48016G	53.35	74.00	-20.65	3	Vertical	32	1.17
5745MHz	Pass	PK	17.24472G	56.08	68.20	-12.12	3	Vertical	55	2.23
5745MHz	Pass	AV	11.49236G	41.65	54.00	-12.35	3	Horizontal	50	2.13
5745MHz	Pass	PK	11.48876G	53.21	74.00	-20.79	3	Horizontal	50	2.13
5745MHz	Pass	PK	17.2432G	57.77	68.20	-10.43	3	Horizontal	28	1.49
5785MHz	Pass	AV	5.7814G	103.37	Inf	-Inf	3	Vertical	12	1.21
5785MHz	Pass	PK	5.587G	57.58	68.20	-10.62	3	Vertical	12	1.21
5785MHz	Pass	PK	5.7814G	112.95	Inf	-Inf	3	Vertical	12	1.21
5785MHz	Pass	PK	5.9554G	59.75	68.20	-8.45	3	Vertical	12	1.21
5785MHz	Pass	AV	5.7874G	104.36	Inf	-Inf	3	Horizontal	0	1.50
5785MHz	Pass	PK	5.599G	57.86	68.20	-10.34	3	Horizontal	0	1.50
5785MHz	Pass	PK	5.7886G	114.13	Inf	-Inf	3	Horizontal	0	1.50
5785MHz	Pass	PK	5.9554G	59.59	68.20	-8.61	3	Horizontal	0	1.50
5785MHz	Pass	AV	11.56664G	41.09	54.00	-12.91	3	Vertical	58	2.35
5785MHz	Pass	PK	11.56056G	52.99	74.00	-21.01	3	Vertical	58	2.35
5785MHz	Pass	PK	17.35368G	55.97	68.20	-12.23	3	Vertical	57	2.08
5785MHz	Pass	AV	11.56036G	41.09	54.00	-12.91	3	Horizontal	205	1.91
5785MHz	Pass	PK	11.56636G	52.25	74.00	-21.75	3	Horizontal	205	1.91
5785MHz	Pass	PK	17.35976G	56.41	68.20	-11.79	3	Horizontal	271	2.10
5825MHz	Pass	AV	5.8274G	104.42	Inf	-Inf	3	Vertical	0	1.33
5825MHz	Pass	PK	5.6018G	57.12	68.20	-11.08	3	Vertical	0	1.33
5825MHz	Pass	PK	5.8286G	113.89	Inf	-Inf	3	Vertical	0	1.33
5825MHz	Pass	PK	5.9462G	60.33	68.20	-7.87	3	Vertical	0	1.33
5825MHz	Pass	AV	5.8286G	104.46	Inf	-Inf	3	Horizontal	1	2.98
5825MHz	Pass	PK	5.6066G	58.25	68.20	-9.95	3	Horizontal	1	2.98
5825MHz	Pass	PK	5.8274G	114.49	Inf	-Inf	3	Horizontal	1	2.98
5825MHz	Pass	PK	5.9702G	60.38	68.20	-7.82	3	Horizontal	1	2.98
5825MHz	Pass	AV	11.64G	41.19	54.00	-12.81	3	Vertical	226	1.64
5825MHz	Pass	PK	11.6548G	53.16	74.00	-20.84	3	Vertical	226	1.64
5825MHz	Pass	PK	17.48224G	56.76	68.20	-11.44	3	Vertical	223	2.90
5825MHz	Pass	AV	11.6508G	41.15	54.00	-12.85	3	Horizontal	102	2.26
5825MHz	Pass	PK	11.6492G	52.43	74.00	-21.57	3	Horizontal	102	2.26
5825MHz	Pass	PK	17.46884G	56.63	68.20	-11.57	3	Horizontal	35	2.66
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	48.17	54.00	-5.83	3	Vertical	102	2.45
5190MHz	Pass	AV	5.2004G	90.39	Inf	-Inf	3	Vertical	102	2.45
5190MHz	Pass	PK	5.142G	59.26	74.00	-14.74	3	Vertical	102	2.45
5190MHz	Pass	PK	5.2008G	99.53	Inf	-Inf	3	Vertical	102	2.45
5190MHz	Pass	AV	5.15G	50.74	54.00	-3.26	3	Horizontal	13	1.50
5190MHz	Pass	AV	5.184G	94.24	Inf	-Inf	3	Horizontal	13	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.1484G	62.21	74.00	-11.79	3	Horizontal	13	1.50
5190MHz	Pass	PK	5.1972G	103.77	Inf	-Inf	3	Horizontal	13	1.50
5190MHz	Pass	AV	15.56752G	42.52	54.00	-11.48	3	Vertical	231	2.74
5190MHz	Pass	PK	10.37072G	52.68	68.20	-15.52	3	Vertical	158	1.24
5190MHz	Pass	PK	15.57792G	54.03	74.00	-19.97	3	Vertical	231	2.74
5190MHz	Pass	AV	15.5668G	42.55	54.00	-11.45	3	Horizontal	330	1.07
5190MHz	Pass	PK	10.39128G	52.95	68.20	-15.25	3	Horizontal	304	1.34
5190MHz	Pass	PK	15.56768G	54.63	74.00	-19.37	3	Horizontal	330	1.07
5230MHz	Pass	AV	5.1496G	48.16	54.00	-5.84	3	Vertical	98	2.77
5230MHz	Pass	AV	5.2208G	94.05	Inf	-Inf	3	Vertical	98	2.77
5230MHz	Pass	PK	5.138G	59.96	74.00	-14.04	3	Vertical	98	2.77
5230MHz	Pass	PK	5.2196G	103.16	Inf	-Inf	3	Vertical	98	2.77
5230MHz	Pass	AV	5.15G	50.65	54.00	-3.35	3	Horizontal	5	2.47
5230MHz	Pass	AV	5.2392G	98.74	Inf	-Inf	3	Horizontal	5	2.47
5230MHz	Pass	PK	5.138G	63.59	74.00	-10.41	3	Horizontal	5	2.47
5230MHz	Pass	PK	5.2212G	107.20	Inf	-Inf	3	Horizontal	5	2.47
5230MHz	Pass	AV	15.67128G	42.44	54.00	-11.56	3	Vertical	195	2.53
5230MHz	Pass	PK	10.44152G	52.74	68.20	-15.46	3	Vertical	122	2.29
5230MHz	Pass	PK	15.70968G	53.32	74.00	-20.68	3	Vertical	195	2.53
5230MHz	Pass	AV	15.67008G	42.43	54.00	-11.57	3	Horizontal	66	2.65
5230MHz	Pass	PK	10.45288G	52.37	68.20	-15.83	3	Horizontal	60	2.01
5230MHz	Pass	PK	15.67336G	54.85	74.00	-19.15	3	Horizontal	66	2.65
5270MHz	Pass	AV	5.2736G	95.13	Inf	-Inf	3	Vertical	100	2.77
5270MHz	Pass	AV	5.35G	45.79	54.00	-8.21	3	Vertical	100	2.77
5270MHz	Pass	PK	5.262G	104.22	Inf	-Inf	3	Vertical	100	2.77
5270MHz	Pass	PK	5.3512G	57.60	74.00	-16.40	3	Vertical	100	2.77
5270MHz	Pass	AV	5.2816G	99.88	Inf	-Inf	3	Horizontal	6	1.50
5270MHz	Pass	AV	5.35G	48.67	54.00	-5.33	3	Horizontal	6	1.50
5270MHz	Pass	PK	5.276G	108.61	Inf	-Inf	3	Horizontal	6	1.50
5270MHz	Pass	PK	5.35G	59.71	74.00	-14.29	3	Horizontal	6	1.50
5270MHz	Pass	AV	15.81184G	42.57	54.00	-11.43	3	Vertical	220	1.05
5270MHz	Pass	PK	10.52824G	53.11	68.20	-15.09	3	Vertical	301	1.52
5270MHz	Pass	PK	15.82192G	53.68	74.00	-20.32	3	Vertical	220	1.05
5270MHz	Pass	AV	15.81792G	42.53	54.00	-11.47	3	Horizontal	105	1.37
5270MHz	Pass	PK	10.52688G	54.54	68.20	-13.66	3	Horizontal	91	1.15
5270MHz	Pass	PK	15.81416G	53.98	74.00	-20.02	3	Horizontal	105	1.37
5310MHz	Pass	AV	5.3208G	88.93	Inf	-Inf	3	Vertical	348	1.49
5310MHz	Pass	AV	5.3504G	45.11	54.00	-8.89	3	Vertical	348	1.49
5310MHz	Pass	PK	5.3208G	97.97	Inf	-Inf	3	Vertical	348	1.49
5310MHz	Pass	PK	5.3816G	57.52	74.00	-16.48	3	Vertical	348	1.49
5310MHz	Pass	AV	5.2992G	94.89	Inf	-Inf	3	Horizontal	6	1.49
5310MHz	Pass	AV	5.35G	46.54	54.00	-7.46	3	Horizontal	6	1.49
5310MHz	Pass	PK	5.3016G	104.00	Inf	-Inf	3	Horizontal	6	1.49
5310MHz	Pass	PK	5.3504G	58.41	74.00	-15.59	3	Horizontal	6	1.49
5310MHz	Pass	AV	10.63704G	41.46	54.00	-12.54	3	Vertical	225	1.80
5310MHz	Pass	AV	15.91136G	42.06	54.00	-11.94	3	Vertical	105	2.44
5310MHz	Pass	PK	10.63G	53.05	74.00	-20.95	3	Vertical	225	1.80
5310MHz	Pass	PK	15.91904G	52.70	74.00	-21.30	3	Vertical	105	2.44
5310MHz	Pass	AV	10.60176G	41.48	54.00	-12.52	3	Horizontal	300	1.75
5310MHz	Pass	AV	15.91744G	42.01	54.00	-11.99	3	Horizontal	70	2.35
5310MHz	Pass	PK	10.61096G	52.57	74.00	-21.43	3	Horizontal	300	1.75
5310MHz	Pass	PK	15.91616G	52.98	74.00	-21.02	3	Horizontal	70	2.35
5510MHz	Pass	AV	5.4596G	46.06	54.00	-7.94	3	Vertical	345	1.30
5510MHz	Pass	AV	5.5012G	90.47	Inf	-Inf	3	Vertical	345	1.30
5510MHz	Pass	PK	5.4484G	57.02	74.00	-16.98	3	Vertical	345	1.30
5510MHz	Pass	PK	5.47G	60.58	68.20	-7.62	3	Vertical	345	1.30
5510MHz	Pass	PK	5.5016G	99.65	Inf	-Inf	3	Vertical	345	1.30
5510MHz	Pass	AV	5.46G	47.93	54.00	-6.07	3	Horizontal	5	1.50
5510MHz	Pass	AV	5.5128G	93.38	Inf	-Inf	3	Horizontal	5	1.50
5510MHz	Pass	PK	5.438G	59.59	74.00	-14.41	3	Horizontal	5	1.50
5510MHz	Pass	PK	5.47G	63.21	68.20	-4.99	3	Horizontal	5	1.50
5510MHz	Pass	PK	5.4988G	102.64	Inf	-Inf	3	Horizontal	5	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	AV	11.0308G	41.72	54.00	-12.28	3	Vertical	265	2.74
5510MHz	Pass	PK	11.03368G	52.72	74.00	-21.28	3	Vertical	265	2.74
5510MHz	Pass	PK	16.51216G	54.76	68.20	-13.44	3	Vertical	332	2.34
5510MHz	Pass	AV	11.03728G	41.68	54.00	-12.32	3	Horizontal	230	1.55
5510MHz	Pass	PK	11.01256G	52.72	74.00	-21.28	3	Horizontal	230	1.55
5510MHz	Pass	PK	16.52144G	54.86	68.20	-13.34	3	Horizontal	309	1.25
5550MHz	Pass	AV	5.46G	46.63	54.00	-7.37	3	Vertical	349	2.79
5550MHz	Pass	AV	5.5472G	94.91	Inf	-Inf	3	Vertical	349	2.79
5550MHz	Pass	PK	5.454G	58.12	74.00	-15.88	3	Vertical	349	2.79
5550MHz	Pass	PK	5.47G	59.30	68.20	-8.90	3	Vertical	349	2.79
5550MHz	Pass	PK	5.5436G	104.10	Inf	-Inf	3	Vertical	349	2.79
5550MHz	Pass	AV	5.46G	48.41	54.00	-5.59	3	Horizontal	4	3.00
5550MHz	Pass	AV	5.5392G	97.19	Inf	-Inf	3	Horizontal	4	3.00
5550MHz	Pass	PK	5.4592G	60.97	74.00	-13.03	3	Horizontal	4	3.00
5550MHz	Pass	PK	5.47G	61.96	68.20	-6.24	3	Horizontal	4	3.00
5550MHz	Pass	PK	5.5384G	106.37	Inf	-Inf	3	Horizontal	4	3.00
5550MHz	Pass	AV	11.09024G	41.70	54.00	-12.30	3	Vertical	300	2.60
5550MHz	Pass	PK	11.09608G	53.93	74.00	-20.07	3	Vertical	300	2.60
5550MHz	Pass	PK	16.63608G	54.92	68.20	-13.28	3	Vertical	6	2.58
5550MHz	Pass	AV	11.09872G	41.73	54.00	-12.27	3	Horizontal	272	1.18
5550MHz	Pass	PK	11.10592G	53.04	74.00	-20.96	3	Horizontal	272	1.18
5550MHz	Pass	PK	16.6324G	55.00	68.20	-13.20	3	Horizontal	356	2.60
5670MHz	Pass	AV	5.6748G	95.22	Inf	-Inf	3	Vertical	348	1.26
5670MHz	Pass	PK	5.6784G	104.42	Inf	-Inf	3	Vertical	348	1.26
5670MHz	Pass	PK	5.8158G	60.06	68.20	-8.14	3	Vertical	348	1.26
5670MHz	Pass	AV	5.6724G	98.53	Inf	-Inf	3	Horizontal	352	1.48
5670MHz	Pass	PK	5.6814G	107.24	Inf	-Inf	3	Horizontal	352	1.48
5670MHz	Pass	PK	5.7276G	62.88	68.20	-5.32	3	Horizontal	352	1.48
5670MHz	Pass	AV	11.32144G	41.28	54.00	-12.72	3	Vertical	155	1.86
5670MHz	Pass	PK	11.33136G	52.62	74.00	-21.38	3	Vertical	155	1.86
5670MHz	Pass	PK	17.02016G	54.87	68.20	-13.33	3	Vertical	113	1.82
5670MHz	Pass	AV	11.32056G	41.31	54.00	-12.69	3	Horizontal	56	2.29
5670MHz	Pass	PK	11.32448G	52.41	74.00	-21.59	3	Horizontal	56	2.29
5670MHz	Pass	PK	17.02136G	55.36	68.20	-12.84	3	Horizontal	162	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	43.80	54.00	-10.20	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	93.65	Inf	-Inf	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4436G	55.39	74.00	-18.61	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	54.29	68.20	-13.91	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	102.29	Inf	-Inf	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9152G	57.64	68.20	-10.56	3	Vertical	345	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.96	54.00	-10.04	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	96.96	Inf	-Inf	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4268G	55.51	74.00	-18.49	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	54.75	68.20	-13.45	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	105.54	Inf	-Inf	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.908G	57.63	68.20	-10.57	3	Horizontal	355	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42376G	41.64	54.00	-12.36	3	Vertical	99	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41816G	52.62	74.00	-21.38	3	Vertical	99	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.144G	56.03	68.20	-12.17	3	Vertical	41	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42904G	41.66	54.00	-12.34	3	Horizontal	73	1.34
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42016G	54.40	74.00	-19.60	3	Horizontal	73	1.34
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1296G	56.00	68.20	-12.20	3	Horizontal	311	2.34
5755MHz	Pass	AV	5.4562G	43.79	54.00	-10.21	3	Vertical	354	2.71
5755MHz	Pass	AV	5.7658G	95.92	Inf	-Inf	3	Vertical	354	2.71
5755MHz	Pass	PK	5.6194G	56.15	68.20	-12.05	3	Vertical	354	2.71
5755MHz	Pass	PK	5.7658G	104.77	Inf	-Inf	3	Vertical	354	2.71
5755MHz	Pass	PK	6.0466G	57.25	68.20	-10.95	3	Vertical	354	2.71
5755MHz	Pass	AV	5.4598G	43.81	54.00	-10.19	3	Horizontal	357	2.94
5755MHz	Pass	AV	5.7466G	97.41	Inf	-Inf	3	Horizontal	357	2.94
5755MHz	Pass	PK	5.6302G	56.55	68.20	-11.65	3	Horizontal	357	2.94
5755MHz	Pass	PK	5.7466G	106.92	Inf	-Inf	3	Horizontal	357	2.94
5755MHz	Pass	PK	5.9746G	57.65	68.20	-10.55	3	Horizontal	357	2.94





RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	11.4948G	41.71	54.00	-12.29	3	Vertical	187	1.21
5755MHz	Pass	PK	11.50768G	53.14	74.00	-20.86	3	Vertical	187	1.21
5755MHz	Pass	PK	17.27084G	56.02	68.20	-12.18	3	Vertical	354	1.09
5755MHz	Pass	AV	11.49256G	41.65	54.00	-12.35	3	Horizontal	246	1.68
5755MHz	Pass	PK	11.49816G	52.76	74.00	-21.24	3	Horizontal	246	1.68
5755MHz	Pass	PK	17.27196G	55.70	68.20	-12.50	3	Horizontal	180	1.14
5795MHz	Pass	AV	5.7974G	94.32	Inf	-Inf	3	Vertical	353	2.59
5795MHz	Pass	PK	5.5622G	57.16	68.20	-11.04	3	Vertical	353	2.59
5795MHz	Pass	PK	5.8046G	102.60	Inf	-Inf	3	Vertical	353	2.59
5795MHz	Pass	PK	5.9498G	57.34	68.20	-10.86	3	Vertical	353	2.59
5795MHz	Pass	AV	5.8034G	95.43	Inf	-Inf	3	Horizontal	357	2.97
5795MHz	Pass	PK	5.5586G	56.59	68.20	-11.61	3	Horizontal	357	2.97
5795MHz	Pass	PK	5.8058G	103.99	Inf	-Inf	3	Horizontal	357	2.97
5795MHz	Pass	PK	5.963G	58.23	68.20	-9.97	3	Horizontal	357	2.97
5795MHz	Pass	AV	11.60488G	41.18	54.00	-12.82	3	Vertical	60	1.49
5795MHz	Pass	PK	11.60472G	52.32	74.00	-21.68	3	Vertical	60	1.49
5795MHz	Pass	PK	17.38796G	56.06	68.20	-12.14	3	Vertical	0	2.40
5795MHz	Pass	AV	11.60728G	41.25	54.00	-12.75	3	Horizontal	247	1.93
5795MHz	Pass	PK	11.60416G	52.28	74.00	-21.72	3	Horizontal	247	1.93
5795MHz	Pass	PK	17.39692G	56.39	68.20	-11.81	3	Horizontal	344	1.81
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.70	54.00	-7.30	3	Vertical	257	2.60
5190MHz	Pass	AV	5.1844G	90.03	Inf	-Inf	3	Vertical	257	2.60
5190MHz	Pass	PK	5.1216G	57.98	74.00	-16.02	3	Vertical	257	2.60
5190MHz	Pass	PK	5.1864G	99.39	Inf	-Inf	3	Vertical	257	2.60
5190MHz	Pass	AV	5.15G	47.65	54.00	-6.35	3	Horizontal	355	1.56
5190MHz	Pass	AV	5.1792G	94.10	Inf	-Inf	3	Horizontal	355	1.56
5190MHz	Pass	PK	5.1496G	59.23	74.00	-14.77	3	Horizontal	355	1.56
5190MHz	Pass	PK	5.1996G	102.90	Inf	-Inf	3	Horizontal	355	1.56
5190MHz	Pass	AV	15.5692G	42.49	54.00	-11.51	3	Vertical	327	2.56
5190MHz	Pass	PK	10.38488G	53.13	68.20	-15.07	3	Vertical	213	1.10
5190MHz	Pass	PK	15.55752G	54.18	74.00	-19.82	3	Vertical	327	2.56
5190MHz	Pass	AV	15.5692G	42.48	54.00	-11.52	3	Horizontal	279	1.67
5190MHz	Pass	PK	10.38888G	53.97	68.20	-14.23	3	Horizontal	252	2.99
5190MHz	Pass	PK	15.57168G	54.09	74.00	-19.91	3	Horizontal	279	1.67
5230MHz	Pass	AV	5.1484G	45.96	54.00	-8.04	3	Vertical	112	2.16
5230MHz	Pass	AV	5.2396G	93.70	Inf	-Inf	3	Vertical	112	2.16
5230MHz	Pass	PK	5.132G	57.55	74.00	-16.45	3	Vertical	112	2.16
5230MHz	Pass	PK	5.2184G	102.37	Inf	-Inf	3	Vertical	112	2.16
5230MHz	Pass	AV	5.15G	46.69	54.00	-7.31	3	Horizontal	356	1.54
5230MHz	Pass	AV	5.2208G	96.88	Inf	-Inf	3	Horizontal	356	1.54
5230MHz	Pass	PK	5.1412G	57.83	74.00	-16.17	3	Horizontal	356	1.54
5230MHz	Pass	PK	5.2232G	105.67	Inf	-Inf	3	Horizontal	356	1.54
5230MHz	Pass	AV	15.67032G	42.60	54.00	-11.40	3	Vertical	215	1.01
5230MHz	Pass	PK	10.45808G	52.60	68.20	-15.60	3	Vertical	252	1.58
5230MHz	Pass	PK	15.67744G	53.81	74.00	-20.19	3	Vertical	215	1.01
5230MHz	Pass	AV	15.67192G	42.54	54.00	-11.46	3	Horizontal	153	1.18
5230MHz	Pass	PK	10.44952G	53.51	68.20	-14.69	3	Horizontal	188	2.22
5230MHz	Pass	PK	15.7G	53.96	74.00	-20.04	3	Horizontal	153	1.18
5270MHz	Pass	AV	5.2736G	94.35	Inf	-Inf	3	Vertical	16	1.54
5270MHz	Pass	AV	5.35G	47.67	54.00	-6.33	3	Vertical	16	1.54
5270MHz	Pass	PK	5.2812G	103.07	Inf	-Inf	3	Vertical	16	1.54
5270MHz	Pass	PK	5.3508G	59.18	74.00	-14.82	3	Vertical	16	1.54
5270MHz	Pass	AV	5.278G	98.55	Inf	-Inf	3	Horizontal	360	1.50
5270MHz	Pass	AV	5.35G	49.43	54.00	-4.57	3	Horizontal	360	1.50
5270MHz	Pass	PK	5.2756G	107.83	Inf	-Inf	3	Horizontal	360	1.50
5270MHz	Pass	PK	5.358G	61.00	74.00	-13.00	3	Horizontal	360	1.50
5270MHz	Pass	AV	15.81144G	42.55	54.00	-11.45	3	Vertical	15	2.24
5270MHz	Pass	PK	10.54208G	52.78	68.20	-15.42	3	Vertical	288	1.70
5270MHz	Pass	PK	15.812G	54.55	74.00	-19.45	3	Vertical	15	2.24
5270MHz	Pass	AV	15.80656G	42.61	54.00	-11.39	3	Horizontal	179	2.42
5270MHz	Pass	PK	10.56G	52.95	68.20	-15.25	3	Horizontal	187	1.87



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	15.82376G	53.43	74.00	-20.57	3	Horizontal	179	2.42
5310MHz	Pass	AV	5.3188G	89.80	Inf	-Inf	3	Vertical	15	1.46
5310MHz	Pass	AV	5.35G	44.92	54.00	-9.08	3	Vertical	15	1.46
5310MHz	Pass	PK	5.318G	98.30	Inf	-Inf	3	Vertical	15	1.46
5310MHz	Pass	PK	5.3788G	57.17	74.00	-16.83	3	Vertical	15	1.46
5310MHz	Pass	AV	5.316G	94.19	Inf	-Inf	3	Horizontal	7	1.50
5310MHz	Pass	AV	5.3508G	45.66	54.00	-8.34	3	Horizontal	7	1.50
5310MHz	Pass	PK	5.3012G	103.17	Inf	-Inf	3	Horizontal	7	1.50
5310MHz	Pass	PK	5.358G	58.12	74.00	-15.88	3	Horizontal	7	1.50
5310MHz	Pass	AV	10.61036G	41.69	54.00	-12.31	3	Vertical	133	1.57
5310MHz	Pass	AV	15.92132G	43.08	54.00	-10.92	3	Vertical	109	1.49
5310MHz	Pass	PK	10.61296G	53.63	74.00	-20.37	3	Vertical	133	1.57
5310MHz	Pass	PK	15.92068G	54.62	74.00	-19.38	3	Vertical	109	1.49
5310MHz	Pass	AV	10.61028G	41.66	54.00	-12.34	3	Horizontal	242	1.57
5310MHz	Pass	AV	15.92244G	43.05	54.00	-10.95	3	Horizontal	195	1.75
5310MHz	Pass	PK	10.6294G	53.59	74.00	-20.41	3	Horizontal	242	1.57
5310MHz	Pass	PK	15.93968G	54.22	74.00	-19.78	3	Horizontal	195	1.75
5510MHz	Pass	AV	5.4592G	45.00	54.00	-9.00	3	Vertical	21	2.53
5510MHz	Pass	AV	5.516G	91.35	Inf	-Inf	3	Vertical	21	2.53
5510MHz	Pass	PK	5.4252G	57.04	74.00	-16.96	3	Vertical	21	2.53
5510MHz	Pass	PK	5.4648G	57.27	68.20	-10.93	3	Vertical	21	2.53
5510MHz	Pass	PK	5.5152G	100.43	Inf	-Inf	3	Vertical	21	2.53
5510MHz	Pass	AV	5.4592G	45.50	54.00	-8.50	3	Horizontal	355	1.50
5510MHz	Pass	AV	5.5212G	94.49	Inf	-Inf	3	Horizontal	355	1.50
5510MHz	Pass	PK	5.4556G	57.54	74.00	-16.46	3	Horizontal	355	1.50
5510MHz	Pass	PK	5.4616G	57.86	68.20	-10.34	3	Horizontal	355	1.50
5510MHz	Pass	PK	5.5208G	103.64	Inf	-Inf	3	Horizontal	355	1.50
5510MHz	Pass	AV	11.03192G	42.22	54.00	-11.78	3	Vertical	210	2.25
5510MHz	Pass	PK	11.00216G	51.78	74.00	-22.22	3	Vertical	210	2.25
5510MHz	Pass	PK	16.53728G	54.20	68.20	-14.00	3	Vertical	261	1.17
5510MHz	Pass	AV	11.0368G	42.25	54.00	-11.75	3	Horizontal	130	1.52
5510MHz	Pass	PK	11.02784G	51.45	74.00	-22.55	3	Horizontal	130	1.52
5510MHz	Pass	PK	16.51696G	53.94	68.20	-14.26	3	Horizontal	158	2.31
5550MHz	Pass	AV	5.4572G	43.95	54.00	-10.05	3	Vertical	13	2.08
5550MHz	Pass	AV	5.5604G	92.60	Inf	-Inf	3	Vertical	13	2.08
5550MHz	Pass	PK	5.4544G	55.39	74.00	-18.61	3	Vertical	13	2.08
5550MHz	Pass	PK	5.4644G	55.23	68.20	-12.97	3	Vertical	13	2.08
5550MHz	Pass	PK	5.5608G	101.83	Inf	-Inf	3	Vertical	13	2.08
5550MHz	Pass	AV	5.458G	44.40	54.00	-9.60	3	Horizontal	6	2.30
5550MHz	Pass	AV	5.5532G	95.82	Inf	-Inf	3	Horizontal	6	2.30
5550MHz	Pass	PK	5.45G	55.26	74.00	-18.74	3	Horizontal	6	2.30
5550MHz	Pass	PK	5.462G	56.20	68.20	-12.00	3	Horizontal	6	2.30
5550MHz	Pass	PK	5.5416G	105.36	Inf	-Inf	3	Horizontal	6	2.30
5550MHz	Pass	AV	11.09824G	41.66	54.00	-12.34	3	Vertical	121	1.13
5550MHz	Pass	PK	11.08312G	53.12	74.00	-20.88	3	Vertical	121	1.13
5550MHz	Pass	PK	16.6332G	55.30	68.20	-12.90	3	Vertical	222	1.18
5550MHz	Pass	AV	11.09488G	41.70	54.00	-12.30	3	Horizontal	315	2.63
5550MHz	Pass	PK	11.0864G	53.15	74.00	-20.85	3	Horizontal	315	2.63
5550MHz	Pass	PK	16.66416G	54.44	68.20	-13.76	3	Horizontal	144	2.21
5670MHz	Pass	AV	5.6796G	95.64	Inf	-Inf	3	Vertical	12	1.91
5670MHz	Pass	PK	5.6784G	104.59	Inf	-Inf	3	Vertical	12	1.91
5670MHz	Pass	PK	5.7264G	62.44	68.20	-5.76	3	Vertical	12	1.91
5670MHz	Pass	AV	5.676G	97.32	Inf	-Inf	3	Horizontal	8	1.46
5670MHz	Pass	PK	5.6658G	106.02	Inf	-Inf	3	Horizontal	8	1.46
5670MHz	Pass	PK	5.7276G	63.77	68.20	-4.43	3	Horizontal	8	1.46
5670MHz	Pass	AV	11.35856G	41.89	54.00	-12.11	3	Vertical	40	2.71
5670MHz	Pass	PK	11.32624G	53.59	74.00	-20.41	3	Vertical	40	2.71
5670MHz	Pass	PK	17.01216G	55.51	68.20	-12.69	3	Vertical	175	1.91
5670MHz	Pass	AV	11.35936G	41.74	54.00	-12.26	3	Horizontal	47	1.52
5670MHz	Pass	PK	11.35304G	53.43	74.00	-20.57	3	Horizontal	47	1.52
5670MHz	Pass	PK	17.02688G	56.78	68.20	-11.42	3	Horizontal	298	2.83
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.72	54.00	-10.28	3	Vertical	13	2.03



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	93.00	Inf	-Inf	3	Vertical	13	2.03
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4532G	55.58	74.00	-18.42	3	Vertical	13	2.03
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	54.85	68.20	-13.35	3	Vertical	13	2.03
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	101.79	Inf	-Inf	3	Vertical	13	2.03
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8948G	57.07	68.20	-11.13	3	Vertical	13	2.03
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4448G	43.74	54.00	-10.26	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	97.70	Inf	-Inf	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4436G	55.37	74.00	-18.63	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	55.24	68.20	-12.96	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	106.10	Inf	-Inf	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8792G	58.48	68.20	-9.72	3	Horizontal	5	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42456G	41.71	54.00	-12.29	3	Vertical	180	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42456G	53.00	74.00	-21.00	3	Vertical	180	2.25
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13608G	55.68	68.20	-12.52	3	Vertical	174	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42624G	41.78	54.00	-12.22	3	Horizontal	322	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40656G	52.68	74.00	-21.32	3	Horizontal	322	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1484G	55.65	68.20	-12.55	3	Horizontal	192	1.04
5755MHz	Pass	AV	5.4586G	43.82	54.00	-10.18	3	Vertical	11	1.96
5755MHz	Pass	AV	5.7478G	96.39	Inf	-Inf	3	Vertical	11	1.96
5755MHz	Pass	PK	5.6398G	57.44	68.20	-10.76	3	Vertical	11	1.96
5755MHz	Pass	PK	5.7442G	105.63	Inf	-Inf	3	Vertical	11	1.96
5755MHz	Pass	PK	5.9482G	57.30	68.20	-10.90	3	Vertical	11	1.96
5755MHz	Pass	AV	5.4562G	43.68	54.00	-10.32	3	Horizontal	8	2.95
5755MHz	Pass	AV	5.7454G	97.42	Inf	-Inf	3	Horizontal	8	2.95
5755MHz	Pass	PK	5.6482G	58.02	68.20	-10.18	3	Horizontal	8	2.95
5755MHz	Pass	PK	5.7586G	105.89	Inf	-Inf	3	Horizontal	8	2.95
5755MHz	Pass	PK	5.9638G	57.61	68.20	-10.59	3	Horizontal	8	2.95
5755MHz	Pass	AV	11.494G	41.65	54.00	-12.35	3	Vertical	22	1.74
5755MHz	Pass	PK	11.49584G	52.98	74.00	-21.02	3	Vertical	22	1.74
5755MHz	Pass	PK	17.25236G	56.58	68.20	-11.62	3	Vertical	101	2.34
5755MHz	Pass	AV	11.4976G	41.66	54.00	-12.34	3	Horizontal	274	1.28
5755MHz	Pass	PK	11.50576G	53.18	74.00	-20.82	3	Horizontal	274	1.28
5755MHz	Pass	PK	17.2706G	55.69	68.20	-12.51	3	Horizontal	230	1.28
5795MHz	Pass	AV	5.8058G	94.62	Inf	-Inf	3	Vertical	12	1.92
5795MHz	Pass	PK	5.5934G	56.98	68.20	-11.22	3	Vertical	12	1.92
5795MHz	Pass	PK	5.807G	102.84	Inf	-Inf	3	Vertical	12	1.92
5795MHz	Pass	PK	5.9942G	57.76	68.20	-10.44	3	Vertical	12	1.92
5795MHz	Pass	AV	5.7926G	95.87	Inf	-Inf	3	Horizontal	6	1.33
5795MHz	Pass	PK	5.585G	56.46	68.20	-11.74	3	Horizontal	6	1.33
5795MHz	Pass	PK	5.7842G	104.01	Inf	-Inf	3	Horizontal	6	1.33
5795MHz	Pass	PK	5.9318G	57.20	68.20	-11.00	3	Horizontal	6	1.33
5795MHz	Pass	AV	11.6024G	41.19	54.00	-12.81	3	Vertical	74	1.45
5795MHz	Pass	PK	11.57024G	52.28	74.00	-21.72	3	Vertical	74	1.45
5795MHz	Pass	PK	17.39836G	56.08	68.20	-12.12	3	Vertical	246	1.96
5795MHz	Pass	AV	11.60632G	41.18	54.00	-12.82	3	Horizontal	157	2.58
5795MHz	Pass	PK	11.57856G	52.49	74.00	-21.51	3	Horizontal	157	2.58
5795MHz	Pass	PK	17.3806G	56.22	68.20	-11.98	3	Horizontal	156	1.35
802.11n HT40_Nss1(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1476G	48.21	54.00	-5.79	3	Vertical	88	2.18
5190MHz	Pass	AV	5.2008G	95.83	Inf	-Inf	3	Vertical	88	2.18
5190MHz	Pass	PK	5.1464G	58.69	74.00	-15.31	3	Vertical	88	2.18
5190MHz	Pass	PK	5.1992G	104.60	Inf	-Inf	3	Vertical	88	2.18
5190MHz	Pass	AV	5.15G	49.24	54.00	-4.76	3	Horizontal	10	2.41
5190MHz	Pass	AV	5.196G	96.85	Inf	-Inf	3	Horizontal	10	2.41
5190MHz	Pass	PK	5.1456G	60.31	74.00	-13.69	3	Horizontal	10	2.41
5190MHz	Pass	PK	5.1984G	106.72	Inf	-Inf	3	Horizontal	10	2.41
5190MHz	Pass	AV	15.56608G	42.71	54.00	-11.29	3	Vertical	196	1.34
5190MHz	Pass	PK	10.38216G	52.98	68.20	-15.22	3	Vertical	273	1.43
5190MHz	Pass	PK	15.55976G	53.60	74.00	-20.40	3	Vertical	196	1.34
5190MHz	Pass	AV	15.56936G	42.46	54.00	-11.54	3	Horizontal	162	2.35
5190MHz	Pass	PK	10.36536G	52.47	68.20	-15.73	3	Horizontal	216	1.64
5190MHz	Pass	PK	15.56176G	53.59	74.00	-20.41	3	Horizontal	162	2.35



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	5.15G	49.71	54.00	-4.29	3	Vertical	92	2.97
5230MHz	Pass	AV	5.2216G	97.18	Inf	-Inf	3	Vertical	92	2.97
5230MHz	Pass	PK	5.15G	60.83	74.00	-13.17	3	Vertical	92	2.97
5230MHz	Pass	PK	5.22G	107.62	Inf	-Inf	3	Vertical	92	2.97
5230MHz	Pass	AV	5.15G	52.14	54.00	-1.86	3	Horizontal	354	2.52
5230MHz	Pass	AV	5.2252G	101.41	Inf	-Inf	3	Horizontal	354	2.52
5230MHz	Pass	PK	5.1464G	63.71	74.00	-10.29	3	Horizontal	354	2.52
5230MHz	Pass	PK	5.2404G	111.69	Inf	-Inf	3	Horizontal	354	2.52
5230MHz	Pass	AV	15.67184G	42.69	54.00	-11.31	3	Vertical	145	2.43
5230MHz	Pass	PK	10.46008G	52.62	68.20	-15.58	3	Vertical	221	1.13
5230MHz	Pass	PK	15.70024G	53.78	74.00	-20.22	3	Vertical	145	2.43
5230MHz	Pass	AV	15.67G	42.57	54.00	-11.43	3	Horizontal	305	1.94
5230MHz	Pass	PK	10.44856G	52.38	68.20	-15.82	3	Horizontal	10	1.18
5230MHz	Pass	PK	15.7096G	53.70	74.00	-20.30	3	Horizontal	305	1.94
5270MHz	Pass	AV	5.2672G	97.21	Inf	-Inf	3	Vertical	98	2.59
5270MHz	Pass	AV	5.35G	46.91	54.00	-7.09	3	Vertical	98	2.59
5270MHz	Pass	PK	5.2668G	107.60	Inf	-Inf	3	Vertical	98	2.59
5270MHz	Pass	PK	5.3608G	58.45	74.00	-15.55	3	Vertical	98	2.59
5270MHz	Pass	AV	5.2784G	101.94	Inf	-Inf	3	Horizontal	360	1.50
5270MHz	Pass	AV	5.3504G	50.93	54.00	-3.07	3	Horizontal	360	1.50
5270MHz	Pass	PK	5.2828G	112.01	Inf	-Inf	3	Horizontal	360	1.50
5270MHz	Pass	PK	5.3552G	62.71	74.00	-11.29	3	Horizontal	360	1.50
5270MHz	Pass	AV	15.80984G	42.51	54.00	-11.49	3	Vertical	328	2.81
5270MHz	Pass	PK	10.53128G	52.78	68.20	-15.42	3	Vertical	168	2.94
5270MHz	Pass	PK	15.80752G	54.28	74.00	-19.72	3	Vertical	328	2.81
5270MHz	Pass	AV	15.814G	42.54	54.00	-11.46	3	Horizontal	65	2.56
5270MHz	Pass	PK	10.5276G	53.71	68.20	-14.49	3	Horizontal	311	1.33
5270MHz	Pass	PK	15.80504G	54.14	74.00	-19.86	3	Horizontal	65	2.56
5310MHz	Pass	AV	5.3192G	92.16	Inf	-Inf	3	Vertical	1	2.14
5310MHz	Pass	AV	5.35G	46.60	54.00	-7.40	3	Vertical	1	2.14
5310MHz	Pass	PK	5.3156G	102.11	Inf	-Inf	3	Vertical	1	2.14
5310MHz	Pass	PK	5.352G	57.70	74.00	-16.30	3	Vertical	1	2.14
5310MHz	Pass	AV	5.2992G	95.75	Inf	-Inf	3	Horizontal	0	1.48
5310MHz	Pass	AV	5.35G	48.99	54.00	-5.01	3	Horizontal	0	1.48
5310MHz	Pass	PK	5.3164G	106.00	Inf	-Inf	3	Horizontal	0	1.48
5310MHz	Pass	PK	5.35G	60.63	74.00	-13.37	3	Horizontal	0	1.48
5310MHz	Pass	AV	10.60584G	41.48	54.00	-12.52	3	Vertical	212	2.92
5310MHz	Pass	AV	15.91864G	42.06	54.00	-11.94	3	Vertical	191	2.59
5310MHz	Pass	PK	10.61384G	52.25	74.00	-21.75	3	Vertical	212	2.92
5310MHz	Pass	PK	15.94792G	53.14	74.00	-20.86	3	Vertical	191	2.59
5310MHz	Pass	AV	10.6064G	41.46	54.00	-12.54	3	Horizontal	345	1.09
5310MHz	Pass	AV	15.91504G	42.02	54.00	-11.98	3	Horizontal	266	2.14
5310MHz	Pass	PK	10.61016G	52.24	74.00	-21.76	3	Horizontal	345	1.09
5310MHz	Pass	PK	15.91G	52.69	74.00	-21.31	3	Horizontal	266	2.14
5510MHz	Pass	AV	5.4596G	46.42	54.00	-7.58	3	Vertical	353	2.79
5510MHz	Pass	AV	5.5124G	95.80	Inf	-Inf	3	Vertical	353	2.79
5510MHz	Pass	PK	5.4516G	58.16	74.00	-15.84	3	Vertical	353	2.79
5510MHz	Pass	PK	5.4696G	59.19	68.20	-9.01	3	Vertical	353	2.79
5510MHz	Pass	PK	5.5G	105.14	Inf	-Inf	3	Vertical	353	2.79
5510MHz	Pass	AV	5.46G	46.53	54.00	-7.47	3	Horizontal	360	1.50
5510MHz	Pass	AV	5.5168G	94.63	Inf	-Inf	3	Horizontal	360	1.50
5510MHz	Pass	PK	5.4584G	56.29	74.00	-17.71	3	Horizontal	360	1.50
5510MHz	Pass	PK	5.468G	56.25	68.20	-11.95	3	Horizontal	360	1.50
5510MHz	Pass	PK	5.5224G	103.95	Inf	-Inf	3	Horizontal	360	1.50
5510MHz	Pass	AV	11.03256G	41.77	54.00	-12.23	3	Vertical	111	2.46
5510MHz	Pass	PK	11.01448G	53.26	74.00	-20.74	3	Vertical	111	2.46
5510MHz	Pass	PK	16.52768G	54.74	68.20	-13.46	3	Vertical	5	2.27
5510MHz	Pass	AV	11.03328G	41.74	54.00	-12.26	3	Horizontal	280	2.82
5510MHz	Pass	PK	11.0064G	53.11	74.00	-20.89	3	Horizontal	280	2.82
5510MHz	Pass	PK	16.51208G	55.25	68.20	-12.95	3	Horizontal	129	1.27
5550MHz	Pass	AV	5.46G	46.23	54.00	-7.77	3	Vertical	0	2.68
5550MHz	Pass	AV	5.5408G	97.06	Inf	-Inf	3	Vertical	0	2.68



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	5.458G	58.19	74.00	-15.81	3	Vertical	0	2.68
5550MHz	Pass	PK	5.4668G	58.79	68.20	-9.41	3	Vertical	0	2.68
5550MHz	Pass	PK	5.5404G	107.69	Inf	-Inf	3	Vertical	0	2.68
5550MHz	Pass	AV	5.4592G	47.73	54.00	-6.27	3	Horizontal	355	3.00
5550MHz	Pass	AV	5.5404G	98.97	Inf	-Inf	3	Horizontal	355	3.00
5550MHz	Pass	PK	5.4508G	59.49	74.00	-14.51	3	Horizontal	355	3.00
5550MHz	Pass	PK	5.4688G	60.52	68.20	-7.68	3	Horizontal	355	3.00
5550MHz	Pass	PK	5.5552G	109.32	Inf	-Inf	3	Horizontal	355	3.00
5550MHz	Pass	AV	11.08952G	41.69	54.00	-12.31	3	Vertical	281	2.20
5550MHz	Pass	PK	11.11992G	52.87	74.00	-21.13	3	Vertical	281	2.20
5550MHz	Pass	PK	16.66784G	55.12	68.20	-13.08	3	Vertical	19	2.59
5550MHz	Pass	AV	11.0988G	41.73	54.00	-12.27	3	Horizontal	128	2.00
5550MHz	Pass	PK	11.08752G	53.49	74.00	-20.51	3	Horizontal	128	2.00
5550MHz	Pass	PK	16.66296G	55.99	68.20	-12.21	3	Horizontal	26	1.86
5670MHz	Pass	AV	5.676G	97.53	Inf	-Inf	3	Vertical	360	1.27
5670MHz	Pass	PK	5.6622G	106.22	Inf	-Inf	3	Vertical	360	1.27
5670MHz	Pass	PK	5.8074G	60.78	68.20	-7.42	3	Vertical	360	1.27
5670MHz	Pass	AV	5.6814G	99.58	Inf	-Inf	3	Horizontal	352	3.00
5670MHz	Pass	PK	5.676G	108.19	Inf	-Inf	3	Horizontal	352	3.00
5670MHz	Pass	PK	5.7486G	61.13	68.20	-7.07	3	Horizontal	352	3.00
5670MHz	Pass	AV	11.32168G	41.24	54.00	-12.76	3	Vertical	72	2.06
5670MHz	Pass	PK	11.33064G	53.22	74.00	-20.78	3	Vertical	72	2.06
5670MHz	Pass	PK	17.00288G	54.71	68.20	-13.49	3	Vertical	185	1.76
5670MHz	Pass	AV	11.32064G	41.08	54.00	-12.92	3	Horizontal	321	1.55
5670MHz	Pass	PK	11.33784G	52.57	74.00	-21.43	3	Horizontal	321	1.55
5670MHz	Pass	PK	17.01912G	54.47	68.20	-13.73	3	Horizontal	349	1.34
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.77	54.00	-10.23	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7208G	96.14	Inf	-Inf	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4412G	55.71	74.00	-18.29	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	54.77	68.20	-13.43	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	105.77	Inf	-Inf	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8672G	58.06	68.20	-10.14	3	Vertical	4	2.63
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	44.13	54.00	-9.87	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	99.14	Inf	-Inf	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4544G	56.04	74.00	-17.96	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	55.45	68.20	-12.75	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	109.23	Inf	-Inf	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	59.40	68.20	-8.80	3	Horizontal	358	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42496G	41.63	54.00	-12.37	3	Vertical	344	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40888G	53.17	74.00	-20.83	3	Vertical	344	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13816G	55.54	68.20	-12.66	3	Vertical	355	1.10
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42736G	41.72	54.00	-12.28	3	Horizontal	129	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40856G	53.11	74.00	-20.89	3	Horizontal	129	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13728G	55.67	68.20	-12.53	3	Horizontal	325	1.12
5755MHz	Pass	AV	5.4586G	43.69	54.00	-10.31	3	Vertical	7	2.62
5755MHz	Pass	AV	5.7466G	99.24	Inf	-Inf	3	Vertical	7	2.62
5755MHz	Pass	PK	5.6278G	57.70	68.20	-10.50	3	Vertical	7	2.62
5755MHz	Pass	PK	5.743G	109.19	Inf	-Inf	3	Vertical	7	2.62
5755MHz	Pass	PK	5.9362G	57.59	68.20	-10.61	3	Vertical	7	2.62
5755MHz	Pass	AV	5.4562G	43.94	54.00	-10.06	3	Horizontal	358	2.97
5755MHz	Pass	AV	5.7442G	99.97	Inf	-Inf	3	Horizontal	358	2.97
5755MHz	Pass	PK	5.6386G	58.84	68.20	-9.36	3	Horizontal	358	2.97
5755MHz	Pass	PK	5.7442G	109.91	Inf	-Inf	3	Horizontal	358	2.97
5755MHz	Pass	PK	5.9482G	58.13	68.20	-10.07	3	Horizontal	358	2.97
5755MHz	Pass	AV	11.49056G	41.68	54.00	-12.32	3	Vertical	174	2.43
5755MHz	Pass	PK	11.5252G	53.55	74.00	-20.45	3	Vertical	174	2.43
5755MHz	Pass	PK	17.26092G	56.35	68.20	-11.85	3	Vertical	336	2.36
5755MHz	Pass	AV	11.4992G	41.68	54.00	-12.32	3	Horizontal	136	2.66
5755MHz	Pass	PK	11.49224G	53.27	74.00	-20.73	3	Horizontal	136	2.66
5755MHz	Pass	PK	17.27668G	56.30	68.20	-11.90	3	Horizontal	337	1.24
5795MHz	Pass	AV	5.7974G	99.67	Inf	-Inf	3	Vertical	8	2.62
5795MHz	Pass	PK	5.639G	57.17	68.20	-11.03	3	Vertical	8	2.62



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	5.7998G	108.66	Inf	-Inf	3	Vertical	8	2.62
5795MHz	Pass	PK	5.9594G	58.82	68.20	-9.38	3	Vertical	8	2.62
5795MHz	Pass	AV	5.7902G	100.56	Inf	-Inf	3	Horizontal	355	2.94
5795MHz	Pass	PK	5.5586G	57.75	68.20	-10.45	3	Horizontal	355	2.94
5795MHz	Pass	PK	5.789G	110.58	Inf	-Inf	3	Horizontal	355	2.94
5795MHz	Pass	PK	5.9366G	58.35	68.20	-9.85	3	Horizontal	355	2.94
5795MHz	Pass	AV	11.60312G	41.21	54.00	-12.79	3	Vertical	31	1.91
5795MHz	Pass	PK	11.59272G	52.85	74.00	-21.15	3	Vertical	31	1.91
5795MHz	Pass	PK	17.37924G	55.82	68.20	-12.38	3	Vertical	232	1.53
5795MHz	Pass	AV	11.60096G	41.26	54.00	-12.74	3	Horizontal	292	2.82
5795MHz	Pass	PK	11.60408G	52.68	74.00	-21.32	3	Horizontal	292	2.82
5795MHz	Pass	PK	17.40148G	56.00	68.20	-12.20	3	Horizontal	344	2.76
802.11ac VHT80_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	47.61	54.00	-6.39	3	Vertical	90	2.84
5210MHz	Pass	AV	5.195G	88.00	Inf	-Inf	3	Vertical	90	2.84
5210MHz	Pass	AV	5.454G	44.80	54.00	-9.20	3	Vertical	90	2.84
5210MHz	Pass	PK	5.14G	59.33	74.00	-14.67	3	Vertical	90	2.84
5210MHz	Pass	PK	5.196G	96.90	Inf	-Inf	3	Vertical	90	2.84
5210MHz	Pass	PK	5.444G	56.69	74.00	-17.31	3	Vertical	90	2.84
5210MHz	Pass	AV	5.143G	49.47	54.00	-4.53	3	Horizontal	1	2.45
5210MHz	Pass	AV	5.192G	91.74	Inf	-Inf	3	Horizontal	1	2.45
5210MHz	Pass	AV	5.4G	45.44	54.00	-8.56	3	Horizontal	1	2.45
5210MHz	Pass	PK	5.132G	61.04	74.00	-12.96	3	Horizontal	1	2.45
5210MHz	Pass	PK	5.215G	100.72	Inf	-Inf	3	Horizontal	1	2.45
5210MHz	Pass	PK	5.448G	57.24	74.00	-16.76	3	Horizontal	1	2.45
5210MHz	Pass	AV	15.63384G	42.61	54.00	-11.39	3	Vertical	260	1.78
5210MHz	Pass	PK	10.42456G	53.40	68.20	-14.80	3	Vertical	229	2.26
5210MHz	Pass	PK	15.64352G	53.65	74.00	-20.35	3	Vertical	260	1.78
5210MHz	Pass	AV	15.63208G	42.62	54.00	-11.38	3	Horizontal	47	2.67
5210MHz	Pass	PK	10.4132G	52.94	68.20	-15.26	3	Horizontal	64	1.50
5210MHz	Pass	PK	15.63104G	53.79	74.00	-20.21	3	Horizontal	47	2.67
5290MHz	Pass	AV	5.056G	45.88	54.00	-8.12	3	Vertical	89	2.76
5290MHz	Pass	AV	5.272G	88.21	Inf	-Inf	3	Vertical	89	2.76
5290MHz	Pass	AV	5.351G	45.29	54.00	-8.71	3	Vertical	89	2.76
5290MHz	Pass	PK	5.15G	57.74	74.00	-16.26	3	Vertical	89	2.76
5290MHz	Pass	PK	5.282G	97.21	Inf	-Inf	3	Vertical	89	2.76
5290MHz	Pass	PK	5.42G	56.92	74.00	-17.08	3	Vertical	89	2.76
5290MHz	Pass	PK	5.48G	57.07	68.20	-11.13	3	Vertical	89	2.76
5290MHz	Pass	AV	5.051G	45.92	54.00	-8.08	3	Horizontal	2	1.50
5290MHz	Pass	AV	5.283G	93.03	Inf	-Inf	3	Horizontal	2	1.50
5290MHz	Pass	AV	5.352G	47.32	54.00	-6.68	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.06G	58.34	74.00	-15.66	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.283G	101.75	Inf	-Inf	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.459G	58.64	74.00	-15.36	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.47G	57.93	68.20	-10.27	3	Horizontal	2	1.50
5290MHz	Pass	AV	15.85184G	42.29	54.00	-11.71	3	Vertical	235	1.38
5290MHz	Pass	PK	10.57368G	53.30	68.20	-14.90	3	Vertical	282	2.88
5290MHz	Pass	PK	15.85848G	53.89	74.00	-20.11	3	Vertical	235	1.38
5290MHz	Pass	AV	15.85128G	42.31	54.00	-11.69	3	Horizontal	355	1.95
5290MHz	Pass	PK	10.59824G	52.55	68.20	-15.65	3	Horizontal	317	2.96
5290MHz	Pass	PK	15.86128G	54.09	74.00	-19.91	3	Horizontal	355	1.95
5530MHz	Pass	AV	5.35G	44.53	54.00	-9.47	3	Vertical	351	1.97
5530MHz	Pass	AV	5.459G	47.37	54.00	-6.63	3	Vertical	351	1.97
5530MHz	Pass	AV	5.526G	87.18	Inf	-Inf	3	Vertical	351	1.97
5530MHz	Pass	PK	5.339G	56.83	68.20	-11.37	3	Vertical	351	1.97
5530MHz	Pass	PK	5.46G	58.85	74.00	-15.15	3	Vertical	351	1.97
5530MHz	Pass	PK	5.468G	59.62	68.20	-8.58	3	Vertical	351	1.97
5530MHz	Pass	PK	5.519G	95.91	Inf	-Inf	3	Vertical	351	1.97
5530MHz	Pass	PK	5.761G	57.84	68.20	-10.36	3	Vertical	351	1.97
5530MHz	Pass	AV	5.35G	44.83	54.00	-9.17	3	Horizontal	4	1.50
5530MHz	Pass	AV	5.46G	49.85	54.00	-4.15	3	Horizontal	4	1.50
5530MHz	Pass	AV	5.512G	90.52	Inf	-Inf	3	Horizontal	4	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.345G	57.04	68.20	-11.16	3	Horizontal	4	1.50
5530MHz	Pass	PK	5.451G	61.83	74.00	-12.17	3	Horizontal	4	1.50
5530MHz	Pass	PK	5.462G	62.81	68.20	-5.39	3	Horizontal	4	1.50
5530MHz	Pass	PK	5.526G	99.56	Inf	-Inf	3	Horizontal	4	1.50
5530MHz	Pass	PK	5.767G	58.54	68.20	-9.66	3	Horizontal	4	1.50
5530MHz	Pass	AV	11.06592G	41.78	54.00	-12.22	3	Vertical	148	1.04
5530MHz	Pass	PK	11.03168G	52.88	74.00	-21.12	3	Vertical	148	1.04
5530MHz	Pass	PK	16.6268G	54.63	68.20	-13.57	3	Vertical	167	2.16
5530MHz	Pass	AV	11.06464G	41.73	54.00	-12.27	3	Horizontal	123	1.66
5530MHz	Pass	PK	11.02944G	53.27	74.00	-20.73	3	Horizontal	123	1.66
5530MHz	Pass	PK	16.55176G	55.06	68.20	-13.14	3	Horizontal	184	2.11
5610MHz	Pass	AV	5.459G	46.05	54.00	-7.95	3	Vertical	350	1.32
5610MHz	Pass	AV	5.633G	91.34	Inf	-Inf	3	Vertical	350	1.32
5610MHz	Pass	PK	5.459G	57.73	74.00	-16.27	3	Vertical	350	1.32
5610MHz	Pass	PK	5.469G	57.45	68.20	-10.75	3	Vertical	350	1.32
5610MHz	Pass	PK	5.59G	100.31	Inf	-Inf	3	Vertical	350	1.32
5610MHz	Pass	PK	5.731G	62.08	68.20	-6.12	3	Vertical	350	1.32
5610MHz	Pass	AV	5.459G	47.59	54.00	-6.41	3	Horizontal	357	1.50
5610MHz	Pass	AV	5.596G	94.76	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.457G	59.17	74.00	-14.83	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.468G	58.77	68.20	-9.43	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.625G	103.46	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.73G	62.64	68.20	-5.56	3	Horizontal	357	1.50
5610MHz	Pass	AV	11.2064G	41.36	54.00	-12.64	3	Vertical	137	1.22
5610MHz	Pass	PK	11.22512G	52.45	74.00	-21.55	3	Vertical	137	1.22
5610MHz	Pass	PK	16.79576G	55.46	68.20	-12.74	3	Vertical	349	2.65
5610MHz	Pass	AV	11.20368G	41.43	54.00	-12.57	3	Horizontal	247	1.65
5610MHz	Pass	PK	11.18016G	52.61	74.00	-21.39	3	Horizontal	247	1.65
5610MHz	Pass	PK	16.84616G	54.60	68.20	-13.60	3	Horizontal	286	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.22	54.00	-9.78	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	90.94	Inf	-Inf	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	55.29	74.00	-18.71	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	55.75	68.20	-12.45	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.711G	99.54	Inf	-Inf	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.853G	58.18	68.20	-10.02	3	Vertical	348	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.99	54.00	-9.01	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	93.85	Inf	-Inf	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	57.12	74.00	-16.88	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	56.86	68.20	-11.34	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.706G	102.69	Inf	-Inf	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.855G	58.45	68.20	-9.75	3	Horizontal	360	2.98
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	41.60	54.00	-12.40	3	Vertical	301	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3504G	53.26	74.00	-20.74	3	Vertical	301	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05144G	55.14	68.20	-13.06	3	Vertical	338	2.28
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41872G	41.58	54.00	-12.42	3	Horizontal	338	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39696G	53.56	74.00	-20.44	3	Horizontal	338	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0564G	55.95	68.20	-12.25	3	Horizontal	153	1.30
5775MHz	Pass	AV	5.793G	89.62	Inf	-Inf	3	Vertical	354	1.92
5775MHz	Pass	PK	5.6442G	56.19	68.20	-12.01	3	Vertical	354	1.92
5775MHz	Pass	PK	5.7966G	98.16	Inf	-Inf	3	Vertical	354	1.92
5775MHz	Pass	PK	5.9634G	57.40	68.20	-10.80	3	Vertical	354	1.92
5775MHz	Pass	AV	5.793G	90.55	Inf	-Inf	3	Horizontal	357	1.40
5775MHz	Pass	PK	5.5278G	56.83	68.20	-11.37	3	Horizontal	357	1.40
5775MHz	Pass	PK	5.7906G	99.00	Inf	-Inf	3	Horizontal	357	1.40
5775MHz	Pass	PK	6.0342G	57.09	68.20	-11.11	3	Horizontal	357	1.40
5775MHz	Pass	AV	11.51112G	41.49	54.00	-12.51	3	Vertical	268	1.33
5775MHz	Pass	PK	11.53784G	53.14	74.00	-20.86	3	Vertical	268	1.33
5775MHz	Pass	PK	17.35652G	56.42	68.20	-11.78	3	Vertical	352	2.02
5775MHz	Pass	AV	11.52744G	41.37	54.00	-12.63	3	Horizontal	137	2.04
5775MHz	Pass	PK	11.58936G	52.91	74.00	-21.09	3	Horizontal	137	2.04
5775MHz	Pass	PK	17.3546G	57.28	68.20	-10.92	3	Horizontal	37	1.33
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.15G	47.37	54.00	-6.63	3	Vertical	255	2.50
5210MHz	Pass	AV	5.202G	87.05	Inf	-Inf	3	Vertical	255	2.50
5210MHz	Pass	AV	5.452G	44.73	54.00	-9.27	3	Vertical	255	2.50
5210MHz	Pass	PK	5.148G	58.78	74.00	-15.22	3	Vertical	255	2.50
5210MHz	Pass	PK	5.195G	95.67	Inf	-Inf	3	Vertical	255	2.50
5210MHz	Pass	PK	5.403G	56.82	74.00	-17.18	3	Vertical	255	2.50
5210MHz	Pass	AV	5.15G	48.06	54.00	-5.94	3	Horizontal	356	1.52
5210MHz	Pass	AV	5.199G	91.10	Inf	-Inf	3	Horizontal	356	1.52
5210MHz	Pass	AV	5.351G	45.18	54.00	-8.82	3	Horizontal	356	1.52
5210MHz	Pass	PK	5.147G	59.55	74.00	-14.45	3	Horizontal	356	1.52
5210MHz	Pass	PK	5.187G	100.21	Inf	-Inf	3	Horizontal	356	1.52
5210MHz	Pass	PK	5.375G	57.05	74.00	-16.95	3	Horizontal	356	1.52
5210MHz	Pass	AV	15.63792G	42.64	54.00	-11.36	3	Vertical	353	1.55
5210MHz	Pass	PK	10.40504G	53.16	68.20	-15.04	3	Vertical	182	2.73
5210MHz	Pass	PK	15.62216G	54.56	74.00	-19.44	3	Vertical	353	1.55
5210MHz	Pass	AV	15.62448G	42.59	54.00	-11.41	3	Horizontal	192	2.85
5210MHz	Pass	PK	10.41072G	53.39	68.20	-14.81	3	Horizontal	170	2.41
5210MHz	Pass	PK	15.62776G	54.21	74.00	-19.79	3	Horizontal	192	2.85
5290MHz	Pass	AV	5.051G	45.87	54.00	-8.13	3	Vertical	0	1.24
5290MHz	Pass	AV	5.298G	88.11	Inf	-Inf	3	Vertical	0	1.24
5290MHz	Pass	AV	5.35G	45.29	54.00	-8.71	3	Vertical	0	1.24
5290MHz	Pass	PK	5.052G	57.60	74.00	-16.40	3	Vertical	0	1.24
5290MHz	Pass	PK	5.299G	96.68	Inf	-Inf	3	Vertical	0	1.24
5290MHz	Pass	PK	5.451G	56.40	74.00	-17.60	3	Vertical	0	1.24
5290MHz	Pass	PK	5.531G	57.00	68.20	-11.20	3	Vertical	0	1.24
5290MHz	Pass	AV	5.15G	46.09	54.00	-7.91	3	Horizontal	357	1.58
5290MHz	Pass	AV	5.272G	91.01	Inf	-Inf	3	Horizontal	357	1.58
5290MHz	Pass	AV	5.35G	46.01	54.00	-7.99	3	Horizontal	357	1.58
5290MHz	Pass	PK	5.136G	58.44	74.00	-15.56	3	Horizontal	357	1.58
5290MHz	Pass	PK	5.277G	99.72	Inf	-Inf	3	Horizontal	357	1.58
5290MHz	Pass	PK	5.365G	58.83	74.00	-15.17	3	Horizontal	357	1.58
5290MHz	Pass	PK	5.47G	56.84	68.20	-11.36	3	Horizontal	357	1.58
5290MHz	Pass	AV	15.85288G	42.45	54.00	-11.55	3	Vertical	206	2.96
5290MHz	Pass	PK	10.57488G	52.83	68.20	-15.37	3	Vertical	231	2.90
5290MHz	Pass	PK	15.8828G	53.40	74.00	-20.60	3	Vertical	206	2.96
5290MHz	Pass	AV	15.85432G	42.41	54.00	-11.59	3	Horizontal	151	2.69
5290MHz	Pass	PK	10.56048G	52.55	68.20	-15.65	3	Horizontal	255	1.00
5290MHz	Pass	PK	15.8764G	53.17	74.00	-20.83	3	Horizontal	151	2.69
5530MHz	Pass	AV	5.35G	44.62	54.00	-9.38	3	Vertical	10	2.03
5530MHz	Pass	AV	5.459G	45.38	54.00	-8.62	3	Vertical	10	2.03
5530MHz	Pass	AV	5.548G	88.41	Inf	-Inf	3	Vertical	10	2.03
5530MHz	Pass	PK	5.287G	56.40	68.20	-11.80	3	Vertical	10	2.03
5530MHz	Pass	PK	5.46G	56.82	74.00	-17.18	3	Vertical	10	2.03
5530MHz	Pass	PK	5.465G	56.74	68.20	-11.46	3	Vertical	10	2.03
5530MHz	Pass	PK	5.552G	97.22	Inf	-Inf	3	Vertical	10	2.03
5530MHz	Pass	PK	5.728G	58.73	68.20	-9.47	3	Vertical	10	2.03
5530MHz	Pass	AV	5.35G	44.72	54.00	-9.28	3	Horizontal	6	1.42
5530MHz	Pass	AV	5.451G	45.69	54.00	-8.31	3	Horizontal	6	1.42
5530MHz	Pass	AV	5.541G	89.70	Inf	-Inf	3	Horizontal	6	1.42
5530MHz	Pass	PK	5.314G	57.48	68.20	-10.72	3	Horizontal	6	1.42
5530MHz	Pass	PK	5.456G	57.71	74.00	-16.29	3	Horizontal	6	1.42
5530MHz	Pass	PK	5.469G	56.75	68.20	-11.45	3	Horizontal	6	1.42
5530MHz	Pass	PK	5.547G	99.45	Inf	-Inf	3	Horizontal	6	1.42
5530MHz	Pass	PK	5.746G	59.28	68.20	-8.92	3	Horizontal	6	1.42
5530MHz	Pass	AV	11.06016G	41.77	54.00	-12.23	3	Vertical	192	2.86
5530MHz	Pass	PK	11.08416G	53.31	74.00	-20.69	3	Vertical	192	2.86
5530MHz	Pass	PK	16.55784G	54.75	68.20	-13.45	3	Vertical	94	1.02
5530MHz	Pass	AV	11.06896G	41.79	54.00	-12.21	3	Horizontal	39	1.40
5530MHz	Pass	PK	11.08G	52.95	74.00	-21.05	3	Horizontal	39	1.40
5530MHz	Pass	PK	16.62296G	54.59	68.20	-13.61	3	Horizontal	234	1.23
5610MHz	Pass	AV	5.459G	45.41	54.00	-8.59	3	Vertical	11	1.94
5610MHz	Pass	AV	5.609G	93.71	Inf	-Inf	3	Vertical	11	1.94





RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.391G	57.67	74.00	-16.33	3	Vertical	11	1.94
5610MHz	Pass	PK	5.466G	57.04	68.20	-11.16	3	Vertical	11	1.94
5610MHz	Pass	PK	5.612G	101.87	Inf	-Inf	3	Vertical	11	1.94
5610MHz	Pass	PK	5.745G	61.58	68.20	-6.62	3	Vertical	11	1.94
5610MHz	Pass	AV	5.459G	45.69	54.00	-8.31	3	Horizontal	355	2.96
5610MHz	Pass	AV	5.608G	94.62	Inf	-Inf	3	Horizontal	355	2.96
5610MHz	Pass	PK	5.373G	56.82	74.00	-17.18	3	Horizontal	355	2.96
5610MHz	Pass	PK	5.466G	56.90	68.20	-11.30	3	Horizontal	355	2.96
5610MHz	Pass	PK	5.604G	103.58	Inf	-Inf	3	Horizontal	355	2.96
5610MHz	Pass	PK	5.732G	62.05	68.20	-6.15	3	Horizontal	355	2.96
5610MHz	Pass	AV	11.20608G	41.43	54.00	-12.57	3	Vertical	194	1.27
5610MHz	Pass	PK	11.20096G	52.30	74.00	-21.70	3	Vertical	194	1.27
5610MHz	Pass	PK	16.8492G	54.86	68.20	-13.34	3	Vertical	290	1.80
5610MHz	Pass	AV	11.20624G	41.40	54.00	-12.60	3	Horizontal	63	2.01
5610MHz	Pass	PK	11.21504G	53.58	74.00	-20.42	3	Horizontal	63	2.01
5610MHz	Pass	PK	16.83976G	54.87	68.20	-13.33	3	Horizontal	298	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.454G	43.78	54.00	-10.22	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7G	91.17	Inf	-Inf	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.44G	55.00	74.00	-19.00	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	55.11	68.20	-13.09	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	99.67	Inf	-Inf	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.863G	57.97	68.20	-10.23	3	Vertical	14	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	43.99	54.00	-10.01	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	94.37	Inf	-Inf	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.441G	56.38	74.00	-17.62	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	56.25	68.20	-11.95	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.713G	103.57	Inf	-Inf	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	57.99	68.20	-10.21	3	Horizontal	0	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41744G	41.58	54.00	-12.42	3	Vertical	148	2.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41648G	52.72	74.00	-21.28	3	Vertical	148	2.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08216G	56.02	68.20	-12.18	3	Vertical	209	2.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	41.56	54.00	-12.44	3	Horizontal	73	1.09
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38288G	52.77	74.00	-21.23	3	Horizontal	73	1.09
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06712G	55.41	68.20	-12.79	3	Horizontal	316	2.54
5775MHz	Pass	AV	5.7846G	89.97	Inf	-Inf	3	Vertical	12	1.94
5775MHz	Pass	PK	5.6118G	57.28	68.20	-10.92	3	Vertical	12	1.94
5775MHz	Pass	PK	5.7642G	98.46	Inf	-Inf	3	Vertical	12	1.94
5775MHz	Pass	PK	5.9478G	57.42	68.20	-10.78	3	Vertical	12	1.94
5775MHz	Pass	AV	5.7774G	91.13	Inf	-Inf	3	Horizontal	6	1.40
5775MHz	Pass	PK	5.6382G	57.03	68.20	-11.17	3	Horizontal	6	1.40
5775MHz	Pass	PK	5.7498G	99.26	Inf	-Inf	3	Horizontal	6	1.40
5775MHz	Pass	PK	5.9274G	57.49	68.20	-10.71	3	Horizontal	6	1.40
5775MHz	Pass	AV	11.5316G	41.49	54.00	-12.51	3	Vertical	157	3.00
5775MHz	Pass	PK	11.52808G	52.76	74.00	-21.24	3	Vertical	157	3.00
5775MHz	Pass	PK	17.31556G	56.30	68.20	-11.90	3	Vertical	63	1.54
5775MHz	Pass	AV	11.52744G	41.50	54.00	-12.50	3	Horizontal	178	1.53
5775MHz	Pass	PK	11.57752G	52.97	74.00	-21.03	3	Horizontal	178	1.53
5775MHz	Pass	PK	17.3538G	55.92	68.20	-12.28	3	Horizontal	132	1.61
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	48.53	54.00	-5.47	3	Vertical	85	2.49
5210MHz	Pass	AV	5.198G	91.35	Inf	-Inf	3	Vertical	85	2.49
5210MHz	Pass	AV	5.354G	45.19	54.00	-8.81	3	Vertical	85	2.49
5210MHz	Pass	PK	5.144G	59.71	74.00	-14.29	3	Vertical	85	2.49
5210MHz	Pass	PK	5.207G	100.91	Inf	-Inf	3	Vertical	85	2.49
5210MHz	Pass	PK	5.409G	56.95	74.00	-17.05	3	Vertical	85	2.49
5210MHz	Pass	AV	5.15G	52.06	54.00	-1.94	3	Horizontal	3	1.55
5210MHz	Pass	AV	5.198G	96.27	Inf	-Inf	3	Horizontal	3	1.55
5210MHz	Pass	AV	5.38G	47.05	54.00	-6.95	3	Horizontal	3	1.55
5210MHz	Pass	PK	5.15G	62.89	74.00	-11.11	3	Horizontal	3	1.55
5210MHz	Pass	PK	5.195G	105.84	Inf	-Inf	3	Horizontal	3	1.55
5210MHz	Pass	PK	5.384G	58.59	74.00	-15.41	3	Horizontal	3	1.55
5210MHz	Pass	AV	15.63768G	42.69	54.00	-11.31	3	Vertical	288	2.77



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	10.42808G	53.08	68.20	-15.12	3	Vertical	227	2.78
5210MHz	Pass	PK	15.64512G	54.14	74.00	-19.86	3	Vertical	288	2.77
5210MHz	Pass	AV	15.63568G	42.69	54.00	-11.31	3	Horizontal	262	1.54
5210MHz	Pass	PK	10.41008G	53.59	68.20	-14.61	3	Horizontal	200	2.37
5210MHz	Pass	PK	15.6248G	54.46	74.00	-19.54	3	Horizontal	262	1.54
5290MHz	Pass	AV	5.053G	45.88	54.00	-8.12	3	Vertical	360	2.15
5290MHz	Pass	AV	5.313G	89.86	Inf	-Inf	3	Vertical	360	2.15
5290MHz	Pass	AV	5.35G	46.44	54.00	-7.56	3	Vertical	360	2.15
5290MHz	Pass	PK	5.102G	57.44	74.00	-16.56	3	Vertical	360	2.15
5290MHz	Pass	PK	5.315G	99.50	Inf	-Inf	3	Vertical	360	2.15
5290MHz	Pass	PK	5.425G	57.66	74.00	-16.34	3	Vertical	360	2.15
5290MHz	Pass	PK	5.478G	57.08	68.20	-11.12	3	Vertical	360	2.15
5290MHz	Pass	AV	5.053G	46.01	54.00	-7.99	3	Horizontal	4	1.50
5290MHz	Pass	AV	5.278G	94.38	Inf	-Inf	3	Horizontal	4	1.50
5290MHz	Pass	AV	5.351G	48.66	54.00	-5.34	3	Horizontal	4	1.50
5290MHz	Pass	PK	5.045G	58.52	74.00	-15.48	3	Horizontal	4	1.50
5290MHz	Pass	PK	5.275G	103.32	Inf	-Inf	3	Horizontal	4	1.50
5290MHz	Pass	PK	5.354G	60.68	74.00	-13.32	3	Horizontal	4	1.50
5290MHz	Pass	PK	5.461G	58.03	68.20	-10.17	3	Horizontal	4	1.50
5290MHz	Pass	AV	10.60128G	41.42	54.00	-12.58	3	Vertical	324	1.43
5290MHz	Pass	AV	15.85416G	42.41	54.00	-11.59	3	Vertical	90	2.97
5290MHz	Pass	PK	10.56368G	52.84	68.20	-15.36	3	Vertical	324	1.43
5290MHz	Pass	PK	15.84392G	54.71	74.00	-19.29	3	Vertical	90	2.97
5290MHz	Pass	AV	10.60064G	41.42	54.00	-12.58	3	Horizontal	325	2.17
5290MHz	Pass	AV	15.84984G	42.33	54.00	-11.67	3	Horizontal	245	1.08
5290MHz	Pass	PK	10.54224G	54.14	68.20	-14.06	3	Horizontal	325	2.17
5290MHz	Pass	PK	15.84008G	54.07	74.00	-19.93	3	Horizontal	245	1.08
5530MHz	Pass	AV	5.35G	45.03	54.00	-8.97	3	Vertical	0	2.79
5530MHz	Pass	AV	5.46G	48.97	54.00	-5.03	3	Vertical	0	2.79
5530MHz	Pass	AV	5.518G	93.58	Inf	-Inf	3	Vertical	0	2.79
5530MHz	Pass	PK	5.341G	56.64	68.20	-11.56	3	Vertical	0	2.79
5530MHz	Pass	PK	5.458G	61.52	74.00	-12.48	3	Vertical	0	2.79
5530MHz	Pass	PK	5.466G	62.44	68.20	-5.76	3	Vertical	0	2.79
5530MHz	Pass	PK	5.518G	102.55	Inf	-Inf	3	Vertical	0	2.79
5530MHz	Pass	PK	5.733G	59.15	68.20	-9.05	3	Vertical	0	2.79
5530MHz	Pass	AV	5.35G	46.28	54.00	-7.72	3	Horizontal	7	1.53
5530MHz	Pass	AV	5.46G	52.26	54.00	-1.74	3	Horizontal	7	1.53
5530MHz	Pass	AV	5.527G	95.86	Inf	-Inf	3	Horizontal	7	1.53
5530MHz	Pass	PK	5.33G	57.98	68.20	-10.22	3	Horizontal	7	1.53
5530MHz	Pass	PK	5.448G	64.52	74.00	-9.48	3	Horizontal	7	1.53
5530MHz	Pass	PK	5.467G	65.18	68.20	-3.02	3	Horizontal	7	1.53
5530MHz	Pass	PK	5.508G	105.60	Inf	-Inf	3	Horizontal	7	1.53
5530MHz	Pass	PK	5.742G	61.04	68.20	-7.16	3	Horizontal	7	1.53
5530MHz	Pass	AV	11.06352G	41.84	54.00	-12.16	3	Vertical	206	2.23
5530MHz	Pass	AV	11.06656G	41.74	54.00	-12.26	3	Vertical	283	1.92
5530MHz	Pass	PK	11.04928G	53.27	74.00	-20.73	3	Vertical	206	2.23
5530MHz	Pass	PK	11.05376G	54.27	74.00	-19.73	3	Vertical	283	1.92
5530MHz	Pass	AV	11.06256G	41.76	54.00	-12.24	3	Horizontal	135	1.57
5530MHz	Pass	PK	11.05648G	53.15	74.00	-20.85	3	Horizontal	135	1.57
5530MHz	Pass	PK	16.56728G	54.29	68.20	-13.91	3	Horizontal	334	2.38
5610MHz	Pass	AV	5.458G	45.43	54.00	-8.57	3	Vertical	360	1.09
5610MHz	Pass	AV	5.606G	93.68	Inf	-Inf	3	Vertical	360	1.09
5610MHz	Pass	PK	5.438G	56.93	74.00	-17.07	3	Vertical	360	1.09
5610MHz	Pass	PK	5.469G	56.70	68.20	-11.50	3	Vertical	360	1.09
5610MHz	Pass	PK	5.603G	103.21	Inf	-Inf	3	Vertical	360	1.09
5610MHz	Pass	PK	5.779G	60.97	68.20	-7.23	3	Vertical	360	1.09
5610MHz	Pass	AV	5.458G	46.36	54.00	-7.64	3	Horizontal	7	1.50
5610MHz	Pass	AV	5.598G	96.04	Inf	-Inf	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.454G	58.26	74.00	-15.74	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.461G	58.15	68.20	-10.05	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.62G	105.81	Inf	-Inf	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.789G	61.24	68.20	-6.96	3	Horizontal	7	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	11.20528G	41.23	54.00	-12.77	3	Vertical	326	1.78
5610MHz	Pass	PK	11.24288G	52.94	74.00	-21.06	3	Vertical	326	1.78
5610MHz	Pass	PK	16.85288G	54.83	68.20	-13.37	3	Vertical	180	1.95
5610MHz	Pass	AV	11.20464G	41.26	54.00	-12.74	3	Horizontal	162	2.63
5610MHz	Pass	PK	11.20224G	52.72	74.00	-21.28	3	Horizontal	162	2.63
5610MHz	Pass	PK	16.83736G	55.00	68.20	-13.20	3	Horizontal	82	2.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.459G	44.13	54.00	-9.87	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	94.83	Inf	-Inf	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.457G	55.57	74.00	-18.43	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	55.54	68.20	-12.66	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.706G	103.77	Inf	-Inf	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	59.27	68.20	-8.93	3	Vertical	6	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.90	54.00	-9.10	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	96.90	Inf	-Inf	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.459G	56.95	74.00	-17.05	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	56.09	68.20	-12.11	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.715G	105.96	Inf	-Inf	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.861G	59.27	68.20	-8.93	3	Horizontal	4	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41824G	41.41	54.00	-12.59	3	Vertical	65	2.11
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41888G	52.74	74.00	-21.26	3	Vertical	65	2.11
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1068G	55.40	68.20	-12.80	3	Vertical	173	2.14
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	41.46	54.00	-12.54	3	Horizontal	187	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34432G	53.05	74.00	-20.95	3	Horizontal	187	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08872G	55.97	68.20	-12.23	3	Horizontal	267	1.19
5775MHz	Pass	AV	5.7786G	96.31	Inf	-Inf	3	Vertical	360	1.04
5775MHz	Pass	PK	5.649G	60.71	68.20	-7.49	3	Vertical	360	1.04
5775MHz	Pass	PK	5.7714G	106.31	Inf	-Inf	3	Vertical	360	1.04
5775MHz	Pass	PK	5.9274G	59.71	68.20	-8.49	3	Vertical	360	1.04
5775MHz	Pass	AV	5.7714G	98.13	Inf	-Inf	3	Horizontal	6	2.91
5775MHz	Pass	PK	5.649G	62.46	68.20	-5.74	3	Horizontal	6	2.91
5775MHz	Pass	PK	5.7714G	107.58	Inf	-Inf	3	Horizontal	6	2.91
5775MHz	Pass	PK	5.925G	60.38	68.20	-7.82	3	Horizontal	6	2.91
5775MHz	Pass	AV	11.52824G	41.45	54.00	-12.55	3	Vertical	277	2.00
5775MHz	Pass	PK	11.52888G	52.24	74.00	-21.76	3	Vertical	277	2.00
5775MHz	Pass	PK	17.34468G	56.49	68.20	-11.71	3	Vertical	48	2.40
5775MHz	Pass	AV	11.5108G	41.53	54.00	-12.47	3	Horizontal	175	2.42
5775MHz	Pass	PK	11.55432G	52.83	74.00	-21.17	3	Horizontal	175	2.42
5775MHz	Pass	PK	17.35684G	56.04	68.20	-12.16	3	Horizontal	27	2.21
802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1444G	46.90	54.00	-7.10	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2668G	83.29	Inf	-Inf	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	45.63	54.00	-8.37	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.136G	58.32	74.00	-15.68	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2056G	92.37	Inf	-Inf	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.436G	57.28	74.00	-16.72	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5428G	56.43	68.20	-11.77	3	Vertical	90	2.80
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.60	54.00	-5.40	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.28G	87.79	Inf	-Inf	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3988G	48.20	54.00	-5.80	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1348G	60.04	74.00	-13.96	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.28G	96.91	Inf	-Inf	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	62.15	74.00	-11.85	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	58.14	68.20	-10.06	3	Horizontal	2	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77752G	42.51	54.00	-11.49	3	Vertical	98	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46512G	53.49	68.20	-14.71	3	Vertical	124	2.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78136G	53.75	74.00	-20.25	3	Vertical	98	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77336G	42.50	54.00	-11.50	3	Horizontal	66	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49968G	52.16	68.20	-16.04	3	Horizontal	181	1.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.77608G	54.77	74.00	-19.23	3	Horizontal	66	2.53
5570MHz	Pass	AV	5.4596G	49.10	54.00	-4.90	3	Vertical	344	2.59
5570MHz	Pass	AV	5.6G	84.50	Inf	-Inf	3	Vertical	344	2.59
5570MHz	Pass	PK	5.2832G	56.70	68.20	-11.50	3	Vertical	344	2.59



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.456G	59.77	74.00	-14.23	3	Vertical	344	2.59
5570MHz	Pass	PK	5.462G	61.49	68.20	-6.71	3	Vertical	344	2.59
5570MHz	Pass	PK	5.5988G	93.92	Inf	-Inf	3	Vertical	344	2.59
5570MHz	Pass	PK	5.7392G	59.58	68.20	-8.62	3	Vertical	344	2.59
5570MHz	Pass	AV	5.4596G	52.04	54.00	-1.96	3	Horizontal	356	1.50
5570MHz	Pass	AV	5.5988G	87.69	Inf	-Inf	3	Horizontal	356	1.50
5570MHz	Pass	PK	5.27G	57.38	68.20	-10.82	3	Horizontal	356	1.50
5570MHz	Pass	PK	5.456G	63.32	74.00	-10.68	3	Horizontal	356	1.50
5570MHz	Pass	PK	5.4632G	64.37	68.20	-3.83	3	Horizontal	356	1.50
5570MHz	Pass	PK	5.612G	96.76	Inf	-Inf	3	Horizontal	356	1.50
5570MHz	Pass	PK	5.738G	61.09	68.20	-7.11	3	Horizontal	356	1.50
5570MHz	Pass	AV	11.1032G	41.61	54.00	-12.39	3	Vertical	75	1.28
5570MHz	Pass	PK	11.12112G	53.14	74.00	-20.86	3	Vertical	75	1.28
5570MHz	Pass	PK	16.69208G	55.16	68.20	-13.04	3	Vertical	106	2.71
5570MHz	Pass	AV	11.1008G	41.64	54.00	-12.36	3	Horizontal	83	1.14
5570MHz	Pass	PK	11.1416G	52.86	74.00	-21.14	3	Horizontal	83	1.14
5570MHz	Pass	PK	16.72328G	54.82	68.20	-13.38	3	Horizontal	196	1.23
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0664G	45.98	54.00	-8.02	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2992G	82.93	Inf	-Inf	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.382G	46.46	54.00	-7.54	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0544G	58.11	74.00	-15.89	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2956G	91.76	Inf	-Inf	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3724G	58.16	74.00	-15.84	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.538G	57.09	68.20	-11.11	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1204G	47.14	54.00	-6.86	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1996G	86.64	Inf	-Inf	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3856G	47.48	54.00	-6.52	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0844G	58.90	74.00	-15.10	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1996G	95.46	Inf	-Inf	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3736G	60.61	74.00	-13.39	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4984G	56.57	68.20	-11.63	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.78056G	42.47	54.00	-11.53	3	Vertical	261	2.82
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52464G	53.73	68.20	-14.47	3	Vertical	31	2.17
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.72824G	54.23	74.00	-19.77	3	Vertical	261	2.82
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.78264G	42.49	54.00	-11.51	3	Horizontal	334	1.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53344G	53.24	68.20	-14.96	3	Horizontal	74	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.71256G	53.43	74.00	-20.57	3	Horizontal	334	1.40
5570MHz	Pass	AV	5.3648G	45.45	54.00	-8.55	3	Vertical	15	1.48
5570MHz	Pass	AV	5.6156G	85.48	Inf	-Inf	3	Vertical	15	1.48
5570MHz	Pass	PK	5.3264G	56.90	68.20	-11.30	3	Vertical	15	1.48
5570MHz	Pass	PK	5.3768G	58.17	74.00	-15.83	3	Vertical	15	1.48
5570MHz	Pass	PK	5.4632G	56.42	68.20	-11.78	3	Vertical	15	1.48
5570MHz	Pass	PK	5.618G	94.63	Inf	-Inf	3	Vertical	15	1.48
5570MHz	Pass	PK	5.7392G	62.92	68.20	-5.28	3	Vertical	15	1.48
5570MHz	Pass	AV	5.3576G	46.07	54.00	-7.93	3	Horizontal	6	1.41
5570MHz	Pass	AV	5.5988G	87.22	Inf	-Inf	3	Horizontal	6	1.41
5570MHz	Pass	PK	5.3108G	59.17	68.20	-9.03	3	Horizontal	6	1.41
5570MHz	Pass	PK	5.4464G	60.40	74.00	-13.60	3	Horizontal	6	1.41
5570MHz	Pass	PK	5.462G	57.78	68.20	-10.42	3	Horizontal	6	1.41
5570MHz	Pass	PK	5.6072G	96.12	Inf	-Inf	3	Horizontal	6	1.41
5570MHz	Pass	PK	5.726G	64.21	68.20	-3.99	3	Horizontal	6	1.41
5570MHz	Pass	AV	11.10112G	41.60	54.00	-12.40	3	Vertical	246	1.87
5570MHz	Pass	PK	11.16672G	52.74	74.00	-21.26	3	Vertical	246	1.87
5570MHz	Pass	PK	16.7052G	54.89	68.20	-13.31	3	Vertical	192	2.06
5570MHz	Pass	AV	11.10192G	41.68	54.00	-12.32	3	Horizontal	49	2.70
5570MHz	Pass	PK	11.16704G	52.48	74.00	-21.52	3	Horizontal	49	2.70
5570MHz	Pass	PK	16.69464G	54.54	68.20	-13.66	3	Horizontal	75	2.41
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.058G	45.91	54.00	-8.09	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3028G	84.74	Inf	-Inf	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	46.71	54.00	-7.29	3	Vertical	0	2.16



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.052G	58.10	74.00	-15.90	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3028G	93.86	Inf	-Inf	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	58.41	74.00	-15.59	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5224G	57.35	68.20	-10.85	3	Vertical	0	2.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	47.66	54.00	-6.34	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2776G	89.68	Inf	-Inf	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3988G	48.74	54.00	-5.26	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	60.18	74.00	-13.82	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.262G	98.82	Inf	-Inf	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4G	61.48	74.00	-12.52	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4708G	58.54	68.20	-9.66	3	Horizontal	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.78088G	42.47	54.00	-11.53	3	Vertical	150	1.68
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49472G	53.66	68.20	-14.54	3	Vertical	315	2.99
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78392G	53.10	74.00	-20.90	3	Vertical	150	1.68
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77688G	42.49	54.00	-11.51	3	Horizontal	76	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4616G	52.77	68.20	-15.43	3	Horizontal	343	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74552G	54.63	74.00	-19.37	3	Horizontal	76	1.18
5570MHz	Pass	AV	5.4596G	47.17	54.00	-6.83	3	Vertical	1	1.20
5570MHz	Pass	AV	5.6218G	87.58	Inf	-Inf	3	Vertical	1	1.20
5570MHz	Pass	PK	5.3024G	56.36	68.20	-11.84	3	Vertical	1	1.20
5570MHz	Pass	PK	5.456G	58.80	74.00	-15.20	3	Vertical	1	1.20
5570MHz	Pass	PK	5.468G	59.66	68.20	-8.54	3	Vertical	1	1.20
5570MHz	Pass	PK	5.6036G	96.28	Inf	-Inf	3	Vertical	1	1.20
5570MHz	Pass	PK	5.7284G	61.74	68.20	-6.46	3	Vertical	1	1.20
5570MHz	Pass	AV	5.4596G	49.39	54.00	-4.61	3	Horizontal	6	1.43
5570MHz	Pass	AV	5.606G	89.78	Inf	-Inf	3	Horizontal	6	1.43
5570MHz	Pass	PK	5.35G	56.95	74.00	-17.05	3	Horizontal	6	1.43
5570MHz	Pass	PK	5.4584G	60.31	74.00	-13.69	3	Horizontal	6	1.43
5570MHz	Pass	PK	5.4658G	61.43	68.20	-6.77	3	Horizontal	6	1.43
5570MHz	Pass	PK	5.606G	99.93	Inf	-Inf	3	Horizontal	6	1.43
5570MHz	Pass	PK	5.7272G	62.30	68.20	-5.90	3	Horizontal	6	1.43
5570MHz	Pass	AV	11.10304G	41.56	54.00	-12.44	3	Vertical	88	1.90
5570MHz	Pass	PK	11.17424G	53.00	74.00	-21.00	3	Vertical	88	1.90
5570MHz	Pass	PK	16.69192G	55.34	68.20	-12.86	3	Vertical	309	1.75
5570MHz	Pass	AV	11.1G	41.63	54.00	-12.37	3	Horizontal	92	1.17
5570MHz	Pass	PK	11.12336G	52.94	74.00	-21.06	3	Horizontal	92	1.17
5570MHz	Pass	PK	16.71128G	55.40	68.20	-12.80	3	Horizontal	27	2.89
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	45.73	54.00	-8.27	3	Vertical	90	2.64
5180MHz	Pass	AV	5.1828G	92.41	Inf	-Inf	3	Vertical	90	2.64
5180MHz	Pass	PK	5.1478G	57.38	74.00	-16.62	3	Vertical	90	2.64
5180MHz	Pass	PK	5.1788G	103.13	Inf	-Inf	3	Vertical	90	2.64
5180MHz	Pass	AV	5.1496G	46.33	54.00	-7.67	3	Horizontal	16	1.49
5180MHz	Pass	AV	5.1832G	96.20	Inf	-Inf	3	Horizontal	16	1.49
5180MHz	Pass	PK	5.1366G	58.49	74.00	-15.51	3	Horizontal	16	1.49
5180MHz	Pass	PK	5.1842G	107.40	Inf	-Inf	3	Horizontal	16	1.49
5180MHz	Pass	AV	15.55002G	42.79	54.00	-11.21	3	Vertical	278	1.50
5180MHz	Pass	PK	10.35358G	53.64	68.20	-14.56	3	Vertical	52	1.50
5180MHz	Pass	PK	15.53412G	54.65	74.00	-19.35	3	Vertical	278	1.50
5180MHz	Pass	AV	15.54696G	42.75	54.00	-11.25	3	Horizontal	158	1.00
5180MHz	Pass	PK	10.36042G	53.79	68.20	-14.41	3	Horizontal	240	1.39
5180MHz	Pass	PK	15.54108G	54.75	74.00	-19.25	3	Horizontal	158	1.00
5200MHz	Pass	AV	5.15G	48.07	54.00	-5.93	3	Vertical	90	2.84
5200MHz	Pass	AV	5.1972G	98.54	Inf	-Inf	3	Vertical	90	2.84
5200MHz	Pass	PK	5.1496G	60.12	74.00	-13.88	3	Vertical	90	2.84
5200MHz	Pass	PK	5.1964G	110.02	Inf	-Inf	3	Vertical	90	2.84
5200MHz	Pass	AV	5.15G	49.84	54.00	-4.16	3	Horizontal	4	1.65
5200MHz	Pass	AV	5.198G	102.28	Inf	-Inf	3	Horizontal	4	1.65
5200MHz	Pass	PK	5.1464G	61.57	74.00	-12.43	3	Horizontal	4	1.65
5200MHz	Pass	PK	5.1976G	113.21	Inf	-Inf	3	Horizontal	4	1.65
5200MHz	Pass	AV	15.60786G	42.93	54.00	-11.07	3	Vertical	109	2.86
5200MHz	Pass	PK	10.39766G	53.60	68.20	-14.60	3	Vertical	109	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	15.6042G	55.17	74.00	-18.83	3	Vertical	109	2.86
5200MHz	Pass	AV	15.60132G	43.02	54.00	-10.98	3	Horizontal	289	2.24
5200MHz	Pass	PK	10.4063G	54.04	68.20	-14.16	3	Horizontal	82	2.98
5200MHz	Pass	PK	15.60204G	55.06	74.00	-18.94	3	Horizontal	289	2.24
5240MHz	Pass	AV	5.1392G	45.84	54.00	-8.16	3	Vertical	102	2.41
5240MHz	Pass	AV	5.2376G	97.85	Inf	-Inf	3	Vertical	102	2.41
5240MHz	Pass	AV	5.3684G	44.89	54.00	-9.11	3	Vertical	102	2.41
5240MHz	Pass	PK	5.1266G	57.51	74.00	-16.49	3	Vertical	102	2.41
5240MHz	Pass	PK	5.2376G	108.98	Inf	-Inf	3	Vertical	102	2.41
5240MHz	Pass	PK	5.3726G	56.92	74.00	-17.08	3	Vertical	102	2.41
5240MHz	Pass	AV	5.15G	46.25	54.00	-7.75	3	Horizontal	4	1.57
5240MHz	Pass	AV	5.2382G	102.49	Inf	-Inf	3	Horizontal	4	1.57
5240MHz	Pass	AV	5.39G	46.48	54.00	-7.52	3	Horizontal	4	1.57
5240MHz	Pass	PK	5.1494G	57.71	74.00	-16.29	3	Horizontal	4	1.57
5240MHz	Pass	PK	5.2376G	113.33	Inf	-Inf	3	Horizontal	4	1.57
5240MHz	Pass	PK	5.381G	58.18	74.00	-15.82	3	Horizontal	4	1.57
5240MHz	Pass	AV	15.7083G	42.52	54.00	-11.48	3	Vertical	288	1.50
5240MHz	Pass	PK	10.48036G	53.39	68.20	-14.81	3	Vertical	225	1.50
5240MHz	Pass	PK	15.70518G	54.74	74.00	-19.26	3	Vertical	288	1.50
5240MHz	Pass	AV	15.71178G	42.50	54.00	-11.50	3	Horizontal	181	1.00
5240MHz	Pass	PK	10.4734G	53.63	68.20	-14.57	3	Horizontal	321	1.50
5240MHz	Pass	PK	15.70542G	55.00	74.00	-19.00	3	Horizontal	181	1.00
5260MHz	Pass	AV	5.1358G	45.66	54.00	-8.34	3	Vertical	2	1.50
5260MHz	Pass	AV	5.2624G	95.49	Inf	-Inf	3	Vertical	2	1.50
5260MHz	Pass	AV	5.4094G	45.53	54.00	-8.47	3	Vertical	2	1.50
5260MHz	Pass	PK	5.1418G	57.52	74.00	-16.48	3	Vertical	2	1.50
5260MHz	Pass	PK	5.2642G	106.71	Inf	-Inf	3	Vertical	2	1.50
5260MHz	Pass	PK	5.3824G	57.61	74.00	-16.39	3	Vertical	2	1.50
5260MHz	Pass	AV	5.1328G	46.09	54.00	-7.91	3	Horizontal	4	1.59
5260MHz	Pass	AV	5.2558G	102.03	Inf	-Inf	3	Horizontal	4	1.59
5260MHz	Pass	AV	5.4094G	46.82	54.00	-7.18	3	Horizontal	4	1.59
5260MHz	Pass	PK	5.1412G	57.90	74.00	-16.10	3	Horizontal	4	1.59
5260MHz	Pass	PK	5.2582G	112.45	Inf	-Inf	3	Horizontal	4	1.59
5260MHz	Pass	PK	5.4088G	58.42	74.00	-15.58	3	Horizontal	4	1.59
5260MHz	Pass	AV	15.78306G	42.53	54.00	-11.47	3	Vertical	305	1.50
5260MHz	Pass	PK	10.52432G	53.62	68.20	-14.58	3	Vertical	360	1.50
5260MHz	Pass	PK	15.78204G	54.60	74.00	-19.40	3	Vertical	305	1.50
5260MHz	Pass	AV	15.78318G	42.55	54.00	-11.45	3	Horizontal	20	2.26
5260MHz	Pass	PK	10.51708G	53.49	68.20	-14.71	3	Horizontal	80	1.50
5260MHz	Pass	PK	15.78636G	54.53	74.00	-19.47	3	Horizontal	20	2.26
5300MHz	Pass	AV	5.2972G	97.12	Inf	-Inf	3	Vertical	344	1.57
5300MHz	Pass	AV	5.3916G	45.32	54.00	-8.68	3	Vertical	344	1.57
5300MHz	Pass	PK	5.2972G	108.08	Inf	-Inf	3	Vertical	344	1.57
5300MHz	Pass	PK	5.3652G	56.86	74.00	-17.14	3	Vertical	344	1.57
5300MHz	Pass	AV	5.2968G	102.15	Inf	-Inf	3	Horizontal	5	1.77
5300MHz	Pass	AV	5.3996G	46.08	54.00	-7.92	3	Horizontal	5	1.77
5300MHz	Pass	PK	5.3012G	112.48	Inf	-Inf	3	Horizontal	5	1.77
5300MHz	Pass	PK	5.3788G	57.51	74.00	-16.49	3	Horizontal	5	1.77
5300MHz	Pass	AV	15.894G	42.28	54.00	-11.72	3	Vertical	134	2.98
5300MHz	Pass	PK	10.59358G	53.42	68.20	-14.78	3	Vertical	138	1.50
5300MHz	Pass	PK	15.90294G	54.65	74.00	-19.35	3	Vertical	134	2.98
5300MHz	Pass	AV	15.90996G	42.31	54.00	-11.69	3	Horizontal	318	1.87
5300MHz	Pass	PK	10.58632G	53.15	68.20	-15.05	3	Horizontal	234.1	1.50
5300MHz	Pass	PK	15.89574G	55.38	74.00	-18.62	3	Horizontal	318	1.87
5320MHz	Pass	AV	5.3222G	90.77	Inf	-Inf	3	Vertical	339	1.48
5320MHz	Pass	AV	5.3696G	44.64	54.00	-9.36	3	Vertical	339	1.48
5320MHz	Pass	PK	5.3216G	102.42	Inf	-Inf	3	Vertical	339	1.48
5320MHz	Pass	PK	5.35G	57.43	74.00	-16.57	3	Vertical	339	1.48
5320MHz	Pass	AV	5.322G	95.87	Inf	-Inf	3	Horizontal	357	1.47
5320MHz	Pass	AV	5.3518G	44.92	54.00	-9.08	3	Horizontal	357	1.47
5320MHz	Pass	PK	5.321G	107.12	Inf	-Inf	3	Horizontal	357	1.47
5320MHz	Pass	PK	5.3508G	59.25	74.00	-14.75	3	Horizontal	357	1.47



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	10.63754G	41.04	54.00	-12.96	3	Vertical	303	1.50
5320MHz	Pass	AV	15.96252G	41.97	54.00	-12.03	3	Vertical	183	1.50
5320MHz	Pass	PK	10.63592G	53.12	74.00	-20.88	3	Vertical	303	1.50
5320MHz	Pass	PK	15.97368G	53.96	74.00	-20.04	3	Vertical	183	1.50
5320MHz	Pass	AV	10.63886G	41.05	54.00	-12.95	3	Horizontal	89	1.50
5320MHz	Pass	AV	15.96234G	41.97	54.00	-12.03	3	Horizontal	253	1.50
5320MHz	Pass	PK	10.63826G	53.54	74.00	-20.46	3	Horizontal	89	1.50
5320MHz	Pass	PK	15.94626G	54.25	74.00	-19.75	3	Horizontal	253	1.50
5500MHz	Pass	AV	5.4598G	48.38	54.00	-5.62	3	Vertical	348	1.29
5500MHz	Pass	AV	5.5022G	95.75	Inf	-Inf	3	Vertical	348	1.29
5500MHz	Pass	PK	5.4596G	61.38	74.00	-12.62	3	Vertical	348	1.29
5500MHz	Pass	PK	5.47G	62.09	68.20	-6.11	3	Vertical	348	1.29
5500MHz	Pass	PK	5.5028G	107.00	Inf	-Inf	3	Vertical	348	1.29
5500MHz	Pass	AV	5.46G	50.80	54.00	-3.20	3	Horizontal	357	1.50
5500MHz	Pass	AV	5.4962G	99.02	Inf	-Inf	3	Horizontal	357	1.50
5500MHz	Pass	PK	5.4586G	62.99	74.00	-11.01	3	Horizontal	357	1.50
5500MHz	Pass	PK	5.464G	64.37	68.20	-3.83	3	Horizontal	357	1.50
5500MHz	Pass	PK	5.4964G	110.49	Inf	-Inf	3	Horizontal	357	1.50
5500MHz	Pass	AV	10.98926G	41.68	54.00	-12.32	3	Vertical	157	2.75
5500MHz	Pass	PK	11.0129G	54.00	74.00	-20.00	3	Vertical	157	2.75
5500MHz	Pass	PK	16.49106G	56.60	68.20	-11.60	3	Vertical	185	1.50
5500MHz	Pass	AV	10.991G	41.65	54.00	-12.35	3	Horizontal	0	1.50
5500MHz	Pass	PK	10.9958G	54.70	74.00	-19.30	3	Horizontal	0	1.50
5500MHz	Pass	PK	16.49658G	56.23	68.20	-11.97	3	Horizontal	1	1.50
5580MHz	Pass	AV	5.4384G	45.32	54.00	-8.68	3	Vertical	5	1.32
5580MHz	Pass	AV	5.583G	97.88	Inf	-Inf	3	Vertical	5	1.32
5580MHz	Pass	PK	5.457G	57.18	74.00	-16.82	3	Vertical	5	1.32
5580MHz	Pass	PK	5.463G	56.31	68.20	-11.89	3	Vertical	5	1.32
5580MHz	Pass	PK	5.5782G	109.21	Inf	-Inf	3	Vertical	5	1.32
5580MHz	Pass	PK	5.7294G	58.65	68.20	-9.55	3	Vertical	5	1.32
5580MHz	Pass	AV	5.4438G	46.00	54.00	-8.00	3	Horizontal	7	1.50
5580MHz	Pass	AV	5.5836G	100.41	Inf	-Inf	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.4564G	57.66	74.00	-16.34	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.4672G	57.35	68.20	-10.85	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.5842G	111.16	Inf	-Inf	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.7258G	59.38	68.20	-8.82	3	Horizontal	7	1.50
5580MHz	Pass	AV	11.1525G	41.63	54.00	-12.37	3	Vertical	61	1.50
5580MHz	Pass	PK	11.16258G	53.91	74.00	-20.09	3	Vertical	61	1.50
5580MHz	Pass	PK	16.73298G	56.28	68.20	-11.92	3	Vertical	39	1.71
5580MHz	Pass	AV	11.16888G	41.63	54.00	-12.37	3	Horizontal	182	1.99
5580MHz	Pass	PK	11.15796G	53.86	74.00	-20.14	3	Horizontal	182	1.99
5580MHz	Pass	PK	16.73334G	55.70	68.20	-12.50	3	Horizontal	63	1.82
5700MHz	Pass	AV	5.6976G	97.85	Inf	-Inf	3	Vertical	343	1.48
5700MHz	Pass	PK	5.6992G	109.19	Inf	-Inf	3	Vertical	343	1.48
5700MHz	Pass	PK	5.7292G	63.04	68.20	-5.16	3	Vertical	343	1.48
5700MHz	Pass	AV	5.7028G	100.79	Inf	-Inf	3	Horizontal	7	3.00
5700MHz	Pass	PK	5.7044G	111.91	Inf	-Inf	3	Horizontal	7	3.00
5700MHz	Pass	PK	5.7284G	66.31	68.20	-1.89	3	Horizontal	7	3.00
5700MHz	Pass	AV	11.41458G	41.70	54.00	-12.30	3	Vertical	240	2.41
5700MHz	Pass	PK	11.38764G	53.73	74.00	-20.27	3	Vertical	240	2.41
5700MHz	Pass	PK	17.08806G	56.38	68.20	-11.82	3	Vertical	60	1.50
5700MHz	Pass	AV	11.39214G	41.77	54.00	-12.23	3	Horizontal	311	1.50
5700MHz	Pass	PK	11.41008G	53.85	74.00	-20.15	3	Horizontal	311	1.50
5700MHz	Pass	PK	17.0991G	56.31	68.20	-11.89	3	Horizontal	67	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	44.74	54.00	-9.26	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	99.47	Inf	-Inf	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	56.36	74.00	-17.64	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.08	68.20	-12.12	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	110.00	Inf	-Inf	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8784G	59.56	68.20	-8.64	3	Vertical	7	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	44.85	54.00	-9.15	3	Horizontal	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	101.67	Inf	-Inf	3	Horizontal	7	3.00



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	57.04	74.00	-16.96	3	Horizontal	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.83	68.20	-12.37	3	Horizontal	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	112.15	Inf	-Inf	3	Horizontal	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8976G	59.22	68.20	-8.98	3	Horizontal	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44048G	42.02	54.00	-11.98	3	Vertical	53	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44918G	53.96	74.00	-20.04	3	Vertical	53	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.166G	56.56	68.20	-11.64	3	Vertical	191	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43388G	41.93	54.00	-12.07	3	Horizontal	85	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44246G	53.83	74.00	-20.17	3	Horizontal	85	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.172G	56.67	68.20	-11.53	3	Horizontal	2	1.25
5745MHz	Pass	AV	5.4498G	44.66	54.00	-9.34	3	Vertical	6	1.29
5745MHz	Pass	AV	5.7474G	94.03	Inf	-Inf	3	Vertical	6	1.29
5745MHz	Pass	PK	5.5854G	57.78	68.20	-10.42	3	Vertical	6	1.29
5745MHz	Pass	PK	5.7486G	104.53	Inf	-Inf	3	Vertical	6	1.29
5745MHz	Pass	PK	5.9658G	58.42	68.20	-9.78	3	Vertical	6	1.29
5745MHz	Pass	AV	5.4558G	44.66	54.00	-9.34	3	Horizontal	8	3.00
5745MHz	Pass	AV	5.7474G	96.05	Inf	-Inf	3	Horizontal	8	3.00
5745MHz	Pass	PK	5.571G	58.38	68.20	-9.82	3	Horizontal	8	3.00
5745MHz	Pass	PK	5.7486G	106.90	Inf	-Inf	3	Horizontal	8	3.00
5745MHz	Pass	PK	5.9346G	58.50	68.20	-9.70	3	Horizontal	8	3.00
5745MHz	Pass	AV	11.4939G	42.16	54.00	-11.84	3	Vertical	131	1.76
5745MHz	Pass	PK	11.50428G	53.94	74.00	-20.06	3	Vertical	131	1.76
5745MHz	Pass	PK	17.2431G	56.43	68.20	-11.77	3	Vertical	342	1.42
5745MHz	Pass	AV	11.48982G	42.15	54.00	-11.85	3	Horizontal	235	1.80
5745MHz	Pass	PK	11.4813G	53.94	74.00	-20.06	3	Horizontal	235	1.80
5745MHz	Pass	PK	17.22318G	55.72	68.20	-12.48	3	Horizontal	157	1.72
5785MHz	Pass	AV	5.7874G	100.66	Inf	-Inf	3	Vertical	4	1.40
5785MHz	Pass	PK	5.629G	57.23	68.20	-10.97	3	Vertical	4	1.40
5785MHz	Pass	PK	5.7874G	111.42	Inf	-Inf	3	Vertical	4	1.40
5785MHz	Pass	PK	5.9278G	58.09	68.20	-10.11	3	Vertical	4	1.40
5785MHz	Pass	AV	5.7886G	101.82	Inf	-Inf	3	Horizontal	8	3.00
5785MHz	Pass	PK	5.575G	57.25	68.20	-10.95	3	Horizontal	8	3.00
5785MHz	Pass	PK	5.7874G	112.50	Inf	-Inf	3	Horizontal	8	3.00
5785MHz	Pass	PK	5.9302G	58.16	68.20	-10.04	3	Horizontal	8	3.00
5785MHz	Pass	AV	11.558G	41.88	54.00	-12.12	3	Vertical	189	2.15
5785MHz	Pass	PK	11.5601G	53.34	74.00	-20.66	3	Vertical	189	2.15
5785MHz	Pass	PK	17.36082G	56.08	68.20	-12.12	3	Vertical	267	2.32
5785MHz	Pass	AV	11.55626G	41.82	54.00	-12.18	3	Horizontal	248	1.90
5785MHz	Pass	PK	11.55794G	53.19	74.00	-20.81	3	Horizontal	248	1.90
5785MHz	Pass	PK	17.35794G	55.73	68.20	-12.47	3	Horizontal	245	2.82
5825MHz	Pass	AV	5.8274G	100.16	Inf	-Inf	3	Vertical	343	1.40
5825MHz	Pass	PK	5.6246G	58.05	68.20	-10.15	3	Vertical	343	1.40
5825MHz	Pass	PK	5.8286G	110.68	Inf	-Inf	3	Vertical	343	1.40
5825MHz	Pass	PK	6.0146G	59.04	68.20	-9.16	3	Vertical	343	1.40
5825MHz	Pass	AV	5.8214G	101.22	Inf	-Inf	3	Horizontal	360	2.39
5825MHz	Pass	PK	5.6162G	57.70	68.20	-10.50	3	Horizontal	360	2.39
5825MHz	Pass	PK	5.8214G	110.97	Inf	-Inf	3	Horizontal	360	2.39
5825MHz	Pass	PK	5.9894G	58.63	68.20	-9.57	3	Horizontal	360	2.39
5825MHz	Pass	AV	11.66254G	41.91	54.00	-12.09	3	Vertical	93	2.82
5825MHz	Pass	PK	11.64676G	53.85	74.00	-20.15	3	Vertical	93	2.82
5825MHz	Pass	PK	17.47716G	56.85	68.20	-11.35	3	Vertical	40	1.93
5825MHz	Pass	AV	11.65936G	41.91	54.00	-12.09	3	Horizontal	1	1.18
5825MHz	Pass	PK	11.65168G	53.97	74.00	-20.03	3	Horizontal	1	1.18
5825MHz	Pass	PK	17.46726G	56.30	68.20	-11.90	3	Horizontal	271	2.38
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1452G	45.67	54.00	-8.33	3	Vertical	260	2.60
5180MHz	Pass	AV	5.183G	91.85	Inf	-Inf	3	Vertical	260	2.60
5180MHz	Pass	PK	5.1368G	57.08	74.00	-16.92	3	Vertical	260	2.60
5180MHz	Pass	PK	5.184G	103.77	Inf	-Inf	3	Vertical	260	2.60
5180MHz	Pass	AV	5.1454G	45.81	54.00	-8.19	3	Horizontal	357	1.56
5180MHz	Pass	AV	5.1788G	96.08	Inf	-Inf	3	Horizontal	357	1.56
5180MHz	Pass	PK	5.1432G	58.00	74.00	-16.00	3	Horizontal	357	1.56





RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	5.1794G	107.71	Inf	-Inf	3	Horizontal	357	1.56
5180MHz	Pass	AV	15.55338G	42.72	54.00	-11.28	3	Vertical	314	2.15
5180MHz	Pass	PK	10.37272G	54.02	68.20	-14.18	3	Vertical	163	1.76
5180MHz	Pass	PK	15.53742G	54.72	74.00	-19.28	3	Vertical	314	2.15
5180MHz	Pass	AV	15.54972G	42.72	54.00	-11.28	3	Horizontal	134	2.94
5180MHz	Pass	PK	10.3633G	53.94	68.20	-14.26	3	Horizontal	225	1.15
5180MHz	Pass	PK	15.53148G	54.67	74.00	-19.33	3	Horizontal	134	2.94
5200MHz	Pass	AV	5.15G	46.29	54.00	-7.71	3	Vertical	259	2.32
5200MHz	Pass	AV	5.2016G	97.30	Inf	-Inf	3	Vertical	259	2.32
5200MHz	Pass	PK	5.1484G	58.54	74.00	-15.46	3	Vertical	259	2.32
5200MHz	Pass	PK	5.2032G	108.37	Inf	-Inf	3	Vertical	259	2.32
5200MHz	Pass	AV	5.15G	46.88	54.00	-7.12	3	Horizontal	358	1.51
5200MHz	Pass	AV	5.2012G	101.57	Inf	-Inf	3	Horizontal	358	1.51
5200MHz	Pass	PK	5.146G	59.93	74.00	-14.07	3	Horizontal	358	1.51
5200MHz	Pass	PK	5.2036G	112.72	Inf	-Inf	3	Horizontal	358	1.51
5200MHz	Pass	AV	15.60318G	43.28	54.00	-10.72	3	Vertical	316	2.76
5200MHz	Pass	PK	10.39256G	53.65	68.20	-14.55	3	Vertical	352	1.50
5200MHz	Pass	PK	15.60846G	55.74	74.00	-18.26	3	Vertical	316	2.76
5200MHz	Pass	AV	15.60312G	43.01	54.00	-10.99	3	Horizontal	344	1.76
5200MHz	Pass	PK	10.38932G	53.93	68.20	-14.27	3	Horizontal	260	1.39
5200MHz	Pass	PK	15.61116G	55.24	74.00	-18.76	3	Horizontal	344	1.76
5240MHz	Pass	AV	5.09G	45.69	54.00	-8.31	3	Vertical	0	1.33
5240MHz	Pass	AV	5.2442G	96.74	Inf	-Inf	3	Vertical	0	1.33
5240MHz	Pass	AV	5.3888G	44.98	54.00	-9.02	3	Vertical	0	1.33
5240MHz	Pass	PK	5.1266G	57.77	74.00	-16.23	3	Vertical	0	1.33
5240MHz	Pass	PK	5.2418G	107.82	Inf	-Inf	3	Vertical	0	1.33
5240MHz	Pass	PK	5.3606G	56.71	74.00	-17.29	3	Vertical	0	1.33
5240MHz	Pass	AV	5.1488G	45.91	54.00	-8.09	3	Horizontal	357	1.58
5240MHz	Pass	AV	5.2424G	101.48	Inf	-Inf	3	Horizontal	357	1.58
5240MHz	Pass	AV	5.3894G	45.21	54.00	-8.79	3	Horizontal	357	1.58
5240MHz	Pass	PK	5.1182G	57.95	74.00	-16.05	3	Horizontal	357	1.58
5240MHz	Pass	PK	5.2394G	111.93	Inf	-Inf	3	Horizontal	357	1.58
5240MHz	Pass	PK	5.3894G	57.45	74.00	-16.55	3	Horizontal	357	1.58
5240MHz	Pass	AV	15.7074G	42.52	54.00	-11.48	3	Vertical	359.1	1.50
5240MHz	Pass	PK	10.48654G	53.95	68.20	-14.25	3	Vertical	43	1.50
5240MHz	Pass	PK	15.71628G	54.10	74.00	-19.90	3	Vertical	359.1	1.50
5240MHz	Pass	AV	15.70572G	42.45	54.00	-11.55	3	Horizontal	0	1.80
5240MHz	Pass	PK	10.47322G	53.41	68.20	-14.79	3	Horizontal	170	1.50
5240MHz	Pass	PK	15.7218G	54.32	74.00	-19.68	3	Horizontal	0	1.80
5260MHz	Pass	AV	5.11G	45.64	54.00	-8.36	3	Vertical	124	1.50
5260MHz	Pass	AV	5.257G	96.62	Inf	-Inf	3	Vertical	124	1.50
5260MHz	Pass	AV	5.3884G	44.78	54.00	-9.22	3	Vertical	124	1.50
5260MHz	Pass	PK	5.1232G	56.97	74.00	-17.03	3	Vertical	124	1.50
5260MHz	Pass	PK	5.2612G	107.05	Inf	-Inf	3	Vertical	124	1.50
5260MHz	Pass	PK	5.3998G	56.50	74.00	-17.50	3	Vertical	124	1.50
5260MHz	Pass	AV	5.1376G	45.93	54.00	-8.07	3	Horizontal	356	2.48
5260MHz	Pass	AV	5.2612G	101.59	Inf	-Inf	3	Horizontal	356	2.48
5260MHz	Pass	AV	5.4022G	45.34	54.00	-8.66	3	Horizontal	356	2.48
5260MHz	Pass	PK	5.1442G	58.06	74.00	-15.94	3	Horizontal	356	2.48
5260MHz	Pass	PK	5.257G	112.96	Inf	-Inf	3	Horizontal	356	2.48
5260MHz	Pass	PK	5.3602G	57.34	74.00	-16.66	3	Horizontal	356	2.48
5260MHz	Pass	AV	15.7848G	42.60	54.00	-11.40	3	Vertical	258	1.50
5260MHz	Pass	PK	10.53116G	53.55	68.20	-14.65	3	Vertical	5	2.60
5260MHz	Pass	PK	15.7752G	54.27	74.00	-19.73	3	Vertical	258	1.50
5260MHz	Pass	AV	15.78276G	42.60	54.00	-11.40	3	Horizontal	174	1.50
5260MHz	Pass	PK	10.51274G	53.87	68.20	-14.33	3	Horizontal	0	1.93
5260MHz	Pass	PK	15.78102G	54.78	74.00	-19.22	3	Horizontal	174	1.50
5300MHz	Pass	AV	5.2968G	96.69	Inf	-Inf	3	Vertical	1	1.39
5300MHz	Pass	AV	5.35G	45.62	54.00	-8.38	3	Vertical	1	1.39
5300MHz	Pass	PK	5.2984G	108.27	Inf	-Inf	3	Vertical	1	1.39
5300MHz	Pass	PK	5.35G	57.83	74.00	-16.17	3	Vertical	1	1.39
5300MHz	Pass	AV	5.296G	101.45	Inf	-Inf	3	Horizontal	9	1.62



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	5.35G	46.41	54.00	-7.59	3	Horizontal	9	1.62
5300MHz	Pass	PK	5.302G	112.75	Inf	-Inf	3	Horizontal	9	1.62
5300MHz	Pass	PK	5.35G	59.60	74.00	-14.40	3	Horizontal	9	1.62
5300MHz	Pass	AV	10.60204G	41.46	54.00	-12.54	3	Vertical	346	1.50
5300MHz	Pass	AV	15.90366G	42.79	54.00	-11.21	3	Vertical	330	2.65
5300MHz	Pass	PK	10.6033G	53.61	74.00	-20.39	3	Vertical	346	1.50
5300MHz	Pass	PK	15.9006G	55.84	74.00	-18.16	3	Vertical	330	2.65
5300MHz	Pass	AV	10.60054G	41.43	54.00	-12.57	3	Horizontal	262	1.50
5300MHz	Pass	AV	15.89004G	42.30	54.00	-11.70	3	Horizontal	312	1.50
5300MHz	Pass	PK	10.59898G	53.56	68.20	-14.64	3	Horizontal	262	1.50
5300MHz	Pass	PK	15.90402G	54.54	74.00	-19.46	3	Horizontal	312	1.50
5320MHz	Pass	AV	5.3222G	91.40	Inf	-Inf	3	Vertical	3	1.46
5320MHz	Pass	AV	5.352G	44.70	54.00	-9.30	3	Vertical	3	1.46
5320MHz	Pass	PK	5.323G	103.08	Inf	-Inf	3	Vertical	3	1.46
5320MHz	Pass	PK	5.35G	56.25	74.00	-17.75	3	Vertical	3	1.46
5320MHz	Pass	AV	5.3178G	94.57	Inf	-Inf	3	Horizontal	7	1.50
5320MHz	Pass	AV	5.3516G	44.90	54.00	-9.10	3	Horizontal	7	1.50
5320MHz	Pass	PK	5.3188G	106.02	Inf	-Inf	3	Horizontal	7	1.50
5320MHz	Pass	PK	5.3508G	57.34	74.00	-16.66	3	Horizontal	7	1.50
5320MHz	Pass	AV	10.64066G	41.24	54.00	-12.76	3	Vertical	8	1.50
5320MHz	Pass	AV	15.96264G	42.20	54.00	-11.80	3	Vertical	244	1.50
5320MHz	Pass	PK	10.65212G	53.59	74.00	-20.41	3	Vertical	8	1.50
5320MHz	Pass	PK	15.9543G	54.24	74.00	-19.76	3	Vertical	244	1.50
5320MHz	Pass	AV	10.6418G	41.26	54.00	-12.74	3	Horizontal	360	1.50
5320MHz	Pass	AV	15.96402G	42.16	54.00	-11.84	3	Horizontal	64	1.50
5320MHz	Pass	PK	10.64432G	53.38	74.00	-20.62	3	Horizontal	360	1.50
5320MHz	Pass	PK	15.95388G	54.49	74.00	-19.51	3	Horizontal	64	1.50
5500MHz	Pass	AV	5.46G	45.84	54.00	-8.16	3	Vertical	13	1.30
5500MHz	Pass	AV	5.498G	98.20	Inf	-Inf	3	Vertical	13	1.30
5500MHz	Pass	PK	5.4594G	57.78	74.00	-16.22	3	Vertical	13	1.30
5500MHz	Pass	PK	5.4682G	62.57	68.20	-5.63	3	Vertical	13	1.30
5500MHz	Pass	PK	5.4978G	108.81	Inf	-Inf	3	Vertical	13	1.30
5500MHz	Pass	AV	5.46G	46.42	54.00	-7.58	3	Horizontal	357	1.48
5500MHz	Pass	AV	5.4988G	99.84	Inf	-Inf	3	Horizontal	357	1.48
5500MHz	Pass	PK	5.4562G	57.93	74.00	-16.07	3	Horizontal	357	1.48
5500MHz	Pass	PK	5.469G	63.18	68.20	-5.02	3	Horizontal	357	1.48
5500MHz	Pass	PK	5.4974G	111.63	Inf	-Inf	3	Horizontal	357	1.48
5580MHz	Pass	AV	5.4594G	44.82	54.00	-9.18	3	Vertical	9	1.48
5580MHz	Pass	AV	5.5836G	97.63	Inf	-Inf	3	Vertical	9	1.48
5580MHz	Pass	PK	5.4312G	56.32	74.00	-17.68	3	Vertical	9	1.48
5580MHz	Pass	PK	5.4612G	55.68	68.20	-12.52	3	Vertical	9	1.48
5580MHz	Pass	PK	5.5788G	108.75	Inf	-Inf	3	Vertical	9	1.48
5580MHz	Pass	PK	5.7258G	58.92	68.20	-9.28	3	Vertical	9	1.48
5580MHz	Pass	AV	5.4552G	44.97	54.00	-9.03	3	Horizontal	6	1.50
5580MHz	Pass	AV	5.5836G	100.41	Inf	-Inf	3	Horizontal	6	1.50
5580MHz	Pass	PK	5.4474G	57.44	74.00	-16.56	3	Horizontal	6	1.50
5580MHz	Pass	PK	5.466G	55.98	68.20	-12.22	3	Horizontal	6	1.50
5580MHz	Pass	PK	5.583G	111.10	Inf	-Inf	3	Horizontal	6	1.50
5580MHz	Pass	PK	5.7252G	59.49	68.20	-8.71	3	Horizontal	6	1.50
5580MHz	Pass	AV	11.14848G	41.72	54.00	-12.28	3	Vertical	318	1.50
5580MHz	Pass	PK	11.14752G	53.32	74.00	-20.68	3	Vertical	318	1.50
5580MHz	Pass	PK	16.75296G	56.49	68.20	-11.71	3	Vertical	347	1.50
5580MHz	Pass	AV	11.16966G	41.68	54.00	-12.32	3	Horizontal	195	1.50
5580MHz	Pass	PK	11.16492G	54.29	74.00	-19.71	3	Horizontal	195	1.50
5580MHz	Pass	PK	16.75026G	55.67	68.20	-12.53	3	Horizontal	357	1.27
5700MHz	Pass	AV	5.7028G	97.14	Inf	-Inf	3	Vertical	15	1.49
5700MHz	Pass	PK	5.7044G	108.40	Inf	-Inf	3	Vertical	15	1.49
5700MHz	Pass	PK	5.728G	62.58	68.20	-5.62	3	Vertical	15	1.49
5700MHz	Pass	AV	5.702G	99.97	Inf	-Inf	3	Horizontal	6	1.55
5700MHz	Pass	PK	5.7024G	111.33	Inf	-Inf	3	Horizontal	6	1.55
5700MHz	Pass	PK	5.7256G	65.34	68.20	-2.86	3	Horizontal	6	1.55
5700MHz	Pass	AV	11.38836G	41.66	54.00	-12.34	3	Vertical	28	1.50



# RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

# Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	11.39664G	53.60	74.00	-20.40	3	Vertical	28	1.50
5700MHz	Pass	PK	17.10048G	56.46	68.20	-11.74	3	Vertical	67	1.50
5700MHz	Pass	AV	11.38788G	41.66	54.00	-12.34	3	Horizontal	360	2.97
5700MHz	Pass	PK	11.4111G	53.95	74.00	-20.05	3	Horizontal	360	2.97
5700MHz	Pass	PK	17.10138G	56.73	68.20	-11.47	3	Horizontal	113	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	44.67	54.00	-9.33	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	99.00	Inf	-Inf	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	56.18	74.00	-17.82	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	55.97	68.20	-12.23	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	109.15	Inf	-Inf	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	58.82	68.20	-9.38	3	Vertical	15	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	44.70	54.00	-9.30	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	101.44	Inf	-Inf	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4238G	56.08	74.00	-17.92	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.88	68.20	-12.32	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	111.73	Inf	-Inf	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	59.05	68.20	-9.15	3	Horizontal	8	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42728G	41.82	54.00	-12.18	3	Vertical	133	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45428G	53.71	74.00	-20.29	3	Vertical	133	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16234G	56.92	68.20	-11.28	3	Vertical	312	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42596G	41.87	54.00	-12.13	3	Horizontal	214	1.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44954G	54.24	74.00	-19.76	3	Horizontal	214	1.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.169G	56.68	68.20	-11.52	3	Horizontal	86	2.52
5745MHz	Pass	AV	5.4534G	44.62	54.00	-9.38	3	Vertical	4	1.41
5745MHz	Pass	AV	5.7438G	93.71	Inf	-Inf	3	Vertical	4	1.41
5745MHz	Pass	PK	5.5662G	56.75	68.20	-11.45	3	Vertical	4	1.41
5745MHz	Pass	PK	5.7438G	105.02	Inf	-Inf	3	Vertical	4	1.41
5745MHz	Pass	PK	5.9358G	58.62	68.20	-9.58	3	Vertical	4	1.41
5745MHz	Pass	AV	5.4534G	44.63	54.00	-9.37	3	Horizontal	7	3.00
5745MHz	Pass	AV	5.7438G	95.16	Inf	-Inf	3	Horizontal	7	3.00
5745MHz	Pass	PK	5.6166G	56.86	68.20	-11.34	3	Horizontal	7	3.00
5745MHz	Pass	PK	5.7474G	105.10	Inf	-Inf	3	Horizontal	7	3.00
5745MHz	Pass	PK	5.931G	59.22	68.20	-8.98	3	Horizontal	7	3.00
5745MHz	Pass	AV	11.49198G	42.13	54.00	-11.87	3	Vertical	44	2.45
5745MHz	Pass	PK	11.48082G	53.68	74.00	-20.32	3	Vertical	44	2.45
5745MHz	Pass	PK	17.2371G	56.11	68.20	-12.09	3	Vertical	269	1.65
5745MHz	Pass	AV	11.48982G	42.16	54.00	-11.84	3	Horizontal	95	1.06
5745MHz	Pass	PK	11.49468G	53.31	74.00	-20.69	3	Horizontal	95	1.06
5745MHz	Pass	PK	17.24274G	56.18	68.20	-12.02	3	Horizontal	150	2.46
5785MHz	Pass	AV	5.7886G	100.25	Inf	-Inf	3	Vertical	0	1.34
5785MHz	Pass	PK	5.6374G	57.16	68.20	-11.04	3	Vertical	0	1.34
5785MHz	Pass	PK	5.7814G	110.61	Inf	-Inf	3	Vertical	0	1.34
5785MHz	Pass	PK	5.9686G	58.28	68.20	-9.92	3	Vertical	0	1.34
5785MHz	Pass	AV	5.7886G	101.58	Inf	-Inf	3	Horizontal	6	2.94
5785MHz	Pass	PK	5.6338G	57.45	68.20	-10.75	3	Horizontal	6	2.94
5785MHz	Pass	PK	5.7826G	111.90	Inf	-Inf	3	Horizontal	6	2.94
5785MHz	Pass	PK	6.0526G	58.81	68.20	-9.39	3	Horizontal	6	2.94
5785MHz	Pass	AV	11.55548G	41.65	54.00	-12.35	3	Vertical	250	2.65
5785MHz	Pass	PK	11.56568G	53.77	74.00	-20.23	3	Vertical	250	2.65
5785MHz	Pass	PK	17.35608G	56.60	68.20	-11.60	3	Vertical	192	1.82
5785MHz	Pass	AV	11.57G	41.81	54.00	-12.19	3	Horizontal	253	1.00
5785MHz	Pass	PK	11.58008G	53.09	74.00	-20.91	3	Horizontal	253	1.00
5785MHz	Pass	PK	17.35068G	55.93	68.20	-12.27	3	Horizontal	193	1.62
5825MHz	Pass	AV	5.8214G	100.81	Inf	-Inf	3	Vertical	10	2.13
5825MHz	Pass	PK	5.6342G	57.16	68.20	-11.04	3	Vertical	10	2.13
5825MHz	Pass	PK	5.8262G	111.26	Inf	-Inf	3	Vertical	10	2.13
5825MHz	Pass	PK	5.9594G	58.92	68.20	-9.28	3	Vertical	10	2.13
5825MHz	Pass	AV	5.8214G	101.61	Inf	-Inf	3	Horizontal	6	1.42
5825MHz	Pass	PK	5.621G	57.20	68.20	-11.00	3	Horizontal	6	1.42
5825MHz	Pass	PK	5.8274G	112.24	Inf	-Inf	3	Horizontal	6	1.42
5825MHz	Pass	PK	5.987G	59.02	68.20	-9.18	3	Horizontal	6	1.42
5825MHz	Pass	AV	11.65912G	41.87	54.00	-12.13	3	Vertical	129	1.00



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	11.64748G	53.05	74.00	-20.95	3	Vertical	129	1.00
5825MHz	Pass	PK	17.48562G	56.38	68.20	-11.82	3	Vertical	62	1.97
5825MHz	Pass	AV	11.64868G	41.97	54.00	-12.03	3	Horizontal	302	2.17
5825MHz	Pass	PK	11.64724G	53.43	74.00	-20.57	3	Horizontal	302	2.17
5825MHz	Pass	PK	17.4879G	57.06	68.20	-11.14	3	Horizontal	264	1.77
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	47.38	54.00	-6.62	3	Vertical	277	2.57
5180MHz	Pass	AV	5.1818G	92.28	Inf	-Inf	3	Vertical	277	2.57
5180MHz	Pass	PK	5.1466G	61.83	74.00	-12.17	3	Vertical	277	2.57
5180MHz	Pass	PK	5.1822G	105.94	Inf	-Inf	3	Vertical	277	2.57
5180MHz	Pass	AV	5.15G	51.80	54.00	-2.20	3	Horizontal	8	2.42
5180MHz	Pass	AV	5.1836G	96.03	Inf	-Inf	3	Horizontal	8	2.42
5180MHz	Pass	PK	5.149G	66.73	74.00	-7.27	3	Horizontal	8	2.42
5180MHz	Pass	PK	5.1836G	109.25	Inf	-Inf	3	Horizontal	8	2.42
5180MHz	Pass	AV	15.54708G	43.48	54.00	-10.52	3	Vertical	336	1.52
5180MHz	Pass	PK	10.3674G	53.23	68.20	-14.97	3	Vertical	194	1.46
5180MHz	Pass	PK	15.54992G	55.42	74.00	-18.58	3	Vertical	336	1.52
5180MHz	Pass	AV	15.54576G	43.46	54.00	-10.54	3	Horizontal	121	1.13
5180MHz	Pass	PK	10.36292G	53.91	68.20	-14.29	3	Horizontal	225	1.19
5180MHz	Pass	PK	15.54096G	55.51	74.00	-18.49	3	Horizontal	121	1.13
5200MHz	Pass	AV	5.1492G	48.48	54.00	-5.52	3	Vertical	97	2.69
5200MHz	Pass	AV	5.198G	100.75	Inf	-Inf	3	Vertical	97	2.69
5200MHz	Pass	PK	5.1456G	59.58	74.00	-14.42	3	Vertical	97	2.69
5200MHz	Pass	PK	5.198G	112.37	Inf	-Inf	3	Vertical	97	2.69
5200MHz	Pass	AV	5.15G	50.36	54.00	-3.64	3	Horizontal	0	2.50
5200MHz	Pass	AV	5.2036G	104.82	Inf	-Inf	3	Horizontal	0	2.50
5200MHz	Pass	PK	5.1428G	61.86	74.00	-12.14	3	Horizontal	0	2.50
5200MHz	Pass	PK	5.2024G	115.19	Inf	-Inf	3	Horizontal	0	2.50
5200MHz	Pass	AV	15.60096G	43.60	54.00	-10.40	3	Vertical	63	1.05
5200MHz	Pass	PK	10.40036G	54.10	68.20	-14.10	3	Vertical	157	1.77
5200MHz	Pass	PK	15.6004G	55.40	74.00	-18.60	3	Vertical	63	1.05
5200MHz	Pass	AV	15.59924G	43.59	54.00	-10.41	3	Horizontal	323	1.05
5200MHz	Pass	PK	10.40236G	54.53	68.20	-13.67	3	Horizontal	71	2.80
5200MHz	Pass	PK	15.59G	55.53	74.00	-18.47	3	Horizontal	323	1.05
5240MHz	Pass	AV	5.1494G	46.32	54.00	-7.68	3	Vertical	104	2.69
5240MHz	Pass	AV	5.2382G	100.40	Inf	-Inf	3	Vertical	104	2.69
5240MHz	Pass	AV	5.3864G	45.86	54.00	-8.14	3	Vertical	104	2.69
5240MHz	Pass	PK	5.1278G	58.84	74.00	-15.16	3	Vertical	104	2.69
5240MHz	Pass	PK	5.243G	110.18	Inf	-Inf	3	Vertical	104	2.69
5240MHz	Pass	PK	5.3768G	56.40	74.00	-17.60	3	Vertical	104	2.69
5240MHz	Pass	AV	5.1476G	47.02	54.00	-6.98	3	Horizontal	0	2.44
5240MHz	Pass	AV	5.2364G	104.96	Inf	-Inf	3	Horizontal	0	2.44
5240MHz	Pass	AV	5.3768G	48.31	54.00	-5.69	3	Horizontal	0	2.44
5240MHz	Pass	PK	5.093G	58.07	74.00	-15.93	3	Horizontal	0	2.44
5240MHz	Pass	PK	5.2424G	115.30	Inf	-Inf	3	Horizontal	0	2.44
5240MHz	Pass	PK	5.378G	59.12	74.00	-14.88	3	Horizontal	0	2.44
5240MHz	Pass	AV	15.71924G	37.24	54.00	-16.76	3	Vertical	39	1.83
5240MHz	Pass	PK	10.48316G	51.06	68.20	-17.14	3	Vertical	54	1.50
5240MHz	Pass	PK	15.72352G	51.21	74.00	-22.79	3	Vertical	39	1.83
5240MHz	Pass	AV	15.72004G	36.59	54.00	-17.41	3	Horizontal	21	2.37
5240MHz	Pass	PK	10.48056G	51.24	68.20	-16.96	3	Horizontal	33	1.86
5240MHz	Pass	PK	15.71032G	51.48	74.00	-22.52	3	Horizontal	21	2.37
5260MHz	Pass	AV	5.1484G	46.53	54.00	-7.47	3	Vertical	94	2.40
5260MHz	Pass	AV	5.2606G	103.27	Inf	-Inf	3	Vertical	94	2.40
5260MHz	Pass	AV	5.4022G	46.20	54.00	-7.80	3	Vertical	94	2.40
5260MHz	Pass	PK	5.1478G	57.92	74.00	-16.08	3	Vertical	94	2.40
5260MHz	Pass	PK	5.2612G	111.53	Inf	-Inf	3	Vertical	94	2.40
5260MHz	Pass	PK	5.4016G	57.85	74.00	-16.15	3	Vertical	94	2.40
5260MHz	Pass	AV	5.15G	47.29	54.00	-6.71	3	Horizontal	356	1.66
5260MHz	Pass	AV	5.263G	107.58	Inf	-Inf	3	Horizontal	356	1.66
5260MHz	Pass	AV	5.4082G	49.20	54.00	-4.80	3	Horizontal	356	1.66
5260MHz	Pass	PK	5.1478G	58.92	74.00	-15.08	3	Horizontal	356	1.66



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	5.263G	115.85	Inf	-Inf	3	Horizontal	356	1.66
5260MHz	Pass	PK	5.3914G	60.48	74.00	-13.52	3	Horizontal	356	1.66
5260MHz	Pass	AV	15.78224G	43.78	54.00	-10.22	3	Vertical	27	1.50
5260MHz	Pass	PK	10.51512G	54.14	68.20	-14.06	3	Vertical	343	1.50
5260MHz	Pass	PK	15.78616G	55.55	74.00	-18.45	3	Vertical	27	1.50
5260MHz	Pass	AV	15.77168G	43.85	54.00	-10.15	3	Horizontal	74	1.73
5260MHz	Pass	PK	10.5292G	56.41	68.20	-11.79	3	Horizontal	0	2.30
5260MHz	Pass	PK	15.77652G	55.69	74.00	-18.31	3	Horizontal	74	1.73
5300MHz	Pass	AV	5.3028G	101.91	Inf	-Inf	3	Vertical	360	1.36
5300MHz	Pass	AV	5.3996G	47.67	54.00	-6.33	3	Vertical	360	1.36
5300MHz	Pass	PK	5.3028G	112.15	Inf	-Inf	3	Vertical	360	1.36
5300MHz	Pass	PK	5.3908G	58.84	74.00	-15.16	3	Vertical	360	1.36
5300MHz	Pass	AV	5.298G	107.06	Inf	-Inf	3	Horizontal	5	2.54
5300MHz	Pass	AV	5.3988G	49.32	54.00	-4.68	3	Horizontal	5	2.54
5300MHz	Pass	PK	5.2968G	117.47	Inf	-Inf	3	Horizontal	5	2.54
5300MHz	Pass	PK	5.3992G	60.20	74.00	-13.80	3	Horizontal	5	2.54
5300MHz	Pass	AV	15.90944G	43.40	54.00	-10.60	3	Vertical	68	1.50
5300MHz	Pass	PK	10.60568G	54.11	74.00	-19.89	3	Vertical	196	1.50
5300MHz	Pass	PK	15.89236G	55.62	74.00	-18.38	3	Vertical	68	1.50
5300MHz	Pass	AV	15.89768G	43.53	54.00	-10.47	3	Horizontal	71	2.17
5300MHz	Pass	PK	10.59164G	53.88	68.20	-14.32	3	Horizontal	34	2.27
5300MHz	Pass	PK	15.90012G	55.81	74.00	-18.19	3	Horizontal	71	2.17
5320MHz	Pass	AV	5.3182G	90.91	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	AV	5.35G	47.77	54.00	-6.23	3	Vertical	360	1.50
5320MHz	Pass	PK	5.3182G	104.66	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	PK	5.3504G	63.16	74.00	-10.84	3	Vertical	360	1.50
5320MHz	Pass	AV	5.3168G	96.21	Inf	-Inf	3	Horizontal	11	2.47
5320MHz	Pass	AV	5.3502G	51.28	54.00	-2.72	3	Horizontal	11	2.47
5320MHz	Pass	PK	5.3178G	110.33	Inf	-Inf	3	Horizontal	11	2.47
5320MHz	Pass	PK	5.351G	66.49	74.00	-7.51	3	Horizontal	11	2.47
5320MHz	Pass	AV	10.64164G	41.84	54.00	-12.16	3	Vertical	125	1.67
5320MHz	Pass	AV	15.9638G	42.94	54.00	-11.06	3	Vertical	20	2.96
5320MHz	Pass	PK	10.64134G	53.95	74.00	-20.05	3	Vertical	125	1.67
5320MHz	Pass	PK	15.96184G	55.17	74.00	-18.83	3	Vertical	20	2.96
5320MHz	Pass	AV	10.6426G	41.82	54.00	-12.18	3	Horizontal	172	2.58
5320MHz	Pass	AV	15.965G	42.91	54.00	-11.09	3	Horizontal	213	2.43
5320MHz	Pass	PK	10.6438G	54.23	74.00	-19.77	3	Horizontal	172	2.58
5320MHz	Pass	PK	15.95772G	54.42	74.00	-19.58	3	Horizontal	213	2.43
5500MHz	Pass	AV	5.4594G	44.60	54.00	-9.40	3	Vertical	8	1.44
5500MHz	Pass	AV	5.4962G	95.56	Inf	-Inf	3	Vertical	8	1.44
5500MHz	Pass	PK	5.4694G	62.52	68.20	-5.68	3	Vertical	8	1.44
5500MHz	Pass	PK	5.496G	109.64	Inf	-Inf	3	Vertical	8	1.44
5500MHz	Pass	AV	5.46G	45.76	54.00	-8.24	3	Horizontal	359	3.00
5500MHz	Pass	AV	5.5034G	97.84	Inf	-Inf	3	Horizontal	359	3.00
5500MHz	Pass	PK	5.4692G	64.38	68.20	-3.82	3	Horizontal	359	3.00
5500MHz	Pass	PK	5.5042G	111.47	Inf	-Inf	3	Horizontal	359	3.00
5500MHz	Pass	AV	11.00314G	42.32	54.00	-11.68	3	Vertical	226	2.53
5500MHz	Pass	PK	11.00128G	54.69	74.00	-19.31	3	Vertical	226	2.53
5500MHz	Pass	PK	16.4971G	55.72	68.20	-12.48	3	Vertical	276	1.72
5500MHz	Pass	AV	10.99552G	42.30	54.00	-11.70	3	Horizontal	122	1.31
5500MHz	Pass	PK	11.00434G	54.21	74.00	-19.79	3	Horizontal	122	1.31
5500MHz	Pass	PK	16.49758G	56.44	68.20	-11.76	3	Horizontal	294	1.95
5580MHz	Pass	AV	5.4594G	46.45	54.00	-7.55	3	Vertical	353	1.26
5580MHz	Pass	AV	5.5818G	103.17	Inf	-Inf	3	Vertical	353	1.26
5580MHz	Pass	PK	5.457G	57.75	74.00	-16.25	3	Vertical	353	1.26
5580MHz	Pass	PK	5.469G	58.06	68.20	-10.14	3	Vertical	353	1.26
5580MHz	Pass	PK	5.5806G	113.27	Inf	-Inf	3	Vertical	353	1.26
5580MHz	Pass	PK	5.7294G	62.12	68.20	-6.08	3	Vertical	353	1.26
5580MHz	Pass	AV	5.46G	47.68	54.00	-6.32	3	Horizontal	353	1.49
5580MHz	Pass	AV	5.5818G	106.01	Inf	-Inf	3	Horizontal	353	1.49
5580MHz	Pass	PK	5.4486G	58.85	74.00	-15.15	3	Horizontal	353	1.49
5580MHz	Pass	PK	5.4654G	58.32	68.20	-9.88	3	Horizontal	353	1.49



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.5812G	115.90	Inf	-Inf	3	Horizontal	353	1.49
5580MHz	Pass	PK	5.73G	63.25	68.20	-4.95	3	Horizontal	353	1.49
5580MHz	Pass	AV	11.16068G	42.11	54.00	-11.89	3	Vertical	315	1.80
5580MHz	Pass	PK	11.15364G	54.67	74.00	-19.33	3	Vertical	315	1.80
5580MHz	Pass	PK	16.74792G	56.37	68.20	-11.83	3	Vertical	208	1.50
5580MHz	Pass	AV	11.15624G	41.99	54.00	-12.01	3	Horizontal	73	2.25
5580MHz	Pass	PK	11.16246G	54.54	74.00	-19.46	3	Horizontal	73	2.25
5580MHz	Pass	PK	16.74082G	57.27	68.20	-10.93	3	Horizontal	62	2.91
5700MHz	Pass	AV	5.7036G	94.02	Inf	-Inf	3	Vertical	0	1.36
5700MHz	Pass	PK	5.704G	107.16	Inf	-Inf	3	Vertical	0	1.36
5700MHz	Pass	PK	5.726G	63.22	68.20	-4.98	3	Vertical	0	1.36
5700MHz	Pass	AV	5.6984G	95.50	Inf	-Inf	3	Horizontal	11	2.94
5700MHz	Pass	PK	5.7016G	109.11	Inf	-Inf	3	Horizontal	11	2.94
5700MHz	Pass	PK	5.7252G	66.45	68.20	-1.75	3	Horizontal	11	2.94
5700MHz	Pass	AV	11.396G	41.93	54.00	-12.07	3	Vertical	229	2.22
5700MHz	Pass	PK	11.40208G	53.53	74.00	-20.47	3	Vertical	229	2.22
5700MHz	Pass	PK	17.09608G	55.88	68.20	-12.32	3	Vertical	124	1.94
5700MHz	Pass	AV	11.39956G	41.92	54.00	-12.08	3	Horizontal	107	1.62
5700MHz	Pass	PK	11.39584G	54.37	74.00	-19.63	3	Horizontal	107	1.62
5700MHz	Pass	PK	17.10496G	55.23	68.20	-12.97	3	Horizontal	323	2.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.718G	103.25	Inf	-Inf	3	Vertical	346	2.58
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.718G	114.02	Inf	-Inf	3	Vertical	346	2.58
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	60.21	68.20	-7.99	3	Vertical	346	2.58
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.718G	104.05	Inf	-Inf	3	Horizontal	0	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	114.82	Inf	-Inf	3	Horizontal	0	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.857G	60.31	68.20	-7.89	3	Horizontal	0	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43724G	42.08	54.00	-11.92	3	Vertical	334	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43792G	54.36	74.00	-19.64	3	Vertical	334	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15664G	55.98	68.20	-12.22	3	Vertical	58	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43574G	42.06	54.00	-11.94	3	Horizontal	257	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4379G	53.96	74.00	-20.04	3	Horizontal	257	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1591G	56.57	68.20	-11.63	3	Horizontal	184	2.24
5745MHz	Pass	AV	5.445G	44.82	54.00	-9.18	3	Vertical	348	2.55
5745MHz	Pass	AV	5.7462G	100.39	Inf	-Inf	3	Vertical	348	2.55
5745MHz	Pass	PK	5.6334G	57.09	68.20	-11.11	3	Vertical	348	2.55
5745MHz	Pass	PK	5.7462G	111.28	Inf	-Inf	3	Vertical	348	2.55
5745MHz	Pass	PK	5.9322G	58.82	68.20	-9.38	3	Vertical	348	2.55
5745MHz	Pass	AV	5.4546G	44.95	54.00	-9.05	3	Horizontal	350	1.46
5745MHz	Pass	AV	5.7462G	103.62	Inf	-Inf	3	Horizontal	350	1.46
5745MHz	Pass	PK	5.565G	57.62	68.20	-10.58	3	Horizontal	350	1.46
5745MHz	Pass	PK	5.7402G	113.96	Inf	-Inf	3	Horizontal	350	1.46
5745MHz	Pass	PK	5.9466G	59.12	68.20	-9.08	3	Horizontal	350	1.46
5745MHz	Pass	AV	11.48898G	42.17	54.00	-11.83	3	Vertical	251	1.19
5745MHz	Pass	PK	11.49232G	55.60	74.00	-18.40	3	Vertical	251	1.19
5745MHz	Pass	PK	17.23956G	55.85	68.20	-12.35	3	Vertical	260	2.12
5745MHz	Pass	AV	11.49054G	42.14	54.00	-11.86	3	Horizontal	105	1.10
5745MHz	Pass	PK	11.48622G	54.02	74.00	-19.98	3	Horizontal	105	1.10
5745MHz	Pass	PK	17.23944G	56.34	68.20	-11.86	3	Horizontal	341	1.95
5785MHz	Pass	AV	5.7886G	101.55	Inf	-Inf	3	Vertical	5	2.53
5785MHz	Pass	PK	5.6206G	56.46	68.20	-11.74	3	Vertical	5	2.53
5785MHz	Pass	PK	5.7814G	111.82	Inf	-Inf	3	Vertical	5	2.53
5785MHz	Pass	PK	5.9278G	57.95	68.20	-10.25	3	Vertical	5	2.53
5785MHz	Pass	AV	5.7838G	104.39	Inf	-Inf	3	Horizontal	2	2.97
5785MHz	Pass	PK	5.6218G	57.59	68.20	-10.61	3	Horizontal	2	2.97
5785MHz	Pass	PK	5.7826G	114.72	Inf	-Inf	3	Horizontal	2	2.97
5785MHz	Pass	PK	5.9794G	59.57	68.20	-8.63	3	Horizontal	2	2.97
5785MHz	Pass	AV	11.57028G	38.18	54.00	-15.82	3	Vertical	353	2.04
5785MHz	Pass	PK	11.56504G	52.43	74.00	-21.57	3	Vertical	353	2.04
5785MHz	Pass	PK	17.3598G	53.99	68.20	-14.21	3	Vertical	315	1.50
5785MHz	Pass	AV	11.56984G	37.85	54.00	-16.15	3	Horizontal	357	1.49
5785MHz	Pass	PK	11.57576G	52.09	74.00	-21.91	3	Horizontal	357	1.49
5785MHz	Pass	PK	17.3574G	55.48	68.20	-12.72	3	Horizontal	60	1.28



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	5.8238G	100.34	Inf	-Inf	3	Vertical	348	2.48
5825MHz	Pass	PK	5.6498G	58.02	68.20	-10.18	3	Vertical	348	2.48
5825MHz	Pass	PK	5.8202G	111.92	Inf	-Inf	3	Vertical	348	2.48
5825MHz	Pass	PK	5.9966G	59.96	68.20	-8.24	3	Vertical	348	2.48
5825MHz	Pass	AV	5.8214G	104.70	Inf	-Inf	3	Horizontal	351.1	2.89
5825MHz	Pass	PK	5.5826G	57.97	68.20	-10.23	3	Horizontal	351.1	2.89
5825MHz	Pass	PK	5.8226G	115.67	Inf	-Inf	3	Horizontal	351.1	2.89
5825MHz	Pass	PK	5.9774G	60.21	68.20	-7.99	3	Horizontal	351.1	2.89
5825MHz	Pass	AV	11.64734G	41.70	54.00	-12.30	3	Vertical	299	1.01
5825MHz	Pass	PK	11.65408G	54.27	74.00	-19.73	3	Vertical	299	1.01
5825MHz	Pass	PK	17.47736G	57.50	68.20	-10.70	3	Vertical	27	2.85
5825MHz	Pass	AV	11.6464G	41.70	54.00	-12.30	3	Horizontal	314	2.01
5825MHz	Pass	PK	11.6517G	53.54	74.00	-20.46	3	Horizontal	314	2.01
5825MHz	Pass	PK	17.47922G	56.46	68.20	-11.74	3	Horizontal	46	1.85
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	48.23	54.00	-5.77	3	Vertical	93	2.69
5190MHz	Pass	AV	5.1876G	90.16	Inf	-Inf	3	Vertical	93	2.69
5190MHz	Pass	PK	5.1448G	58.70	74.00	-15.30	3	Vertical	93	2.69
5190MHz	Pass	PK	5.1868G	101.06	Inf	-Inf	3	Vertical	93	2.69
5190MHz	Pass	AV	5.1496G	50.21	54.00	-3.79	3	Horizontal	16	2.47
5190MHz	Pass	AV	5.1964G	93.66	Inf	-Inf	3	Horizontal	16	2.47
5190MHz	Pass	PK	5.1464G	60.92	74.00	-13.08	3	Horizontal	16	2.47
5190MHz	Pass	PK	5.1988G	104.76	Inf	-Inf	3	Horizontal	16	2.47
5190MHz	Pass	AV	15.58548G	43.66	54.00	-10.34	3	Vertical	257	2.80
5190MHz	Pass	PK	10.40196G	53.99	68.20	-14.21	3	Vertical	233	1.06
5190MHz	Pass	PK	15.5982G	55.24	74.00	-18.76	3	Vertical	257	2.80
5190MHz	Pass	AV	15.55848G	43.66	54.00	-10.34	3	Horizontal	69	1.50
5190MHz	Pass	PK	10.374G	54.28	68.20	-13.92	3	Horizontal	239	2.95
5190MHz	Pass	PK	15.59676G	54.98	74.00	-19.02	3	Horizontal	69	1.50
5230MHz	Pass	AV	5.1476G	49.24	54.00	-4.76	3	Vertical	96	2.51
5230MHz	Pass	AV	5.234G	94.57	Inf	-Inf	3	Vertical	96	2.51
5230MHz	Pass	PK	5.1384G	61.22	74.00	-12.78	3	Vertical	96	2.51
5230MHz	Pass	PK	5.2236G	105.78	Inf	-Inf	3	Vertical	96	2.51
5230MHz	Pass	AV	5.1496G	52.17	54.00	-1.83	3	Horizontal	7	2.58
5230MHz	Pass	AV	5.2408G	99.43	Inf	-Inf	3	Horizontal	7	2.58
5230MHz	Pass	PK	5.1384G	63.84	74.00	-10.16	3	Horizontal	7	2.58
5230MHz	Pass	PK	5.2412G	109.97	Inf	-Inf	3	Horizontal	7	2.58
5230MHz	Pass	AV	15.66996G	43.48	54.00	-10.52	3	Vertical	32	1.50
5230MHz	Pass	PK	10.4312G	53.84	68.20	-14.36	3	Vertical	359	1.50
5230MHz	Pass	PK	15.70476G	55.03	74.00	-18.97	3	Vertical	32	1.50
5230MHz	Pass	AV	15.6618G	43.46	54.00	-10.54	3	Horizontal	353	1.50
5230MHz	Pass	PK	10.48424G	53.76	68.20	-14.44	3	Horizontal	48	1.50
5230MHz	Pass	PK	15.69816G	54.92	74.00	-19.08	3	Horizontal	353	1.50
5270MHz	Pass	AV	5.2792G	93.69	Inf	-Inf	3	Vertical	344	2.44
5270MHz	Pass	AV	5.3584G	46.17	54.00	-7.83	3	Vertical	344	2.44
5270MHz	Pass	PK	5.2756G	104.62	Inf	-Inf	3	Vertical	344	2.44
5270MHz	Pass	PK	5.3556G	57.59	74.00	-16.41	3	Vertical	344	2.44
5270MHz	Pass	AV	5.2716G	98.13	Inf	-Inf	3	Horizontal	304	1.50
5270MHz	Pass	AV	5.35G	47.25	54.00	-6.75	3	Horizontal	304	1.50
5270MHz	Pass	PK	5.2732G	109.20	Inf	-Inf	3	Horizontal	304	1.50
5270MHz	Pass	PK	5.3548G	58.48	74.00	-15.52	3	Horizontal	304	1.50
5270MHz	Pass	AV	15.81144G	43.51	54.00	-10.49	3	Vertical	2	1.50
5270MHz	Pass	PK	10.52284G	53.81	68.20	-14.39	3	Vertical	213	1.50
5270MHz	Pass	PK	15.80844G	55.11	74.00	-18.89	3	Vertical	2	1.50
5270MHz	Pass	AV	15.80676G	43.47	54.00	-10.53	3	Horizontal	308	2.65
5270MHz	Pass	PK	10.5172G	53.69	68.20	-14.51	3	Horizontal	142	1.50
5270MHz	Pass	PK	15.81492G	54.78	74.00	-19.22	3	Horizontal	308	2.65
5310MHz	Pass	AV	5.3128G	88.44	Inf	-Inf	3	Vertical	349	2.14
5310MHz	Pass	AV	5.398G	45.71	54.00	-8.29	3	Vertical	349	2.14
5310MHz	Pass	PK	5.3116G	99.53	Inf	-Inf	3	Vertical	349	2.14
5310MHz	Pass	PK	5.3708G	57.32	74.00	-16.68	3	Vertical	349	2.14
5310MHz	Pass	AV	5.314G	94.70	Inf	-Inf	3	Horizontal	3	1.49



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	5.3512G	46.29	54.00	-7.71	3	Horizontal	3	1.49
5310MHz	Pass	PK	5.3184G	106.78	Inf	-Inf	3	Horizontal	3	1.49
5310MHz	Pass	PK	5.368G	57.69	74.00	-16.31	3	Horizontal	3	1.49
5310MHz	Pass	AV	10.62528G	42.33	54.00	-11.67	3	Vertical	248	1.50
5310MHz	Pass	AV	15.90816G	43.22	54.00	-10.78	3	Vertical	41	1.50
5310MHz	Pass	PK	10.5924G	53.71	68.20	-14.49	3	Vertical	248	1.50
5310MHz	Pass	PK	15.91752G	54.50	74.00	-19.50	3	Vertical	41	1.50
5310MHz	Pass	AV	15.91212G	43.08	54.00	-10.92	3	Horizontal	173	1.70
5310MHz	Pass	PK	10.61748G	53.88	74.00	-20.12	3	Horizontal	147	2.45
5310MHz	Pass	PK	15.91272G	54.71	74.00	-19.29	3	Horizontal	173	1.70
5510MHz	Pass	AV	5.46G	46.77	54.00	-7.23	3	Vertical	349	1.30
5510MHz	Pass	AV	5.5008G	90.32	Inf	-Inf	3	Vertical	349	1.30
5510MHz	Pass	PK	5.4592G	57.50	74.00	-16.50	3	Vertical	349	1.30
5510MHz	Pass	PK	5.4696G	61.07	68.20	-7.13	3	Vertical	349	1.30
5510MHz	Pass	PK	5.5192G	101.60	Inf	-Inf	3	Vertical	349	1.30
5510MHz	Pass	AV	5.46G	48.23	54.00	-5.77	3	Horizontal	356	1.50
5510MHz	Pass	AV	5.5008G	93.27	Inf	-Inf	3	Horizontal	356	1.50
5510MHz	Pass	PK	5.46G	59.21	74.00	-14.79	3	Horizontal	356	1.50
5510MHz	Pass	PK	5.47G	64.09	68.20	-4.11	3	Horizontal	356	1.50
5510MHz	Pass	PK	5.5056G	104.33	Inf	-Inf	3	Horizontal	356	1.50
5510MHz	Pass	AV	11.03044G	42.65	54.00	-11.35	3	Vertical	343	2.48
5510MHz	Pass	PK	10.99036G	53.86	74.00	-20.14	3	Vertical	343	2.48
5510MHz	Pass	PK	16.55724G	55.45	68.20	-12.75	3	Vertical	61	2.76
5510MHz	Pass	AV	10.99432G	42.61	54.00	-11.39	3	Horizontal	308	2.69
5510MHz	Pass	PK	11.02636G	54.71	74.00	-19.29	3	Horizontal	308	2.69
5510MHz	Pass	PK	16.5204G	55.75	68.20	-12.45	3	Horizontal	196	1.50
5550MHz	Pass	AV	5.4596G	48.27	54.00	-5.73	3	Vertical	349	2.15
5550MHz	Pass	AV	5.5396G	95.39	Inf	-Inf	3	Vertical	349	2.15
5550MHz	Pass	PK	5.4564G	59.69	74.00	-14.31	3	Vertical	349	2.15
5550MHz	Pass	PK	5.4676G	60.34	68.20	-7.86	3	Vertical	349	2.15
5550MHz	Pass	PK	5.5384G	107.04	Inf	-Inf	3	Vertical	349	2.15
5550MHz	Pass	AV	5.4584G	50.05	54.00	-3.95	3	Horizontal	8	1.54
5550MHz	Pass	AV	5.5436G	98.15	Inf	-Inf	3	Horizontal	8	1.54
5550MHz	Pass	PK	5.4596G	61.84	74.00	-12.16	3	Horizontal	8	1.54
5550MHz	Pass	PK	5.4612G	62.24	68.20	-5.96	3	Horizontal	8	1.54
5550MHz	Pass	PK	5.5432G	109.65	Inf	-Inf	3	Horizontal	8	1.54
5550MHz	Pass	AV	11.09484G	42.59	54.00	-11.41	3	Vertical	272	1.50
5550MHz	Pass	PK	11.07312G	54.26	74.00	-19.74	3	Vertical	272	1.50
5550MHz	Pass	PK	16.67172G	55.97	68.20	-12.23	3	Vertical	311	2.99
5550MHz	Pass	AV	11.0718G	42.75	54.00	-11.25	3	Horizontal	347	1.50
5550MHz	Pass	PK	11.10192G	53.84	74.00	-20.16	3	Horizontal	347	1.50
5550MHz	Pass	PK	16.65648G	55.96	68.20	-12.24	3	Horizontal	359	1.50
5670MHz	Pass	AV	5.6814G	95.71	Inf	-Inf	3	Vertical	353	2.04
5670MHz	Pass	PK	5.682G	107.04	Inf	-Inf	3	Vertical	353	2.04
5670MHz	Pass	PK	5.7282G	60.32	68.20	-7.88	3	Vertical	353	2.04
5670MHz	Pass	AV	5.6784G	98.40	Inf	-Inf	3	Horizontal	356	1.49
5670MHz	Pass	PK	5.6784G	109.16	Inf	-Inf	3	Horizontal	356	1.49
5670MHz	Pass	PK	5.7252G	61.65	68.20	-6.55	3	Horizontal	356	1.49
5670MHz	Pass	AV	11.31468G	42.36	54.00	-11.64	3	Vertical	62	2.54
5670MHz	Pass	PK	11.31564G	54.59	74.00	-19.41	3	Vertical	62	2.54
5670MHz	Pass	PK	17.03064G	56.06	68.20	-12.14	3	Vertical	42	1.74
5670MHz	Pass	AV	11.31732G	42.22	54.00	-11.78	3	Horizontal	69	2.98
5670MHz	Pass	PK	11.35356G	53.61	74.00	-20.39	3	Horizontal	69	2.98
5670MHz	Pass	PK	17.03244G	55.68	68.20	-12.52	3	Horizontal	357	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	45.53	54.00	-8.47	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7208G	96.75	Inf	-Inf	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4496G	55.79	74.00	-18.21	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	57.01	68.20	-11.19	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	106.84	Inf	-Inf	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	58.99	68.20	-9.21	3	Vertical	8	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	45.41	54.00	-8.59	3	Horizontal	9	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7184G	98.80	Inf	-Inf	3	Horizontal	9	3.00





RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4388G	56.99	74.00	-17.01	3	Horizontal	9	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	56.16	68.20	-12.04	3	Horizontal	9	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	109.38	Inf	-Inf	3	Horizontal	9	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8912G	59.10	68.20	-9.10	3	Horizontal	9	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42192G	42.59	54.00	-11.41	3	Vertical	350	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42756G	54.26	74.00	-19.74	3	Vertical	350	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15796G	56.86	68.20	-11.34	3	Vertical	239	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4302G	42.57	54.00	-11.43	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42504G	54.24	74.00	-19.76	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13312G	56.45	68.20	-11.75	3	Horizontal	58	1.06
5755MHz	Pass	AV	5.4598G	45.34	54.00	-8.66	3	Vertical	3	1.17
5755MHz	Pass	AV	5.7538G	92.37	Inf	-Inf	3	Vertical	3	1.17
5755MHz	Pass	PK	5.4754G	57.69	68.20	-10.51	3	Vertical	3	1.17
5755MHz	Pass	PK	5.749G	103.07	Inf	-Inf	3	Vertical	3	1.17
5755MHz	Pass	PK	5.9374G	58.17	68.20	-10.03	3	Vertical	3	1.17
5755MHz	Pass	AV	5.4598G	45.33	54.00	-8.67	3	Horizontal	358	1.43
5755MHz	Pass	AV	5.7634G	94.51	Inf	-Inf	3	Horizontal	358	1.43
5755MHz	Pass	PK	5.6206G	57.01	68.20	-11.19	3	Horizontal	358	1.43
5755MHz	Pass	PK	5.7598G	105.88	Inf	-Inf	3	Horizontal	358	1.43
5755MHz	Pass	PK	5.9734G	58.83	68.20	-9.37	3	Horizontal	358	1.43
5755MHz	Pass	AV	11.50064G	42.79	54.00	-11.21	3	Vertical	220	1.76
5755MHz	Pass	PK	11.49368G	55.35	74.00	-18.65	3	Vertical	220	1.76
5755MHz	Pass	PK	17.28084G	56.42	68.20	-11.78	3	Vertical	34	1.50
5755MHz	Pass	AV	11.49356G	42.67	54.00	-11.33	3	Horizontal	236	1.49
5755MHz	Pass	PK	11.49656G	54.22	74.00	-19.78	3	Horizontal	236	1.49
5755MHz	Pass	PK	17.28192G	57.17	68.20	-11.03	3	Horizontal	160	1.50
5795MHz	Pass	AV	5.7938G	95.82	Inf	-Inf	3	Vertical	354	1.96
5795MHz	Pass	PK	5.5706G	56.57	68.20	-11.63	3	Vertical	354	1.96
5795MHz	Pass	PK	5.8034G	105.98	Inf	-Inf	3	Vertical	354	1.96
5795MHz	Pass	PK	5.999G	58.35	68.20	-9.85	3	Vertical	354	1.96
5795MHz	Pass	AV	5.7974G	97.16	Inf	-Inf	3	Horizontal	357	1.50
5795MHz	Pass	PK	5.6102G	57.42	68.20	-10.78	3	Horizontal	357	1.50
5795MHz	Pass	PK	5.801G	107.27	Inf	-Inf	3	Horizontal	357	1.50
5795MHz	Pass	PK	5.9414G	58.01	68.20	-10.19	3	Horizontal	357	1.50
5795MHz	Pass	AV	11.5954G	42.42	54.00	-11.58	3	Vertical	346	1.50
5795MHz	Pass	PK	11.61556G	53.67	74.00	-20.33	3	Vertical	346	1.50
5795MHz	Pass	PK	17.38236G	57.27	68.20	-10.93	3	Vertical	288	1.50
5795MHz	Pass	AV	11.56552G	42.57	54.00	-11.43	3	Horizontal	360	1.50
5795MHz	Pass	PK	11.6122G	53.65	74.00	-20.35	3	Horizontal	360	1.50
5795MHz	Pass	PK	17.364G	57.91	68.20	-10.29	3	Horizontal	47	2.16
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.66	54.00	-7.34	3	Vertical	125	2.29
5190MHz	Pass	AV	5.198G	88.64	Inf	-Inf	3	Vertical	125	2.29
5190MHz	Pass	PK	5.1232G	57.68	74.00	-16.32	3	Vertical	125	2.29
5190MHz	Pass	PK	5.1796G	99.75	Inf	-Inf	3	Vertical	125	2.29
5190MHz	Pass	AV	5.15G	47.56	54.00	-6.44	3	Horizontal	360	2.58
5190MHz	Pass	AV	5.1836G	93.55	Inf	-Inf	3	Horizontal	360	2.58
5190MHz	Pass	PK	5.1496G	58.00	74.00	-16.00	3	Horizontal	360	2.58
5190MHz	Pass	PK	5.1908G	104.98	Inf	-Inf	3	Horizontal	360	2.58
5190MHz	Pass	AV	15.55812G	43.52	54.00	-10.48	3	Vertical	336	1.50
5190MHz	Pass	PK	10.38324G	54.34	68.20	-13.86	3	Vertical	360	2.91
5190MHz	Pass	PK	15.55968G	55.00	74.00	-19.00	3	Vertical	336	1.50
5190MHz	Pass	AV	15.56568G	43.56	54.00	-10.44	3	Horizontal	204	1.18
5190MHz	Pass	PK	10.36656G	53.86	68.20	-14.34	3	Horizontal	334	1.50
5190MHz	Pass	PK	15.5994G	54.73	74.00	-19.27	3	Horizontal	204	1.18
5230MHz	Pass	AV	5.1492G	47.27	54.00	-6.73	3	Vertical	125	2.16
5230MHz	Pass	AV	5.24G	94.10	Inf	-Inf	3	Vertical	125	2.16
5230MHz	Pass	PK	5.1492G	58.16	74.00	-15.84	3	Vertical	125	2.16
5230MHz	Pass	PK	5.2336G	105.79	Inf	-Inf	3	Vertical	125	2.16
5230MHz	Pass	AV	5.15G	49.37	54.00	-4.63	3	Horizontal	360	1.69
5230MHz	Pass	AV	5.2416G	98.39	Inf	-Inf	3	Horizontal	360	1.69
5230MHz	Pass	PK	5.15G	60.18	74.00	-13.82	3	Horizontal	360	1.69



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	5.2264G	110.04	Inf	-Inf	3	Horizontal	360	1.69
5230MHz	Pass	AV	15.66612G	43.40	54.00	-10.60	3	Vertical	4	1.92
5230MHz	Pass	PK	10.4876G	53.51	68.20	-14.69	3	Vertical	349	1.50
5230MHz	Pass	PK	15.71028G	54.75	74.00	-19.25	3	Vertical	4	1.92
5230MHz	Pass	AV	15.66516G	43.36	54.00	-10.64	3	Horizontal	225	1.30
5230MHz	Pass	PK	10.43696G	53.69	68.20	-14.51	3	Horizontal	217	1.50
5230MHz	Pass	PK	15.66168G	54.51	74.00	-19.49	3	Horizontal	225	1.30
5270MHz	Pass	AV	5.2764G	94.48	Inf	-Inf	3	Vertical	124	2.13
5270MHz	Pass	AV	5.35G	46.91	54.00	-7.09	3	Vertical	124	2.13
5270MHz	Pass	PK	5.2756G	105.57	Inf	-Inf	3	Vertical	124	2.13
5270MHz	Pass	PK	5.354G	57.69	74.00	-16.31	3	Vertical	124	2.13
5270MHz	Pass	AV	5.2644G	98.40	Inf	-Inf	3	Horizontal	360	1.65
5270MHz	Pass	AV	5.3504G	49.40	54.00	-4.60	3	Horizontal	360	1.65
5270MHz	Pass	PK	5.276G	109.52	Inf	-Inf	3	Horizontal	360	1.65
5270MHz	Pass	PK	5.3544G	61.34	74.00	-12.66	3	Horizontal	360	1.65
5270MHz	Pass	AV	15.8292G	43.52	54.00	-10.48	3	Vertical	268	2.57
5270MHz	Pass	PK	10.54744G	53.35	68.20	-14.85	3	Vertical	191	1.50
5270MHz	Pass	PK	15.79572G	54.81	74.00	-19.19	3	Vertical	268	2.57
5270MHz	Pass	AV	15.81072G	43.54	54.00	-10.46	3	Horizontal	95	1.50
5270MHz	Pass	PK	10.51732G	53.40	68.20	-14.80	3	Horizontal	183	1.50
5270MHz	Pass	PK	15.83508G	54.71	74.00	-19.29	3	Horizontal	95	1.50
5310MHz	Pass	AV	5.3212G	90.43	Inf	-Inf	3	Vertical	0	1.32
5310MHz	Pass	AV	5.3508G	45.61	54.00	-8.39	3	Vertical	0	1.32
5310MHz	Pass	PK	5.3044G	101.03	Inf	-Inf	3	Vertical	0	1.32
5310MHz	Pass	PK	5.3916G	57.20	74.00	-16.80	3	Vertical	0	1.32
5310MHz	Pass	AV	5.3012G	92.81	Inf	-Inf	3	Horizontal	11	1.48
5310MHz	Pass	AV	5.3504G	46.18	54.00	-7.82	3	Horizontal	11	1.48
5310MHz	Pass	PK	5.2996G	104.06	Inf	-Inf	3	Horizontal	11	1.48
5310MHz	Pass	PK	5.358G	57.19	74.00	-16.81	3	Horizontal	11	1.48
5310MHz	Pass	AV	10.6032G	42.27	54.00	-11.73	3	Vertical	179	1.56
5310MHz	Pass	AV	15.9216G	43.01	54.00	-10.99	3	Vertical	125	2.20
5310MHz	Pass	PK	10.59336G	54.01	68.20	-14.19	3	Vertical	179	1.56
5310MHz	Pass	PK	15.92112G	54.48	74.00	-19.52	3	Vertical	125	2.20
5310MHz	Pass	AV	10.605G	42.28	54.00	-11.72	3	Horizontal	294	1.50
5310MHz	Pass	AV	15.91688G	43.19	54.00	-10.81	3	Horizontal	24	1.50
5310MHz	Pass	PK	10.63872G	53.82	74.00	-20.18	3	Horizontal	294	1.50
5310MHz	Pass	PK	15.92508G	54.59	74.00	-19.41	3	Horizontal	24	1.50
5510MHz	Pass	AV	5.4596G	45.57	54.00	-8.43	3	Vertical	13	1.99
5510MHz	Pass	AV	5.506G	90.89	Inf	-Inf	3	Vertical	13	1.99
5510MHz	Pass	PK	5.4432G	56.50	74.00	-17.50	3	Vertical	13	1.99
5510MHz	Pass	PK	5.4656G	57.16	68.20	-11.04	3	Vertical	13	1.99
5510MHz	Pass	PK	5.5088G	101.91	Inf	-Inf	3	Vertical	13	1.99
5510MHz	Pass	AV	5.4532G	45.66	54.00	-8.34	3	Horizontal	6	1.50
5510MHz	Pass	AV	5.5144G	91.79	Inf	-Inf	3	Horizontal	6	1.50
5510MHz	Pass	PK	5.4236G	56.69	74.00	-17.31	3	Horizontal	6	1.50
5510MHz	Pass	PK	5.468G	56.84	68.20	-11.36	3	Horizontal	6	1.50
5510MHz	Pass	PK	5.5172G	103.76	Inf	-Inf	3	Horizontal	6	1.50
5510MHz	Pass	AV	10.99468G	42.75	54.00	-11.25	3	Vertical	102	1.00
5510MHz	Pass	PK	11.0404G	53.54	74.00	-20.46	3	Vertical	102	1.00
5510MHz	Pass	PK	16.54752G	55.66	68.20	-12.54	3	Vertical	39	1.81
5510MHz	Pass	AV	11.04964G	42.61	54.00	-11.39	3	Horizontal	248	2.99
5510MHz	Pass	PK	11.04136G	54.19	74.00	-19.81	3	Horizontal	248	2.99
5510MHz	Pass	PK	16.51596G	55.65	68.20	-12.55	3	Horizontal	4	2.94
5550MHz	Pass	AV	5.4572G	45.72	54.00	-8.28	3	Vertical	10	1.43
5550MHz	Pass	AV	5.5608G	94.63	Inf	-Inf	3	Vertical	10	1.43
5550MHz	Pass	PK	5.4512G	57.33	74.00	-16.67	3	Vertical	10	1.43
5550MHz	Pass	PK	5.4668G	56.19	68.20	-12.01	3	Vertical	10	1.43
5550MHz	Pass	PK	5.5556G	105.96	Inf	-Inf	3	Vertical	10	1.43
5550MHz	Pass	AV	5.4588G	46.21	54.00	-7.79	3	Horizontal	8	1.50
5550MHz	Pass	AV	5.5592G	97.61	Inf	-Inf	3	Horizontal	8	1.50
5550MHz	Pass	PK	5.45G	57.62	74.00	-16.38	3	Horizontal	8	1.50
5550MHz	Pass	PK	5.4636G	57.81	68.20	-10.39	3	Horizontal	8	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	5.5396G	108.44	Inf	-Inf	3	Horizontal	8	1.50
5550MHz	Pass	AV	11.07084G	42.77	54.00	-11.23	3	Vertical	307	1.50
5550MHz	Pass	PK	11.0766G	54.10	74.00	-19.90	3	Vertical	307	1.50
5550MHz	Pass	PK	16.6398G	55.69	68.20	-12.51	3	Vertical	319	1.50
5550MHz	Pass	AV	11.091G	42.87	54.00	-11.13	3	Horizontal	14	1.50
5550MHz	Pass	PK	11.09868G	54.36	74.00	-19.64	3	Horizontal	14	1.50
5550MHz	Pass	PK	16.6236G	56.69	68.20	-11.51	3	Horizontal	143	2.14
5670MHz	Pass	AV	5.6754G	94.63	Inf	-Inf	3	Vertical	18	1.36
5670MHz	Pass	PK	5.6736G	105.64	Inf	-Inf	3	Vertical	18	1.36
5670MHz	Pass	PK	5.7342G	62.55	68.20	-5.65	3	Vertical	18	1.36
5670MHz	Pass	AV	5.673G	95.83	Inf	-Inf	3	Horizontal	9	1.50
5670MHz	Pass	PK	5.6592G	107.59	Inf	-Inf	3	Horizontal	9	1.50
5670MHz	Pass	PK	5.7348G	62.23	68.20	-5.97	3	Horizontal	9	1.50
5670MHz	Pass	AV	11.3274G	42.22	54.00	-11.78	3	Vertical	55	1.50
5670MHz	Pass	PK	11.3514G	53.66	74.00	-20.34	3	Vertical	55	1.50
5670MHz	Pass	PK	17.01012G	54.56	68.20	-13.64	3	Vertical	76	1.01
5670MHz	Pass	AV	11.34024G	41.87	54.00	-12.13	3	Horizontal	161	1.59
5670MHz	Pass	PK	11.34462G	53.46	74.00	-20.54	3	Horizontal	161	1.59
5670MHz	Pass	PK	17.016G	55.21	68.20	-12.99	3	Horizontal	75	2.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4376G	45.35	54.00	-8.65	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	96.91	Inf	-Inf	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.422G	56.45	74.00	-17.55	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	55.66	68.20	-12.54	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	107.53	Inf	-Inf	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.866G	60.18	68.20	-8.02	3	Vertical	2	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4388G	45.30	54.00	-8.70	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7196G	98.10	Inf	-Inf	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4244G	57.02	74.00	-16.98	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	55.95	68.20	-12.25	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	109.15	Inf	-Inf	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9056G	59.10	68.20	-9.10	3	Horizontal	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4275G	42.71	54.00	-11.29	3	Vertical	151	2.39
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42186G	52.26	74.00	-21.74	3	Vertical	151	2.39
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13396G	54.25	68.20	-13.95	3	Vertical	178	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41832G	42.48	54.00	-11.52	3	Horizontal	91	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41868G	51.22	74.00	-22.78	3	Horizontal	91	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11542G	53.81	68.20	-14.39	3	Horizontal	338	2.06
5755MHz	Pass	AV	5.4562G	45.27	54.00	-8.73	3	Vertical	0	1.16
5755MHz	Pass	AV	5.7478G	92.70	Inf	-Inf	3	Vertical	0	1.16
5755MHz	Pass	PK	5.6458G	57.04	68.20	-11.16	3	Vertical	0	1.16
5755MHz	Pass	PK	5.749G	103.67	Inf	-Inf	3	Vertical	0	1.16
5755MHz	Pass	PK	6.007G	58.43	68.20	-9.77	3	Vertical	0	1.16
5755MHz	Pass	AV	5.4598G	45.18	54.00	-8.82	3	Horizontal	287	1.63
5755MHz	Pass	AV	5.7442G	93.19	Inf	-Inf	3	Horizontal	287	1.63
5755MHz	Pass	PK	5.6374G	58.30	68.20	-9.90	3	Horizontal	287	1.63
5755MHz	Pass	PK	5.743G	104.18	Inf	-Inf	3	Horizontal	287	1.63
5755MHz	Pass	PK	5.9962G	58.16	68.20	-10.04	3	Horizontal	287	1.63
5755MHz	Pass	AV	11.48444G	42.93	54.00	-11.07	3	Vertical	3	2.88
5755MHz	Pass	PK	11.48348G	54.32	74.00	-19.68	3	Vertical	3	2.88
5755MHz	Pass	PK	17.24844G	57.25	68.20	-10.95	3	Vertical	347	1.24
5755MHz	Pass	AV	11.48936G	42.89	54.00	-11.11	3	Horizontal	309	1.50
5755MHz	Pass	PK	11.48096G	54.72	74.00	-19.28	3	Horizontal	309	1.50
5755MHz	Pass	PK	17.247G	56.92	68.20	-11.28	3	Horizontal	185	1.50
5795MHz	Pass	AV	5.8046G	97.60	Inf	-Inf	3	Vertical	5	1.29
5795MHz	Pass	PK	5.5418G	56.99	68.20	-11.21	3	Vertical	5	1.29
5795MHz	Pass	PK	5.7926G	108.85	Inf	-Inf	3	Vertical	5	1.29
5795MHz	Pass	PK	5.975G	58.60	68.20	-9.60	3	Vertical	5	1.29
5795MHz	Pass	AV	5.7902G	98.78	Inf	-Inf	3	Horizontal	8	2.94
5795MHz	Pass	PK	5.6498G	58.52	68.20	-9.68	3	Horizontal	8	2.94
5795MHz	Pass	PK	5.801G	109.45	Inf	-Inf	3	Horizontal	8	2.94
5795MHz	Pass	PK	5.963G	58.34	68.20	-9.86	3	Horizontal	8	2.94
5795MHz	Pass	AV	11.61124G	42.43	54.00	-11.57	3	Vertical	0	1.50



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	11.60572G	54.24	74.00	-19.76	3	Vertical	0	1.50
5795MHz	Pass	PK	17.4042G	57.24	68.20	-10.96	3	Vertical	269	1.27
5795MHz	Pass	AV	11.5996G	42.48	54.00	-11.52	3	Horizontal	83	2.13
5795MHz	Pass	PK	11.57248G	54.13	74.00	-19.87	3	Horizontal	83	2.13
5795MHz	Pass	PK	17.39724G	57.56	68.20	-10.64	3	Horizontal	88	1.10
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	49.12	54.00	-4.88	3	Vertical	104	2.20
5190MHz	Pass	AV	5.1928G	94.34	Inf	-Inf	3	Vertical	104	2.20
5190MHz	Pass	PK	5.1496G	59.73	74.00	-14.27	3	Vertical	104	2.20
5190MHz	Pass	PK	5.1992G	105.03	Inf	-Inf	3	Vertical	104	2.20
5190MHz	Pass	AV	5.15G	50.86	54.00	-3.14	3	Horizontal	360	1.64
5190MHz	Pass	AV	5.184G	98.30	Inf	-Inf	3	Horizontal	360	1.64
5190MHz	Pass	PK	5.15G	64.56	74.00	-9.44	3	Horizontal	360	1.64
5190MHz	Pass	PK	5.196G	109.13	Inf	-Inf	3	Horizontal	360	1.64
5190MHz	Pass	AV	15.57352G	44.38	54.00	-9.62	3	Vertical	210	2.03
5190MHz	Pass	PK	10.38024G	54.17	68.20	-14.03	3	Vertical	154	2.33
5190MHz	Pass	PK	15.55288G	54.93	74.00	-19.07	3	Vertical	210	2.03
5190MHz	Pass	AV	15.56072G	44.42	54.00	-9.58	3	Horizontal	173	2.24
5190MHz	Pass	PK	10.36688G	53.40	68.20	-14.80	3	Horizontal	292	2.61
5190MHz	Pass	PK	15.5616G	55.11	74.00	-18.89	3	Horizontal	173	2.24
5230MHz	Pass	AV	5.1448G	48.98	54.00	-5.02	3	Vertical	92	2.57
5230MHz	Pass	AV	5.2192G	96.35	Inf	-Inf	3	Vertical	92	2.57
5230MHz	Pass	PK	5.1388G	59.77	74.00	-14.23	3	Vertical	92	2.57
5230MHz	Pass	PK	5.2192G	106.41	Inf	-Inf	3	Vertical	92	2.57
5230MHz	Pass	AV	5.1484G	51.60	54.00	-2.40	3	Horizontal	354	1.61
5230MHz	Pass	AV	5.2236G	101.39	Inf	-Inf	3	Horizontal	354	1.61
5230MHz	Pass	PK	5.142G	64.50	74.00	-9.50	3	Horizontal	354	1.61
5230MHz	Pass	PK	5.2236G	112.19	Inf	-Inf	3	Horizontal	354	1.61
5230MHz	Pass	AV	15.68566G	43.03	54.00	-10.97	3	Vertical	296	1.43
5230MHz	Pass	PK	10.46048G	54.16	68.20	-14.04	3	Vertical	133	1.66
5230MHz	Pass	PK	15.68546G	55.26	74.00	-18.74	3	Vertical	296	1.43
5230MHz	Pass	AV	15.6866G	43.01	54.00	-10.99	3	Horizontal	305	2.61
5230MHz	Pass	PK	10.45772G	53.83	68.20	-14.37	3	Horizontal	55	1.56
5230MHz	Pass	PK	15.68826G	54.52	74.00	-19.48	3	Horizontal	305	2.61
5270MHz	Pass	AV	5.2672G	97.74	Inf	-Inf	3	Vertical	0	2.17
5270MHz	Pass	AV	5.35G	49.82	54.00	-4.18	3	Vertical	0	2.17
5270MHz	Pass	PK	5.28G	110.06	Inf	-Inf	3	Vertical	0	2.17
5270MHz	Pass	PK	5.3532G	60.51	74.00	-13.49	3	Vertical	0	2.17
5270MHz	Pass	AV	5.2808G	102.03	Inf	-Inf	3	Horizontal	0	1.60
5270MHz	Pass	AV	5.3508G	51.77	54.00	-2.23	3	Horizontal	0	1.60
5270MHz	Pass	PK	5.2752G	113.24	Inf	-Inf	3	Horizontal	0	1.60
5270MHz	Pass	PK	5.354G	62.64	74.00	-11.36	3	Horizontal	0	1.60
5270MHz	Pass	AV	15.8192G	43.97	54.00	-10.03	3	Vertical	304	2.75
5270MHz	Pass	PK	10.52344G	52.32	68.20	-15.88	3	Vertical	116	1.39
5270MHz	Pass	PK	15.79304G	52.91	74.00	-21.09	3	Vertical	304	2.75
5270MHz	Pass	AV	15.81712G	43.94	54.00	-10.06	3	Horizontal	144	1.59
5270MHz	Pass	PK	10.55808G	51.09	68.20	-17.11	3	Horizontal	61	2.07
5270MHz	Pass	PK	15.82288G	52.90	74.00	-21.10	3	Horizontal	144	1.59
5310MHz	Pass	AV	5.3204G	92.93	Inf	-Inf	3	Vertical	0	2.12
5310MHz	Pass	AV	5.35G	47.56	54.00	-6.44	3	Vertical	0	2.12
5310MHz	Pass	PK	5.3188G	103.91	Inf	-Inf	3	Vertical	0	2.12
5310MHz	Pass	PK	5.3524G	58.73	74.00	-15.27	3	Vertical	0	2.12
5310MHz	Pass	AV	5.3208G	96.07	Inf	-Inf	3	Horizontal	7	1.50
5310MHz	Pass	AV	5.35G	49.32	54.00	-4.68	3	Horizontal	7	1.50
5310MHz	Pass	PK	5.3196G	107.77	Inf	-Inf	3	Horizontal	7	1.50
5310MHz	Pass	PK	5.3504G	61.28	74.00	-12.72	3	Horizontal	7	1.50
5310MHz	Pass	AV	10.61024G	42.71	54.00	-11.29	3	Vertical	173	1.19
5310MHz	Pass	AV	15.91648G	43.89	54.00	-10.11	3	Vertical	245	2.33
5310MHz	Pass	PK	10.62232G	53.27	74.00	-20.73	3	Vertical	173	1.19
5310MHz	Pass	PK	15.9204G	55.03	74.00	-18.97	3	Vertical	245	2.33
5310MHz	Pass	AV	10.60024G	42.53	54.00	-11.47	3	Horizontal	19	2.26
5310MHz	Pass	AV	15.91736G	43.79	54.00	-10.21	3	Horizontal	36	2.03



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	10.62336G	53.19	74.00	-20.81	3	Horizontal	19	2.26
5310MHz	Pass	PK	15.9148G	55.03	74.00	-18.97	3	Horizontal	36	2.03
5510MHz	Pass	AV	5.4596G	47.53	54.00	-6.47	3	Vertical	345	1.84
5510MHz	Pass	AV	5.5212G	94.05	Inf	-Inf	3	Vertical	345	1.84
5510MHz	Pass	PK	5.456G	58.56	74.00	-15.44	3	Vertical	345	1.84
5510MHz	Pass	PK	5.4696G	58.73	68.20	-9.47	3	Vertical	345	1.84
5510MHz	Pass	PK	5.5224G	105.66	Inf	-Inf	3	Vertical	345	1.84
5510MHz	Pass	AV	5.4584G	48.56	54.00	-5.44	3	Horizontal	358	1.49
5510MHz	Pass	AV	5.5108G	96.11	Inf	-Inf	3	Horizontal	358	1.49
5510MHz	Pass	PK	5.4592G	59.45	74.00	-14.55	3	Horizontal	358	1.49
5510MHz	Pass	PK	5.4684G	60.71	68.20	-7.49	3	Horizontal	358	1.49
5510MHz	Pass	PK	5.502G	106.51	Inf	-Inf	3	Horizontal	358	1.49
5510MHz	Pass	AV	11.02312G	42.08	54.00	-11.92	3	Vertical	185	1.15
5510MHz	Pass	PK	11.01844G	54.48	74.00	-19.52	3	Vertical	185	1.15
5510MHz	Pass	PK	16.53304G	55.10	68.20	-13.10	3	Vertical	335	1.58
5510MHz	Pass	AV	11.02042G	42.07	54.00	-11.93	3	Horizontal	230	2.91
5510MHz	Pass	PK	11.01778G	54.28	74.00	-19.72	3	Horizontal	230	2.91
5510MHz	Pass	PK	16.5286G	56.11	68.20	-12.09	3	Horizontal	140	1.40
5550MHz	Pass	AV	5.4584G	49.01	54.00	-4.99	3	Vertical	352	2.01
5550MHz	Pass	AV	5.544G	99.16	Inf	-Inf	3	Vertical	352	2.01
5550MHz	Pass	PK	5.4576G	60.00	74.00	-14.00	3	Vertical	352	2.01
5550MHz	Pass	PK	5.4656G	62.28	68.20	-5.92	3	Vertical	352	2.01
5550MHz	Pass	PK	5.5492G	110.74	Inf	-Inf	3	Vertical	352	2.01
5550MHz	Pass	AV	5.4588G	49.72	54.00	-4.28	3	Horizontal	356	3.00
5550MHz	Pass	AV	5.544G	101.16	Inf	-Inf	3	Horizontal	356	3.00
5550MHz	Pass	PK	5.4552G	60.87	74.00	-13.13	3	Horizontal	356	3.00
5550MHz	Pass	PK	5.468G	62.18	68.20	-6.02	3	Horizontal	356	3.00
5550MHz	Pass	PK	5.5456G	112.45	Inf	-Inf	3	Horizontal	356	3.00
5550MHz	Pass	AV	11.08256G	42.81	54.00	-11.19	3	Vertical	136	2.92
5550MHz	Pass	PK	11.08176G	52.40	74.00	-21.60	3	Vertical	136	2.92
5550MHz	Pass	PK	16.6536G	54.95	68.20	-13.25	3	Vertical	168	1.84
5550MHz	Pass	AV	11.08872G	42.99	54.00	-11.01	3	Horizontal	51	2.53
5550MHz	Pass	PK	11.1016G	51.19	74.00	-22.81	3	Horizontal	51	2.53
5550MHz	Pass	PK	16.63608G	54.12	68.20	-14.08	3	Horizontal	339	2.95
5670MHz	Pass	AV	5.6634G	96.54	Inf	-Inf	3	Vertical	360	1.34
5670MHz	Pass	PK	5.6784G	106.85	Inf	-Inf	3	Vertical	360	1.34
5670MHz	Pass	PK	5.7348G	63.06	68.20	-5.14	3	Vertical	360	1.34
5670MHz	Pass	AV	5.6784G	99.00	Inf	-Inf	3	Horizontal	353	3.00
5670MHz	Pass	PK	5.6724G	109.03	Inf	-Inf	3	Horizontal	353	3.00
5670MHz	Pass	PK	5.7324G	64.46	68.20	-3.74	3	Horizontal	353	3.00
5670MHz	Pass	AV	11.33584G	41.66	54.00	-12.34	3	Vertical	4	2.76
5670MHz	Pass	PK	11.34064G	54.70	74.00	-19.30	3	Vertical	4	2.76
5670MHz	Pass	PK	17.01448G	54.69	68.20	-13.51	3	Vertical	37	2.18
5670MHz	Pass	AV	11.34366G	41.66	54.00	-12.34	3	Horizontal	146	2.68
5670MHz	Pass	PK	11.33822G	53.75	74.00	-20.25	3	Horizontal	146	2.68
5670MHz	Pass	PK	17.00698G	55.30	68.20	-12.90	3	Horizontal	355	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4328G	45.75	54.00	-8.25	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	99.38	Inf	-Inf	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4268G	56.41	74.00	-17.59	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	55.87	68.20	-12.33	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7172G	110.40	Inf	-Inf	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8972G	61.13	68.20	-7.07	3	Vertical	354	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.78	54.00	-8.22	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	101.50	Inf	-Inf	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4592G	56.92	74.00	-17.08	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	55.84	68.20	-12.36	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	112.46	Inf	-Inf	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8936G	60.03	68.20	-8.17	3	Horizontal	353	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42242G	42.09	54.00	-11.91	3	Vertical	323	1.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41982G	54.15	74.00	-19.85	3	Vertical	323	1.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13444G	56.64	68.20	-11.56	3	Vertical	301	1.58
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4225G	42.08	54.00	-11.92	3	Horizontal	152	2.23



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4216G	54.61	74.00	-19.39	3	Horizontal	152	2.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13048G	55.92	68.20	-12.28	3	Horizontal	170	1.63
5755MHz	Pass	AV	5.4586G	45.32	54.00	-8.68	3	Vertical	353	1.20
5755MHz	Pass	AV	5.7562G	99.89	Inf	-Inf	3	Vertical	353	1.20
5755MHz	Pass	PK	5.6482G	57.96	68.20	-10.24	3	Vertical	353	1.20
5755MHz	Pass	PK	5.7586G	109.50	Inf	-Inf	3	Vertical	353	1.20
5755MHz	Pass	PK	5.9434G	59.15	68.20	-9.05	3	Vertical	353	1.20
5755MHz	Pass	AV	5.4586G	45.52	54.00	-8.48	3	Horizontal	2	3.00
5755MHz	Pass	AV	5.7562G	100.79	Inf	-Inf	3	Horizontal	2	3.00
5755MHz	Pass	PK	5.6518G	59.45	69.53	-10.08	3	Horizontal	2	3.00
5755MHz	Pass	PK	5.7466G	111.32	Inf	-Inf	3	Horizontal	2	3.00
5755MHz	Pass	PK	5.9314G	59.31	68.20	-8.89	3	Horizontal	2	3.00
5755MHz	Pass	AV	11.50518G	42.02	54.00	-11.98	3	Vertical	114	1.84
5755MHz	Pass	PK	11.50608G	54.08	74.00	-19.92	3	Vertical	114	1.84
5755MHz	Pass	PK	17.26892G	56.20	68.20	-12.00	3	Vertical	69	2.50
5755MHz	Pass	AV	11.50504G	42.04	54.00	-11.96	3	Horizontal	197	2.56
5755MHz	Pass	PK	11.51334G	54.09	74.00	-19.91	3	Horizontal	197	2.56
5755MHz	Pass	PK	17.26048G	56.09	68.20	-12.11	3	Horizontal	312	1.85
5795MHz	Pass	AV	5.7962G	101.25	Inf	-Inf	3	Vertical	0	1.19
5795MHz	Pass	PK	5.5862G	57.65	68.20	-10.55	3	Vertical	0	1.19
5795MHz	Pass	PK	5.807G	110.88	Inf	-Inf	3	Vertical	0	1.19
5795MHz	Pass	PK	5.9294G	59.52	68.20	-8.68	3	Vertical	0	1.19
5795MHz	Pass	AV	5.7866G	102.01	Inf	-Inf	3	Horizontal	1	3.00
5795MHz	Pass	PK	5.6498G	61.22	68.20	-6.98	3	Horizontal	1	3.00
5795MHz	Pass	PK	5.8058G	111.95	Inf	-Inf	3	Horizontal	1	3.00
5795MHz	Pass	PK	5.9486G	59.71	68.20	-8.49	3	Horizontal	1	3.00
5795MHz	Pass	AV	11.58838G	41.52	54.00	-12.48	3	Vertical	97	2.48
5795MHz	Pass	PK	11.59432G	54.34	74.00	-19.66	3	Vertical	97	2.48
5795MHz	Pass	PK	17.38508G	56.65	68.20	-11.55	3	Vertical	173	2.29
5795MHz	Pass	AV	11.5882G	41.52	54.00	-12.48	3	Horizontal	116	2.03
5795MHz	Pass	PK	11.5949G	53.50	74.00	-20.50	3	Horizontal	116	2.03
5795MHz	Pass	PK	17.38526G	56.32	68.20	-11.88	3	Horizontal	2	3.00
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	47.59	54.00	-6.41	3	Vertical	105	2.50
5210MHz	Pass	AV	5.206G	87.35	Inf	-Inf	3	Vertical	105	2.50
5210MHz	Pass	AV	5.396G	45.40	54.00	-8.60	3	Vertical	105	2.50
5210MHz	Pass	PK	5.126G	58.00	74.00	-16.00	3	Vertical	105	2.50
5210MHz	Pass	PK	5.199G	98.15	Inf	-Inf	3	Vertical	105	2.50
5210MHz	Pass	PK	5.448G	56.62	74.00	-17.38	3	Vertical	105	2.50
5210MHz	Pass	AV	5.149G	49.59	54.00	-4.41	3	Horizontal	7	1.50
5210MHz	Pass	AV	5.208G	91.30	Inf	-Inf	3	Horizontal	7	1.50
5210MHz	Pass	AV	5.407G	46.27	54.00	-7.73	3	Horizontal	7	1.50
5210MHz	Pass	PK	5.14G	60.16	74.00	-13.84	3	Horizontal	7	1.50
5210MHz	Pass	PK	5.199G	102.09	Inf	-Inf	3	Horizontal	7	1.50
5210MHz	Pass	PK	5.414G	57.77	74.00	-16.23	3	Horizontal	7	1.50
5210MHz	Pass	AV	15.63264G	43.70	54.00	-10.30	3	Vertical	305	2.11
5210MHz	Pass	PK	10.38232G	53.86	68.20	-14.34	3	Vertical	360	1.50
5210MHz	Pass	PK	15.62424G	56.03	74.00	-17.97	3	Vertical	305	2.11
5210MHz	Pass	AV	15.6372G	43.69	54.00	-10.31	3	Horizontal	180	1.50
5210MHz	Pass	PK	10.45144G	53.91	68.20	-14.29	3	Horizontal	89	1.50
5210MHz	Pass	PK	15.5904G	55.22	74.00	-18.78	3	Horizontal	180	1.50
5290MHz	Pass	AV	5.055G	47.00	54.00	-7.00	3	Vertical	94	2.76
5290MHz	Pass	AV	5.273G	87.49	Inf	-Inf	3	Vertical	94	2.76
5290MHz	Pass	AV	5.46G	46.08	54.00	-7.92	3	Vertical	94	2.76
5290MHz	Pass	PK	5.077G	58.72	74.00	-15.28	3	Vertical	94	2.76
5290MHz	Pass	PK	5.276G	98.35	Inf	-Inf	3	Vertical	94	2.76
5290MHz	Pass	PK	5.451G	57.41	74.00	-16.59	3	Vertical	94	2.76
5290MHz	Pass	PK	5.532G	57.20	68.20	-11.00	3	Vertical	94	2.76
5290MHz	Pass	AV	5.06G	47.11	54.00	-6.89	3	Horizontal	5	1.49
5290MHz	Pass	AV	5.28G	92.22	Inf	-Inf	3	Horizontal	5	1.49
5290MHz	Pass	AV	5.352G	47.48	54.00	-6.52	3	Horizontal	5	1.49
5290MHz	Pass	PK	5.08G	57.84	74.00	-16.16	3	Horizontal	5	1.49



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.31G	103.63	Inf	-Inf	3	Horizontal	5	1.49
5290MHz	Pass	PK	5.351G	59.32	74.00	-14.68	3	Horizontal	5	1.49
5290MHz	Pass	PK	5.482G	58.14	68.20	-10.06	3	Horizontal	5	1.49
5290MHz	Pass	AV	15.81144G	43.74	54.00	-10.26	3	Vertical	178	1.50
5290MHz	Pass	PK	10.53608G	53.50	68.20	-14.70	3	Vertical	177	1.50
5290MHz	Pass	PK	15.88248G	55.19	74.00	-18.81	3	Vertical	178	1.50
5290MHz	Pass	AV	15.81144G	43.78	54.00	-10.22	3	Horizontal	288	1.50
5290MHz	Pass	PK	10.59848G	54.10	68.20	-14.10	3	Horizontal	275	1.46
5290MHz	Pass	PK	15.84792G	54.82	74.00	-19.18	3	Horizontal	288	1.50
5530MHz	Pass	AV	5.35G	45.16	54.00	-8.84	3	Vertical	351	1.28
5530MHz	Pass	AV	5.459G	47.11	54.00	-6.89	3	Vertical	351	1.28
5530MHz	Pass	AV	5.525G	86.73	Inf	-Inf	3	Vertical	351	1.28
5530MHz	Pass	PK	5.284G	56.07	68.20	-12.13	3	Vertical	351	1.28
5530MHz	Pass	PK	5.46G	58.33	74.00	-15.67	3	Vertical	351	1.28
5530MHz	Pass	PK	5.47G	58.87	68.20	-9.33	3	Vertical	351	1.28
5530MHz	Pass	PK	5.554G	97.79	Inf	-Inf	3	Vertical	351	1.28
5530MHz	Pass	PK	5.771G	57.98	68.20	-10.22	3	Vertical	351	1.28
5530MHz	Pass	AV	5.35G	45.43	54.00	-8.57	3	Horizontal	7	1.49
5530MHz	Pass	AV	5.46G	49.34	54.00	-4.66	3	Horizontal	7	1.49
5530MHz	Pass	AV	5.511G	90.01	Inf	-Inf	3	Horizontal	7	1.49
5530MHz	Pass	PK	5.324G	57.39	68.20	-10.81	3	Horizontal	7	1.49
5530MHz	Pass	PK	5.458G	59.58	74.00	-14.42	3	Horizontal	7	1.49
5530MHz	Pass	PK	5.467G	60.54	68.20	-7.66	3	Horizontal	7	1.49
5530MHz	Pass	PK	5.555G	101.00	Inf	-Inf	3	Horizontal	7	1.49
5530MHz	Pass	PK	5.74G	59.17	68.20	-9.03	3	Horizontal	7	1.49
5530MHz	Pass	AV	11.06984G	42.89	54.00	-11.11	3	Vertical	230	1.50
5530MHz	Pass	PK	11.048G	54.00	74.00	-20.00	3	Vertical	230	1.50
5530MHz	Pass	PK	16.63128G	56.83	68.20	-11.37	3	Vertical	360	1.07
5530MHz	Pass	AV	11.03312G	42.85	54.00	-11.15	3	Horizontal	156	1.34
5530MHz	Pass	PK	11.0828G	54.13	74.00	-19.87	3	Horizontal	156	1.34
5530MHz	Pass	PK	16.5564G	57.41	68.20	-10.79	3	Horizontal	360	1.50
5610MHz	Pass	AV	5.451G	45.63	54.00	-8.37	3	Vertical	351	1.27
5610MHz	Pass	AV	5.603G	87.59	Inf	-Inf	3	Vertical	351	1.27
5610MHz	Pass	PK	5.459G	56.40	74.00	-17.60	3	Vertical	351	1.27
5610MHz	Pass	PK	5.463G	56.49	68.20	-11.71	3	Vertical	351	1.27
5610MHz	Pass	PK	5.601G	98.43	Inf	-Inf	3	Vertical	351	1.27
5610MHz	Pass	PK	5.775G	58.74	68.20	-9.46	3	Vertical	351	1.27
5610MHz	Pass	AV	5.46G	46.32	54.00	-7.68	3	Horizontal	356	1.43
5610MHz	Pass	AV	5.605G	90.78	Inf	-Inf	3	Horizontal	356	1.43
5610MHz	Pass	PK	5.451G	56.84	74.00	-17.16	3	Horizontal	356	1.43
5610MHz	Pass	PK	5.469G	56.94	68.20	-11.26	3	Horizontal	356	1.43
5610MHz	Pass	PK	5.601G	102.13	Inf	-Inf	3	Horizontal	356	1.43
5610MHz	Pass	PK	5.832G	59.94	68.20	-8.26	3	Horizontal	356	1.43
5610MHz	Pass	AV	11.18304G	42.55	54.00	-11.45	3	Vertical	179	1.50
5610MHz	Pass	PK	11.20752G	53.74	74.00	-20.26	3	Vertical	179	1.50
5610MHz	Pass	PK	16.8624G	56.07	68.20	-12.13	3	Vertical	170	2.48
5610MHz	Pass	AV	11.172G	42.50	54.00	-11.50	3	Horizontal	315	1.50
5610MHz	Pass	PK	11.19264G	53.73	74.00	-20.27	3	Horizontal	315	1.50
5610MHz	Pass	PK	16.84848G	56.15	68.20	-12.05	3	Horizontal	33	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.457G	45.08	54.00	-8.92	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.699G	87.40	Inf	-Inf	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.451G	55.51	74.00	-18.49	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	55.33	68.20	-12.87	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.699G	98.24	Inf	-Inf	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	58.02	68.20	-10.18	3	Vertical	348	2.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.457G	45.47	54.00	-8.53	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.708G	89.36	Inf	-Inf	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	56.13	74.00	-17.87	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	55.51	68.20	-12.69	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	100.26	Inf	-Inf	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.901G	58.66	68.20	-9.54	3	Horizontal	355	1.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43664G	42.63	54.00	-11.37	3	Vertical	312	1.00



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38504G	54.05	74.00	-19.95	3	Vertical	312	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.02488G	57.96	68.20	-10.24	3	Vertical	26	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43328G	42.64	54.00	-11.36	3	Horizontal	57	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32768G	53.91	74.00	-20.09	3	Horizontal	57	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1192G	56.99	68.20	-11.21	3	Horizontal	230	1.06
5775MHz	Pass	AV	5.793G	89.77	Inf	-Inf	3	Vertical	354	1.95
5775MHz	Pass	PK	5.6082G	57.34	68.20	-10.86	3	Vertical	354	1.95
5775MHz	Pass	PK	5.7894G	100.79	Inf	-Inf	3	Vertical	354	1.95
5775MHz	Pass	PK	5.9538G	58.58	68.20	-9.62	3	Vertical	354	1.95
5775MHz	Pass	AV	5.7858G	91.55	Inf	-Inf	3	Horizontal	357	1.50
5775MHz	Pass	PK	5.6226G	57.40	68.20	-10.80	3	Horizontal	357	1.50
5775MHz	Pass	PK	5.781G	102.63	Inf	-Inf	3	Horizontal	357	1.50
5775MHz	Pass	PK	5.9646G	58.70	68.20	-9.50	3	Horizontal	357	1.50
5775MHz	Pass	AV	11.53096G	42.80	54.00	-11.20	3	Vertical	255	1.02
5775MHz	Pass	PK	11.55224G	53.97	74.00	-20.03	3	Vertical	255	1.02
5775MHz	Pass	PK	17.33844G	56.81	68.20	-11.39	3	Vertical	2	1.50
5775MHz	Pass	AV	11.49G	42.76	54.00	-11.24	3	Horizontal	335	1.50
5775MHz	Pass	PK	11.51496G	54.06	74.00	-19.94	3	Horizontal	335	1.50
5775MHz	Pass	PK	17.33604G	56.71	68.20	-11.49	3	Horizontal	39	1.50
802.11ax HEW80_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.14G	46.89	54.00	-7.11	3	Vertical	269	2.51
5210MHz	Pass	AV	5.185G	86.60	Inf	-Inf	3	Vertical	269	2.51
5210MHz	Pass	AV	5.42G	45.46	54.00	-8.54	3	Vertical	269	2.51
5210MHz	Pass	PK	5.147G	58.39	74.00	-15.61	3	Vertical	269	2.51
5210MHz	Pass	PK	5.184G	98.07	Inf	-Inf	3	Vertical	269	2.51
5210MHz	Pass	PK	5.394G	56.40	74.00	-17.60	3	Vertical	269	2.51
5210MHz	Pass	AV	5.144G	47.67	54.00	-6.33	3	Horizontal	360	2.44
5210MHz	Pass	AV	5.195G	91.34	Inf	-Inf	3	Horizontal	360	2.44
5210MHz	Pass	AV	5.353G	45.65	54.00	-8.35	3	Horizontal	360	2.44
5210MHz	Pass	PK	5.148G	59.46	74.00	-14.54	3	Horizontal	360	2.44
5210MHz	Pass	PK	5.192G	102.83	Inf	-Inf	3	Horizontal	360	2.44
5210MHz	Pass	PK	5.431G	56.99	74.00	-17.01	3	Horizontal	360	2.44
5210MHz	Pass	AV	15.63672G	43.74	54.00	-10.26	3	Vertical	75	1.50
5210MHz	Pass	PK	10.37872G	54.36	68.20	-13.84	3	Vertical	265	2.75
5210MHz	Pass	PK	15.59808G	55.11	74.00	-18.89	3	Vertical	75	1.50
5210MHz	Pass	AV	15.62832G	43.68	54.00	-10.32	3	Horizontal	56	1.47
5210MHz	Pass	PK	10.38832G	54.14	68.20	-14.06	3	Horizontal	39	1.04
5210MHz	Pass	PK	15.58872G	55.34	74.00	-18.66	3	Horizontal	56	1.47
5290MHz	Pass	AV	5.062G	47.06	54.00	-6.94	3	Vertical	2	1.24
5290MHz	Pass	AV	5.296G	87.39	Inf	-Inf	3	Vertical	2	1.24
5290MHz	Pass	AV	5.381G	46.51	54.00	-7.49	3	Vertical	2	1.24
5290MHz	Pass	PK	5.07G	58.50	74.00	-15.50	3	Vertical	2	1.24
5290MHz	Pass	PK	5.299G	98.70	Inf	-Inf	3	Vertical	2	1.24
5290MHz	Pass	PK	5.391G	56.80	74.00	-17.20	3	Vertical	2	1.24
5290MHz	Pass	PK	5.535G	57.35	68.20	-10.85	3	Vertical	2	1.24
5290MHz	Pass	AV	5.054G	47.05	54.00	-6.95	3	Horizontal	360	1.49
5290MHz	Pass	AV	5.268G	90.14	Inf	-Inf	3	Horizontal	360	1.49
5290MHz	Pass	AV	5.359G	46.60	54.00	-7.40	3	Horizontal	360	1.49
5290MHz	Pass	PK	5.05G	57.81	74.00	-16.19	3	Horizontal	360	1.49
5290MHz	Pass	PK	5.272G	102.13	Inf	-Inf	3	Horizontal	360	1.49
5290MHz	Pass	PK	5.46G	57.72	74.00	-16.28	3	Horizontal	360	1.49
5290MHz	Pass	PK	5.461G	57.12	68.20	-11.08	3	Horizontal	360	1.49
5290MHz	Pass	AV	10.60232G	42.41	54.00	-11.59	3	Vertical	47	1.50
5290MHz	Pass	AV	15.81384G	43.87	54.00	-10.13	3	Vertical	66	1.50
5290MHz	Pass	PK	10.58984G	53.39	68.20	-14.81	3	Vertical	47	1.50
5290MHz	Pass	PK	15.84576G	55.30	74.00	-18.70	3	Vertical	66	1.50
5290MHz	Pass	AV	10.63904G	42.42	54.00	-11.58	3	Horizontal	145	1.88
5290MHz	Pass	AV	15.81888G	43.92	54.00	-10.08	3	Horizontal	202.1	1.50
5290MHz	Pass	PK	10.60184G	53.99	74.00	-20.01	3	Horizontal	145	1.88
5290MHz	Pass	PK	15.84888G	55.42	74.00	-18.58	3	Horizontal	202.1	1.50
5530MHz	Pass	AV	5.35G	45.12	54.00	-8.88	3	Vertical	1	1.24
5530MHz	Pass	AV	5.447G	45.75	54.00	-8.25	3	Vertical	1	1.24





RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.552G	87.71	Inf	-Inf	3	Vertical	1	1.24
5530MHz	Pass	PK	5.289G	56.40	68.20	-11.80	3	Vertical	1	1.24
5530MHz	Pass	PK	5.441G	57.21	74.00	-16.79	3	Vertical	1	1.24
5530MHz	Pass	PK	5.461G	57.55	68.20	-10.65	3	Vertical	1	1.24
5530MHz	Pass	PK	5.55G	99.16	Inf	-Inf	3	Vertical	1	1.24
5530MHz	Pass	PK	5.737G	58.44	68.20	-9.76	3	Vertical	1	1.24
5530MHz	Pass	AV	5.35G	45.34	54.00	-8.66	3	Horizontal	357	1.50
5530MHz	Pass	AV	5.456G	45.99	54.00	-8.01	3	Horizontal	357	1.50
5530MHz	Pass	AV	5.554G	88.95	Inf	-Inf	3	Horizontal	357	1.50
5530MHz	Pass	PK	5.321G	56.64	68.20	-11.56	3	Horizontal	357	1.50
5530MHz	Pass	PK	5.434G	56.76	74.00	-17.24	3	Horizontal	357	1.50
5530MHz	Pass	PK	5.467G	56.29	68.20	-11.91	3	Horizontal	357	1.50
5530MHz	Pass	PK	5.553G	100.66	Inf	-Inf	3	Horizontal	357	1.50
5530MHz	Pass	PK	5.753G	59.15	68.20	-9.05	3	Horizontal	357	1.50
5530MHz	Pass	AV	11.05568G	42.90	54.00	-11.10	3	Vertical	360	1.50
5530MHz	Pass	PK	11.06888G	54.96	74.00	-19.04	3	Vertical	360	1.50
5530MHz	Pass	PK	16.5852G	56.69	68.20	-11.51	3	Vertical	59	1.50
5530MHz	Pass	AV	11.06336G	42.80	54.00	-11.20	3	Horizontal	254	1.19
5530MHz	Pass	PK	11.01608G	54.21	74.00	-19.79	3	Horizontal	254	1.19
5530MHz	Pass	PK	16.63872G	56.39	68.20	-11.81	3	Horizontal	302	1.50
5610MHz	Pass	AV	5.409G	45.41	54.00	-8.59	3	Vertical	14	2.01
5610MHz	Pass	AV	5.605G	88.13	Inf	-Inf	3	Vertical	14	2.01
5610MHz	Pass	PK	5.455G	57.16	74.00	-16.84	3	Vertical	14	2.01
5610MHz	Pass	PK	5.47G	56.37	68.20	-11.83	3	Vertical	14	2.01
5610MHz	Pass	PK	5.629G	99.06	Inf	-Inf	3	Vertical	14	2.01
5610MHz	Pass	PK	5.756G	59.07	68.20	-9.13	3	Vertical	14	2.01
5610MHz	Pass	AV	5.46G	45.57	54.00	-8.43	3	Horizontal	357	1.50
5610MHz	Pass	AV	5.599G	88.94	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.363G	56.85	74.00	-17.15	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.461G	56.37	68.20	-11.83	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.628G	100.23	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.814G	59.35	68.20	-8.85	3	Horizontal	357	1.50
5610MHz	Pass	AV	11.166G	42.56	54.00	-11.44	3	Vertical	252	1.99
5610MHz	Pass	PK	11.2464G	53.97	74.00	-20.03	3	Vertical	252	1.99
5610MHz	Pass	PK	16.87992G	56.81	68.20	-11.39	3	Vertical	271	2.92
5610MHz	Pass	AV	11.2092G	42.63	54.00	-11.37	3	Horizontal	253	2.18
5610MHz	Pass	PK	11.20344G	53.85	74.00	-20.15	3	Horizontal	253	2.18
5610MHz	Pass	PK	16.77024G	55.77	68.20	-12.43	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.455G	45.46	54.00	-8.54	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	88.18	Inf	-Inf	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.57	74.00	-17.43	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	55.60	68.20	-12.60	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	99.11	Inf	-Inf	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.905G	59.22	68.20	-8.98	3	Vertical	16	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.445G	45.46	54.00	-8.54	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.677G	90.39	Inf	-Inf	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.445G	56.56	74.00	-17.44	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	56.51	68.20	-11.69	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.675G	101.69	Inf	-Inf	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.853G	59.49	68.20	-8.71	3	Horizontal	7	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38128G	42.83	54.00	-11.17	3	Vertical	25	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3832G	53.52	74.00	-20.48	3	Vertical	25	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06768G	54.77	68.20	-13.43	3	Vertical	240	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39544G	42.77	54.00	-11.23	3	Horizontal	19	1.39
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37736G	51.22	74.00	-22.78	3	Horizontal	19	1.39
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05072G	53.93	68.20	-14.27	3	Horizontal	154	1.78
5775MHz	Pass	AV	5.7798G	88.01	Inf	-Inf	3	Vertical	8	1.94
5775MHz	Pass	PK	5.5518G	56.70	68.20	-11.50	3	Vertical	8	1.94
5775MHz	Pass	PK	5.7906G	98.58	Inf	-Inf	3	Vertical	8	1.94
5775MHz	Pass	PK	5.9454G	57.20	68.20	-11.00	3	Vertical	8	1.94
5775MHz	Pass	AV	5.7786G	89.22	Inf	-Inf	3	Horizontal	7	1.42
5775MHz	Pass	PK	5.5938G	56.68	68.20	-11.52	3	Horizontal	7	1.42



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	5.7918G	100.17	Inf	-Inf	3	Horizontal	7	1.42
5775MHz	Pass	PK	5.937G	57.42	68.20	-10.78	3	Horizontal	7	1.42
5775MHz	Pass	AV	11.49576G	42.84	54.00	-11.16	3	Vertical	129	1.50
5775MHz	Pass	PK	11.49768G	53.52	74.00	-20.48	3	Vertical	129	1.50
5775MHz	Pass	PK	17.3802G	56.83	68.20	-11.37	3	Vertical	346	1.00
5775MHz	Pass	AV	11.49168G	42.78	54.00	-11.22	3	Horizontal	48	1.50
5775MHz	Pass	PK	11.5104G	54.38	74.00	-19.62	3	Horizontal	48	1.50
5775MHz	Pass	PK	17.38452G	56.70	68.20	-11.50	3	Horizontal	253	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	48.16	54.00	-5.84	3	Vertical	358	1.50
5210MHz	Pass	AV	5.232G	89.92	Inf	-Inf	3	Vertical	358	1.50
5210MHz	Pass	AV	5.393G	46.81	54.00	-7.19	3	Vertical	358	1.50
5210MHz	Pass	PK	5.15G	58.16	74.00	-15.84	3	Vertical	358	1.50
5210MHz	Pass	PK	5.219G	101.52	Inf	-Inf	3	Vertical	358	1.50
5210MHz	Pass	PK	5.354G	57.10	74.00	-16.90	3	Vertical	358	1.50
5210MHz	Pass	AV	5.128G	52.27	54.00	-1.73	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.228G	95.63	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.393G	47.58	54.00	-6.42	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.142G	64.04	74.00	-9.96	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.199G	106.59	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.448G	58.30	74.00	-15.70	3	Horizontal	360	1.50
5210MHz	Pass	AV	15.62804G	43.47	54.00	-10.53	3	Vertical	249	1.60
5210MHz	Pass	PK	10.42334G	54.72	68.20	-13.48	3	Vertical	41	2.76
5210MHz	Pass	PK	15.62906G	55.30	74.00	-18.70	3	Vertical	249	1.60
5210MHz	Pass	AV	15.63004G	43.46	54.00	-10.54	3	Horizontal	243	1.24
5210MHz	Pass	PK	10.42026G	54.68	68.20	-13.52	3	Horizontal	119	3.00
5210MHz	Pass	PK	15.63198G	54.99	74.00	-19.01	3	Horizontal	243	1.24
5290MHz	Pass	AV	5.111G	46.81	54.00	-7.19	3	Vertical	360	1.50
5290MHz	Pass	AV	5.304G	90.65	Inf	-Inf	3	Vertical	360	1.50
5290MHz	Pass	AV	5.434G	46.80	54.00	-7.20	3	Vertical	360	1.50
5290MHz	Pass	PK	5.123G	58.03	74.00	-15.97	3	Vertical	360	1.50
5290MHz	Pass	PK	5.302G	101.71	Inf	-Inf	3	Vertical	360	1.50
5290MHz	Pass	PK	5.417G	57.73	74.00	-16.27	3	Vertical	360	1.50
5290MHz	Pass	PK	5.462G	58.40	68.20	-9.80	3	Vertical	360	1.50
5290MHz	Pass	AV	5.054G	46.95	54.00	-7.05	3	Horizontal	5	2.46
5290MHz	Pass	AV	5.275G	96.39	Inf	-Inf	3	Horizontal	5	2.46
5290MHz	Pass	AV	5.351G	48.88	54.00	-5.12	3	Horizontal	5	2.46
5290MHz	Pass	PK	5.057G	57.79	74.00	-16.21	3	Horizontal	5	2.46
5290MHz	Pass	PK	5.264G	106.51	Inf	-Inf	3	Horizontal	5	2.46
5290MHz	Pass	PK	5.396G	58.65	74.00	-15.35	3	Horizontal	5	2.46
5290MHz	Pass	PK	5.489G	58.28	68.20	-9.92	3	Horizontal	5	2.46
5290MHz	Pass	AV	15.86524G	42.92	54.00	-11.08	3	Vertical	123	1.03
5290MHz	Pass	PK	10.58282G	53.83	68.20	-14.37	3	Vertical	289	1.73
5290MHz	Pass	PK	15.87478G	54.22	74.00	-19.78	3	Vertical	123	1.03
5290MHz	Pass	AV	15.8654G	42.94	54.00	-11.06	3	Horizontal	46	1.28
5290MHz	Pass	PK	10.57924G	53.97	68.20	-14.23	3	Horizontal	328	2.75
5290MHz	Pass	PK	15.8699G	54.41	74.00	-19.59	3	Horizontal	46	1.28
5530MHz	Pass	AV	5.35G	46.06	54.00	-7.94	3	Vertical	0	1.32
5530MHz	Pass	AV	5.459G	50.69	54.00	-3.31	3	Vertical	0	1.32
5530MHz	Pass	AV	5.538G	95.25	Inf	-Inf	3	Vertical	0	1.32
5530MHz	Pass	PK	5.339G	57.10	68.20	-11.10	3	Vertical	0	1.32
5530MHz	Pass	PK	5.456G	60.62	74.00	-13.38	3	Vertical	0	1.32
5530MHz	Pass	PK	5.469G	62.82	68.20	-5.38	3	Vertical	0	1.32
5530MHz	Pass	PK	5.533G	106.62	Inf	-Inf	3	Vertical	0	1.32
5530MHz	Pass	PK	5.762G	60.92	68.20	-7.28	3	Vertical	0	1.32
5530MHz	Pass	AV	5.35G	46.79	54.00	-7.21	3	Horizontal	352	2.29
5530MHz	Pass	AV	5.459G	52.23	54.00	-1.77	3	Horizontal	352	2.29
5530MHz	Pass	AV	5.524G	98.13	Inf	-Inf	3	Horizontal	352	2.29
5530MHz	Pass	PK	5.287G	57.65	68.20	-10.55	3	Horizontal	352	2.29
5530MHz	Pass	PK	5.456G	64.71	74.00	-9.29	3	Horizontal	352	2.29
5530MHz	Pass	PK	5.469G	64.12	68.20	-4.08	3	Horizontal	352	2.29
5530MHz	Pass	PK	5.52G	109.16	Inf	-Inf	3	Horizontal	352	2.29



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.738G	62.03	68.20	-6.17	3	Horizontal	352	2.29
5530MHz	Pass	AV	11.06156G	42.18	54.00	-11.82	3	Vertical	56	1.88
5530MHz	Pass	PK	11.06406G	54.31	74.00	-19.69	3	Vertical	56	1.88
5530MHz	Pass	PK	16.58638G	55.47	68.20	-12.73	3	Vertical	88	1.90
5530MHz	Pass	AV	11.06088G	42.17	54.00	-11.83	3	Horizontal	130	2.57
5530MHz	Pass	PK	11.06274G	53.97	74.00	-20.03	3	Horizontal	130	2.57
5530MHz	Pass	PK	16.59484G	56.41	68.20	-11.79	3	Horizontal	268	2.87
5610MHz	Pass	AV	5.441G	47.26	54.00	-6.74	3	Vertical	0	1.26
5610MHz	Pass	AV	5.625G	97.60	Inf	-Inf	3	Vertical	0	1.26
5610MHz	Pass	PK	5.456G	57.54	74.00	-16.46	3	Vertical	0	1.26
5610MHz	Pass	PK	5.47G	57.51	68.20	-10.69	3	Vertical	0	1.26
5610MHz	Pass	PK	5.586G	109.20	Inf	-Inf	3	Vertical	0	1.26
5610MHz	Pass	PK	5.751G	63.75	68.20	-4.45	3	Vertical	0	1.26
5610MHz	Pass	AV	5.455G	48.21	54.00	-5.79	3	Horizontal	0	2.97
5610MHz	Pass	AV	5.633G	99.65	Inf	-Inf	3	Horizontal	0	2.97
5610MHz	Pass	PK	5.454G	58.95	74.00	-15.05	3	Horizontal	0	2.97
5610MHz	Pass	PK	5.468G	58.57	68.20	-9.63	3	Horizontal	0	2.97
5610MHz	Pass	PK	5.632G	110.23	Inf	-Inf	3	Horizontal	0	2.97
5610MHz	Pass	PK	5.726G	65.37	68.20	-2.83	3	Horizontal	0	2.97
5610MHz	Pass	AV	11.216G	41.81	54.00	-12.19	3	Vertical	193	1.16
5610MHz	Pass	PK	11.22114G	53.67	74.00	-20.33	3	Vertical	193	1.16
5610MHz	Pass	PK	16.82576G	56.44	68.20	-11.76	3	Vertical	140	1.83
5610MHz	Pass	AV	11.21766G	41.82	54.00	-12.18	3	Horizontal	9	2.43
5610MHz	Pass	PK	11.21538G	54.26	74.00	-19.74	3	Horizontal	9	2.43
5610MHz	Pass	PK	16.82548G	55.71	68.20	-12.49	3	Horizontal	305	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.17	54.00	-7.83	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	99.01	Inf	-Inf	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3924G	56.64	74.00	-17.36	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.88	68.20	-11.32	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	109.33	Inf	-Inf	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	61.23	68.20	-6.97	3	Vertical	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	46.81	54.00	-7.19	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	100.89	Inf	-Inf	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	57.77	74.00	-16.23	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.54	68.20	-10.66	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	111.72	Inf	-Inf	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.882G	61.24	68.20	-6.96	3	Horizontal	353	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38484G	41.82	54.00	-12.18	3	Vertical	20	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38108G	54.11	74.00	-19.89	3	Vertical	20	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06648G	55.63	68.20	-12.57	3	Vertical	274	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.385G	41.86	54.00	-12.14	3	Horizontal	162	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37778G	54.24	74.00	-19.76	3	Horizontal	162	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07104G	55.80	68.20	-12.40	3	Horizontal	144	1.49
5775MHz	Pass	AV	5.7678G	95.12	Inf	-Inf	3	Vertical	352	1.22
5775MHz	Pass	PK	5.6166G	57.12	68.20	-11.08	3	Vertical	352	1.22
5775MHz	Pass	PK	5.7678G	105.08	Inf	-Inf	3	Vertical	352	1.22
5775MHz	Pass	PK	5.9298G	58.96	68.20	-9.24	3	Vertical	352	1.22
5775MHz	Pass	AV	5.757G	96.52	Inf	-Inf	3	Horizontal	351	2.96
5775MHz	Pass	PK	5.613G	57.67	68.20	-10.53	3	Horizontal	351	2.96
5775MHz	Pass	PK	5.7606G	107.39	Inf	-Inf	3	Horizontal	351	2.96
5775MHz	Pass	PK	5.9418G	58.72	68.20	-9.48	3	Horizontal	351	2.96
5775MHz	Pass	AV	11.54562G	41.80	54.00	-12.20	3	Vertical	159	1.09
5775MHz	Pass	PK	11.54538G	54.62	74.00	-19.38	3	Vertical	159	1.09
5775MHz	Pass	PK	17.32558G	56.24	68.20	-11.96	3	Vertical	306	2.42
5775MHz	Pass	AV	11.54512G	41.78	54.00	-12.22	3	Horizontal	249	2.19
5775MHz	Pass	PK	11.555G	54.17	74.00	-19.83	3	Horizontal	249	2.19
5775MHz	Pass	PK	17.32438G	56.25	68.20	-11.95	3	Horizontal	29	1.03
802.11ax HEW160_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	46.83	54.00	-7.17	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2092G	82.91	Inf	-Inf	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4084G	45.50	54.00	-8.50	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	59.20	74.00	-14.80	3	Vertical	94	2.73



RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2116G	94.15	Inf	-Inf	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3976G	57.35	74.00	-16.65	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5176G	56.59	68.20	-11.61	3	Vertical	94	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.30	54.00	-5.70	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2824G	87.55	Inf	-Inf	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4G	47.83	54.00	-6.17	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	59.46	74.00	-14.54	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2848G	98.71	Inf	-Inf	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4036G	61.39	74.00	-12.61	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	57.22	68.20	-10.98	3	Horizontal	6	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77912G	42.54	54.00	-11.46	3	Vertical	249	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.47056G	53.35	68.20	-14.85	3	Vertical	114	2.25
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78104G	53.94	74.00	-20.06	3	Vertical	249	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7788G	42.55	54.00	-11.45	3	Horizontal	23	2.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48416G	53.28	68.20	-14.92	3	Horizontal	276	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74568G	54.59	74.00	-19.41	3	Horizontal	23	2.76
5570MHz	Pass	AV	5.4596G	48.70	54.00	-5.30	3	Vertical	347	2.59
5570MHz	Pass	AV	5.6G	84.14	Inf	-Inf	3	Vertical	347	2.59
5570MHz	Pass	PK	5.2916G	56.79	68.20	-11.41	3	Vertical	347	2.59
5570MHz	Pass	PK	5.4584G	60.03	74.00	-13.97	3	Vertical	347	2.59
5570MHz	Pass	PK	5.4608G	61.41	68.20	-6.79	3	Vertical	347	2.59
5570MHz	Pass	PK	5.6G	95.00	Inf	-Inf	3	Vertical	347	2.59
5570MHz	Pass	PK	5.7368G	60.14	68.20	-8.06	3	Vertical	347	2.59
5570MHz	Pass	AV	5.4584G	52.05	54.00	-1.95	3	Horizontal	357	1.49
5570MHz	Pass	AV	5.5964G	87.41	Inf	-Inf	3	Horizontal	357	1.49
5570MHz	Pass	PK	5.2784G	57.81	68.20	-10.39	3	Horizontal	357	1.49
5570MHz	Pass	PK	5.4548G	63.76	74.00	-10.24	3	Horizontal	357	1.49
5570MHz	Pass	PK	5.4668G	64.19	68.20	-4.01	3	Horizontal	357	1.49
5570MHz	Pass	PK	5.6072G	98.87	Inf	-Inf	3	Horizontal	357	1.49
5570MHz	Pass	PK	5.7296G	61.46	68.20	-6.74	3	Horizontal	357	1.49
5570MHz	Pass	AV	11.14708G	42.11	54.00	-11.89	3	Vertical	6	2.55
5570MHz	Pass	PK	11.13636G	53.55	74.00	-20.45	3	Vertical	6	2.55
5570MHz	Pass	PK	16.71512G	55.57	68.20	-12.63	3	Vertical	84	2.77
5570MHz	Pass	AV	11.14536G	41.95	54.00	-12.05	3	Horizontal	357	2.43
5570MHz	Pass	PK	11.1304G	55.11	74.00	-18.89	3	Horizontal	357	2.43
5570MHz	Pass	PK	16.70164G	55.68	68.20	-12.52	3	Horizontal	269	2.97
802.11ax HEW160_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0544G	45.92	54.00	-8.08	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.298G	82.67	Inf	-Inf	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3928G	46.18	54.00	-7.82	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0412G	58.14	74.00	-15.86	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3028G	93.59	Inf	-Inf	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3916G	58.39	74.00	-15.61	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5284G	56.82	68.20	-11.38	3	Vertical	2	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	47.14	54.00	-6.86	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1984G	86.65	Inf	-Inf	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3868G	47.24	54.00	-6.76	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.07G	58.72	74.00	-15.28	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1984G	98.24	Inf	-Inf	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3988G	59.69	74.00	-14.31	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5032G	56.98	68.20	-11.22	3	Horizontal	360	1.53
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.778G	42.59	54.00	-11.41	3	Vertical	50	1.77
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52608G	53.65	68.20	-14.55	3	Vertical	73	1.63
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78712G	54.86	74.00	-19.14	3	Vertical	50	1.77
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77752G	42.56	54.00	-11.44	3	Horizontal	312	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52832G	53.43	68.20	-14.77	3	Horizontal	296	1.29
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7692G	54.38	74.00	-19.62	3	Horizontal	312	2.05
5570MHz	Pass	AV	5.3888G	45.49	54.00	-8.51	3	Vertical	11	1.23
5570MHz	Pass	AV	5.6228G	86.02	Inf	-Inf	3	Vertical	11	1.23
5570MHz	Pass	PK	5.3144G	56.93	68.20	-11.27	3	Vertical	11	1.23
5570MHz	Pass	PK	5.372G	58.21	74.00	-15.79	3	Vertical	11	1.23
5570MHz	Pass	PK	5.4692G	56.98	68.20	-11.22	3	Vertical	11	1.23




RSE TX above 1GHz\_Full RU\_5150-5850(MHz)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.5688G	97.26	Inf	-Inf	3	Vertical	11	1.23
5570MHz	Pass	PK	5.7392G	64.63	68.20	-3.57	3	Vertical	11	1.23
5570MHz	Pass	AV	5.3528G	46.43	54.00	-7.57	3	Horizontal	7	1.50
5570MHz	Pass	AV	5.5988G	87.12	Inf	-Inf	3	Horizontal	7	1.50
5570MHz	Pass	PK	5.306G	59.47	68.20	-8.73	3	Horizontal	7	1.50
5570MHz	Pass	PK	5.4476G	60.30	74.00	-13.70	3	Horizontal	7	1.50
5570MHz	Pass	PK	5.4608G	56.75	68.20	-11.45	3	Horizontal	7	1.50
5570MHz	Pass	PK	5.5976G	98.80	Inf	-Inf	3	Horizontal	7	1.50
5570MHz	Pass	PK	5.7296G	64.23	68.20	-3.97	3	Horizontal	7	1.50
5570MHz	Pass	AV	11.14508G	41.95	54.00	-12.05	3	Vertical	0	2.97
5570MHz	Pass	PK	11.14004G	53.16	74.00	-20.84	3	Vertical	0	2.97
5570MHz	Pass	PK	16.70732G	56.24	68.20	-11.96	3	Vertical	171	1.07
5570MHz	Pass	AV	11.1432G	41.94	54.00	-12.06	3	Horizontal	256	1.52
5570MHz	Pass	PK	11.13136G	53.80	74.00	-20.20	3	Horizontal	256	1.52
5570MHz	Pass	PK	16.70092G	55.63	68.20	-12.57	3	Horizontal	143	2.31
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	43.75	54.00	-10.25	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2968G	80.91	Inf	-Inf	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	48.96	54.00	-5.04	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	56.55	74.00	-17.45	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3028G	93.82	Inf	-Inf	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	64.28	74.00	-9.72	3	Vertical	5	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.34	54.00	-5.66	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2692G	86.35	Inf	-Inf	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	51.79	54.00	-2.21	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1264G	62.14	74.00	-11.86	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.238G	99.86	Inf	-Inf	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	66.88	74.00	-7.12	3	Horizontal	9	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77992G	42.54	54.00	-11.46	3	Vertical	232	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53376G	53.15	68.20	-15.05	3	Vertical	183	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75192G	53.46	74.00	-20.54	3	Vertical	232	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77832G	42.59	54.00	-11.41	3	Horizontal	241	1.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4696G	52.83	68.20	-15.37	3	Horizontal	52	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74744G	54.10	74.00	-19.90	3	Horizontal	241	1.93
5570MHz	Pass	AV	5.4596G	46.51	54.00	-7.49	3	Vertical	0	1.48
5570MHz	Pass	AV	5.5604G	81.12	Inf	-Inf	3	Vertical	0	1.48
5570MHz	Pass	PK	5.4692G	60.70	68.20	-7.50	3	Vertical	0	1.48
5570MHz	Pass	PK	5.5604G	95.91	Inf	-Inf	3	Vertical	0	1.48
5570MHz	Pass	PK	5.7596G	59.03	68.20	-9.17	3	Vertical	0	1.48
5570MHz	Pass	AV	5.4596G	48.10	54.00	-5.90	3	Horizontal	0	2.97
5570MHz	Pass	AV	5.5892G	83.80	Inf	-Inf	3	Horizontal	0	2.97
5570MHz	Pass	PK	5.4632G	64.97	68.20	-3.23	3	Horizontal	0	2.97
5570MHz	Pass	PK	5.522G	97.61	Inf	-Inf	3	Horizontal	0	2.97
5570MHz	Pass	PK	5.7488G	59.35	68.20	-8.85	3	Horizontal	0	2.97
5570MHz	Pass	AV	11.1388G	41.89	54.00	-12.11	3	Vertical	197	1.74
5570MHz	Pass	PK	11.14296G	54.09	74.00	-19.91	3	Vertical	197	1.74
5570MHz	Pass	PK	16.70862G	55.72	68.20	-12.48	3	Vertical	44	2.81
5570MHz	Pass	AV	11.13712G	41.86	54.00	-12.14	3	Horizontal	170	2.85
5570MHz	Pass	PK	11.14224G	55.03	74.00	-18.97	3	Horizontal	170	2.85
5570MHz	Pass	PK	16.70818G	56.08	68.20	-12.12	3	Horizontal	288	2.01

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.04	54.00	-5.96	5.81	3	Vertical	95	2.36	42.23	33.10	6.85	34.14
AV	5.184G	90.41	Inf	-Inf	5.85	3	Vertical	95	2.36	84.56	33.10	6.89	34.14
PK	5.1492G	63.02	74.00	-10.98	5.81	3	Vertical	95	2.36	57.21	33.10	6.85	34.14
PK	5.1836G	102.13	Inf	-Inf	5.85	3	Vertical	95	2.36	96.28	33.10	6.89	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.68	54.00	-2.32	5.81	3	Horizontal	22	1.50	45.87	33.10	6.85	34.14
AV	5.1814G	93.69	Inf	-Inf	5.85	3	Horizontal	22	1.50	87.84	33.10	6.89	34.14
PK	5.1474G	67.59	74.00	-6.41	5.81	3	Horizontal	22	1.50	61.78	33.10	6.85	34.14
PK	5.1814G	105.55	Inf	-Inf	5.85	3	Horizontal	22	1.50	99.70	33.10	6.89	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54458G	43.43	54.00	-10.57	13.30	3	Vertical	174	2.47	30.13	38.41	9.80	34.91
PK	10.35618G	52.96	68.20	-15.24	12.12	3	Vertical	46	1.72	40.84	38.97	8.02	34.87
PK	15.53906G	54.47	74.00	-19.53	13.30	3	Vertical	174	2.47	41.17	38.42	9.79	34.91

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54256G	43.43	54.00	-10.57	13.30	3	Horizontal	142	1.72	30.13	38.41	9.80	34.91
PK	10.35938G	53.70	68.20	-14.50	12.14	3	Horizontal	320	2.44	41.56	38.98	8.02	34.86
PK	15.54344G	55.21	74.00	-18.79	13.30	3	Horizontal	142	1.72	41.91	38.41	9.80	34.91

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.45	54.00	-6.55	4.24	3	Vertical	93	2.38	43.21	33.00	5.86	34.62
AV	5.2028G	98.92	Inf	-Inf	4.37	3	Vertical	93	2.38	94.55	33.10	5.88	34.61
PK	5.1496G	60.32	74.00	-13.68	4.24	3	Vertical	93	2.38	56.08	33.00	5.86	34.62
PK	5.2024G	107.63	Inf	-Inf	4.37	3	Vertical	93	2.38	103.26	33.10	5.88	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.23	54.00	-4.77	4.24	3	Horizontal	1	2.44	44.99	33.00	5.86	34.62
AV	5.204G	102.82	Inf	-Inf	4.37	3	Horizontal	1	2.44	98.45	33.10	5.88	34.61
PK	5.1452G	61.36	74.00	-12.64	4.24	3	Horizontal	1	2.44	57.12	33.00	5.86	34.62
PK	5.2012G	111.82	Inf	-Inf	4.37	3	Horizontal	1	2.44	107.45	33.10	5.88	34.61



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62944G	43.54	54.00	-10.46	12.99	3	Vertical	221	1.00	30.55	38.15	9.82	34.98
PK	10.42544G	54.10	68.20	-14.10	12.30	3	Vertical	114	2.59	41.80	39.05	8.05	34.80
PK	15.62896G	55.62	74.00	-18.38	13.00	3	Vertical	221	1.00	42.62	38.16	9.82	34.98

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.628G	43.49	54.00	-10.51	13.01	3	Horizontal	248	1.31	30.48	38.16	9.82	34.97
PK	10.4048G	54.54	68.20	-13.66	12.31	3	Horizontal	36	1.50	42.23	39.09	8.04	34.82
PK	15.56208G	55.60	74.00	-18.40	13.25	3	Horizontal	248	1.31	42.35	38.38	9.80	34.93

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0996G	46.06	54.00	-7.94	4.21	3	Vertical	91	2.54	41.85	33.00	5.83	34.62
AV	5.2358G	98.30	Inf	-Inf	4.40	3	Vertical	91	2.54	93.90	33.10	5.90	34.60
AV	5.3732G	45.10	54.00	-8.90	4.35	3	Vertical	91	2.54	40.75	32.95	5.98	34.58
PK	5.1314G	57.47	74.00	-16.53	4.23	3	Vertical	91	2.54	53.24	33.00	5.85	34.62
PK	5.2376G	106.88	Inf	-Inf	4.40	3	Vertical	91	2.54	102.48	33.10	5.90	34.60
PK	5.3636G	56.41	74.00	-17.59	4.32	3	Vertical	91	2.54	52.09	32.93	5.97	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.33	54.00	-7.67	4.24	3	Horizontal	2	2.41	42.09	33.00	5.86	34.62
AV	5.2376G	103.23	Inf	-Inf	4.40	3	Horizontal	2	2.41	98.83	33.10	5.90	34.60
AV	5.3888G	46.27	54.00	-7.73	4.38	3	Horizontal	2	2.41	41.89	32.98	5.98	34.58
PK	5.0978G	58.03	74.00	-15.97	4.22	3	Horizontal	2	2.41	53.81	33.01	5.83	34.62
PK	5.237G	111.98	Inf	-Inf	4.40	3	Horizontal	2	2.41	107.58	33.10	5.90	34.60
PK	5.3594G	58.12	74.00	-15.88	4.31	3	Horizontal	2	2.41	53.81	32.92	5.97	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72588G	37.07	54.00	-16.93	12.37	3	Vertical	338	1.91	24.70	37.85	9.57	35.05
PK	10.47416G	51.44	68.20	-16.76	12.20	3	Vertical	47	1.50	39.24	38.95	8.00	34.75
PK	15.71948G	53.19	74.00	-20.81	12.37	3	Vertical	338	1.91	40.82	37.84	9.57	35.04

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72016G	42.41	54.00	-11.59	12.37	3	Horizontal	345	2.34	30.04	37.84	9.57	35.04
PK	10.48116G	53.77	68.20	-14.43	12.20	3	Horizontal	12	3.00	41.57	38.94	8.00	34.74
PK	15.71068G	54.36	74.00	-19.64	12.34	3	Horizontal	345	2.34	42.02	37.82	9.56	35.04

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1124G	45.98	54.00	-8.02	4.22	3	Vertical	99	2.57	41.76	33.00	5.84	34.62
AV	5.2564G	97.96	Inf	-Inf	4.40	3	Vertical	99	2.57	93.56	33.09	5.91	34.60
AV	5.4016G	45.26	54.00	-8.74	4.41	3	Vertical	99	2.57	40.85	33.00	5.99	34.58
PK	5.143G	56.95	74.00	-17.05	4.23	3	Vertical	99	2.57	52.72	33.00	5.85	34.62
PK	5.2558G	106.17	Inf	-Inf	4.40	3	Vertical	99	2.57	101.77	33.09	5.91	34.60
PK	5.3998G	56.44	74.00	-17.56	4.41	3	Vertical	99	2.57	52.03	33.00	5.99	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.27	54.00	-7.73	4.24	3	Horizontal	4	2.52	42.03	33.00	5.86	34.62
AV	5.263G	102.63	Inf	-Inf	4.38	3	Horizontal	4	2.52	98.25	33.07	5.91	34.60
AV	5.4046G	46.49	54.00	-7.51	4.40	3	Horizontal	4	2.52	42.09	32.99	5.99	34.58
PK	5.1496G	58.56	74.00	-15.44	4.24	3	Horizontal	4	2.52	54.32	33.00	5.86	34.62
PK	5.2558G	111.12	Inf	-Inf	4.40	3	Horizontal	4	2.52	106.72	33.09	5.91	34.60
PK	5.4088G	58.39	74.00	-15.61	4.40	3	Horizontal	4	2.52	53.99	32.98	5.99	34.57

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78132G	43.53	54.00	-10.47	12.74	3	Vertical	48	1.50	30.79	37.96	9.87	35.09
PK	10.52528G	54.15	68.20	-14.05	12.33	3	Vertical	291	1.50	41.82	38.95	8.09	34.71
PK	15.76842G	55.15	74.00	-18.85	12.73	3	Vertical	48	1.50	42.42	37.94	9.87	35.08

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78288G	43.51	54.00	-10.49	12.75	3	Horizontal	235	1.50	30.76	37.97	9.87	35.09
PK	10.52618G	54.68	68.20	-13.52	12.33	3	Horizontal	359	1.50	42.35	38.95	8.09	34.71
PK	15.76692G	56.34	74.00	-17.66	12.72	3	Horizontal	235	1.50	43.62	37.93	9.87	35.08

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	97.14	Inf	-Inf	4.34	3	Vertical	340	1.53	92.80	33.00	5.93	34.59
AV	5.4G	45.55	54.00	-8.45	4.41	3	Vertical	340	1.53	41.14	33.00	5.99	34.58
PK	5.2988G	105.51	Inf	-Inf	4.34	3	Vertical	340	1.53	101.17	33.00	5.93	34.59
PK	5.3776G	56.99	74.00	-17.01	4.36	3	Vertical	340	1.53	52.63	32.96	5.98	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	102.40	Inf	-Inf	4.34	3	Horizontal	3	1.61	98.06	33.00	5.93	34.59
AV	5.4G	46.48	54.00	-7.52	4.41	3	Horizontal	3	1.61	42.07	33.00	5.99	34.58
PK	5.2964G	111.36	Inf	-Inf	4.35	3	Horizontal	3	1.61	107.01	33.01	5.93	34.59
PK	5.3612G	57.84	74.00	-16.16	4.31	3	Horizontal	3	1.61	53.53	32.92	5.97	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60306G	42.20	54.00	-11.80	12.53	3	Vertical	173	1.42	29.67	39.10	8.12	34.69
AV	15.89586G	43.12	54.00	-10.88	12.45	3	Vertical	32	1.46	30.67	37.71	9.91	35.17
PK	10.59676G	54.75	68.20	-13.45	12.52	3	Vertical	173	1.42	42.23	39.09	8.12	34.69
PK	15.8925G	54.85	74.00	-19.15	12.46	3	Vertical	32	1.46	42.39	37.72	9.91	35.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60372G	42.18	54.00	-11.82	12.53	3	Horizontal	248	1.50	29.65	39.10	8.12	34.69
AV	15.89244G	43.11	54.00	-10.89	12.46	3	Horizontal	4	2.94	30.65	37.72	9.91	35.17
PK	10.6033G	54.32	74.00	-19.68	12.53	3	Horizontal	248	1.50	41.79	39.10	8.12	34.69
PK	15.89226G	55.36	74.00	-18.64	12.46	3	Horizontal	4	2.94	42.90	37.72	9.91	35.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	90.47	Inf	-Inf	5.70	3	Vertical	354	2.00	84.77	32.96	6.90	34.16
AV	5.35G	48.86	54.00	-5.14	5.63	3	Vertical	354	2.00	43.23	32.90	6.89	34.16
PK	5.3176G	102.00	Inf	-Inf	5.70	3	Vertical	354	2.00	96.30	32.96	6.90	34.16
PK	5.3502G	63.95	74.00	-10.05	5.63	3	Vertical	354	2.00	58.32	32.90	6.89	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	93.77	Inf	-Inf	5.69	3	Horizontal	12	2.29	88.08	32.95	6.90	34.16
AV	5.35G	51.50	54.00	-2.50	5.63	3	Horizontal	12	2.29	45.87	32.90	6.89	34.16
PK	5.3214G	105.34	Inf	-Inf	5.70	3	Horizontal	12	2.29	99.64	32.96	6.90	34.16
PK	5.3552G	66.14	74.00	-7.86	5.63	3	Horizontal	12	2.29	60.51	32.90	6.89	34.16



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63986G	41.85	54.00	-12.15	12.60	3	Vertical	301	2.06	29.25	39.14	8.14	34.68
AV	15.96144G	42.92	54.00	-11.08	12.29	3	Vertical	245	1.22	30.63	37.58	9.93	35.22
PK	10.64084G	53.54	74.00	-20.46	12.60	3	Vertical	301	2.06	40.94	39.14	8.14	34.68
PK	15.95598G	54.87	74.00	-19.13	12.30	3	Vertical	245	1.22	42.57	37.59	9.93	35.22

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64154G	41.85	54.00	-12.15	12.60	3	Horizontal	262	2.57	29.25	39.14	8.14	34.68
AV	15.96198G	42.92	54.00	-11.08	12.29	3	Horizontal	29	2.19	30.63	37.58	9.93	35.22
PK	10.6388G	54.56	74.00	-19.44	12.60	3	Horizontal	262	2.57	41.96	39.14	8.14	34.68
PK	15.96398G	54.74	74.00	-19.26	12.28	3	Horizontal	29	2.19	42.46	37.57	9.93	35.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.40	54.00	-9.60	5.71	3	Vertical	357	1.97	38.69	32.90	6.99	34.18
AV	5.497G	94.11	Inf	-Inf	5.77	3	Vertical	357	1.97	88.34	32.90	7.05	34.18
PK	5.4594G	57.89	74.00	-16.11	5.71	3	Vertical	357	1.97	52.18	32.90	6.99	34.18
PK	5.469G	63.96	68.20	-4.24	5.72	3	Vertical	357	1.97	58.24	32.90	7.00	34.18
PK	5.4958G	105.54	Inf	-Inf	5.76	3	Vertical	357	1.97	99.78	32.90	7.04	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.43	54.00	-9.57	5.71	3	Horizontal	3	1.56	38.72	32.90	6.99	34.18
AV	5.4972G	94.63	Inf	-Inf	5.77	3	Horizontal	3	1.56	88.86	32.90	7.05	34.18
PK	5.4698G	65.39	68.20	-2.81	5.72	3	Horizontal	3	1.56	59.67	32.90	7.00	34.18
PK	5.4966G	106.58	Inf	-Inf	5.76	3	Horizontal	3	1.56	100.82	32.90	7.04	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00322G	42.13	54.00	-11.87	12.61	3	Vertical	127	1.57	29.52	38.90	8.29	34.58
PK	11.00478G	53.89	74.00	-20.11	12.61	3	Vertical	127	1.57	41.28	38.90	8.29	34.58
PK	16.49584G	56.08	68.20	-12.12	13.68	3	Vertical	125	2.70	42.40	38.38	10.06	34.76

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00356G	42.11	54.00	-11.89	12.61	3	Horizontal	310	1.32	29.50	38.90	8.29	34.58
PK	11.0028G	54.07	74.00	-19.93	12.61	3	Horizontal	310	1.32	41.46	38.90	8.29	34.58
PK	16.49886G	56.10	68.20	-12.10	13.69	3	Horizontal	242	1.61	42.41	38.39	10.06	34.76

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.439G	45.57	54.00	-8.43	4.35	3	Vertical	350	1.33	41.22	32.92	6.00	34.57
AV	5.5818G	99.51	Inf	-Inf	4.36	3	Vertical	350	1.33	95.15	32.86	6.05	34.55
PK	5.4612G	56.85	68.20	-11.35	4.32	3	Vertical	350	1.33	52.53	32.88	6.01	34.57
PK	5.5824G	107.87	Inf	-Inf	4.36	3	Vertical	350	1.33	103.51	32.86	6.05	34.55
PK	5.7294G	58.55	68.20	-9.65	5.19	3	Vertical	350	1.33	53.36	33.58	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4336G	46.09	54.00	-7.91	4.36	3	Horizontal	355	1.50	41.73	32.93	6.00	34.57
AV	5.583G	101.06	Inf	-Inf	4.37	3	Horizontal	355	1.50	96.69	32.87	6.05	34.55
PK	5.4696G	57.03	68.20	-11.17	4.31	3	Horizontal	355	1.50	52.72	32.86	6.01	34.56
PK	5.5824G	110.54	Inf	-Inf	4.36	3	Horizontal	355	1.50	106.18	32.86	6.05	34.55
PK	5.7282G	58.74	68.20	-9.46	5.18	3	Horizontal	355	1.50	53.56	33.57	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16882G	42.47	54.00	-11.53	12.65	3	Vertical	42	1.50	29.82	38.87	8.36	34.58
PK	11.16288G	54.36	74.00	-19.64	12.64	3	Vertical	42	1.50	41.72	38.86	8.36	34.58
PK	16.74174G	56.54	68.20	-11.66	13.62	3	Vertical	31	1.45	42.92	37.96	10.11	34.45

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15556G	42.42	54.00	-11.58	12.64	3	Horizontal	135	1.50	29.78	38.86	8.36	34.58
PK	11.1726G	54.51	74.00	-19.49	12.65	3	Horizontal	135	1.50	41.86	38.87	8.36	34.58
PK	16.73976G	57.79	68.20	-10.41	13.62	3	Horizontal	60	1.41	44.17	37.96	10.11	34.45

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	96.33	Inf	-Inf	6.67	3	Vertical	360	2.46	89.66	33.61	7.26	34.20
PK	5.7032G	107.86	Inf	-Inf	6.67	3	Vertical	360	2.46	101.19	33.61	7.26	34.20
PK	5.7252G	63.57	68.20	-4.63	6.77	3	Vertical	360	2.46	56.80	33.70	7.27	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	96.62	Inf	-Inf	6.68	3	Horizontal	0	1.43	89.94	33.62	7.26	34.20
PK	5.704G	108.16	Inf	-Inf	6.68	3	Horizontal	0	1.43	101.48	33.62	7.26	34.20
PK	5.7252G	64.61	68.20	-3.59	6.77	3	Horizontal	0	1.43	57.84	33.70	7.27	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39752G	42.14	54.00	-11.86	12.99	3	Vertical	278	2.99	29.15	39.10	8.46	34.57
PK	11.40288G	54.50	74.00	-19.50	12.99	3	Vertical	278	2.99	41.51	39.10	8.46	34.57
PK	17.1009G	55.76	68.20	-12.44	13.82	3	Vertical	90	1.30	41.94	37.80	10.20	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40462G	42.14	54.00	-11.86	12.99	3	Horizontal	350	1.54	29.15	39.10	8.46	34.57
PK	11.39854G	53.86	74.00	-20.14	12.99	3	Horizontal	350	1.54	40.87	39.10	8.46	34.57
PK	17.10498G	56.74	68.20	-11.46	13.84	3	Horizontal	252	2.56	42.90	37.82	10.20	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.724G	100.43	Inf	-Inf	5.15	3	Vertical	350	1.38	95.28	33.54	6.15	34.54
PK	5.717G	108.74	Inf	-Inf	5.10	3	Vertical	350	1.38	103.64	33.50	6.14	34.54
PK	5.884G	58.99	68.20	-9.21	5.85	3	Vertical	350	1.38	53.14	34.14	6.24	34.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	101.96	Inf	-Inf	5.15	3	Horizontal	8	2.96	96.81	33.54	6.15	34.54
PK	5.719G	110.34	Inf	-Inf	5.11	3	Horizontal	8	2.96	105.23	33.51	6.14	34.54
PK	5.863G	60.27	68.20	-7.93	5.75	3	Horizontal	8	2.96	54.52	34.05	6.23	34.53



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43736G	42.75	54.00	-11.25	12.96	3	Vertical	346	2.33	29.79	39.06	8.47	34.57
PK	11.42842G	54.99	74.00	-19.01	12.97	3	Vertical	346	2.33	42.02	39.07	8.47	34.57
PK	17.16348G	56.69	68.20	-11.51	14.04	3	Vertical	344	1.50	42.65	38.05	10.21	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	42.51	54.00	-11.49	12.96	3	Horizontal	294	2.01	29.55	39.06	8.47	34.57
PK	11.43742G	55.26	74.00	-18.74	12.96	3	Horizontal	294	2.01	42.30	39.06	8.47	34.57
PK	17.15874G	57.03	68.20	-11.17	14.02	3	Horizontal	210	1.06	43.01	38.03	10.21	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	44.91	54.00	-9.09	4.32	3	Vertical	349	1.28	40.59	32.88	6.01	34.57
AV	5.7498G	101.24	Inf	-Inf	5.32	3	Vertical	349	1.28	95.92	33.70	6.16	34.54
PK	5.6202G	56.88	68.20	-11.32	4.46	3	Vertical	349	1.28	52.42	32.94	6.07	34.55
PK	5.7486G	109.70	Inf	-Inf	5.31	3	Vertical	349	1.28	104.39	33.69	6.16	34.54
PK	5.925G	58.74	68.20	-9.46	5.93	3	Vertical	349	1.28	52.81	34.20	6.26	34.53

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	45.00	54.00	-9.00	4.35	3	Horizontal	353	1.42	40.65	32.91	6.01	34.57
AV	5.7486G	102.69	Inf	-Inf	5.31	3	Horizontal	353	1.42	97.38	33.69	6.16	34.54
PK	5.6022G	57.37	68.20	-10.83	4.41	3	Horizontal	353	1.42	52.96	32.90	6.06	34.55
PK	5.7486G	110.71	Inf	-Inf	5.31	3	Horizontal	353	1.42	105.40	33.69	6.16	34.54
PK	5.9826G	59.48	68.20	-8.72	5.90	3	Horizontal	353	1.42	53.58	34.13	6.29	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48968G	42.72	54.00	-11.28	12.94	3	Vertical	337	1.99	29.78	39.01	8.50	34.57
PK	11.49082G	55.07	74.00	-18.93	12.94	3	Vertical	337	1.99	42.13	39.01	8.50	34.57
PK	17.23026G	56.88	68.20	-11.32	14.17	3	Vertical	3	1.03	42.71	38.20	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49072G	42.17	54.00	-11.83	12.94	3	Horizontal	345	1.50	29.23	39.01	8.50	34.57
PK	11.49252G	54.64	74.00	-19.36	12.94	3	Horizontal	345	1.50	41.70	39.01	8.50	34.57
PK	17.23866G	57.04	68.20	-11.16	14.17	3	Horizontal	44	1.52	42.87	38.20	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	100.89	Inf	-Inf	5.51	3	Vertical	348	1.34	95.38	33.86	6.19	34.54
PK	5.575G	57.42	68.20	-10.78	4.35	3	Vertical	348	1.34	53.07	32.85	6.05	34.55
PK	5.7826G	109.09	Inf	-Inf	5.48	3	Vertical	348	1.34	103.61	33.83	6.19	34.54
PK	6.0202G	58.65	68.20	-9.55	5.88	3	Vertical	348	1.34	52.77	34.10	6.30	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	102.09	Inf	-Inf	5.50	3	Horizontal	353	1.44	96.59	33.85	6.19	34.54
PK	5.5894G	57.24	68.20	-10.96	4.39	3	Horizontal	353	1.44	52.85	32.88	6.06	34.55
PK	5.7874G	111.18	Inf	-Inf	5.50	3	Horizontal	353	1.44	105.68	33.85	6.19	34.54
PK	5.9386G	58.73	68.20	-9.47	5.95	3	Horizontal	353	1.44	52.78	34.20	6.27	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57052G	38.15	54.00	-15.85	12.40	3	Vertical	346	2.78	25.75	38.65	8.34	34.59
PK	11.56932G	52.19	74.00	-21.81	12.40	3	Vertical	346	2.78	39.79	38.65	8.34	34.59
PK	17.35996G	55.40	68.20	-12.80	14.24	3	Vertical	310	2.53	41.16	38.38	10.20	34.34

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56796G	36.81	54.00	-17.19	12.41	3	Horizontal	304	1.50	24.40	38.66	8.34	34.59
PK	11.5634G	51.31	74.00	-22.69	12.43	3	Horizontal	304	1.50	38.88	38.68	8.34	34.59
PK	17.35468G	55.78	68.20	-12.42	14.23	3	Horizontal	60	1.23	41.55	38.36	10.20	34.33

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.88	Inf	-Inf	5.63	3	Vertical	348	1.33	95.25	33.95	6.21	34.53
PK	5.597G	57.28	68.20	-10.92	4.40	3	Vertical	348	1.33	52.88	32.89	6.06	34.55
PK	5.8286G	109.01	Inf	-Inf	5.64	3	Vertical	348	1.33	103.37	33.96	6.21	34.53
PK	5.9954G	58.49	68.20	-9.71	5.89	3	Vertical	348	1.33	52.60	34.11	6.30	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.47	Inf	-Inf	5.63	3	Horizontal	354	1.49	96.84	33.95	6.21	34.53
PK	5.6042G	57.44	68.20	-10.76	4.42	3	Horizontal	354	1.49	53.02	32.91	6.06	34.55
PK	5.8286G	111.12	Inf	-Inf	5.64	3	Horizontal	354	1.49	105.48	33.96	6.21	34.53
PK	6.0626G	58.50	68.20	-9.70	5.90	3	Horizontal	354	1.49	52.60	34.10	6.31	34.51

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65332G	41.63	54.00	-12.37	12.44	3	Vertical	90	1.50	29.19	38.50	8.56	34.62
PK	11.65482G	53.91	74.00	-20.09	12.45	3	Vertical	90	1.50	41.46	38.50	8.57	34.62
PK	17.47582G	56.84	68.20	-11.36	14.38	3	Vertical	0	1.50	42.46	38.50	10.29	34.41

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64554G	41.66	54.00	-12.34	12.44	3	Horizontal	347	2.95	29.22	38.50	8.56	34.62
PK	11.6493G	53.87	74.00	-20.13	12.44	3	Horizontal	347	2.95	41.43	38.50	8.56	34.62
PK	17.47706G	58.04	68.20	-10.16	14.38	3	Horizontal	45	1.50	43.66	38.50	10.29	34.41

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.38	54.00	-4.62	5.81	3	Vertical	274	2.65	43.57	33.10	6.85	34.14
AV	5.1838G	94.72	Inf	-Inf	5.85	3	Vertical	274	2.65	88.87	33.10	6.89	34.14
PK	5.15G	68.65	74.00	-5.35	5.81	3	Vertical	274	2.65	62.84	33.10	6.85	34.14
PK	5.185G	105.98	Inf	-Inf	5.85	3	Vertical	274	2.65	100.13	33.10	6.89	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.30	54.00	-2.70	5.81	3	Horizontal	4	1.71	45.49	33.10	6.85	34.14
AV	5.1812G	97.92	Inf	-Inf	5.85	3	Horizontal	4	1.71	92.07	33.10	6.89	34.14
PK	5.1498G	70.50	74.00	-3.50	5.81	3	Horizontal	4	1.71	64.69	33.10	6.85	34.14
PK	5.1786G	109.54	Inf	-Inf	5.84	3	Horizontal	4	1.71	103.70	33.10	6.88	34.14



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54296G	43.42	54.00	-10.58	13.30	3	Vertical	291	2.46	30.12	38.41	9.80	34.91
PK	10.36108G	53.00	68.20	-15.20	12.14	3	Vertical	9	1.06	40.86	38.98	8.02	34.86
PK	15.53874G	54.91	74.00	-19.09	13.30	3	Vertical	291	2.46	41.61	38.42	9.79	34.91

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53596G	43.44	54.00	-10.56	13.31	3	Horizontal	43	1.56	30.13	38.43	9.79	34.91
PK	10.36396G	53.36	68.20	-14.84	12.15	3	Horizontal	7	2.66	41.21	38.99	8.02	34.86
PK	15.53802G	55.15	74.00	-18.85	13.30	3	Horizontal	43	1.56	41.85	38.42	9.79	34.91

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	46.10	54.00	-7.90	4.24	3	Vertical	97	2.23	41.86	33.00	5.86	34.62
AV	5.1976G	97.97	Inf	-Inf	4.37	3	Vertical	97	2.23	93.60	33.10	5.88	34.61
PK	5.1112G	58.53	74.00	-15.47	4.22	3	Vertical	97	2.23	54.31	33.00	5.84	34.62
PK	5.2028G	107.28	Inf	-Inf	4.37	3	Vertical	97	2.23	102.91	33.10	5.88	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	46.77	54.00	-7.23	4.24	3	Horizontal	356	2.47	42.53	33.00	5.86	34.62
AV	5.1976G	102.00	Inf	-Inf	4.37	3	Horizontal	356	2.47	97.63	33.10	5.88	34.61
PK	5.1492G	58.20	74.00	-15.80	4.24	3	Horizontal	356	2.47	53.96	33.00	5.86	34.62
PK	5.1964G	110.81	Inf	-Inf	4.36	3	Horizontal	356	2.47	106.45	33.09	5.88	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6336G	43.54	54.00	-10.46	12.97	3	Vertical	3	1.50	30.57	38.13	9.82	34.98
PK	10.41696G	53.89	68.20	-14.31	12.32	3	Vertical	338	1.57	41.57	39.07	8.05	34.80
PK	15.63136G	55.34	74.00	-18.66	12.98	3	Vertical	3	1.50	42.36	38.14	9.82	34.98

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6368G	43.50	54.00	-10.50	12.97	3	Horizontal	178	1.50	30.53	38.12	9.83	34.98
PK	10.36336G	54.49	68.20	-13.71	12.15	3	Horizontal	60	1.50	42.34	38.99	8.02	34.86
PK	15.58848G	55.30	74.00	-18.70	13.18	3	Horizontal	178	1.50	42.12	38.32	9.81	34.95

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1008G	45.91	54.00	-8.09	4.22	3	Vertical	102	2.97	41.69	33.00	5.84	34.62
AV	5.2364G	98.22	Inf	-Inf	4.40	3	Vertical	102	2.97	93.82	33.10	5.90	34.60
AV	5.384G	45.00	54.00	-9.00	4.37	3	Vertical	102	2.97	40.63	32.97	5.98	34.58
PK	5.1074G	57.74	74.00	-16.26	4.22	3	Vertical	102	2.97	53.52	33.00	5.84	34.62
PK	5.237G	106.79	Inf	-Inf	4.40	3	Vertical	102	2.97	102.39	33.10	5.90	34.60
PK	5.3828G	57.37	74.00	-16.63	4.37	3	Vertical	102	2.97	53.00	32.97	5.98	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	46.10	54.00	-7.90	4.23	3	Horizontal	354	2.44	41.87	33.00	5.85	34.62
AV	5.243G	101.86	Inf	-Inf	4.40	3	Horizontal	354	2.44	97.46	33.10	5.90	34.60
AV	5.384G	45.45	54.00	-8.55	4.37	3	Horizontal	354	2.44	41.08	32.97	5.98	34.58
PK	5.1464G	58.41	74.00	-15.59	4.24	3	Horizontal	354	2.44	54.17	33.00	5.86	34.62
PK	5.2364G	110.18	Inf	-Inf	4.40	3	Horizontal	354	2.44	105.78	33.10	5.90	34.60
PK	5.3798G	57.25	74.00	-16.75	4.36	3	Horizontal	354	2.44	52.89	32.96	5.98	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73868G	43.48	54.00	-10.52	12.39	3	Vertical	17	1.50	31.09	37.88	9.57	35.06
PK	10.49164G	54.55	68.20	-13.65	12.19	3	Vertical	319	1.50	42.36	38.92	8.00	34.73
PK	15.73326G	55.69	74.00	-18.31	12.39	3	Vertical	17	1.50	43.30	37.87	9.57	35.05

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71694G	43.62	54.00	-10.38	12.36	3	Horizontal	30	1.95	31.26	37.83	9.57	35.04
PK	10.48252G	54.73	68.20	-13.47	12.19	3	Horizontal	33	1.50	42.54	38.93	8.00	34.74
PK	15.72318G	56.19	74.00	-17.81	12.37	3	Horizontal	30	1.95	43.82	37.85	9.57	35.05

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.116G	45.95	54.00	-8.05	4.22	3	Vertical	102	2.89	41.73	33.00	5.84	34.62
AV	5.2624G	98.09	Inf	-Inf	4.39	3	Vertical	102	2.89	93.70	33.08	5.91	34.60
AV	5.4034G	45.14	54.00	-8.86	4.40	3	Vertical	102	2.89	40.74	32.99	5.99	34.58
PK	5.1202G	58.19	74.00	-15.81	4.22	3	Vertical	102	2.89	53.97	33.00	5.84	34.62
PK	5.2636G	106.80	Inf	-Inf	4.38	3	Vertical	102	2.89	102.42	33.07	5.91	34.60
PK	5.4064G	56.65	74.00	-17.35	4.41	3	Vertical	102	2.89	52.24	32.99	5.99	34.57

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	46.00	54.00	-8.00	4.23	3	Horizontal	5	1.56	41.77	33.00	5.85	34.62
AV	5.257G	101.39	Inf	-Inf	4.40	3	Horizontal	5	1.56	96.99	33.09	5.91	34.60
AV	5.4088G	45.71	54.00	-8.29	4.40	3	Horizontal	5	1.56	41.31	32.98	5.99	34.57
PK	5.1298G	57.68	74.00	-16.32	4.23	3	Horizontal	5	1.56	53.45	33.00	5.85	34.62
PK	5.2576G	109.81	Inf	-Inf	4.39	3	Horizontal	5	1.56	105.42	33.08	5.91	34.60
PK	5.389G	57.62	74.00	-16.38	4.38	3	Horizontal	5	1.56	53.24	32.98	5.98	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78414G	43.51	54.00	-10.49	12.75	3	Vertical	316	2.52	30.76	37.97	9.87	35.09
PK	10.51016G	54.62	68.20	-13.58	12.28	3	Vertical	64	1.58	42.34	38.92	8.08	34.72
PK	15.78246G	55.28	74.00	-18.72	12.74	3	Vertical	316	2.52	42.54	37.96	9.87	35.09

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78372G	43.60	54.00	-10.40	12.75	3	Horizontal	356	2.57	30.85	37.97	9.87	35.09
PK	10.5119G	54.75	68.20	-13.45	12.28	3	Horizontal	119	2.31	42.47	38.92	8.08	34.72
PK	15.78078G	55.37	74.00	-18.63	12.74	3	Horizontal	356	2.57	42.63	37.96	9.87	35.09

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	97.17	Inf	-Inf	4.35	3	Vertical	0	1.41	92.82	33.01	5.93	34.59
AV	5.35G	45.41	54.00	-8.59	4.28	3	Vertical	0	1.41	41.13	32.90	5.96	34.58
PK	5.3032G	105.59	Inf	-Inf	4.34	3	Vertical	0	1.41	101.25	32.99	5.94	34.59
PK	5.3568G	57.37	74.00	-16.63	4.30	3	Vertical	0	1.41	53.07	32.91	5.97	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	101.09	Inf	-Inf	4.35	3	Horizontal	355	1.50	96.74	33.00	5.94	34.59
AV	5.35G	46.08	54.00	-7.92	4.28	3	Horizontal	355	1.50	41.80	32.90	5.96	34.58
PK	5.2968G	110.04	Inf	-Inf	4.35	3	Horizontal	355	1.50	105.69	33.01	5.93	34.59
PK	5.3608G	57.42	74.00	-16.58	4.31	3	Horizontal	355	1.50	53.11	32.92	5.97	34.58



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89826G	43.23	54.00	-10.77	12.45	3	Vertical	336	1.48	30.78	37.71	9.91	35.17
PK	10.5889G	54.47	68.20	-13.73	12.50	3	Vertical	329	2.77	41.97	39.08	8.12	34.70
PK	15.8898G	56.16	74.00	-17.84	12.47	3	Vertical	336	1.48	43.69	37.73	9.91	35.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8892G	43.13	54.00	-10.87	12.47	3	Horizontal	360	1.50	30.66	37.73	9.91	35.17
PK	10.60264G	54.68	74.00	-19.32	12.53	3	Horizontal	180	1.50	42.15	39.10	8.12	34.69
PK	15.90252G	54.91	74.00	-19.09	12.42	3	Horizontal	360	1.50	42.49	37.69	9.91	35.18

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3174G	94.07	Inf	-Inf	5.71	3	Vertical	20	1.81	88.36	32.97	6.90	34.16
AV	5.3502G	50.11	54.00	-3.89	5.63	3	Vertical	20	1.81	44.48	32.90	6.89	34.16
PK	5.3178G	105.31	Inf	-Inf	5.70	3	Vertical	20	1.81	99.61	32.96	6.90	34.16
PK	5.3518G	66.63	74.00	-7.37	5.63	3	Vertical	20	1.81	61.00	32.90	6.89	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3158G	97.38	Inf	-Inf	5.71	3	Horizontal	0	2.50	91.67	32.97	6.90	34.16
AV	5.35G	52.45	54.00	-1.55	5.63	3	Horizontal	0	2.50	46.82	32.90	6.89	34.16
PK	5.317G	109.58	Inf	-Inf	5.71	3	Horizontal	0	2.50	103.87	32.97	6.90	34.16
PK	5.3528G	67.35	74.00	-6.65	5.63	3	Horizontal	0	2.50	61.72	32.90	6.89	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63794G	41.64	54.00	-12.36	12.60	3	Vertical	107	1.46	29.04	39.14	8.14	34.68
AV	15.96104G	42.76	54.00	-11.24	12.29	3	Vertical	87	1.83	30.47	37.58	9.93	35.22
PK	10.64234G	53.99	74.00	-20.01	12.60	3	Vertical	107	1.46	41.39	39.14	8.14	34.68
PK	15.9617G	54.62	74.00	-19.38	12.29	3	Vertical	87	1.83	42.33	37.58	9.93	35.22

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64206G	41.68	54.00	-12.32	12.60	3	Horizontal	199	1.24	29.08	39.14	8.14	34.68
AV	15.96024G	42.76	54.00	-11.24	12.29	3	Horizontal	337	1.88	30.47	37.58	9.93	35.22
PK	10.63766G	54.42	74.00	-19.58	12.60	3	Horizontal	199	1.24	41.82	39.14	8.14	34.68
PK	15.9555G	53.95	74.00	-20.05	12.30	3	Horizontal	337	1.88	41.65	37.59	9.93	35.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.09	54.00	-9.91	5.71	3	Vertical	17	2.48	38.38	32.90	6.99	34.18
AV	5.504G	95.83	Inf	-Inf	5.78	3	Vertical	17	2.48	90.05	32.90	7.06	34.18
PK	5.4686G	59.67	68.20	-8.53	5.72	3	Vertical	17	2.48	53.95	32.90	7.00	34.18
PK	5.5028G	107.61	Inf	-Inf	5.77	3	Vertical	17	2.48	101.84	32.90	7.05	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.48	54.00	-9.52	5.71	3	Horizontal	0	2.97	38.77	32.90	6.99	34.18
AV	5.5032G	97.85	Inf	-Inf	5.78	3	Horizontal	0	2.97	92.07	32.90	7.06	34.18
PK	5.4672G	61.14	68.20	-7.06	5.72	3	Horizontal	0	2.97	55.42	32.90	7.00	34.18
PK	5.5038G	109.00	Inf	-Inf	5.78	3	Horizontal	0	2.97	103.22	32.90	7.06	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99606G	42.07	54.00	-11.93	12.61	3	Vertical	53	1.74	29.46	38.90	8.29	34.58
PK	10.99668G	54.54	74.00	-19.46	12.61	3	Vertical	53	1.74	41.93	38.90	8.29	34.58
PK	16.50486G	55.64	68.20	-12.56	13.70	3	Vertical	89	1.80	41.94	38.39	10.06	34.75

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99982G	42.07	54.00	-11.93	12.61	3	Horizontal	96	1.58	29.46	38.90	8.29	34.58
PK	11.00154G	54.33	74.00	-19.67	12.61	3	Horizontal	96	1.58	41.72	38.90	8.29	34.58
PK	16.49682G	55.93	68.20	-12.27	13.68	3	Horizontal	201	2.72	42.25	38.38	10.06	34.76

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	45.15	54.00	-8.85	4.35	3	Vertical	9	1.34	40.80	32.92	6.00	34.57
AV	5.5782G	98.90	Inf	-Inf	4.36	3	Vertical	9	1.34	94.54	32.86	6.05	34.55
PK	5.4696G	56.45	68.20	-11.75	4.31	3	Vertical	9	1.34	52.14	32.86	6.01	34.56
PK	5.5776G	107.35	Inf	-Inf	4.36	3	Vertical	9	1.34	102.99	32.86	6.05	34.55
PK	5.7294G	58.68	68.20	-9.52	5.19	3	Vertical	9	1.34	53.49	33.58	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	45.30	54.00	-8.70	4.33	3	Horizontal	4	1.49	40.97	32.89	6.01	34.57
AV	5.5818G	100.63	Inf	-Inf	4.36	3	Horizontal	4	1.49	96.27	32.86	6.05	34.55
PK	5.4612G	56.32	68.20	-11.88	4.32	3	Horizontal	4	1.49	52.00	32.88	6.01	34.57
PK	5.5818G	109.00	Inf	-Inf	4.36	3	Horizontal	4	1.49	104.64	32.86	6.05	34.55
PK	5.7276G	59.09	68.20	-9.11	5.18	3	Horizontal	4	1.49	53.91	33.57	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16018G	42.47	54.00	-11.53	12.64	3	Vertical	360	1.41	29.83	38.86	8.36	34.58
PK	11.15268G	55.02	74.00	-18.98	12.62	3	Vertical	360	1.41	42.40	38.85	8.35	34.58
PK	16.73394G	55.97	68.20	-12.23	13.62	3	Vertical	143	2.63	42.35	37.97	10.11	34.46

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15976G	42.59	54.00	-11.41	12.64	3	Horizontal	41	1.48	29.95	38.86	8.36	34.58
PK	11.14638G	54.40	74.00	-19.60	12.62	3	Horizontal	41	1.48	41.78	38.85	8.35	34.58
PK	16.7256G	56.29	68.20	-11.91	13.61	3	Horizontal	354.1	1.50	42.68	37.97	10.11	34.47

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	94.52	Inf	-Inf	6.67	3	Vertical	22	2.36	87.85	33.61	7.26	34.20
PK	5.696G	105.94	Inf	-Inf	6.60	3	Vertical	22	2.36	99.34	33.55	7.25	34.20
PK	5.7288G	63.42	68.20	-4.78	6.79	3	Vertical	22	2.36	56.63	33.72	7.27	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	95.85	Inf	-Inf	6.62	3	Horizontal	0	2.94	89.23	33.57	7.25	34.20
PK	5.704G	107.17	Inf	-Inf	6.68	3	Horizontal	0	2.94	100.49	33.62	7.26	34.20
PK	5.728G	64.80	68.20	-3.40	6.78	3	Horizontal	0	2.94	58.02	33.71	7.27	34.20



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39962G	41.93	54.00	-12.07	12.99	3	Vertical	309	1.08	28.94	39.10	8.46	34.57
PK	11.397G	53.96	74.00	-20.04	12.99	3	Vertical	309	1.08	40.97	39.10	8.46	34.57
PK	17.09578G	56.05	68.20	-12.15	13.82	3	Vertical	13	1.53	42.23	37.80	10.20	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39646G	41.94	54.00	-12.06	12.99	3	Horizontal	274	1.22	28.95	39.10	8.46	34.57
PK	11.39864G	54.48	74.00	-19.52	12.99	3	Horizontal	274	1.22	41.49	39.10	8.46	34.57
PK	17.1026G	56.48	68.20	-11.72	13.83	3	Horizontal	166	2.40	42.65	37.81	10.20	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	100.34	Inf	-Inf	5.14	3	Vertical	0	1.39	95.20	33.53	6.15	34.54
PK	5.723G	108.92	Inf	-Inf	5.15	3	Vertical	0	1.39	103.77	33.54	6.15	34.54
PK	5.88G	59.29	68.20	-8.91	5.83	3	Vertical	0	1.39	53.46	34.12	6.24	34.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	101.66	Inf	-Inf	5.15	3	Horizontal	5	1.54	96.51	33.54	6.15	34.54
PK	5.724G	110.10	Inf	-Inf	5.15	3	Horizontal	5	1.54	104.95	33.54	6.15	34.54
PK	5.889G	58.88	68.20	-9.32	5.87	3	Horizontal	5	1.54	53.01	34.16	6.24	34.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43778G	42.37	54.00	-11.63	12.96	3	Vertical	309	2.46	29.41	39.06	8.47	34.57
PK	11.44348G	54.42	74.00	-19.58	12.97	3	Vertical	309	2.46	41.45	39.06	8.48	34.57
PK	17.16046G	56.76	68.20	-11.44	14.03	3	Vertical	130	1.50	42.73	38.04	10.21	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44066G	42.10	54.00	-11.90	12.97	3	Horizontal	13	1.50	29.13	39.06	8.48	34.57
PK	11.44186G	54.22	74.00	-19.78	12.97	3	Horizontal	13	1.50	41.25	39.06	8.48	34.57
PK	17.16072G	57.28	68.20	-10.92	14.03	3	Horizontal	213	2.95	43.25	38.04	10.21	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	44.79	54.00	-9.21	4.34	3	Vertical	12	1.43	40.45	32.90	6.01	34.57
AV	5.7462G	99.41	Inf	-Inf	5.30	3	Vertical	12	1.43	94.11	33.68	6.16	34.54
PK	5.5458G	57.54	68.20	-10.66	4.28	3	Vertical	12	1.43	53.26	32.80	6.04	34.56
PK	5.7462G	107.66	Inf	-Inf	5.30	3	Vertical	12	1.43	102.36	33.68	6.16	34.54
PK	5.955G	57.77	68.20	-10.43	5.95	3	Vertical	12	1.43	51.82	34.19	6.28	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	44.73	54.00	-9.27	4.35	3	Horizontal	286	1.50	40.38	32.91	6.01	34.57
AV	5.7486G	101.19	Inf	-Inf	5.31	3	Horizontal	286	1.50	95.88	33.69	6.16	34.54
PK	5.5914G	57.21	68.20	-10.99	4.39	3	Horizontal	286	1.50	52.82	32.88	6.06	34.55
PK	5.7498G	109.20	Inf	-Inf	5.32	3	Horizontal	286	1.50	103.88	33.70	6.16	34.54
PK	6.0102G	58.15	68.20	-10.05	5.88	3	Horizontal	286	1.50	52.27	34.10	6.30	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49016G	42.01	54.00	-11.99	12.94	3	Vertical	248	1.50	29.07	39.01	8.50	34.57
PK	11.49042G	54.15	74.00	-19.85	12.94	3	Vertical	248	1.50	41.21	39.01	8.50	34.57
PK	17.2384G	56.14	68.20	-12.06	14.17	3	Vertical	331	1.50	41.97	38.20	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48938G	42.19	54.00	-11.81	12.94	3	Horizontal	279	1.50	29.25	39.01	8.50	34.57
PK	11.4877G	55.39	74.00	-18.61	12.93	3	Horizontal	279	1.50	42.46	39.01	8.49	34.57
PK	17.2385G	56.71	68.20	-11.49	14.17	3	Horizontal	303	1.64	42.54	38.20	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	99.47	Inf	-Inf	5.48	3	Vertical	11.1	1.45	93.99	33.83	6.19	34.54
PK	5.5714G	57.45	68.20	-10.75	4.34	3	Vertical	11.1	1.45	53.11	32.84	6.05	34.55
PK	5.7898G	107.84	Inf	-Inf	5.51	3	Vertical	11.1	1.45	102.33	33.86	6.19	34.54
PK	5.941G	58.55	68.20	-9.65	5.95	3	Vertical	11.1	1.45	52.60	34.20	6.27	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.41	Inf	-Inf	5.50	3	Horizontal	4	1.50	95.91	33.85	6.19	34.54
PK	5.5438G	57.32	68.20	-10.88	4.28	3	Horizontal	4	1.50	53.04	32.80	6.04	34.56
PK	5.7898G	109.71	Inf	-Inf	5.51	3	Horizontal	4	1.50	104.20	33.86	6.19	34.54
PK	5.947G	59.05	68.20	-9.15	5.95	3	Horizontal	4	1.50	53.10	34.20	6.27	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56632G	40.87	54.00	-13.13	12.42	3	Vertical	312	2.06	28.45	38.67	8.34	34.59
PK	11.56368G	53.84	74.00	-20.16	12.43	3	Vertical	312	2.06	41.41	38.68	8.34	34.59
PK	17.35948G	56.06	68.20	-12.14	14.24	3	Vertical	346	2.78	41.82	38.38	10.20	34.34

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	39.03	54.00	-14.97	12.40	3	Horizontal	346	1.32	26.63	38.65	8.34	34.59
PK	11.56216G	51.77	74.00	-22.23	12.44	3	Horizontal	346	1.32	39.33	38.69	8.34	34.59
PK	17.3488G	53.85	68.20	-14.35	14.21	3	Horizontal	86	2.30	39.64	38.35	10.19	34.33

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	98.94	Inf	-Inf	5.63	3	Vertical	14	1.45	93.31	33.95	6.21	34.53
PK	5.597G	57.25	68.20	-10.95	4.40	3	Vertical	14	1.45	52.85	32.89	6.06	34.55
PK	5.8286G	107.46	Inf	-Inf	5.64	3	Vertical	14	1.45	101.82	33.96	6.21	34.53
PK	5.9954G	57.99	68.20	-10.21	5.89	3	Vertical	14	1.45	52.10	34.11	6.30	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	101.29	Inf	-Inf	5.63	3	Horizontal	5	2.98	95.66	33.95	6.21	34.53
PK	5.6042G	57.12	68.20	-11.08	4.42	3	Horizontal	5	2.98	52.70	32.91	6.06	34.55
PK	5.8286G	109.95	Inf	-Inf	5.64	3	Horizontal	5	2.98	104.31	33.96	6.21	34.53
PK	6.0626G	58.86	68.20	-9.34	5.90	3	Horizontal	5	2.98	52.96	34.10	6.31	34.51



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65346G	41.63	54.00	-12.37	12.44	3	Vertical	359	3.00	29.19	38.50	8.56	34.62
PK	11.65028G	54.01	74.00	-19.99	12.44	3	Vertical	359	3.00	41.57	38.50	8.56	34.62
PK	17.47324G	56.96	68.20	-11.24	14.39	3	Vertical	50	1.50	42.57	38.50	10.29	34.40

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65228G	41.63	54.00	-12.37	12.44	3	Horizontal	92	1.50	29.19	38.50	8.56	34.62
PK	11.64636G	54.09	74.00	-19.91	12.44	3	Horizontal	92	1.50	41.65	38.50	8.56	34.62
PK	17.47284G	57.88	68.20	-10.32	14.39	3	Horizontal	338	2.72	43.49	38.50	10.29	34.40

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.16	54.00	-6.84	3.90	3	Vertical	88	2.61	43.26	33.00	5.52	34.62
AV	5.1838G	95.66	Inf	-Inf	3.99	3	Vertical	88	2.61	91.67	33.07	5.53	34.61
PK	5.147G	58.97	74.00	-15.03	3.89	3	Vertical	88	2.61	55.08	33.00	5.51	34.62
PK	5.1836G	104.53	Inf	-Inf	3.99	3	Vertical	88	2.61	100.54	33.07	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.21	54.00	-5.79	3.90	3	Horizontal	10	2.48	44.31	33.00	5.52	34.62
AV	5.1814G	99.30	Inf	-Inf	3.97	3	Horizontal	10	2.48	95.33	33.06	5.52	34.61
PK	5.1484G	60.64	74.00	-13.36	3.89	3	Horizontal	10	2.48	56.75	33.00	5.51	34.62
PK	5.181G	107.92	Inf	-Inf	3.97	3	Horizontal	10	2.48	103.95	33.06	5.52	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5472G	42.51	54.00	-11.49	13.01	3	Vertical	27	1.04	29.50	38.41	9.51	34.91
PK	10.35388G	52.99	68.20	-15.21	12.05	3	Vertical	83	2.79	40.94	38.96	7.96	34.87
PK	15.5486G	54.10	74.00	-19.90	12.99	3	Vertical	27	1.04	41.11	38.40	9.51	34.92

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5362G	42.52	54.00	-11.48	13.02	3	Horizontal	169	2.57	29.50	38.43	9.50	34.91
PK	10.35344G	53.32	68.20	-14.88	12.05	3	Horizontal	95	2.62	41.27	38.96	7.96	34.87
PK	15.53648G	53.78	74.00	-20.22	13.02	3	Horizontal	169	2.57	40.76	38.43	9.50	34.91

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.06	54.00	-7.94	3.89	3	Vertical	93	2.79	42.17	33.00	5.51	34.62
AV	5.198G	97.06	Inf	-Inf	4.02	3	Vertical	93	2.79	93.04	33.10	5.53	34.61
PK	5.1488G	57.99	74.00	-16.01	3.89	3	Vertical	93	2.79	54.10	33.00	5.51	34.62
PK	5.1972G	105.36	Inf	-Inf	4.01	3	Vertical	93	2.79	101.35	33.09	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.88	54.00	-7.12	3.90	3	Horizontal	4	2.54	42.98	33.00	5.52	34.62
AV	5.198G	100.67	Inf	-Inf	4.02	3	Horizontal	4	2.54	96.65	33.10	5.53	34.61
PK	5.1484G	59.09	74.00	-14.91	3.89	3	Horizontal	4	2.54	55.20	33.00	5.51	34.62
PK	5.196G	109.21	Inf	-Inf	4.01	3	Horizontal	4	2.54	105.20	33.09	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60356G	42.91	54.00	-11.09	12.85	3	Vertical	99	1.87	30.06	38.28	9.53	34.96
PK	10.39124G	53.13	68.20	-15.07	12.21	3	Vertical	77	1.99	40.92	39.07	7.97	34.83
PK	15.60764G	54.41	74.00	-19.59	12.83	3	Vertical	99	1.87	41.58	38.26	9.53	34.96

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59936G	42.69	54.00	-11.31	12.88	3	Horizontal	174	1.47	29.81	38.30	9.53	34.95
PK	10.39428G	52.82	68.20	-15.38	12.22	3	Horizontal	126	2.54	40.60	39.08	7.97	34.83
PK	15.5904G	54.26	74.00	-19.74	12.89	3	Horizontal	174	1.47	41.37	38.32	9.52	34.95

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1044G	45.70	54.00	-8.30	3.88	3	Vertical	97	2.78	41.82	33.00	5.50	34.62
AV	5.2376G	96.68	Inf	-Inf	4.04	3	Vertical	97	2.78	92.64	33.10	5.54	34.60
AV	5.3774G	44.80	54.00	-9.20	3.94	3	Vertical	97	2.78	40.86	32.95	5.57	34.58
PK	5.1236G	57.33	74.00	-16.67	3.89	3	Vertical	97	2.78	53.44	33.00	5.51	34.62
PK	5.237G	105.02	Inf	-Inf	4.04	3	Vertical	97	2.78	100.98	33.10	5.54	34.60
PK	5.3678G	56.68	74.00	-17.32	3.92	3	Vertical	97	2.78	52.76	32.94	5.56	34.58

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1182G	45.88	54.00	-8.12	3.89	3	Horizontal	5	1.63	41.99	33.00	5.51	34.62
AV	5.2364G	100.66	Inf	-Inf	4.04	3	Horizontal	5	1.63	96.62	33.10	5.54	34.60
AV	5.39G	45.75	54.00	-8.25	3.97	3	Horizontal	5	1.63	41.78	32.98	5.57	34.58
PK	5.1284G	57.41	74.00	-16.59	3.89	3	Horizontal	5	1.63	53.52	33.00	5.51	34.62
PK	5.2388G	108.88	Inf	-Inf	4.04	3	Horizontal	5	1.63	104.84	33.10	5.54	34.60
PK	5.39G	57.46	74.00	-16.54	3.97	3	Horizontal	5	1.63	53.49	32.98	5.57	34.58

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71084G	42.26	54.00	-11.74	12.34	3	Vertical	41	2.24	29.92	37.82	9.56	35.04
PK	10.47068G	53.48	68.20	-14.72	12.21	3	Vertical	292	1.95	41.27	38.96	8.00	34.75
PK	15.72112G	53.11	74.00	-20.89	12.37	3	Vertical	41	2.24	40.74	37.84	9.57	35.04

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	42.25	54.00	-11.75	12.34	3	Horizontal	194	1.63	29.91	37.82	9.56	35.04
PK	10.47536G	53.41	68.20	-14.79	12.20	3	Horizontal	338	1.22	41.21	38.95	8.00	34.75
PK	15.71116G	53.68	74.00	-20.32	12.34	3	Horizontal	194	1.63	41.34	37.82	9.56	35.04

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1172G	45.69	54.00	-8.31	3.89	3	Vertical	101	2.26	41.80	33.00	5.51	34.62
AV	5.2564G	96.17	Inf	-Inf	4.03	3	Vertical	101	2.26	92.14	33.09	5.54	34.60
AV	5.3974G	44.86	54.00	-9.14	3.98	3	Vertical	101	2.26	40.88	32.99	5.57	34.58
PK	5.1238G	57.32	74.00	-16.68	3.89	3	Vertical	101	2.26	53.43	33.00	5.51	34.62
PK	5.2612G	104.77	Inf	-Inf	4.02	3	Vertical	101	2.26	100.75	33.08	5.54	34.60
PK	5.3818G	56.70	74.00	-17.30	3.95	3	Vertical	101	2.26	52.75	32.96	5.57	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	46.00	54.00	-8.00	3.89	3	Horizontal	6	2.44	42.11	33.00	5.51	34.62
AV	5.2618G	101.16	Inf	-Inf	4.02	3	Horizontal	6	2.44	97.14	33.08	5.54	34.60
AV	5.4064G	46.05	54.00	-7.95	4.00	3	Horizontal	6	2.44	42.05	32.99	5.58	34.57
PK	5.1214G	58.30	74.00	-15.70	3.89	3	Horizontal	6	2.44	54.41	33.00	5.51	34.62
PK	5.2642G	109.63	Inf	-Inf	4.01	3	Horizontal	6	2.44	105.62	33.07	5.54	34.60
PK	5.3962G	57.51	74.00	-16.49	3.98	3	Horizontal	6	2.44	53.53	32.99	5.57	34.58



5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78328G	42.38	54.00	-11.62	12.47	3	Vertical	323	3.00	29.91	37.97	9.59	35.09
PK	10.52756G	54.05	68.20	-14.15	12.27	3	Vertical	129	2.31	41.78	38.96	8.02	34.71
PK	15.77124G	53.50	74.00	-20.50	12.44	3	Vertical	323	3.00	41.06	37.94	9.58	35.08

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77936G	42.39	54.00	-11.61	12.46	3	Horizontal	18	1.22	29.93	37.96	9.59	35.09
PK	10.5156G	53.27	68.20	-14.93	12.22	3	Horizontal	150	1.67	41.05	38.93	8.01	34.72
PK	15.7876G	54.33	74.00	-19.67	12.48	3	Horizontal	18	1.22	41.85	37.98	9.59	35.09

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	95.52	Inf	-Inf	3.96	3	Vertical	240	3.00	91.56	33.00	5.55	34.59
AV	5.3964G	44.90	54.00	-9.10	3.98	3	Vertical	240	3.00	40.92	32.99	5.57	34.58
PK	5.2964G	103.89	Inf	-Inf	3.97	3	Vertical	240	3.00	99.92	33.01	5.55	34.59
PK	5.4G	57.43	74.00	-16.57	3.99	3	Vertical	240	3.00	53.44	33.00	5.57	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	100.49	Inf	-Inf	3.97	3	Horizontal	6	1.64	96.52	33.01	5.55	34.59
AV	5.3992G	45.73	54.00	-8.27	3.99	3	Horizontal	6	1.64	41.74	33.00	5.57	34.58
PK	5.3024G	108.72	Inf	-Inf	3.96	3	Horizontal	6	1.64	104.76	33.00	5.55	34.59
PK	5.3844G	57.86	74.00	-16.14	3.96	3	Horizontal	6	1.64	53.90	32.97	5.57	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.891G	42.04	54.00	-11.96	12.18	3	Vertical	62	1.50	29.86	37.73	9.62	35.17
PK	10.59436G	53.76	68.20	-14.44	12.44	3	Vertical	270	1.33	41.32	39.09	8.04	34.69
PK	15.90276G	53.14	74.00	-20.86	12.14	3	Vertical	62	1.50	41.00	37.69	9.63	35.18

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8912G	42.04	54.00	-11.96	12.18	3	Horizontal	301	1.00	29.86	37.73	9.62	35.17
PK	10.59212G	53.63	68.20	-14.57	12.43	3	Horizontal	0	1.50	41.20	39.08	8.04	34.69
PK	15.89076G	53.94	74.00	-20.06	12.18	3	Horizontal	301	1.00	41.76	37.73	9.62	35.17

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	94.59	Inf	-Inf	3.92	3	Vertical	230	2.15	90.67	32.96	5.55	34.59
AV	5.35G	44.90	54.00	-9.10	3.88	3	Vertical	230	2.15	41.02	32.90	5.56	34.58
PK	5.3232G	103.24	Inf	-Inf	3.91	3	Vertical	230	2.15	99.33	32.95	5.55	34.59
PK	5.3502G	59.08	74.00	-14.92	3.88	3	Vertical	230	2.15	55.20	32.90	5.56	34.58

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.317G	100.61	Inf	-Inf	3.93	3	Horizontal	360	1.60	96.68	32.97	5.55	34.59
AV	5.3504G	45.85	54.00	-8.15	3.88	3	Horizontal	360	1.60	41.97	32.90	5.56	34.58
PK	5.3188G	109.59	Inf	-Inf	3.92	3	Horizontal	360	1.60	105.67	32.96	5.55	34.59
PK	5.3502G	64.19	74.00	-9.81	3.88	3	Horizontal	360	1.60	60.31	32.90	5.56	34.58

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63552G	41.33	54.00	-12.67	12.51	3	Vertical	213	1.10	28.82	39.14	8.05	34.68
AV	15.96128G	41.68	54.00	-12.32	12.01	3	Vertical	295	1.38	29.67	37.58	9.65	35.22
PK	10.63512G	52.78	74.00	-21.22	12.51	3	Vertical	213	1.10	40.27	39.14	8.05	34.68
PK	15.96836G	53.96	74.00	-20.04	11.98	3	Vertical	295	1.38	41.98	37.56	9.65	35.23

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63672G	41.34	54.00	-12.66	12.51	3	Horizontal	348	1.13	28.83	39.14	8.05	34.68
AV	15.96248G	41.68	54.00	-12.32	12.01	3	Horizontal	142	1.37	29.67	37.58	9.65	35.22
PK	10.63828G	53.01	74.00	-20.99	12.51	3	Horizontal	348	1.13	40.50	39.14	8.05	34.68
PK	15.96212G	52.38	74.00	-21.62	12.01	3	Horizontal	142	1.37	40.37	37.58	9.65	35.22

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.79	54.00	-6.21	3.93	3	Vertical	360	1.50	43.86	32.88	5.62	34.57
AV	5.5026G	94.97	Inf	-Inf	3.90	3	Vertical	360	1.50	91.07	32.80	5.66	34.56
PK	5.4588G	59.81	74.00	-14.19	3.93	3	Vertical	360	1.50	55.88	32.88	5.62	34.57
PK	5.4674G	61.71	68.20	-6.49	3.93	3	Vertical	360	1.50	57.78	32.87	5.63	34.57
PK	5.4974G	103.73	Inf	-Inf	3.91	3	Vertical	360	1.50	99.82	32.81	5.66	34.56

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.83	54.00	-3.17	3.93	3	Horizontal	0	1.50	46.90	32.88	5.62	34.57
AV	5.4976G	99.38	Inf	-Inf	3.90	3	Horizontal	0	1.50	95.48	32.80	5.66	34.56
PK	5.4558G	63.91	74.00	-10.09	3.94	3	Horizontal	0	1.50	59.97	32.89	5.62	34.57
PK	5.4666G	66.22	68.20	-1.98	3.93	3	Horizontal	0	1.50	62.29	32.87	5.63	34.57
PK	5.4988G	108.25	Inf	-Inf	3.90	3	Horizontal	0	1.50	104.35	32.80	5.66	34.56

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99124G	41.70	54.00	-12.30	12.49	3	Vertical	54	2.19	29.21	38.91	8.16	34.58
PK	10.99868G	54.37	74.00	-19.63	12.48	3	Vertical	54	2.19	41.89	38.90	8.16	34.58
PK	16.49536G	55.04	68.20	-13.16	13.48	3	Vertical	352	1.91	41.56	38.38	9.86	34.76

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9986G	41.75	54.00	-12.25	12.48	3	Horizontal	302	1.04	29.27	38.90	8.16	34.58
PK	10.9976G	53.42	74.00	-20.58	12.48	3	Horizontal	302	1.04	40.94	38.90	8.16	34.58
PK	16.49376G	55.26	68.20	-12.94	13.46	3	Horizontal	25	2.13	41.80	38.37	9.86	34.77

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	44.96	54.00	-9.04	3.94	3	Vertical	357	1.37	41.02	32.89	5.62	34.57
AV	5.5824G	95.92	Inf	-Inf	4.04	3	Vertical	357	1.37	91.88	32.86	5.73	34.55
PK	5.4534G	56.64	74.00	-17.36	3.94	3	Vertical	357	1.37	52.70	32.89	5.62	34.57
PK	5.4612G	56.47	68.20	-11.73	3.94	3	Vertical	357	1.37	52.53	32.88	5.63	34.57
PK	5.583G	104.54	Inf	-Inf	4.05	3	Vertical	357	1.37	100.49	32.87	5.73	34.55
PK	5.727G	58.01	68.20	-10.19	4.80	3	Vertical	357	1.37	53.21	33.56	5.78	34.54

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	45.47	54.00	-8.53	3.94	3	Horizontal	360	1.50	41.53	32.89	5.62	34.57
AV	5.577G	98.60	Inf	-Inf	4.03	3	Horizontal	360	1.50	94.57	32.85	5.73	34.55
PK	5.4582G	57.18	74.00	-16.82	3.93	3	Horizontal	360	1.50	53.25	32.88	5.62	34.57
PK	5.4696G	57.47	68.20	-10.73	3.93	3	Horizontal	360	1.50	53.54	32.86	5.63	34.56
PK	5.577G	107.49	Inf	-Inf	4.03	3	Horizontal	360	1.50	103.46	32.85	5.73	34.55
PK	5.7276G	59.03	68.20	-9.17	4.81	3	Horizontal	360	1.50	54.22	33.57	5.78	34.54



5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16736G	41.37	54.00	-12.63	12.51	3	Vertical	248	2.28	28.86	38.87	8.22	34.58
PK	11.15072G	52.88	74.00	-21.12	12.48	3	Vertical	248	2.28	40.40	38.85	8.21	34.58
PK	16.74204G	54.42	68.20	-13.78	13.46	3	Vertical	245	2.10	40.96	37.96	9.95	34.45

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16468G	41.39	54.00	-12.61	12.50	3	Horizontal	265	2.17	28.89	38.86	8.22	34.58
PK	11.16232G	53.66	74.00	-20.34	12.50	3	Horizontal	265	2.17	41.16	38.86	8.22	34.58
PK	16.74188G	54.48	68.20	-13.72	13.46	3	Horizontal	74	1.68	41.02	37.96	9.95	34.45

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	96.41	Inf	-Inf	4.61	3	Vertical	342	1.33	91.80	33.38	5.77	34.54
PK	5.6972G	104.78	Inf	-Inf	4.61	3	Vertical	342	1.33	100.17	33.38	5.77	34.54
PK	5.7284G	60.39	68.20	-7.81	4.81	3	Vertical	342	1.33	55.58	33.57	5.78	34.54

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	99.70	Inf	-Inf	4.66	3	Horizontal	353	1.48	95.04	33.42	5.78	34.54
PK	5.704G	109.05	Inf	-Inf	4.66	3	Horizontal	353	1.48	104.39	33.42	5.78	34.54
PK	5.728G	63.70	68.20	-4.50	4.81	3	Horizontal	353	1.48	58.89	33.57	5.78	34.54

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39048G	41.78	54.00	-12.22	12.81	3	Vertical	175	1.91	28.97	39.09	8.29	34.57
PK	11.39292G	54.00	74.00	-20.00	12.81	3	Vertical	175	1.91	41.19	39.09	8.29	34.57
PK	17.10152G	55.59	68.20	-12.61	13.73	3	Vertical	99	2.37	41.86	37.81	10.10	34.18

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39272G	41.59	54.00	-12.41	12.81	3	Horizontal	214	1.71	28.78	39.09	8.29	34.57
PK	11.4068G	53.05	74.00	-20.95	12.81	3	Horizontal	214	1.71	40.24	39.09	8.29	34.57
PK	17.09364G	56.31	68.20	-11.89	13.70	3	Horizontal	12	1.90	42.61	37.79	10.09	34.18

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	97.32	Inf	-Inf	4.77	3	Vertical	0	1.28	92.55	33.53	5.78	34.54
PK	5.722G	105.34	Inf	-Inf	4.77	3	Vertical	0	1.28	100.57	33.53	5.78	34.54
PK	5.92G	58.90	68.20	-9.30	5.52	3	Vertical	0	1.28	53.38	34.20	5.85	34.53

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	99.67	Inf	-Inf	4.78	3	Horizontal	358	1.50	94.89	33.54	5.78	34.54
PK	5.717G	107.90	Inf	-Inf	4.74	3	Horizontal	358	1.50	103.16	33.50	5.78	34.54
PK	5.873G	59.59	68.20	-8.61	5.39	3	Horizontal	358	1.50	54.20	34.09	5.83	34.53

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43068G	41.73	54.00	-12.27	12.80	3	Vertical	73	1.70	28.93	39.07	8.30	34.57
PK	11.43512G	54.10	74.00	-19.90	12.79	3	Vertical	73	1.70	41.31	39.06	8.30	34.57
PK	17.15868G	56.35	68.20	-11.85	13.93	3	Vertical	284	1.18	42.42	38.03	10.12	34.22

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4302G	41.74	54.00	-12.26	12.80	3	Horizontal	36	1.22	28.94	39.07	8.30	34.57
PK	11.44728G	54.48	74.00	-19.52	12.79	3	Horizontal	36	1.22	41.69	39.05	8.31	34.57
PK	17.15424G	55.75	68.20	-12.45	13.93	3	Horizontal	228	1.14	41.82	38.02	10.12	34.21

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	44.74	54.00	-9.26	3.93	3	Vertical	357	1.33	40.81	32.88	5.62	34.57
AV	5.7486G	97.79	Inf	-Inf	4.94	3	Vertical	357	1.33	92.85	33.69	5.79	34.54
PK	5.5098G	57.65	68.20	-10.55	3.91	3	Vertical	357	1.33	53.74	32.80	5.67	34.56
PK	5.7486G	105.61	Inf	-Inf	4.94	3	Vertical	357	1.33	100.67	33.69	5.79	34.54
PK	5.9646G	58.27	68.20	-9.93	5.52	3	Vertical	357	1.33	52.75	34.17	5.87	34.52

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	44.76	54.00	-9.24	3.93	3	Horizontal	0	1.47	40.83	32.88	5.62	34.57
AV	5.7474G	100.08	Inf	-Inf	4.93	3	Horizontal	0	1.47	95.15	33.68	5.79	34.54
PK	5.6286G	57.56	68.20	-10.64	4.17	3	Horizontal	0	1.47	53.39	32.96	5.76	34.55
PK	5.7498G	108.32	Inf	-Inf	4.95	3	Horizontal	0	1.47	103.37	33.70	5.79	34.54
PK	5.9742G	58.40	68.20	-9.80	5.51	3	Horizontal	0	1.47	52.89	34.15	5.88	34.52

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49236G	41.59	54.00	-12.41	12.76	3	Vertical	196	1.60	28.83	39.01	8.32	34.57
PK	11.49712G	53.50	74.00	-20.50	12.75	3	Vertical	196	1.60	40.75	39.00	8.32	34.57
PK	17.22632G	56.06	68.20	-12.14	14.08	3	Vertical	233	1.48	41.98	38.20	10.14	34.26

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49248G	41.64	54.00	-12.36	12.76	3	Horizontal	313	1.80	28.88	39.01	8.32	34.57
PK	11.4874G	53.74	74.00	-20.26	12.76	3	Horizontal	313	1.80	40.98	39.01	8.32	34.57
PK	17.22872G	55.81	68.20	-12.39	14.09	3	Horizontal	73	1.92	41.72	38.20	10.15	34.26

5.725-5.85GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	98.42	Inf	-Inf	5.09	3	Vertical	355	1.37	93.33	33.83	5.80	34.54
PK	5.5546G	57.52	68.20	-10.68	3.96	3	Vertical	355	1.37	53.56	32.81	5.71	34.56
PK	5.7826G	106.67	Inf	-Inf	5.09	3	Vertical	355	1.37	101.58	33.83	5.80	34.54
PK	6.0238G	58.36	68.20	-9.84	5.49	3	Vertical	355	1.37	52.87	34.10	5.91	34.52

5.725-5.85GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	100.13	Inf	-Inf	5.11	3	Horizontal	1	1.50	95.02	33.85	5.80	34.54
PK	5.6014G	57.20	68.20	-11.00	4.10	3	Horizontal	1	1.50	53.10	32.90	5.75	34.55
PK	5.7886G	108.39	Inf	-Inf	5.11	3	Horizontal	1	1.50	103.28	33.85	5.80	34.54
PK	5.9494G	58.31	68.20	-9.89	5.55	3	Horizontal	1	1.50	52.76	34.20	5.87	34.52



5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56032G	41.11	54.00	-12.89	12.45	3	Vertical	159	1.49	28.66	38.70	8.34	34.59
PK	11.5642G	52.47	74.00	-21.53	12.43	3	Vertical	159	1.49	40.04	38.68	8.34	34.59
PK	17.351G	56.54	68.20	-11.66	14.21	3	Vertical	11	2.39	42.33	38.35	10.19	34.33

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5602G	41.14	54.00	-12.86	12.45	3	Horizontal	249	2.58	28.69	38.70	8.34	34.59
PK	11.56408G	52.50	74.00	-21.50	12.43	3	Horizontal	249	2.58	40.07	38.68	8.34	34.59
PK	17.34844G	56.28	68.20	-11.92	14.21	3	Horizontal	348	1.39	42.07	38.35	10.19	34.33

5.725-5.85GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	98.67	Inf	-Inf	5.22	3	Vertical	360	1.35	93.45	33.94	5.81	34.53
PK	5.6486G	57.27	68.20	-10.93	4.21	3	Vertical	360	1.35	53.06	33.00	5.76	34.55
PK	5.8214G	106.78	Inf	-Inf	5.22	3	Vertical	360	1.35	101.56	33.94	5.81	34.53
PK	5.9366G	58.63	68.20	-9.57	5.53	3	Vertical	360	1.35	53.10	34.20	5.86	34.53

5.725-5.85GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.09	Inf	-Inf	5.23	3	Horizontal	1	1.53	94.86	33.95	5.81	34.53
PK	5.6282G	57.60	68.20	-10.60	4.17	3	Horizontal	1	1.53	53.43	32.96	5.76	34.55
PK	5.8226G	108.20	Inf	-Inf	5.23	3	Horizontal	1	1.53	102.97	33.95	5.81	34.53
PK	5.9414G	59.03	68.20	-9.17	5.54	3	Horizontal	1	1.53	53.49	34.20	5.86	34.52

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64036G	41.17	54.00	-12.83	12.26	3	Vertical	46	2.46	28.91	38.50	8.37	34.61
PK	11.65312G	52.46	74.00	-21.54	12.25	3	Vertical	46	2.46	40.21	38.50	8.37	34.62
PK	17.48492G	56.44	68.20	-11.76	14.34	3	Vertical	29	2.44	42.10	38.50	10.25	34.41

5.725-5.85GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6436G	41.20	54.00	-12.80	12.25	3	Horizontal	293	1.66	28.95	38.50	8.37	34.62
PK	11.64508G	52.85	74.00	-21.15	12.25	3	Horizontal	293	1.66	40.60	38.50	8.37	34.62
PK	17.46864G	56.51	68.20	-11.69	14.34	3	Horizontal	22	2.28	42.17	38.50	10.24	34.40

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	46.34	54.00	-7.66	3.89	3	Vertical	102	2.62	42.45	33.00	5.51	34.62
AV	5.1838G	93.99	Inf	-Inf	3.99	3	Vertical	102	2.62	90.00	33.07	5.53	34.61
PK	5.15G	58.76	74.00	-15.24	3.90	3	Vertical	102	2.62	54.86	33.00	5.52	34.62
PK	5.1836G	102.87	Inf	-Inf	3.99	3	Vertical	102	2.62	98.88	33.07	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.37	54.00	-6.63	3.90	3	Horizontal	340	1.67	43.47	33.00	5.52	34.62
AV	5.1836G	98.47	Inf	-Inf	3.99	3	Horizontal	340	1.67	94.48	33.07	5.53	34.61
PK	5.1494G	59.66	74.00	-14.34	3.89	3	Horizontal	340	1.67	55.77	33.00	5.51	34.62
PK	5.1824G	106.96	Inf	-Inf	3.97	3	Horizontal	340	1.67	102.99	33.06	5.52	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.533G	42.49	54.00	-11.51	13.03	3	Vertical	100	1.62	29.46	38.43	9.50	34.90
PK	10.35764G	53.30	68.20	-14.90	12.06	3	Vertical	267	2.76	41.24	38.97	7.96	34.87
PK	15.53424G	54.34	74.00	-19.66	13.02	3	Vertical	100	1.62	41.32	38.43	9.50	34.91

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53156G	42.40	54.00	-11.60	13.04	3	Horizontal	241	1.40	29.36	38.44	9.50	34.90
PK	10.35876G	53.24	68.20	-14.96	12.08	3	Horizontal	319	1.79	41.16	38.98	7.96	34.86
PK	15.54668G	53.92	74.00	-20.08	13.01	3	Horizontal	241	1.40	40.91	38.41	9.51	34.91

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.79	54.00	-8.21	3.89	3	Vertical	262	2.62	41.90	33.00	5.51	34.62
AV	5.204G	96.40	Inf	-Inf	4.02	3	Vertical	262	2.62	92.38	33.10	5.53	34.61
PK	5.1108G	57.64	74.00	-16.36	3.88	3	Vertical	262	2.62	53.76	33.00	5.50	34.62
PK	5.1976G	104.99	Inf	-Inf	4.02	3	Vertical	262	2.62	100.97	33.10	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.20	54.00	-7.80	3.89	3	Horizontal	359	1.66	42.31	33.00	5.51	34.62
AV	5.1976G	100.12	Inf	-Inf	4.02	3	Horizontal	359	1.66	96.10	33.10	5.53	34.61
PK	5.1144G	57.95	74.00	-16.05	3.88	3	Horizontal	359	1.66	54.07	33.00	5.50	34.62
PK	5.1984G	108.38	Inf	-Inf	4.02	3	Horizontal	359	1.66	104.36	33.10	5.53	34.61

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60064G	42.83	54.00	-11.17	12.88	3	Vertical	211	1.89	29.95	38.30	9.53	34.95
PK	10.40776G	52.79	68.20	-15.41	12.25	3	Vertical	202	1.85	40.54	39.08	7.98	34.81
PK	15.59992G	54.51	74.00	-19.49	12.88	3	Vertical	211	1.89	41.63	38.30	9.53	34.95

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6G	42.67	54.00	-11.33	12.88	3	Horizontal	98	1.12	29.79	38.30	9.53	34.95
PK	10.39588G	54.10	68.20	-14.10	12.23	3	Horizontal	55	2.70	41.87	39.09	7.97	34.83
PK	15.60616G	54.77	74.00	-19.23	12.84	3	Horizontal	98	1.12	41.93	38.27	9.53	34.96

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1068G	45.62	54.00	-8.38	3.88	3	Vertical	3	1.50	41.74	33.00	5.50	34.62
AV	5.2442G	94.41	Inf	-Inf	4.04	3	Vertical	3	1.50	90.37	33.10	5.54	34.60
AV	5.3882G	44.86	54.00	-9.14	3.97	3	Vertical	3	1.50	40.89	32.98	5.57	34.58
PK	5.0936G	57.93	74.00	-16.07	3.90	3	Vertical	3	1.50	54.03	33.03	5.50	34.63
PK	5.2442G	102.97	Inf	-Inf	4.04	3	Vertical	3	1.50	98.93	33.10	5.54	34.60
PK	5.372G	56.47	74.00	-17.53	3.92	3	Vertical	3	1.50	52.55	32.94	5.56	34.58

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1218G	45.74	54.00	-8.26	3.89	3	Horizontal	64	1.55	41.85	33.00	5.51	34.62
AV	5.2376G	99.90	Inf	-Inf	4.04	3	Horizontal	64	1.55	95.86	33.10	5.54	34.60
AV	5.3606G	44.97	54.00	-9.03	3.90	3	Horizontal	64	1.55	41.07	32.92	5.56	34.58
PK	5.1026G	57.87	74.00	-16.13	3.88	3	Horizontal	64	1.55	53.99	33.00	5.50	34.62
PK	5.2436G	108.19	Inf	-Inf	4.04	3	Horizontal	64	1.55	104.15	33.10	5.54	34.60
PK	5.363G	56.39	74.00	-17.61	3.91	3	Horizontal	64	1.55	52.48	32.93	5.56	34.58



5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71008G	42.30	54.00	-11.70	12.34	3	Vertical	129	1.67	29.96	37.82	9.56	35.04
PK	10.47928G	53.42	68.20	-14.78	12.20	3	Vertical	343	2.99	41.22	38.94	8.00	34.74
PK	15.7172G	53.69	74.00	-20.31	12.36	3	Vertical	129	1.67	41.33	37.83	9.57	35.04

5.15-5.25GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71012G	42.31	54.00	-11.69	12.34	3	Horizontal	268	2.38	29.97	37.82	9.56	35.04
PK	10.47932G	53.01	68.20	-15.19	12.20	3	Horizontal	182	2.95	40.81	38.94	8.00	34.74
PK	15.71252G	53.65	74.00	-20.35	12.35	3	Horizontal	268	2.38	41.30	37.83	9.56	35.04

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1172G	45.64	54.00	-8.36	3.89	3	Vertical	3	1.49	41.75	33.00	5.51	34.62
AV	5.2618G	95.41	Inf	-Inf	4.02	3	Vertical	3	1.49	91.39	33.08	5.54	34.60
AV	5.4088G	44.96	54.00	-9.04	3.99	3	Vertical	3	1.49	40.97	32.98	5.58	34.57
PK	5.1274G	57.38	74.00	-16.62	3.89	3	Vertical	3	1.49	53.49	33.00	5.51	34.62
PK	5.2642G	104.06	Inf	-Inf	4.01	3	Vertical	3	1.49	100.05	33.07	5.54	34.60
PK	5.4094G	56.32	74.00	-17.68	3.99	3	Vertical	3	1.49	52.33	32.98	5.58	34.57

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	45.79	54.00	-8.21	3.89	3	Horizontal	65	1.50	41.90	33.00	5.51	34.62
AV	5.2564G	99.70	Inf	-Inf	4.03	3	Horizontal	65	1.50	95.67	33.09	5.54	34.60
AV	5.4076G	44.97	54.00	-9.03	3.99	3	Horizontal	65	1.50	40.98	32.98	5.58	34.57
PK	5.113G	57.52	74.00	-16.48	3.88	3	Horizontal	65	1.50	53.64	33.00	5.50	34.62
PK	5.257G	107.76	Inf	-Inf	4.03	3	Horizontal	65	1.50	103.73	33.09	5.54	34.60
PK	5.3926G	57.06	74.00	-16.94	3.98	3	Horizontal	65	1.50	53.08	32.99	5.57	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77728G	42.64	54.00	-11.36	12.45	3	Vertical	141	2.81	30.19	37.95	9.59	35.09
PK	10.52924G	52.28	68.20	-15.92	12.27	3	Vertical	230	1.52	40.01	38.96	8.02	34.71
PK	15.7726G	53.67	74.00	-20.33	12.45	3	Vertical	141	2.81	41.22	37.95	9.58	35.08

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77692G	42.39	54.00	-11.61	12.46	3	Horizontal	148	2.42	29.93	37.95	9.59	35.08
PK	10.52756G	53.50	68.20	-14.70	12.27	3	Horizontal	179	1.30	41.23	38.96	8.02	34.71
PK	15.7716G	53.71	74.00	-20.29	12.44	3	Horizontal	148	2.42	41.27	37.94	9.58	35.08

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	96.37	Inf	-Inf	3.95	3	Vertical	4	1.50	92.42	32.99	5.55	34.59
AV	5.3508G	44.87	54.00	-9.13	3.88	3	Vertical	4	1.50	40.99	32.90	5.56	34.58
PK	5.2988G	104.96	Inf	-Inf	3.96	3	Vertical	4	1.50	101.00	33.00	5.55	34.59
PK	5.3924G	56.63	74.00	-17.37	3.97	3	Vertical	4	1.50	52.66	32.98	5.57	34.58

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	98.98	Inf	-Inf	3.97	3	Horizontal	65	1.50	95.01	33.01	5.55	34.59
AV	5.35G	44.95	54.00	-9.05	3.88	3	Horizontal	65	1.50	41.07	32.90	5.56	34.58
PK	5.2976G	107.43	Inf	-Inf	3.96	3	Horizontal	65	1.50	103.47	33.00	5.55	34.59
PK	5.3892G	57.11	74.00	-16.89	3.97	3	Horizontal	65	1.50	53.14	32.98	5.57	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60032G	41.38	54.00	-12.62	12.45	3	Vertical	46	2.46	28.93	39.10	8.04	34.69
AV	15.8902G	42.05	54.00	-11.95	12.18	3	Vertical	50	1.00	29.87	37.73	9.62	35.17
PK	10.59076G	52.60	68.20	-15.60	12.43	3	Vertical	46	2.46	40.17	39.08	8.04	34.69
PK	15.89692G	53.55	74.00	-20.45	12.17	3	Vertical	50	1.00	41.38	37.71	9.63	35.17

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60212G	41.39	54.00	-12.61	12.45	3	Horizontal	273	2.98	28.94	39.10	8.04	34.69
AV	15.89072G	42.10	54.00	-11.90	12.18	3	Horizontal	54	2.39	29.92	37.73	9.62	35.17
PK	10.596G	52.99	68.20	-15.21	12.44	3	Horizontal	273	2.98	40.55	39.09	8.04	34.69
PK	15.90784G	53.34	74.00	-20.66	12.13	3	Horizontal	54	2.39	41.21	37.68	9.63	35.18

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3174G	96.07	Inf	-Inf	3.93	3	Vertical	0	1.53	92.14	32.97	5.55	34.59
AV	5.3508G	45.33	54.00	-8.67	3.88	3	Vertical	0	1.53	41.45	32.90	5.56	34.58
PK	5.317G	104.53	Inf	-Inf	3.93	3	Vertical	0	1.53	100.60	32.97	5.55	34.59
PK	5.3518G	57.43	74.00	-16.57	3.88	3	Vertical	0	1.53	53.55	32.90	5.56	34.58

5.25-5.35GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	98.30	Inf	-Inf	3.93	3	Horizontal	352	1.71	94.37	32.97	5.55	34.59
AV	5.35G	46.34	54.00	-7.66	3.88	3	Horizontal	352	1.71	42.46	32.90	5.56	34.58
PK	5.3172G	106.86	Inf	-Inf	3.93	3	Horizontal	352	1.71	102.93	32.97	5.55	34.59
PK	5.3566G	59.95	74.00	-14.05	3.89	3	Horizontal	352	1.71	56.06	32.91	5.56	34.58

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63768G	41.38	54.00	-12.62	12.51	3	Vertical	222	2.04	28.87	39.14	8.05	34.68
AV	15.96312G	41.74	54.00	-12.26	12.00	3	Vertical	47	1.86	29.74	37.57	9.65	35.22
PK	10.63548G	53.01	74.00	-20.99	12.51	3	Vertical	222	2.04	40.50	39.14	8.05	34.68
PK	15.95576G	54.10	74.00	-19.90	12.02	3	Vertical	47	1.86	42.08	37.59	9.65	35.22

5.25-5.35GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6342G	41.34	54.00	-12.66	12.50	3	Horizontal	10	2.13	28.84	39.13	8.05	34.68
AV	15.96168G	41.73	54.00	-12.27	12.01	3	Horizontal	88	1.17	29.72	37.58	9.65	35.22
PK	10.63264G	52.63	74.00	-21.37	12.50	3	Horizontal	10	2.13	40.13	39.13	8.05	34.68
PK	15.95008G	54.67	74.00	-19.33	12.03	3	Horizontal	88	1.17	42.64	37.60	9.64	35.21

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.15	54.00	-8.85	3.93	3	Vertical	360	1.47	41.22	32.88	5.62	34.57
AV	5.5016G	96.88	Inf	-Inf	3.90	3	Vertical	360	1.47	92.98	32.80	5.66	34.56
PK	5.4514G	56.52	74.00	-17.48	3.95	3	Vertical	360	1.47	52.57	32.90	5.62	34.57
PK	5.4694G	57.07	68.20	-11.13	3.93	3	Vertical	360	1.47	53.14	32.86	5.63	34.56
PK	5.5024G	105.62	Inf	-Inf	3.90	3	Vertical	360	1.47	101.72	32.80	5.66	34.56

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.24	54.00	-8.76	3.93	3	Horizontal	5	1.50	41.31	32.88	5.62	34.57
AV	5.5026G	97.51	Inf	-Inf	3.90	3	Horizontal	5	1.50	93.61	32.80	5.66	34.56
PK	5.4552G	56.51	74.00	-17.49	3.94	3	Horizontal	5	1.50	52.57	32.89	5.62	34.57
PK	5.4674G	57.53	68.20	-10.67	3.93	3	Horizontal	5	1.50	53.60	32.87	5.63	34.57
PK	5.4972G	106.22	Inf	-Inf	3.91	3	Horizontal	5	1.50	102.31	32.81	5.66	34.56



5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99124G	41.80	54.00	-12.20	12.49	3	Vertical	66	2.19	29.31	38.91	8.16	34.58
PK	10.99868G	54.49	74.00	-19.51	12.48	3	Vertical	66	2.19	42.01	38.90	8.16	34.58
PK	16.49536G	55.16	68.20	-13.04	13.48	3	Vertical	352	1.91	41.68	38.38	9.86	34.76

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9986G	41.84	54.00	-12.16	12.48	3	Horizontal	312	1.91	29.36	38.90	8.16	34.58
PK	10.9976G	53.32	74.00	-20.68	12.48	3	Horizontal	312	1.91	40.84	38.90	8.16	34.58
PK	16.49376G	55.46	68.20	-12.74	13.46	3	Horizontal	34	2.63	42.00	38.37	9.86	34.77

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	44.84	54.00	-9.16	3.93	3	Vertical	0	1.37	40.91	32.88	5.62	34.57
AV	5.5776G	97.69	Inf	-Inf	4.04	3	Vertical	0	1.37	93.65	32.86	5.73	34.55
PK	5.4426G	56.21	74.00	-17.79	3.95	3	Vertical	0	1.37	52.26	32.91	5.61	34.57
PK	5.4624G	55.88	68.20	-12.32	3.94	3	Vertical	0	1.37	51.94	32.88	5.63	34.57
PK	5.5764G	105.97	Inf	-Inf	4.03	3	Vertical	0	1.37	101.94	32.85	5.73	34.55
PK	5.73G	59.10	68.20	-9.10	4.82	3	Vertical	0	1.37	54.28	33.58	5.78	34.54

5.47-5.725GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	44.86	54.00	-9.14	3.95	3	Horizontal	11	1.48	40.91	32.90	5.62	34.57
AV	5.5842G	98.52	Inf	-Inf	4.06	3	Horizontal	11	1.48	94.46	32.87	5.74	34.55
PK	5.451G	57.38	74.00	-16.62	3.95	3	Horizontal	11	1.48	53.43	32.90	5.62	34.57
PK	5.4618G	56.23	68.20	-11.97	3.94	3	Horizontal	11	1.48	52.29	32.88	5.63	34.57
PK	5.5836G	107.20	Inf	-Inf	4.06	3	Horizontal	11	1.48	103.14	32.87	5.74	34.55
PK	5.7294G	57.96	68.20	-10.24	4.82	3	Horizontal	11	1.48	53.14	33.58	5.78	34.54