


5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16596G	41.55	54.00	-12.45	12.51	3	Vertical	152	1.69	29.04	38.87	8.22	34.58
PK	11.1568G	53.79	74.00	-20.21	12.49	3	Vertical	152	1.69	41.30	38.86	8.21	34.58
PK	16.74916G	54.41	68.20	-13.79	13.47	3	Vertical	170	2.68	40.94	37.95	9.96	34.44

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16724G	41.56	54.00	-12.44	12.51	3	Horizontal	353	2.20	29.05	38.87	8.22	34.58
PK	11.15416G	52.84	74.00	-21.16	12.48	3	Horizontal	353	2.20	40.36	38.85	8.21	34.58
PK	16.7496G	55.07	68.20	-13.13	13.47	3	Horizontal	153	1.00	41.60	37.95	9.96	34.44

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	97.26	Inf	-Inf	4.60	3	Vertical	14	1.20	92.66	33.37	5.77	34.54
PK	5.704G	106.32	Inf	-Inf	4.66	3	Vertical	14	1.20	101.66	33.42	5.78	34.54
PK	5.7276G	63.20	68.20	-5.00	4.81	3	Vertical	14	1.20	58.39	33.57	5.78	34.54

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	98.85	Inf	-Inf	4.65	3	Horizontal	0	3.00	94.20	33.41	5.78	34.54
PK	5.6992G	107.57	Inf	-Inf	4.62	3	Horizontal	0	3.00	102.95	33.39	5.77	34.54
PK	5.728G	64.00	68.20	-4.20	4.81	3	Horizontal	0	3.00	59.19	33.57	5.78	34.54

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39048G	41.50	54.00	-12.50	12.81	3	Vertical	338	1.55	28.69	39.09	8.29	34.57
PK	11.39476G	52.80	74.00	-21.20	12.81	3	Vertical	338	1.55	39.99	39.09	8.29	34.57
PK	17.10104G	55.88	68.20	-12.32	13.71	3	Vertical	251	2.93	42.17	37.80	10.09	34.18

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3906G	41.51	54.00	-12.49	12.81	3	Horizontal	270	1.64	28.70	39.09	8.29	34.57
PK	11.40416G	52.96	74.00	-21.04	12.82	3	Horizontal	270	1.64	40.14	39.10	8.29	34.57
PK	17.10664G	55.74	68.20	-12.46	13.75	3	Horizontal	290	2.70	41.99	37.83	10.10	34.18

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.718G	99.00	Inf	-Inf	4.75	3	Vertical	0	1.42	94.25	33.51	5.78	34.54
PK	5.718G	106.96	Inf	-Inf	4.75	3	Vertical	0	1.42	102.21	33.51	5.78	34.54
PK	5.879G	59.39	68.20	-8.81	5.43	3	Vertical	0	1.42	53.96	34.12	5.84	34.53

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.717G	98.78	Inf	-Inf	4.74	3	Horizontal	11	1.48	94.04	33.50	5.78	34.54
PK	5.723G	106.74	Inf	-Inf	4.78	3	Horizontal	11	1.48	101.96	33.54	5.78	34.54
PK	5.92G	58.90	68.20	-9.30	5.52	3	Horizontal	11	1.48	53.38	34.20	5.85	34.53

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43076G	41.55	54.00	-12.45	12.80	3	Vertical	23	2.17	28.75	39.07	8.30	34.57
PK	11.43116G	53.86	74.00	-20.14	12.80	3	Vertical	23	2.17	41.06	39.07	8.30	34.57
PK	17.16836G	55.33	68.20	-12.87	13.97	3	Vertical	263	2.00	41.36	38.07	10.12	34.22

5.47-5.725GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44788G	41.57	54.00	-12.43	12.79	3	Horizontal	53	2.74	28.78	39.05	8.31	34.57
PK	11.4492G	53.44	74.00	-20.56	12.79	3	Horizontal	53	2.74	40.65	39.05	8.31	34.57
PK	17.1528G	55.99	68.20	-12.21	13.92	3	Horizontal	145	1.06	42.07	38.01	10.12	34.21

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	44.71	54.00	-9.29	3.94	3	Vertical	2	1.32	40.77	32.89	5.62	34.57
AV	5.7474G	100.03	Inf	-Inf	4.93	3	Vertical	2	1.32	95.10	33.68	5.79	34.54
PK	5.649G	57.55	68.20	-10.65	4.21	3	Vertical	2	1.32	53.34	33.00	5.76	34.55
PK	5.7486G	108.69	Inf	-Inf	4.94	3	Vertical	2	1.32	103.75	33.69	5.79	34.54
PK	5.943G	58.36	68.20	-9.84	5.54	3	Vertical	2	1.32	52.82	34.20	5.86	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	44.71	54.00	-9.29	3.94	3	Horizontal	10	2.94	40.77	32.89	5.62	34.57
AV	5.7438G	99.33	Inf	-Inf	4.91	3	Horizontal	10	2.94	94.42	33.66	5.79	34.54
PK	5.5998G	57.12	68.20	-11.08	4.10	3	Horizontal	10	2.94	53.02	32.90	5.75	34.55
PK	5.7486G	108.03	Inf	-Inf	4.94	3	Horizontal	10	2.94	103.09	33.69	5.79	34.54
PK	6.0366G	58.31	68.20	-9.89	5.50	3	Horizontal	10	2.94	52.81	34.10	5.92	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49136G	41.60	54.00	-12.40	12.76	3	Vertical	142	2.88	28.84	39.01	8.32	34.57
PK	11.49404G	53.35	74.00	-20.65	12.76	3	Vertical	142	2.88	40.59	39.01	8.32	34.57
PK	17.23352G	55.41	68.20	-12.79	14.09	3	Vertical	39	2.89	41.32	38.20	10.15	34.26

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4944G	41.59	54.00	-12.41	12.76	3	Horizontal	274	2.10	28.83	39.01	8.32	34.57
PK	11.49028G	53.22	74.00	-20.78	12.76	3	Horizontal	274	2.10	40.46	39.01	8.32	34.57
PK	17.24448G	55.89	68.20	-12.31	14.08	3	Horizontal	309	2.26	41.81	38.20	10.15	34.27

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	99.27	Inf	-Inf	5.09	3	Vertical	18	1.39	94.18	33.83	5.80	34.54
PK	5.5822G	57.14	68.20	-11.06	4.04	3	Vertical	18	1.39	53.10	32.86	5.73	34.55
PK	5.7886G	108.09	Inf	-Inf	5.11	3	Vertical	18	1.39	102.98	33.85	5.80	34.54
PK	5.9542G	58.99	68.20	-9.21	5.54	3	Vertical	18	1.39	53.45	34.19	5.87	34.52

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	99.30	Inf	-Inf	5.11	3	Horizontal	360	1.50	94.19	33.85	5.80	34.54
PK	5.6494G	57.50	68.20	-10.70	4.21	3	Horizontal	360	1.50	53.29	33.00	5.76	34.55
PK	5.7826G	107.39	Inf	-Inf	5.09	3	Horizontal	360	1.50	102.30	33.83	5.80	34.54
PK	5.989G	57.78	68.20	-10.42	5.49	3	Horizontal	360	1.50	52.29	34.12	5.89	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56056G	41.10	54.00	-12.90	12.45	3	Vertical	302	2.05	28.65	38.70	8.34	34.59
PK	11.56468G	52.31	74.00	-21.69	12.43	3	Vertical	302	2.05	39.88	38.68	8.34	34.59
PK	17.35272G	56.59	68.20	-11.61	14.22	3	Vertical	73	1.29	42.37	38.36	10.19	34.33

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5632G	41.10	54.00	-12.90	12.43	3	Horizontal	252	1.68	28.67	38.68	8.34	34.59
PK	11.572G	53.25	74.00	-20.75	12.40	3	Horizontal	252	1.68	40.85	38.64	8.35	34.59
PK	17.34996G	56.48	68.20	-11.72	14.21	3	Horizontal	283	2.66	42.27	38.35	10.19	34.33

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	100.27	Inf	-Inf	5.22	3	Vertical	4	1.28	95.05	33.94	5.81	34.53
PK	5.6342G	57.01	68.20	-11.19	4.18	3	Vertical	4	1.28	52.83	32.97	5.76	34.55
PK	5.8226G	108.96	Inf	-Inf	5.23	3	Vertical	4	1.28	103.73	33.95	5.81	34.53
PK	5.9366G	58.81	68.20	-9.39	5.53	3	Vertical	4	1.28	53.28	34.20	5.86	34.53

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	99.59	Inf	-Inf	5.23	3	Horizontal	295	1.65	94.36	33.95	5.81	34.53
PK	5.5586G	57.86	68.20	-10.34	3.97	3	Horizontal	295	1.65	53.89	32.82	5.71	34.56
PK	5.8274G	109.02	Inf	-Inf	5.23	3	Horizontal	295	1.65	103.79	33.95	5.81	34.53
PK	5.9414G	58.95	68.20	-9.25	5.54	3	Horizontal	295	1.65	53.41	34.20	5.86	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64G	41.15	54.00	-12.85	12.26	3	Vertical	331	1.90	28.89	38.50	8.37	34.61
PK	11.64096G	53.18	74.00	-20.82	12.25	3	Vertical	331	1.90	40.93	38.50	8.37	34.62
PK	17.48292G	56.33	68.20	-11.87	14.34	3	Vertical	271	2.89	41.99	38.50	10.25	34.41

5.725-5.85GHz_802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64008G	41.17	54.00	-12.83	12.26	3	Horizontal	48	1.17	28.91	38.50	8.37	34.61
PK	11.6524G	52.52	74.00	-21.48	12.25	3	Horizontal	48	1.17	40.27	38.50	8.37	34.62
PK	17.47464G	57.52	68.20	-10.68	14.34	3	Horizontal	7	2.13	43.18	38.50	10.24	34.40

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	48.74	54.00	-5.26	3.89	3	Vertical	90	1.99	44.85	33.00	5.51	34.62
AV	5.184G	101.70	Inf	-Inf	3.99	3	Vertical	90	1.99	97.71	33.07	5.53	34.61
PK	5.1474G	62.55	74.00	-11.45	3.89	3	Vertical	90	1.99	58.66	33.00	5.51	34.62
PK	5.1836G	110.65	Inf	-Inf	3.99	3	Vertical	90	1.99	106.66	33.07	5.53	34.61

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.97	54.00	-2.03	3.90	3	Horizontal	346	2.61	48.07	33.00	5.52	34.62
AV	5.1828G	105.99	Inf	-Inf	3.98	3	Horizontal	346	2.61	102.01	33.07	5.52	34.61
PK	5.1454G	65.77	74.00	-8.23	3.89	3	Horizontal	346	2.61	61.88	33.00	5.51	34.62
PK	5.183G	115.11	Inf	-Inf	3.98	3	Horizontal	346	2.61	111.13	33.07	5.52	34.61

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54096G	42.32	54.00	-11.68	13.02	3	Vertical	131	2.49	29.30	38.42	9.51	34.91
PK	10.35824G	52.44	68.20	-15.76	12.07	3	Vertical	125	2.08	40.37	38.97	7.96	34.86
PK	15.531G	54.31	74.00	-19.69	13.04	3	Vertical	131	2.49	41.27	38.44	9.50	34.90

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54692G	42.32	54.00	-11.68	13.01	3	Horizontal	178	2.61	29.31	38.41	9.51	34.91
PK	10.363G	52.79	68.20	-15.41	12.09	3	Horizontal	277	2.85	40.70	38.99	7.96	34.86
PK	15.5454G	54.02	74.00	-19.98	13.01	3	Horizontal	178	2.61	41.01	38.41	9.51	34.91

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.69	54.00	-6.31	3.90	3	Vertical	94	2.85	43.79	33.00	5.52	34.62
AV	5.1972G	100.82	Inf	-Inf	4.01	3	Vertical	94	2.85	96.81	33.09	5.53	34.61
PK	5.1488G	58.95	74.00	-15.05	3.89	3	Vertical	94	2.85	55.06	33.00	5.51	34.62
PK	5.202G	110.98	Inf	-Inf	4.02	3	Vertical	94	2.85	106.96	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.06	54.00	-4.94	3.90	3	Horizontal	2	1.64	45.16	33.00	5.52	34.62
AV	5.1968G	104.43	Inf	-Inf	4.01	3	Horizontal	2	1.64	100.42	33.09	5.53	34.61
PK	5.1492G	61.05	74.00	-12.95	3.89	3	Horizontal	2	1.64	57.16	33.00	5.51	34.62
PK	5.2024G	114.38	Inf	-Inf	4.02	3	Horizontal	2	1.64	110.36	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60088G	42.63	54.00	-11.37	12.88	3	Vertical	150	1.58	29.75	38.30	9.53	34.95
PK	10.4012G	53.53	68.20	-14.67	12.26	3	Vertical	185	1.88	41.27	39.10	7.98	34.82
PK	15.60984G	53.89	74.00	-20.11	12.82	3	Vertical	150	1.58	41.07	38.25	9.53	34.96

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60036G	42.60	54.00	-11.40	12.88	3	Horizontal	21	1.36	29.72	38.30	9.53	34.95
PK	10.40388G	52.98	68.20	-15.22	12.25	3	Horizontal	50	1.43	40.73	39.09	7.98	34.82
PK	15.6066G	54.90	74.00	-19.10	12.84	3	Horizontal	21	1.36	42.06	38.27	9.53	34.96

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.24	54.00	-7.76	3.89	3	Vertical	96	2.88	42.35	33.00	5.51	34.62
AV	5.237G	100.71	Inf	-Inf	4.04	3	Vertical	96	2.88	96.67	33.10	5.54	34.60
AV	5.3612G	45.74	54.00	-8.26	3.90	3	Vertical	96	2.88	41.84	32.92	5.56	34.58
PK	5.141G	58.49	74.00	-15.51	3.89	3	Vertical	96	2.88	54.60	33.00	5.51	34.62
PK	5.2388G	111.25	Inf	-Inf	4.04	3	Vertical	96	2.88	107.21	33.10	5.54	34.60
PK	5.3708G	57.39	74.00	-16.61	3.92	3	Vertical	96	2.88	53.47	32.94	5.56	34.58

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	46.75	54.00	-7.25	3.89	3	Horizontal	0	2.52	42.86	33.00	5.51	34.62
AV	5.2364G	104.85	Inf	-Inf	4.04	3	Horizontal	0	2.52	100.81	33.10	5.54	34.60
AV	5.3732G	47.87	54.00	-6.13	3.93	3	Horizontal	0	2.52	43.94	32.95	5.56	34.58
PK	5.0906G	58.78	74.00	-15.22	3.91	3	Horizontal	0	2.52	54.87	33.04	5.50	34.63
PK	5.2364G	115.41	Inf	-Inf	4.04	3	Horizontal	0	2.52	111.37	33.10	5.54	34.60
PK	5.3756G	59.06	74.00	-14.94	3.94	3	Horizontal	0	2.52	55.12	32.95	5.57	34.58

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7106G	42.19	54.00	-11.81	12.34	3	Vertical	173	1.62	29.85	37.82	9.56	35.04
PK	10.4872G	52.58	68.20	-15.62	12.20	3	Vertical	310	2.87	40.38	38.93	8.00	34.73
PK	15.71584G	53.85	74.00	-20.15	12.35	3	Vertical	173	1.62	41.50	37.83	9.56	35.04

5.15-5.25GHz_802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7126G	42.17	54.00	-11.83	12.35	3	Horizontal	152	1.05	29.82	37.83	9.56	35.04
PK	10.48276G	52.93	68.20	-15.27	12.19	3	Horizontal	229	2.64	40.74	38.93	8.00	34.74
PK	15.71048G	54.15	74.00	-19.85	12.34	3	Horizontal	152	1.05	41.81	37.82	9.56	35.04

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	46.04	54.00	-7.96	3.89	3	Vertical	108	3.00	42.15	33.00	5.51	34.62
AV	5.2564G	100.67	Inf	-Inf	4.03	3	Vertical	108	3.00	96.64	33.09	5.54	34.60
AV	5.3938G	45.73	54.00	-8.27	3.98	3	Vertical	108	3.00	41.75	32.99	5.57	34.58
PK	5.1484G	57.87	74.00	-16.13	3.89	3	Vertical	108	3.00	53.98	33.00	5.51	34.62
PK	5.2588G	110.67	Inf	-Inf	4.02	3	Vertical	108	3.00	106.65	33.08	5.54	34.60
PK	5.3578G	57.14	74.00	-16.86	3.90	3	Vertical	108	3.00	53.24	32.92	5.56	34.58

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	46.68	54.00	-7.32	3.89	3	Horizontal	3	2.44	42.79	33.00	5.51	34.62
AV	5.2588G	105.00	Inf	-Inf	4.02	3	Horizontal	3	2.44	100.98	33.08	5.54	34.60
AV	5.3968G	48.33	54.00	-5.67	3.98	3	Horizontal	3	2.44	44.35	32.99	5.57	34.58
PK	5.1274G	58.33	74.00	-15.67	3.89	3	Horizontal	3	2.44	54.44	33.00	5.51	34.62
PK	5.2624G	115.16	Inf	-Inf	4.02	3	Horizontal	3	2.44	111.14	33.08	5.54	34.60
PK	5.3824G	60.20	74.00	-13.80	3.95	3	Horizontal	3	2.44	56.25	32.96	5.57	34.58

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78272G	42.52	54.00	-11.48	12.47	3	Vertical	103	1.62	30.05	37.97	9.59	35.09
PK	10.51196G	53.27	68.20	-14.93	12.21	3	Vertical	61	2.51	41.06	38.92	8.01	34.72
PK	15.78G	54.30	74.00	-19.70	12.46	3	Vertical	103	1.62	41.84	37.96	9.59	35.09

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77736G	42.39	54.00	-11.61	12.45	3	Horizontal	280	1.55	29.94	37.95	9.59	35.09
PK	10.51648G	53.18	68.20	-15.02	12.22	3	Horizontal	99	1.02	40.96	38.93	8.01	34.72
PK	15.77016G	53.77	74.00	-20.23	12.44	3	Horizontal	280	1.55	41.33	37.94	9.58	35.08

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	99.56	Inf	-Inf	3.96	3	Vertical	5	1.50	95.60	33.00	5.55	34.59
AV	5.3992G	46.23	54.00	-7.77	3.99	3	Vertical	5	1.50	42.24	33.00	5.57	34.58
PK	5.3032G	109.91	Inf	-Inf	3.95	3	Vertical	5	1.50	105.96	32.99	5.55	34.59
PK	5.3996G	57.88	74.00	-16.12	3.99	3	Vertical	5	1.50	53.89	33.00	5.57	34.58

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	104.33	Inf	-Inf	3.96	3	Horizontal	10	1.64	100.37	33.00	5.55	34.59
AV	5.4G	48.08	54.00	-5.92	3.99	3	Horizontal	10	1.64	44.09	33.00	5.57	34.58
PK	5.3012G	114.26	Inf	-Inf	3.96	3	Horizontal	10	1.64	110.30	33.00	5.55	34.59
PK	5.354G	59.44	74.00	-14.56	3.89	3	Horizontal	10	1.64	55.55	32.91	5.56	34.58

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60024G	41.48	54.00	-12.52	12.45	3	Vertical	39	1.08	29.03	39.10	8.04	34.69
AV	15.89004G	42.19	54.00	-11.81	12.18	3	Vertical	164	2.03	30.01	37.73	9.62	35.17
PK	10.59596G	52.94	68.20	-15.26	12.44	3	Vertical	39	1.08	40.50	39.09	8.04	34.69
PK	15.89088G	53.40	74.00	-20.60	12.18	3	Vertical	164	2.03	41.22	37.73	9.62	35.17

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6002G	41.36	54.00	-12.64	12.45	3	Horizontal	217	1.21	28.91	39.10	8.04	34.69
AV	15.89048G	42.05	54.00	-11.95	12.18	3	Horizontal	252	2.99	29.87	37.73	9.62	35.17
PK	10.59356G	53.57	68.20	-14.63	12.44	3	Horizontal	217	1.21	41.13	39.09	8.04	34.69
PK	15.90988G	54.01	74.00	-19.99	12.13	3	Horizontal	252	2.99	41.88	37.68	9.63	35.18

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3238G	99.79	Inf	-Inf	3.91	3	Vertical	356	1.50	95.88	32.95	5.55	34.59
AV	5.35G	46.55	54.00	-7.45	3.88	3	Vertical	356	1.50	42.67	32.90	5.56	34.58
PK	5.3234G	109.44	Inf	-Inf	3.91	3	Vertical	356	1.50	105.53	32.95	5.55	34.59
PK	5.3552G	60.99	74.00	-13.01	3.89	3	Vertical	356	1.50	57.10	32.91	5.56	34.58

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	105.77	Inf	-Inf	3.93	3	Horizontal	1	1.67	101.84	32.97	5.55	34.59
AV	5.3658G	47.46	54.00	-6.54	3.91	3	Horizontal	1	1.67	43.55	32.93	5.56	34.58
PK	5.3182G	114.54	Inf	-Inf	3.92	3	Horizontal	1	1.67	110.62	32.96	5.55	34.59
PK	5.3504G	65.46	74.00	-8.54	3.88	3	Horizontal	1	1.67	61.58	32.90	5.56	34.58

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63904G	41.39	54.00	-12.61	12.51	3	Vertical	360	1.50	28.88	39.14	8.05	34.68
AV	15.965G	42.01	54.00	-11.99	12.00	3	Vertical	273	2.64	30.01	37.57	9.65	35.22
PK	10.63852G	53.78	74.00	-20.22	12.51	3	Vertical	360	1.50	41.27	39.14	8.05	34.68
PK	15.9644G	53.63	74.00	-20.37	12.00	3	Vertical	273	2.64	41.63	37.57	9.65	35.22

5.25-5.35GHz_802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63556G	41.34	54.00	-12.66	12.51	3	Horizontal	263	2.44	28.83	39.14	8.05	34.68
AV	15.96232G	41.73	54.00	-12.27	12.01	3	Horizontal	164	1.23	29.72	37.58	9.65	35.22
PK	10.64552G	52.45	74.00	-21.55	12.52	3	Horizontal	263	2.44	39.93	39.15	8.05	34.68
PK	15.95208G	52.69	74.00	-21.31	12.03	3	Horizontal	164	1.23	40.66	37.60	9.64	35.21

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.77	54.00	-9.23	3.93	3	Vertical	8	1.03	40.84	32.88	5.62	34.57
AV	5.4978G	93.56	Inf	-Inf	3.90	3	Vertical	8	1.03	89.66	32.80	5.66	34.56
PK	5.4552G	53.85	74.00	-20.15	3.94	3	Vertical	8	1.03	49.91	32.89	5.62	34.57
PK	5.4694G	56.19	68.20	-12.01	3.93	3	Vertical	8	1.03	52.26	32.86	5.63	34.56
PK	5.497G	102.89	Inf	-Inf	3.91	3	Vertical	8	1.03	98.98	32.81	5.66	34.56

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.24	54.00	-6.76	3.93	3	Horizontal	360	2.45	43.31	32.88	5.62	34.57
AV	5.496G	101.49	Inf	-Inf	3.91	3	Horizontal	360	2.45	97.58	32.81	5.66	34.56
PK	5.4594G	59.10	74.00	-14.90	3.93	3	Horizontal	360	2.45	55.17	32.88	5.62	34.57
PK	5.4696G	64.09	68.20	-4.11	3.93	3	Horizontal	360	2.45	60.16	32.86	5.63	34.56
PK	5.497G	109.73	Inf	-Inf	3.91	3	Horizontal	360	2.45	105.82	32.81	5.66	34.56

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99208G	41.66	54.00	-12.34	12.49	3	Vertical	199	2.16	29.17	38.91	8.16	34.58
PK	11.00232G	52.89	74.00	-21.11	12.49	3	Vertical	199	2.16	40.40	38.90	8.17	34.58
PK	16.49852G	55.86	68.20	-12.34	13.49	3	Vertical	91	1.94	42.37	38.39	9.86	34.76

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99168G	41.67	54.00	-12.33	12.49	3	Horizontal	121	1.06	29.18	38.91	8.16	34.58
PK	10.99136G	53.35	74.00	-20.65	12.49	3	Horizontal	121	1.06	40.86	38.91	8.16	34.58
PK	16.49948G	55.13	68.20	-13.07	13.50	3	Horizontal	200	2.55	41.63	38.40	9.86	34.76

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	46.52	54.00	-7.48	3.96	3	Vertical	358	1.21	42.56	32.91	5.62	34.57
AV	5.5824G	102.36	Inf	-Inf	4.08	3	Vertical	358	1.21	98.28	32.90	5.73	34.55
PK	5.4576G	58.24	74.00	-15.76	3.97	3	Vertical	358	1.21	54.27	32.92	5.62	34.57
PK	5.469G	57.30	68.20	-10.90	4.01	3	Vertical	358	1.21	53.29	32.94	5.63	34.56
PK	5.5836G	112.45	Inf	-Inf	4.09	3	Vertical	358	1.21	108.36	32.90	5.74	34.55
PK	5.7294G	62.18	68.20	-6.02	4.76	3	Vertical	358	1.21	57.42	33.52	5.78	34.54

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.439G	47.37	54.00	-6.63	3.94	3	Horizontal	357	1.50	43.43	32.90	5.61	34.57
AV	5.5824G	104.00	Inf	-Inf	4.08	3	Horizontal	357	1.50	99.92	32.90	5.73	34.55
PK	5.4414G	59.39	74.00	-14.61	3.94	3	Horizontal	357	1.50	55.45	32.90	5.61	34.57
PK	5.4672G	58.36	68.20	-9.84	3.99	3	Horizontal	357	1.50	54.37	32.93	5.63	34.57
PK	5.5764G	114.37	Inf	-Inf	4.08	3	Horizontal	357	1.50	110.29	32.90	5.73	34.55
PK	5.7276G	62.92	68.20	-5.28	4.75	3	Horizontal	357	1.50	58.17	33.51	5.78	34.54

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1584G	42.23	54.00	-11.77	12.25	3	Vertical	288	3.00	29.98	38.62	8.21	34.58
PK	11.15596G	51.60	74.00	-22.40	12.24	3	Vertical	288	3.00	39.36	38.61	8.21	34.58
PK	16.73088G	54.08	68.20	-14.12	13.73	3	Vertical	341	2.27	40.35	38.24	9.95	34.46

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1584G	42.31	54.00	-11.69	12.25	3	Horizontal	306	2.43	30.06	38.62	8.21	34.58
PK	11.15156G	51.59	74.00	-22.41	12.23	3	Horizontal	306	2.43	39.36	38.60	8.21	34.58
PK	16.742G	55.09	68.20	-13.11	13.72	3	Horizontal	271	2.67	41.37	38.22	9.95	34.45

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	96.97	Inf	-Inf	4.65	3	Vertical	352	1.02	92.32	33.41	5.78	34.54
PK	5.7032G	105.50	Inf	-Inf	4.66	3	Vertical	352	1.02	100.84	33.42	5.78	34.54
PK	5.7272G	62.26	68.20	-5.94	4.80	3	Vertical	352	1.02	57.46	33.56	5.78	34.54

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	99.31	Inf	-Inf	4.65	3	Horizontal	352	1.47	94.66	33.41	5.78	34.54
PK	5.702G	107.93	Inf	-Inf	4.65	3	Horizontal	352	1.47	103.28	33.41	5.78	34.54
PK	5.7284G	62.89	68.20	-5.31	4.81	3	Horizontal	352	1.47	58.08	33.57	5.78	34.54

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39004G	41.33	54.00	-12.67	12.81	3	Vertical	78	1.78	28.52	39.09	8.29	34.57
PK	11.39744G	53.53	74.00	-20.47	12.82	3	Vertical	78	1.78	40.71	39.10	8.29	34.57
PK	17.0944G	56.01	68.20	-12.19	13.70	3	Vertical	134	2.09	42.31	37.79	10.09	34.18

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39104G	41.38	54.00	-12.62	12.81	3	Horizontal	144	2.90	28.57	39.09	8.29	34.57
PK	11.39376G	53.42	74.00	-20.58	12.81	3	Horizontal	144	2.90	40.61	39.09	8.29	34.57
PK	17.10388G	55.43	68.20	-12.77	13.74	3	Horizontal	265	2.17	41.69	37.82	10.10	34.18

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.717G	102.26	Inf	-Inf	4.74	3	Vertical	10	1.32	97.52	33.50	5.78	34.54
PK	5.717G	112.13	Inf	-Inf	4.74	3	Vertical	10	1.32	107.39	33.50	5.78	34.54
PK	5.872G	59.80	68.20	-8.40	5.39	3	Vertical	10	1.32	54.41	34.09	5.83	34.53

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	103.96	Inf	-Inf	4.78	3	Horizontal	12	2.99	99.18	33.54	5.78	34.54
PK	5.723G	113.90	Inf	-Inf	4.78	3	Horizontal	12	2.99	109.12	33.54	5.78	34.54
PK	5.865G	60.61	68.20	-7.59	5.36	3	Horizontal	12	2.99	55.25	34.06	5.83	34.53

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43004G	41.52	54.00	-12.48	12.80	3	Vertical	131	1.30	28.72	39.07	8.30	34.57
PK	11.43344G	53.47	74.00	-20.53	12.80	3	Vertical	131	1.30	40.67	39.07	8.30	34.57
PK	17.15956G	55.40	68.20	-12.80	13.94	3	Vertical	344	2.33	41.46	38.04	10.12	34.22

5.47-5.725GHz_802.11n HT20_Nss1,(MCS8)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43356G	41.54	54.00	-12.46	12.80	3	Horizontal	204	1.20	28.74	39.07	8.30	34.57
PK	11.43888G	52.89	74.00	-21.11	12.79	3	Horizontal	204	1.20	40.10	39.06	8.30	34.57
PK	17.16856G	55.72	68.20	-12.48	13.97	3	Horizontal	311	2.76	41.75	38.07	10.12	34.22

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	44.78	54.00	-9.22	3.93	3	Vertical	2	1.29	40.85	32.88	5.62	34.57
AV	5.7486G	103.17	Inf	-Inf	4.94	3	Vertical	2	1.29	98.23	33.69	5.79	34.54
PK	5.6406G	57.20	68.20	-11.00	4.19	3	Vertical	2	1.29	53.01	32.98	5.76	34.55
PK	5.7486G	112.90	Inf	-Inf	4.94	3	Vertical	2	1.29	107.96	33.69	5.79	34.54
PK	5.925G	59.49	68.20	-8.71	5.53	3	Vertical	2	1.29	53.96	34.20	5.86	34.53

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	44.92	54.00	-9.08	3.94	3	Horizontal	0	1.50	40.98	32.89	5.62	34.57
AV	5.7486G	103.90	Inf	-Inf	4.94	3	Horizontal	0	1.50	98.96	33.69	5.79	34.54
PK	5.6106G	58.60	68.20	-9.60	4.12	3	Horizontal	0	1.50	54.48	32.92	5.75	34.55
PK	5.7486G	113.10	Inf	-Inf	4.94	3	Horizontal	0	1.50	108.16	33.69	5.79	34.54
PK	5.925G	58.97	68.20	-9.23	5.53	3	Horizontal	0	1.50	53.44	34.20	5.86	34.53

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49288G	41.61	54.00	-12.39	12.76	3	Vertical	32	1.17	28.85	39.01	8.32	34.57
PK	11.48016G	53.35	74.00	-20.65	12.77	3	Vertical	32	1.17	40.58	39.02	8.32	34.57
PK	17.24472G	56.08	68.20	-12.12	14.08	3	Vertical	55	2.23	42.00	38.20	10.15	34.27

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49236G	41.65	54.00	-12.35	12.76	3	Horizontal	50	2.13	28.89	39.01	8.32	34.57
PK	11.48876G	53.21	74.00	-20.79	12.76	3	Horizontal	50	2.13	40.45	39.01	8.32	34.57
PK	17.2432G	57.77	68.20	-10.43	14.08	3	Horizontal	28	1.49	43.69	38.20	10.15	34.27

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	103.37	Inf	-Inf	5.09	3	Vertical	12	1.21	98.28	33.83	5.80	34.54
PK	5.587G	57.58	68.20	-10.62	4.06	3	Vertical	12	1.21	53.52	32.87	5.74	34.55
PK	5.7814G	112.95	Inf	-Inf	5.09	3	Vertical	12	1.21	107.86	33.83	5.80	34.54
PK	5.9554G	59.75	68.20	-8.45	5.54	3	Vertical	12	1.21	54.21	34.19	5.87	34.52

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	104.36	Inf	-Inf	5.11	3	Horizontal	0	1.50	99.25	33.85	5.80	34.54
PK	5.599G	57.86	68.20	-10.34	4.10	3	Horizontal	0	1.50	53.76	32.90	5.75	34.55
PK	5.7886G	114.13	Inf	-Inf	5.11	3	Horizontal	0	1.50	109.02	33.85	5.80	34.54
PK	5.9554G	59.59	68.20	-8.61	5.54	3	Horizontal	0	1.50	54.05	34.19	5.87	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56664G	41.09	54.00	-12.91	12.42	3	Vertical	58	2.35	28.67	38.67	8.34	34.59
PK	11.56056G	52.99	74.00	-21.01	12.45	3	Vertical	58	2.35	40.54	38.70	8.34	34.59
PK	17.35368G	55.97	68.20	-12.23	14.22	3	Vertical	57	2.08	41.75	38.36	10.19	34.33

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56036G	41.09	54.00	-12.91	12.45	3	Horizontal	205	1.91	28.64	38.70	8.34	34.59
PK	11.56636G	52.25	74.00	-21.75	12.42	3	Horizontal	205	1.91	39.83	38.67	8.34	34.59
PK	17.35976G	56.41	68.20	-11.79	14.24	3	Horizontal	271	2.10	42.17	38.38	10.20	34.34

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	104.42	Inf	-Inf	5.23	3	Vertical	0	1.33	99.19	33.95	5.81	34.53
PK	5.6018G	57.12	68.20	-11.08	4.10	3	Vertical	0	1.33	53.02	32.90	5.75	34.55
PK	5.8286G	113.89	Inf	-Inf	5.24	3	Vertical	0	1.33	108.65	33.96	5.81	34.53
PK	5.9462G	60.33	68.20	-7.87	5.55	3	Vertical	0	1.33	54.78	34.20	5.87	34.52

5.725-5.85GHz_802.11n_HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	104.46	Inf	-Inf	5.24	3	Horizontal	1	2.98	99.22	33.96	5.81	34.53
PK	5.6066G	58.25	68.20	-9.95	4.11	3	Horizontal	1	2.98	54.14	32.91	5.75	34.55
PK	5.8274G	114.49	Inf	-Inf	5.23	3	Horizontal	1	2.98	109.26	33.95	5.81	34.53
PK	5.9702G	60.38	68.20	-7.82	5.52	3	Horizontal	1	2.98	54.86	34.16	5.88	34.52

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64G	41.19	54.00	-12.81	12.26	3	Vertical	226	1.64	28.93	38.50	8.37	34.61
PK	11.6548G	53.16	74.00	-20.84	12.25	3	Vertical	226	1.64	40.91	38.50	8.37	34.62
PK	17.48224G	56.76	68.20	-11.44	14.34	3	Vertical	223	2.90	42.42	38.50	10.25	34.41

5.725-5.85GHz_802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6508G	41.15	54.00	-12.85	12.25	3	Horizontal	102	2.26	28.90	38.50	8.37	34.62
PK	11.6492G	52.43	74.00	-21.57	12.25	3	Horizontal	102	2.26	40.18	38.50	8.37	34.62
PK	17.46884G	56.63	68.20	-11.57	14.34	3	Horizontal	35	2.66	42.29	38.50	10.24	34.40

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.17	54.00	-5.83	3.90	3	Vertical	102	2.45	44.27	33.00	5.52	34.62
AV	5.2004G	90.39	Inf	-Inf	4.02	3	Vertical	102	2.45	86.37	33.10	5.53	34.61
PK	5.142G	59.26	74.00	-14.74	3.89	3	Vertical	102	2.45	55.37	33.00	5.51	34.62
PK	5.2008G	99.53	Inf	-Inf	4.02	3	Vertical	102	2.45	95.51	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.74	54.00	-3.26	3.90	3	Horizontal	13	1.50	46.84	33.00	5.52	34.62
AV	5.184G	94.24	Inf	-Inf	3.99	3	Horizontal	13	1.50	90.25	33.07	5.53	34.61
PK	5.1484G	62.21	74.00	-11.79	3.89	3	Horizontal	13	1.50	58.32	33.00	5.51	34.62
PK	5.1972G	103.77	Inf	-Inf	4.01	3	Horizontal	13	1.50	99.76	33.09	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56752G	42.52	54.00	-11.48	12.95	3	Vertical	231	2.74	29.57	38.36	9.52	34.93
PK	10.37072G	52.68	68.20	-15.52	12.13	3	Vertical	158	1.24	40.55	39.01	7.97	34.85
PK	15.57792G	54.03	74.00	-19.97	12.92	3	Vertical	231	2.74	41.11	38.34	9.52	34.94

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5668G	42.55	54.00	-11.45	12.95	3	Horizontal	330	1.07	29.60	38.37	9.51	34.93
PK	10.39128G	52.95	68.20	-15.25	12.21	3	Horizontal	304	1.34	40.74	39.07	7.97	34.83
PK	15.56768G	54.63	74.00	-19.37	12.95	3	Horizontal	330	1.07	41.68	38.36	9.52	34.93

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.16	54.00	-5.84	3.89	3	Vertical	98	2.77	44.27	33.00	5.51	34.62
AV	5.2208G	94.05	Inf	-Inf	4.03	3	Vertical	98	2.77	90.02	33.10	5.53	34.60
PK	5.138G	59.96	74.00	-14.04	3.89	3	Vertical	98	2.77	56.07	33.00	5.51	34.62
PK	5.2196G	103.16	Inf	-Inf	4.03	3	Vertical	98	2.77	99.13	33.10	5.53	34.60

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.65	54.00	-3.35	3.90	3	Horizontal	5	2.47	46.75	33.00	5.52	34.62
AV	5.2392G	98.74	Inf	-Inf	4.04	3	Horizontal	5	2.47	94.70	33.10	5.54	34.60
PK	5.138G	63.59	74.00	-10.41	3.89	3	Horizontal	5	2.47	59.70	33.00	5.51	34.62
PK	5.2212G	107.20	Inf	-Inf	4.03	3	Horizontal	5	2.47	103.17	33.10	5.53	34.60

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67128G	42.44	54.00	-11.56	12.48	3	Vertical	195	2.53	29.96	37.94	9.55	35.01
PK	10.44152G	52.74	68.20	-15.46	12.23	3	Vertical	122	2.29	40.51	39.02	7.99	34.78
PK	15.70968G	53.32	74.00	-20.68	12.34	3	Vertical	195	2.53	40.98	37.82	9.56	35.04

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67008G	42.43	54.00	-11.57	12.49	3	Horizontal	66	2.65	29.94	37.95	9.55	35.01
PK	10.45288G	52.37	68.20	-15.83	12.21	3	Horizontal	60	2.01	40.16	38.99	7.99	34.77
PK	15.67336G	54.85	74.00	-19.15	12.47	3	Horizontal	66	2.65	42.38	37.93	9.55	35.01

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	95.13	Inf	-Inf	3.99	3	Vertical	100	2.77	91.14	33.05	5.54	34.60
AV	5.35G	45.79	54.00	-8.21	3.88	3	Vertical	100	2.77	41.91	32.90	5.56	34.58
PK	5.262G	104.22	Inf	-Inf	4.02	3	Vertical	100	2.77	100.20	33.08	5.54	34.60
PK	5.3512G	57.60	74.00	-16.40	3.88	3	Vertical	100	2.77	53.72	32.90	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2816G	99.88	Inf	-Inf	4.00	3	Horizontal	6	1.50	95.88	33.04	5.55	34.59
AV	5.35G	48.67	54.00	-5.33	3.88	3	Horizontal	6	1.50	44.79	32.90	5.56	34.58
PK	5.276G	108.61	Inf	-Inf	4.00	3	Horizontal	6	1.50	104.61	33.05	5.55	34.60
PK	5.35G	59.71	74.00	-14.29	3.88	3	Horizontal	6	1.50	55.83	32.90	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81184G	42.57	54.00	-11.43	12.45	3	Vertical	220	1.05	30.12	37.96	9.60	35.11
PK	10.52824G	53.11	68.20	-15.09	12.27	3	Vertical	301	1.52	40.84	38.96	8.02	34.71
PK	15.82192G	53.68	74.00	-20.32	12.41	3	Vertical	220	1.05	41.27	37.93	9.60	35.12

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81792G	42.53	54.00	-11.47	12.43	3	Horizontal	105	1.37	30.10	37.95	9.60	35.12
PK	10.52688G	54.54	68.20	-13.66	12.26	3	Horizontal	91	1.15	42.28	38.95	8.02	34.71
PK	15.81416G	53.98	74.00	-20.02	12.45	3	Horizontal	105	1.37	41.53	37.96	9.60	35.11

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	88.93	Inf	-Inf	3.92	3	Vertical	348	1.49	85.01	32.96	5.55	34.59
AV	5.3504G	45.11	54.00	-8.89	3.88	3	Vertical	348	1.49	41.23	32.90	5.56	34.58
PK	5.3208G	97.97	Inf	-Inf	3.92	3	Vertical	348	1.49	94.05	32.96	5.55	34.59
PK	5.3816G	57.52	74.00	-16.48	3.95	3	Vertical	348	1.49	53.57	32.96	5.57	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	94.89	Inf	-Inf	3.96	3	Horizontal	6	1.49	90.93	33.00	5.55	34.59
AV	5.35G	46.54	54.00	-7.46	3.88	3	Horizontal	6	1.49	42.66	32.90	5.56	34.58
PK	5.3016G	104.00	Inf	-Inf	3.96	3	Horizontal	6	1.49	100.04	33.00	5.55	34.59
PK	5.3504G	58.41	74.00	-15.59	3.88	3	Horizontal	6	1.49	54.53	32.90	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63704G	41.46	54.00	-12.54	12.51	3	Vertical	225	1.80	28.95	39.14	8.05	34.68
AV	15.91136G	42.06	54.00	-11.94	12.13	3	Vertical	105	2.44	29.93	37.68	9.63	35.18
PK	10.63G	53.05	74.00	-20.95	12.50	3	Vertical	225	1.80	40.55	39.13	8.05	34.68
PK	15.91904G	52.70	74.00	-21.30	12.10	3	Vertical	105	2.44	40.60	37.66	9.63	35.19

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60176G	41.48	54.00	-12.52	12.45	3	Horizontal	300	1.75	29.03	39.10	8.04	34.69
AV	15.91744G	42.01	54.00	-11.99	12.11	3	Horizontal	70	2.35	29.90	37.67	9.63	35.19
PK	10.61096G	52.57	74.00	-21.43	12.46	3	Horizontal	300	1.75	40.11	39.11	8.04	34.69
PK	15.91616G	52.98	74.00	-21.02	12.11	3	Horizontal	70	2.35	40.87	37.67	9.63	35.19

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.06	54.00	-7.94	3.93	3	Vertical	345	1.30	42.13	32.88	5.62	34.57
AV	5.5012G	90.47	Inf	-Inf	3.90	3	Vertical	345	1.30	86.57	32.80	5.66	34.56
PK	5.4484G	57.02	74.00	-16.98	3.94	3	Vertical	345	1.30	53.08	32.90	5.61	34.57
PK	5.47G	60.58	68.20	-7.62	3.93	3	Vertical	345	1.30	56.65	32.86	5.63	34.56
PK	5.5016G	99.65	Inf	-Inf	3.90	3	Vertical	345	1.30	95.75	32.80	5.66	34.56

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.93	54.00	-6.07	3.93	3	Horizontal	5	1.50	44.00	32.88	5.62	34.57
AV	5.5128G	93.38	Inf	-Inf	3.91	3	Horizontal	5	1.50	89.47	32.80	5.67	34.56
PK	5.438G	59.59	74.00	-14.41	3.95	3	Horizontal	5	1.50	55.64	32.92	5.60	34.57
PK	5.47G	63.21	68.20	-4.99	3.93	3	Horizontal	5	1.50	59.28	32.86	5.63	34.56
PK	5.4988G	102.64	Inf	-Inf	3.90	3	Horizontal	5	1.50	98.74	32.80	5.66	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0308G	41.72	54.00	-12.28	12.46	3	Vertical	265	2.74	29.26	38.87	8.17	34.58
PK	11.03368G	52.72	74.00	-21.28	12.47	3	Vertical	265	2.74	40.25	38.87	8.18	34.58
PK	16.51216G	54.76	68.20	-13.44	13.50	3	Vertical	332	2.34	41.26	38.38	9.86	34.74

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03728G	41.68	54.00	-12.32	12.46	3	Horizontal	230	1.55	29.22	38.86	8.18	34.58
PK	11.01256G	52.72	74.00	-21.28	12.48	3	Horizontal	230	1.55	40.24	38.89	8.17	34.58
PK	16.52144G	54.86	68.20	-13.34	13.50	3	Horizontal	309	1.25	41.36	38.36	9.87	34.73

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.63	54.00	-7.37	3.93	3	Vertical	349	2.79	42.70	32.88	5.62	34.57
AV	5.5472G	94.91	Inf	-Inf	3.94	3	Vertical	349	2.79	90.97	32.80	5.70	34.56
PK	5.454G	58.12	74.00	-15.88	3.94	3	Vertical	349	2.79	54.18	32.89	5.62	34.57
PK	5.47G	59.30	68.20	-8.90	3.93	3	Vertical	349	2.79	55.37	32.86	5.63	34.56
PK	5.5436G	104.10	Inf	-Inf	3.94	3	Vertical	349	2.79	100.16	32.80	5.70	34.56

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.41	54.00	-5.59	3.93	3	Horizontal	4	3.00	44.48	32.88	5.62	34.57
AV	5.5392G	97.19	Inf	-Inf	3.94	3	Horizontal	4	3.00	93.25	32.80	5.70	34.56
PK	5.4592G	60.97	74.00	-13.03	3.93	3	Horizontal	4	3.00	57.04	32.88	5.62	34.57
PK	5.47G	61.96	68.20	-6.24	3.93	3	Horizontal	4	3.00	58.03	32.86	5.63	34.56
PK	5.5384G	106.37	Inf	-Inf	3.93	3	Horizontal	4	3.00	102.44	32.80	5.69	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09024G	41.70	54.00	-12.30	12.42	3	Vertical	300	2.60	29.28	38.81	8.19	34.58
PK	11.09608G	53.93	74.00	-20.07	12.42	3	Vertical	300	2.60	41.51	38.80	8.20	34.58
PK	16.63608G	54.92	68.20	-13.28	13.45	3	Vertical	6	2.58	41.47	38.13	9.91	34.59

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09872G	41.73	54.00	-12.27	12.42	3	Horizontal	272	1.18	29.31	38.80	8.20	34.58
PK	11.10592G	53.04	74.00	-20.96	12.43	3	Horizontal	272	1.18	40.61	38.81	8.20	34.58
PK	16.6324G	55.00	68.20	-13.20	13.46	3	Horizontal	356	2.60	41.54	38.14	9.91	34.59

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	95.22	Inf	-Inf	4.42	3	Vertical	348	1.26	90.80	33.20	5.77	34.55
PK	5.6784G	104.42	Inf	-Inf	4.45	3	Vertical	348	1.26	99.97	33.23	5.77	34.55
PK	5.8158G	60.06	68.20	-8.14	5.21	3	Vertical	348	1.26	54.85	33.93	5.81	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	98.53	Inf	-Inf	4.40	3	Horizontal	352	1.48	94.13	33.18	5.77	34.55
PK	5.6814G	107.24	Inf	-Inf	4.47	3	Horizontal	352	1.48	102.77	33.25	5.77	34.55
PK	5.7276G	62.88	68.20	-5.32	4.81	3	Horizontal	352	1.48	58.07	33.57	5.78	34.54

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32144G	41.28	54.00	-12.72	12.72	3	Vertical	155	1.86	28.56	39.02	8.27	34.57
PK	11.33136G	52.62	74.00	-21.38	12.73	3	Vertical	155	1.86	39.89	39.03	8.27	34.57
PK	17.02016G	54.87	68.20	-13.33	13.65	3	Vertical	113	1.82	41.22	37.72	10.06	34.13

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32056G	41.31	54.00	-12.69	12.72	3	Horizontal	56	2.29	28.59	39.02	8.27	34.57
PK	11.32448G	52.41	74.00	-21.59	12.72	3	Horizontal	56	2.29	39.69	39.02	8.27	34.57
PK	17.02136G	55.36	68.20	-12.84	13.65	3	Horizontal	162	2.72	41.71	37.72	10.06	34.13

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	43.80	54.00	-10.20	3.95	3	Vertical	345	2.12	39.85	32.90	5.62	34.57
AV	5.7148G	93.65	Inf	-Inf	4.73	3	Vertical	345	2.12	88.92	33.49	5.78	34.54
PK	5.4436G	55.39	74.00	-18.61	3.95	3	Vertical	345	2.12	51.44	32.91	5.61	34.57
PK	5.4652G	54.29	68.20	-13.91	3.93	3	Vertical	345	2.12	50.36	32.87	5.63	34.57
PK	5.722G	102.29	Inf	-Inf	4.77	3	Vertical	345	2.12	97.52	33.53	5.78	34.54
PK	5.9152G	57.64	68.20	-10.56	5.52	3	Vertical	345	2.12	52.12	34.20	5.85	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.96	54.00	-10.04	3.93	3	Horizontal	355	2.95	40.03	32.88	5.62	34.57
AV	5.716G	96.96	Inf	-Inf	4.74	3	Horizontal	355	2.95	92.22	33.50	5.78	34.54
PK	5.4268G	55.51	74.00	-18.49	3.97	3	Horizontal	355	2.95	51.54	32.95	5.59	34.57
PK	5.4628G	54.75	68.20	-13.45	3.93	3	Horizontal	355	2.95	50.82	32.87	5.63	34.57
PK	5.7124G	105.54	Inf	-Inf	4.71	3	Horizontal	355	2.95	100.83	33.47	5.78	34.54
PK	5.908G	57.63	68.20	-10.57	5.52	3	Horizontal	355	2.95	52.11	34.20	5.85	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42376G	41.64	54.00	-12.36	12.81	3	Vertical	99	2.54	28.83	39.08	8.30	34.57
PK	11.41816G	52.62	74.00	-21.38	12.81	3	Vertical	99	2.54	39.81	39.08	8.30	34.57
PK	17.144G	56.03	68.20	-12.17	13.88	3	Vertical	41	2.85	42.15	37.98	10.11	34.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42904G	41.66	54.00	-12.34	12.80	3	Horizontal	73	1.34	28.86	39.07	8.30	34.57
PK	11.42016G	54.40	74.00	-19.60	12.81	3	Horizontal	73	1.34	41.59	39.08	8.30	34.57
PK	17.1296G	56.00	68.20	-12.20	13.83	3	Horizontal	311	2.34	42.17	37.92	10.11	34.20

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	43.79	54.00	-10.21	3.94	3	Vertical	354	2.71	39.85	32.89	5.62	34.57
AV	5.7658G	95.92	Inf	-Inf	5.01	3	Vertical	354	2.71	90.91	33.76	5.79	34.54
PK	5.6194G	56.15	68.20	-12.05	4.14	3	Vertical	354	2.71	52.01	32.94	5.75	34.55
PK	5.7658G	104.77	Inf	-Inf	5.01	3	Vertical	354	2.71	99.76	33.76	5.79	34.54
PK	6.0466G	57.25	68.20	-10.95	5.50	3	Vertical	354	2.71	51.75	34.10	5.92	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	43.81	54.00	-10.19	3.93	3	Horizontal	357	2.94	39.88	32.88	5.62	34.57
AV	5.7466G	97.41	Inf	-Inf	4.93	3	Horizontal	357	2.94	92.48	33.68	5.79	34.54
PK	5.6302G	56.55	68.20	-11.65	4.17	3	Horizontal	357	2.94	52.38	32.96	5.76	34.55
PK	5.7466G	106.92	Inf	-Inf	4.93	3	Horizontal	357	2.94	101.99	33.68	5.79	34.54
PK	5.9746G	57.65	68.20	-10.55	5.51	3	Horizontal	357	2.94	52.14	34.15	5.88	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4948G	41.71	54.00	-12.29	12.76	3	Vertical	187	1.21	28.95	39.01	8.32	34.57
PK	11.50768G	53.14	74.00	-20.86	12.71	3	Vertical	187	1.21	40.43	38.96	8.32	34.57
PK	17.27084G	56.02	68.20	-12.18	14.08	3	Vertical	354	1.09	41.94	38.20	10.16	34.28

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49256G	41.65	54.00	-12.35	12.76	3	Horizontal	246	1.68	28.89	39.01	8.32	34.57
PK	11.49816G	52.76	74.00	-21.24	12.75	3	Horizontal	246	1.68	40.01	39.00	8.32	34.57
PK	17.27196G	55.70	68.20	-12.50	14.08	3	Horizontal	180	1.14	41.62	38.20	10.16	34.28

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	94.32	Inf	-Inf	5.15	3	Vertical	353	2.59	89.17	33.89	5.80	34.54
PK	5.5622G	57.16	68.20	-11.04	3.98	3	Vertical	353	2.59	53.18	32.82	5.72	34.56
PK	5.8046G	102.60	Inf	-Inf	5.17	3	Vertical	353	2.59	97.43	33.91	5.80	34.54
PK	5.9498G	57.34	68.20	-10.86	5.55	3	Vertical	353	2.59	51.79	34.20	5.87	34.52

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8034G	95.43	Inf	-Inf	5.17	3	Horizontal	357	2.97	90.26	33.91	5.80	34.54
PK	5.5586G	56.59	68.20	-11.61	3.97	3	Horizontal	357	2.97	52.62	32.82	5.71	34.56
PK	5.8058G	103.99	Inf	-Inf	5.17	3	Horizontal	357	2.97	98.82	33.91	5.80	34.54
PK	5.963G	58.23	68.20	-9.97	5.52	3	Horizontal	357	2.97	52.71	34.17	5.87	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60488G	41.18	54.00	-12.82	12.26	3	Vertical	60	1.49	28.92	38.50	8.36	34.60
PK	11.60472G	52.32	74.00	-21.68	12.26	3	Vertical	60	1.49	40.06	38.50	8.36	34.60
PK	17.38796G	56.06	68.20	-12.14	14.32	3	Vertical	0	2.40	41.74	38.46	10.21	34.35

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60728G	41.25	54.00	-12.75	12.26	3	Horizontal	247	1.93	28.99	38.50	8.36	34.60
PK	11.60416G	52.28	74.00	-21.72	12.26	3	Horizontal	247	1.93	40.02	38.50	8.36	34.60
PK	17.39692G	56.39	68.20	-11.81	14.34	3	Horizontal	344	1.81	42.05	38.49	10.21	34.36

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.70	54.00	-7.30	3.90	3	Vertical	257	2.60	42.80	33.00	5.52	34.62
AV	5.1844G	90.03	Inf	-Inf	3.99	3	Vertical	257	2.60	86.04	33.07	5.53	34.61
PK	5.1216G	57.98	74.00	-16.02	3.89	3	Vertical	257	2.60	54.09	33.00	5.51	34.62
PK	5.1864G	99.39	Inf	-Inf	3.99	3	Vertical	257	2.60	95.40	33.07	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.65	54.00	-6.35	3.90	3	Horizontal	355	1.56	43.75	33.00	5.52	34.62
AV	5.1792G	94.10	Inf	-Inf	3.97	3	Horizontal	355	1.56	90.13	33.06	5.52	34.61
PK	5.1496G	59.23	74.00	-14.77	3.89	3	Horizontal	355	1.56	55.34	33.00	5.51	34.62
PK	5.1996G	102.90	Inf	-Inf	4.02	3	Horizontal	355	1.56	98.88	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5692G	42.49	54.00	-11.51	12.95	3	Vertical	327	2.56	29.54	38.36	9.52	34.93
PK	10.38488G	53.13	68.20	-15.07	12.18	3	Vertical	213	1.10	40.95	39.05	7.97	34.84
PK	15.55752G	54.18	74.00	-19.82	12.97	3	Vertical	327	2.56	41.21	38.38	9.51	34.92

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5692G	42.48	54.00	-11.52	12.95	3	Horizontal	279	1.67	29.53	38.36	9.52	34.93
PK	10.38888G	53.97	68.20	-14.23	12.21	3	Horizontal	252	2.99	41.76	39.07	7.97	34.83
PK	15.57168G	54.09	74.00	-19.91	12.95	3	Horizontal	279	1.67	41.14	38.36	9.52	34.93

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.96	54.00	-8.04	3.89	3	Vertical	112	2.16	42.07	33.00	5.51	34.62
AV	5.2396G	93.70	Inf	-Inf	4.04	3	Vertical	112	2.16	89.66	33.10	5.54	34.60
PK	5.132G	57.55	74.00	-16.45	3.89	3	Vertical	112	2.16	53.66	33.00	5.51	34.62
PK	5.2184G	102.37	Inf	-Inf	4.02	3	Vertical	112	2.16	98.35	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.69	54.00	-7.31	3.90	3	Horizontal	356	1.54	42.79	33.00	5.52	34.62
AV	5.2208G	96.88	Inf	-Inf	4.03	3	Horizontal	356	1.54	92.85	33.10	5.53	34.60
PK	5.1412G	57.83	74.00	-16.17	3.89	3	Horizontal	356	1.54	53.94	33.00	5.51	34.62
PK	5.2232G	105.67	Inf	-Inf	4.03	3	Horizontal	356	1.54	101.64	33.10	5.53	34.60

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67032G	42.60	54.00	-11.40	12.49	3	Vertical	215	1.01	30.11	37.95	9.55	35.01
PK	10.45808G	52.60	68.20	-15.60	12.21	3	Vertical	252	1.58	40.39	38.98	7.99	34.76
PK	15.67744G	53.81	74.00	-20.19	12.45	3	Vertical	215	1.01	41.36	37.91	9.55	35.01

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67192G	42.54	54.00	-11.46	12.48	3	Horizontal	153	1.18	30.06	37.94	9.55	35.01
PK	10.44952G	53.51	68.20	-14.69	12.22	3	Horizontal	188	2.22	41.29	39.00	7.99	34.77
PK	15.7G	53.96	74.00	-20.04	12.33	3	Horizontal	153	1.18	41.63	37.80	9.56	35.03

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	94.35	Inf	-Inf	3.99	3	Vertical	16	1.54	90.36	33.05	5.54	34.60
AV	5.35G	47.67	54.00	-6.33	3.88	3	Vertical	16	1.54	43.79	32.90	5.56	34.58
PK	5.2812G	103.07	Inf	-Inf	3.99	3	Vertical	16	1.54	99.08	33.04	5.55	34.60
PK	5.3508G	59.18	74.00	-14.82	3.88	3	Vertical	16	1.54	55.30	32.90	5.56	34.58

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.278G	98.55	Inf	-Inf	3.99	3	Horizontal	360	1.50	94.56	33.04	5.55	34.60
AV	5.35G	49.43	54.00	-4.57	3.88	3	Horizontal	360	1.50	45.55	32.90	5.56	34.58
PK	5.2756G	107.83	Inf	-Inf	4.00	3	Horizontal	360	1.50	103.83	33.05	5.55	34.60
PK	5.358G	61.00	74.00	-13.00	3.90	3	Horizontal	360	1.50	57.10	32.92	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81144G	42.55	54.00	-11.45	12.46	3	Vertical	15	2.24	30.09	37.97	9.60	35.11
PK	10.54208G	52.78	68.20	-15.42	12.29	3	Vertical	268	1.70	40.49	38.98	8.02	34.71
PK	15.812G	54.55	74.00	-19.45	12.45	3	Vertical	15	2.24	42.10	37.96	9.60	35.11

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80656G	42.61	54.00	-11.39	12.47	3	Horizontal	179	2.42	30.14	37.98	9.60	35.11
PK	10.56G	52.95	68.20	-15.25	12.35	3	Horizontal	187	1.87	40.60	39.02	8.03	34.70
PK	15.82376G	53.43	74.00	-20.57	12.41	3	Horizontal	179	2.42	41.02	37.93	9.60	35.12

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	89.80	Inf	-Inf	3.76	3	Vertical	15	1.46	86.04	32.80	5.55	34.59
AV	5.35G	44.92	54.00	-9.08	3.78	3	Vertical	15	1.46	41.14	32.80	5.56	34.58
PK	5.318G	98.30	Inf	-Inf	3.76	3	Vertical	15	1.46	94.54	32.80	5.55	34.59
PK	5.3788G	57.17	74.00	-16.83	3.85	3	Vertical	15	1.46	53.32	32.86	5.57	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	94.19	Inf	-Inf	3.76	3	Horizontal	7	1.50	90.43	32.80	5.55	34.59
AV	5.3508G	45.66	54.00	-8.34	3.78	3	Horizontal	7	1.50	41.88	32.80	5.56	34.58
PK	5.3012G	103.17	Inf	-Inf	3.76	3	Horizontal	7	1.50	99.41	32.80	5.55	34.59
PK	5.358G	58.12	74.00	-15.88	3.80	3	Horizontal	7	1.50	54.32	32.82	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61036G	41.69	54.00	-12.31	12.07	3	Vertical	133	1.57	29.62	38.72	8.04	34.69
AV	15.92132G	43.08	54.00	-10.92	12.14	3	Vertical	109	1.49	30.94	37.70	9.63	35.19
PK	10.61296G	53.63	74.00	-20.37	12.08	3	Vertical	133	1.57	41.55	38.73	8.04	34.69
PK	15.92068G	54.62	74.00	-19.38	12.14	3	Vertical	109	1.49	42.48	37.70	9.63	35.19

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61028G	41.66	54.00	-12.34	12.07	3	Horizontal	242	1.57	29.59	38.72	8.04	34.69
AV	15.92244G	43.05	54.00	-10.95	12.14	3	Horizontal	195	1.75	30.91	37.70	9.63	35.19
PK	10.6294G	53.59	74.00	-20.41	12.13	3	Horizontal	242	1.57	41.46	38.76	8.05	34.68
PK	15.93968G	54.22	74.00	-19.78	12.13	3	Horizontal	195	1.75	42.09	37.70	9.64	35.21

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.00	54.00	-9.00	3.97	3	Vertical	21	2.53	41.03	32.92	5.62	34.57
AV	5.516G	91.35	Inf	-Inf	4.08	3	Vertical	21	2.53	87.27	32.97	5.67	34.56
PK	5.4252G	57.04	74.00	-16.96	3.92	3	Vertical	21	2.53	53.12	32.90	5.59	34.57
PK	5.4648G	57.27	68.20	-10.93	3.99	3	Vertical	21	2.53	53.28	32.93	5.63	34.57
PK	5.5152G	100.43	Inf	-Inf	4.08	3	Vertical	21	2.53	96.35	32.97	5.67	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.50	54.00	-8.50	3.97	3	Horizontal	355	1.50	41.53	32.92	5.62	34.57
AV	5.5212G	94.49	Inf	-Inf	4.08	3	Horizontal	355	1.50	90.41	32.96	5.68	34.56
PK	5.4556G	57.54	74.00	-16.46	3.96	3	Horizontal	355	1.50	53.58	32.91	5.62	34.57
PK	5.4616G	57.86	68.20	-10.34	3.98	3	Horizontal	355	1.50	53.88	32.92	5.63	34.57
PK	5.5208G	103.64	Inf	-Inf	4.08	3	Horizontal	355	1.50	99.56	32.96	5.68	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03192G	42.22	54.00	-11.78	12.17	3	Vertical	210	2.25	30.05	38.57	8.18	34.58
PK	11.00216G	51.78	74.00	-22.22	12.19	3	Vertical	210	2.25	39.59	38.60	8.17	34.58
PK	16.53728G	54.20	68.20	-14.00	13.42	3	Vertical	261	1.17	40.78	38.26	9.87	34.71

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0368G	42.25	54.00	-11.75	12.16	3	Horizontal	130	1.52	30.09	38.56	8.18	34.58
PK	11.02784G	51.45	74.00	-22.55	12.16	3	Horizontal	130	1.52	39.29	38.57	8.17	34.58
PK	16.51696G	53.94	68.20	-14.26	13.40	3	Horizontal	158	2.31	40.54	38.28	9.86	34.74

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	43.95	54.00	-10.05	3.94	3	Vertical	13	2.08	40.01	32.89	5.62	34.57
AV	5.5604G	92.60	Inf	-Inf	3.97	3	Vertical	13	2.08	88.63	32.82	5.71	34.56
PK	5.4544G	55.39	74.00	-18.61	3.94	3	Vertical	13	2.08	51.45	32.89	5.62	34.57
PK	5.4644G	55.23	68.20	-12.97	3.93	3	Vertical	13	2.08	51.30	32.87	5.63	34.57
PK	5.5608G	101.83	Inf	-Inf	3.97	3	Vertical	13	2.08	97.86	32.82	5.71	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.40	54.00	-9.60	3.93	3	Horizontal	6	2.30	40.47	32.88	5.62	34.57
AV	5.532G	95.82	Inf	-Inf	3.96	3	Horizontal	6	2.30	91.86	32.81	5.71	34.56
PK	5.45G	55.26	74.00	-18.74	3.95	3	Horizontal	6	2.30	51.31	32.90	5.62	34.57
PK	5.462G	56.20	68.20	-12.00	3.94	3	Horizontal	6	2.30	52.26	32.88	5.63	34.57
PK	5.5416G	105.36	Inf	-Inf	3.94	3	Horizontal	6	2.30	101.42	32.80	5.70	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09824G	41.66	54.00	-12.34	12.42	3	Vertical	121	1.13	29.24	38.80	8.20	34.58
PK	11.08312G	53.12	74.00	-20.88	12.43	3	Vertical	121	1.13	40.69	38.82	8.19	34.58
PK	16.6332G	55.30	68.20	-12.90	13.45	3	Vertical	222	1.18	41.85	38.13	9.91	34.59

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09488G	41.70	54.00	-12.30	12.42	3	Horizontal	315	2.63	29.28	38.81	8.19	34.58
PK	11.0864G	53.15	74.00	-20.85	12.42	3	Horizontal	315	2.63	40.73	38.81	8.19	34.58
PK	16.66416G	54.44	68.20	-13.76	13.44	3	Horizontal	144	2.21	41.00	38.07	9.92	34.55

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6796G	95.64	Inf	-Inf	4.46	3	Vertical	12	1.91	91.18	33.24	5.77	34.55
PK	5.6784G	104.59	Inf	-Inf	4.45	3	Vertical	12	1.91	100.14	33.23	5.77	34.55
PK	5.7264G	62.44	68.20	-5.76	4.75	3	Vertical	12	1.91	57.69	33.51	5.78	34.54

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	97.32	Inf	-Inf	4.43	3	Horizontal	8	1.46	92.89	33.21	5.77	34.55
PK	5.6658G	106.02	Inf	-Inf	4.35	3	Horizontal	8	1.46	101.67	33.13	5.77	34.55
PK	5.7276G	63.77	68.20	-4.43	4.75	3	Horizontal	8	1.46	59.02	33.51	5.78	34.54

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35856G	41.89	54.00	-12.11	12.63	3	Vertical	40	2.71	29.26	38.92	8.28	34.57
PK	11.32624G	53.59	74.00	-20.41	12.55	3	Vertical	40	2.71	41.04	38.85	8.27	34.57
PK	17.01216G	55.51	68.20	-12.69	14.03	3	Vertical	175	1.91	41.48	38.10	10.06	34.13

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35936G	41.74	54.00	-12.26	12.63	3	Horizontal	47	1.52	29.11	38.92	8.28	34.57
PK	11.35304G	53.43	74.00	-20.57	12.62	3	Horizontal	47	1.52	40.81	38.91	8.28	34.57
PK	17.02688G	56.78	68.20	-11.42	14.03	3	Horizontal	298	2.83	42.75	38.10	10.07	34.14

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.72	54.00	-10.28	3.93	3	Vertical	13	2.03	39.79	32.88	5.62	34.57
AV	5.7016G	93.00	Inf	-Inf	4.65	3	Vertical	13	2.03	88.35	33.41	5.78	34.54
PK	5.4532G	55.58	74.00	-18.42	3.94	3	Vertical	13	2.03	51.64	32.89	5.62	34.57
PK	5.4676G	54.85	68.20	-13.35	3.92	3	Vertical	13	2.03	50.93	32.86	5.63	34.57
PK	5.7016G	101.79	Inf	-Inf	4.65	3	Vertical	13	2.03	97.14	33.41	5.78	34.54
PK	5.8948G	57.07	68.20	-11.13	5.49	3	Vertical	13	2.03	51.58	34.18	5.84	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4448G	43.74	54.00	-10.26	3.95	3	Horizontal	5	2.96	39.79	32.91	5.61	34.57
AV	5.7148G	97.70	Inf	-Inf	4.73	3	Horizontal	5	2.96	92.97	33.49	5.78	34.54
PK	5.4436G	55.37	74.00	-18.63	3.95	3	Horizontal	5	2.96	51.42	32.91	5.61	34.57
PK	5.4652G	55.24	68.20	-12.96	3.93	3	Horizontal	5	2.96	51.31	32.87	5.63	34.57
PK	5.7136G	106.10	Inf	-Inf	4.72	3	Horizontal	5	2.96	101.38	33.48	5.78	34.54
PK	5.8792G	58.48	68.20	-9.72	5.43	3	Horizontal	5	2.96	53.05	34.12	5.84	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.424566G	41.71	54.00	-12.29	12.81	3	Vertical	180	2.25	28.90	39.08	8.30	34.57
PK	11.42456G	53.00	74.00	-21.00	12.81	3	Vertical	180	2.25	40.19	39.08	8.30	34.57
PK	17.13608G	55.68	68.20	-12.52	13.85	3	Vertical	174	1.74	41.83	37.94	10.11	34.20

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42624G	41.78	54.00	-12.22	12.80	3	Horizontal	322	1.62	28.98	39.07	8.30	34.57
PK	11.40656G	52.68	74.00	-21.32	12.81	3	Horizontal	322	1.62	39.87	39.09	8.29	34.57
PK	17.1484G	55.65	68.20	-12.55	13.89	3	Horizontal	192	1.04	41.76	37.99	10.11	34.21

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	43.82	54.00	-10.18	3.93	3	Vertical	11	1.96	39.89	32.88	5.62	34.57
AV	5.7478G	96.39	Inf	-Inf	4.94	3	Vertical	11	1.96	91.45	33.69	5.79	34.54
PK	5.6398G	57.44	68.20	-10.76	4.19	3	Vertical	11	1.96	53.25	32.98	5.76	34.55
PK	5.7442G	105.63	Inf	-Inf	4.92	3	Vertical	11	1.96	100.71	33.67	5.79	34.54
PK	5.9482G	57.30	68.20	-10.90	5.55	3	Vertical	11	1.96	51.75	34.20	5.87	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	43.68	54.00	-10.32	3.94	3	Horizontal	8	2.95	39.74	32.89	5.62	34.57
AV	5.7454G	97.42	Inf	-Inf	4.92	3	Horizontal	8	2.95	92.50	33.67	5.79	34.54
PK	5.6482G	58.02	68.20	-10.18	4.21	3	Horizontal	8	2.95	53.81	33.00	5.76	34.55
PK	5.7586G	105.89	Inf	-Inf	4.98	3	Horizontal	8	2.95	100.91	33.73	5.79	34.54
PK	5.9638G	57.61	68.20	-10.59	5.52	3	Horizontal	8	2.95	52.09	34.17	5.87	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.494G	41.65	54.00	-12.35	12.76	3	Vertical	22	1.74	28.89	39.01	8.32	34.57
PK	11.49584G	52.98	74.00	-21.02	12.75	3	Vertical	22	1.74	40.23	39.00	8.32	34.57
PK	17.25236G	56.58	68.20	-11.62	14.08	3	Vertical	101	2.34	42.50	38.20	10.15	34.27

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4976G	41.66	54.00	-12.34	12.75	3	Horizontal	274	1.28	28.91	39.00	8.32	34.57
PK	11.50576G	53.18	74.00	-20.82	12.72	3	Horizontal	274	1.28	40.46	38.97	8.32	34.57
PK	17.2706G	55.69	68.20	-12.51	14.08	3	Horizontal	230	1.28	41.61	38.20	10.16	34.28

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8058G	94.62	Inf	-Inf	5.17	3	Vertical	12	1.92	89.45	33.91	5.80	34.54
PK	5.5934G	56.98	68.20	-11.22	4.08	3	Vertical	12	1.92	52.90	32.89	5.74	34.55
PK	5.807G	102.84	Inf	-Inf	5.17	3	Vertical	12	1.92	97.67	33.91	5.80	34.54
PK	5.9942G	57.76	68.20	-10.44	5.48	3	Vertical	12	1.92	52.28	34.11	5.89	34.52

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	95.87	Inf	-Inf	5.13	3	Horizontal	6	1.33	90.74	33.87	5.80	34.54
PK	5.585G	56.46	68.20	-11.74	4.06	3	Horizontal	6	1.33	52.40	32.87	5.74	34.55
PK	5.7842G	104.01	Inf	-Inf	5.10	3	Horizontal	6	1.33	98.91	33.84	5.80	34.54
PK	5.9318G	57.20	68.20	-11.00	5.53	3	Horizontal	6	1.33	51.67	34.20	5.86	34.53

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6024G	41.19	54.00	-12.81	12.25	3	Vertical	74	1.45	28.94	38.50	8.35	34.60
PK	11.57024G	52.28	74.00	-21.72	12.40	3	Vertical	74	1.45	39.88	38.65	8.34	34.59
PK	17.39836G	56.08	68.20	-12.12	14.35	3	Vertical	246	1.96	41.73	38.50	10.21	34.36

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60632G	41.18	54.00	-12.82	12.26	3	Horizontal	157	2.58	28.92	38.50	8.36	34.60
PK	11.57856G	52.49	74.00	-21.51	12.36	3	Horizontal	157	2.58	40.13	38.61	8.35	34.60
PK	17.3806G	56.22	68.20	-11.98	14.30	3	Horizontal	156	1.35	41.92	38.44	10.21	34.35

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	48.21	54.00	-5.79	3.89	3	Vertical	88	2.18	44.32	33.00	5.51	34.62
AV	5.2008G	95.83	Inf	-Inf	4.02	3	Vertical	88	2.18	91.81	33.10	5.53	34.61
PK	5.1464G	58.69	74.00	-15.31	3.89	3	Vertical	88	2.18	54.80	33.00	5.51	34.62
PK	5.1992G	104.60	Inf	-Inf	4.02	3	Vertical	88	2.18	100.58	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.24	54.00	-4.76	3.90	3	Horizontal	10	2.41	45.34	33.00	5.52	34.62
AV	5.196G	96.85	Inf	-Inf	4.01	3	Horizontal	10	2.41	92.84	33.09	5.53	34.61
PK	5.1456G	60.31	74.00	-13.69	3.89	3	Horizontal	10	2.41	56.42	33.00	5.51	34.62
PK	5.1984G	106.72	Inf	-Inf	4.02	3	Horizontal	10	2.41	102.70	33.10	5.53	34.61

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56608G	42.71	54.00	-11.29	12.95	3	Vertical	196	1.34	29.76	38.37	9.51	34.93
PK	10.38216G	52.98	68.20	-15.22	12.18	3	Vertical	273	1.43	40.80	39.05	7.97	34.84
PK	15.55976G	53.60	74.00	-20.40	12.97	3	Vertical	196	1.34	40.63	38.38	9.51	34.92

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56936G	42.46	54.00	-11.54	12.95	3	Horizontal	162	2.35	29.51	38.36	9.52	34.93
PK	10.36536G	52.47	68.20	-15.73	12.11	3	Horizontal	216	1.64	40.36	39.00	7.97	34.86
PK	15.56176G	53.59	74.00	-20.41	12.96	3	Horizontal	162	2.35	40.63	38.38	9.51	34.93

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.71	54.00	-4.29	3.90	3	Vertical	92	2.97	45.81	33.00	5.52	34.62
AV	5.2216G	97.18	Inf	-Inf	4.03	3	Vertical	92	2.97	93.15	33.10	5.53	34.60
PK	5.15G	60.83	74.00	-13.17	3.90	3	Vertical	92	2.97	56.93	33.00	5.52	34.62
PK	5.22G	107.62	Inf	-Inf	4.03	3	Vertical	92	2.97	103.59	33.10	5.53	34.60

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.14	54.00	-1.86	3.90	3	Horizontal	354	2.52	48.24	33.00	5.52	34.62
AV	5.2252G	101.41	Inf	-Inf	4.04	3	Horizontal	354	2.52	97.37	33.10	5.54	34.60
PK	5.1464G	63.71	74.00	-10.29	3.89	3	Horizontal	354	2.52	59.82	33.00	5.51	34.62
PK	5.2404G	111.69	Inf	-Inf	4.04	3	Horizontal	354	2.52	107.65	33.10	5.54	34.60

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67184G	42.69	54.00	-11.31	12.48	3	Vertical	145	2.43	30.21	37.94	9.55	35.01
PK	10.46008G	52.62	68.20	-15.58	12.21	3	Vertical	221	1.13	40.41	38.98	7.99	34.76
PK	15.70024G	53.78	74.00	-20.22	12.33	3	Vertical	145	2.43	41.45	37.80	9.56	35.03

5.15-5.25GHz_802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67G	42.57	54.00	-11.43	12.49	3	Horizontal	305	1.94	30.08	37.95	9.55	35.01
PK	10.44856G	52.38	68.20	-15.82	12.22	3	Horizontal	10	1.18	40.16	39.00	7.99	34.77
PK	15.7096G	53.70	74.00	-20.30	12.34	3	Horizontal	305	1.94	41.36	37.82	9.56	35.04

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	97.21	Inf	-Inf	4.01	3	Vertical	98	2.59	93.20	33.07	5.54	34.60
AV	5.35G	46.91	54.00	-7.09	3.88	3	Vertical	98	2.59	43.03	32.90	5.56	34.58
PK	5.2668G	107.60	Inf	-Inf	4.01	3	Vertical	98	2.59	103.59	33.07	5.54	34.60
PK	5.3608G	58.45	74.00	-15.55	3.90	3	Vertical	98	2.59	54.55	32.92	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2784G	101.94	Inf	-Inf	3.99	3	Horizontal	360	1.50	97.95	33.04	5.55	34.60
AV	5.3504G	50.93	54.00	-3.07	3.88	3	Horizontal	360	1.50	47.05	32.90	5.56	34.58
PK	5.2828G	112.01	Inf	-Inf	3.99	3	Horizontal	360	1.50	108.02	33.03	5.55	34.59
PK	5.3552G	62.71	74.00	-11.29	3.89	3	Horizontal	360	1.50	58.82	32.91	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80984G	42.51	54.00	-11.49	12.46	3	Vertical	328	2.81	30.05	37.97	9.60	35.11
PK	10.53128G	52.78	68.20	-15.42	12.27	3	Vertical	168	2.94	40.51	38.96	8.02	34.71
PK	15.80752G	54.28	74.00	-19.72	12.47	3	Vertical	328	2.81	41.81	37.98	9.60	35.11

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.814G	42.54	54.00	-11.46	12.45	3	Horizontal	65	2.56	30.09	37.96	9.60	35.11
PK	10.5276G	53.71	68.20	-14.49	12.27	3	Horizontal	311	1.33	41.44	38.96	8.02	34.71
PK	15.80504G	54.14	74.00	-19.86	12.46	3	Horizontal	65	2.56	41.68	37.98	9.59	35.11

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	92.16	Inf	-Inf	3.92	3	Vertical	1	2.14	88.24	32.96	5.55	34.59
AV	5.35G	46.60	54.00	-7.40	3.88	3	Vertical	1	2.14	42.72	32.90	5.56	34.58
PK	5.3156G	102.11	Inf	-Inf	3.93	3	Vertical	1	2.14	98.18	32.97	5.55	34.59
PK	5.352G	57.70	74.00	-16.30	3.88	3	Vertical	1	2.14	53.82	32.90	5.56	34.58

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	95.75	Inf	-Inf	3.96	3	Horizontal	0	1.48	91.79	33.00	5.55	34.59
AV	5.35G	48.99	54.00	-5.01	3.88	3	Horizontal	0	1.48	45.11	32.90	5.56	34.58
PK	5.3164G	106.00	Inf	-Inf	3.93	3	Horizontal	0	1.48	102.07	32.97	5.55	34.59
PK	5.35G	60.63	74.00	-13.37	3.88	3	Horizontal	0	1.48	56.75	32.90	5.56	34.58

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60584G	41.48	54.00	-12.52	12.46	3	Vertical	212	2.92	29.02	39.11	8.04	34.69
AV	15.91864G	42.06	54.00	-11.94	12.10	3	Vertical	191	2.59	29.96	37.66	9.63	35.19
PK	10.61384G	52.25	74.00	-21.75	12.46	3	Vertical	212	2.92	39.79	39.11	8.04	34.69
PK	15.94792G	53.14	74.00	-20.86	12.03	3	Vertical	191	2.59	41.11	37.60	9.64	35.21

5.25-5.35GHz_802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6064G	41.46	54.00	-12.54	12.46	3	Horizontal	345	1.09	29.00	39.11	8.04	34.69
AV	15.91504G	42.02	54.00	-11.98	12.11	3	Horizontal	266	2.14	29.91	37.67	9.63	35.19
PK	10.61016G	52.24	74.00	-21.76	12.46	3	Horizontal	345	1.09	39.78	39.11	8.04	34.69
PK	15.91G	52.69	74.00	-21.31	12.13	3	Horizontal	266	2.14	40.56	37.68	9.63	35.18

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.42	54.00	-7.58	3.93	3	Vertical	353	2.79	42.49	32.88	5.62	34.57
AV	5.5124G	95.80	Inf	-Inf	3.91	3	Vertical	353	2.79	91.89	32.80	5.67	34.56
PK	5.4516G	58.16	74.00	-15.84	3.95	3	Vertical	353	2.79	54.21	32.90	5.62	34.57
PK	5.4696G	59.19	68.20	-9.01	3.93	3	Vertical	353	2.79	55.26	32.86	5.63	34.56
PK	5.5G	105.14	Inf	-Inf	3.90	3	Vertical	353	2.79	101.24	32.80	5.66	34.56

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.53	54.00	-7.47	3.93	3	Horizontal	360	1.50	42.60	32.88	5.62	34.57
AV	5.5168G	94.63	Inf	-Inf	3.92	3	Horizontal	360	1.50	90.71	32.80	5.68	34.56
PK	5.4584G	56.29	74.00	-17.71	3.93	3	Horizontal	360	1.50	52.36	32.88	5.62	34.57
PK	5.468G	56.25	68.20	-11.95	3.92	3	Horizontal	360	1.50	52.33	32.86	5.63	34.57
PK	5.5224G	103.95	Inf	-Inf	3.92	3	Horizontal	360	1.50	100.03	32.80	5.68	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03256G	41.77	54.00	-12.23	12.47	3	Vertical	111	2.46	29.30	38.87	8.18	34.58
PK	11.01448G	53.26	74.00	-20.74	12.48	3	Vertical	111	2.46	40.78	38.89	8.17	34.58
PK	16.52768G	54.74	68.20	-13.46	13.49	3	Vertical	5	2.27	41.25	38.34	9.87	34.72

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03328G	41.74	54.00	-12.26	12.47	3	Horizontal	280	2.82	29.27	38.87	8.18	34.58
PK	11.00064G	53.11	74.00	-20.89	12.49	3	Horizontal	280	2.82	40.62	38.90	8.17	34.58
PK	16.51208G	55.25	68.20	-12.95	13.50	3	Horizontal	129	1.27	41.75	38.38	9.86	34.74

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.23	54.00	-7.77	3.93	3	Vertical	0	2.68	42.30	32.88	5.62	34.57
AV	5.5408G	97.06	Inf	-Inf	3.94	3	Vertical	0	2.68	93.12	32.80	5.70	34.56
PK	5.458G	58.19	74.00	-15.81	3.93	3	Vertical	0	2.68	54.26	32.88	5.62	34.57
PK	5.4668G	58.79	68.20	-9.41	3.93	3	Vertical	0	2.68	54.86	32.87	5.63	34.57
PK	5.5404G	107.69	Inf	-Inf	3.94	3	Vertical	0	2.68	103.75	32.80	5.70	34.56

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.73	54.00	-6.27	3.93	3	Horizontal	355	3.00	43.80	32.88	5.62	34.57
AV	5.5404G	98.97	Inf	-Inf	3.94	3	Horizontal	355	3.00	95.03	32.80	5.70	34.56
PK	5.4508G	59.49	74.00	-14.51	3.95	3	Horizontal	355	3.00	55.54	32.90	5.62	34.57
PK	5.4688G	60.52	68.20	-7.68	3.93	3	Horizontal	355	3.00	56.59	32.86	5.63	34.56
PK	5.5552G	109.32	Inf	-Inf	3.96	3	Horizontal	355	3.00	105.36	32.81	5.71	34.56

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08952G	41.69	54.00	-12.31	12.42	3	Vertical	281	2.20	29.27	38.81	8.19	34.58
PK	11.11992G	52.87	74.00	-21.13	12.44	3	Vertical	281	2.20	40.43	38.82	8.20	34.58
PK	16.66784G	55.12	68.20	-13.08	13.43	3	Vertical	19	2.59	41.69	38.06	9.92	34.55

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0988G	41.73	54.00	-12.27	12.42	3	Horizontal	128	2.00	29.31	38.80	8.20	34.58
PK	11.08752G	53.49	74.00	-20.51	12.42	3	Horizontal	128	2.00	41.07	38.81	8.19	34.58
PK	16.66296G	55.99	68.20	-12.21	13.44	3	Horizontal	26	1.86	42.55	38.07	9.92	34.55

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	97.53	Inf	-Inf	4.43	3	Vertical	360	1.27	93.10	33.21	5.77	34.55
PK	5.6622G	106.22	Inf	-Inf	4.32	3	Vertical	360	1.27	101.90	33.10	5.77	34.55
PK	5.8074G	60.78	68.20	-7.42	5.17	3	Vertical	360	1.27	55.61	33.91	5.80	34.54

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6814G	99.58	Inf	-Inf	4.47	3	Horizontal	352	3.00	95.11	33.25	5.77	34.55
PK	5.676G	108.19	Inf	-Inf	4.43	3	Horizontal	352	3.00	103.76	33.21	5.77	34.55
PK	5.7486G	61.13	68.20	-7.07	4.94	3	Horizontal	352	3.00	56.19	33.69	5.79	34.54

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32168G	41.24	54.00	-12.76	12.72	3	Vertical	72	2.06	28.52	39.02	8.27	34.57
PK	11.33064G	53.22	74.00	-20.78	12.73	3	Vertical	72	2.06	40.49	39.03	8.27	34.57
PK	17.00288G	54.71	68.20	-13.49	13.64	3	Vertical	185	1.76	41.07	37.70	10.06	34.12

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32064G	41.08	54.00	-12.92	12.72	3	Horizontal	321	1.55	28.36	39.02	8.27	34.57
PK	11.33784G	52.57	74.00	-21.43	12.74	3	Horizontal	321	1.55	39.83	39.04	8.27	34.57
PK	17.01912G	54.47	68.20	-13.73	13.65	3	Horizontal	349	1.34	40.82	37.72	10.06	34.13

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.77	54.00	-10.23	3.93	3	Vertical	4	2.63	39.84	32.88	5.62	34.57
AV	5.7208G	96.14	Inf	-Inf	4.76	3	Vertical	4	2.63	91.38	33.52	5.78	34.54
PK	5.4412G	55.71	74.00	-18.29	3.96	3	Vertical	4	2.63	51.75	32.92	5.61	34.57
PK	5.4664G	54.77	68.20	-13.43	3.93	3	Vertical	4	2.63	50.84	32.87	5.63	34.57
PK	5.6992G	105.77	Inf	-Inf	4.62	3	Vertical	4	2.63	101.15	33.39	5.77	34.54
PK	5.8672G	58.06	68.20	-10.14	5.37	3	Vertical	4	2.63	52.69	34.07	5.83	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.13	54.00	-9.87	3.93	3	Horizontal	358	2.96	40.20	32.88	5.62	34.57
AV	5.7016G	99.14	Inf	-Inf	4.65	3	Horizontal	358	2.96	94.49	33.41	5.78	34.54
PK	5.4544G	56.04	74.00	-17.96	3.94	3	Horizontal	358	2.96	52.10	32.89	5.62	34.57
PK	5.464G	55.45	68.20	-12.75	3.93	3	Horizontal	358	2.96	51.52	32.87	5.63	34.57
PK	5.716G	109.23	Inf	-Inf	4.74	3	Horizontal	358	2.96	104.49	33.50	5.78	34.54
PK	5.8528G	59.40	68.20	-8.80	5.30	3	Horizontal	358	2.96	54.10	34.01	5.82	34.53

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42496G	41.63	54.00	-12.37	12.81	3	Vertical	344	2.35	28.82	39.08	8.30	34.57
PK	11.40888G	53.17	74.00	-20.83	12.81	3	Vertical	344	2.35	40.36	39.09	8.29	34.57
PK	17.13816G	55.54	68.20	-12.66	13.86	3	Vertical	355	1.10	41.68	37.95	10.11	34.20

5.47-5.725GHz_802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42736G	41.72	54.00	-12.28	12.80	3	Horizontal	129	1.06	28.92	39.07	8.30	34.57
PK	11.40856G	53.11	74.00	-20.89	12.81	3	Horizontal	129	1.06	40.30	39.09	8.29	34.57
PK	17.13728G	55.67	68.20	-12.53	13.86	3	Horizontal	325	1.12	41.81	37.95	10.11	34.20

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	43.69	54.00	-10.31	3.93	3	Vertical	7	2.62	39.76	32.88	5.62	34.57
AV	5.7466G	99.24	Inf	-Inf	4.93	3	Vertical	7	2.62	94.31	33.68	5.79	34.54
PK	5.6278G	57.70	68.20	-10.50	4.17	3	Vertical	7	2.62	53.53	32.96	5.76	34.55
PK	5.743G	109.19	Inf	-Inf	4.91	3	Vertical	7	2.62	104.28	33.66	5.79	34.54
PK	5.9362G	57.59	68.20	-10.61	5.53	3	Vertical	7	2.62	52.06	34.20	5.86	34.53

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	43.94	54.00	-10.06	3.94	3	Horizontal	358	2.97	40.00	32.89	5.62	34.57
AV	5.7442G	99.97	Inf	-Inf	4.92	3	Horizontal	358	2.97	95.05	33.67	5.79	34.54
PK	5.6386G	58.84	68.20	-9.36	4.19	3	Horizontal	358	2.97	54.65	32.98	5.76	34.55
PK	5.7442G	109.91	Inf	-Inf	4.92	3	Horizontal	358	2.97	104.99	33.67	5.79	34.54
PK	5.9482G	58.13	68.20	-10.07	5.55	3	Horizontal	358	2.97	52.58	34.20	5.87	34.52

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49056G	41.68	54.00	-12.32	12.76	3	Vertical	174	2.43	28.92	39.01	8.32	34.57
PK	11.5252G	53.55	74.00	-20.45	12.62	3	Vertical	174	2.43	40.93	38.87	8.33	34.58
PK	17.26092G	56.35	68.20	-11.85	14.08	3	Vertical	336	2.36	42.27	38.20	10.16	34.28

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4992G	41.68	54.00	-12.32	12.75	3	Horizontal	136	2.66	28.93	39.00	8.32	34.57
PK	11.49224G	53.27	74.00	-20.73	12.76	3	Horizontal	136	2.66	40.51	39.01	8.32	34.57
PK	17.27668G	56.30	68.20	-11.90	14.07	3	Horizontal	337	1.24	42.23	38.20	10.16	34.29

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	99.67	Inf	-Inf	5.15	3	Vertical	8	2.62	94.52	33.89	5.80	34.54
PK	5.639G	57.17	68.20	-11.03	4.19	3	Vertical	8	2.62	52.98	32.98	5.76	34.55
PK	5.7998G	108.66	Inf	-Inf	5.16	3	Vertical	8	2.62	103.50	33.90	5.80	34.54
PK	5.9594G	58.82	68.20	-9.38	5.53	3	Vertical	8	2.62	53.29	34.18	5.87	34.52

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	100.56	Inf	-Inf	5.12	3	Horizontal	355	2.94	95.44	33.86	5.80	34.54
PK	5.5586G	57.75	68.20	-10.45	3.97	3	Horizontal	355	2.94	53.78	32.82	5.71	34.56
PK	5.789G	110.58	Inf	-Inf	5.12	3	Horizontal	355	2.94	105.46	33.86	5.80	34.54
PK	5.9366G	58.35	68.20	-9.85	5.53	3	Horizontal	355	2.94	52.82	34.20	5.86	34.53

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60312G	41.21	54.00	-12.79	12.25	3	Vertical	31	1.91	28.96	38.50	8.35	34.60
PK	11.59272G	52.85	74.00	-21.15	12.29	3	Vertical	31	1.91	40.56	38.54	8.35	34.60
PK	17.37924G	55.82	68.20	-12.38	14.29	3	Vertical	232	1.53	41.53	38.44	10.20	34.35

5.725-5.85GHz_802.11n HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60096G	41.26	54.00	-12.74	12.25	3	Horizontal	292	2.82	29.01	38.50	8.35	34.60
PK	11.60408G	52.68	74.00	-21.32	12.26	3	Horizontal	292	2.82	40.42	38.50	8.36	34.60
PK	17.40148G	56.00	68.20	-12.20	14.35	3	Horizontal	344	2.76	41.65	38.50	10.21	34.36

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.61	54.00	-6.39	3.89	3	Vertical	90	2.84	43.72	33.00	5.51	34.62
AV	5.195G	88.00	Inf	-Inf	4.01	3	Vertical	90	2.84	83.99	33.09	5.53	34.61
AV	5.454G	44.80	54.00	-9.20	3.94	3	Vertical	90	2.84	40.86	32.89	5.62	34.57
PK	5.14G	59.33	74.00	-14.67	3.89	3	Vertical	90	2.84	55.44	33.00	5.51	34.62
PK	5.196G	96.90	Inf	-Inf	4.01	3	Vertical	90	2.84	92.89	33.09	5.53	34.61
PK	5.444G	56.69	74.00	-17.31	3.95	3	Vertical	90	2.84	52.74	32.91	5.61	34.57

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	49.47	54.00	-4.53	3.89	3	Horizontal	1	2.45	45.58	33.00	5.51	34.62
AV	5.192G	91.74	Inf	-Inf	4.00	3	Horizontal	1	2.45	87.74	33.08	5.53	34.61
AV	5.4G	45.44	54.00	-8.56	3.99	3	Horizontal	1	2.45	41.45	33.00	5.57	34.58
PK	5.132G	61.04	74.00	-12.96	3.89	3	Horizontal	1	2.45	57.15	33.00	5.51	34.62
PK	5.215G	100.72	Inf	-Inf	4.02	3	Horizontal	1	2.45	96.70	33.10	5.53	34.61
PK	5.448G	57.24	74.00	-16.76	3.94	3	Horizontal	1	2.45	53.30	32.90	5.61	34.57

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63384G	42.61	54.00	-11.39	12.69	3	Vertical	260	1.78	29.92	38.13	9.54	34.98
PK	10.42456G	53.40	68.20	-14.80	12.23	3	Vertical	229	2.26	41.17	39.05	7.98	34.80
PK	15.64352G	53.65	74.00	-20.35	12.63	3	Vertical	260	1.78	41.02	38.08	9.54	34.99

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63208G	42.62	54.00	-11.38	12.70	3	Horizontal	47	2.67	29.92	38.14	9.54	34.98
PK	10.4132G	52.94	68.20	-15.26	12.24	3	Horizontal	64	1.50	40.70	39.07	7.98	34.81
PK	15.63104G	53.79	74.00	-20.21	12.70	3	Horizontal	47	2.67	41.09	38.14	9.54	34.98

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.056G	45.88	54.00	-8.12	4.04	3	Vertical	89	2.76	41.84	33.18	5.49	34.63
AV	5.272G	88.21	Inf	-Inf	4.00	3	Vertical	89	2.76	84.21	33.06	5.54	34.60
AV	5.351G	45.29	54.00	-8.71	3.88	3	Vertical	89	2.76	41.41	32.90	5.56	34.58
PK	5.15G	57.74	74.00	-16.26	3.90	3	Vertical	89	2.76	53.84	33.00	5.52	34.62
PK	5.282G	97.21	Inf	-Inf	4.00	3	Vertical	89	2.76	93.21	33.04	5.55	34.59
PK	5.42G	56.92	74.00	-17.08	3.98	3	Vertical	89	2.76	52.94	32.96	5.59	34.57
PK	5.48G	57.07	68.20	-11.13	3.92	3	Vertical	89	2.76	53.15	32.84	5.64	34.56

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.051G	45.92	54.00	-8.08	4.06	3	Horizontal	2	1.50	41.86	33.20	5.49	34.63
AV	5.283G	93.03	Inf	-Inf	3.99	3	Horizontal	2	1.50	89.04	33.03	5.55	34.59
AV	5.352G	47.32	54.00	-6.68	3.88	3	Horizontal	2	1.50	43.44	32.90	5.56	34.58
PK	5.06G	58.34	74.00	-15.66	4.02	3	Horizontal	2	1.50	54.32	33.16	5.49	34.63
PK	5.283G	101.75	Inf	-Inf	3.99	3	Horizontal	2	1.50	97.76	33.03	5.55	34.59
PK	5.459G	58.64	74.00	-15.36	3.93	3	Horizontal	2	1.50	54.71	32.88	5.62	34.57
PK	5.47G	57.93	68.20	-10.27	3.93	3	Horizontal	2	1.50	54.00	32.86	5.63	34.56

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85184G	42.29	54.00	-11.71	12.31	3	Vertical	235	1.38	29.98	37.84	9.61	35.14
PK	10.57368G	53.30	68.20	-14.90	12.38	3	Vertical	282	2.88	40.92	39.05	8.03	34.70
PK	15.85848G	53.89	74.00	-20.11	12.28	3	Vertical	235	1.38	41.61	37.82	9.61	35.15

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85128G	42.31	54.00	-11.69	12.32	3	Horizontal	355	1.95	29.99	37.85	9.61	35.14
PK	10.59824G	52.55	68.20	-15.65	12.45	3	Horizontal	317	2.96	40.10	39.10	8.04	34.69
PK	15.86128G	54.09	74.00	-19.91	12.28	3	Horizontal	355	1.95	41.81	37.82	9.61	35.15

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.53	54.00	-9.47	3.88	3	Vertical	351	1.97	40.65	32.90	5.56	34.58
AV	5.459G	47.37	54.00	-6.63	3.93	3	Vertical	351	1.97	43.44	32.88	5.62	34.57
AV	5.526G	87.18	Inf	-Inf	3.92	3	Vertical	351	1.97	83.26	32.80	5.68	34.56
PK	5.339G	56.83	68.20	-11.37	3.89	3	Vertical	351	1.97	52.94	32.92	5.56	34.59
PK	5.46G	58.85	74.00	-15.15	3.93	3	Vertical	351	1.97	54.92	32.88	5.62	34.57
PK	5.468G	59.62	68.20	-8.58	3.92	3	Vertical	351	1.97	55.70	32.86	5.63	34.57
PK	5.519G	95.91	Inf	-Inf	3.92	3	Vertical	351	1.97	91.99	32.80	5.68	34.56
PK	5.761G	57.84	68.20	-10.36	4.99	3	Vertical	351	1.97	52.85	33.74	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.83	54.00	-9.17	3.88	3	Horizontal	4	1.50	40.95	32.90	5.56	34.58
AV	5.46G	49.85	54.00	-4.15	3.93	3	Horizontal	4	1.50	45.92	32.88	5.62	34.57
AV	5.512G	90.52	Inf	-Inf	3.91	3	Horizontal	4	1.50	86.61	32.80	5.67	34.56
PK	5.345G	57.04	68.20	-11.16	3.89	3	Horizontal	4	1.50	53.15	32.91	5.56	34.58
PK	5.451G	61.83	74.00	-12.17	3.95	3	Horizontal	4	1.50	57.88	32.90	5.62	34.57
PK	5.462G	62.81	68.20	-5.39	3.94	3	Horizontal	4	1.50	58.87	32.88	5.63	34.57
PK	5.526G	99.56	Inf	-Inf	3.92	3	Horizontal	4	1.50	95.64	32.80	5.68	34.56
PK	5.767G	58.54	68.20	-9.66	5.02	3	Horizontal	4	1.50	53.52	33.77	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06592G	41.78	54.00	-12.22	12.44	3	Vertical	148	1.04	29.34	38.83	8.19	34.58
PK	11.03168G	52.88	74.00	-21.12	12.46	3	Vertical	148	1.04	40.42	38.87	8.17	34.58
PK	16.6268G	54.63	68.20	-13.57	13.46	3	Vertical	167	2.16	41.17	38.15	9.91	34.60

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06464G	41.73	54.00	-12.27	12.45	3	Horizontal	123	1.66	29.28	38.84	8.19	34.58
PK	11.02944G	53.27	74.00	-20.73	12.46	3	Horizontal	123	1.66	40.81	38.87	8.17	34.58
PK	16.55176G	55.06	68.20	-13.14	13.49	3	Horizontal	184	2.11	41.57	38.30	9.88	34.69

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.05	54.00	-7.95	3.93	3	Vertical	350	1.32	42.12	32.88	5.62	34.57
AV	5.633G	91.34	Inf	-Inf	4.18	3	Vertical	350	1.32	87.16	32.97	5.76	34.55
PK	5.459G	57.73	74.00	-16.27	3.93	3	Vertical	350	1.32	53.80	32.88	5.62	34.57
PK	5.469G	57.45	68.20	-10.75	3.93	3	Vertical	350	1.32	53.52	32.86	5.63	34.56
PK	5.59G	100.31	Inf	-Inf	4.07	3	Vertical	350	1.32	96.24	32.88	5.74	34.55
PK	5.731G	62.08	68.20	-6.12	4.83	3	Vertical	350	1.32	57.25	33.59	5.78	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.59	54.00	-6.41	3.93	3	Horizontal	357	1.50	43.66	32.88	5.62	34.57
AV	5.596G	94.76	Inf	-Inf	4.09	3	Horizontal	357	1.50	90.67	32.89	5.75	34.55
PK	5.457G	59.17	74.00	-14.83	3.94	3	Horizontal	357	1.50	55.23	32.89	5.62	34.57
PK	5.468G	58.77	68.20	-9.43	3.92	3	Horizontal	357	1.50	54.85	32.86	5.63	34.57
PK	5.625G	103.46	Inf	-Inf	4.16	3	Horizontal	357	1.50	99.30	32.95	5.76	34.55
PK	5.73G	62.64	68.20	-5.56	4.82	3	Horizontal	357	1.50	57.82	33.58	5.78	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2064G	41.36	54.00	-12.64	12.56	3	Vertical	137	1.22	28.80	38.91	8.23	34.58
PK	11.22512G	52.45	74.00	-21.55	12.59	3	Vertical	137	1.22	39.86	38.93	8.24	34.58
PK	16.79576G	55.46	68.20	-12.74	13.49	3	Vertical	349	2.65	41.97	37.90	9.97	34.38

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20368G	41.43	54.00	-12.57	12.55	3	Horizontal	247	1.65	28.88	38.90	8.23	34.58
PK	11.18016G	52.61	74.00	-21.39	12.52	3	Horizontal	247	1.65	40.09	38.88	8.22	34.58
PK	16.84616G	54.60	68.20	-13.60	13.48	3	Horizontal	286	2.53	41.12	37.81	9.99	34.32

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.22	54.00	-9.78	3.93	3	Vertical	348	2.70	40.29	32.88	5.62	34.57
AV	5.714G	90.94	Inf	-Inf	4.72	3	Vertical	348	2.70	86.22	33.48	5.78	34.54
PK	5.45G	55.29	74.00	-18.71	3.95	3	Vertical	348	2.70	51.34	32.90	5.62	34.57
PK	5.463G	55.75	68.20	-12.45	3.93	3	Vertical	348	2.70	51.82	32.87	5.63	34.57
PK	5.711G	99.54	Inf	-Inf	4.71	3	Vertical	348	2.70	94.83	33.47	5.78	34.54
PK	5.853G	58.18	68.20	-10.02	5.30	3	Vertical	348	2.70	52.88	34.01	5.82	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.99	54.00	-9.01	3.93	3	Horizontal	360	2.98	41.06	32.88	5.62	34.57
AV	5.701G	93.85	Inf	-Inf	4.65	3	Horizontal	360	2.98	89.20	33.41	5.78	34.54
PK	5.46G	57.12	74.00	-16.88	3.93	3	Horizontal	360	2.98	53.19	32.88	5.62	34.57
PK	5.465G	56.86	68.20	-11.34	3.93	3	Horizontal	360	2.98	52.93	32.87	5.63	34.57
PK	5.706G	102.69	Inf	-Inf	4.68	3	Horizontal	360	2.98	98.01	33.44	5.78	34.54
PK	5.855G	58.45	68.20	-9.75	5.31	3	Horizontal	360	2.98	53.14	34.02	5.82	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	41.60	54.00	-12.40	12.81	3	Vertical	301	1.33	28.79	39.08	8.30	34.57
PK	11.3504G	53.26	74.00	-20.74	12.76	3	Vertical	301	1.33	40.50	39.05	8.28	34.57
PK	17.05144G	55.14	68.20	-13.06	13.68	3	Vertical	338	2.28	41.46	37.75	10.08	34.15

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41872G	41.58	54.00	-12.42	12.81	3	Horizontal	338	1.10	28.77	39.08	8.30	34.57
PK	11.39696G	53.56	74.00	-20.44	12.82	3	Horizontal	338	1.10	40.74	39.10	8.29	34.57
PK	17.0564G	55.95	68.20	-12.25	13.69	3	Horizontal	153	1.30	42.26	37.76	10.08	34.15

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	89.62	Inf	-Inf	5.13	3	Vertical	354	1.92	84.49	33.87	5.80	34.54
PK	5.6442G	56.19	68.20	-12.01	4.20	3	Vertical	354	1.92	51.99	32.99	5.76	34.55
PK	5.7966G	98.16	Inf	-Inf	5.15	3	Vertical	354	1.92	93.01	33.89	5.80	34.54
PK	5.9634G	57.40	68.20	-10.80	5.52	3	Vertical	354	1.92	51.88	34.17	5.87	34.52

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	90.55	Inf	-Inf	5.13	3	Horizontal	357	1.40	85.42	33.87	5.80	34.54
PK	5.5278G	56.83	68.20	-11.37	3.93	3	Horizontal	357	1.40	52.90	32.80	5.69	34.56
PK	5.7906G	99.00	Inf	-Inf	5.12	3	Horizontal	357	1.40	93.88	33.86	5.80	34.54
PK	6.0342G	57.09	68.20	-11.11	5.50	3	Horizontal	357	1.40	51.59	34.10	5.92	34.52

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51112G	41.49	54.00	-12.51	12.70	3	Vertical	268	1.33	28.79	38.94	8.33	34.57
PK	11.53784G	53.14	74.00	-20.86	12.56	3	Vertical	268	1.33	40.58	38.81	8.33	34.58
PK	17.35652G	56.42	68.20	-11.78	14.24	3	Vertical	352	2.02	42.18	38.37	10.20	34.33

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52744G	41.37	54.00	-12.63	12.61	3	Horizontal	137	2.04	28.76	38.86	8.33	34.58
PK	11.58936G	52.91	74.00	-21.09	12.30	3	Horizontal	137	2.04	40.61	38.55	8.35	34.60
PK	17.3546G	57.28	68.20	-10.92	14.23	3	Horizontal	37	1.33	43.05	38.36	10.20	34.33

5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.37	54.00	-6.63	3.90	3	Vertical	255	2.50	43.47	33.00	5.52	34.62
AV	5.202G	87.05	Inf	-Inf	4.02	3	Vertical	255	2.50	83.03	33.10	5.53	34.61
AV	5.452G	44.73	54.00	-9.27	3.95	3	Vertical	255	2.50	40.78	32.90	5.62	34.57
PK	5.148G	58.78	74.00	-15.22	3.89	3	Vertical	255	2.50	54.89	33.00	5.51	34.62
PK	5.195G	95.67	Inf	-Inf	4.01	3	Vertical	255	2.50	91.66	33.09	5.53	34.61
PK	5.403G	56.82	74.00	-17.18	3.98	3	Vertical	255	2.50	52.84	32.99	5.57	34.58

5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.06	54.00	-5.94	3.90	3	Horizontal	356	1.52	44.16	33.00	5.52	34.62
AV	5.199G	91.10	Inf	-Inf	4.02	3	Horizontal	356	1.52	87.08	33.10	5.53	34.61
AV	5.351G	45.18	54.00	-8.82	3.88	3	Horizontal	356	1.52	41.30	32.90	5.56	34.58
PK	5.147G	59.55	74.00	-14.45	3.89	3	Horizontal	356	1.52	55.66	33.00	5.51	34.62
PK	5.187G	100.21	Inf	-Inf	3.99	3	Horizontal	356	1.52	96.22	33.07	5.53	34.61
PK	5.375G	57.05	74.00	-16.95	3.94	3	Horizontal	356	1.52	53.11	32.95	5.57	34.58

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63792G	42.64	54.00	-11.36	12.67	3	Vertical	353	1.55	29.97	38.11	9.54	34.98
PK	10.40504G	53.16	68.20	-15.04	12.25	3	Vertical	182	2.73	40.91	39.09	7.98	34.82
PK	15.62216G	54.56	74.00	-19.44	12.75	3	Vertical	353	1.55	41.81	38.19	9.53	34.97

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62448G	42.59	54.00	-11.41	12.74	3	Horizontal	192	2.85	29.85	38.18	9.53	34.97
PK	10.41072G	53.39	68.20	-14.81	12.25	3	Horizontal	170	2.41	41.14	39.08	7.98	34.81
PK	15.62776G	54.21	74.00	-19.79	12.73	3	Horizontal	192	2.85	41.48	38.16	9.54	34.97

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.051G	45.87	54.00	-8.13	4.06	3	Vertical	0	1.24	41.81	33.20	5.49	34.63
AV	5.298G	88.11	Inf	-Inf	3.96	3	Vertical	0	1.24	84.15	33.00	5.55	34.59
AV	5.35G	45.29	54.00	-8.71	3.88	3	Vertical	0	1.24	41.41	32.90	5.56	34.58
PK	5.052G	57.60	74.00	-16.40	4.05	3	Vertical	0	1.24	53.55	33.19	5.49	34.63
PK	5.299G	96.68	Inf	-Inf	3.96	3	Vertical	0	1.24	92.72	33.00	5.55	34.59
PK	5.451G	56.40	74.00	-17.60	3.95	3	Vertical	0	1.24	52.45	32.90	5.62	34.57
PK	5.531G	57.00	68.20	-11.20	3.93	3	Vertical	0	1.24	53.07	32.80	5.69	34.56

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.09	54.00	-7.91	3.90	3	Horizontal	357	1.58	42.19	33.00	5.52	34.62
AV	5.272G	91.01	Inf	-Inf	4.00	3	Horizontal	357	1.58	87.01	33.06	5.54	34.60
AV	5.35G	46.01	54.00	-7.99	3.88	3	Horizontal	357	1.58	42.13	32.90	5.56	34.58
PK	5.136G	58.44	74.00	-15.56	3.89	3	Horizontal	357	1.58	54.55	33.00	5.51	34.62
PK	5.277G	99.72	Inf	-Inf	4.00	3	Horizontal	357	1.58	95.72	33.05	5.55	34.60
PK	5.365G	58.83	74.00	-15.17	3.91	3	Horizontal	357	1.58	54.92	32.93	5.56	34.58
PK	5.47G	56.84	68.20	-11.36	3.93	3	Horizontal	357	1.58	52.91	32.86	5.63	34.56

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85288G	42.45	54.00	-11.55	12.31	3	Vertical	206	2.96	30.14	37.84	9.61	35.14
PK	10.57488G	52.83	68.20	-15.37	12.38	3	Vertical	231	2.90	40.45	39.05	8.03	34.70
PK	15.8828G	53.40	74.00	-20.60	12.21	3	Vertical	206	2.96	41.19	37.75	9.62	35.16

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85432G	42.41	54.00	-11.59	12.31	3	Horizontal	151	2.69	30.10	37.84	9.61	35.14
PK	10.56048G	52.55	68.20	-15.65	12.35	3	Horizontal	255	1.00	40.20	39.02	8.03	34.70
PK	15.8764G	53.17	74.00	-20.83	12.23	3	Horizontal	151	2.69	40.94	37.77	9.62	35.16

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.62	54.00	-9.38	3.88	3	Vertical	10	2.03	40.74	32.90	5.56	34.58
AV	5.459G	45.38	54.00	-8.62	3.93	3	Vertical	10	2.03	41.45	32.88	5.62	34.57
AV	5.548G	88.41	Inf	-Inf	3.94	3	Vertical	10	2.03	84.47	32.80	5.70	34.56
PK	5.287G	56.40	68.20	-11.80	3.99	3	Vertical	10	2.03	52.41	33.03	5.55	34.59
PK	5.46G	56.82	74.00	-17.18	3.93	3	Vertical	10	2.03	52.89	32.88	5.62	34.57
PK	5.465G	56.74	68.20	-11.46	3.93	3	Vertical	10	2.03	52.81	32.87	5.63	34.57
PK	5.552G	97.22	Inf	-Inf	3.95	3	Vertical	10	2.03	93.27	32.80	5.71	34.56
PK	5.728G	58.73	68.20	-9.47	4.81	3	Vertical	10	2.03	53.92	33.57	5.78	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.72	54.00	-9.28	3.88	3	Horizontal	6	1.42	40.84	32.90	5.56	34.58
AV	5.451G	45.69	54.00	-8.31	3.95	3	Horizontal	6	1.42	41.74	32.90	5.62	34.57
AV	5.541G	89.70	Inf	-Inf	3.94	3	Horizontal	6	1.42	85.76	32.80	5.70	34.56
PK	5.314G	57.48	68.20	-10.72	3.93	3	Horizontal	6	1.42	53.55	32.97	5.55	34.59
PK	5.456G	57.71	74.00	-16.29	3.94	3	Horizontal	6	1.42	53.77	32.89	5.62	34.57
PK	5.469G	56.75	68.20	-11.45	3.93	3	Horizontal	6	1.42	52.82	32.86	5.63	34.56
PK	5.547G	99.45	Inf	-Inf	3.94	3	Horizontal	6	1.42	95.51	32.80	5.70	34.56
PK	5.746G	59.28	68.20	-8.92	4.93	3	Horizontal	6	1.42	54.35	33.68	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06016G	41.77	54.00	-12.23	12.44	3	Vertical	192	2.86	29.33	38.84	8.18	34.58
PK	11.08416G	53.31	74.00	-20.69	12.43	3	Vertical	192	2.86	40.88	38.82	8.19	34.58
PK	16.55784G	54.75	68.20	-13.45	13.47	3	Vertical	94	1.02	41.28	38.28	9.88	34.69

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06896G	41.79	54.00	-12.21	12.44	3	Horizontal	39	1.40	29.35	38.83	8.19	34.58
PK	11.08G	52.95	74.00	-21.05	12.43	3	Horizontal	39	1.40	40.52	38.82	8.19	34.58
PK	16.62296G	54.59	68.20	-13.61	13.46	3	Horizontal	234	1.23	41.13	38.15	9.91	34.60

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.41	54.00	-8.59	3.93	3	Vertical	11	1.94	41.48	32.88	5.62	34.57
AV	5.609G	93.71	Inf	-Inf	4.12	3	Vertical	11	1.94	89.59	32.92	5.75	34.55
PK	5.391G	57.67	74.00	-16.33	3.97	3	Vertical	11	1.94	53.70	32.98	5.57	34.58
PK	5.466G	57.04	68.20	-11.16	3.93	3	Vertical	11	1.94	53.11	32.87	5.63	34.57
PK	5.612G	101.87	Inf	-Inf	4.12	3	Vertical	11	1.94	97.75	32.92	5.75	34.55
PK	5.745G	61.58	68.20	-6.62	4.92	3	Vertical	11	1.94	56.66	33.67	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.69	54.00	-8.31	3.93	3	Horizontal	355	2.96	41.76	32.88	5.62	34.57
AV	5.608G	94.62	Inf	-Inf	4.12	3	Horizontal	355	2.96	90.50	32.92	5.75	34.55
PK	5.373G	56.82	74.00	-17.18	3.93	3	Horizontal	355	2.96	52.89	32.95	5.56	34.58
PK	5.466G	56.90	68.20	-11.30	3.93	3	Horizontal	355	2.96	52.97	32.87	5.63	34.57
PK	5.604G	103.58	Inf	-Inf	4.11	3	Horizontal	355	2.96	99.47	32.91	5.75	34.55
PK	5.732G	62.05	68.20	-6.15	4.83	3	Horizontal	355	2.96	57.22	33.59	5.78	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20608G	41.43	54.00	-12.57	12.56	3	Vertical	194	1.27	28.87	38.91	8.23	34.58
PK	11.20096G	52.30	74.00	-21.70	12.55	3	Vertical	194	1.27	39.75	38.90	8.23	34.58
PK	16.8492G	54.86	68.20	-13.34	13.49	3	Vertical	290	1.80	41.37	37.80	10.00	34.31

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20624G	41.40	54.00	-12.60	12.56	3	Horizontal	63	2.01	28.84	38.91	8.23	34.58
PK	11.21504G	53.58	74.00	-20.42	12.57	3	Horizontal	63	2.01	41.01	38.92	8.23	34.58
PK	16.83976G	54.87	68.20	-13.33	13.48	3	Horizontal	298	1.67	41.39	37.82	9.99	34.33

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	43.78	54.00	-10.22	3.94	3	Vertical	14	2.03	39.84	32.89	5.62	34.57
AV	5.7G	91.17	Inf	-Inf	4.64	3	Vertical	14	2.03	86.53	33.40	5.78	34.54
PK	5.44G	55.00	74.00	-19.00	3.96	3	Vertical	14	2.03	51.04	32.92	5.61	34.57
PK	5.465G	55.11	68.20	-13.09	3.93	3	Vertical	14	2.03	51.18	32.87	5.63	34.57
PK	5.702G	99.67	Inf	-Inf	4.65	3	Vertical	14	2.03	95.02	33.41	5.78	34.54
PK	5.863G	57.97	68.20	-10.23	5.35	3	Vertical	14	2.03	52.62	34.05	5.83	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	43.99	54.00	-10.01	3.93	3	Horizontal	0	2.96	40.06	32.88	5.62	34.57
AV	5.701G	94.37	Inf	-Inf	4.65	3	Horizontal	0	2.96	89.72	33.41	5.78	34.54
PK	5.441G	56.38	74.00	-17.62	3.96	3	Horizontal	0	2.96	52.42	32.92	5.61	34.57
PK	5.464G	56.25	68.20	-11.95	3.93	3	Horizontal	0	2.96	52.32	32.87	5.63	34.57
PK	5.713G	103.57	Inf	-Inf	4.72	3	Horizontal	0	2.96	98.85	33.48	5.78	34.54
PK	5.85G	57.99	68.20	-10.21	5.29	3	Horizontal	0	2.96	52.70	34.00	5.82	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41744G	41.58	54.00	-12.42	12.81	3	Vertical	148	2.85	28.77	39.08	8.30	34.57
PK	11.41648G	52.72	74.00	-21.28	12.81	3	Vertical	148	2.85	39.91	39.08	8.30	34.57
PK	17.08216G	56.02	68.20	-12.18	13.70	3	Vertical	209	2.23	42.32	37.78	10.09	34.17

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	41.56	54.00	-12.44	12.81	3	Horizontal	73	1.09	28.75	39.08	8.30	34.57
PK	11.38288G	52.77	74.00	-21.23	12.80	3	Horizontal	73	1.09	39.97	39.08	8.29	34.57
PK	17.06712G	55.41	68.20	-12.79	13.69	3	Horizontal	316	2.54	41.72	37.77	10.08	34.16

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	89.97	Inf	-Inf	5.10	3	Vertical	12	1.94	84.87	33.84	5.80	34.54
PK	5.6118G	57.28	68.20	-10.92	4.12	3	Vertical	12	1.94	53.16	32.92	5.75	34.55
PK	5.7642G	98.46	Inf	-Inf	5.01	3	Vertical	12	1.94	93.45	33.76	5.79	34.54
PK	5.9478G	57.42	68.20	-10.78	5.55	3	Vertical	12	1.94	51.87	34.20	5.87	34.52

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	91.13	Inf	-Inf	5.06	3	Horizontal	6	1.40	86.07	33.81	5.79	34.54
PK	5.6382G	57.03	68.20	-11.17	4.19	3	Horizontal	6	1.40	52.84	32.98	5.76	34.55
PK	5.7498G	99.26	Inf	-Inf	4.95	3	Horizontal	6	1.40	94.31	33.70	5.79	34.54
PK	5.9274G	57.49	68.20	-10.71	5.53	3	Horizontal	6	1.40	51.96	34.20	5.86	34.53

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5316G	41.49	54.00	-12.51	12.59	3	Vertical	157	3.00	28.90	38.84	8.33	34.58
PK	11.52808G	52.76	74.00	-21.24	12.61	3	Vertical	157	3.00	40.15	38.86	8.33	34.58
PK	17.31556G	56.30	68.20	-11.90	14.12	3	Vertical	63	1.54	42.18	38.25	10.18	34.31

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52744G	41.50	54.00	-12.50	12.61	3	Horizontal	178	1.53	28.89	38.86	8.33	34.58
PK	11.57752G	52.97	74.00	-21.03	12.37	3	Horizontal	178	1.53	40.60	38.61	8.35	34.59
PK	17.3538G	55.92	68.20	-12.28	14.22	3	Horizontal	132	1.61	41.70	38.36	10.19	34.33

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.53	54.00	-5.47	3.90	3	Vertical	85	2.49	44.63	33.00	5.52	34.62
AV	5.198G	91.35	Inf	-Inf	4.02	3	Vertical	85	2.49	87.33	33.10	5.53	34.61
AV	5.354G	45.19	54.00	-8.81	3.89	3	Vertical	85	2.49	41.30	32.91	5.56	34.58
PK	5.144G	59.71	74.00	-14.29	3.89	3	Vertical	85	2.49	55.82	33.00	5.51	34.62
PK	5.207G	100.91	Inf	-Inf	4.02	3	Vertical	85	2.49	96.89	33.10	5.53	34.61
PK	5.409G	56.95	74.00	-17.05	3.99	3	Vertical	85	2.49	52.96	32.98	5.58	34.57

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.06	54.00	-1.94	3.90	3	Horizontal	3	1.55	48.16	33.00	5.52	34.62
AV	5.198G	96.27	Inf	-Inf	4.02	3	Horizontal	3	1.55	92.25	33.10	5.53	34.61
AV	5.38G	47.05	54.00	-6.95	3.95	3	Horizontal	3	1.55	43.10	32.96	5.57	34.58
PK	5.15G	62.89	74.00	-11.11	3.90	3	Horizontal	3	1.55	58.99	33.00	5.52	34.62
PK	5.195G	105.84	Inf	-Inf	4.01	3	Horizontal	3	1.55	101.83	33.09	5.53	34.61
PK	5.384G	58.59	74.00	-15.41	3.96	3	Horizontal	3	1.55	54.63	32.97	5.57	34.58

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63768G	42.69	54.00	-11.31	12.67	3	Vertical	288	2.77	30.02	38.11	9.54	34.98
PK	10.42808G	53.08	68.20	-15.12	12.23	3	Vertical	227	2.78	40.85	39.04	7.98	34.79
PK	15.64512G	54.14	74.00	-19.86	12.62	3	Vertical	288	2.77	41.52	38.07	9.54	34.99

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63568G	42.69	54.00	-11.31	12.68	3	Horizontal	262	1.54	30.01	38.12	9.54	34.98
PK	10.41008G	53.59	68.20	-14.61	12.25	3	Horizontal	200	2.37	41.34	39.08	7.98	34.81
PK	15.6248G	54.46	74.00	-19.54	12.74	3	Horizontal	262	1.54	41.72	38.18	9.53	34.97

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.053G	45.88	54.00	-8.12	4.05	3	Vertical	360	2.15	41.83	33.19	5.49	34.63
AV	5.313G	89.86	Inf	-Inf	3.93	3	Vertical	360	2.15	85.93	32.97	5.55	34.59
AV	5.35G	46.44	54.00	-7.56	3.88	3	Vertical	360	2.15	42.56	32.90	5.56	34.58
PK	5.102G	57.44	74.00	-16.56	3.88	3	Vertical	360	2.15	53.56	33.00	5.50	34.62
PK	5.315G	99.50	Inf	-Inf	3.93	3	Vertical	360	2.15	95.57	32.97	5.55	34.59
PK	5.425G	57.66	74.00	-16.34	3.97	3	Vertical	360	2.15	53.69	32.95	5.59	34.57
PK	5.478G	57.08	68.20	-11.12	3.92	3	Vertical	360	2.15	53.16	32.84	5.64	34.56

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.053G	46.01	54.00	-7.99	4.05	3	Horizontal	4	1.50	41.96	33.19	5.49	34.63
AV	5.278G	94.38	Inf	-Inf	3.99	3	Horizontal	4	1.50	90.39	33.04	5.55	34.60
AV	5.351G	48.66	54.00	-5.34	3.88	3	Horizontal	4	1.50	44.78	32.90	5.56	34.58
PK	5.045G	58.52	74.00	-15.48	4.05	3	Horizontal	4	1.50	54.47	33.20	5.48	34.63
PK	5.275G	103.32	Inf	-Inf	3.99	3	Horizontal	4	1.50	99.33	33.05	5.54	34.60
PK	5.354G	60.68	74.00	-13.32	3.89	3	Horizontal	4	1.50	56.79	32.91	5.56	34.58
PK	5.461G	58.03	68.20	-10.17	3.93	3	Horizontal	4	1.50	54.10	32.88	5.62	34.57

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60128G	41.42	54.00	-12.58	12.45	3	Vertical	324	1.43	28.97	39.10	8.04	34.69
AV	15.85416G	42.41	54.00	-11.59	12.31	3	Vertical	90	2.97	30.10	37.84	9.61	35.14
PK	10.56368G	52.84	68.20	-15.36	12.36	3	Vertical	324	1.43	40.48	39.03	8.03	34.70
PK	15.84392G	54.71	74.00	-19.29	12.35	3	Vertical	90	2.97	42.36	37.87	9.61	35.13

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60064G	41.42	54.00	-12.58	12.45	3	Horizontal	325	2.17	28.97	39.10	8.04	34.69
AV	15.84984G	42.33	54.00	-11.67	12.32	3	Horizontal	245	1.08	30.01	37.85	9.61	35.14
PK	10.54224G	54.14	68.20	-14.06	12.29	3	Horizontal	325	2.17	41.85	38.98	8.02	34.71
PK	15.84008G	54.07	74.00	-19.93	12.36	3	Horizontal	245	1.08	41.71	37.88	9.61	35.13

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.03	54.00	-8.97	3.88	3	Vertical	0	2.79	41.15	32.90	5.56	34.58
AV	5.46G	48.97	54.00	-5.03	3.93	3	Vertical	0	2.79	45.04	32.88	5.62	34.57
AV	5.518G	93.58	Inf	-Inf	3.92	3	Vertical	0	2.79	89.66	32.80	5.68	34.56
PK	5.341G	56.64	68.20	-11.56	3.89	3	Vertical	0	2.79	52.75	32.92	5.56	34.59
PK	5.458G	61.52	74.00	-12.48	3.93	3	Vertical	0	2.79	57.59	32.88	5.62	34.57
PK	5.466G	62.44	68.20	-5.76	3.93	3	Vertical	0	2.79	58.51	32.87	5.63	34.57
PK	5.518G	102.55	Inf	-Inf	3.92	3	Vertical	0	2.79	98.63	32.80	5.68	34.56
PK	5.733G	59.15	68.20	-9.05	4.84	3	Vertical	0	2.79	54.31	33.60	5.78	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.28	54.00	-7.72	3.88	3	Horizontal	7	1.53	42.40	32.90	5.56	34.58
AV	5.46G	52.26	54.00	-1.74	3.93	3	Horizontal	7	1.53	48.33	32.88	5.62	34.57
AV	5.527G	95.86	Inf	-Inf	3.92	3	Horizontal	7	1.53	91.94	32.80	5.68	34.56
PK	5.33G	57.98	68.20	-10.22	3.91	3	Horizontal	7	1.53	54.07	32.94	5.56	34.59
PK	5.448G	64.52	74.00	-9.48	3.94	3	Horizontal	7	1.53	60.58	32.90	5.61	34.57
PK	5.467G	65.18	68.20	-3.02	3.93	3	Horizontal	7	1.53	61.25	32.87	5.63	34.57
PK	5.508G	105.60	Inf	-Inf	3.91	3	Horizontal	7	1.53	101.69	32.80	5.67	34.56
PK	5.742G	61.04	68.20	-7.16	4.90	3	Horizontal	7	1.53	56.14	33.65	5.79	34.54

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06352G	41.84	54.00	-12.16	12.45	3	Vertical	206	2.23	29.39	38.84	8.19	34.58
AV	11.06656G	41.74	54.00	-12.26	12.44	3	Vertical	283	1.92	29.30	38.83	8.19	34.58
PK	11.04928G	53.27	74.00	-20.73	12.45	3	Vertical	206	2.23	40.82	38.85	8.18	34.58
PK	11.05376G	54.27	74.00	-19.73	12.45	3	Vertical	283	1.92	41.82	38.85	8.18	34.58

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06256G	41.76	54.00	-12.24	12.44	3	Horizontal	135	1.57	29.32	38.84	8.18	34.58
PK	11.05648G	53.15	74.00	-20.85	12.44	3	Horizontal	135	1.57	40.71	38.84	8.18	34.58
PK	16.56728G	54.29	68.20	-13.91	13.48	3	Horizontal	334	2.38	40.81	38.27	9.88	34.67

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.43	54.00	-8.57	3.93	3	Vertical	360	1.09	41.50	32.88	5.62	34.57
AV	5.606G	93.68	Inf	-Inf	4.11	3	Vertical	360	1.09	89.57	32.91	5.75	34.55
PK	5.438G	56.93	74.00	-17.07	3.95	3	Vertical	360	1.09	52.98	32.92	5.60	34.57
PK	5.469G	56.70	68.20	-11.50	3.93	3	Vertical	360	1.09	52.77	32.86	5.63	34.56
PK	5.603G	103.21	Inf	-Inf	4.11	3	Vertical	360	1.09	99.10	32.91	5.75	34.55
PK	5.779G	60.97	68.20	-7.23	5.07	3	Vertical	360	1.09	55.90	33.82	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	46.36	54.00	-7.64	3.93	3	Horizontal	7	1.50	42.43	32.88	5.62	34.57
AV	5.598G	96.04	Inf	-Inf	4.10	3	Horizontal	7	1.50	91.94	32.90	5.75	34.55
PK	5.454G	58.26	74.00	-15.74	3.94	3	Horizontal	7	1.50	54.32	32.89	5.62	34.57
PK	5.461G	58.15	68.20	-10.05	3.93	3	Horizontal	7	1.50	54.22	32.88	5.62	34.57
PK	5.62G	105.81	Inf	-Inf	4.14	3	Horizontal	7	1.50	101.67	32.94	5.75	34.55
PK	5.789G	61.24	68.20	-6.96	5.12	3	Horizontal	7	1.50	56.12	33.86	5.80	34.54

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20528G	41.23	54.00	-12.77	12.56	3	Vertical	326	1.78	28.67	38.91	8.23	34.58
PK	11.24288G	52.94	74.00	-21.06	12.60	3	Vertical	326	1.78	40.34	38.94	8.24	34.58
PK	16.85288G	54.83	68.20	-13.37	13.48	3	Vertical	180	1.95	41.35	37.79	10.00	34.31

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20464G	41.26	54.00	-12.74	12.55	3	Horizontal	162	2.63	28.71	38.90	8.23	34.58
PK	11.20224G	52.72	74.00	-21.28	12.55	3	Horizontal	162	2.63	40.17	38.90	8.23	34.58
PK	16.83736G	55.00	68.20	-13.20	13.49	3	Horizontal	82	2.87	41.51	37.83	9.99	34.33

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	44.13	54.00	-9.87	3.93	3	Vertical	6	2.61	40.20	32.88	5.62	34.57
AV	5.702G	94.83	Inf	-Inf	4.65	3	Vertical	6	2.61	90.18	33.41	5.78	34.54
PK	5.457G	55.57	74.00	-18.43	3.94	3	Vertical	6	2.61	51.63	32.89	5.62	34.57
PK	5.465G	55.54	68.20	-12.66	3.93	3	Vertical	6	2.61	51.61	32.87	5.63	34.57
PK	5.706G	103.77	Inf	-Inf	4.68	3	Vertical	6	2.61	99.09	33.44	5.78	34.54
PK	5.87G	59.27	68.20	-8.93	5.38	3	Vertical	6	2.61	53.89	34.08	5.83	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.90	54.00	-9.10	3.93	3	Horizontal	4	3.00	40.97	32.88	5.62	34.57
AV	5.702G	96.90	Inf	-Inf	4.65	3	Horizontal	4	3.00	92.25	33.41	5.78	34.54
PK	5.459G	56.95	74.00	-17.05	3.93	3	Horizontal	4	3.00	53.02	32.88	5.62	34.57
PK	5.463G	56.09	68.20	-12.11	3.93	3	Horizontal	4	3.00	52.16	32.87	5.63	34.57
PK	5.715G	105.96	Inf	-Inf	4.73	3	Horizontal	4	3.00	101.23	33.49	5.78	34.54
PK	5.861G	59.27	68.20	-8.93	5.34	3	Horizontal	4	3.00	53.93	34.04	5.83	34.53

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41824G	41.41	54.00	-12.59	12.81	3	Vertical	65	2.11	28.60	39.08	8.30	34.57
PK	11.41888G	52.74	74.00	-21.26	12.81	3	Vertical	65	2.11	39.93	39.08	8.30	34.57
PK	17.10688G	55.40	68.20	-12.80	13.75	3	Vertical	173	2.14	41.65	37.83	10.10	34.18

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41984G	41.46	54.00	-12.54	12.81	3	Horizontal	187	1.34	28.65	39.08	8.30	34.57
PK	11.34432G	53.05	74.00	-20.95	12.74	3	Horizontal	187	1.34	40.31	39.04	8.27	34.57
PK	17.08872G	55.97	68.20	-12.23	13.71	3	Horizontal	267	1.19	42.26	37.79	10.09	34.17

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	96.31	Inf	-Inf	5.06	3	Vertical	360	1.04	91.25	33.81	5.79	34.54
PK	5.649G	60.71	68.20	-7.49	4.21	3	Vertical	360	1.04	56.50	33.00	5.76	34.55
PK	5.7714G	106.31	Inf	-Inf	5.04	3	Vertical	360	1.04	101.27	33.79	5.79	34.54
PK	5.9274G	59.71	68.20	-8.49	5.53	3	Vertical	360	1.04	54.18	34.20	5.86	34.53

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	98.13	Inf	-Inf	5.04	3	Horizontal	6	2.91	93.09	33.79	5.79	34.54
PK	5.649G	62.46	68.20	-5.74	4.21	3	Horizontal	6	2.91	58.25	33.00	5.76	34.55
PK	5.7714G	107.58	Inf	-Inf	5.04	3	Horizontal	6	2.91	102.54	33.79	5.79	34.54
PK	5.925G	60.38	68.20	-7.82	5.53	3	Horizontal	6	2.91	54.85	34.20	5.86	34.53

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52824G	41.45	54.00	-12.55	12.61	3	Vertical	277	2.00	28.84	38.86	8.33	34.58
PK	11.52888G	52.24	74.00	-21.76	12.61	3	Vertical	277	2.00	39.63	38.86	8.33	34.58
PK	17.34468G	56.49	68.20	-11.71	14.19	3	Vertical	48	2.40	42.30	38.33	10.19	34.33

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5108G	41.53	54.00	-12.47	12.71	3	Horizontal	175	2.42	28.82	38.95	8.33	34.57
PK	11.55432G	52.83	74.00	-21.17	12.48	3	Horizontal	175	2.42	40.35	38.73	8.34	34.59
PK	17.35684G	56.04	68.20	-12.16	14.24	3	Horizontal	27	2.21	41.80	38.37	10.20	34.33

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	46.90	54.00	-7.10	3.89	3	Vertical	90	2.80	43.01	33.00	5.51	34.62
AV	5.2668G	83.29	Inf	-Inf	4.01	3	Vertical	90	2.80	79.28	33.07	5.54	34.60
AV	5.35G	45.63	54.00	-8.37	3.88	3	Vertical	90	2.80	41.75	32.90	5.56	34.58
PK	5.136G	58.32	74.00	-15.68	3.89	3	Vertical	90	2.80	54.43	33.00	5.51	34.62
PK	5.2056G	92.37	Inf	-Inf	4.02	3	Vertical	90	2.80	88.35	33.10	5.53	34.61
PK	5.436G	57.28	74.00	-16.72	3.96	3	Vertical	90	2.80	53.32	32.93	5.60	34.57
PK	5.5428G	56.43	68.20	-11.77	3.94	3	Vertical	90	2.80	52.49	32.80	5.70	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.60	54.00	-5.40	3.90	3	Horizontal	2	1.50	44.70	33.00	5.52	34.62
AV	5.28G	87.79	Inf	-Inf	3.99	3	Horizontal	2	1.50	83.80	33.04	5.55	34.60
AV	5.3988G	48.20	54.00	-5.80	3.99	3	Horizontal	2	1.50	44.21	33.00	5.57	34.58
PK	5.1348G	60.04	74.00	-13.96	3.89	3	Horizontal	2	1.50	56.15	33.00	5.51	34.62
PK	5.28G	96.91	Inf	-Inf	3.99	3	Horizontal	2	1.50	92.92	33.04	5.55	34.60
PK	5.4024G	62.15	74.00	-11.85	3.99	3	Horizontal	2	1.50	58.16	33.00	5.57	34.58
PK	5.4696G	58.14	68.20	-10.06	3.93	3	Horizontal	2	1.50	54.21	32.86	5.63	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77752G	42.51	54.00	-11.49	12.46	3	Vertical	98	2.05	30.05	37.96	9.59	35.09
PK	10.46512G	53.49	68.20	-14.71	12.21	3	Vertical	124	2.85	41.28	38.97	8.00	34.76
PK	15.78136G	53.75	74.00	-20.25	12.46	3	Vertical	98	2.05	41.29	37.96	9.59	35.09

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77336G	42.50	54.00	-11.50	12.45	3	Horizontal	66	2.53	30.05	37.95	9.58	35.08
PK	10.49968G	52.16	68.20	-16.04	12.19	3	Horizontal	181	1.39	39.97	38.90	8.01	34.72
PK	15.77608G	54.77	74.00	-19.23	12.45	3	Horizontal	66	2.53	42.32	37.95	9.58	35.08

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.10	54.00	-4.90	3.93	3	Vertical	344	2.59	45.17	32.88	5.62	34.57
AV	5.6G	84.50	Inf	-Inf	4.10	3	Vertical	344	2.59	80.40	32.90	5.75	34.55
PK	5.2832G	56.70	68.20	-11.50	3.99	3	Vertical	344	2.59	52.71	33.03	5.55	34.59
PK	5.456G	59.77	74.00	-14.23	3.94	3	Vertical	344	2.59	55.83	32.89	5.62	34.57
PK	5.462G	61.49	68.20	-6.71	3.94	3	Vertical	344	2.59	57.55	32.88	5.63	34.57
PK	5.5988G	93.92	Inf	-Inf	4.10	3	Vertical	344	2.59	89.82	32.90	5.75	34.55
PK	5.7392G	59.58	68.20	-8.62	4.88	3	Vertical	344	2.59	54.70	33.64	5.78	34.54

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.10	54.00	-4.90	3.93	3	Vertical	344	2.59	45.17	32.88	5.62	34.57
AV	5.6G	84.50	Inf	-Inf	4.10	3	Vertical	344	2.59	80.40	32.90	5.75	34.55
PK	5.2832G	56.70	68.20	-11.50	3.99	3	Vertical	344	2.59	52.71	33.03	5.55	34.59
PK	5.456G	59.77	74.00	-14.23	3.94	3	Vertical	344	2.59	55.83	32.89	5.62	34.57
PK	5.462G	61.49	68.20	-6.71	3.94	3	Vertical	344	2.59	57.55	32.88	5.63	34.57
PK	5.5988G	93.92	Inf	-Inf	4.10	3	Vertical	344	2.59	89.82	32.90	5.75	34.55
PK	5.7392G	59.58	68.20	-8.62	4.88	3	Vertical	344	2.59	54.70	33.64	5.78	34.54

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1032G	41.61	54.00	-12.39	12.42	3	Vertical	75	1.28	29.19	38.80	8.20	34.58
PK	11.12112G	53.14	74.00	-20.86	12.44	3	Vertical	75	1.28	40.70	38.82	8.20	34.58
PK	16.69208G	55.16	68.20	-13.04	13.44	3	Vertical	106	2.71	41.72	38.02	9.93	34.51

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1032G	41.61	54.00	-12.39	12.42	3	Vertical	75	1.28	29.19	38.80	8.20	34.58
PK	11.12112G	53.14	74.00	-20.86	12.44	3	Vertical	75	1.28	40.70	38.82	8.20	34.58
PK	16.69208G	55.16	68.20	-13.04	13.44	3	Vertical	106	2.71	41.72	38.02	9.93	34.51

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0664G	45.98	54.00	-8.02	3.99	3	Vertical	0	1.23	41.99	33.13	5.49	34.63
AV	5.2992G	82.93	Inf	-Inf	3.96	3	Vertical	0	1.23	78.97	33.00	5.55	34.59
AV	5.382G	46.46	54.00	-7.54	3.95	3	Vertical	0	1.23	42.51	32.96	5.57	34.58
PK	5.0544G	58.11	74.00	-15.89	4.04	3	Vertical	0	1.23	54.07	33.18	5.49	34.63
PK	5.2956G	91.76	Inf	-Inf	3.97	3	Vertical	0	1.23	87.79	33.01	5.55	34.59
PK	5.3724G	58.16	74.00	-15.84	3.92	3	Vertical	0	1.23	54.24	32.94	5.56	34.58
PK	5.538G	57.09	68.20	-11.11	3.93	3	Vertical	0	1.23	53.16	32.80	5.69	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1204G	47.14	54.00	-6.86	3.89	3	Horizontal	357	1.50	43.25	33.00	5.51	34.62
AV	5.1996G	86.64	Inf	-Inf	4.02	3	Horizontal	357	1.50	82.62	33.10	5.53	34.61
AV	5.3856G	47.48	54.00	-6.52	3.96	3	Horizontal	357	1.50	43.52	32.97	5.57	34.58
PK	5.0844G	58.90	74.00	-15.10	3.93	3	Horizontal	357	1.50	54.97	33.06	5.50	34.63
PK	5.1996G	95.46	Inf	-Inf	4.02	3	Horizontal	357	1.50	91.44	33.10	5.53	34.61
PK	5.3736G	60.61	74.00	-13.39	3.93	3	Horizontal	357	1.50	56.68	32.95	5.56	34.58
PK	5.4984G	56.57	68.20	-11.63	3.90	3	Horizontal	357	1.50	52.67	32.80	5.66	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78056G	42.47	54.00	-11.53	12.46	3	Vertical	261	2.82	30.01	37.96	9.59	35.09
PK	10.52464G	53.73	68.20	-14.47	12.26	3	Vertical	31	2.17	41.47	38.95	8.02	34.71
PK	15.72824G	54.23	74.00	-19.77	12.38	3	Vertical	261	2.82	41.85	37.86	9.57	35.05

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78264G	42.49	54.00	-11.51	12.47	3	Horizontal	334	1.40	30.02	37.97	9.59	35.09
PK	10.53344G	53.24	68.20	-14.96	12.28	3	Horizontal	74	2.41	40.96	38.97	8.02	34.71
PK	15.71256G	53.43	74.00	-20.57	12.35	3	Horizontal	334	1.40	41.08	37.83	9.56	35.04

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3648G	45.45	54.00	-8.55	3.91	3	Vertical	15	1.48	41.54	32.93	5.56	34.58
AV	5.6156G	85.48	Inf	-Inf	4.13	3	Vertical	15	1.48	81.35	32.93	5.75	34.55
PK	5.3264G	56.90	68.20	-11.30	3.92	3	Vertical	15	1.48	52.98	32.95	5.56	34.59
PK	5.3768G	58.17	74.00	-15.83	3.94	3	Vertical	15	1.48	54.23	32.95	5.57	34.58
PK	5.4632G	56.42	68.20	-11.78	3.93	3	Vertical	15	1.48	52.49	32.87	5.63	34.57
PK	5.618G	94.63	Inf	-Inf	4.14	3	Vertical	15	1.48	90.49	32.94	5.75	34.55
PK	5.7392G	62.92	68.20	-5.28	4.88	3	Vertical	15	1.48	58.04	33.64	5.78	34.54

5.47-5.725GHz_802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3576G	46.07	54.00	-7.93	3.90	3	Horizontal	6	1.41	42.17	32.92	5.56	34.58
AV	5.5988G	87.22	Inf	-Inf	4.10	3	Horizontal	6	1.41	83.12	32.90	5.75	34.55
PK	5.3108G	59.17	68.20	-9.03	3.94	3	Horizontal	6	1.41	55.23	32.98	5.55	34.59
PK	5.4464G	60.40	74.00	-13.60	3.95	3	Horizontal	6	1.41	56.45	32.91	5.61	34.57
PK	5.462G	57.78	68.20	-10.42	3.94	3	Horizontal	6	1.41	53.84	32.88	5.63	34.57
PK	5.6072G	96.12	Inf	-Inf	4.11	3	Horizontal	6	1.41	92.01	32.91	5.75	34.55
PK	5.726G	64.21	68.20	-3.99	4.80	3	Horizontal	6	1.41	59.41	33.56	5.78	34.54

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10112G	41.60	54.00	-12.40	12.42	3	Vertical	246	1.87	29.18	38.80	8.20	34.58
PK	11.16672G	52.74	74.00	-21.26	12.51	3	Vertical	246	1.87	40.23	38.87	8.22	34.58
PK	16.7052G	54.89	68.20	-13.31	13.43	3	Vertical	192	2.06	41.46	37.99	9.94	34.50

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10112G	41.60	54.00	-12.40	12.42	3	Vertical	246	1.87	29.18	38.80	8.20	34.58
PK	11.16672G	52.74	74.00	-21.26	12.51	3	Vertical	246	1.87	40.23	38.87	8.22	34.58
PK	16.7052G	54.89	68.20	-13.31	13.43	3	Vertical	192	2.06	41.46	37.99	9.94	34.50

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.058G	45.91	54.00	-8.09	4.03	3	Vertical	0	2.16	41.88	33.17	5.49	34.63
AV	5.3028G	84.74	Inf	-Inf	3.95	3	Vertical	0	2.16	80.79	32.99	5.55	34.59
AV	5.3832G	46.71	54.00	-7.29	3.96	3	Vertical	0	2.16	42.75	32.97	5.57	34.58
PK	5.052G	58.10	74.00	-15.90	4.05	3	Vertical	0	2.16	54.05	33.19	5.49	34.63
PK	5.3028G	93.86	Inf	-Inf	3.95	3	Vertical	0	2.16	89.91	32.99	5.55	34.59
PK	5.4024G	58.41	74.00	-15.59	3.99	3	Vertical	0	2.16	54.42	33.00	5.57	34.58
PK	5.5224G	57.35	68.20	-10.85	3.92	3	Vertical	0	2.16	53.43	32.80	5.68	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	47.66	54.00	-6.34	3.89	3	Horizontal	5	1.50	43.77	33.00	5.51	34.62
AV	5.2776G	89.68	Inf	-Inf	3.99	3	Horizontal	5	1.50	85.69	33.04	5.55	34.60
AV	5.3988G	48.74	54.00	-5.26	3.99	3	Horizontal	5	1.50	44.75	33.00	5.57	34.58
PK	5.148G	60.18	74.00	-13.82	3.89	3	Horizontal	5	1.50	56.29	33.00	5.51	34.62
PK	5.262G	98.82	Inf	-Inf	4.02	3	Horizontal	5	1.50	94.80	33.08	5.54	34.60
PK	5.4G	61.48	74.00	-12.52	3.99	3	Horizontal	5	1.50	57.49	33.00	5.57	34.58
PK	5.4708G	58.54	68.20	-9.66	3.93	3	Horizontal	5	1.50	54.61	32.86	5.63	34.56

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78088G	42.47	54.00	-11.53	12.46	3	Vertical	150	1.68	30.01	37.96	9.59	35.09
PK	10.49472G	53.66	68.20	-14.54	12.19	3	Vertical	315	2.99	41.47	38.91	8.01	34.73
PK	15.78392G	53.10	74.00	-20.90	12.47	3	Vertical	150	1.68	40.63	37.97	9.59	35.09

5.25-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77688G	42.49	54.00	-11.51	12.46	3	Horizontal	76	1.18	30.03	37.95	9.59	35.08
PK	10.4616G	52.77	68.20	-15.43	12.22	3	Horizontal	343	2.58	40.55	38.98	8.00	34.76
PK	15.74552G	54.63	74.00	-19.37	12.40	3	Horizontal	76	1.18	42.23	37.89	9.57	35.06

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.17	54.00	-6.83	3.93	3	Vertical	1	1.20	43.24	32.88	5.62	34.57
AV	5.6216G	87.58	Inf	-Inf	4.15	3	Vertical	1	1.20	83.43	32.94	5.76	34.55
PK	5.3024G	56.36	68.20	-11.84	3.96	3	Vertical	1	1.20	52.40	33.00	5.55	34.59
PK	5.456G	58.80	74.00	-15.20	3.94	3	Vertical	1	1.20	54.86	32.89	5.62	34.57
PK	5.468G	59.66	68.20	-8.54	3.92	3	Vertical	1	1.20	55.74	32.86	5.63	34.57
PK	5.6036G	96.28	Inf	-Inf	4.11	3	Vertical	1	1.20	92.17	32.91	5.75	34.55
PK	5.7284G	61.74	68.20	-6.46	4.81	3	Vertical	1	1.20	56.93	33.57	5.78	34.54

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.39	54.00	-4.61	3.93	3	Horizontal	6	1.43	45.46	32.88	5.62	34.57
AV	5.606G	89.78	Inf	-Inf	4.11	3	Horizontal	6	1.43	85.67	32.91	5.75	34.55
PK	5.35G	56.95	74.00	-17.05	3.88	3	Horizontal	6	1.43	53.07	32.90	5.56	34.58
PK	5.4584G	60.31	74.00	-13.69	3.93	3	Horizontal	6	1.43	56.38	32.88	5.62	34.57
PK	5.4656G	61.43	68.20	-6.77	3.93	3	Horizontal	6	1.43	57.50	32.87	5.63	34.57
PK	5.606G	99.93	Inf	-Inf	4.11	3	Horizontal	6	1.43	95.82	32.91	5.75	34.55
PK	5.7272G	62.30	68.20	-5.90	4.80	3	Horizontal	6	1.43	57.50	33.56	5.78	34.54

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10304G	41.56	54.00	-12.44	12.42	3	Vertical	88	1.90	29.14	38.80	8.20	34.58
PK	11.17424G	53.00	74.00	-21.00	12.51	3	Vertical	88	1.90	40.49	38.87	8.22	34.58
PK	16.69192G	55.34	68.20	-12.86	13.44	3	Vertical	309	1.75	41.90	38.02	9.93	34.51

5.47-5.725GHz_802.11ac_VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	41.63	54.00	-12.37	12.42	3	Horizontal	92	1.17	29.21	38.80	8.20	34.58
PK	11.12336G	52.94	74.00	-21.06	12.44	3	Horizontal	92	1.17	40.50	38.82	8.20	34.58
PK	16.71128G	55.40	68.20	-12.80	13.44	3	Horizontal	27	2.89	41.96	37.99	9.94	34.49

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	45.73	54.00	-8.27	3.89	3	Vertical	90	2.64	41.84	33.00	5.51	34.62
AV	5.1828G	92.41	Inf	-Inf	3.98	3	Vertical	90	2.64	88.43	33.07	5.52	34.61
PK	5.1478G	57.38	74.00	-16.62	3.89	3	Vertical	90	2.64	53.49	33.00	5.51	34.62
PK	5.1788G	103.13	Inf	-Inf	3.97	3	Vertical	90	2.64	99.16	33.06	5.52	34.61

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.33	54.00	-7.67	3.89	3	Horizontal	16	1.49	42.44	33.00	5.51	34.62
AV	5.1832G	96.20	Inf	-Inf	3.98	3	Horizontal	16	1.49	92.22	33.07	5.52	34.61
PK	5.1366G	58.49	74.00	-15.51	3.89	3	Horizontal	16	1.49	54.60	33.00	5.51	34.62
PK	5.1842G	107.40	Inf	-Inf	3.99	3	Horizontal	16	1.49	103.41	33.07	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55002G	42.79	54.00	-11.21	12.99	3	Vertical	278	1.50	29.80	38.40	9.51	34.92
PK	10.35358G	53.64	68.20	-14.56	12.05	3	Vertical	52	1.50	41.59	38.96	7.96	34.87
PK	15.53412G	54.65	74.00	-19.35	13.02	3	Vertical	278	1.50	41.63	38.43	9.50	34.91

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54696G	42.75	54.00	-11.25	13.01	3	Horizontal	158	1.00	29.74	38.41	9.51	34.91
PK	10.36042G	53.79	68.20	-14.41	12.08	3	Horizontal	240	1.39	41.71	38.98	7.96	34.86
PK	15.54108G	54.75	74.00	-19.25	13.02	3	Horizontal	158	1.00	41.73	38.42	9.51	34.91

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.07	54.00	-5.93	3.90	3	Vertical	90	2.84	44.17	33.00	5.52	34.62
AV	5.1972G	98.54	Inf	-Inf	4.01	3	Vertical	90	2.84	94.53	33.09	5.53	34.61
PK	5.1496G	60.12	74.00	-13.88	3.89	3	Vertical	90	2.84	56.23	33.00	5.51	34.62
PK	5.1964G	110.02	Inf	-Inf	4.01	3	Vertical	90	2.84	106.01	33.09	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.84	54.00	-4.16	3.90	3	Horizontal	4	1.65	45.94	33.00	5.52	34.62
AV	5.198G	102.28	Inf	-Inf	4.02	3	Horizontal	4	1.65	98.26	33.10	5.53	34.61
PK	5.1464G	61.57	74.00	-12.43	3.89	3	Horizontal	4	1.65	57.68	33.00	5.51	34.62
PK	5.1976G	113.21	Inf	-Inf	4.02	3	Horizontal	4	1.65	109.19	33.10	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60786G	42.93	54.00	-11.07	12.83	3	Vertical	109	2.86	30.10	38.26	9.53	34.96
PK	10.39766G	53.60	68.20	-14.60	12.25	3	Vertical	109	1.50	41.35	39.09	7.98	34.82
PK	15.6042G	55.17	74.00	-18.83	12.85	3	Vertical	109	2.86	42.32	38.28	9.53	34.96

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60132G	43.02	54.00	-10.98	12.87	3	Horizontal	289	2.24	30.15	38.29	9.53	34.95
PK	10.4063G	54.04	68.20	-14.16	12.25	3	Horizontal	82	2.98	41.79	39.09	7.98	34.82
PK	15.60204G	55.06	74.00	-18.94	12.86	3	Horizontal	289	2.24	42.20	38.29	9.53	34.96

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	45.84	54.00	-8.16	3.89	3	Vertical	102	2.41	41.95	33.00	5.51	34.62
AV	5.2376G	97.85	Inf	-Inf	4.04	3	Vertical	102	2.41	93.81	33.10	5.54	34.60
AV	5.3684G	44.89	54.00	-9.11	3.92	3	Vertical	102	2.41	40.97	32.94	5.56	34.58
PK	5.1266G	57.51	74.00	-16.49	3.89	3	Vertical	102	2.41	53.62	33.00	5.51	34.62
PK	5.2376G	108.98	Inf	-Inf	4.04	3	Vertical	102	2.41	104.94	33.10	5.54	34.60
PK	5.3726G	56.92	74.00	-17.08	3.93	3	Vertical	102	2.41	52.99	32.95	5.56	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.25	54.00	-7.75	3.90	3	Horizontal	4	1.57	42.35	33.00	5.52	34.62
AV	5.2382G	102.49	Inf	-Inf	4.04	3	Horizontal	4	1.57	98.45	33.10	5.54	34.60
AV	5.39G	46.48	54.00	-7.52	3.97	3	Horizontal	4	1.57	42.51	32.98	5.57	34.58
PK	5.1494G	57.71	74.00	-16.29	3.89	3	Horizontal	4	1.57	53.82	33.00	5.51	34.62
PK	5.2376G	113.33	Inf	-Inf	4.04	3	Horizontal	4	1.57	109.29	33.10	5.54	34.60
PK	5.381G	58.18	74.00	-15.82	3.95	3	Horizontal	4	1.57	54.23	32.96	5.57	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7083G	42.52	54.00	-11.48	12.35	3	Vertical	288	1.50	30.17	37.82	9.56	35.03
PK	10.48036G	53.39	68.20	-14.81	12.20	3	Vertical	225	1.50	41.19	38.94	8.00	34.74
PK	15.70518G	54.74	74.00	-19.26	12.34	3	Vertical	288	1.50	42.40	37.81	9.56	35.03

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71178G	42.50	54.00	-11.50	12.34	3	Horizontal	181	1.00	30.16	37.82	9.56	35.04
PK	10.4734G	53.63	68.20	-14.57	12.20	3	Horizontal	321	1.50	41.43	38.95	8.00	34.75
PK	15.70542G	55.00	74.00	-19.00	12.34	3	Horizontal	181	1.00	42.66	37.81	9.56	35.03

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	45.66	54.00	-8.34	3.89	3	Vertical	2	1.50	41.77	33.00	5.51	34.62
AV	5.2624G	95.49	Inf	-Inf	4.02	3	Vertical	2	1.50	91.47	33.08	5.54	34.60
AV	5.4094G	45.53	54.00	-8.47	3.99	3	Vertical	2	1.50	41.54	32.98	5.58	34.57
PK	5.1418G	57.52	74.00	-16.48	3.89	3	Vertical	2	1.50	53.63	33.00	5.51	34.62
PK	5.2642G	106.71	Inf	-Inf	4.01	3	Vertical	2	1.50	102.70	33.07	5.54	34.60
PK	5.3824G	57.61	74.00	-16.39	3.95	3	Vertical	2	1.50	53.66	32.96	5.57	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1328G	46.09	54.00	-7.91	3.89	3	Horizontal	4	1.59	42.20	33.00	5.51	34.62
AV	5.2558G	102.03	Inf	-Inf	4.03	3	Horizontal	4	1.59	98.00	33.09	5.54	34.60
AV	5.4094G	46.82	54.00	-7.18	3.99	3	Horizontal	4	1.59	42.83	32.98	5.58	34.57
PK	5.1412G	57.90	74.00	-16.10	3.89	3	Horizontal	4	1.59	54.01	33.00	5.51	34.62
PK	5.2582G	112.45	Inf	-Inf	4.02	3	Horizontal	4	1.59	108.43	33.08	5.54	34.60
PK	5.4088G	58.42	74.00	-15.58	3.99	3	Horizontal	4	1.59	54.43	32.98	5.58	34.57

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78306G	42.53	54.00	-11.47	12.47	3	Vertical	305	1.50	30.06	37.97	9.59	35.09
PK	10.52432G	53.62	68.20	-14.58	12.26	3	Vertical	360	1.50	41.36	38.95	8.02	34.71
PK	15.78204G	54.60	74.00	-19.40	12.46	3	Vertical	305	1.50	42.14	37.96	9.59	35.09

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78318G	42.55	54.00	-11.45	12.47	3	Horizontal	20	2.26	30.08	37.97	9.59	35.09
PK	10.51708G	53.49	68.20	-14.71	12.22	3	Horizontal	80	1.50	41.27	38.93	8.01	34.72
PK	15.78636G	54.53	74.00	-19.47	12.47	3	Horizontal	20	2.26	42.06	37.97	9.59	35.09

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	97.12	Inf	-Inf	3.97	3	Vertical	344	1.57	93.15	33.01	5.55	34.59
AV	5.3916G	45.32	54.00	-8.68	3.97	3	Vertical	344	1.57	41.35	32.98	5.57	34.58
PK	5.2972G	108.08	Inf	-Inf	3.97	3	Vertical	344	1.57	104.11	33.01	5.55	34.59
PK	5.3652G	56.86	74.00	-17.14	3.91	3	Vertical	344	1.57	52.95	32.93	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	102.15	Inf	-Inf	3.97	3	Horizontal	5	1.77	98.18	33.01	5.55	34.59
AV	5.3996G	46.08	54.00	-7.92	3.99	3	Horizontal	5	1.77	42.09	33.00	5.57	34.58
PK	5.3012G	112.48	Inf	-Inf	3.96	3	Horizontal	5	1.77	108.52	33.00	5.55	34.59
PK	5.3788G	57.51	74.00	-16.49	3.95	3	Horizontal	5	1.77	53.56	32.96	5.57	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.894G	42.28	54.00	-11.72	12.17	3	Vertical	134	2.98	30.11	37.72	9.62	35.17
PK	10.59358G	53.42	68.20	-14.78	12.44	3	Vertical	138	1.50	40.98	39.09	8.04	34.69
PK	15.90294G	54.65	74.00	-19.35	12.14	3	Vertical	134	2.98	42.51	37.69	9.63	35.18

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90996G	42.31	54.00	-11.69	12.13	3	Horizontal	318	1.87	30.18	37.68	9.63	35.18
PK	10.58632G	53.15	68.20	-15.05	12.40	3	Horizontal	234	1.50	40.75	39.07	8.03	34.70
PK	15.89574G	55.38	74.00	-18.62	12.17	3	Horizontal	318	1.87	43.21	37.71	9.63	35.17

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	90.77	Inf	-Inf	3.92	3	Vertical	339	1.48	86.85	32.96	5.55	34.59
AV	5.3696G	44.64	54.00	-9.36	3.92	3	Vertical	339	1.48	40.72	32.94	5.56	34.58
PK	5.3216G	102.42	Inf	-Inf	3.92	3	Vertical	339	1.48	98.50	32.96	5.55	34.59
PK	5.35G	57.43	74.00	-16.57	3.88	3	Vertical	339	1.48	53.55	32.90	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	95.87	Inf	-Inf	3.92	3	Horizontal	357	1.47	91.95	32.96	5.55	34.59
AV	5.3518G	44.92	54.00	-9.08	3.88	3	Horizontal	357	1.47	41.04	32.90	5.56	34.58
PK	5.321G	107.12	Inf	-Inf	3.92	3	Horizontal	357	1.47	103.20	32.96	5.55	34.59
PK	5.3508G	59.25	74.00	-14.75	3.88	3	Horizontal	357	1.47	55.37	32.90	5.56	34.58