


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63754G	41.04	54.00	-12.96	12.51	3	Vertical	303	1.50	28.53	39.14	8.05	34.68
AV	15.96252G	41.97	54.00	-12.03	12.00	3	Vertical	183	1.50	29.97	37.57	9.65	35.22
PK	10.63592G	53.12	74.00	-20.88	12.51	3	Vertical	303	1.50	40.61	39.14	8.05	34.68
PK	15.97368G	53.96	74.00	-20.04	11.97	3	Vertical	183	1.50	41.99	37.55	9.65	35.23

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63886G	41.05	54.00	-12.95	12.51	3	Horizontal	89	1.50	28.54	39.14	8.05	34.68
AV	15.96234G	41.97	54.00	-12.03	12.01	3	Horizontal	253	1.50	29.96	37.58	9.65	35.22
PK	10.63826G	53.54	74.00	-20.46	12.51	3	Horizontal	89	1.50	41.03	39.14	8.05	34.68
PK	15.94626G	54.25	74.00	-19.75	12.04	3	Horizontal	253	1.50	42.21	37.61	9.64	35.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.38	54.00	-5.62	3.93	3	Vertical	348	1.29	44.45	32.88	5.62	34.57
AV	5.5022G	95.75	Inf	-Inf	3.90	3	Vertical	348	1.29	91.85	32.80	5.66	34.56
PK	5.4596G	61.38	74.00	-12.62	3.93	3	Vertical	348	1.29	57.45	32.88	5.62	34.57
PK	5.47G	62.09	68.20	-6.11	3.93	3	Vertical	348	1.29	58.16	32.86	5.63	34.56
PK	5.5028G	107.00	Inf	-Inf	3.90	3	Vertical	348	1.29	103.10	32.80	5.66	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.80	54.00	-3.20	3.93	3	Horizontal	357	1.50	46.87	32.88	5.62	34.57
AV	5.4962G	99.02	Inf	-Inf	3.91	3	Horizontal	357	1.50	95.11	32.81	5.66	34.56
PK	5.4586G	62.99	74.00	-11.01	3.93	3	Horizontal	357	1.50	59.06	32.88	5.62	34.57
PK	5.464G	64.37	68.20	-3.83	3.93	3	Horizontal	357	1.50	60.44	32.87	5.63	34.57
PK	5.4964G	110.49	Inf	-Inf	3.91	3	Horizontal	357	1.50	106.58	32.81	5.66	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98926G	41.68	54.00	-12.32	12.49	3	Vertical	157	2.75	29.19	38.91	8.16	34.58
PK	11.0129G	54.00	74.00	-20.00	12.48	3	Vertical	157	2.75	41.52	38.89	8.17	34.58
PK	16.49106G	56.60	68.20	-11.60	13.44	3	Vertical	185	1.50	43.16	38.36	9.85	34.77

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.991G	41.65	54.00	-12.35	12.49	3	Horizontal	0	1.50	29.16	38.91	8.16	34.58
PK	10.9958G	54.70	74.00	-19.30	12.48	3	Horizontal	0	1.50	42.22	38.90	8.16	34.58
PK	16.49658G	56.23	68.20	-11.97	13.48	3	Horizontal	1	1.50	42.75	38.38	9.86	34.76

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4384G	45.32	54.00	-8.68	3.95	3	Vertical	5	1.32	41.37	32.92	5.60	34.57
AV	5.583G	97.88	Inf	-Inf	4.05	3	Vertical	5	1.32	93.83	32.87	5.73	34.55
PK	5.457G	57.18	74.00	-16.82	3.94	3	Vertical	5	1.32	53.24	32.89	5.62	34.57
PK	5.463G	56.31	68.20	-11.89	3.93	3	Vertical	5	1.32	52.38	32.87	5.63	34.57
PK	5.5782G	109.21	Inf	-Inf	4.04	3	Vertical	5	1.32	105.17	32.86	5.73	34.55
PK	5.7294G	58.65	68.20	-9.55	4.82	3	Vertical	5	1.32	53.83	33.58	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4438G	46.00	54.00	-8.00	3.95	3	Horizontal	7	1.50	42.05	32.91	5.61	34.57
AV	5.5836G	100.41	Inf	-Inf	4.06	3	Horizontal	7	1.50	96.35	32.87	5.74	34.55
PK	5.4564G	57.66	74.00	-16.34	3.94	3	Horizontal	7	1.50	53.72	32.89	5.62	34.57
PK	5.4672G	57.35	68.20	-10.85	3.93	3	Horizontal	7	1.50	53.42	32.87	5.63	34.57
PK	5.5842G	111.16	Inf	-Inf	4.06	3	Horizontal	7	1.50	107.10	32.87	5.74	34.55
PK	5.7258G	59.38	68.20	-8.82	4.79	3	Horizontal	7	1.50	54.59	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1525G	41.63	54.00	-12.37	12.48	3	Vertical	61	1.50	29.15	38.85	8.21	34.58
PK	11.16258G	53.91	74.00	-20.09	12.50	3	Vertical	61	1.50	41.41	38.86	8.22	34.58
PK	16.73298G	56.28	68.20	-11.92	13.46	3	Vertical	39	1.71	42.82	37.97	9.95	34.46

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16888G	41.63	54.00	-12.37	12.51	3	Horizontal	182	1.99	29.12	38.87	8.22	34.58
PK	11.15796G	53.86	74.00	-20.14	12.49	3	Horizontal	182	1.99	41.37	38.86	8.21	34.58
PK	16.73334G	55.70	68.20	-12.50	13.46	3	Horizontal	63	1.82	42.24	37.97	9.95	34.46

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	97.85	Inf	-Inf	4.61	3	Vertical	343	1.48	93.24	33.38	5.77	34.54
PK	5.6992G	109.19	Inf	-Inf	4.62	3	Vertical	343	1.48	104.57	33.39	5.77	34.54
PK	5.7292G	63.04	68.20	-5.16	4.82	3	Vertical	343	1.48	58.22	33.58	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	100.79	Inf	-Inf	4.66	3	Horizontal	7	3.00	96.13	33.42	5.78	34.54
PK	5.7044G	111.91	Inf	-Inf	4.67	3	Horizontal	7	3.00	107.24	33.43	5.78	34.54
PK	5.7284G	66.31	68.20	-1.89	4.81	3	Horizontal	7	3.00	61.50	33.57	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41458G	41.70	54.00	-12.30	12.82	3	Vertical	240	2.41	28.88	39.09	8.30	34.57
PK	11.38764G	53.73	74.00	-20.27	12.81	3	Vertical	240	2.41	40.92	39.09	8.29	34.57
PK	17.08806G	56.38	68.20	-11.82	13.71	3	Vertical	60	1.50	42.67	37.79	10.09	34.17

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39214G	41.77	54.00	-12.23	12.81	3	Horizontal	311	1.50	28.96	39.09	8.29	34.57
PK	11.41008G	53.85	74.00	-20.15	12.81	3	Horizontal	311	1.50	41.04	39.09	8.29	34.57
PK	17.0991G	56.31	68.20	-11.89	13.71	3	Horizontal	67	1.50	42.60	37.80	10.09	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	44.74	54.00	-9.26	3.94	3	Vertical	7	1.33	40.80	32.89	5.62	34.57
AV	5.7236G	99.47	Inf	-Inf	4.78	3	Vertical	7	1.33	94.69	33.54	5.78	34.54
PK	5.4356G	56.36	74.00	-17.64	3.96	3	Vertical	7	1.33	52.40	32.93	5.60	34.57
PK	5.4632G	56.08	68.20	-12.12	3.93	3	Vertical	7	1.33	52.15	32.87	5.63	34.57
PK	5.7224G	110.00	Inf	-Inf	4.77	3	Vertical	7	1.33	105.23	33.53	5.78	34.54
PK	5.8784G	59.56	68.20	-8.64	5.42	3	Vertical	7	1.33	54.14	34.11	5.84	34.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	44.85	54.00	-9.15	3.94	3	Horizontal	7	3.00	40.91	32.89	5.62	34.57
AV	5.7176G	101.67	Inf	-Inf	4.75	3	Horizontal	7	3.00	96.92	33.51	5.78	34.54
PK	5.426G	57.04	74.00	-16.96	3.97	3	Horizontal	7	3.00	53.07	32.95	5.59	34.57
PK	5.4644G	55.83	68.20	-12.37	3.93	3	Horizontal	7	3.00	51.90	32.87	5.63	34.57
PK	5.7224G	112.15	Inf	-Inf	4.77	3	Horizontal	7	3.00	107.38	33.53	5.78	34.54
PK	5.8976G	59.22	68.20	-8.98	5.50	3	Horizontal	7	3.00	53.72	34.19	5.84	34.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44048G	42.02	54.00	-11.98	12.79	3	Vertical	53	2.43	29.23	39.06	8.30	34.57
PK	11.44918G	53.96	74.00	-20.04	12.79	3	Vertical	53	2.43	41.17	39.05	8.31	34.57
PK	17.166G	56.56	68.20	-11.64	13.96	3	Vertical	191	1.87	42.60	38.06	10.12	34.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43388G	41.93	54.00	-12.07	12.80	3	Horizontal	85	1.50	29.13	39.07	8.30	34.57
PK	11.44246G	53.83	74.00	-20.17	12.79	3	Horizontal	85	1.50	41.04	39.06	8.30	34.57
PK	17.172G	56.67	68.20	-11.53	13.99	3	Horizontal	2	1.25	42.68	38.09	10.12	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	44.66	54.00	-9.34	3.94	3	Vertical	6	1.29	40.72	32.90	5.61	34.57
AV	5.7474G	94.03	Inf	-Inf	4.93	3	Vertical	6	1.29	89.10	33.68	5.79	34.54
PK	5.5854G	57.78	68.20	-10.42	4.06	3	Vertical	6	1.29	53.72	32.87	5.74	34.55
PK	5.7486G	104.53	Inf	-Inf	4.94	3	Vertical	6	1.29	99.59	33.69	5.79	34.54
PK	5.9658G	58.42	68.20	-9.78	5.52	3	Vertical	6	1.29	52.90	34.17	5.87	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	44.66	54.00	-9.34	3.94	3	Horizontal	8	3.00	40.72	32.89	5.62	34.57
AV	5.7474G	96.05	Inf	-Inf	4.93	3	Horizontal	8	3.00	91.12	33.68	5.79	34.54
PK	5.571G	58.38	68.20	-9.82	4.01	3	Horizontal	8	3.00	54.37	32.84	5.72	34.55
PK	5.7486G	106.90	Inf	-Inf	4.94	3	Horizontal	8	3.00	101.96	33.69	5.79	34.54
PK	5.9346G	58.50	68.20	-9.70	5.53	3	Horizontal	8	3.00	52.97	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4939G	42.16	54.00	-11.84	12.76	3	Vertical	131	1.76	29.40	39.01	8.32	34.57
PK	11.50428G	53.94	74.00	-20.06	12.73	3	Vertical	131	1.76	41.21	38.98	8.32	34.57
PK	17.2431G	56.43	68.20	-11.77	14.08	3	Vertical	342	1.42	42.35	38.20	10.15	34.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	42.15	54.00	-11.85	12.76	3	Horizontal	235	1.80	29.39	39.01	8.32	34.57
PK	11.4813G	53.94	74.00	-20.06	12.77	3	Horizontal	235	1.80	41.17	39.02	8.32	34.57
PK	17.22318G	55.72	68.20	-12.48	14.09	3	Horizontal	157	1.72	41.63	38.20	10.14	34.25

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.66	Inf	-Inf	5.11	3	Vertical	4	1.40	95.55	33.85	5.80	34.54
PK	5.629G	57.23	68.20	-10.97	4.17	3	Vertical	4	1.40	53.06	32.96	5.76	34.55
PK	5.7874G	111.42	Inf	-Inf	5.11	3	Vertical	4	1.40	106.31	33.85	5.80	34.54
PK	5.9278G	58.09	68.20	-10.11	5.53	3	Vertical	4	1.40	52.56	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	101.82	Inf	-Inf	5.11	3	Horizontal	8	3.00	96.71	33.85	5.80	34.54
PK	5.575G	57.25	68.20	-10.95	4.03	3	Horizontal	8	3.00	53.22	32.85	5.73	34.55
PK	5.7874G	112.50	Inf	-Inf	5.11	3	Horizontal	8	3.00	107.39	33.85	5.80	34.54
PK	5.9302G	58.16	68.20	-10.04	5.53	3	Horizontal	8	3.00	52.63	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.558G	41.88	54.00	-12.12	12.46	3	Vertical	189	2.15	29.42	38.71	8.34	34.59
PK	11.5601G	53.34	74.00	-20.66	12.45	3	Vertical	189	2.15	40.89	38.70	8.34	34.59
PK	17.36082G	56.08	68.20	-12.12	14.24	3	Vertical	267	2.32	41.84	38.38	10.20	34.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55626G	41.82	54.00	-12.18	12.47	3	Horizontal	248	1.90	29.35	38.72	8.34	34.59
PK	11.55794G	53.19	74.00	-20.81	12.46	3	Horizontal	248	1.90	40.73	38.71	8.34	34.59
PK	17.35794G	55.73	68.20	-12.47	14.24	3	Horizontal	245	2.82	41.49	38.37	10.20	34.33

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.16	Inf	-Inf	5.23	3	Vertical	343	1.40	94.93	33.95	5.81	34.53
PK	5.8246G	58.05	68.20	-10.15	4.16	3	Vertical	343	1.40	53.89	32.95	5.76	34.55
PK	5.8286G	110.68	Inf	-Inf	5.24	3	Vertical	343	1.40	105.44	33.96	5.81	34.53
PK	6.0146G	59.04	68.20	-9.16	5.48	3	Vertical	343	1.40	53.56	34.10	5.90	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.22	Inf	-Inf	5.22	3	Horizontal	360	2.39	96.00	33.94	5.81	34.53
PK	5.6162G	57.70	68.20	-10.50	4.13	3	Horizontal	360	2.39	53.57	32.93	5.75	34.55
PK	5.8214G	110.97	Inf	-Inf	5.22	3	Horizontal	360	2.39	105.75	33.94	5.81	34.53
PK	5.9894G	58.63	68.20	-9.57	5.49	3	Horizontal	360	2.39	53.14	34.12	5.89	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66254G	41.91	54.00	-12.09	12.25	3	Vertical	93	2.82	29.66	38.50	8.37	34.62
PK	11.64676G	53.85	74.00	-20.15	12.25	3	Vertical	93	2.82	41.60	38.50	8.37	34.62
PK	17.47716G	56.85	68.20	-11.35	14.33	3	Vertical	40	1.93	42.52	38.50	10.24	34.41

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65936G	41.91	54.00	-12.09	12.25	3	Horizontal	1	1.18	29.66	38.50	8.37	34.62
PK	11.65168G	53.97	74.00	-20.03	12.25	3	Horizontal	1	1.18	41.72	38.50	8.37	34.62
PK	17.46726G	56.30	68.20	-11.90	14.34	3	Horizontal	271	2.38	41.96	38.50	10.24	34.40

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	45.67	54.00	-8.33	3.89	3	Vertical	260	2.60	41.78	33.00	5.51	34.62
AV	5.183G	91.85	Inf	-Inf	3.98	3	Vertical	260	2.60	87.87	33.07	5.52	34.61
PK	5.1368G	57.08	74.00	-16.92	3.89	3	Vertical	260	2.60	53.19	33.00	5.51	34.62
PK	5.184G	103.77	Inf	-Inf	3.99	3	Vertical	260	2.60	99.78	33.07	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	45.81	54.00	-8.19	3.89	3	Horizontal	357	1.56	41.92	33.00	5.51	34.62
AV	5.1788G	96.08	Inf	-Inf	3.97	3	Horizontal	357	1.56	92.11	33.06	5.52	34.61
PK	5.1432G	58.00	74.00	-16.00	3.89	3	Horizontal	357	1.56	54.11	33.00	5.51	34.62
PK	5.1794G	107.71	Inf	-Inf	3.97	3	Horizontal	357	1.56	103.74	33.06	5.52	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55338G	42.72	54.00	-11.28	12.98	3	Vertical	314	2.15	29.74	38.39	9.51	34.92
PK	10.37272G	54.02	68.20	-14.18	12.14	3	Vertical	163	1.76	41.88	39.02	7.97	34.85
PK	15.53742G	54.72	74.00	-19.28	13.03	3	Vertical	314	2.15	41.69	38.43	9.51	34.91

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54972G	42.72	54.00	-11.28	12.99	3	Horizontal	134	2.94	29.73	38.40	9.51	34.92
PK	10.3633G	53.94	68.20	-14.26	12.09	3	Horizontal	225	1.15	41.85	38.99	7.96	34.86
PK	15.53148G	54.67	74.00	-19.33	13.04	3	Horizontal	134	2.94	41.63	38.44	9.50	34.90

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.29	54.00	-7.71	3.90	3	Vertical	259	2.32	42.39	33.00	5.52	34.62
AV	5.2016G	97.30	Inf	-Inf	4.02	3	Vertical	259	2.32	93.28	33.10	5.53	34.61
PK	5.1484G	58.54	74.00	-15.46	3.89	3	Vertical	259	2.32	54.65	33.00	5.51	34.62
PK	5.2032G	108.37	Inf	-Inf	4.02	3	Vertical	259	2.32	104.35	33.10	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.88	54.00	-7.12	3.90	3	Horizontal	358	1.51	42.98	33.00	5.52	34.62
AV	5.2012G	101.57	Inf	-Inf	4.02	3	Horizontal	358	1.51	97.55	33.10	5.53	34.61
PK	5.146G	59.93	74.00	-14.07	3.89	3	Horizontal	358	1.51	56.04	33.00	5.51	34.62
PK	5.2036G	112.72	Inf	-Inf	4.02	3	Horizontal	358	1.51	108.70	33.10	5.53	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60318G	43.28	54.00	-10.72	12.85	3	Vertical	316	2.76	30.43	38.28	9.53	34.96
PK	10.39256G	53.65	68.20	-14.55	12.22	3	Vertical	352	1.50	41.43	39.08	7.97	34.83
PK	15.60846G	55.74	74.00	-18.26	12.83	3	Vertical	316	2.76	42.91	38.26	9.53	34.96

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60312G	43.01	54.00	-10.99	12.85	3	Horizontal	344	1.76	30.16	38.28	9.53	34.96
PK	10.38932G	53.93	68.20	-14.27	12.21	3	Horizontal	260	1.39	41.72	39.07	7.97	34.83
PK	15.61116G	55.24	74.00	-18.76	12.81	3	Horizontal	344	1.76	42.43	38.24	9.53	34.96

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.09G	45.69	54.00	-8.31	3.91	3	Vertical	0	1.33	41.78	33.04	5.50	34.63
AV	5.2442G	96.74	Inf	-Inf	4.04	3	Vertical	0	1.33	92.70	33.10	5.54	34.60
AV	5.3888G	44.98	54.00	-9.02	3.97	3	Vertical	0	1.33	41.01	32.98	5.57	34.58
PK	5.1266G	57.77	74.00	-16.23	3.89	3	Vertical	0	1.33	53.88	33.00	5.51	34.62
PK	5.2418G	107.82	Inf	-Inf	4.04	3	Vertical	0	1.33	103.78	33.10	5.54	34.60
PK	5.3606G	56.71	74.00	-17.29	3.90	3	Vertical	0	1.33	52.81	32.92	5.56	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.91	54.00	-8.09	3.89	3	Horizontal	357	1.58	42.02	33.00	5.51	34.62
AV	5.2424G	101.48	Inf	-Inf	4.04	3	Horizontal	357	1.58	97.44	33.10	5.54	34.60
AV	5.3894G	45.21	54.00	-8.79	3.97	3	Horizontal	357	1.58	41.24	32.98	5.57	34.58
PK	5.1182G	57.95	74.00	-16.05	3.89	3	Horizontal	357	1.58	54.06	33.00	5.51	34.62
PK	5.2394G	111.93	Inf	-Inf	4.04	3	Horizontal	357	1.58	107.89	33.10	5.54	34.60
PK	5.3894G	57.45	74.00	-16.55	3.97	3	Horizontal	357	1.58	53.48	32.98	5.57	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7074G	42.52	54.00	-11.48	12.34	3	Vertical	359.1	1.50	30.18	37.81	9.56	35.03
PK	10.48654G	53.95	68.20	-14.25	12.20	3	Vertical	43	1.50	41.75	38.93	8.00	34.73
PK	15.71628G	54.10	74.00	-19.90	12.35	3	Vertical	359.1	1.50	41.75	37.83	9.56	35.04

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70572G	42.45	54.00	-11.55	12.34	3	Horizontal	0	1.80	30.11	37.81	9.56	35.03
PK	10.47322G	53.41	68.20	-14.79	12.20	3	Horizontal	170	1.50	41.21	38.95	8.00	34.75
PK	15.7218G	54.32	74.00	-19.68	12.37	3	Horizontal	0	1.80	41.95	37.84	9.57	35.04

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.11G	45.64	54.00	-8.36	3.88	3	Vertical	124	1.50	41.76	33.00	5.50	34.62
AV	5.257G	96.62	Inf	-Inf	4.03	3	Vertical	124	1.50	92.59	33.09	5.54	34.60
AV	5.3884G	44.78	54.00	-9.22	3.97	3	Vertical	124	1.50	40.81	32.98	5.57	34.58
PK	5.1232G	56.97	74.00	-17.03	3.89	3	Vertical	124	1.50	53.08	33.00	5.51	34.62
PK	5.2612G	107.05	Inf	-Inf	4.02	3	Vertical	124	1.50	103.03	33.08	5.54	34.60
PK	5.3998G	56.50	74.00	-17.50	3.99	3	Vertical	124	1.50	52.51	33.00	5.57	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	45.93	54.00	-8.07	3.89	3	Horizontal	356	2.48	42.04	33.00	5.51	34.62
AV	5.2612G	101.59	Inf	-Inf	4.02	3	Horizontal	356	2.48	97.57	33.08	5.54	34.60
AV	5.4022G	45.34	54.00	-8.66	3.99	3	Horizontal	356	2.48	41.35	33.00	5.57	34.58
PK	5.1442G	58.06	74.00	-15.94	3.89	3	Horizontal	356	2.48	54.17	33.00	5.51	34.62
PK	5.257G	112.96	Inf	-Inf	4.03	3	Horizontal	356	2.48	108.93	33.09	5.54	34.60
PK	5.3602G	57.34	74.00	-16.66	3.90	3	Horizontal	356	2.48	53.44	32.92	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7848G	42.60	54.00	-11.40	12.47	3	Vertical	258	1.50	30.13	37.97	9.59	35.09
PK	10.53116G	53.55	68.20	-14.65	12.27	3	Vertical	5	2.60	41.28	38.96	8.02	34.71
PK	15.7752G	54.27	74.00	-19.73	12.45	3	Vertical	258	1.50	41.82	37.95	9.58	35.08

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78276G	42.60	54.00	-11.40	12.47	3	Horizontal	174	1.50	30.13	37.97	9.59	35.09
PK	10.51274G	53.87	68.20	-14.33	12.22	3	Horizontal	0	1.93	41.65	38.93	8.01	34.72
PK	15.78102G	54.78	74.00	-19.22	12.46	3	Horizontal	174	1.50	42.32	37.96	9.59	35.09

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	96.69	Inf	-Inf	3.97	3	Vertical	1	1.39	92.72	33.01	5.55	34.59
AV	5.35G	45.62	54.00	-8.38	3.88	3	Vertical	1	1.39	41.74	32.90	5.56	34.58
PK	5.2984G	108.27	Inf	-Inf	3.96	3	Vertical	1	1.39	104.31	33.00	5.55	34.59
PK	5.35G	57.83	74.00	-16.17	3.88	3	Vertical	1	1.39	53.95	32.90	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	101.45	Inf	-Inf	3.97	3	Horizontal	9	1.62	97.48	33.01	5.55	34.59
AV	5.35G	46.41	54.00	-7.59	3.88	3	Horizontal	9	1.62	42.53	32.90	5.56	34.58
PK	5.302G	112.75	Inf	-Inf	3.96	3	Horizontal	9	1.62	108.79	33.00	5.55	34.59
PK	5.35G	59.60	74.00	-14.40	3.88	3	Horizontal	9	1.62	55.72	32.90	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60204G	41.46	54.00	-12.54	12.45	3	Vertical	346	1.50	29.01	39.10	8.04	34.69
AV	15.90366G	42.79	54.00	-11.21	12.14	3	Vertical	330	2.65	30.65	37.69	9.63	35.18
PK	10.6033G	53.61	74.00	-20.39	12.45	3	Vertical	346	1.50	41.16	39.10	8.04	34.69
PK	15.9006G	55.84	74.00	-18.16	12.15	3	Vertical	330	2.65	43.69	37.70	9.63	35.18

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60054G	41.43	54.00	-12.57	12.45	3	Horizontal	262	1.50	28.98	39.10	8.04	34.69
AV	15.89004G	42.30	54.00	-11.70	12.18	3	Horizontal	312	1.50	30.12	37.73	9.62	35.17
PK	10.59898G	53.56	68.20	-14.64	12.45	3	Horizontal	262	1.50	41.11	39.10	8.04	34.69
PK	15.90402G	54.54	74.00	-19.46	12.14	3	Horizontal	312	1.50	42.40	37.69	9.63	35.18

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	91.40	Inf	-Inf	3.92	3	Vertical	3	1.46	87.48	32.96	5.55	34.59
AV	5.352G	44.70	54.00	-9.30	3.88	3	Vertical	3	1.46	40.82	32.90	5.56	34.58
PK	5.323G	103.08	Inf	-Inf	3.91	3	Vertical	3	1.46	99.17	32.95	5.55	34.59
PK	5.35G	56.25	74.00	-17.75	3.88	3	Vertical	3	1.46	52.37	32.90	5.56	34.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	94.57	Inf	-Inf	3.92	3	Horizontal	7	1.50	90.65	32.96	5.55	34.59
AV	5.3516G	44.90	54.00	-9.10	3.88	3	Horizontal	7	1.50	41.02	32.90	5.56	34.58
PK	5.3188G	106.02	Inf	-Inf	3.92	3	Horizontal	7	1.50	102.10	32.96	5.55	34.59
PK	5.3508G	57.34	74.00	-16.66	3.88	3	Horizontal	7	1.50	53.46	32.90	5.56	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64066G	41.24	54.00	-12.76	12.51	3	Vertical	8	1.50	28.73	39.14	8.05	34.68
AV	15.96264G	42.20	54.00	-11.80	12.00	3	Vertical	244	1.50	30.20	37.57	9.65	35.22
PK	10.65212G	53.59	74.00	-20.41	12.53	3	Vertical	8	1.50	41.06	39.15	8.06	34.68
PK	15.9543G	54.24	74.00	-19.76	12.01	3	Vertical	244	1.50	42.23	37.59	9.64	35.22

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6418G	41.26	54.00	-12.74	12.51	3	Horizontal	360	1.50	28.75	39.14	8.05	34.68
AV	15.96402G	42.16	54.00	-11.84	12.00	3	Horizontal	64	1.50	30.16	37.57	9.65	35.22
PK	10.64432G	53.38	74.00	-20.62	12.51	3	Horizontal	360	1.50	40.87	39.14	8.05	34.68
PK	15.95388G	54.49	74.00	-19.51	12.01	3	Horizontal	64	1.50	42.48	37.59	9.64	35.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.84	54.00	-8.16	3.93	3	Vertical	13	1.30	41.91	32.88	5.62	34.57
AV	5.498G	98.20	Inf	-Inf	3.90	3	Vertical	13	1.30	94.30	32.80	5.66	34.56
PK	5.4594G	57.78	74.00	-16.22	3.93	3	Vertical	13	1.30	53.85	32.88	5.62	34.57
PK	5.4682G	62.57	68.20	-5.63	3.92	3	Vertical	13	1.30	58.65	32.86	5.63	34.57
PK	5.4978G	108.81	Inf	-Inf	3.90	3	Vertical	13	1.30	104.91	32.80	5.66	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.42	54.00	-7.58	3.93	3	Horizontal	357	1.48	42.49	32.88	5.62	34.57
AV	5.4988G	99.84	Inf	-Inf	3.90	3	Horizontal	357	1.48	95.94	32.80	5.66	34.56
PK	5.4562G	57.93	74.00	-16.07	3.94	3	Horizontal	357	1.48	53.99	32.89	5.62	34.57
PK	5.469G	63.18	68.20	-5.02	3.93	3	Horizontal	357	1.48	59.25	32.86	5.63	34.56
PK	5.4974G	111.63	Inf	-Inf	3.91	3	Horizontal	357	1.48	107.72	32.81	5.66	34.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9895G	41.90	54.00	-12.10	12.49	3	Vertical	294	1.50	29.41	38.91	8.16	34.58
PK	10.99478G	53.75	74.00	-20.25	12.49	3	Vertical	294	1.50	41.26	38.91	8.16	34.58
PK	16.50756G	55.69	68.20	-12.51	13.49	3	Vertical	348	1.48	42.20	38.38	9.86	34.75

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99004G	41.88	54.00	-12.12	12.49	3	Horizontal	355	1.50	29.39	38.91	8.16	34.58
PK	11.00048G	54.31	74.00	-19.69	12.49	3	Horizontal	355	1.50	41.82	38.90	8.17	34.58
PK	16.50846G	56.28	68.20	-11.92	13.49	3	Horizontal	28	1.13	42.79	38.38	9.86	34.75

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	44.82	54.00	-9.18	3.93	3	Vertical	9	1.48	40.89	32.88	5.62	34.57
AV	5.5836G	97.63	Inf	-Inf	4.06	3	Vertical	9	1.48	93.57	32.87	5.74	34.55
PK	5.4312G	56.32	74.00	-17.68	3.97	3	Vertical	9	1.48	52.35	32.94	5.60	34.57
PK	5.4612G	55.68	68.20	-12.52	3.94	3	Vertical	9	1.48	51.74	32.88	5.63	34.57
PK	5.5788G	108.75	Inf	-Inf	4.04	3	Vertical	9	1.48	104.71	32.86	5.73	34.55
PK	5.7258G	58.92	68.20	-9.28	4.79	3	Vertical	9	1.48	54.13	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	44.97	54.00	-9.03	3.94	3	Horizontal	6	1.50	41.03	32.89	5.62	34.57
AV	5.5836G	100.41	Inf	-Inf	4.06	3	Horizontal	6	1.50	96.35	32.87	5.74	34.55
PK	5.4474G	57.44	74.00	-16.56	3.95	3	Horizontal	6	1.50	53.49	32.91	5.61	34.57
PK	5.466G	55.98	68.20	-12.22	3.93	3	Horizontal	6	1.50	52.05	32.87	5.63	34.57
PK	5.583G	111.10	Inf	-Inf	4.05	3	Horizontal	6	1.50	107.05	32.87	5.73	34.55
PK	5.7252G	59.49	68.20	-8.71	4.79	3	Horizontal	6	1.50	54.70	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14848G	41.72	54.00	-12.28	12.48	3	Vertical	318	1.50	29.24	38.85	8.21	34.58
PK	11.14752G	53.32	74.00	-20.68	12.48	3	Vertical	318	1.50	40.84	38.85	8.21	34.58
PK	16.75296G	56.49	68.20	-11.71	13.47	3	Vertical	347	1.50	43.02	37.95	9.96	34.44

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16966G	41.68	54.00	-12.32	12.51	3	Horizontal	195	1.50	29.17	38.87	8.22	34.58
PK	11.16492G	54.29	74.00	-19.71	12.50	3	Horizontal	195	1.50	41.79	38.86	8.22	34.58
PK	16.75026G	55.67	68.20	-12.53	13.47	3	Horizontal	357	1.27	42.20	37.95	9.96	34.44

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	97.14	Inf	-Inf	4.66	3	Vertical	15	1.49	92.48	33.42	5.78	34.54
PK	5.7044G	108.40	Inf	-Inf	4.67	3	Vertical	15	1.49	103.73	33.43	5.78	34.54
PK	5.728G	62.58	68.20	-5.62	4.81	3	Vertical	15	1.49	57.77	33.57	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	99.97	Inf	-Inf	4.65	3	Horizontal	6	1.55	95.32	33.41	5.78	34.54
PK	5.7024G	111.33	Inf	-Inf	4.65	3	Horizontal	6	1.55	106.68	33.41	5.78	34.54
PK	5.7256G	65.34	68.20	-2.86	4.79	3	Horizontal	6	1.55	60.55	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38836G	41.66	54.00	-12.34	12.81	3	Vertical	28	1.50	28.85	39.09	8.29	34.57
PK	11.39664G	53.60	74.00	-20.40	12.82	3	Vertical	28	1.50	40.78	39.10	8.29	34.57
PK	17.10048G	56.46	68.20	-11.74	13.71	3	Vertical	67	1.50	42.75	37.80	10.09	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38788G	41.66	54.00	-12.34	12.81	3	Horizontal	360	2.97	28.85	39.09	8.29	34.57
PK	11.4111G	53.95	74.00	-20.05	12.81	3	Horizontal	360	2.97	41.14	39.09	8.29	34.57
PK	17.10138G	56.73	68.20	-11.47	13.73	3	Horizontal	113	1.50	43.00	37.81	10.10	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	44.67	54.00	-9.33	3.94	3	Vertical	15	1.43	40.73	32.89	5.62	34.57
AV	5.7224G	99.00	Inf	-Inf	4.77	3	Vertical	15	1.43	94.23	33.53	5.78	34.54
PK	5.4524G	56.18	74.00	-17.82	3.95	3	Vertical	15	1.43	52.23	32.90	5.62	34.57
PK	5.4632G	55.97	68.20	-12.23	3.93	3	Vertical	15	1.43	52.04	32.87	5.63	34.57
PK	5.7212G	109.15	Inf	-Inf	4.77	3	Vertical	15	1.43	104.38	33.53	5.78	34.54
PK	5.9252G	58.82	68.20	-9.38	5.53	3	Vertical	15	1.43	53.29	34.20	5.86	34.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	44.70	54.00	-9.30	3.96	3	Horizontal	8	1.48	40.74	32.93	5.60	34.57
AV	5.7224G	101.44	Inf	-Inf	4.77	3	Horizontal	8	1.48	96.67	33.53	5.78	34.54
PK	5.4236G	56.08	74.00	-17.92	3.97	3	Horizontal	8	1.48	52.11	32.95	5.59	34.57
PK	5.468G	55.88	68.20	-12.32	3.92	3	Horizontal	8	1.48	51.96	32.86	5.63	34.57
PK	5.7212G	111.73	Inf	-Inf	4.77	3	Horizontal	8	1.48	106.96	33.53	5.78	34.54
PK	5.8676G	59.05	68.20	-9.15	5.37	3	Horizontal	8	1.48	53.68	34.07	5.83	34.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42728G	41.82	54.00	-12.18	12.80	3	Vertical	133	1.50	29.02	39.07	8.30	34.57
PK	11.45428G	53.71	74.00	-20.29	12.79	3	Vertical	133	1.50	40.92	39.05	8.31	34.57
PK	17.16234G	56.92	68.20	-11.28	13.95	3	Vertical	312	1.50	42.97	38.05	10.12	34.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42596G	41.87	54.00	-12.13	12.80	3	Horizontal	214	1.79	29.07	39.07	8.30	34.57
PK	11.44954G	54.24	74.00	-19.76	12.79	3	Horizontal	214	1.79	41.45	39.05	8.31	34.57
PK	17.169G	56.68	68.20	-11.52	13.98	3	Horizontal	86	2.52	42.70	38.08	10.12	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	44.62	54.00	-9.38	3.94	3	Vertical	4	1.41	40.68	32.89	5.62	34.57
AV	5.7438G	93.71	Inf	-Inf	4.91	3	Vertical	4	1.41	88.80	33.66	5.79	34.54
PK	5.5662G	56.75	68.20	-11.45	4.00	3	Vertical	4	1.41	52.75	32.83	5.72	34.55
PK	5.7438G	105.02	Inf	-Inf	4.91	3	Vertical	4	1.41	100.11	33.66	5.79	34.54
PK	5.9358G	58.62	68.20	-9.58	5.53	3	Vertical	4	1.41	53.09	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	44.63	54.00	-9.37	3.94	3	Horizontal	7	3.00	40.69	32.89	5.62	34.57
AV	5.7438G	95.16	Inf	-Inf	4.91	3	Horizontal	7	3.00	90.25	33.66	5.79	34.54
PK	5.6166G	56.86	68.20	-11.34	4.13	3	Horizontal	7	3.00	52.73	32.93	5.75	34.55
PK	5.7474G	105.10	Inf	-Inf	4.93	3	Horizontal	7	3.00	100.17	33.68	5.79	34.54
PK	5.931G	59.22	68.20	-8.98	5.53	3	Horizontal	7	3.00	53.69	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49198G	42.13	54.00	-11.87	12.76	3	Vertical	44	2.45	29.37	39.01	8.32	34.57
PK	11.48082G	53.68	74.00	-20.32	12.77	3	Vertical	44	2.45	40.91	39.02	8.32	34.57
PK	17.2371G	56.11	68.20	-12.09	14.09	3	Vertical	269	1.65	42.02	38.20	10.15	34.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	42.16	54.00	-11.84	12.76	3	Horizontal	95	1.06	29.40	39.01	8.32	34.57
PK	11.49468G	53.31	74.00	-20.69	12.76	3	Horizontal	95	1.06	40.55	39.01	8.32	34.57
PK	17.24274G	56.18	68.20	-12.02	14.08	3	Horizontal	150	2.46	42.10	38.20	10.15	34.27

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	100.25	Inf	-Inf	5.11	3	Vertical	0	1.34	95.14	33.85	5.80	34.54
PK	5.6374G	57.16	68.20	-11.04	4.18	3	Vertical	0	1.34	52.98	32.97	5.76	34.55
PK	5.7814G	110.61	Inf	-Inf	5.09	3	Vertical	0	1.34	105.52	33.83	5.80	34.54
PK	5.9686G	58.28	68.20	-9.92	5.52	3	Vertical	0	1.34	52.76	34.16	5.88	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	101.58	Inf	-Inf	5.11	3	Horizontal	6	2.94	96.47	33.85	5.80	34.54
PK	5.6338G	57.45	68.20	-10.75	4.18	3	Horizontal	6	2.94	53.27	32.97	5.76	34.55
PK	5.7826G	111.90	Inf	-Inf	5.09	3	Horizontal	6	2.94	106.81	33.83	5.80	34.54
PK	6.0526G	58.81	68.20	-9.39	5.52	3	Horizontal	6	2.94	53.29	34.10	5.93	34.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55548G	41.65	54.00	-12.35	12.47	3	Vertical	250	2.65	29.18	38.72	8.34	34.59
PK	11.56568G	53.77	74.00	-20.23	12.42	3	Vertical	250	2.65	41.35	38.67	8.34	34.59
PK	17.35608G	56.60	68.20	-11.60	14.24	3	Vertical	192	1.82	42.36	38.37	10.20	34.33

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	41.81	54.00	-12.19	12.40	3	Horizontal	253	1.00	29.41	38.65	8.34	34.59
PK	11.58008G	53.09	74.00	-20.91	12.35	3	Horizontal	253	1.00	40.74	38.60	8.35	34.60
PK	17.35068G	55.93	68.20	-12.27	14.21	3	Horizontal	193	1.62	41.72	38.35	10.19	34.33

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	100.81	Inf	-Inf	5.22	3	Vertical	10	2.13	95.59	33.94	5.81	34.53
PK	5.6342G	57.16	68.20	-11.04	4.18	3	Vertical	10	2.13	52.98	32.97	5.76	34.55
PK	5.8262G	111.26	Inf	-Inf	5.23	3	Vertical	10	2.13	106.03	33.95	5.81	34.53
PK	5.9594G	58.92	68.20	-9.28	5.53	3	Vertical	10	2.13	53.39	34.18	5.87	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.61	Inf	-Inf	5.22	3	Horizontal	6	1.42	96.39	33.94	5.81	34.53
PK	5.621G	57.20	68.20	-11.00	4.15	3	Horizontal	6	1.42	53.05	32.94	5.76	34.55
PK	5.8274G	112.24	Inf	-Inf	5.23	3	Horizontal	6	1.42	107.01	33.95	5.81	34.53
PK	5.987G	59.02	68.20	-9.18	5.49	3	Horizontal	6	1.42	53.53	34.13	5.88	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65912G	41.87	54.00	-12.13	12.25	3	Vertical	129	1.00	29.62	38.50	8.37	34.62
PK	11.64748G	53.05	74.00	-20.95	12.25	3	Vertical	129	1.00	40.80	38.50	8.37	34.62
PK	17.48562G	56.38	68.20	-11.82	14.34	3	Vertical	62	1.97	42.04	38.50	10.25	34.41

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64868G	41.97	54.00	-12.03	12.25	3	Horizontal	302	2.17	29.72	38.50	8.37	34.62
PK	11.64724G	53.43	74.00	-20.57	12.25	3	Horizontal	302	2.17	41.18	38.50	8.37	34.62
PK	17.4879G	57.06	68.20	-11.14	14.34	3	Horizontal	264	1.77	42.72	38.50	10.25	34.41

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	47.38	54.00	-6.62	5.81	3	Vertical	277	2.57	41.57	33.10	6.85	34.14
AV	5.1818G	92.28	Inf	-Inf	5.85	3	Vertical	277	2.57	86.43	33.10	6.89	34.14
PK	5.1466G	61.83	74.00	-12.17	5.81	3	Vertical	277	2.57	56.02	33.10	6.85	34.14
PK	5.1822G	105.94	Inf	-Inf	5.85	3	Vertical	277	2.57	100.09	33.10	6.89	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.80	54.00	-2.20	5.81	3	Horizontal	8	2.42	45.99	33.10	6.85	34.14
AV	5.1836G	96.03	Inf	-Inf	5.85	3	Horizontal	8	2.42	90.18	33.10	6.89	34.14
PK	5.149G	66.73	74.00	-7.27	5.81	3	Horizontal	8	2.42	60.92	33.10	6.85	34.14
PK	5.1836G	109.25	Inf	-Inf	5.85	3	Horizontal	8	2.42	103.40	33.10	6.89	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54708G	43.48	54.00	-10.52	13.30	3	Vertical	336	1.52	30.18	38.41	9.80	34.91
PK	10.3674G	53.23	68.20	-14.97	12.16	3	Vertical	194	1.46	41.07	39.00	8.02	34.86
PK	15.54992G	55.42	74.00	-18.58	13.28	3	Vertical	336	1.52	42.14	38.40	9.80	34.92

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54576G	43.46	54.00	-10.54	13.30	3	Horizontal	121	1.13	30.16	38.41	9.80	34.91
PK	10.36292G	53.91	68.20	-14.29	12.15	3	Horizontal	225	1.19	41.76	38.99	8.02	34.86
PK	15.54096G	55.51	74.00	-18.49	13.31	3	Horizontal	121	1.13	42.20	38.42	9.80	34.91

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.48	54.00	-5.52	4.24	3	Vertical	97	2.69	44.24	33.00	5.86	34.62
AV	5.198G	100.75	Inf	-Inf	4.37	3	Vertical	97	2.69	96.38	33.10	5.88	34.61
PK	5.1456G	59.58	74.00	-14.42	4.24	3	Vertical	97	2.69	55.34	33.00	5.86	34.62
PK	5.198G	112.37	Inf	-Inf	4.37	3	Vertical	97	2.69	108.00	33.10	5.88	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.36	54.00	-3.64	4.24	3	Horizontal	0	2.50	46.12	33.00	5.86	34.62
AV	5.2036G	104.82	Inf	-Inf	4.37	3	Horizontal	0	2.50	100.45	33.10	5.88	34.61
PK	5.1428G	61.86	74.00	-12.14	4.23	3	Horizontal	0	2.50	57.63	33.00	5.85	34.62
PK	5.2024G	115.19	Inf	-Inf	4.37	3	Horizontal	0	2.50	110.82	33.10	5.88	34.61

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60096G	43.60	54.00	-10.40	13.16	3	Vertical	63	1.05	30.44	38.30	9.81	34.95
PK	10.40036G	54.10	68.20	-14.10	12.32	3	Vertical	157	1.77	41.78	39.10	8.04	34.82
PK	15.6004G	55.40	74.00	-18.60	13.16	3	Vertical	63	1.05	42.24	38.30	9.81	34.95

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59924G	43.59	54.00	-10.41	13.16	3	Horizontal	323	1.05	30.43	38.30	9.81	34.95
PK	10.40236G	54.53	68.20	-13.67	12.32	3	Horizontal	71	2.80	42.21	39.10	8.04	34.82
PK	15.59G	55.53	74.00	-18.47	13.18	3	Horizontal	323	1.05	42.35	38.32	9.81	34.95

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.32	54.00	-7.68	4.24	3	Vertical	104	2.69	42.08	33.00	5.86	34.62
AV	5.2382G	100.40	Inf	-Inf	4.40	3	Vertical	104	2.69	96.00	33.10	5.90	34.60
AV	5.3864G	45.86	54.00	-8.14	4.37	3	Vertical	104	2.69	41.49	32.97	5.98	34.58
PK	5.1278G	58.84	74.00	-15.16	4.23	3	Vertical	104	2.69	54.61	33.00	5.85	34.62
PK	5.243G	110.18	Inf	-Inf	4.40	3	Vertical	104	2.69	105.78	33.10	5.90	34.60
PK	5.3768G	56.40	74.00	-17.60	4.35	3	Vertical	104	2.69	52.05	32.95	5.98	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.02	54.00	-6.98	4.24	3	Horizontal	0	2.44	42.78	33.00	5.86	34.62
AV	5.2364G	104.96	Inf	-Inf	4.40	3	Horizontal	0	2.44	100.56	33.10	5.90	34.60
AV	5.3768G	48.31	54.00	-5.69	4.35	3	Horizontal	0	2.44	43.96	32.95	5.98	34.58
PK	5.093G	58.07	74.00	-15.93	4.23	3	Horizontal	0	2.44	53.84	33.03	5.83	34.63
PK	5.2424G	115.30	Inf	-Inf	4.40	3	Horizontal	0	2.44	110.90	33.10	5.90	34.60
PK	5.378G	59.12	74.00	-14.88	4.36	3	Horizontal	0	2.44	54.76	32.96	5.98	34.58

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71924G	41.24	54.00	-12.76	12.37	3	Vertical	39	1.83	28.87	37.84	9.57	35.04
PK	10.48316G	53.06	68.20	-15.14	12.19	3	Vertical	54	1.50	40.87	38.93	8.00	34.74
PK	15.72352G	53.21	74.00	-20.79	12.37	3	Vertical	39	1.83	40.84	37.85	9.57	35.05

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72004G	42.24	54.00	-11.76	12.37	3	Horizontal	21	2.37	29.87	37.84	9.57	35.04
PK	10.48056G	53.24	68.20	-14.96	12.20	3	Horizontal	33	1.86	41.04	38.94	8.00	34.74
PK	15.71032G	54.48	74.00	-19.52	12.34	3	Horizontal	21	2.37	42.14	37.82	9.56	35.04

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.53	54.00	-7.47	4.24	3	Vertical	94	2.40	42.29	33.00	5.86	34.62
AV	5.2606G	103.27	Inf	-Inf	4.39	3	Vertical	94	2.40	98.88	33.08	5.91	34.60
AV	5.4022G	46.20	54.00	-7.80	4.41	3	Vertical	94	2.40	41.79	33.00	5.99	34.58
PK	5.1478G	57.92	74.00	-16.08	4.24	3	Vertical	94	2.40	53.68	33.00	5.86	34.62
PK	5.2612G	111.53	Inf	-Inf	4.39	3	Vertical	94	2.40	107.14	33.08	5.91	34.60
PK	5.4016G	57.85	74.00	-16.15	4.41	3	Vertical	94	2.40	53.44	33.00	5.99	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.29	54.00	-6.71	4.24	3	Horizontal	356	1.66	43.05	33.00	5.86	34.62
AV	5.263G	107.58	Inf	-Inf	4.38	3	Horizontal	356	1.66	103.20	33.07	5.91	34.60
AV	5.4082G	49.20	54.00	-4.80	4.40	3	Horizontal	356	1.66	44.80	32.98	5.99	34.57
PK	5.1478G	58.92	74.00	-15.08	4.24	3	Horizontal	356	1.66	54.68	33.00	5.86	34.62
PK	5.263G	115.85	Inf	-Inf	4.38	3	Horizontal	356	1.66	111.47	33.07	5.91	34.60
PK	5.3914G	60.48	74.00	-13.52	4.39	3	Horizontal	356	1.66	56.09	32.98	5.99	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78224G	43.78	54.00	-10.22	12.74	3	Vertical	27	1.50	31.04	37.96	9.87	35.09
PK	10.51512G	54.14	68.20	-14.06	12.30	3	Vertical	343	1.50	41.84	38.93	8.09	34.72
PK	15.78616G	55.55	74.00	-18.45	12.75	3	Vertical	27	1.50	42.80	37.97	9.87	35.09

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77168G	43.85	54.00	-10.15	12.73	3	Horizontal	74	1.73	31.12	37.94	9.87	35.08
PK	10.5292G	56.41	68.20	-11.79	12.34	3	Horizontal	0	2.30	44.07	38.96	8.09	34.71
PK	15.77652G	55.69	74.00	-18.31	12.74	3	Horizontal	74	1.73	42.95	37.95	9.87	35.08

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	101.91	Inf	-Inf	4.34	3	Vertical	360	1.36	97.57	32.99	5.94	34.59
AV	5.3996G	47.67	54.00	-6.33	4.41	3	Vertical	360	1.36	43.26	33.00	5.99	34.58
PK	5.3028G	112.15	Inf	-Inf	4.34	3	Vertical	360	1.36	107.81	32.99	5.94	34.59
PK	5.3908G	58.84	74.00	-15.16	4.38	3	Vertical	360	1.36	54.46	32.98	5.98	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	107.06	Inf	-Inf	4.34	3	Horizontal	5	2.54	102.72	33.00	5.93	34.59
AV	5.3988G	49.32	54.00	-4.68	4.41	3	Horizontal	5	2.54	44.91	33.00	5.99	34.58
PK	5.2968G	117.47	Inf	-Inf	4.35	3	Horizontal	5	2.54	113.12	33.01	5.93	34.59
PK	5.3992G	60.20	74.00	-13.80	4.41	3	Horizontal	5	2.54	55.79	33.00	5.99	34.58

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90944G	43.40	54.00	-10.60	12.41	3	Vertical	68	1.50	30.99	37.68	9.91	35.18
PK	10.60568G	54.11	74.00	-19.89	12.54	3	Vertical	196	1.50	41.57	39.11	8.12	34.69
PK	15.89236G	55.62	74.00	-18.38	12.46	3	Vertical	68	1.50	43.16	37.72	9.91	35.17

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89768G	43.53	54.00	-10.47	12.45	3	Horizontal	71	2.17	31.08	37.71	9.91	35.17
PK	10.59164G	53.88	68.20	-14.32	12.51	3	Horizontal	34	2.27	41.37	39.08	8.12	34.69
PK	15.90012G	55.81	74.00	-18.19	12.43	3	Horizontal	71	2.17	43.38	37.70	9.91	35.18

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	90.91	Inf	-Inf	5.70	3	Vertical	360	1.50	85.21	32.96	6.90	34.16
AV	5.35G	47.77	54.00	-6.23	5.63	3	Vertical	360	1.50	42.14	32.90	6.89	34.16
PK	5.3182G	104.66	Inf	-Inf	5.70	3	Vertical	360	1.50	98.96	32.96	6.90	34.16
PK	5.3504G	63.16	74.00	-10.84	5.63	3	Vertical	360	1.50	57.53	32.90	6.89	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	96.21	Inf	-Inf	5.71	3	Horizontal	11	2.47	90.50	32.97	6.90	34.16
AV	5.3502G	51.28	54.00	-2.72	5.63	3	Horizontal	11	2.47	45.65	32.90	6.89	34.16
PK	5.3178G	110.33	Inf	-Inf	5.70	3	Horizontal	11	2.47	104.63	32.96	6.90	34.16
PK	5.351G	66.49	74.00	-7.51	5.63	3	Horizontal	11	2.47	60.86	32.90	6.89	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64164G	41.84	54.00	-12.16	12.60	3	Vertical	125	1.67	29.24	39.14	8.14	34.68
AV	15.9638G	42.94	54.00	-11.06	12.28	3	Vertical	20	2.96	30.66	37.57	9.93	35.22
PK	10.64134G	53.95	74.00	-20.05	12.60	3	Vertical	125	1.67	41.35	39.14	8.14	34.68
PK	15.96184G	55.17	74.00	-18.83	12.29	3	Vertical	20	2.96	42.88	37.58	9.93	35.22

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6426G	41.82	54.00	-12.18	12.60	3	Horizontal	172	2.58	29.22	39.14	8.14	34.68
AV	15.965G	42.91	54.00	-11.09	12.28	3	Horizontal	213	2.43	30.63	37.57	9.93	35.22
PK	10.6438G	54.23	74.00	-19.77	12.60	3	Horizontal	172	2.58	41.63	39.14	8.14	34.68
PK	15.95772G	54.42	74.00	-19.58	12.29	3	Horizontal	213	2.43	42.13	37.58	9.93	35.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	44.60	54.00	-9.40	5.71	3	Vertical	8	1.44	38.89	32.90	6.99	34.18
AV	5.4962G	95.56	Inf	-Inf	5.76	3	Vertical	8	1.44	89.80	32.90	7.04	34.18
PK	5.4694G	62.52	68.20	-5.68	5.72	3	Vertical	8	1.44	56.80	32.90	7.00	34.18
PK	5.496G	109.64	Inf	-Inf	5.76	3	Vertical	8	1.44	103.88	32.90	7.04	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.76	54.00	-8.24	5.71	3	Horizontal	359	3.00	40.05	32.90	6.99	34.18
AV	5.5034G	97.84	Inf	-Inf	5.78	3	Horizontal	359	3.00	92.06	32.90	7.06	34.18
PK	5.4692G	64.38	68.20	-3.82	5.72	3	Horizontal	359	3.00	58.66	32.90	7.00	34.18
PK	5.5042G	111.47	Inf	-Inf	5.78	3	Horizontal	359	3.00	105.69	32.90	7.06	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00314G	42.32	54.00	-11.68	12.61	3	Vertical	226	2.53	29.71	38.90	8.29	34.58
PK	11.00128G	54.69	74.00	-19.31	12.61	3	Vertical	226	2.53	42.08	38.90	8.29	34.58
PK	16.4971G	55.72	68.20	-12.48	13.69	3	Vertical	276	1.72	42.03	38.39	10.06	34.76

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99552G	42.30	54.00	-11.70	12.61	3	Horizontal	122	1.31	29.69	38.90	8.29	34.58
PK	11.00434G	54.21	74.00	-19.79	12.61	3	Horizontal	122	1.31	41.60	38.90	8.29	34.58
PK	16.49758G	56.44	68.20	-11.76	13.69	3	Horizontal	294	1.95	42.75	38.39	10.06	34.76

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.45	54.00	-7.55	4.32	3	Vertical	353	1.26	42.13	32.88	6.01	34.57
AV	5.5818G	103.17	Inf	-Inf	4.36	3	Vertical	353	1.26	98.81	32.86	6.05	34.55
PK	5.457G	57.75	74.00	-16.25	4.33	3	Vertical	353	1.26	53.42	32.89	6.01	34.57
PK	5.469G	58.06	68.20	-10.14	4.31	3	Vertical	353	1.26	53.75	32.86	6.01	34.56
PK	5.5806G	113.27	Inf	-Inf	4.36	3	Vertical	353	1.26	108.91	32.86	6.05	34.55
PK	5.7294G	62.12	68.20	-6.08	5.19	3	Vertical	353	1.26	56.93	33.58	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.68	54.00	-6.32	4.32	3	Horizontal	353	1.49	43.36	32.88	6.01	34.57
AV	5.5818G	106.01	Inf	-Inf	4.36	3	Horizontal	353	1.49	101.65	32.86	6.05	34.55
PK	5.4486G	58.85	74.00	-15.15	4.34	3	Horizontal	353	1.49	54.51	32.90	6.01	34.57
PK	5.4654G	58.32	68.20	-9.88	4.31	3	Horizontal	353	1.49	54.01	32.87	6.01	34.57
PK	5.5812G	115.90	Inf	-Inf	4.36	3	Horizontal	353	1.49	111.54	32.86	6.05	34.55
PK	5.73G	63.25	68.20	-4.95	5.19	3	Horizontal	353	1.49	58.06	33.58	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16068G	42.11	54.00	-11.89	12.64	3	Vertical	315	1.80	29.47	38.86	8.36	34.58
PK	11.15364G	54.67	74.00	-19.33	12.62	3	Vertical	315	1.80	42.05	38.85	8.35	34.58
PK	16.74792G	56.37	68.20	-11.83	13.63	3	Vertical	208	1.50	42.74	37.95	10.12	34.44

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15624G	41.99	54.00	-12.01	12.64	3	Horizontal	73	2.25	29.35	38.86	8.36	34.58
PK	11.16246G	54.54	74.00	-19.46	12.64	3	Horizontal	73	2.25	41.90	38.86	8.36	34.58
PK	16.74082G	57.27	68.20	-10.93	13.62	3	Horizontal	62	2.91	43.65	37.96	10.11	34.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	94.02	Inf	-Inf	6.67	3	Vertical	0	1.36	87.35	33.61	7.26	34.20
PK	5.704G	107.16	Inf	-Inf	6.68	3	Vertical	0	1.36	100.48	33.62	7.26	34.20
PK	5.726G	63.22	68.20	-4.98	6.77	3	Vertical	0	1.36	56.45	33.70	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	95.50	Inf	-Inf	6.63	3	Horizontal	11	2.94	88.87	33.58	7.25	34.20
PK	5.7016G	109.11	Inf	-Inf	6.67	3	Horizontal	11	2.94	102.44	33.61	7.26	34.20
PK	5.7252G	66.45	68.20	-1.75	6.77	3	Horizontal	11	2.94	59.68	33.70	7.27	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.396G	41.93	54.00	-12.07	12.99	3	Vertical	229	2.22	28.94	39.10	8.46	34.57
PK	11.40208G	53.53	74.00	-20.47	12.99	3	Vertical	229	2.22	40.54	39.10	8.46	34.57
PK	17.09608G	55.88	68.20	-12.32	13.82	3	Vertical	124	1.94	42.06	37.80	10.20	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39956G	41.92	54.00	-12.08	12.99	3	Horizontal	107	1.62	28.93	39.10	8.46	34.57
PK	11.39584G	54.37	74.00	-19.63	12.99	3	Horizontal	107	1.62	41.38	39.10	8.46	34.57
PK	17.10496G	55.23	68.20	-12.97	13.84	3	Horizontal	323	2.83	41.39	37.82	10.20	34.18


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43724G	42.08	54.00	-11.92	12.96	3	Vertical	334	2.80	29.12	39.06	8.47	34.57
PK	11.43792G	54.36	74.00	-19.64	12.96	3	Vertical	334	2.80	41.40	39.06	8.47	34.57
PK	17.15664G	55.98	68.20	-12.22	14.03	3	Vertical	58	2.34	41.95	38.03	10.21	34.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43574G	42.06	54.00	-11.94	12.96	3	Horizontal	257	2.75	29.10	39.06	8.47	34.57
PK	11.4379G	53.96	74.00	-20.04	12.96	3	Horizontal	257	2.75	41.00	39.06	8.47	34.57
PK	17.1591G	56.57	68.20	-11.63	14.03	3	Horizontal	184	2.24	42.54	38.04	10.21	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	44.82	54.00	-9.18	4.35	3	Vertical	348	2.55	40.47	32.91	6.01	34.57
AV	5.7462G	100.39	Inf	-Inf	5.30	3	Vertical	348	2.55	95.09	33.68	6.16	34.54
PK	5.6334G	57.09	68.20	-11.11	4.50	3	Vertical	348	2.55	52.59	32.97	6.08	34.55
PK	5.7462G	111.28	Inf	-Inf	5.30	3	Vertical	348	2.55	105.98	33.68	6.16	34.54
PK	5.9322G	58.82	68.20	-9.38	5.94	3	Vertical	348	2.55	52.88	34.20	6.27	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	44.95	54.00	-9.05	4.33	3	Horizontal	350	1.46	40.62	32.89	6.01	34.57
AV	5.7462G	103.62	Inf	-Inf	5.30	3	Horizontal	350	1.46	98.32	33.68	6.16	34.54
PK	5.565G	57.62	68.20	-10.58	4.33	3	Horizontal	350	1.46	53.29	32.83	6.05	34.55
PK	5.7402G	113.96	Inf	-Inf	5.26	3	Horizontal	350	1.46	108.70	33.64	6.16	34.54
PK	5.9466G	59.12	68.20	-9.08	5.95	3	Horizontal	350	1.46	53.17	34.20	6.27	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48898G	42.17	54.00	-11.83	12.94	3	Vertical	251	1.19	29.23	39.01	8.50	34.57
PK	11.49232G	55.60	74.00	-18.40	12.94	3	Vertical	251	1.19	42.66	39.01	8.50	34.57
PK	17.23956G	55.85	68.20	-12.35	14.17	3	Vertical	260	2.12	41.68	38.20	10.23	34.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49054G	42.14	54.00	-11.86	12.94	3	Horizontal	105	1.10	29.20	39.01	8.50	34.57
PK	11.48622G	54.02	74.00	-19.98	12.93	3	Horizontal	105	1.10	41.09	39.01	8.49	34.57
PK	17.23944G	56.34	68.20	-11.86	14.17	3	Horizontal	341	1.95	42.17	38.20	10.23	34.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	101.55	Inf	-Inf	5.50	3	Vertical	5	2.53	96.05	33.85	6.19	34.54
PK	5.6206G	56.46	68.20	-11.74	4.46	3	Vertical	5	2.53	52.00	32.94	6.07	34.55
PK	5.7814G	111.82	Inf	-Inf	5.48	3	Vertical	5	2.53	106.34	33.83	6.19	34.54
PK	5.9278G	57.95	68.20	-10.25	5.93	3	Vertical	5	2.53	52.02	34.20	6.26	34.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	104.39	Inf	-Inf	5.49	3	Horizontal	2	2.97	98.90	33.84	6.19	34.54
PK	5.6218G	57.59	68.20	-10.61	4.47	3	Horizontal	2	2.97	53.12	32.94	6.08	34.55
PK	5.7826G	114.72	Inf	-Inf	5.48	3	Horizontal	2	2.97	109.24	33.83	6.19	34.54
PK	5.9794G	59.57	68.20	-8.63	5.91	3	Horizontal	2	2.97	53.66	34.14	6.29	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57028G	38.18	54.00	-15.82	12.40	3	Vertical	353	2.04	25.78	38.65	8.34	34.59
PK	11.56504G	52.43	74.00	-21.57	12.42	3	Vertical	353	2.04	40.01	38.67	8.34	34.59
PK	17.3598G	53.99	68.20	-14.21	14.24	3	Vertical	315	1.50	39.75	38.38	10.20	34.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	37.85	54.00	-16.15	12.40	3	Horizontal	357	1.49	25.45	38.65	8.34	34.59
PK	11.57576G	52.09	74.00	-21.91	12.38	3	Horizontal	357	1.49	39.71	38.62	8.35	34.59
PK	17.3574G	55.48	68.20	-12.72	14.24	3	Horizontal	60	1.28	41.24	38.37	10.20	34.33

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	100.34	Inf	-Inf	5.63	3	Vertical	348	2.48	94.71	33.95	6.21	34.53
PK	5.6498G	58.02	68.20	-10.18	4.54	3	Vertical	348	2.48	53.48	33.00	6.09	34.55
PK	5.8202G	111.92	Inf	-Inf	5.62	3	Vertical	348	2.48	106.30	33.94	6.21	34.53
PK	5.9966G	59.96	68.20	-8.24	5.89	3	Vertical	348	2.48	54.07	34.11	6.30	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	104.70	Inf	-Inf	5.62	3	Horizontal	351.1	2.89	99.08	33.94	6.21	34.53
PK	5.5826G	57.97	68.20	-10.23	4.37	3	Horizontal	351.1	2.89	53.60	32.87	6.05	34.55
PK	5.8226G	115.67	Inf	-Inf	5.63	3	Horizontal	351.1	2.89	110.04	33.95	6.21	34.53
PK	5.9774G	60.21	68.20	-7.99	5.92	3	Horizontal	351.1	2.89	54.29	34.15	6.29	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64734G	41.70	54.00	-12.30	12.44	3	Vertical	299	1.01	29.26	38.50	8.56	34.62
PK	11.65408G	54.27	74.00	-19.73	12.44	3	Vertical	299	1.01	41.83	38.50	8.56	34.62
PK	17.47736G	57.50	68.20	-10.70	14.38	3	Vertical	27	2.85	43.12	38.50	10.29	34.41

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6464G	41.70	54.00	-12.30	12.44	3	Horizontal	314	2.01	29.26	38.50	8.56	34.62
PK	11.6517G	53.54	74.00	-20.46	12.44	3	Horizontal	314	2.01	41.10	38.50	8.56	34.62
PK	17.47922G	56.46	68.20	-11.74	14.38	3	Horizontal	46	1.85	42.08	38.50	10.29	34.41

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.23	54.00	-5.77	3.89	3	Vertical	93	2.69	44.34	33.00	5.51	34.62
AV	5.1876G	90.16	Inf	-Inf	4.00	3	Vertical	93	2.69	86.16	33.08	5.53	34.61
PK	5.1448G	58.70	74.00	-15.30	3.89	3	Vertical	93	2.69	54.81	33.00	5.51	34.62
PK	5.1868G	101.06	Inf	-Inf	3.99	3	Vertical	93	2.69	97.07	33.07	5.53	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.21	54.00	-3.79	3.89	3	Horizontal	16	2.47	46.32	33.00	5.51	34.62
AV	5.1964G	93.66	Inf	-Inf	4.01	3	Horizontal	16	2.47	89.65	33.09	5.53	34.61
PK	5.1464G	60.92	74.00	-13.08	3.89	3	Horizontal	16	2.47	57.03	33.00	5.51	34.62
PK	5.1988G	104.76	Inf	-Inf	4.02	3	Horizontal	16	2.47	100.74	33.10	5.53	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58548G	43.66	54.00	-10.34	12.91	3	Vertical	257	2.80	30.75	38.33	9.52	34.94
PK	10.40196G	53.99	68.20	-14.21	12.26	3	Vertical	233	1.06	41.73	39.10	7.98	34.82
PK	15.5982G	55.24	74.00	-18.76	12.88	3	Vertical	257	2.80	42.36	38.30	9.53	34.95

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55848G	43.66	54.00	-10.34	12.97	3	Horizontal	69	1.50	30.69	38.38	9.51	34.92
PK	10.374G	54.28	68.20	-13.92	12.14	3	Horizontal	239	2.95	42.14	39.02	7.97	34.85
PK	15.59676G	54.98	74.00	-19.02	12.88	3	Horizontal	69	1.50	42.10	38.31	9.52	34.95

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	49.24	54.00	-4.76	3.89	3	Vertical	96	2.51	45.35	33.00	5.51	34.62
AV	5.234G	94.57	Inf	-Inf	4.04	3	Vertical	96	2.51	90.53	33.10	5.54	34.60
PK	5.1384G	61.22	74.00	-12.78	3.89	3	Vertical	96	2.51	57.33	33.00	5.51	34.62
PK	5.2236G	105.78	Inf	-Inf	4.03	3	Vertical	96	2.51	101.75	33.10	5.53	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.17	54.00	-1.83	3.89	3	Horizontal	7	2.58	48.28	33.00	5.51	34.62
AV	5.2408G	99.43	Inf	-Inf	4.04	3	Horizontal	7	2.58	95.39	33.10	5.54	34.60
PK	5.1384G	63.84	74.00	-10.16	3.89	3	Horizontal	7	2.58	59.95	33.00	5.51	34.62
PK	5.2412G	109.97	Inf	-Inf	4.04	3	Horizontal	7	2.58	105.93	33.10	5.54	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66996G	43.48	54.00	-10.52	12.49	3	Vertical	32	1.50	30.99	37.95	9.55	35.01
PK	10.4312G	53.84	68.20	-14.36	12.24	3	Vertical	359	1.50	41.60	39.04	7.99	34.79
PK	15.70476G	55.03	74.00	-18.97	12.34	3	Vertical	32	1.50	42.69	37.81	9.56	35.03

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6618G	43.46	54.00	-10.54	12.54	3	Horizontal	353	1.50	30.92	37.99	9.55	35.00
PK	10.48424G	53.76	68.20	-14.44	12.19	3	Horizontal	48	1.50	41.57	38.93	8.00	34.74
PK	15.69816G	54.92	74.00	-19.08	12.34	3	Horizontal	353	1.50	42.58	37.81	9.56	35.03

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2792G	93.69	Inf	-Inf	3.99	3	Vertical	344	2.44	89.70	33.04	5.55	34.60
AV	5.3584G	46.17	54.00	-7.83	3.90	3	Vertical	344	2.44	42.27	32.92	5.56	34.58
PK	5.2756G	104.62	Inf	-Inf	4.00	3	Vertical	344	2.44	100.62	33.05	5.55	34.60
PK	5.3556G	57.59	74.00	-16.41	3.89	3	Vertical	344	2.44	53.70	32.91	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	98.13	Inf	-Inf	4.00	3	Horizontal	304	1.50	94.13	33.06	5.54	34.60
AV	5.35G	47.25	54.00	-6.75	3.88	3	Horizontal	304	1.50	43.37	32.90	5.56	34.58
PK	5.2732G	109.20	Inf	-Inf	3.99	3	Horizontal	304	1.50	105.21	33.05	5.54	34.60
PK	5.3548G	58.48	74.00	-15.52	3.89	3	Horizontal	304	1.50	54.59	32.91	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81144G	43.51	54.00	-10.49	12.46	3	Vertical	2	1.50	31.05	37.97	9.60	35.11
PK	10.52284G	53.81	68.20	-14.39	12.25	3	Vertical	213	1.50	41.56	38.95	8.01	34.71
PK	15.80844G	55.11	74.00	-18.89	12.46	3	Vertical	2	1.50	42.65	37.97	9.60	35.11

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80676G	43.47	54.00	-10.53	12.47	3	Horizontal	308	2.65	31.00	37.98	9.60	35.11
PK	10.5172G	53.69	68.20	-14.51	12.22	3	Horizontal	142	1.50	41.47	38.93	8.01	34.72
PK	15.81492G	54.78	74.00	-19.22	12.45	3	Horizontal	308	2.65	42.33	37.96	9.60	35.11

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	88.44	Inf	-Inf	3.93	3	Vertical	349	2.14	84.51	32.97	5.55	34.59
AV	5.398G	45.71	54.00	-8.29	3.99	3	Vertical	349	2.14	41.72	33.00	5.57	34.58
PK	5.3116G	99.53	Inf	-Inf	3.94	3	Vertical	349	2.14	95.59	32.98	5.55	34.59
PK	5.3708G	57.32	74.00	-16.68	3.92	3	Vertical	349	2.14	53.40	32.94	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	94.70	Inf	-Inf	3.93	3	Horizontal	3	1.49	90.77	32.97	5.55	34.59
AV	5.3512G	46.29	54.00	-7.71	3.88	3	Horizontal	3	1.49	42.41	32.90	5.56	34.58
PK	5.3184G	106.78	Inf	-Inf	3.92	3	Horizontal	3	1.49	102.86	32.96	5.55	34.59
PK	5.368G	57.69	74.00	-16.31	3.92	3	Horizontal	3	1.49	53.77	32.94	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62528G	42.33	54.00	-11.67	12.50	3	Vertical	248	1.50	29.83	39.13	8.05	34.68
AV	15.90816G	43.22	54.00	-10.78	12.13	3	Vertical	41	1.50	31.09	37.68	9.63	35.18
PK	10.5924G	53.71	68.20	-14.49	12.43	3	Vertical	248	1.50	41.28	39.08	8.04	34.69
PK	15.91752G	54.50	74.00	-19.50	12.10	3	Vertical	41	1.50	42.40	37.66	9.63	35.19

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91212G	43.08	54.00	-10.92	12.13	3	Horizontal	173	1.70	30.95	37.68	9.63	35.18
PK	10.61748G	53.88	74.00	-20.12	12.47	3	Horizontal	147	2.45	41.41	39.12	8.04	34.69
PK	15.91272G	54.71	74.00	-19.29	12.11	3	Horizontal	173	1.70	42.60	37.67	9.63	35.19

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.77	54.00	-7.23	3.93	3	Vertical	349	1.30	42.84	32.88	5.62	34.57
AV	5.5008G	90.32	Inf	-Inf	3.90	3	Vertical	349	1.30	86.42	32.80	5.66	34.56
PK	5.4592G	57.50	74.00	-16.50	3.93	3	Vertical	349	1.30	53.57	32.88	5.62	34.57
PK	5.4696G	61.07	68.20	-7.13	3.93	3	Vertical	349	1.30	57.14	32.86	5.63	34.56
PK	5.5192G	101.60	Inf	-Inf	3.92	3	Vertical	349	1.30	97.68	32.80	5.68	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.23	54.00	-5.77	3.93	3	Horizontal	356	1.50	44.30	32.88	5.62	34.57
AV	5.5008G	93.27	Inf	-Inf	3.90	3	Horizontal	356	1.50	89.37	32.80	5.66	34.56
PK	5.46G	59.21	74.00	-14.79	3.93	3	Horizontal	356	1.50	55.28	32.88	5.62	34.57
PK	5.47G	64.09	68.20	-4.11	3.93	3	Horizontal	356	1.50	60.16	32.86	5.63	34.56
PK	5.5056G	104.33	Inf	-Inf	3.91	3	Horizontal	356	1.50	100.42	32.80	5.67	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03044G	42.65	54.00	-11.35	12.46	3	Vertical	343	2.48	30.19	38.87	8.17	34.58
PK	10.99036G	53.86	74.00	-20.14	12.49	3	Vertical	343	2.48	41.37	38.91	8.16	34.58
PK	16.55724G	55.45	68.20	-12.75	13.48	3	Vertical	61	2.76	41.97	38.29	9.88	34.69

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99432G	42.61	54.00	-11.39	12.49	3	Horizontal	308	2.69	30.12	38.91	8.16	34.58
PK	11.02636G	54.71	74.00	-19.29	12.46	3	Horizontal	308	2.69	42.25	38.87	8.17	34.58
PK	16.5204G	55.75	68.20	-12.45	13.50	3	Horizontal	196	1.50	42.25	38.36	9.87	34.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.27	54.00	-5.73	3.93	3	Vertical	349	2.15	44.34	32.88	5.62	34.57
AV	5.5396G	95.39	Inf	-Inf	3.94	3	Vertical	349	2.15	91.45	32.80	5.70	34.56
PK	5.4564G	59.69	74.00	-14.31	3.94	3	Vertical	349	2.15	55.75	32.89	5.62	34.57
PK	5.4676G	60.34	68.20	-7.86	3.92	3	Vertical	349	2.15	56.42	32.86	5.63	34.57
PK	5.5384G	107.04	Inf	-Inf	3.93	3	Vertical	349	2.15	103.11	32.80	5.69	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.05	54.00	-3.95	3.93	3	Horizontal	8	1.54	46.12	32.88	5.62	34.57
AV	5.5436G	98.15	Inf	-Inf	3.94	3	Horizontal	8	1.54	94.21	32.80	5.70	34.56
PK	5.4596G	61.84	74.00	-12.16	3.93	3	Horizontal	8	1.54	57.91	32.88	5.62	34.57
PK	5.4612G	62.24	68.20	-5.96	3.94	3	Horizontal	8	1.54	58.30	32.88	5.63	34.57
PK	5.5432G	109.65	Inf	-Inf	3.94	3	Horizontal	8	1.54	105.71	32.80	5.70	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09484G	42.59	54.00	-11.41	12.42	3	Vertical	272	1.50	30.17	38.81	8.19	34.58
PK	11.07312G	54.26	74.00	-19.74	12.44	3	Vertical	272	1.50	41.82	38.83	8.19	34.58
PK	16.67172G	55.97	68.20	-12.23	13.45	3	Vertical	311	2.99	42.52	38.06	9.93	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0718G	42.75	54.00	-11.25	12.44	3	Horizontal	347	1.50	30.31	38.83	8.19	34.58
PK	11.10192G	53.84	74.00	-20.16	12.42	3	Horizontal	347	1.50	41.42	38.80	8.20	34.58
PK	16.65648G	55.96	68.20	-12.24	13.45	3	Horizontal	359	1.50	42.51	38.09	9.92	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6814G	95.71	Inf	-Inf	4.47	3	Vertical	353	2.04	91.24	33.25	5.77	34.55
PK	5.682G	107.04	Inf	-Inf	4.48	3	Vertical	353	2.04	102.56	33.26	5.77	34.55
PK	5.7282G	60.32	68.20	-7.88	4.81	3	Vertical	353	2.04	55.51	33.57	5.78	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6784G	98.40	Inf	-Inf	4.45	3	Horizontal	356	1.49	93.95	33.23	5.77	34.55
PK	5.6784G	109.16	Inf	-Inf	4.45	3	Horizontal	356	1.49	104.71	33.23	5.77	34.55
PK	5.7252G	61.65	68.20	-6.55	4.79	3	Horizontal	356	1.49	56.86	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31468G	42.36	54.00	-11.64	12.70	3	Vertical	62	2.54	29.66	39.01	8.26	34.57
PK	11.31564G	54.59	74.00	-19.41	12.71	3	Vertical	62	2.54	41.88	39.02	8.26	34.57
PK	17.03064G	56.06	68.20	-12.14	13.66	3	Vertical	42	1.74	42.40	37.73	10.07	34.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31732G	42.22	54.00	-11.78	12.71	3	Horizontal	69	2.98	29.51	39.02	8.26	34.57
PK	11.35356G	53.61	74.00	-20.39	12.76	3	Horizontal	69	2.98	40.85	39.05	8.28	34.57
PK	17.03244G	55.68	68.20	-12.52	13.66	3	Horizontal	357	1.50	42.02	37.73	10.07	34.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	45.53	54.00	-8.47	3.95	3	Vertical	8	1.33	41.58	32.90	5.62	34.57
AV	5.7208G	96.75	Inf	-Inf	4.76	3	Vertical	8	1.33	91.99	33.52	5.78	34.54
PK	5.4496G	55.79	74.00	-18.21	3.94	3	Vertical	8	1.33	51.85	32.90	5.61	34.57
PK	5.4616G	57.01	68.20	-11.19	3.94	3	Vertical	8	1.33	53.07	32.88	5.63	34.57
PK	5.722G	106.84	Inf	-Inf	4.77	3	Vertical	8	1.33	102.07	33.53	5.78	34.54
PK	5.8648G	58.99	68.20	-9.21	5.36	3	Vertical	8	1.33	53.63	34.06	5.83	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	45.41	54.00	-8.59	3.94	3	Horizontal	9	3.00	41.47	32.89	5.62	34.57
AV	5.7184G	98.80	Inf	-Inf	4.75	3	Horizontal	9	3.00	94.05	33.51	5.78	34.54
PK	5.4388G	56.99	74.00	-17.01	3.95	3	Horizontal	9	3.00	53.04	32.92	5.60	34.57
PK	5.4604G	56.16	68.20	-12.04	3.93	3	Horizontal	9	3.00	52.23	32.88	5.62	34.57
PK	5.7196G	109.38	Inf	-Inf	4.76	3	Horizontal	9	3.00	104.62	33.52	5.78	34.54
PK	5.8912G	59.10	68.20	-9.10	5.47	3	Horizontal	9	3.00	53.63	34.16	5.84	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42192G	42.59	54.00	-11.41	12.81	3	Vertical	350	3.00	29.78	39.08	8.30	34.57
PK	11.42756G	54.26	74.00	-19.74	12.80	3	Vertical	350	3.00	41.46	39.07	8.30	34.57
PK	17.15796G	56.86	68.20	-11.34	13.94	3	Vertical	239	1.50	42.92	38.03	10.12	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4302G	42.57	54.00	-11.43	12.80	3	Horizontal	0	1.50	29.77	39.07	8.30	34.57
PK	11.42504G	54.24	74.00	-19.76	12.80	3	Horizontal	0	1.50	41.44	39.07	8.30	34.57
PK	17.13312G	56.45	68.20	-11.75	13.84	3	Horizontal	58	1.06	42.61	37.93	10.11	34.20

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.34	54.00	-8.66	3.93	3	Vertical	3	1.17	41.41	32.88	5.62	34.57
AV	5.7538G	92.37	Inf	-Inf	4.97	3	Vertical	3	1.17	87.40	33.72	5.79	34.54
PK	5.4754G	57.69	68.20	-10.51	3.93	3	Vertical	3	1.17	53.76	32.85	5.64	34.56
PK	5.749G	103.07	Inf	-Inf	4.94	3	Vertical	3	1.17	98.13	33.69	5.79	34.54
PK	5.9374G	58.17	68.20	-10.03	5.53	3	Vertical	3	1.17	52.64	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.33	54.00	-8.67	3.93	3	Horizontal	358	1.43	41.40	32.88	5.62	34.57
AV	5.7634G	94.51	Inf	-Inf	5.00	3	Horizontal	358	1.43	89.51	33.75	5.79	34.54
PK	5.6206G	57.01	68.20	-11.19	4.15	3	Horizontal	358	1.43	52.86	32.94	5.76	34.55
PK	5.7598G	105.88	Inf	-Inf	4.99	3	Horizontal	358	1.43	100.89	33.74	5.79	34.54
PK	5.9734G	58.83	68.20	-9.37	5.51	3	Horizontal	358	1.43	53.32	34.15	5.88	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50064G	42.79	54.00	-11.21	12.93	3	Vertical	220	1.76	29.86	39.00	8.50	34.57
PK	11.49368G	55.35	74.00	-18.65	12.94	3	Vertical	220	1.76	42.41	39.01	8.50	34.57
PK	17.28084G	56.42	68.20	-11.78	14.15	3	Vertical	34	1.50	42.27	38.20	10.24	34.29

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49356G	42.67	54.00	-11.33	12.94	3	Horizontal	236	1.49	29.73	39.01	8.50	34.57
PK	11.49656G	54.22	74.00	-19.78	12.93	3	Horizontal	236	1.49	41.29	39.00	8.50	34.57
PK	17.28192G	57.17	68.20	-11.03	14.15	3	Horizontal	160	1.50	43.02	38.20	10.24	34.29

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	95.82	Inf	-Inf	5.14	3	Vertical	354	1.96	90.68	33.88	5.80	34.54
PK	5.5706G	56.57	68.20	-11.63	4.01	3	Vertical	354	1.96	52.56	32.84	5.72	34.55
PK	5.8034G	105.98	Inf	-Inf	5.17	3	Vertical	354	1.96	100.81	33.91	5.80	34.54
PK	5.999G	58.35	68.20	-9.85	5.47	3	Vertical	354	1.96	52.88	34.10	5.89	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	97.16	Inf	-Inf	5.15	3	Horizontal	357	1.50	92.01	33.89	5.80	34.54
PK	5.6102G	57.42	68.20	-10.78	4.12	3	Horizontal	357	1.50	53.30	32.92	5.75	34.55
PK	5.801G	107.27	Inf	-Inf	5.16	3	Horizontal	357	1.50	102.11	33.90	5.80	34.54
PK	5.9414G	58.01	68.20	-10.19	5.54	3	Horizontal	357	1.50	52.47	34.20	5.86	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5954G	42.42	54.00	-11.58	12.46	3	Vertical	346	1.50	29.96	38.52	8.54	34.60
PK	11.61556G	53.67	74.00	-20.33	12.44	3	Vertical	346	1.50	41.23	38.50	8.55	34.61
PK	17.38236G	57.27	68.20	-10.93	14.36	3	Vertical	288	1.50	42.91	38.45	10.26	34.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56552G	42.57	54.00	-11.43	12.61	3	Horizontal	360	1.50	29.96	38.67	8.53	34.59
PK	11.6122G	53.65	74.00	-20.35	12.44	3	Horizontal	360	1.50	41.21	38.50	8.55	34.61
PK	17.364G	57.91	68.20	-10.29	14.31	3	Horizontal	47	2.16	43.60	38.39	10.26	34.34

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.66	54.00	-7.34	3.90	3	Vertical	125	2.29	42.76	33.00	5.52	34.62
AV	5.198G	88.64	Inf	-Inf	4.02	3	Vertical	125	2.29	84.62	33.10	5.53	34.61
PK	5.1232G	57.68	74.00	-16.32	3.89	3	Vertical	125	2.29	53.79	33.00	5.51	34.62
PK	5.1796G	99.75	Inf	-Inf	3.97	3	Vertical	125	2.29	95.78	33.06	5.52	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.56	54.00	-6.44	3.90	3	Horizontal	360	2.58	43.66	33.00	5.52	34.62
AV	5.1836G	93.55	Inf	-Inf	3.99	3	Horizontal	360	2.58	89.56	33.07	5.53	34.61
PK	5.1496G	58.00	74.00	-16.00	3.89	3	Horizontal	360	2.58	54.11	33.00	5.51	34.62
PK	5.1908G	104.98	Inf	-Inf	4.00	3	Horizontal	360	2.58	100.98	33.08	5.53	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55812G	43.52	54.00	-10.48	12.97	3	Vertical	336	1.50	30.55	38.38	9.51	34.92
PK	10.38324G	54.34	68.20	-13.86	12.18	3	Vertical	360	2.91	42.16	39.05	7.97	34.84
PK	15.55968G	55.00	74.00	-19.00	12.97	3	Vertical	336	1.50	42.03	38.38	9.51	34.92

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56568G	43.56	54.00	-10.44	12.95	3	Horizontal	204	1.18	30.61	38.37	9.51	34.93
PK	10.36656G	53.86	68.20	-14.34	12.11	3	Horizontal	334	1.50	41.75	39.00	7.97	34.86
PK	15.5994G	54.73	74.00	-19.27	12.88	3	Horizontal	204	1.18	41.85	38.30	9.53	34.95

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.27	54.00	-6.73	3.89	3	Vertical	125	2.16	43.38	33.00	5.51	34.62
AV	5.24G	94.10	Inf	-Inf	4.04	3	Vertical	125	2.16	90.06	33.10	5.54	34.60
PK	5.1492G	58.16	74.00	-15.84	3.89	3	Vertical	125	2.16	54.27	33.00	5.51	34.62
PK	5.2336G	105.79	Inf	-Inf	4.04	3	Vertical	125	2.16	101.75	33.10	5.54	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.37	54.00	-4.63	3.90	3	Horizontal	360	1.69	45.47	33.00	5.52	34.62
AV	5.2416G	98.39	Inf	-Inf	4.04	3	Horizontal	360	1.69	94.35	33.10	5.54	34.60
PK	5.15G	60.18	74.00	-13.82	3.90	3	Horizontal	360	1.69	56.28	33.00	5.52	34.62
PK	5.2264G	110.04	Inf	-Inf	4.04	3	Horizontal	360	1.69	106.00	33.10	5.54	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66612G	43.40	54.00	-10.60	12.52	3	Vertical	4	1.92	30.88	37.97	9.55	35.00
PK	10.4876G	53.51	68.20	-14.69	12.19	3	Vertical	349	1.50	41.32	38.92	8.00	34.73
PK	15.71028G	54.75	74.00	-19.25	12.34	3	Vertical	4	1.92	42.41	37.82	9.56	35.04

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66516G	43.36	54.00	-10.64	12.52	3	Horizontal	225	1.30	30.84	37.97	9.55	35.00
PK	10.43696G	53.69	68.20	-14.51	12.24	3	Horizontal	217	1.50	41.45	39.03	7.99	34.78
PK	15.66168G	54.51	74.00	-19.49	12.54	3	Horizontal	225	1.30	41.97	37.99	9.55	35.00

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2764G	94.48	Inf	-Inf	4.00	3	Vertical	124	2.13	90.48	33.05	5.55	34.60
AV	5.35G	46.91	54.00	-7.09	3.88	3	Vertical	124	2.13	43.03	32.90	5.56	34.58
PK	5.2756G	105.57	Inf	-Inf	4.00	3	Vertical	124	2.13	101.57	33.05	5.55	34.60
PK	5.354G	57.69	74.00	-16.31	3.89	3	Vertical	124	2.13	53.80	32.91	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2644G	98.40	Inf	-Inf	4.01	3	Horizontal	360	1.65	94.39	33.07	5.54	34.60
AV	5.3504G	49.40	54.00	-4.60	3.88	3	Horizontal	360	1.65	45.52	32.90	5.56	34.58
PK	5.276G	109.52	Inf	-Inf	4.00	3	Horizontal	360	1.65	105.52	33.05	5.55	34.60
PK	5.3544G	61.34	74.00	-12.66	3.89	3	Horizontal	360	1.65	57.45	32.91	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8292G	43.52	54.00	-10.48	12.39	3	Vertical	268	2.57	31.13	37.91	9.60	35.12
PK	10.54744G	53.35	68.20	-14.85	12.30	3	Vertical	191	1.50	41.05	38.99	8.02	34.71
PK	15.79572G	54.81	74.00	-19.19	12.48	3	Vertical	268	2.57	42.33	37.99	9.59	35.10

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81072G	43.54	54.00	-10.46	12.46	3	Horizontal	95	1.50	31.08	37.97	9.60	35.11
PK	10.51732G	53.40	68.20	-14.80	12.22	3	Horizontal	183	1.50	41.18	38.93	8.01	34.72
PK	15.83508G	54.71	74.00	-19.29	12.36	3	Horizontal	95	1.50	42.35	37.89	9.60	35.13

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	90.43	Inf	-Inf	3.92	3	Vertical	0	1.32	86.51	32.96	5.55	34.59
AV	5.3508G	45.61	54.00	-8.39	3.88	3	Vertical	0	1.32	41.73	32.90	5.56	34.58
PK	5.3044G	101.03	Inf	-Inf	3.95	3	Vertical	0	1.32	97.08	32.99	5.55	34.59
PK	5.3916G	57.20	74.00	-16.80	3.97	3	Vertical	0	1.32	53.23	32.98	5.57	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	92.81	Inf	-Inf	3.96	3	Horizontal	11	1.48	88.85	33.00	5.55	34.59
AV	5.3504G	46.18	54.00	-7.82	3.88	3	Horizontal	11	1.48	42.30	32.90	5.56	34.58
PK	5.2996G	104.06	Inf	-Inf	3.96	3	Horizontal	11	1.48	100.10	33.00	5.55	34.59
PK	5.358G	57.19	74.00	-16.81	3.90	3	Horizontal	11	1.48	53.29	32.92	5.56	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6032G	42.27	54.00	-11.73	12.45	3	Vertical	179	1.56	29.82	39.10	8.04	34.69
AV	15.9216G	43.01	54.00	-10.99	12.10	3	Vertical	125	2.20	30.91	37.66	9.63	35.19
PK	10.59336G	54.01	68.20	-14.19	12.44	3	Vertical	179	1.56	41.57	39.09	8.04	34.69
PK	15.92112G	54.48	74.00	-19.52	12.10	3	Vertical	125	2.20	42.38	37.66	9.63	35.19

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.605G	42.28	54.00	-11.72	12.46	3	Horizontal	294	1.50	29.82	39.11	8.04	34.69
AV	15.91668G	43.19	54.00	-10.81	12.11	3	Horizontal	24	1.50	31.08	37.67	9.63	35.19
PK	10.63872G	53.82	74.00	-20.18	12.51	3	Horizontal	294	1.50	41.31	39.14	8.05	34.68
PK	15.92508G	54.59	74.00	-19.41	12.09	3	Horizontal	24	1.50	42.50	37.65	9.63	35.19

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.57	54.00	-8.43	3.93	3	Vertical	13	1.99	41.64	32.88	5.62	34.57
AV	5.506G	90.89	Inf	-Inf	3.91	3	Vertical	13	1.99	86.98	32.80	5.67	34.56
PK	5.4432G	56.50	74.00	-17.50	3.95	3	Vertical	13	1.99	52.55	32.91	5.61	34.57
PK	5.4656G	57.16	68.20	-11.04	3.93	3	Vertical	13	1.99	53.23	32.87	5.63	34.57
PK	5.5088G	101.91	Inf	-Inf	3.91	3	Vertical	13	1.99	98.00	32.80	5.67	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	45.66	54.00	-8.34	3.94	3	Horizontal	6	1.50	41.72	32.89	5.62	34.57
AV	5.5144G	91.79	Inf	-Inf	3.91	3	Horizontal	6	1.50	87.88	32.80	5.67	34.56
PK	5.4236G	56.69	74.00	-17.31	3.97	3	Horizontal	6	1.50	52.72	32.95	5.59	34.57
PK	5.468G	56.84	68.20	-11.36	3.92	3	Horizontal	6	1.50	52.92	32.86	5.63	34.57
PK	5.5172G	103.76	Inf	-Inf	3.92	3	Horizontal	6	1.50	99.84	32.80	5.68	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99468G	42.75	54.00	-11.25	12.49	3	Vertical	102	1.00	30.26	38.91	8.16	34.58
PK	11.0404G	53.54	74.00	-20.46	12.46	3	Vertical	102	1.00	41.08	38.86	8.18	34.58
PK	16.54752G	55.66	68.20	-12.54	13.48	3	Vertical	39	1.81	42.18	38.30	9.88	34.70

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04964G	42.61	54.00	-11.39	12.45	3	Horizontal	248	2.99	30.16	38.85	8.18	34.58
PK	11.04136G	54.19	74.00	-19.81	12.46	3	Horizontal	248	2.99	41.73	38.86	8.18	34.58
PK	16.51596G	55.65	68.20	-12.55	13.49	3	Horizontal	4	2.94	42.16	38.37	9.86	34.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.72	54.00	-8.28	3.94	3	Vertical	10	1.43	41.78	32.89	5.62	34.57
AV	5.5608G	94.63	Inf	-Inf	3.97	3	Vertical	10	1.43	90.66	32.82	5.71	34.56
PK	5.4512G	57.33	74.00	-16.67	3.95	3	Vertical	10	1.43	53.38	32.90	5.62	34.57
PK	5.4668G	56.19	68.20	-12.01	3.93	3	Vertical	10	1.43	52.26	32.87	5.63	34.57
PK	5.5556G	105.96	Inf	-Inf	3.96	3	Vertical	10	1.43	102.00	32.81	5.71	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.21	54.00	-7.79	3.93	3	Horizontal	8	1.50	42.28	32.88	5.62	34.57
AV	5.5592G	97.61	Inf	-Inf	3.97	3	Horizontal	8	1.50	93.64	32.82	5.71	34.56
PK	5.45G	57.62	74.00	-16.38	3.95	3	Horizontal	8	1.50	53.67	32.90	5.62	34.57
PK	5.4636G	57.81	68.20	-10.39	3.93	3	Horizontal	8	1.50	53.88	32.87	5.63	34.57
PK	5.5396G	108.44	Inf	-Inf	3.94	3	Horizontal	8	1.50	104.50	32.80	5.70	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07084G	42.77	54.00	-11.23	12.44	3	Vertical	307	1.50	30.33	38.83	8.19	34.58
PK	11.0766G	54.10	74.00	-19.90	12.43	3	Vertical	307	1.50	41.67	38.82	8.19	34.58
PK	16.6398G	55.69	68.20	-12.51	13.45	3	Vertical	319	1.50	42.24	38.12	9.91	34.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.091G	42.87	54.00	-11.13	12.42	3	Horizontal	14	1.50	30.45	38.81	8.19	34.58
PK	11.09868G	54.36	74.00	-19.64	12.42	3	Horizontal	14	1.50	41.94	38.80	8.20	34.58
PK	16.6236G	56.69	68.20	-11.51	13.46	3	Horizontal	143	2.14	43.23	38.15	9.91	34.60

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	94.63	Inf	-Inf	4.42	3	Vertical	18	1.36	90.21	33.20	5.77	34.55
PK	5.6736G	105.64	Inf	-Inf	4.41	3	Vertical	18	1.36	101.23	33.19	5.77	34.55
PK	5.7342G	62.55	68.20	-5.65	4.85	3	Vertical	18	1.36	57.70	33.61	5.78	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	95.83	Inf	-Inf	4.40	3	Horizontal	9	1.50	91.43	33.18	5.77	34.55
PK	5.6592G	107.59	Inf	-Inf	4.28	3	Horizontal	9	1.50	103.31	33.07	5.76	34.55
PK	5.7348G	62.23	68.20	-5.97	4.85	3	Horizontal	9	1.50	57.38	33.61	5.78	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3274G	42.22	54.00	-11.78	12.73	3	Vertical	55	1.50	29.49	39.03	8.27	34.57
PK	11.3514G	53.66	74.00	-20.34	12.76	3	Vertical	55	1.50	40.90	39.05	8.28	34.57
PK	17.01012G	54.56	68.20	-13.64	13.64	3	Vertical	76	1.01	40.92	37.71	10.06	34.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34024G	41.87	54.00	-12.13	12.74	3	Horizontal	161	1.59	29.13	39.04	8.27	34.57
PK	11.34462G	53.46	74.00	-20.54	12.74	3	Horizontal	161	1.59	40.72	39.04	8.27	34.57
PK	17.016G	55.21	68.20	-12.99	13.65	3	Horizontal	75	2.50	41.56	37.72	10.06	34.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4376G	45.35	54.00	-8.65	3.95	3	Vertical	2	1.33	41.40	32.92	5.60	34.57
AV	5.7076G	96.91	Inf	-Inf	4.69	3	Vertical	2	1.33	92.22	33.45	5.78	34.54
PK	5.422G	56.45	74.00	-17.55	3.98	3	Vertical	2	1.33	52.47	32.96	5.59	34.57
PK	5.4616G	55.66	68.20	-12.54	3.94	3	Vertical	2	1.33	51.72	32.88	5.63	34.57
PK	5.7064G	107.53	Inf	-Inf	4.68	3	Vertical	2	1.33	102.85	33.44	5.78	34.54
PK	5.866G	60.18	68.20	-8.02	5.36	3	Vertical	2	1.33	54.82	34.06	5.83	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4388G	45.30	54.00	-8.70	3.95	3	Horizontal	8	1.50	41.35	32.92	5.60	34.57
AV	5.7196G	98.10	Inf	-Inf	4.76	3	Horizontal	8	1.50	93.34	33.52	5.78	34.54
PK	5.4244G	57.02	74.00	-16.98	3.97	3	Horizontal	8	1.50	53.05	32.95	5.59	34.57
PK	5.4688G	55.95	68.20	-12.25	3.93	3	Horizontal	8	1.50	52.02	32.86	5.63	34.56
PK	5.7016G	109.15	Inf	-Inf	4.65	3	Horizontal	8	1.50	104.50	33.41	5.78	34.54
PK	5.9056G	59.10	68.20	-9.10	5.52	3	Horizontal	8	1.50	53.58	34.20	5.85	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4275G	42.71	54.00	-11.29	12.97	3	Vertical	151	2.39	29.74	39.07	8.47	34.57
PK	11.42186G	52.26	74.00	-21.74	12.98	3	Vertical	151	2.39	39.28	39.08	8.47	34.57
PK	17.13396G	54.25	68.20	-13.95	13.95	3	Vertical	178	2.12	40.30	37.94	10.21	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41832G	42.48	54.00	-11.52	12.98	3	Horizontal	91	1.06	29.50	39.08	8.47	34.57
PK	11.41868G	51.22	74.00	-22.78	12.98	3	Horizontal	91	1.06	38.24	39.08	8.47	34.57
PK	17.11542G	53.81	68.20	-14.39	13.87	3	Horizontal	338	2.06	39.94	37.86	10.20	34.19

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	45.27	54.00	-8.73	3.94	3	Vertical	0	1.16	41.33	32.89	5.62	34.57
AV	5.7478G	92.70	Inf	-Inf	4.94	3	Vertical	0	1.16	87.76	33.69	5.79	34.54
PK	5.6458G	57.04	68.20	-11.16	4.20	3	Vertical	0	1.16	52.84	32.99	5.76	34.55
PK	5.749G	103.67	Inf	-Inf	4.94	3	Vertical	0	1.16	98.73	33.69	5.79	34.54
PK	6.007G	58.43	68.20	-9.77	5.48	3	Vertical	0	1.16	52.95	34.10	5.90	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.18	54.00	-8.82	3.93	3	Horizontal	287	1.63	41.25	32.88	5.62	34.57
AV	5.7442G	93.19	Inf	-Inf	4.92	3	Horizontal	287	1.63	88.27	33.67	5.79	34.54
PK	5.6374G	58.30	68.20	-9.90	4.18	3	Horizontal	287	1.63	54.12	32.97	5.76	34.55
PK	5.743G	104.18	Inf	-Inf	4.91	3	Horizontal	287	1.63	99.27	33.66	5.79	34.54
PK	5.9962G	58.16	68.20	-10.04	5.48	3	Horizontal	287	1.63	52.68	34.11	5.89	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48444G	42.93	54.00	-11.07	12.94	3	Vertical	3	2.88	29.99	39.02	8.49	34.57
PK	11.48348G	54.32	74.00	-19.68	12.94	3	Vertical	3	2.88	41.38	39.02	8.49	34.57
PK	17.24844G	57.25	68.20	-10.95	14.16	3	Vertical	347	1.24	43.09	38.20	10.23	34.27

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48936G	42.89	54.00	-11.11	12.94	3	Horizontal	309	1.50	29.95	39.01	8.50	34.57
PK	11.48096G	54.72	74.00	-19.28	12.94	3	Horizontal	309	1.50	41.78	39.02	8.49	34.57
PK	17.247G	56.92	68.20	-11.28	14.16	3	Horizontal	185	1.50	42.76	38.20	10.23	34.27

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8046G	97.60	Inf	-Inf	5.17	3	Vertical	5	1.29	92.43	33.91	5.80	34.54
PK	5.5418G	56.99	68.20	-11.21	3.94	3	Vertical	5	1.29	53.05	32.80	5.70	34.56
PK	5.7926G	108.85	Inf	-Inf	5.13	3	Vertical	5	1.29	103.72	33.87	5.80	34.54
PK	5.975G	58.60	68.20	-9.60	5.51	3	Vertical	5	1.29	53.09	34.15	5.88	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	98.78	Inf	-Inf	5.12	3	Horizontal	8	2.94	93.66	33.86	5.80	34.54
PK	5.6498G	58.52	68.20	-9.68	4.21	3	Horizontal	8	2.94	54.31	33.00	5.76	34.55
PK	5.801G	109.45	Inf	-Inf	5.16	3	Horizontal	8	2.94	104.29	33.90	5.80	34.54
PK	5.963G	58.34	68.20	-9.86	5.52	3	Horizontal	8	2.94	52.82	34.17	5.87	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61124G	42.43	54.00	-11.57	12.44	3	Vertical	0	1.50	29.99	38.50	8.55	34.61
PK	11.60572G	54.24	74.00	-19.76	12.44	3	Vertical	0	1.50	41.80	38.50	8.54	34.60
PK	17.4042G	57.24	68.20	-10.96	14.41	3	Vertical	269	1.27	42.83	38.50	10.27	34.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5996G	42.48	54.00	-11.52	12.44	3	Horizontal	83	2.13	30.04	38.50	8.54	34.60
PK	11.57248G	54.13	74.00	-19.87	12.58	3	Horizontal	83	2.13	41.55	38.64	8.53	34.59
PK	17.39724G	57.56	68.20	-10.64	14.40	3	Horizontal	88	1.10	43.16	38.49	10.27	34.36

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.12	54.00	-4.88	4.24	3	Vertical	104	2.20	44.88	33.00	5.86	34.62
AV	5.1928G	94.34	Inf	-Inf	4.18	3	Vertical	104	2.20	90.16	32.91	5.88	34.61
PK	5.1496G	59.73	74.00	-14.27	4.24	3	Vertical	104	2.20	55.49	33.00	5.86	34.62
PK	5.1992G	105.03	Inf	-Inf	4.17	3	Vertical	104	2.20	100.86	32.90	5.88	34.61

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.86	54.00	-3.14	4.24	3	Horizontal	360	1.64	46.62	33.00	5.86	34.62
AV	5.184G	98.30	Inf	-Inf	4.19	3	Horizontal	360	1.64	94.11	32.93	5.87	34.61
PK	5.15G	64.56	74.00	-9.44	4.24	3	Horizontal	360	1.64	60.32	33.00	5.86	34.62
PK	5.196G	109.13	Inf	-Inf	4.18	3	Horizontal	360	1.64	104.95	32.91	5.88	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57352G	44.38	54.00	-9.62	13.01	3	Vertical	210	2.03	31.37	38.13	9.81	34.93
PK	10.38024G	54.17	68.20	-14.03	11.57	3	Vertical	154	2.33	42.60	38.38	8.03	34.84
PK	15.55288G	54.93	74.00	-19.07	13.12	3	Vertical	210	2.03	41.81	38.24	9.80	34.92

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56072G	44.42	54.00	-9.58	13.08	3	Horizontal	173	2.24	31.34	38.20	9.80	34.92
PK	10.36688G	53.40	68.20	-14.80	11.53	3	Horizontal	292	2.61	41.87	38.37	8.02	34.86
PK	15.5616G	55.11	74.00	-18.89	13.06	3	Horizontal	173	2.24	42.05	38.19	9.80	34.93

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	48.98	54.00	-5.02	4.24	3	Vertical	92	2.57	44.74	33.00	5.86	34.62
AV	5.2192G	96.35	Inf	-Inf	4.39	3	Vertical	92	2.57	91.96	33.10	5.89	34.60
PK	5.1388G	59.77	74.00	-14.23	4.23	3	Vertical	92	2.57	55.54	33.00	5.85	34.62
PK	5.2192G	106.41	Inf	-Inf	4.39	3	Vertical	92	2.57	102.02	33.10	5.89	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.60	54.00	-2.40	4.24	3	Horizontal	354	1.61	47.36	33.00	5.86	34.62
AV	5.2236G	101.39	Inf	-Inf	4.39	3	Horizontal	354	1.61	97.00	33.10	5.89	34.60
PK	5.142G	64.50	74.00	-9.50	4.23	3	Horizontal	354	1.61	60.27	33.00	5.85	34.62
PK	5.2236G	112.19	Inf	-Inf	4.39	3	Horizontal	354	1.61	107.80	33.10	5.89	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68566G	43.03	54.00	-10.97	12.69	3	Vertical	296	1.43	30.34	37.87	9.84	35.02
PK	10.46048G	54.16	68.20	-14.04	12.28	3	Vertical	133	1.66	41.88	38.98	8.06	34.76
PK	15.68546G	55.26	74.00	-18.74	12.69	3	Vertical	296	1.43	42.57	37.87	9.84	35.02

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6866G	43.01	54.00	-10.99	12.69	3	Horizontal	305	2.61	30.32	37.87	9.84	35.02
PK	10.45772G	53.83	68.20	-14.37	12.28	3	Horizontal	55	1.56	41.55	38.98	8.06	34.76
PK	15.68826G	54.52	74.00	-19.48	12.68	3	Horizontal	305	2.61	41.84	37.86	9.84	35.02

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	97.74	Inf	-Inf	4.19	3	Vertical	0	2.17	93.55	32.87	5.92	34.60
AV	5.35G	49.82	54.00	-4.18	4.18	3	Vertical	0	2.17	45.64	32.80	5.96	34.58
PK	5.28G	110.06	Inf	-Inf	4.16	3	Vertical	0	2.17	105.90	32.84	5.92	34.60
PK	5.3532G	60.51	74.00	-13.49	4.19	3	Vertical	0	2.17	56.32	32.81	5.96	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2808G	102.03	Inf	-Inf	4.16	3	Horizontal	0	1.60	97.87	32.84	5.92	34.60
AV	5.3508G	51.77	54.00	-2.23	4.18	3	Horizontal	0	1.60	47.59	32.80	5.96	34.58
PK	5.2752G	113.24	Inf	-Inf	4.17	3	Horizontal	0	1.60	109.07	32.85	5.92	34.60
PK	5.354G	62.64	74.00	-11.36	4.19	3	Horizontal	0	1.60	58.45	32.81	5.96	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8192G	43.97	54.00	-10.03	12.38	3	Vertical	304	2.75	31.59	37.62	9.88	35.12
PK	10.52344G	52.32	68.20	-15.88	11.93	3	Vertical	116	1.39	40.39	38.55	8.09	34.71
PK	15.79304G	52.91	74.00	-21.09	12.38	3	Vertical	304	2.75	40.53	37.61	9.87	35.10

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81712G	43.94	54.00	-10.06	12.39	3	Horizontal	144	1.59	31.55	37.62	9.88	35.11
PK	10.55808G	51.09	68.20	-17.11	12.02	3	Horizontal	61	2.07	39.07	38.62	8.10	34.70
PK	15.82288G	52.90	74.00	-21.10	12.38	3	Horizontal	144	1.59	40.52	37.62	9.88	35.12

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3204G	92.93	Inf	-Inf	4.16	3	Vertical	0	2.12	88.77	32.80	5.95	34.59
AV	5.35G	47.56	54.00	-6.44	4.18	3	Vertical	0	2.12	43.38	32.80	5.96	34.58
PK	5.3188G	103.91	Inf	-Inf	4.16	3	Vertical	0	2.12	99.75	32.80	5.95	34.59
PK	5.3524G	58.73	74.00	-15.27	4.18	3	Vertical	0	2.12	54.55	32.80	5.96	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	96.07	Inf	-Inf	4.16	3	Horizontal	7	1.50	91.91	32.80	5.95	34.59
AV	5.35G	49.32	54.00	-4.68	4.18	3	Horizontal	7	1.50	45.14	32.80	5.96	34.58
PK	5.3196G	107.77	Inf	-Inf	4.16	3	Horizontal	7	1.50	103.61	32.80	5.95	34.59
PK	5.3504G	61.28	74.00	-12.72	4.18	3	Horizontal	7	1.50	57.10	32.80	5.96	34.58

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61024G	42.71	54.00	-11.29	12.16	3	Vertical	173	1.19	30.55	38.72	8.13	34.69
AV	15.91648G	43.89	54.00	-10.11	12.42	3	Vertical	245	2.33	31.47	37.70	9.91	35.19
PK	10.62232G	53.27	74.00	-20.73	12.18	3	Vertical	173	1.19	41.09	38.74	8.13	34.69
PK	15.9204G	55.03	74.00	-18.97	12.42	3	Vertical	245	2.33	42.61	37.70	9.91	35.19

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60024G	42.53	54.00	-11.47	12.13	3	Horizontal	19	2.26	30.40	38.70	8.12	34.69
AV	15.91736G	43.79	54.00	-10.21	12.42	3	Horizontal	36	2.03	31.37	37.70	9.91	35.19
PK	10.62336G	53.19	74.00	-20.81	12.19	3	Horizontal	19	2.26	41.00	38.75	8.13	34.69
PK	15.9148G	55.03	74.00	-18.97	12.42	3	Horizontal	36	2.03	42.61	37.70	9.91	35.19

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.53	54.00	-6.47	4.32	3	Vertical	345	1.84	43.21	32.88	6.01	34.57
AV	5.5212G	94.05	Inf	-Inf	4.27	3	Vertical	345	1.84	89.78	32.80	6.03	34.56
PK	5.456G	58.56	74.00	-15.44	4.33	3	Vertical	345	1.84	54.23	32.89	6.01	34.57
PK	5.4696G	58.73	68.20	-9.47	4.31	3	Vertical	345	1.84	54.42	32.86	6.01	34.56
PK	5.5224G	105.66	Inf	-Inf	4.27	3	Vertical	345	1.84	101.39	32.80	6.03	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.56	54.00	-5.44	4.32	3	Horizontal	358	1.49	44.24	32.88	6.01	34.57
AV	5.5108G	96.11	Inf	-Inf	4.27	3	Horizontal	358	1.49	91.84	32.80	6.03	34.56
PK	5.4592G	59.45	74.00	-14.55	4.32	3	Horizontal	358	1.49	55.13	32.88	6.01	34.57
PK	5.4684G	60.71	68.20	-7.49	4.30	3	Horizontal	358	1.49	56.41	32.86	6.01	34.57
PK	5.502G	106.51	Inf	-Inf	4.27	3	Horizontal	358	1.49	102.24	32.80	6.03	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02312G	42.08	54.00	-11.92	12.60	3	Vertical	185	1.15	29.48	38.88	8.30	34.58
PK	11.01844G	54.48	74.00	-19.52	12.60	3	Vertical	185	1.15	41.88	38.88	8.30	34.58
PK	16.53304G	55.10	68.20	-13.10	13.68	3	Vertical	335	1.58	41.42	38.33	10.07	34.72

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02042G	42.07	54.00	-11.93	12.60	3	Horizontal	230	2.91	29.47	38.88	8.30	34.58
PK	11.01778G	54.28	74.00	-19.72	12.60	3	Horizontal	230	2.91	41.68	38.88	8.30	34.58
PK	16.5286G	56.11	68.20	-12.09	13.68	3	Horizontal	140	1.40	42.43	38.34	10.06	34.72

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.01	54.00	-4.99	4.36	3	Vertical	352	2.01	44.65	32.92	6.01	34.57
AV	5.544G	99.16	Inf	-Inf	4.39	3	Vertical	352	2.01	94.77	32.91	6.04	34.56
PK	5.4576G	60.00	74.00	-14.00	4.36	3	Vertical	352	2.01	55.64	32.92	6.01	34.57
PK	5.4656G	62.28	68.20	-5.92	4.37	3	Vertical	352	2.01	57.91	32.93	6.01	34.57
PK	5.5492G	110.74	Inf	-Inf	4.38	3	Vertical	352	2.01	106.36	32.90	6.04	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.72	54.00	-4.28	4.36	3	Horizontal	356	3.00	45.36	32.92	6.01	34.57
AV	5.544G	101.16	Inf	-Inf	4.39	3	Horizontal	356	3.00	96.77	32.91	6.04	34.56
PK	5.4552G	60.87	74.00	-13.13	4.35	3	Horizontal	356	3.00	56.52	32.91	6.01	34.57
PK	5.468G	62.18	68.20	-6.02	4.38	3	Horizontal	356	3.00	57.80	32.94	6.01	34.57
PK	5.5456G	112.45	Inf	-Inf	4.39	3	Horizontal	356	3.00	108.06	32.91	6.04	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08256G	42.81	54.00	-11.19	12.26	3	Vertical	136	2.92	30.55	38.52	8.32	34.58
PK	11.08176G	52.40	74.00	-21.60	12.26	3	Vertical	136	2.92	40.14	38.52	8.32	34.58
PK	16.6536G	54.95	68.20	-13.25	13.78	3	Vertical	168	1.84	41.17	38.25	10.09	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08872G	42.99	54.00	-11.01	12.26	3	Horizontal	51	2.53	30.73	38.51	8.33	34.58
PK	11.1016G	51.19	74.00	-22.81	12.25	3	Horizontal	51	2.53	38.94	38.50	8.33	34.58
PK	16.63608G	54.12	68.20	-14.08	13.74	3	Horizontal	339	2.95	40.38	38.24	10.09	34.59

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	96.54	Inf	-Inf	4.66	3	Vertical	360	1.34	91.88	33.11	6.10	34.55
PK	5.6784G	106.85	Inf	-Inf	4.79	3	Vertical	360	1.34	102.06	33.23	6.11	34.55
PK	5.7348G	63.06	68.20	-5.14	5.22	3	Vertical	360	1.34	57.84	33.61	6.15	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6784G	99.00	Inf	-Inf	4.79	3	Horizontal	353	3.00	94.21	33.23	6.11	34.55
PK	5.6724G	109.03	Inf	-Inf	4.74	3	Horizontal	353	3.00	104.29	33.18	6.11	34.55
PK	5.7324G	64.46	68.20	-3.74	5.20	3	Horizontal	353	3.00	59.26	33.59	6.15	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33584G	41.66	54.00	-12.34	12.90	3	Vertical	4	2.76	28.76	39.04	8.43	34.57
PK	11.34064G	54.70	74.00	-19.30	12.90	3	Vertical	4	2.76	41.80	39.04	8.43	34.57
PK	17.01448G	54.69	68.20	-13.51	13.76	3	Vertical	37	2.18	40.93	37.71	10.18	34.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34366G	41.66	54.00	-12.34	12.90	3	Horizontal	146	2.68	28.76	39.04	8.43	34.57
PK	11.33822G	53.75	74.00	-20.25	12.90	3	Horizontal	146	2.68	40.85	39.04	8.43	34.57
PK	17.00698G	55.30	68.20	-12.90	13.77	3	Horizontal	355	1.30	41.53	37.71	10.18	34.12

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4328G	45.75	54.00	-8.25	4.36	3	Vertical	354	1.30	41.39	32.93	6.00	34.57
AV	5.722G	99.38	Inf	-Inf	5.14	3	Vertical	354	1.30	94.24	33.53	6.15	34.54
PK	5.4268G	56.41	74.00	-17.59	4.38	3	Vertical	354	1.30	52.03	32.95	6.00	34.57
PK	5.4616G	55.87	68.20	-12.33	4.32	3	Vertical	354	1.30	51.55	32.88	6.01	34.57
PK	5.7172G	110.40	Inf	-Inf	5.10	3	Vertical	354	1.30	105.30	33.50	6.14	34.54
PK	5.8972G	61.13	68.20	-7.07	5.91	3	Vertical	354	1.30	55.22	34.19	6.25	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.78	54.00	-8.22	4.32	3	Horizontal	353	3.00	41.46	32.88	6.01	34.57
AV	5.716G	101.50	Inf	-Inf	5.10	3	Horizontal	353	3.00	96.40	33.50	6.14	34.54
PK	5.4592G	56.92	74.00	-17.08	4.32	3	Horizontal	353	3.00	52.60	32.88	6.01	34.57
PK	5.464G	55.84	68.20	-12.36	4.31	3	Horizontal	353	3.00	51.53	32.87	6.01	34.57
PK	5.722G	112.46	Inf	-Inf	5.14	3	Horizontal	353	3.00	107.32	33.53	6.15	34.54
PK	5.8936G	60.03	68.20	-8.17	5.89	3	Horizontal	353	3.00	54.14	34.17	6.25	34.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42242G	42.09	54.00	-11.91	12.98	3	Vertical	323	1.31	29.11	39.08	8.47	34.57
PK	11.41982G	54.15	74.00	-19.85	12.98	3	Vertical	323	1.31	41.17	39.08	8.47	34.57
PK	17.13444G	56.64	68.20	-11.56	13.95	3	Vertical	301	1.58	42.69	37.94	10.21	34.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4225G	42.08	54.00	-11.92	12.98	3	Horizontal	152	2.23	29.10	39.08	8.47	34.57
PK	11.4216G	54.61	74.00	-19.39	12.98	3	Horizontal	152	2.23	41.63	39.08	8.47	34.57
PK	17.13048G	55.92	68.20	-12.28	13.93	3	Horizontal	170	1.63	41.99	37.92	10.21	34.20

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	45.32	54.00	-8.68	4.32	3	Vertical	353	1.20	41.00	32.88	6.01	34.57
AV	5.7562G	99.89	Inf	-Inf	5.35	3	Vertical	353	1.20	94.54	33.72	6.17	34.54
PK	5.6482G	57.96	68.20	-10.24	4.54	3	Vertical	353	1.20	53.42	33.00	6.09	34.55
PK	5.7586G	109.50	Inf	-Inf	5.36	3	Vertical	353	1.20	104.14	33.73	6.17	34.54
PK	5.9434G	59.15	68.20	-9.05	5.95	3	Vertical	353	1.20	53.20	34.20	6.27	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	45.52	54.00	-8.48	4.32	3	Horizontal	2	3.00	41.20	32.88	6.01	34.57
AV	5.7562G	100.79	Inf	-Inf	5.35	3	Horizontal	2	3.00	95.44	33.72	6.17	34.54
PK	5.6518G	59.45	69.53	-10.08	4.56	3	Horizontal	2	3.00	54.89	33.01	6.10	34.55
PK	5.7466G	111.32	Inf	-Inf	5.30	3	Horizontal	2	3.00	106.02	33.68	6.16	34.54
PK	5.9314G	59.31	68.20	-8.89	5.94	3	Horizontal	2	3.00	53.37	34.20	6.27	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50518G	42.02	54.00	-11.98	12.90	3	Vertical	114	1.84	29.12	38.97	8.50	34.57
PK	11.50608G	54.08	74.00	-19.92	12.90	3	Vertical	114	1.84	41.18	38.97	8.50	34.57
PK	17.26892G	56.20	68.20	-12.00	14.16	3	Vertical	69	2.50	42.04	38.20	10.24	34.28

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50504G	42.04	54.00	-11.96	12.90	3	Horizontal	197	2.56	29.14	38.97	8.50	34.57
PK	11.51334G	54.09	74.00	-19.91	12.87	3	Horizontal	197	2.56	41.22	38.93	8.51	34.57
PK	17.26048G	56.09	68.20	-12.11	14.16	3	Horizontal	312	1.85	41.93	38.20	10.24	34.28

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	101.25	Inf	-Inf	5.54	3	Vertical	0	1.19	95.71	33.88	6.20	34.54
PK	5.5862G	57.65	68.20	-10.55	4.38	3	Vertical	0	1.19	53.27	32.87	6.06	34.55
PK	5.807G	110.88	Inf	-Inf	5.57	3	Vertical	0	1.19	105.31	33.91	6.20	34.54
PK	5.9294G	59.52	68.20	-8.68	5.93	3	Vertical	0	1.19	53.59	34.20	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	102.01	Inf	-Inf	5.50	3	Horizontal	1	3.00	96.51	33.85	6.19	34.54
PK	5.6498G	61.22	68.20	-6.98	4.54	3	Horizontal	1	3.00	56.68	33.00	6.09	34.55
PK	5.8058G	111.95	Inf	-Inf	5.57	3	Horizontal	1	3.00	106.38	33.91	6.20	34.54
PK	5.9486G	59.71	68.20	-8.49	5.95	3	Horizontal	1	3.00	53.76	34.20	6.27	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58838G	41.52	54.00	-12.48	12.50	3	Vertical	97	2.48	29.02	38.56	8.54	34.60
PK	11.59432G	54.34	74.00	-19.66	12.47	3	Vertical	97	2.48	41.87	38.53	8.54	34.60
PK	17.38508G	56.65	68.20	-11.55	14.38	3	Vertical	173	2.29	42.27	38.46	10.27	34.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5882G	41.52	54.00	-12.48	12.50	3	Horizontal	116	2.03	29.02	38.56	8.54	34.60
PK	11.5949G	53.50	74.00	-20.50	12.47	3	Horizontal	116	2.03	41.03	38.53	8.54	34.60
PK	17.38526G	56.32	68.20	-11.88	14.38	3	Horizontal	2	3.00	41.94	38.46	10.27	34.35

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.59	54.00	-6.41	3.89	3	Vertical	105	2.50	43.70	33.00	5.51	34.62
AV	5.206G	87.35	Inf	-Inf	4.02	3	Vertical	105	2.50	83.33	33.10	5.53	34.61
AV	5.396G	45.40	54.00	-8.60	3.98	3	Vertical	105	2.50	41.42	32.99	5.57	34.58
PK	5.126G	58.00	74.00	-16.00	3.89	3	Vertical	105	2.50	54.11	33.00	5.51	34.62
PK	5.199G	98.15	Inf	-Inf	4.02	3	Vertical	105	2.50	94.13	33.10	5.53	34.61
PK	5.448G	56.62	74.00	-17.38	3.94	3	Vertical	105	2.50	52.68	32.90	5.61	34.57

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.59	54.00	-4.41	3.89	3	Horizontal	7	1.50	45.70	33.00	5.51	34.62
AV	5.208G	91.30	Inf	-Inf	4.02	3	Horizontal	7	1.50	87.28	33.10	5.53	34.61
AV	5.407G	46.27	54.00	-7.73	4.00	3	Horizontal	7	1.50	42.27	32.99	5.58	34.57
PK	5.14G	60.16	74.00	-13.84	3.89	3	Horizontal	7	1.50	56.27	33.00	5.51	34.62
PK	5.199G	102.09	Inf	-Inf	4.02	3	Horizontal	7	1.50	98.07	33.10	5.53	34.61
PK	5.414G	57.77	74.00	-16.23	3.98	3	Horizontal	7	1.50	53.79	32.97	5.58	34.57

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63264G	43.70	54.00	-10.30	12.70	3	Vertical	305	2.11	31.00	38.14	9.54	34.98
PK	10.38232G	53.86	68.20	-14.34	12.18	3	Vertical	360	1.50	41.68	39.05	7.97	34.84
PK	15.62424G	56.03	74.00	-17.97	12.74	3	Vertical	305	2.11	43.29	38.18	9.53	34.97

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6372G	43.69	54.00	-10.31	12.67	3	Horizontal	180	1.50	31.02	38.11	9.54	34.98
PK	10.45144G	53.91	68.20	-14.29	12.22	3	Horizontal	89	1.50	41.69	39.00	7.99	34.77
PK	15.5904G	55.22	74.00	-18.78	12.89	3	Horizontal	180	1.50	42.33	38.32	9.52	34.95

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.055G	47.00	54.00	-7.00	4.36	3	Vertical	94	2.76	42.64	33.18	5.81	34.63
AV	5.273G	87.49	Inf	-Inf	4.37	3	Vertical	94	2.76	83.12	33.05	5.92	34.60
AV	5.46G	46.08	54.00	-7.92	4.32	3	Vertical	94	2.76	41.76	32.88	6.01	34.57
PK	5.077G	58.72	74.00	-15.28	4.28	3	Vertical	94	2.76	54.44	33.09	5.82	34.63
PK	5.276G	98.35	Inf	-Inf	4.37	3	Vertical	94	2.76	93.98	33.05	5.92	34.60
PK	5.451G	57.41	74.00	-16.59	4.34	3	Vertical	94	2.76	53.07	32.90	6.01	34.57
PK	5.532G	57.20	68.20	-11.00	4.28	3	Vertical	94	2.76	52.92	32.80	6.04	34.56

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.06G	47.11	54.00	-6.89	4.35	3	Horizontal	5	1.49	42.76	33.16	5.82	34.63
AV	5.28G	92.22	Inf	-Inf	4.36	3	Horizontal	5	1.49	87.86	33.04	5.92	34.60
AV	5.352G	47.48	54.00	-6.52	4.28	3	Horizontal	5	1.49	43.20	32.90	5.96	34.58
PK	5.08G	57.84	74.00	-16.16	4.28	3	Horizontal	5	1.49	53.56	33.08	5.83	34.63
PK	5.31G	103.63	Inf	-Inf	4.33	3	Horizontal	5	1.49	99.30	32.98	5.94	34.59
PK	5.351G	59.32	74.00	-14.68	4.28	3	Horizontal	5	1.49	55.04	32.90	5.96	34.58
PK	5.482G	58.14	68.20	-10.06	4.30	3	Horizontal	5	1.49	53.84	32.84	6.02	34.56

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81144G	43.74	54.00	-10.26	12.74	3	Vertical	178	1.50	31.00	37.97	9.88	35.11
PK	10.53608G	53.50	68.20	-14.70	12.36	3	Vertical	177	1.50	41.14	38.97	8.10	34.71
PK	15.88248G	55.19	74.00	-18.81	12.49	3	Vertical	178	1.50	42.70	37.75	9.90	35.16

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81144G	43.78	54.00	-10.22	12.74	3	Horizontal	288	1.50	31.04	37.97	9.88	35.11
PK	10.59848G	54.10	68.20	-14.10	12.53	3	Horizontal	275	1.46	41.57	39.10	8.12	34.69
PK	15.84792G	54.82	74.00	-19.18	12.61	3	Horizontal	288	1.50	42.21	37.86	9.89	35.14

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.16	54.00	-8.84	3.88	3	Vertical	351	1.28	41.28	32.90	5.56	34.58
AV	5.459G	47.11	54.00	-6.89	3.93	3	Vertical	351	1.28	43.18	32.88	5.62	34.57
AV	5.525G	86.73	Inf	-Inf	3.92	3	Vertical	351	1.28	82.81	32.80	5.68	34.56
PK	5.284G	56.07	68.20	-12.13	3.99	3	Vertical	351	1.28	52.08	33.03	5.55	34.59
PK	5.46G	58.33	74.00	-15.67	3.93	3	Vertical	351	1.28	54.40	32.88	5.62	34.57
PK	5.47G	58.87	68.20	-9.33	3.93	3	Vertical	351	1.28	54.94	32.86	5.63	34.56
PK	5.554G	97.79	Inf	-Inf	3.96	3	Vertical	351	1.28	93.83	32.81	5.71	34.56
PK	5.771G	57.98	68.20	-10.22	5.03	3	Vertical	351	1.28	52.95	33.78	5.79	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.43	54.00	-8.57	3.88	3	Horizontal	7	1.49	41.55	32.90	5.56	34.58
AV	5.46G	49.34	54.00	-4.66	3.93	3	Horizontal	7	1.49	45.41	32.88	5.62	34.57
AV	5.511G	90.01	Inf	-Inf	3.91	3	Horizontal	7	1.49	86.10	32.80	5.67	34.56
PK	5.324G	57.39	68.20	-10.81	3.91	3	Horizontal	7	1.49	53.48	32.95	5.55	34.59
PK	5.458G	59.58	74.00	-14.42	3.93	3	Horizontal	7	1.49	55.65	32.88	5.62	34.57
PK	5.467G	60.54	68.20	-7.66	3.93	3	Horizontal	7	1.49	56.61	32.87	5.63	34.57
PK	5.555G	101.00	Inf	-Inf	3.96	3	Horizontal	7	1.49	97.04	32.81	5.71	34.56
PK	5.74G	59.17	68.20	-9.03	4.89	3	Horizontal	7	1.49	54.28	33.64	5.79	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06984G	42.89	54.00	-11.11	12.57	3	Vertical	230	1.50	30.32	38.83	8.32	34.58
PK	11.048G	54.00	74.00	-20.00	12.58	3	Vertical	230	1.50	41.42	38.85	8.31	34.58
PK	16.63128G	56.83	68.20	-11.37	13.64	3	Vertical	360	1.07	43.19	38.14	10.09	34.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03312G	42.85	54.00	-11.15	12.59	3	Horizontal	156	1.34	30.26	38.87	8.30	34.58
PK	11.0828G	54.13	74.00	-19.87	12.56	3	Horizontal	156	1.34	41.57	38.82	8.32	34.58
PK	16.5564G	57.41	68.20	-10.79	13.67	3	Horizontal	360	1.50	43.74	38.29	10.07	34.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.63	54.00	-8.37	3.95	3	Vertical	351	1.27	41.68	32.90	5.62	34.57
AV	5.603G	87.59	Inf	-Inf	4.11	3	Vertical	351	1.27	83.48	32.91	5.75	34.55
PK	5.459G	56.40	74.00	-17.60	3.93	3	Vertical	351	1.27	52.47	32.88	5.62	34.57
PK	5.463G	56.49	68.20	-11.71	3.93	3	Vertical	351	1.27	52.56	32.87	5.63	34.57
PK	5.601G	98.43	Inf	-Inf	4.10	3	Vertical	351	1.27	94.33	32.90	5.75	34.55
PK	5.775G	58.74	68.20	-9.46	5.05	3	Vertical	351	1.27	53.69	33.80	5.79	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.32	54.00	-7.68	3.93	3	Horizontal	356	1.43	42.39	32.88	5.62	34.57
AV	5.605G	90.78	Inf	-Inf	4.11	3	Horizontal	356	1.43	86.67	32.91	5.75	34.55
PK	5.451G	56.84	74.00	-17.16	3.95	3	Horizontal	356	1.43	52.89	32.90	5.62	34.57
PK	5.469G	56.94	68.20	-11.26	3.93	3	Horizontal	356	1.43	53.01	32.86	5.63	34.56
PK	5.601G	102.13	Inf	-Inf	4.10	3	Horizontal	356	1.43	98.03	32.90	5.75	34.55
PK	5.832G	59.94	68.20	-8.26	5.24	3	Horizontal	356	1.43	54.70	33.96	5.81	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18304G	42.55	54.00	-11.45	12.67	3	Vertical	179	1.50	29.88	38.88	8.37	34.58
PK	11.20752G	53.74	74.00	-20.26	12.71	3	Vertical	179	1.50	41.03	38.91	8.38	34.58
PK	16.8624G	56.07	68.20	-12.13	13.62	3	Vertical	170	2.48	42.45	37.78	10.14	34.30

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.172G	42.50	54.00	-11.50	12.65	3	Horizontal	315	1.50	29.85	38.87	8.36	34.58
PK	11.19264G	53.73	74.00	-20.27	12.68	3	Horizontal	315	1.50	41.05	38.89	8.37	34.58
PK	16.84848G	56.15	68.20	-12.05	13.63	3	Horizontal	33	1.50	42.52	37.80	10.14	34.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	45.08	54.00	-8.92	3.94	3	Vertical	348	2.01	41.14	32.89	5.62	34.57
AV	5.699G	87.40	Inf	-Inf	4.62	3	Vertical	348	2.01	82.78	33.39	5.77	34.54
PK	5.451G	55.51	74.00	-18.49	3.95	3	Vertical	348	2.01	51.56	32.90	5.62	34.57
PK	5.463G	55.33	68.20	-12.87	3.93	3	Vertical	348	2.01	51.40	32.87	5.63	34.57
PK	5.699G	98.24	Inf	-Inf	4.62	3	Vertical	348	2.01	93.62	33.39	5.77	34.54
PK	5.86G	58.02	68.20	-10.18	5.34	3	Vertical	348	2.01	52.68	34.04	5.83	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	45.47	54.00	-8.53	3.94	3	Horizontal	355	1.47	41.53	32.89	5.62	34.57
AV	5.708G	89.36	Inf	-Inf	4.69	3	Horizontal	355	1.47	84.67	33.45	5.78	34.54
PK	5.45G	56.13	74.00	-17.87	3.95	3	Horizontal	355	1.47	52.18	32.90	5.62	34.57
PK	5.47G	55.51	68.20	-12.69	3.93	3	Horizontal	355	1.47	51.58	32.86	5.63	34.56
PK	5.708G	100.26	Inf	-Inf	4.69	3	Horizontal	355	1.47	95.57	33.45	5.78	34.54
PK	5.901G	58.66	68.20	-9.54	5.52	3	Horizontal	355	1.47	53.14	34.20	5.85	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41888G	42.82	54.00	-11.18	12.98	3	Vertical	339	1.50	29.84	39.08	8.47	34.57
PK	11.42008G	53.88	74.00	-20.12	12.98	3	Vertical	339	1.50	40.90	39.08	8.47	34.57
PK	17.02488G	57.96	68.20	-10.24	13.77	3	Vertical	26	1.50	44.19	37.72	10.18	34.13

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42488G	42.77	54.00	-11.23	12.98	3	Horizontal	80	2.48	29.79	39.08	8.47	34.57
PK	11.3992G	53.98	74.00	-20.02	12.99	3	Horizontal	80	2.48	40.99	39.10	8.46	34.57
PK	17.03952G	56.52	68.20	-11.68	13.78	3	Horizontal	354	1.50	42.74	37.74	10.18	34.14

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	89.77	Inf	-Inf	5.13	3	Vertical	354	1.95	84.64	33.87	5.80	34.54
PK	5.6082G	57.34	68.20	-10.86	4.12	3	Vertical	354	1.95	53.22	32.92	5.75	34.55
PK	5.7894G	100.79	Inf	-Inf	5.12	3	Vertical	354	1.95	95.67	33.86	5.80	34.54
PK	5.9538G	58.58	68.20	-9.62	5.54	3	Vertical	354	1.95	53.04	34.19	5.87	34.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7858G	91.55	Inf	-Inf	5.10	3	Horizontal	357	1.50	86.45	33.84	5.80	34.54
PK	5.6226G	57.40	68.20	-10.80	4.16	3	Horizontal	357	1.50	53.24	32.95	5.76	34.55
PK	5.781G	102.63	Inf	-Inf	5.08	3	Horizontal	357	1.50	97.55	33.82	5.80	34.54
PK	5.9646G	58.70	68.20	-9.50	5.52	3	Horizontal	357	1.50	53.18	34.17	5.87	34.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53096G	42.80	54.00	-11.20	12.78	3	Vertical	255	1.02	30.02	38.85	8.51	34.58
PK	11.55224G	53.97	74.00	-20.03	12.67	3	Vertical	255	1.02	41.30	38.74	8.52	34.59
PK	17.33844G	56.81	68.20	-11.39	14.25	3	Vertical	2	1.50	42.56	38.32	10.25	34.32

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	42.76	54.00	-11.24	12.94	3	Horizontal	335	1.50	29.82	39.01	8.50	34.57
PK	11.51496G	54.06	74.00	-19.94	12.87	3	Horizontal	335	1.50	41.19	38.93	8.51	34.57
PK	17.33604G	56.71	68.20	-11.49	14.24	3	Horizontal	39	1.50	42.47	38.31	10.25	34.32

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	46.89	54.00	-7.11	3.89	3	Vertical	269	2.51	43.00	33.00	5.51	34.62
AV	5.185G	86.60	Inf	-Inf	3.99	3	Vertical	269	2.51	82.61	33.07	5.53	34.61
AV	5.42G	45.46	54.00	-8.54	3.98	3	Vertical	269	2.51	41.48	32.96	5.59	34.57
PK	5.147G	58.39	74.00	-15.61	3.89	3	Vertical	269	2.51	54.50	33.00	5.51	34.62
PK	5.184G	98.07	Inf	-Inf	3.99	3	Vertical	269	2.51	94.08	33.07	5.53	34.61
PK	5.394G	56.40	74.00	-17.60	3.98	3	Vertical	269	2.51	52.42	32.99	5.57	34.58

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.67	54.00	-6.33	3.89	3	Horizontal	360	2.44	43.78	33.00	5.51	34.62
AV	5.195G	91.34	Inf	-Inf	4.01	3	Horizontal	360	2.44	87.33	33.09	5.53	34.61
AV	5.353G	45.65	54.00	-8.35	3.89	3	Horizontal	360	2.44	41.76	32.91	5.56	34.58
PK	5.148G	59.46	74.00	-14.54	3.89	3	Horizontal	360	2.44	55.57	33.00	5.51	34.62
PK	5.192G	102.83	Inf	-Inf	4.00	3	Horizontal	360	2.44	98.83	33.08	5.53	34.61
PK	5.431G	56.99	74.00	-17.01	3.97	3	Horizontal	360	2.44	53.02	32.94	5.60	34.57

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63672G	43.74	54.00	-10.26	12.68	3	Vertical	75	1.50	31.06	38.12	9.54	34.98
PK	10.37872G	54.36	68.20	-13.84	12.17	3	Vertical	265	2.75	42.19	39.04	7.97	34.84
PK	15.59808G	55.11	74.00	-18.89	12.88	3	Vertical	75	1.50	42.23	38.30	9.53	34.95

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62832G	43.68	54.00	-10.32	12.73	3	Horizontal	56	1.47	30.95	38.16	9.54	34.97
PK	10.38832G	54.14	68.20	-14.06	12.20	3	Horizontal	39	1.04	41.94	39.06	7.97	34.83
PK	15.58872G	55.34	74.00	-18.66	12.89	3	Horizontal	56	1.47	42.45	38.32	9.52	34.95

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.062G	47.06	54.00	-6.94	4.34	3	Vertical	2	1.24	42.72	33.15	5.82	34.63
AV	5.296G	87.39	Inf	-Inf	4.35	3	Vertical	2	1.24	83.04	33.01	5.93	34.59
AV	5.381G	46.51	54.00	-7.49	4.36	3	Vertical	2	1.24	42.15	32.96	5.98	34.58
PK	5.07G	58.50	74.00	-15.50	4.31	3	Vertical	2	1.24	54.19	33.12	5.82	34.63
PK	5.299G	98.70	Inf	-Inf	4.34	3	Vertical	2	1.24	94.36	33.00	5.93	34.59
PK	5.391G	56.80	74.00	-17.20	4.39	3	Vertical	2	1.24	52.41	32.98	5.99	34.58
PK	5.535G	57.35	68.20	-10.85	4.28	3	Vertical	2	1.24	53.07	32.80	6.04	34.56

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.054G	47.05	54.00	-6.95	4.36	3	Horizontal	360	1.49	42.69	33.18	5.81	34.63
AV	5.268G	90.14	Inf	-Inf	4.38	3	Horizontal	360	1.49	85.76	33.06	5.92	34.60
AV	5.359G	46.60	54.00	-7.40	4.31	3	Horizontal	360	1.49	42.29	32.92	5.97	34.58
PK	5.05G	57.81	74.00	-16.19	4.38	3	Horizontal	360	1.49	53.43	33.20	5.81	34.63
PK	5.272G	102.13	Inf	-Inf	4.38	3	Horizontal	360	1.49	97.75	33.06	5.92	34.60
PK	5.46G	57.72	74.00	-16.28	4.32	3	Horizontal	360	1.49	53.40	32.88	6.01	34.57
PK	5.461G	57.12	68.20	-11.08	4.32	3	Horizontal	360	1.49	52.80	32.88	6.01	34.57

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60232G	42.41	54.00	-11.59	12.53	3	Vertical	47	1.50	29.88	39.10	8.12	34.69
AV	15.81384G	43.87	54.00	-10.13	12.73	3	Vertical	66	1.50	31.14	37.96	9.88	35.11
PK	10.58984G	53.39	68.20	-14.81	12.51	3	Vertical	47	1.50	40.88	39.08	8.12	34.69
PK	15.84576G	55.30	74.00	-18.70	12.61	3	Vertical	66	1.50	42.69	37.86	9.89	35.14

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63904G	42.42	54.00	-11.58	12.60	3	Horizontal	145	1.88	29.82	39.14	8.14	34.68
AV	15.81888G	43.92	54.00	-10.08	12.70	3	Horizontal	202.1	1.50	31.22	37.94	9.88	35.12
PK	10.60184G	53.99	74.00	-20.01	12.53	3	Horizontal	145	1.88	41.46	39.10	8.12	34.69
PK	15.84888G	55.42	74.00	-18.58	12.60	3	Horizontal	202.1	1.50	42.82	37.85	9.89	35.14

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.12	54.00	-8.88	3.88	3	Vertical	1	1.24	41.24	32.90	5.56	34.58
AV	5.447G	45.75	54.00	-8.25	3.95	3	Vertical	1	1.24	41.80	32.91	5.61	34.57
AV	5.552G	87.71	Inf	-Inf	3.95	3	Vertical	1	1.24	83.76	32.80	5.71	34.56
PK	5.289G	56.40	68.20	-11.80	3.98	3	Vertical	1	1.24	52.42	33.02	5.55	34.59
PK	5.441G	57.21	74.00	-16.79	3.96	3	Vertical	1	1.24	53.25	32.92	5.61	34.57
PK	5.461G	57.55	68.20	-10.65	3.93	3	Vertical	1	1.24	53.62	32.88	5.62	34.57
PK	5.55G	99.16	Inf	-Inf	3.95	3	Vertical	1	1.24	95.21	32.80	5.71	34.56
PK	5.737G	58.44	68.20	-9.76	4.86	3	Vertical	1	1.24	53.58	33.62	5.78	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.34	54.00	-8.66	3.88	3	Horizontal	357	1.50	41.46	32.90	5.56	34.58
AV	5.456G	45.99	54.00	-8.01	3.94	3	Horizontal	357	1.50	42.05	32.89	5.62	34.57
AV	5.554G	88.95	Inf	-Inf	3.96	3	Horizontal	357	1.50	84.99	32.81	5.71	34.56
PK	5.321G	56.64	68.20	-11.56	3.92	3	Horizontal	357	1.50	52.72	32.96	5.55	34.59
PK	5.434G	56.76	74.00	-17.24	3.96	3	Horizontal	357	1.50	52.80	32.93	5.60	34.57
PK	5.467G	56.29	68.20	-11.91	3.93	3	Horizontal	357	1.50	52.36	32.87	5.63	34.57
PK	5.553G	100.66	Inf	-Inf	3.96	3	Horizontal	357	1.50	96.70	32.81	5.71	34.56
PK	5.753G	59.15	68.20	-9.05	4.96	3	Horizontal	357	1.50	54.19	33.71	5.79	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05568G	42.90	54.00	-11.10	12.57	3	Vertical	360	1.50	30.33	38.84	8.31	34.58
PK	11.06888G	54.96	74.00	-19.04	12.57	3	Vertical	360	1.50	42.39	38.83	8.32	34.58
PK	16.5852G	56.69	68.20	-11.51	13.66	3	Vertical	59	1.50	43.03	38.23	10.08	34.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06336G	42.80	54.00	-11.20	12.58	3	Horizontal	254	1.19	30.22	38.84	8.32	34.58
PK	11.01608G	54.21	74.00	-19.79	12.60	3	Horizontal	254	1.19	41.61	38.88	8.30	34.58
PK	16.63872G	56.39	68.20	-11.81	13.63	3	Horizontal	302	1.50	42.76	38.12	10.09	34.58

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.409G	45.41	54.00	-8.59	3.99	3	Vertical	14	2.01	41.42	32.98	5.58	34.57
AV	5.605G	88.13	Inf	-Inf	4.11	3	Vertical	14	2.01	84.02	32.91	5.75	34.55
PK	5.455G	57.16	74.00	-16.84	3.94	3	Vertical	14	2.01	53.22	32.89	5.62	34.57
PK	5.47G	56.37	68.20	-11.83	3.93	3	Vertical	14	2.01	52.44	32.86	5.63	34.56
PK	5.629G	99.06	Inf	-Inf	4.17	3	Vertical	14	2.01	94.89	32.96	5.76	34.55
PK	5.756G	59.07	68.20	-9.13	4.97	3	Vertical	14	2.01	54.10	33.72	5.79	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.57	54.00	-8.43	3.93	3	Horizontal	357	1.50	41.64	32.88	5.62	34.57
AV	5.599G	88.94	Inf	-Inf	4.10	3	Horizontal	357	1.50	84.84	32.90	5.75	34.55
PK	5.363G	56.85	74.00	-17.15	3.91	3	Horizontal	357	1.50	52.94	32.93	5.56	34.58
PK	5.461G	56.37	68.20	-11.83	3.93	3	Horizontal	357	1.50	52.44	32.88	5.62	34.57
PK	5.628G	100.23	Inf	-Inf	4.17	3	Horizontal	357	1.50	96.06	32.96	5.76	34.55
PK	5.814G	59.35	68.20	-8.85	5.21	3	Horizontal	357	1.50	54.14	33.93	5.81	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.166G	42.56	54.00	-11.44	12.65	3	Vertical	252	1.99	29.91	38.87	8.36	34.58
PK	11.2464G	53.97	74.00	-20.03	12.76	3	Vertical	252	1.99	41.21	38.95	8.39	34.58
PK	16.87992G	56.81	68.20	-11.39	13.62	3	Vertical	271	2.92	43.19	37.74	10.15	34.27

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2092G	42.63	54.00	-11.37	12.71	3	Horizontal	253	2.18	29.92	38.91	8.38	34.58
PK	11.20344G	53.85	74.00	-20.15	12.70	3	Horizontal	253	2.18	41.15	38.90	8.38	34.58
PK	16.77024G	55.77	68.20	-12.43	13.64	3	Horizontal	0	1.50	42.13	37.93	10.12	34.41

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	45.46	54.00	-8.54	3.96	3	Vertical	16	1.41	41.50	32.91	5.62	34.57
AV	5.702G	88.18	Inf	-Inf	4.65	3	Vertical	16	1.41	83.53	33.41	5.78	34.54
PK	5.46G	56.57	74.00	-17.43	3.97	3	Vertical	16	1.41	52.60	32.92	5.62	34.57
PK	5.466G	55.60	68.20	-12.60	3.99	3	Vertical	16	1.41	51.61	32.93	5.63	34.57
PK	5.702G	99.11	Inf	-Inf	4.65	3	Vertical	16	1.41	94.46	33.41	5.78	34.54
PK	5.905G	59.22	68.20	-8.98	5.61	3	Vertical	16	1.41	53.61	34.29	5.85	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	45.46	54.00	-8.54	3.94	3	Horizontal	7	1.48	41.52	32.90	5.61	34.57
AV	5.677G	90.39	Inf	-Inf	4.44	3	Horizontal	7	1.48	85.95	33.22	5.77	34.55
PK	5.445G	56.56	74.00	-17.44	3.94	3	Horizontal	7	1.48	52.62	32.90	5.61	34.57
PK	5.469G	56.51	68.20	-11.69	4.01	3	Horizontal	7	1.48	52.50	32.94	5.63	34.56
PK	5.675G	101.69	Inf	-Inf	4.42	3	Horizontal	7	1.48	97.27	33.20	5.77	34.55
PK	5.853G	59.49	68.20	-8.71	5.40	3	Horizontal	7	1.48	54.09	34.11	5.82	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38128G	42.83	54.00	-11.17	12.84	3	Vertical	25	1.99	29.99	38.96	8.45	34.57
PK	11.3832G	53.52	74.00	-20.48	12.85	3	Vertical	25	1.99	40.67	38.97	8.45	34.57
PK	17.06768G	54.77	68.20	-13.43	14.13	3	Vertical	240	2.92	40.64	38.10	10.19	34.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39544G	42.77	54.00	-11.23	12.88	3	Horizontal	19	1.39	29.89	38.99	8.46	34.57
PK	11.37736G	51.22	74.00	-22.78	12.83	3	Horizontal	19	1.39	38.39	38.95	8.45	34.57
PK	17.05072G	53.93	68.20	-14.27	14.14	3	Horizontal	154	1.78	39.79	38.10	10.19	34.15

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	88.01	Inf	-Inf	5.07	3	Vertical	8	1.94	82.94	33.82	5.79	34.54
PK	5.5518G	56.70	68.20	-11.50	3.95	3	Vertical	8	1.94	52.75	32.80	5.71	34.56
PK	5.7906G	98.58	Inf	-Inf	5.12	3	Vertical	8	1.94	93.46	33.86	5.80	34.54
PK	5.9454G	57.20	68.20	-11.00	5.55	3	Vertical	8	1.94	51.65	34.20	5.87	34.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	89.22	Inf	-Inf	5.06	3	Horizontal	7	1.42	84.16	33.81	5.79	34.54
PK	5.5938G	56.68	68.20	-11.52	4.08	3	Horizontal	7	1.42	52.60	32.89	5.74	34.55
PK	5.7918G	100.17	Inf	-Inf	5.13	3	Horizontal	7	1.42	95.04	33.87	5.80	34.54
PK	5.937G	57.42	68.20	-10.78	5.53	3	Horizontal	7	1.42	51.89	34.20	5.86	34.53

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49576G	42.84	54.00	-11.16	12.93	3	Vertical	129	1.50	29.91	39.00	8.50	34.57
PK	11.49768G	53.52	74.00	-20.48	12.93	3	Vertical	129	1.50	40.59	39.00	8.50	34.57
PK	17.3802G	56.83	68.20	-11.37	14.35	3	Vertical	346	1.00	42.48	38.44	10.26	34.35

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49168G	42.78	54.00	-11.22	12.94	3	Horizontal	48	1.50	29.84	39.01	8.50	34.57
PK	11.5104G	54.38	74.00	-19.62	12.88	3	Horizontal	48	1.50	41.50	38.95	8.50	34.57
PK	17.38452G	56.70	68.20	-11.50	14.37	3	Horizontal	253	1.50	42.33	38.45	10.27	34.35

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.16	54.00	-5.84	4.24	3	Vertical	358	1.50	43.92	33.00	5.86	34.62
AV	5.232G	89.92	Inf	-Inf	4.40	3	Vertical	358	1.50	85.52	33.10	5.90	34.60
AV	5.393G	46.81	54.00	-7.19	4.40	3	Vertical	358	1.50	42.41	32.99	5.99	34.58
PK	5.15G	58.16	74.00	-15.84	4.24	3	Vertical	358	1.50	53.92	33.00	5.86	34.62
PK	5.219G	101.52	Inf	-Inf	4.39	3	Vertical	358	1.50	97.13	33.10	5.89	34.60
PK	5.354G	57.10	74.00	-16.90	4.29	3	Vertical	358	1.50	52.81	32.91	5.96	34.58

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.128G	52.27	54.00	-1.73	4.23	3	Horizontal	360	1.50	48.04	33.00	5.85	34.62
AV	5.228G	95.63	Inf	-Inf	4.40	3	Horizontal	360	1.50	91.23	33.10	5.90	34.60
AV	5.393G	47.58	54.00	-6.42	4.40	3	Horizontal	360	1.50	43.18	32.99	5.99	34.58
PK	5.142G	64.04	74.00	-9.96	4.23	3	Horizontal	360	1.50	59.81	33.00	5.85	34.62
PK	5.199G	106.59	Inf	-Inf	4.37	3	Horizontal	360	1.50	102.22	33.10	5.88	34.61
PK	5.448G	58.30	74.00	-15.70	4.34	3	Horizontal	360	1.50	53.96	32.90	6.01	34.57

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62804G	43.47	54.00	-10.53	13.01	3	Vertical	249	1.60	30.46	38.16	9.82	34.97
PK	10.42334G	54.72	68.20	-13.48	12.30	3	Vertical	41	2.76	42.42	39.05	8.05	34.80
PK	15.62906G	55.30	74.00	-18.70	12.99	3	Vertical	249	1.60	42.31	38.15	9.82	34.98

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63004G	43.46	54.00	-10.54	12.99	3	Horizontal	243	1.24	30.47	38.15	9.82	34.98
PK	10.42026G	54.68	68.20	-13.52	12.31	3	Horizontal	119	3.00	42.37	39.06	8.05	34.80
PK	15.63198G	54.99	74.00	-19.01	12.98	3	Horizontal	243	1.24	42.01	38.14	9.82	34.98

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.111G	46.81	54.00	-7.19	4.22	3	Vertical	360	1.50	42.59	33.00	5.84	34.62
AV	5.304G	90.65	Inf	-Inf	4.34	3	Vertical	360	1.50	86.31	32.99	5.94	34.59
AV	5.434G	46.80	54.00	-7.20	4.36	3	Vertical	360	1.50	42.44	32.93	6.00	34.57
PK	5.123G	58.03	74.00	-15.97	4.23	3	Vertical	360	1.50	53.80	33.00	5.85	34.62
PK	5.302G	101.71	Inf	-Inf	4.35	3	Vertical	360	1.50	97.36	33.00	5.94	34.59
PK	5.417G	57.73	74.00	-16.27	4.40	3	Vertical	360	1.50	53.33	32.97	6.00	34.57
PK	5.462G	58.40	68.20	-9.80	4.32	3	Vertical	360	1.50	54.08	32.88	6.01	34.57

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.054G	46.95	54.00	-7.05	4.36	3	Horizontal	5	2.46	42.59	33.18	5.81	34.63
AV	5.275G	96.39	Inf	-Inf	4.37	3	Horizontal	5	2.46	92.02	33.05	5.92	34.60
AV	5.351G	48.88	54.00	-5.12	4.28	3	Horizontal	5	2.46	44.60	32.90	5.96	34.58
PK	5.057G	57.79	74.00	-16.21	4.36	3	Horizontal	5	2.46	53.43	33.17	5.82	34.63
PK	5.264G	106.51	Inf	-Inf	4.39	3	Horizontal	5	2.46	102.12	33.07	5.92	34.60
PK	5.396G	58.65	74.00	-15.35	4.40	3	Horizontal	5	2.46	54.25	32.99	5.99	34.58
PK	5.489G	58.28	68.20	-9.92	4.28	3	Horizontal	5	2.46	54.00	32.82	6.02	34.56