


5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86524G	42.92	54.00	-11.08	12.55	3	Vertical	123	1.03	30.37	37.80	9.90	35.15
PK	10.58282G	53.83	68.20	-14.37	12.48	3	Vertical	289	1.73	41.35	39.07	8.11	34.70
PK	15.87478G	54.22	74.00	-19.78	12.52	3	Vertical	123	1.03	41.70	37.78	9.90	35.16

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8654G	42.94	54.00	-11.06	12.55	3	Horizontal	46	1.28	30.39	37.80	9.90	35.15
PK	10.57924G	53.97	68.20	-14.23	12.47	3	Horizontal	328	2.75	41.50	39.06	8.11	34.70
PK	15.86999G	54.41	74.00	-19.59	12.54	3	Horizontal	46	1.28	41.87	37.79	9.90	35.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.06	54.00	-7.94	4.28	3	Vertical	0	1.32	41.78	32.90	5.96	34.58
AV	5.459G	50.69	54.00	-3.31	4.32	3	Vertical	0	1.32	46.37	32.88	6.01	34.57
AV	5.538G	95.25	Inf	-Inf	4.28	3	Vertical	0	1.32	90.97	32.80	6.04	34.56
PK	5.339G	57.10	68.20	-11.10	4.29	3	Vertical	0	1.32	52.81	32.92	5.96	34.59
PK	5.456G	60.62	74.00	-13.38	4.33	3	Vertical	0	1.32	56.29	32.89	6.01	34.57
PK	5.469G	62.82	68.20	-5.38	4.31	3	Vertical	0	1.32	58.51	32.86	6.01	34.56
PK	5.533G	106.62	Inf	-Inf	4.28	3	Vertical	0	1.32	102.34	32.80	6.04	34.56
PK	5.762G	60.92	68.20	-7.28	5.38	3	Vertical	0	1.32	55.54	33.75	6.17	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.79	54.00	-7.21	4.28	3	Horizontal	352	2.29	42.51	32.90	5.96	34.58
AV	5.459G	52.23	54.00	-1.77	4.32	3	Horizontal	352	2.29	47.91	32.88	6.01	34.57
AV	5.524G	98.13	Inf	-Inf	4.27	3	Horizontal	352	2.29	93.86	32.80	6.03	34.56
PK	5.287G	57.65	68.20	-10.55	4.37	3	Horizontal	352	2.29	53.28	33.03	5.93	34.59
PK	5.456G	64.71	74.00	-9.29	4.33	3	Horizontal	352	2.29	60.38	32.89	6.01	34.57
PK	5.469G	64.12	68.20	-4.08	4.31	3	Horizontal	352	2.29	59.81	32.86	6.01	34.56
PK	5.52G	109.16	Inf	-Inf	4.27	3	Horizontal	352	2.29	104.89	32.80	6.03	34.56
PK	5.738G	62.03	68.20	-6.17	5.25	3	Horizontal	352	2.29	56.78	33.63	6.16	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06156G	42.18	54.00	-11.82	12.58	3	Vertical	56	1.88	29.60	38.84	8.32	34.58
PK	11.06406G	54.31	74.00	-19.69	12.58	3	Vertical	56	1.88	41.73	38.84	8.32	34.58
PK	16.58638G	55.47	68.20	-12.73	13.66	3	Vertical	88	1.90	41.81	38.23	10.08	34.65

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06088G	42.17	54.00	-11.83	12.58	3	Horizontal	130	2.57	29.59	38.84	8.32	34.58
PK	11.06274G	53.97	74.00	-20.03	12.58	3	Horizontal	130	2.57	41.39	38.84	8.32	34.58
PK	16.59484G	56.41	68.20	-11.79	13.65	3	Horizontal	268	2.87	42.76	38.21	10.08	34.64

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	47.26	54.00	-6.74	4.35	3	Vertical	0	1.26	42.91	32.92	6.00	34.57
AV	5.625G	97.60	Inf	-Inf	4.48	3	Vertical	0	1.26	93.12	32.95	6.08	34.55
PK	5.456G	57.54	74.00	-16.46	4.33	3	Vertical	0	1.26	53.21	32.89	6.01	34.57
PK	5.47G	57.51	68.20	-10.69	4.31	3	Vertical	0	1.26	53.20	32.86	6.01	34.56
PK	5.586G	109.20	Inf	-Inf	4.38	3	Vertical	0	1.26	104.82	32.87	6.06	34.55
PK	5.751G	63.75	68.20	-4.45	5.33	3	Vertical	0	1.26	58.42	33.70	6.17	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.21	54.00	-5.79	4.33	3	Horizontal	0	2.97	43.88	32.89	6.01	34.57
AV	5.633G	99.65	Inf	-Inf	4.50	3	Horizontal	0	2.97	95.15	32.97	6.08	34.55
PK	5.454G	58.95	74.00	-15.05	4.33	3	Horizontal	0	2.97	54.62	32.89	6.01	34.57
PK	5.468G	58.57	68.20	-9.63	4.30	3	Horizontal	0	2.97	54.27	32.86	6.01	34.57
PK	5.632G	110.23	Inf	-Inf	4.49	3	Horizontal	0	2.97	105.74	32.96	6.08	34.55
PK	5.726G	65.37	68.20	-2.83	5.17	3	Horizontal	0	2.97	60.20	33.56	6.15	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.216G	41.81	54.00	-12.19	12.72	3	Vertical	193	1.16	29.09	38.92	8.38	34.58
PK	11.22114G	53.67	74.00	-20.33	12.72	3	Vertical	193	1.16	40.95	38.92	8.38	34.58
PK	16.82576G	56.44	68.20	-11.76	13.64	3	Vertical	140	1.83	42.80	37.85	10.13	34.34

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21766G	41.82	54.00	-12.18	12.72	3	Horizontal	9	2.43	29.10	38.92	8.38	34.58
PK	11.21538G	54.26	74.00	-19.74	12.72	3	Horizontal	9	2.43	41.54	38.92	8.38	34.58
PK	16.82548G	55.71	68.20	-12.49	13.64	3	Horizontal	305	1.69	42.07	37.85	10.13	34.34

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.17	54.00	-7.83	4.32	3	Vertical	352	1.32	41.85	32.88	6.01	34.57
AV	5.7044G	99.01	Inf	-Inf	5.02	3	Vertical	352	1.32	93.99	33.43	6.13	34.54
PK	5.3924G	56.64	74.00	-17.36	4.39	3	Vertical	352	1.32	52.25	32.98	5.99	34.58
PK	5.4656G	56.88	68.20	-11.32	4.31	3	Vertical	352	1.32	52.57	32.87	6.01	34.57
PK	5.7092G	109.33	Inf	-Inf	5.06	3	Vertical	352	1.32	104.27	33.46	6.14	34.54
PK	5.8508G	61.23	68.20	-6.97	5.70	3	Vertical	352	1.32	55.53	34.00	6.23	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.81	54.00	-7.19	4.33	3	Horizontal	353	3.00	42.48	32.89	6.01	34.57
AV	5.7032G	100.89	Inf	-Inf	5.01	3	Horizontal	353	3.00	95.88	33.42	6.13	34.54
PK	5.4464G	57.77	74.00	-16.23	4.35	3	Horizontal	353	3.00	53.42	32.91	6.01	34.57
PK	5.4632G	57.54	68.20	-10.66	4.31	3	Horizontal	353	3.00	53.23	32.87	6.01	34.57
PK	5.7044G	111.72	Inf	-Inf	5.02	3	Horizontal	353	3.00	106.70	33.43	6.13	34.54
PK	5.882G	61.24	68.20	-6.96	5.84	3	Horizontal	353	3.00	55.40	34.13	6.24	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38484G	41.82	54.00	-12.18	12.96	3	Vertical	20	2.65	28.86	39.08	8.45	34.57
PK	11.38108G	54.11	74.00	-19.89	12.96	3	Vertical	20	2.65	41.15	39.08	8.45	34.57
PK	17.06648G	55.63	68.20	-12.57	13.80	3	Vertical	274	2.20	41.83	37.77	10.19	34.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.385G	41.86	54.00	-12.14	12.97	3	Horizontal	162	1.42	28.89	39.09	8.45	34.57
PK	11.37778G	54.24	74.00	-19.76	12.96	3	Horizontal	162	1.42	41.28	39.08	8.45	34.57
PK	17.07104G	55.80	68.20	-12.40	13.80	3	Horizontal	144	1.49	42.00	37.77	10.19	34.16

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7678G	95.12	Inf	-Inf	5.41	3	Vertical	352	1.22	89.71	33.77	6.18	34.54
PK	5.6166G	57.12	68.20	-11.08	4.45	3	Vertical	352	1.22	52.67	32.93	6.07	34.55
PK	5.7678G	105.08	Inf	-Inf	5.41	3	Vertical	352	1.22	99.67	33.77	6.18	34.54
PK	5.9298G	58.96	68.20	-9.24	5.93	3	Vertical	352	1.22	53.03	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	96.52	Inf	-Inf	5.36	3	Horizontal	351	2.96	91.16	33.73	6.17	34.54
PK	5.613G	57.67	68.20	-10.53	4.45	3	Horizontal	351	2.96	53.22	32.93	6.07	34.55
PK	5.7606G	107.39	Inf	-Inf	5.37	3	Horizontal	351	2.96	102.02	33.74	6.17	34.54
PK	5.9418G	58.72	68.20	-9.48	5.95	3	Horizontal	351	2.96	52.77	34.20	6.27	34.52



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54562G	41.80	54.00	-12.20	12.71	3	Vertical	159	1.09	29.09	38.77	8.52	34.58
PK	11.54538G	54.62	74.00	-19.38	12.71	3	Vertical	159	1.09	41.91	38.77	8.52	34.58
PK	17.32558G	56.24	68.20	-11.96	14.21	3	Vertical	306	2.42	42.03	38.28	10.25	34.32

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54512G	41.78	54.00	-12.22	12.71	3	Horizontal	249	2.19	29.07	38.77	8.52	34.58
PK	11.5555G	54.17	74.00	-19.83	12.65	3	Horizontal	249	2.19	41.52	38.72	8.52	34.59
PK	17.32438G	56.25	68.20	-11.95	14.21	3	Horizontal	29	1.03	42.04	38.27	10.25	34.31

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.83	54.00	-7.17	3.90	3	Vertical	94	2.73	42.93	33.00	5.52	34.62
AV	5.2092G	82.91	Inf	-Inf	4.02	3	Vertical	94	2.73	78.89	33.10	5.53	34.61
AV	5.4084G	45.50	54.00	-8.50	3.99	3	Vertical	94	2.73	41.51	32.98	5.58	34.57
PK	5.1384G	59.20	74.00	-14.80	3.89	3	Vertical	94	2.73	55.31	33.00	5.51	34.62
PK	5.2116G	94.15	Inf	-Inf	4.02	3	Vertical	94	2.73	90.13	33.10	5.53	34.61
PK	5.3976G	57.35	74.00	-16.65	3.99	3	Vertical	94	2.73	53.36	33.00	5.57	34.58
PK	5.5176G	56.59	68.20	-11.61	3.92	3	Vertical	94	2.73	52.67	32.80	5.68	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.30	54.00	-5.70	3.90	3	Horizontal	6	1.50	44.40	33.00	5.52	34.62
AV	5.2824G	87.55	Inf	-Inf	4.00	3	Horizontal	6	1.50	83.55	33.04	5.55	34.59
AV	5.4G	47.83	54.00	-6.17	3.99	3	Horizontal	6	1.50	43.84	33.00	5.57	34.58
PK	5.1432G	59.46	74.00	-14.54	3.89	3	Horizontal	6	1.50	55.57	33.00	5.51	34.62
PK	5.2848G	98.71	Inf	-Inf	3.99	3	Horizontal	6	1.50	94.72	33.03	5.55	34.59
PK	5.4036G	61.39	74.00	-12.61	3.98	3	Horizontal	6	1.50	57.41	32.99	5.57	34.58
PK	5.4624G	57.22	68.20	-10.98	3.94	3	Horizontal	6	1.50	53.28	32.88	5.63	34.57

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77912G	42.54	54.00	-11.46	12.46	3	Vertical	249	1.64	30.08	37.96	9.59	35.09
PK	10.47056G	53.35	68.20	-14.85	12.21	3	Vertical	114	2.25	41.14	38.96	8.00	34.75
PK	15.78104G	53.94	74.00	-20.06	12.46	3	Vertical	249	1.64	41.48	37.96	9.59	35.09

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7788G	42.55	54.00	-11.45	12.46	3	Horizontal	23	2.76	30.09	37.96	9.59	35.09
PK	10.48416G	53.28	68.20	-14.92	12.19	3	Horizontal	276	1.11	41.09	38.93	8.00	34.74
PK	15.74568G	54.59	74.00	-19.41	12.40	3	Horizontal	23	2.76	42.19	37.89	9.57	35.06

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.70	54.00	-5.30	3.93	3	Vertical	347	2.59	44.77	32.88	5.62	34.57
AV	5.6G	84.14	Inf	-Inf	4.10	3	Vertical	347	2.59	80.04	32.90	5.75	34.55
PK	5.2916G	56.79	68.20	-11.41	3.98	3	Vertical	347	2.59	52.81	33.02	5.55	34.59
PK	5.4584G	60.03	74.00	-13.97	3.93	3	Vertical	347	2.59	56.10	32.88	5.62	34.57
PK	5.4608G	61.41	68.20	-6.79	3.93	3	Vertical	347	2.59	57.48	32.88	5.62	34.57
PK	5.6G	95.00	Inf	-Inf	4.10	3	Vertical	347	2.59	90.90	32.90	5.75	34.55
PK	5.7368G	60.14	68.20	-8.06	4.86	3	Vertical	347	2.59	55.28	33.62	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.05	54.00	-1.95	3.93	3	Horizontal	357	1.49	48.12	32.88	5.62	34.57
AV	5.5964G	87.41	Inf	-Inf	4.09	3	Horizontal	357	1.49	83.32	32.89	5.75	34.55
PK	5.2784G	57.81	68.20	-10.39	3.99	3	Horizontal	357	1.49	53.82	33.04	5.55	34.60
PK	5.4548G	63.76	74.00	-10.24	3.94	3	Horizontal	357	1.49	59.82	32.89	5.62	34.57
PK	5.4668G	64.19	68.20	-4.01	3.93	3	Horizontal	357	1.49	60.26	32.87	5.63	34.57
PK	5.6072G	98.87	Inf	-Inf	4.11	3	Horizontal	357	1.49	94.76	32.91	5.75	34.55
PK	5.7296G	61.46	68.20	-6.74	4.82	3	Horizontal	357	1.49	56.64	33.58	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14708G	42.11	54.00	-11.89	12.48	3	Vertical	6	2.55	29.63	38.85	8.21	34.58
PK	11.13636G	53.55	74.00	-20.45	12.47	3	Vertical	6	2.55	41.08	38.84	8.21	34.58
PK	16.71512G	55.57	68.20	-12.63	13.44	3	Vertical	84	2.77	42.13	37.98	9.94	34.48

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14536G	41.95	54.00	-12.05	12.48	3	Horizontal	357	2.43	29.47	38.85	8.21	34.58
PK	11.1304G	55.11	74.00	-18.89	12.46	3	Horizontal	357	2.43	42.65	38.83	8.21	34.58
PK	16.70164G	55.68	68.20	-12.52	13.44	3	Horizontal	269	2.97	42.24	38.00	9.94	34.50

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0544G	45.92	54.00	-8.08	4.04	3	Vertical	2	1.24	41.88	33.18	5.49	34.63
AV	5.298G	82.67	Inf	-Inf	3.96	3	Vertical	2	1.24	78.71	33.00	5.55	34.59
AV	5.3928G	46.18	54.00	-7.82	3.98	3	Vertical	2	1.24	42.20	32.99	5.57	34.58
PK	5.0412G	58.14	74.00	-15.86	4.05	3	Vertical	2	1.24	54.09	33.20	5.48	34.63
PK	5.3028G	93.59	Inf	-Inf	3.95	3	Vertical	2	1.24	89.64	32.99	5.55	34.59
PK	5.3916G	58.39	74.00	-15.61	3.97	3	Vertical	2	1.24	54.42	32.98	5.57	34.58
PK	5.5284G	56.82	68.20	-11.38	3.93	3	Vertical	2	1.24	52.89	32.80	5.69	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	47.14	54.00	-6.86	3.89	3	Horizontal	360	1.53	43.25	33.00	5.51	34.62
AV	5.1984G	86.65	Inf	-Inf	4.02	3	Horizontal	360	1.53	82.63	33.10	5.53	34.61
AV	5.3868G	47.24	54.00	-6.76	3.96	3	Horizontal	360	1.53	43.28	32.97	5.57	34.58
PK	5.07G	58.72	74.00	-15.28	3.98	3	Horizontal	360	1.53	54.74	33.12	5.49	34.63
PK	5.1984G	98.24	Inf	-Inf	4.02	3	Horizontal	360	1.53	94.22	33.10	5.53	34.61
PK	5.3988G	59.69	74.00	-14.31	3.99	3	Horizontal	360	1.53	55.70	33.00	5.57	34.58
PK	5.5032G	56.98	68.20	-11.22	3.90	3	Horizontal	360	1.53	53.08	32.80	5.66	34.56

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.778G	42.59	54.00	-11.41	12.46	3	Vertical	50	1.77	30.13	37.96	9.59	35.09
PK	10.52608G	53.65	68.20	-14.55	12.26	3	Vertical	73	1.63	41.39	38.95	8.02	34.71
PK	15.78712G	54.86	74.00	-19.14	12.47	3	Vertical	50	1.77	42.39	37.97	9.59	35.09

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77752G	42.56	54.00	-11.44	12.46	3	Horizontal	312	2.05	30.10	37.96	9.59	35.09
PK	10.52832G	53.43	68.20	-14.77	12.27	3	Horizontal	296	1.29	41.16	38.96	8.02	34.71
PK	15.7692G	54.38	74.00	-19.62	12.44	3	Horizontal	312	2.05	41.94	37.94	9.58	35.08

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3888G	45.49	54.00	-8.51	3.97	3	Vertical	11	1.23	41.52	32.98	5.57	34.58
AV	5.6228G	86.02	Inf	-Inf	4.16	3	Vertical	11	1.23	81.86	32.95	5.76	34.55
PK	5.3144G	56.93	68.20	-11.27	3.93	3	Vertical	11	1.23	53.00	32.97	5.55	34.59
PK	5.372G	58.21	74.00	-15.79	3.92	3	Vertical	11	1.23	54.29	32.94	5.56	34.58
PK	5.4692G	56.98	68.20	-11.22	3.93	3	Vertical	11	1.23	53.05	32.86	5.63	34.56
PK	5.5688G	97.26	Inf	-Inf	4.01	3	Vertical	11	1.23	93.25	32.84	5.72	34.55
PK	5.7392G	64.63	68.20	-3.57	4.88	3	Vertical	11	1.23	59.75	33.64	5.78	34.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3528G	46.43	54.00	-7.57	3.89	3	Horizontal	7	1.50	42.54	32.91	5.56	34.58
AV	5.5988G	87.12	Inf	-Inf	4.10	3	Horizontal	7	1.50	83.02	32.90	5.75	34.55
PK	5.306G	59.47	68.20	-8.73	3.95	3	Horizontal	7	1.50	55.52	32.99	5.55	34.59
PK	5.4476G	60.30	74.00	-13.70	3.94	3	Horizontal	7	1.50	56.36	32.90	5.61	34.57
PK	5.4608G	56.75	68.20	-11.45	3.93	3	Horizontal	7	1.50	52.82	32.88	5.62	34.57
PK	5.5976G	98.80	Inf	-Inf	4.10	3	Horizontal	7	1.50	94.70	32.90	5.75	34.55
PK	5.7296G	64.23	68.20	-3.97	4.82	3	Horizontal	7	1.50	59.41	33.58	5.78	34.54



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14508G	41.95	54.00	-12.05	12.48	3	Vertical	0	2.97	29.47	38.85	8.21	34.58
PK	11.14004G	53.16	74.00	-20.84	12.47	3	Vertical	0	2.97	40.69	38.84	8.21	34.58
PK	16.70732G	56.24	68.20	-11.96	13.44	3	Vertical	171	1.07	42.80	37.99	9.94	34.49

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1432G	41.94	54.00	-12.06	12.47	3	Horizontal	256	1.52	29.47	38.84	8.21	34.58
PK	11.13136G	53.80	74.00	-20.20	12.46	3	Horizontal	256	1.52	41.34	38.83	8.21	34.58
PK	16.70092G	55.63	68.20	-12.57	13.44	3	Horizontal	143	2.31	42.19	38.00	9.94	34.50

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.75	54.00	-10.25	5.81	3	Vertical	5	1.50	37.94	33.10	6.85	34.14
AV	5.2968G	80.91	Inf	-Inf	5.74	3	Vertical	5	1.50	75.17	33.00	6.90	34.16
AV	5.35G	48.96	54.00	-5.04	5.63	3	Vertical	5	1.50	43.33	32.90	6.89	34.16
PK	5.1384G	56.55	74.00	-17.45	5.80	3	Vertical	5	1.50	50.75	33.10	6.84	34.14
PK	5.3028G	93.82	Inf	-Inf	5.73	3	Vertical	5	1.50	88.09	32.99	6.90	34.16
PK	5.3832G	64.28	74.00	-9.72	5.62	3	Vertical	5	1.50	58.66	32.90	6.89	34.17

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.34	54.00	-5.66	5.81	3	Horizontal	9	2.40	42.53	33.10	6.85	34.14
AV	5.2692G	86.35	Inf	-Inf	5.75	3	Horizontal	9	2.40	80.60	33.00	6.90	34.15
AV	5.3508G	51.79	54.00	-2.21	5.63	3	Horizontal	9	2.40	46.16	32.90	6.89	34.16
PK	5.1264G	62.14	74.00	-11.86	5.78	3	Horizontal	9	2.40	56.36	33.10	6.82	34.14
PK	5.238G	99.86	Inf	-Inf	5.78	3	Horizontal	9	2.40	94.08	33.02	6.91	34.15
PK	5.3532G	66.88	74.00	-7.12	5.63	3	Horizontal	9	2.40	61.25	32.90	6.89	34.16

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77992G	42.54	54.00	-11.46	12.46	3	Vertical	232	2.52	30.08	37.96	9.59	35.09
PK	10.53376G	53.15	68.20	-15.05	12.28	3	Vertical	183	1.38	40.87	38.97	8.02	34.71
PK	15.75192G	53.46	74.00	-20.54	12.41	3	Vertical	232	2.52	41.05	37.90	9.58	35.07

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77832G	42.59	54.00	-11.41	12.46	3	Horizontal	241	1.93	30.13	37.96	9.59	35.09
PK	10.4696G	52.83	68.20	-15.37	12.21	3	Horizontal	52	2.46	40.62	38.96	8.00	34.75
PK	15.74744G	54.10	74.00	-19.90	12.41	3	Horizontal	241	1.93	41.69	37.89	9.58	35.06

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.51	54.00	-7.49	5.71	3	Vertical	0	1.48	40.80	32.90	6.99	34.18
AV	5.5604G	81.12	Inf	-Inf	5.89	3	Vertical	0	1.48	75.23	32.92	7.15	34.18
PK	5.4692G	60.70	68.20	-7.50	5.72	3	Vertical	0	1.48	54.98	32.90	7.00	34.18
PK	5.5604G	95.91	Inf	-Inf	5.89	3	Vertical	0	1.48	90.02	32.92	7.15	34.18
PK	5.7596G	59.03	68.20	-9.17	6.94	3	Vertical	0	1.48	52.09	33.86	7.28	34.20

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.10	54.00	-5.90	5.71	3	Horizontal	0	2.97	42.39	32.90	6.99	34.18
AV	5.5892G	83.80	Inf	-Inf	5.98	3	Horizontal	0	2.97	77.82	32.98	7.19	34.19
PK	5.4632G	64.97	68.20	-3.23	5.71	3	Horizontal	0	2.97	59.26	32.90	6.99	34.18
PK	5.522G	97.61	Inf	-Inf	5.81	3	Horizontal	0	2.97	91.80	32.90	7.09	34.18
PK	5.7488G	59.35	68.20	-8.85	6.88	3	Horizontal	0	2.97	52.47	33.80	7.28	34.20

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1388G	41.89	54.00	-12.11	12.61	3	Vertical	197	1.74	29.28	38.84	8.35	34.58
PK	11.14296G	54.09	74.00	-19.91	12.61	3	Vertical	197	1.74	41.48	38.84	8.35	34.58
PK	16.70862G	55.72	68.20	-12.48	13.61	3	Vertical	44	2.81	42.11	37.99	10.11	34.49

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13712G	41.86	54.00	-12.14	12.61	3	Horizontal	170	2.85	29.25	38.84	8.35	34.58
PK	11.14224G	55.03	74.00	-18.97	12.61	3	Horizontal	170	2.85	42.42	38.84	8.35	34.58
PK	16.70818G	56.08	68.20	-12.12	13.61	3	Horizontal	288	2.01	42.47	37.99	10.11	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.6378G	57.63	68.20	-10.57	3	Horizontal	352	1.36
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.6062G	57.57	68.20	-10.63	3	Vertical	9	2.09
802.11n HT20_Nss1,(MCS0)_1TX	Pass	PK	5.6322G	58.79	68.20	-9.41	3	Horizontal	7	2.86
802.11n HT20_Nss1,(MCS0)_1TX	Pass	PK	5.6494G	58.09	68.20	-10.11	3	Horizontal	350	2.93
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	5.8958G	83.57	89.61	-6.04	3	Vertical	6	1.84
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.8958G	81.07	89.61	-8.54	3	Horizontal	353	1.50
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6382G	57.97	68.20	-10.23	3	Horizontal	347	2.92
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.8958G	83.93	89.61	-5.68	3	Horizontal	0	2.94
802.11n HT40_Nss1,(MCS0)_1TX	Pass	PK	5.6286G	57.96	68.20	-10.24	3	Horizontal	354	1.52
802.11n HT40_Nss1,(MCS0)_1TX	Pass	PK	5.6202G	57.93	68.20	-10.27	3	Vertical	8	1.89
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	5.649G	59.44	68.20	-8.76	3	Vertical	7	1.88
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.607G	57.70	68.20	-10.50	3	Vertical	343	2.03
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6466G	57.92	68.20	-10.28	3	Horizontal	347	2.94
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6358G	58.07	68.20	-10.13	3	Horizontal	0	2.98
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6258G	58.09	68.20	-10.11	3	Horizontal	353	1.37
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6354G	59.21	68.20	-8.99	3	Horizontal	350	2.94
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.927G	60.22	68.20	-7.98	3	Vertical	353	1.09
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.639G	57.81	68.20	-10.39	3	Vertical	350	1.98
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6234G	58.11	68.20	-10.09	3	Vertical	4	1.96
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6378G	58.16	68.20	-10.04	3	Horizontal	359	2.95
802.11ac VHT160_Nss1,(MCS0)_1TX	Pass	PK	5.647G	64.32	68.20	-3.88	3	Horizontal	355	3.00
802.11ac VHT160_Nss1,(MCS0)_1TX	Pass	PK	5.635G	66.19	68.20	-2.01	3	Horizontal	348	3.00
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	PK	5.641G	64.99	68.20	-3.21	3	Horizontal	352	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.6434G	59.21	68.20	-8.99	3	Horizontal	350	2.87
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6506G	62.80	68.64	-5.84	3	Horizontal	346	2.93
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.6494G	66.42	68.20	-1.78	3	Horizontal	0	2.91



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8402G	102.62	Inf	-Inf	3	Vertical	349	1.97
5845MHz	Pass	AV	5.941G	48.08	68.20	-20.12	3	Vertical	349	1.97
5845MHz	Pass	PK	5.6266G	57.27	68.20	-10.93	3	Vertical	349	1.97
5845MHz	Pass	PK	5.8426G	110.12	Inf	-Inf	3	Vertical	349	1.97
5845MHz	Pass	PK	5.9266G	59.55	88.20	-28.65	3	Vertical	349	1.97
5845MHz	Pass	AV	5.8438G	102.64	Inf	-Inf	3	Horizontal	353	1.43
5845MHz	Pass	AV	5.9434G	47.93	68.20	-20.27	3	Horizontal	353	1.43
5845MHz	Pass	PK	5.6398G	57.55	68.20	-10.65	3	Horizontal	353	1.43
5845MHz	Pass	PK	5.8414G	110.52	Inf	-Inf	3	Horizontal	353	1.43
5845MHz	Pass	PK	5.995G	58.87	88.20	-29.33	3	Horizontal	353	1.43
5845MHz	Pass	AV	11.685G	42.89	54.00	-11.11	3	Vertical	258	2.89
5845MHz	Pass	AV	17.53414G	45.93	68.20	-22.27	3	Vertical	105	1.19
5845MHz	Pass	PK	11.68674G	53.27	74.00	-20.73	3	Vertical	258	2.89
5845MHz	Pass	PK	17.53656G	53.85	88.20	-34.35	3	Vertical	105	1.19
5845MHz	Pass	AV	11.69454G	42.88	54.00	-11.12	3	Horizontal	51	2.26
5845MHz	Pass	AV	17.53962G	45.92	68.20	-22.28	3	Horizontal	84	2.82
5845MHz	Pass	PK	11.68918G	52.78	74.00	-21.22	3	Horizontal	51	2.26
5845MHz	Pass	PK	17.53218G	55.93	88.20	-32.27	3	Horizontal	84	2.82
5865MHz	Pass	AV	5.8626G	102.40	Inf	-Inf	3	Vertical	348	1.14
5865MHz	Pass	AV	6.0642G	48.19	68.20	-20.01	3	Vertical	348	1.14
5865MHz	Pass	PK	5.5866G	57.38	68.20	-10.82	3	Vertical	348	1.14
5865MHz	Pass	PK	5.8662G	110.54	Inf	-Inf	3	Vertical	348	1.14
5865MHz	Pass	PK	6.0498G	60.12	88.20	-28.08	3	Vertical	348	1.14
5865MHz	Pass	AV	5.8614G	102.82	Inf	-Inf	3	Horizontal	351	2.85
5865MHz	Pass	AV	6.0066G	48.03	68.20	-20.17	3	Horizontal	351	2.85
5865MHz	Pass	PK	5.6394G	57.41	68.20	-10.79	3	Horizontal	351	2.85
5865MHz	Pass	PK	5.8662G	110.59	Inf	-Inf	3	Horizontal	351	2.85
5865MHz	Pass	PK	6.069G	60.32	88.20	-27.88	3	Horizontal	351	2.85
5865MHz	Pass	AV	11.73056G	42.89	54.00	-11.11	3	Vertical	140	2.51
5865MHz	Pass	AV	17.59424G	45.99	68.20	-22.21	3	Vertical	106	2.95
5865MHz	Pass	PK	11.7256G	53.07	74.00	-20.93	3	Vertical	140	2.51
5865MHz	Pass	PK	17.59484G	54.30	88.20	-33.90	3	Vertical	106	2.95
5865MHz	Pass	AV	11.72514G	42.88	54.00	-11.12	3	Horizontal	9	1.10
5865MHz	Pass	AV	17.59154G	46.16	68.20	-22.04	3	Horizontal	107	2.24
5865MHz	Pass	PK	11.73166G	52.46	74.00	-21.54	3	Horizontal	9	1.10
5865MHz	Pass	PK	17.59852G	55.62	88.20	-32.58	3	Horizontal	107	2.24
5885MHz	Pass	AV	5.8814G	102.29	Inf	-Inf	3	Vertical	349	2.02
5885MHz	Pass	AV	5.8958G	78.80	89.61	-10.81	3	Vertical	349	2.02
5885MHz	Pass	PK	5.6318G	56.90	68.20	-11.30	3	Vertical	349	2.02
5885MHz	Pass	PK	5.8826G	110.26	Inf	-Inf	3	Vertical	349	2.02
5885MHz	Pass	PK	5.8958G	91.63	109.61	-17.98	3	Vertical	349	2.02
5885MHz	Pass	AV	5.8814G	102.03	Inf	-Inf	3	Horizontal	352	1.36
5885MHz	Pass	AV	5.8958G	77.77	89.61	-11.84	3	Horizontal	352	1.36
5885MHz	Pass	PK	5.6378G	57.63	68.20	-10.57	3	Horizontal	352	1.36
5885MHz	Pass	PK	5.8814G	110.21	Inf	-Inf	3	Horizontal	352	1.36
5885MHz	Pass	PK	5.8958G	89.59	109.61	-20.02	3	Horizontal	352	1.36
5885MHz	Pass	AV	11.76784G	42.93	54.00	-11.07	3	Vertical	128	1.74
5885MHz	Pass	AV	17.659G	46.27	68.20	-21.93	3	Vertical	273	2.59
5885MHz	Pass	PK	11.77394G	54.90	74.00	-19.10	3	Vertical	128	1.74
5885MHz	Pass	PK	17.65082G	56.05	88.20	-32.15	3	Vertical	273	2.59
5885MHz	Pass	AV	11.76876G	42.93	54.00	-11.07	3	Horizontal	97	1.01
5885MHz	Pass	AV	17.6537G	46.29	68.20	-21.91	3	Horizontal	342	2.67
5885MHz	Pass	PK	11.76744G	52.68	74.00	-21.32	3	Horizontal	97	1.01
5885MHz	Pass	PK	17.65026G	55.04	88.20	-33.16	3	Horizontal	342	2.67
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8426G	101.12	Inf	-Inf	3	Vertical	9	2.09
5845MHz	Pass	AV	5.9314G	47.89	68.20	-20.31	3	Vertical	9	2.09
5845MHz	Pass	PK	5.6062G	57.57	68.20	-10.63	3	Vertical	9	2.09
5845MHz	Pass	PK	5.8402G	108.91	Inf	-Inf	3	Vertical	9	2.09
5845MHz	Pass	PK	5.9458G	58.46	88.20	-29.74	3	Vertical	9	2.09



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	AV	5.8414G	102.03	Inf	-Inf	3	Horizontal	281	1.50
5845MHz	Pass	AV	5.9278G	47.99	68.20	-20.21	3	Horizontal	281	1.50
5845MHz	Pass	PK	5.6086G	57.39	68.20	-10.81	3	Horizontal	281	1.50
5845MHz	Pass	PK	5.8414G	109.41	Inf	-Inf	3	Horizontal	281	1.50
5845MHz	Pass	PK	6.0298G	58.81	88.20	-29.39	3	Horizontal	281	1.50
5845MHz	Pass	AV	11.69014G	42.78	54.00	-11.22	3	Vertical	78	2.09
5845MHz	Pass	AV	17.53108G	46.31	68.20	-21.89	3	Vertical	219	1.88
5845MHz	Pass	PK	11.6913G	52.59	74.00	-21.41	3	Vertical	78	2.09
5845MHz	Pass	PK	17.53208G	54.81	88.20	-33.39	3	Vertical	219	1.88
5845MHz	Pass	AV	11.6881G	42.74	54.00	-11.26	3	Horizontal	227	2.17
5845MHz	Pass	AV	17.53086G	45.89	68.20	-22.31	3	Horizontal	226	2.00
5845MHz	Pass	PK	11.69016G	52.86	74.00	-21.14	3	Horizontal	227	2.17
5845MHz	Pass	PK	17.53662G	55.37	88.20	-32.83	3	Horizontal	226	2.00
5865MHz	Pass	AV	5.8674G	101.99	Inf	-Inf	3	Vertical	4	1.24
5865MHz	Pass	AV	5.9778G	47.94	68.20	-20.26	3	Vertical	4	1.24
5865MHz	Pass	PK	5.6322G	57.20	68.20	-11.00	3	Vertical	4	1.24
5865MHz	Pass	PK	5.8686G	109.98	Inf	-Inf	3	Vertical	4	1.24
5865MHz	Pass	PK	5.9286G	59.49	88.20	-28.71	3	Vertical	4	1.24
5865MHz	Pass	AV	5.8626G	102.10	Inf	-Inf	3	Horizontal	284	1.48
5865MHz	Pass	AV	5.9874G	47.94	68.20	-20.26	3	Horizontal	284	1.48
5865MHz	Pass	PK	5.625G	56.89	68.20	-11.31	3	Horizontal	284	1.48
5865MHz	Pass	PK	5.8602G	109.50	Inf	-Inf	3	Horizontal	284	1.48
5865MHz	Pass	PK	5.955G	59.40	88.20	-28.80	3	Horizontal	284	1.48
5865MHz	Pass	AV	11.73182G	42.92	54.00	-11.08	3	Vertical	72	2.60
5865MHz	Pass	AV	17.59634G	46.24	68.20	-21.96	3	Vertical	43	1.90
5865MHz	Pass	PK	11.72896G	53.45	74.00	-20.55	3	Vertical	72	2.60
5865MHz	Pass	PK	17.599G	54.86	88.20	-33.34	3	Vertical	43	1.90
5865MHz	Pass	AV	11.72958G	42.82	54.00	-11.18	3	Horizontal	32	1.86
5865MHz	Pass	AV	17.59998G	46.23	68.20	-21.97	3	Horizontal	223	1.65
5865MHz	Pass	PK	11.73104G	52.95	74.00	-21.05	3	Horizontal	32	1.86
5865MHz	Pass	PK	17.59142G	55.18	88.20	-33.02	3	Horizontal	223	1.65
5885MHz	Pass	AV	5.8814G	100.65	Inf	-Inf	3	Vertical	3	1.13
5885MHz	Pass	AV	5.8958G	77.49	89.61	-12.12	3	Vertical	3	1.13
5885MHz	Pass	PK	5.6078G	56.77	68.20	-11.43	3	Vertical	3	1.13
5885MHz	Pass	PK	5.8838G	109.05	Inf	-Inf	3	Vertical	3	1.13
5885MHz	Pass	PK	5.8958G	89.29	109.61	-20.32	3	Vertical	3	1.13
5885MHz	Pass	AV	5.8826G	102.10	Inf	-Inf	3	Horizontal	360	2.94
5885MHz	Pass	AV	5.8958G	78.54	89.61	-11.07	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.6174G	57.14	68.20	-11.06	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.8814G	110.74	Inf	-Inf	3	Horizontal	360	2.94
5885MHz	Pass	PK	5.8958G	90.48	109.61	-19.13	3	Horizontal	360	2.94
5885MHz	Pass	AV	11.76828G	42.94	54.00	-11.06	3	Vertical	303	2.67
5885MHz	Pass	AV	17.65452G	45.99	68.20	-22.21	3	Vertical	113	2.01
5885MHz	Pass	PK	11.77162G	52.84	74.00	-21.16	3	Vertical	303	2.67
5885MHz	Pass	PK	17.65898G	55.58	88.20	-32.62	3	Vertical	113	2.01
5885MHz	Pass	AV	11.77204G	42.82	54.00	-11.18	3	Horizontal	310	1.06
5885MHz	Pass	AV	17.6525G	46.24	68.20	-21.96	3	Horizontal	17	1.41
5885MHz	Pass	PK	11.76576G	53.84	74.00	-20.16	3	Horizontal	310	1.06
5885MHz	Pass	PK	17.65564G	55.36	88.20	-32.84	3	Horizontal	17	1.41
802.11n HT20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8426G	99.91	Inf	-Inf	3	Vertical	351	2.70
5845MHz	Pass	AV	5.9266G	47.14	68.20	-21.06	3	Vertical	351	2.70
5845MHz	Pass	PK	5.6302G	57.43	68.20	-10.77	3	Vertical	351	2.70
5845MHz	Pass	PK	5.8414G	108.17	Inf	-Inf	3	Vertical	351	2.70
5845MHz	Pass	PK	6.0778G	58.62	88.20	-29.58	3	Vertical	351	2.70
5845MHz	Pass	AV	5.8414G	98.33	Inf	-Inf	3	Horizontal	357	1.46
5845MHz	Pass	AV	5.9314G	47.06	68.20	-21.14	3	Horizontal	357	1.46
5845MHz	Pass	PK	5.5894G	57.25	68.20	-10.95	3	Horizontal	357	1.46
5845MHz	Pass	PK	5.8426G	106.89	Inf	-Inf	3	Horizontal	357	1.46
5845MHz	Pass	PK	6.031G	58.83	88.20	-29.37	3	Horizontal	357	1.46
5845MHz	Pass	AV	11.71052G	41.92	54.00	-12.08	3	Vertical	284	3.00
5845MHz	Pass	AV	17.54492G	45.13	68.20	-23.07	3	Vertical	110	2.77





RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	PK	11.71096G	53.11	74.00	-20.89	3	Vertical	284	3.00
5845MHz	Pass	PK	17.53996G	56.54	88.20	-31.66	3	Vertical	110	2.77
5845MHz	Pass	AV	11.69092G	41.93	54.00	-12.07	3	Horizontal	175	2.10
5845MHz	Pass	AV	17.55228G	45.08	68.20	-23.12	3	Horizontal	267	1.03
5845MHz	Pass	PK	11.69016G	53.86	74.00	-20.14	3	Horizontal	175	2.10
5845MHz	Pass	PK	17.56332G	56.16	88.20	-32.04	3	Horizontal	267	1.03
5865MHz	Pass	AV	5.8614G	98.63	Inf	-Inf	3	Vertical	343	1.35
5865MHz	Pass	AV	5.925G	47.08	68.20	-21.12	3	Vertical	343	1.35
5865MHz	Pass	PK	5.6286G	58.27	68.20	-9.93	3	Vertical	343	1.35
5865MHz	Pass	PK	5.8602G	107.08	Inf	-Inf	3	Vertical	343	1.35
5865MHz	Pass	PK	6.0258G	58.52	88.20	-29.68	3	Vertical	343	1.35
5865MHz	Pass	AV	5.8614G	99.28	Inf	-Inf	3	Horizontal	7	2.86
5865MHz	Pass	AV	5.931G	47.13	68.20	-21.07	3	Horizontal	7	2.86
5865MHz	Pass	PK	5.6322G	58.79	68.20	-9.41	3	Horizontal	7	2.86
5865MHz	Pass	PK	5.8614G	107.37	Inf	-Inf	3	Horizontal	7	2.86
5865MHz	Pass	PK	5.9514G	58.60	88.20	-29.60	3	Horizontal	7	2.86
5865MHz	Pass	AV	11.76632G	42.06	54.00	-11.94	3	Vertical	360	2.81
5865MHz	Pass	AV	17.6278G	45.46	68.20	-22.74	3	Vertical	286	1.89
5865MHz	Pass	PK	11.72856G	54.01	74.00	-19.99	3	Vertical	360	2.81
5865MHz	Pass	PK	17.615G	56.86	88.20	-31.34	3	Vertical	286	1.89
5865MHz	Pass	AV	11.76888G	42.08	54.00	-11.92	3	Horizontal	149	2.73
5865MHz	Pass	AV	17.63132G	45.47	68.20	-22.73	3	Horizontal	313	1.46
5865MHz	Pass	PK	11.77G	53.46	74.00	-20.54	3	Horizontal	149	2.73
5865MHz	Pass	PK	17.603G	57.17	88.20	-31.03	3	Horizontal	313	1.46
5885MHz	Pass	AV	5.8826G	98.92	Inf	-Inf	3	Vertical	342	2.04
5885MHz	Pass	AV	5.8958G	75.69	89.61	-13.92	3	Vertical	342	2.04
5885MHz	Pass	PK	5.6282G	57.72	68.20	-10.48	3	Vertical	342	2.04
5885MHz	Pass	PK	5.8826G	106.93	Inf	-Inf	3	Vertical	342	2.04
5885MHz	Pass	PK	5.8958G	86.48	109.61	-23.13	3	Vertical	342	2.04
5885MHz	Pass	AV	5.8826G	98.55	Inf	-Inf	3	Horizontal	353	2.85
5885MHz	Pass	AV	5.8958G	75.30	89.61	-14.31	3	Horizontal	353	2.85
5885MHz	Pass	PK	5.639G	56.94	68.20	-11.26	3	Horizontal	353	2.85
5885MHz	Pass	PK	5.8814G	106.55	Inf	-Inf	3	Horizontal	353	2.85
5885MHz	Pass	PK	5.8958G	87.06	109.61	-22.55	3	Horizontal	353	2.85
5885MHz	Pass	AV	11.7676G	42.07	54.00	-11.93	3	Vertical	8	2.75
5885MHz	Pass	AV	17.695G	45.49	68.20	-22.71	3	Vertical	256	2.80
5885MHz	Pass	PK	11.76112G	53.22	74.00	-20.78	3	Vertical	8	2.75
5885MHz	Pass	PK	17.66812G	56.81	88.20	-31.39	3	Vertical	256	2.80
5885MHz	Pass	AV	11.80808G	42.07	54.00	-11.93	3	Horizontal	327	2.93
5885MHz	Pass	AV	17.6942G	45.48	68.20	-22.72	3	Horizontal	334	1.27
5885MHz	Pass	PK	11.80968G	53.74	74.00	-20.26	3	Horizontal	327	2.93
5885MHz	Pass	PK	17.68188G	56.90	88.20	-31.30	3	Horizontal	334	1.27
802.11n HT20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8474G	99.34	Inf	-Inf	3	Vertical	6	1.25
5845MHz	Pass	AV	5.9254G	47.07	68.20	-21.13	3	Vertical	6	1.25
5845MHz	Pass	PK	5.5594G	57.47	68.20	-10.73	3	Vertical	6	1.25
5845MHz	Pass	PK	5.8498G	107.94	Inf	-Inf	3	Vertical	6	1.25
5845MHz	Pass	PK	6.037G	58.17	88.20	-30.03	3	Vertical	6	1.25
5845MHz	Pass	AV	5.8414G	99.83	Inf	-Inf	3	Horizontal	350	2.93
5845MHz	Pass	AV	5.9278G	47.23	68.20	-20.97	3	Horizontal	350	2.93
5845MHz	Pass	PK	5.6494G	58.09	68.20	-10.11	3	Horizontal	350	2.93
5845MHz	Pass	PK	5.8414G	108.11	Inf	-Inf	3	Horizontal	350	2.93
5845MHz	Pass	PK	5.9278G	59.07	88.20	-29.13	3	Horizontal	350	2.93
5845MHz	Pass	AV	11.6892G	41.91	54.00	-12.09	3	Vertical	166	1.25
5845MHz	Pass	AV	17.52516G	45.10	68.20	-23.10	3	Vertical	50	1.04
5845MHz	Pass	PK	11.68664G	54.54	74.00	-19.46	3	Vertical	166	1.25
5845MHz	Pass	PK	17.52508G	56.88	88.20	-31.32	3	Vertical	50	1.04
5845MHz	Pass	AV	11.72984G	41.94	54.00	-12.06	3	Horizontal	143	2.60
5845MHz	Pass	AV	17.54908G	45.12	68.20	-23.08	3	Horizontal	151	1.91
5845MHz	Pass	PK	11.72248G	53.38	74.00	-20.62	3	Horizontal	143	2.60
5845MHz	Pass	PK	17.5502G	56.82	88.20	-31.38	3	Horizontal	151	1.91
5865MHz	Pass	AV	5.8614G	100.59	Inf	-Inf	3	Vertical	9	1.93



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	AV	5.9274G	47.09	68.20	-21.11	3	Vertical	9	1.93
5865MHz	Pass	PK	5.6094G	57.99	68.20	-10.21	3	Vertical	9	1.93
5865MHz	Pass	PK	5.8686G	108.71	Inf	-Inf	3	Vertical	9	1.93
5865MHz	Pass	PK	5.9622G	58.80	88.20	-29.40	3	Vertical	9	1.93
5865MHz	Pass	AV	5.8638G	99.80	Inf	-Inf	3	Horizontal	352	2.95
5865MHz	Pass	AV	5.925G	47.19	68.20	-21.01	3	Horizontal	352	2.95
5865MHz	Pass	PK	5.6502G	57.13	68.35	-11.22	3	Horizontal	352	2.95
5865MHz	Pass	PK	5.8614G	107.87	Inf	-Inf	3	Horizontal	352	2.95
5865MHz	Pass	PK	6.015G	58.84	88.20	-29.36	3	Horizontal	352	2.95
5865MHz	Pass	AV	11.76984G	42.07	54.00	-11.93	3	Vertical	226	1.30
5865MHz	Pass	AV	17.63404G	45.47	68.20	-22.73	3	Vertical	96	1.42
5865MHz	Pass	PK	11.76688G	53.54	74.00	-20.46	3	Vertical	226	1.30
5865MHz	Pass	PK	17.62812G	57.01	88.20	-31.19	3	Vertical	96	1.42
5865MHz	Pass	AV	11.7684G	42.11	54.00	-11.89	3	Horizontal	173	2.81
5865MHz	Pass	AV	17.62412G	45.47	68.20	-22.73	3	Horizontal	53	2.54
5865MHz	Pass	PK	11.76136G	53.38	74.00	-20.62	3	Horizontal	173	2.81
5865MHz	Pass	PK	17.60172G	56.74	88.20	-31.46	3	Horizontal	53	2.54
5885MHz	Pass	AV	5.8826G	100.19	Inf	-Inf	3	Vertical	7	1.89
5885MHz	Pass	AV	5.8958G	76.90	89.61	-12.71	3	Vertical	7	1.89
5885MHz	Pass	PK	5.6318G	56.55	68.20	-11.65	3	Vertical	7	1.89
5885MHz	Pass	PK	5.8826G	108.59	Inf	-Inf	3	Vertical	7	1.89
5885MHz	Pass	PK	5.8958G	89.66	109.61	-19.95	3	Vertical	7	1.89
5885MHz	Pass	AV	5.8826G	100.16	Inf	-Inf	3	Horizontal	350	2.92
5885MHz	Pass	AV	5.8958G	77.02	89.61	-12.59	3	Horizontal	350	2.92
5885MHz	Pass	PK	5.5982G	57.82	68.20	-10.38	3	Horizontal	350	2.92
5885MHz	Pass	PK	5.8826G	108.35	Inf	-Inf	3	Horizontal	350	2.92
5885MHz	Pass	PK	5.8958G	88.56	109.61	-21.05	3	Horizontal	350	2.92
5885MHz	Pass	AV	11.80872G	42.07	54.00	-11.93	3	Vertical	194	1.36
5885MHz	Pass	AV	17.6942G	45.50	68.20	-22.70	3	Vertical	183	1.34
5885MHz	Pass	PK	11.80616G	53.91	74.00	-20.09	3	Vertical	194	1.36
5885MHz	Pass	PK	17.655G	57.13	88.20	-31.07	3	Vertical	183	1.34
5885MHz	Pass	AV	11.76904G	42.08	54.00	-11.92	3	Horizontal	90	2.81
5885MHz	Pass	AV	17.695G	45.53	68.20	-22.67	3	Horizontal	194	1.81
5885MHz	Pass	PK	11.76632G	54.06	74.00	-19.94	3	Horizontal	90	2.81
5885MHz	Pass	PK	17.67676G	56.90	88.20	-31.30	3	Horizontal	194	1.81
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8414G	105.38	Inf	-Inf	3	Vertical	353	1.00
5845MHz	Pass	AV	6.0154G	49.32	68.20	-18.88	3	Vertical	353	1.00
5845MHz	Pass	PK	5.6314G	58.27	68.20	-9.93	3	Vertical	353	1.00
5845MHz	Pass	PK	5.8414G	113.50	Inf	-Inf	3	Vertical	353	1.00
5845MHz	Pass	PK	5.977G	61.19	88.20	-27.01	3	Vertical	353	1.00
5845MHz	Pass	AV	5.8426G	105.48	Inf	-Inf	3	Horizontal	352	2.25
5845MHz	Pass	AV	5.9314G	48.84	68.20	-19.36	3	Horizontal	352	2.25
5845MHz	Pass	PK	5.6362G	57.42	68.20	-10.78	3	Horizontal	352	2.25
5845MHz	Pass	PK	5.8438G	114.42	Inf	-Inf	3	Horizontal	352	2.25
5845MHz	Pass	PK	5.9866G	59.82	88.20	-28.38	3	Horizontal	352	2.25
5845MHz	Pass	AV	11.72984G	41.93	54.00	-12.07	3	Vertical	142	2.35
5845MHz	Pass	AV	17.5478G	45.12	68.20	-23.08	3	Vertical	118	2.76
5845MHz	Pass	PK	11.72544G	53.99	74.00	-20.01	3	Vertical	142	2.35
5845MHz	Pass	PK	17.5278G	57.30	88.20	-30.90	3	Vertical	118	2.76
5845MHz	Pass	AV	11.65968G	41.93	54.00	-12.07	3	Horizontal	316	2.08
5845MHz	Pass	AV	17.55516G	45.10	68.20	-23.10	3	Horizontal	62	1.49
5845MHz	Pass	PK	11.65828G	53.45	74.00	-20.55	3	Horizontal	316	2.08
5845MHz	Pass	PK	17.56284G	56.98	88.20	-31.22	3	Horizontal	62	1.49
5865MHz	Pass	AV	5.8626G	105.83	Inf	-Inf	3	Vertical	350	1.08
5865MHz	Pass	AV	5.9778G	49.42	68.20	-18.78	3	Vertical	350	1.08
5865MHz	Pass	PK	5.6046G	57.52	68.20	-10.68	3	Vertical	350	1.08
5865MHz	Pass	PK	5.8626G	114.01	Inf	-Inf	3	Vertical	350	1.08
5865MHz	Pass	PK	5.9742G	61.40	88.20	-26.80	3	Vertical	350	1.08
5865MHz	Pass	AV	5.8674G	105.56	Inf	-Inf	3	Horizontal	352	2.92
5865MHz	Pass	AV	6.0234G	49.21	68.20	-18.99	3	Horizontal	352	2.92
5865MHz	Pass	PK	5.6454G	58.16	68.20	-10.04	3	Horizontal	352	2.92



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	PK	5.8686G	113.93	Inf	-Inf	3	Horizontal	352	2.92
5865MHz	Pass	PK	6.0558G	60.87	88.20	-27.33	3	Horizontal	352	2.92
5865MHz	Pass	AV	11.77G	42.10	54.00	-11.90	3	Vertical	274	2.75
5865MHz	Pass	AV	17.6326G	45.45	68.20	-22.75	3	Vertical	300	1.79
5865MHz	Pass	PK	11.7292G	54.23	74.00	-19.77	3	Vertical	274	2.75
5865MHz	Pass	PK	17.59116G	56.63	88.20	-31.57	3	Vertical	300	1.79
5865MHz	Pass	AV	11.76872G	42.07	54.00	-11.93	3	Horizontal	307	2.29
5865MHz	Pass	AV	17.63004G	45.46	68.20	-22.74	3	Horizontal	227	1.05
5865MHz	Pass	PK	11.76408G	53.15	74.00	-20.85	3	Horizontal	307	2.29
5865MHz	Pass	PK	17.61964G	56.35	88.20	-31.85	3	Horizontal	227	1.05
5885MHz	Pass	AV	5.8826G	106.65	Inf	-Inf	3	Vertical	6	1.84
5885MHz	Pass	AV	5.8958G	83.57	89.61	-6.04	3	Vertical	6	1.84
5885MHz	Pass	PK	5.5958G	57.40	68.20	-10.80	3	Vertical	6	1.84
5885MHz	Pass	PK	5.8814G	114.36	Inf	-Inf	3	Vertical	6	1.84
5885MHz	Pass	PK	5.8958G	94.32	109.61	-15.29	3	Vertical	6	1.84
5885MHz	Pass	AV	5.8814G	103.87	Inf	-Inf	3	Horizontal	354	1.50
5885MHz	Pass	AV	5.8958G	79.74	89.61	-9.87	3	Horizontal	354	1.50
5885MHz	Pass	PK	5.6222G	57.60	68.20	-10.60	3	Horizontal	354	1.50
5885MHz	Pass	PK	5.8814G	111.66	Inf	-Inf	3	Horizontal	354	1.50
5885MHz	Pass	PK	5.8958G	90.90	109.61	-18.71	3	Horizontal	354	1.50
5885MHz	Pass	AV	11.77032G	42.08	54.00	-11.92	3	Vertical	153	2.37
5885MHz	Pass	AV	17.62188G	45.54	68.20	-22.66	3	Vertical	125	1.02
5885MHz	Pass	PK	11.73048G	53.74	74.00	-20.26	3	Vertical	153	2.37
5885MHz	Pass	PK	17.62636G	57.66	88.20	-30.54	3	Vertical	125	1.02
5885MHz	Pass	AV	11.77256G	42.09	54.00	-11.91	3	Horizontal	21	1.19
5885MHz	Pass	AV	17.695G	45.53	68.20	-22.67	3	Horizontal	104	1.34
5885MHz	Pass	PK	11.77144G	53.43	74.00	-20.57	3	Horizontal	21	1.19
5885MHz	Pass	PK	17.68492G	56.69	88.20	-31.51	3	Horizontal	104	1.34
802.11n HT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8374G	98.82	Inf	-Inf	3	Vertical	352	1.89
5835MHz	Pass	AV	5.925G	48.14	68.20	-20.06	3	Vertical	352	1.89
5835MHz	Pass	PK	5.6502G	57.73	68.35	-10.62	3	Vertical	352	1.89
5835MHz	Pass	PK	5.8326G	107.69	Inf	-Inf	3	Vertical	352	1.89
5835MHz	Pass	PK	5.925G	59.29	88.20	-28.91	3	Vertical	352	1.89
5835MHz	Pass	AV	5.8242G	97.85	Inf	-Inf	3	Horizontal	354	1.52
5835MHz	Pass	AV	5.925G	47.66	68.20	-20.54	3	Horizontal	354	1.52
5835MHz	Pass	PK	5.6286G	57.96	68.20	-10.24	3	Horizontal	354	1.52
5835MHz	Pass	PK	5.8242G	106.96	Inf	-Inf	3	Horizontal	354	1.52
5835MHz	Pass	PK	5.9358G	59.45	88.20	-28.75	3	Horizontal	354	1.52
5835MHz	Pass	AV	11.69816G	41.85	54.00	-12.15	3	Vertical	59	1.45
5835MHz	Pass	AV	17.47308G	45.11	68.20	-23.09	3	Vertical	85	2.54
5835MHz	Pass	PK	11.70552G	53.51	74.00	-20.49	3	Vertical	59	1.45
5835MHz	Pass	PK	17.47396G	56.42	88.20	-31.78	3	Vertical	85	2.54
5835MHz	Pass	AV	11.70008G	41.84	54.00	-12.16	3	Horizontal	228	1.92
5835MHz	Pass	AV	17.5218G	45.09	68.20	-23.11	3	Horizontal	284	2.11
5835MHz	Pass	PK	11.6948G	53.14	74.00	-20.86	3	Horizontal	228	1.92
5835MHz	Pass	PK	17.5434G	56.86	88.20	-31.34	3	Horizontal	284	2.11
5875MHz	Pass	AV	5.8642G	98.17	Inf	-Inf	3	Vertical	356	2.04
5875MHz	Pass	AV	5.8954G	75.06	89.91	-14.85	3	Vertical	356	2.04
5875MHz	Pass	PK	5.599G	56.96	68.20	-11.24	3	Vertical	356	2.04
5875MHz	Pass	PK	5.8666G	107.31	Inf	-Inf	3	Vertical	356	2.04
5875MHz	Pass	PK	5.8954G	86.71	109.91	-23.20	3	Vertical	356	2.04
5875MHz	Pass	AV	5.8642G	97.69	Inf	-Inf	3	Horizontal	356	1.46
5875MHz	Pass	AV	5.8954G	74.48	89.91	-15.43	3	Horizontal	356	1.46
5875MHz	Pass	PK	5.6266G	57.93	68.20	-10.27	3	Horizontal	356	1.46
5875MHz	Pass	PK	5.8642G	105.97	Inf	-Inf	3	Horizontal	356	1.46
5875MHz	Pass	PK	5.8954G	85.31	109.91	-24.60	3	Horizontal	356	1.46
5875MHz	Pass	AV	11.77128G	42.08	54.00	-11.92	3	Vertical	194	1.01
5875MHz	Pass	AV	17.657G	45.49	68.20	-22.71	3	Vertical	19	2.32
5875MHz	Pass	PK	11.75432G	53.47	74.00	-20.53	3	Vertical	194	1.01
5875MHz	Pass	PK	17.65956G	57.37	88.20	-30.83	3	Vertical	19	2.32
5875MHz	Pass	AV	11.76792G	42.11	54.00	-11.89	3	Horizontal	223	2.70



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	AV	17.66452G	45.47	68.20	-22.73	3	Horizontal	337	2.30
5875MHz	Pass	PK	11.72984G	53.14	74.00	-20.86	3	Horizontal	223	2.70
5875MHz	Pass	PK	17.65188G	57.62	88.20	-30.58	3	Horizontal	337	2.30
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8338G	98.83	Inf	-Inf	3	Vertical	8	1.89
5835MHz	Pass	AV	5.925G	48.91	68.20	-19.29	3	Vertical	8	1.89
5835MHz	Pass	PK	5.6202G	57.93	68.20	-10.27	3	Vertical	8	1.89
5835MHz	Pass	PK	5.8302G	108.21	Inf	-Inf	3	Vertical	8	1.89
5835MHz	Pass	PK	5.9286G	60.01	88.20	-28.19	3	Vertical	8	1.89
5835MHz	Pass	AV	5.8374G	99.35	Inf	-Inf	3	Horizontal	349	2.94
5835MHz	Pass	AV	5.925G	48.49	68.20	-19.71	3	Horizontal	349	2.94
5835MHz	Pass	PK	5.6298G	57.53	68.20	-10.67	3	Horizontal	349	2.94
5835MHz	Pass	PK	5.8386G	108.23	Inf	-Inf	3	Horizontal	349	2.94
5835MHz	Pass	PK	5.9358G	59.71	88.20	-28.49	3	Horizontal	349	2.94
5835MHz	Pass	AV	11.63328G	41.86	54.00	-12.14	3	Vertical	9	1.20
5835MHz	Pass	AV	17.51652G	45.08	68.20	-23.12	3	Vertical	293	2.59
5835MHz	Pass	PK	11.63576G	53.50	74.00	-20.50	3	Vertical	9	1.20
5835MHz	Pass	PK	17.52244G	57.52	88.20	-30.68	3	Vertical	293	2.59
5835MHz	Pass	AV	11.63264G	41.88	54.00	-12.12	3	Horizontal	140	1.95
5835MHz	Pass	AV	17.54436G	45.09	68.20	-23.11	3	Horizontal	67	2.81
5835MHz	Pass	PK	11.6364G	53.55	74.00	-20.45	3	Horizontal	140	1.95
5835MHz	Pass	PK	17.51364G	58.89	88.20	-29.31	3	Horizontal	67	2.81
5875MHz	Pass	AV	5.8642G	99.17	Inf	-Inf	3	Vertical	7	1.94
5875MHz	Pass	AV	5.8954G	75.59	89.91	-14.32	3	Vertical	7	1.94
5875MHz	Pass	PK	5.6434G	57.15	68.20	-11.05	3	Vertical	7	1.94
5875MHz	Pass	PK	5.8642G	107.27	Inf	-Inf	3	Vertical	7	1.94
5875MHz	Pass	PK	5.8954G	86.55	109.91	-23.36	3	Vertical	7	1.94
5875MHz	Pass	AV	5.8798G	99.13	Inf	-Inf	3	Horizontal	351	2.92
5875MHz	Pass	AV	5.8954G	75.90	89.91	-14.01	3	Horizontal	351	2.92
5875MHz	Pass	PK	5.5822G	57.02	68.20	-11.18	3	Horizontal	351	2.92
5875MHz	Pass	PK	5.8834G	107.62	Inf	-Inf	3	Horizontal	351	2.92
5875MHz	Pass	PK	5.8954G	86.23	109.91	-23.68	3	Horizontal	351	2.92
5875MHz	Pass	AV	11.76808G	42.10	54.00	-11.90	3	Vertical	53	2.31
5875MHz	Pass	AV	17.64452G	45.50	68.20	-22.70	3	Vertical	308	1.65
5875MHz	Pass	PK	11.75448G	53.51	74.00	-20.49	3	Vertical	53	2.31
5875MHz	Pass	PK	17.63956G	56.98	88.20	-31.22	3	Vertical	308	1.65
5875MHz	Pass	AV	11.76744G	42.08	54.00	-11.92	3	Horizontal	87	2.29
5875MHz	Pass	AV	17.65892G	45.48	68.20	-22.72	3	Horizontal	232	1.95
5875MHz	Pass	PK	11.7772G	53.29	74.00	-20.71	3	Horizontal	87	2.29
5875MHz	Pass	PK	17.65076G	56.51	88.20	-31.69	3	Horizontal	232	1.95
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8314G	103.18	Inf	-Inf	3	Vertical	7	1.88
5835MHz	Pass	AV	5.9298G	50.55	68.20	-17.65	3	Vertical	7	1.88
5835MHz	Pass	PK	5.649G	59.44	68.20	-8.76	3	Vertical	7	1.88
5835MHz	Pass	PK	5.841G	112.22	Inf	-Inf	3	Vertical	7	1.88
5835MHz	Pass	PK	5.9262G	62.02	88.20	-26.18	3	Vertical	7	1.88
5835MHz	Pass	AV	5.8374G	102.73	Inf	-Inf	3	Horizontal	352	2.94
5835MHz	Pass	AV	5.9262G	49.74	68.20	-18.46	3	Horizontal	352	2.94
5835MHz	Pass	PK	5.649G	57.94	68.20	-10.26	3	Horizontal	352	2.94
5835MHz	Pass	PK	5.8458G	111.15	Inf	-Inf	3	Horizontal	352	2.94
5835MHz	Pass	PK	5.9286G	60.48	88.20	-27.72	3	Horizontal	352	2.94
5835MHz	Pass	AV	11.70312G	41.85	54.00	-12.15	3	Vertical	88	1.21
5835MHz	Pass	AV	17.51796G	45.10	68.20	-23.10	3	Vertical	271	2.09
5835MHz	Pass	PK	11.65768G	53.12	74.00	-20.88	3	Vertical	88	1.21
5835MHz	Pass	PK	17.52788G	56.94	88.20	-31.26	3	Vertical	271	2.09
5835MHz	Pass	AV	11.69688G	41.85	54.00	-12.15	3	Horizontal	148	2.49
5835MHz	Pass	AV	17.545G	45.14	68.20	-23.06	3	Horizontal	86	1.60
5835MHz	Pass	PK	11.68168G	52.86	74.00	-21.14	3	Horizontal	148	2.49
5835MHz	Pass	PK	17.51332G	56.71	88.20	-31.49	3	Horizontal	86	1.60
5875MHz	Pass	AV	5.8654G	103.08	Inf	-Inf	3	Vertical	351	1.80
5875MHz	Pass	AV	5.8954G	77.65	89.91	-12.26	3	Vertical	351	1.80
5875MHz	Pass	PK	5.647G	57.73	68.20	-10.47	3	Vertical	351	1.80



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	PK	5.8666G	111.38	Inf	-Inf	3	Vertical	351	1.80
5875MHz	Pass	PK	5.8954G	90.20	109.91	-19.71	3	Vertical	351	1.80
5875MHz	Pass	AV	5.8654G	102.81	Inf	-Inf	3	Horizontal	351	2.32
5875MHz	Pass	AV	5.8954G	78.72	89.91	-11.19	3	Horizontal	351	2.32
5875MHz	Pass	PK	5.6194G	57.27	68.20	-10.93	3	Horizontal	351	2.32
5875MHz	Pass	PK	5.8642G	110.82	Inf	-Inf	3	Horizontal	351	2.32
5875MHz	Pass	PK	5.8954G	89.33	109.91	-20.58	3	Horizontal	351	2.32
5875MHz	Pass	AV	11.77016G	42.09	54.00	-11.91	3	Vertical	155	2.29
5875MHz	Pass	AV	17.62996G	45.48	68.20	-22.72	3	Vertical	156	1.70
5875MHz	Pass	PK	11.7308G	53.97	74.00	-20.03	3	Vertical	155	2.29
5875MHz	Pass	PK	17.6246G	56.96	88.20	-31.24	3	Vertical	156	1.70
5875MHz	Pass	AV	11.77144G	42.08	54.00	-11.92	3	Horizontal	49	1.97
5875MHz	Pass	AV	17.60412G	45.48	68.20	-22.72	3	Horizontal	222	2.22
5875MHz	Pass	PK	11.76472G	53.80	74.00	-20.20	3	Horizontal	49	1.97
5875MHz	Pass	PK	17.60932G	56.85	88.20	-31.35	3	Horizontal	222	2.22
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8382G	95.68	Inf	-Inf	3	Vertical	351	1.97
5855MHz	Pass	AV	5.927G	55.93	68.20	-12.27	3	Vertical	351	1.97
5855MHz	Pass	PK	5.6282G	57.65	68.20	-10.55	3	Vertical	351	1.97
5855MHz	Pass	PK	5.837G	105.29	Inf	-Inf	3	Vertical	351	1.97
5855MHz	Pass	PK	5.9318G	69.23	88.20	-18.97	3	Vertical	351	1.97
5855MHz	Pass	AV	5.8598G	94.85	Inf	-Inf	3	Horizontal	353	1.37
5855MHz	Pass	AV	5.9258G	54.82	68.20	-13.38	3	Horizontal	353	1.37
5855MHz	Pass	PK	5.6258G	58.09	68.20	-10.11	3	Horizontal	353	1.37
5855MHz	Pass	PK	5.8586G	103.95	Inf	-Inf	3	Horizontal	353	1.37
5855MHz	Pass	PK	5.9294G	66.93	88.20	-21.27	3	Horizontal	353	1.37
5855MHz	Pass	AV	11.68256G	42.02	54.00	-11.98	3	Vertical	8	1.17
5855MHz	Pass	AV	17.535G	45.29	68.20	-22.91	3	Vertical	348	2.29
5855MHz	Pass	PK	11.68584G	53.13	74.00	-20.87	3	Vertical	8	1.17
5855MHz	Pass	PK	17.53332G	56.37	88.20	-31.83	3	Vertical	348	2.29
5855MHz	Pass	AV	11.7324G	42.00	54.00	-12.00	3	Horizontal	324	2.81
5855MHz	Pass	AV	17.60388G	45.27	68.20	-22.93	3	Horizontal	91	1.58
5855MHz	Pass	PK	11.73064G	54.27	74.00	-19.73	3	Horizontal	324	2.81
5855MHz	Pass	PK	17.60388G	56.92	88.20	-31.28	3	Horizontal	91	1.58
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8526G	95.51	Inf	-Inf	3	Vertical	11	1.91
5855MHz	Pass	AV	5.9258G	55.81	68.20	-12.39	3	Vertical	11	1.91
5855MHz	Pass	PK	5.6174G	58.28	68.20	-9.92	3	Vertical	11	1.91
5855MHz	Pass	PK	5.8538G	104.24	Inf	-Inf	3	Vertical	11	1.91
5855MHz	Pass	PK	5.9294G	69.99	88.20	-18.21	3	Vertical	11	1.91
5855MHz	Pass	AV	5.879G	95.72	Inf	-Inf	3	Horizontal	350	2.94
5855MHz	Pass	AV	5.9282G	57.02	68.20	-11.18	3	Horizontal	350	2.94
5855MHz	Pass	PK	5.6354G	59.21	68.20	-8.99	3	Horizontal	350	2.94
5855MHz	Pass	PK	5.8394G	104.51	Inf	-Inf	3	Horizontal	350	2.94
5855MHz	Pass	PK	5.9318G	68.97	88.20	-19.23	3	Horizontal	350	2.94
5855MHz	Pass	AV	11.73048G	41.98	54.00	-12.02	3	Vertical	148	1.25
5855MHz	Pass	AV	17.60468G	45.32	68.20	-22.88	3	Vertical	151	1.60
5855MHz	Pass	PK	11.74552G	53.54	74.00	-20.46	3	Vertical	148	1.25
5855MHz	Pass	PK	17.59572G	56.95	88.20	-31.25	3	Vertical	151	1.60
5855MHz	Pass	AV	11.73304G	41.97	54.00	-12.03	3	Horizontal	194	1.33
5855MHz	Pass	AV	17.53388G	45.27	68.20	-22.93	3	Horizontal	348	1.43
5855MHz	Pass	PK	11.73424G	53.63	74.00	-20.37	3	Horizontal	194	1.33
5855MHz	Pass	PK	17.53956G	56.78	88.20	-31.42	3	Horizontal	348	1.43
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.867G	98.83	Inf	-Inf	3	Vertical	353	1.09
5855MHz	Pass	AV	5.927G	60.22	68.20	-7.98	3	Vertical	353	1.09
5855MHz	Pass	PK	5.6462G	59.12	68.20	-9.08	3	Vertical	353	1.09
5855MHz	Pass	PK	5.8514G	109.03	Inf	-Inf	3	Vertical	353	1.09
5855MHz	Pass	PK	5.9318G	71.49	88.20	-16.71	3	Vertical	353	1.09
5855MHz	Pass	AV	5.8586G	98.81	Inf	-Inf	3	Horizontal	352	2.97
5855MHz	Pass	AV	5.927G	59.91	68.20	-8.29	3	Horizontal	352	2.97
5855MHz	Pass	PK	5.645G	59.56	68.20	-8.64	3	Horizontal	352	2.97



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5855MHz	Pass	PK	5.8682G	108.05	Inf	-Inf	3	Horizontal	352	2.97
5855MHz	Pass	PK	5.9246G	72.39	88.49	-16.10	3	Horizontal	352	2.97
5855MHz	Pass	AV	11.6732G	41.96	54.00	-12.04	3	Vertical	233	2.77
5855MHz	Pass	AV	17.55388G	45.29	68.20	-22.91	3	Vertical	138	2.34
5855MHz	Pass	PK	11.67208G	53.70	74.00	-20.30	3	Vertical	233	2.77
5855MHz	Pass	PK	17.55876G	56.64	88.20	-31.56	3	Vertical	138	2.34
5855MHz	Pass	AV	11.73208G	41.97	54.00	-12.03	3	Horizontal	116	1.16
5855MHz	Pass	AV	17.59572G	45.24	68.20	-22.96	3	Horizontal	180	1.56
5855MHz	Pass	PK	11.73576G	53.60	74.00	-20.40	3	Horizontal	116	1.16
5855MHz	Pass	PK	17.60356G	56.14	88.20	-32.06	3	Horizontal	180	1.56
802.11ac VHT160_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8066G	90.90	Inf	-Inf	3	Vertical	349	1.97
5815MHz	Pass	AV	5.9314G	54.01	68.20	-14.19	3	Vertical	349	1.97
5815MHz	Pass	PK	5.6326G	64.08	68.20	-4.12	3	Vertical	349	1.97
5815MHz	Pass	PK	5.8018G	99.29	Inf	-Inf	3	Vertical	349	1.97
5815MHz	Pass	PK	5.9434G	68.11	88.20	-20.09	3	Vertical	349	1.97
5815MHz	Pass	AV	5.7682G	90.93	Inf	-Inf	3	Horizontal	355	3.00
5815MHz	Pass	AV	5.9434G	52.11	68.20	-16.09	3	Horizontal	355	3.00
5815MHz	Pass	PK	5.647G	64.32	68.20	-3.88	3	Horizontal	355	3.00
5815MHz	Pass	PK	5.7886G	100.18	Inf	-Inf	3	Horizontal	355	3.00
5815MHz	Pass	PK	5.941G	66.48	88.20	-21.72	3	Horizontal	355	3.00
5815MHz	Pass	AV	11.66232G	41.72	54.00	-12.28	3	Vertical	72	1.09
5815MHz	Pass	AV	17.41284G	45.09	68.20	-23.11	3	Vertical	161	2.66
5815MHz	Pass	PK	11.66184G	53.64	74.00	-20.36	3	Vertical	72	1.09
5815MHz	Pass	PK	17.41972G	56.65	88.20	-31.55	3	Vertical	161	2.66
5815MHz	Pass	AV	11.61424G	41.75	54.00	-12.25	3	Horizontal	50	1.29
5815MHz	Pass	AV	17.44588G	45.07	68.20	-23.13	3	Horizontal	281	1.69
5815MHz	Pass	PK	11.61192G	53.37	74.00	-20.63	3	Horizontal	50	1.29
5815MHz	Pass	PK	17.441G	57.37	88.20	-30.83	3	Horizontal	281	1.69
802.11ac VHT160_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8666G	89.89	Inf	-Inf	3	Vertical	9	2.76
5815MHz	Pass	AV	5.9374G	51.61	68.20	-16.59	3	Vertical	9	2.76
5815MHz	Pass	PK	5.6242G	64.67	68.20	-3.53	3	Vertical	9	2.76
5815MHz	Pass	PK	5.8654G	98.73	Inf	-Inf	3	Vertical	9	2.76
5815MHz	Pass	PK	5.9386G	66.81	88.20	-21.39	3	Vertical	9	2.76
5815MHz	Pass	AV	5.7646G	90.74	Inf	-Inf	3	Horizontal	348	3.00
5815MHz	Pass	AV	5.941G	53.16	68.20	-15.04	3	Horizontal	348	3.00
5815MHz	Pass	PK	5.635G	66.19	68.20	-2.01	3	Horizontal	348	3.00
5815MHz	Pass	PK	5.7682G	99.80	Inf	-Inf	3	Horizontal	348	3.00
5815MHz	Pass	PK	5.941G	67.00	88.20	-21.20	3	Horizontal	348	3.00
5815MHz	Pass	AV	11.61504G	41.74	54.00	-12.26	3	Vertical	318	2.17
5815MHz	Pass	AV	17.46132G	45.06	68.20	-23.14	3	Vertical	275	1.58
5815MHz	Pass	PK	11.6108G	53.27	74.00	-20.73	3	Vertical	318	2.17
5815MHz	Pass	PK	17.46348G	56.35	88.20	-31.85	3	Vertical	275	1.58
5815MHz	Pass	AV	11.59744G	41.76	54.00	-12.24	3	Horizontal	247	1.50
5815MHz	Pass	AV	17.43572G	45.08	68.20	-23.12	3	Horizontal	167	2.54
5815MHz	Pass	PK	11.59864G	53.17	74.00	-20.83	3	Horizontal	247	1.50
5815MHz	Pass	PK	17.43092G	56.52	88.20	-31.68	3	Horizontal	167	2.54
802.11ac VHT160_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.7718G	92.40	Inf	-Inf	3	Vertical	351	1.02
5815MHz	Pass	AV	5.9458G	52.66	68.20	-15.54	3	Vertical	351	1.02
5815MHz	Pass	PK	5.6458G	63.34	68.20	-4.86	3	Vertical	351	1.02
5815MHz	Pass	PK	5.8006G	102.33	Inf	-Inf	3	Vertical	351	1.02
5815MHz	Pass	PK	5.9434G	65.97	88.20	-22.23	3	Vertical	351	1.02
5815MHz	Pass	AV	5.7874G	93.02	Inf	-Inf	3	Horizontal	352	1.50
5815MHz	Pass	AV	5.9506G	51.99	68.20	-16.21	3	Horizontal	352	1.50
5815MHz	Pass	PK	5.641G	64.99	68.20	-3.21	3	Horizontal	352	1.50
5815MHz	Pass	PK	5.785G	102.94	Inf	-Inf	3	Horizontal	352	1.50
5815MHz	Pass	PK	5.9482G	66.31	88.20	-21.89	3	Horizontal	352	1.50
5815MHz	Pass	AV	11.62104G	41.76	54.00	-12.24	3	Vertical	156	1.67
5815MHz	Pass	AV	17.44492G	45.07	68.20	-23.13	3	Vertical	1	2.06
5815MHz	Pass	PK	11.6276G	53.04	74.00	-20.96	3	Vertical	156	1.67



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5815MHz	Pass	PK	17.44356G	56.58	88.20	-31.62	3	Vertical	1	2.06
5815MHz	Pass	AV	11.6268G	41.75	54.00	-12.25	3	Horizontal	123	1.66
5815MHz	Pass	AV	17.46532G	45.06	68.20	-23.14	3	Horizontal	146	2.57
5815MHz	Pass	PK	11.62072G	54.37	74.00	-19.63	3	Horizontal	123	1.66
5815MHz	Pass	PK	17.46988G	56.64	88.20	-31.56	3	Horizontal	146	2.57
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8414G	102.00	Inf	-Inf	3	Vertical	352	1.91
5845MHz	Pass	AV	5.9278G	47.25	68.20	-20.95	3	Vertical	352	1.91
5845MHz	Pass	PK	5.5966G	57.12	68.20	-11.08	3	Vertical	352	1.91
5845MHz	Pass	PK	5.8402G	112.27	Inf	-Inf	3	Vertical	352	1.91
5845MHz	Pass	PK	6.0022G	59.14	88.20	-29.06	3	Vertical	352	1.91
5845MHz	Pass	AV	5.8414G	100.46	Inf	-Inf	3	Horizontal	353	1.45
5845MHz	Pass	AV	5.9266G	47.02	68.20	-21.18	3	Horizontal	353	1.45
5845MHz	Pass	PK	5.5894G	57.32	68.20	-10.88	3	Horizontal	353	1.45
5845MHz	Pass	PK	5.8486G	110.65	Inf	-Inf	3	Horizontal	353	1.45
5845MHz	Pass	PK	5.9278G	58.50	88.20	-29.70	3	Horizontal	353	1.45
5845MHz	Pass	AV	11.65888G	41.91	54.00	-12.09	3	Vertical	257	2.01
5845MHz	Pass	AV	17.5006G	45.13	68.20	-23.07	3	Vertical	109	2.55
5845MHz	Pass	PK	11.65748G	53.62	74.00	-20.38	3	Vertical	257	2.01
5845MHz	Pass	PK	17.50956G	57.19	88.20	-31.01	3	Vertical	109	2.55
5845MHz	Pass	AV	11.71952G	41.94	54.00	-12.06	3	Horizontal	141	1.62
5845MHz	Pass	AV	17.54748G	45.09	68.20	-23.11	3	Horizontal	306	1.01
5845MHz	Pass	PK	11.7132G	53.96	74.00	-20.04	3	Horizontal	141	1.62
5845MHz	Pass	PK	17.54764G	56.47	88.20	-31.73	3	Horizontal	306	1.01
5865MHz	Pass	AV	5.8638G	102.10	Inf	-Inf	3	Vertical	354	1.88
5865MHz	Pass	AV	6.0258G	47.51	68.20	-20.69	3	Vertical	354	1.88
5865MHz	Pass	PK	5.6274G	57.37	68.20	-10.83	3	Vertical	354	1.88
5865MHz	Pass	PK	5.8614G	113.25	Inf	-Inf	3	Vertical	354	1.88
5865MHz	Pass	PK	5.9526G	59.17	88.20	-29.03	3	Vertical	354	1.88
5865MHz	Pass	AV	5.8614G	100.69	Inf	-Inf	3	Horizontal	353	1.37
5865MHz	Pass	AV	5.9262G	47.10	68.20	-21.10	3	Horizontal	353	1.37
5865MHz	Pass	PK	5.6022G	57.09	68.20	-11.11	3	Horizontal	353	1.37
5865MHz	Pass	PK	5.8638G	111.19	Inf	-Inf	3	Horizontal	353	1.37
5865MHz	Pass	PK	5.949G	58.41	88.20	-29.79	3	Horizontal	353	1.37
5865MHz	Pass	AV	11.7676G	42.08	54.00	-11.92	3	Vertical	313	1.86
5865MHz	Pass	AV	17.62572G	45.48	68.20	-22.72	3	Vertical	281	2.39
5865MHz	Pass	PK	11.76824G	53.46	74.00	-20.54	3	Vertical	313	1.86
5865MHz	Pass	PK	17.61292G	57.26	88.20	-30.94	3	Vertical	281	2.39
5865MHz	Pass	AV	11.70744G	42.11	54.00	-11.89	3	Horizontal	273	1.21
5865MHz	Pass	AV	17.62572G	45.43	68.20	-22.77	3	Horizontal	165	1.72
5865MHz	Pass	PK	11.70904G	53.44	74.00	-20.56	3	Horizontal	273	1.21
5865MHz	Pass	PK	17.61084G	57.49	88.20	-30.71	3	Horizontal	165	1.72
5885MHz	Pass	AV	5.8814G	93.16	Inf	-Inf	3	Vertical	344	1.91
5885MHz	Pass	AV	5.8958G	73.89	89.61	-15.72	3	Vertical	344	1.91
5885MHz	Pass	PK	5.6426G	57.54	68.20	-10.66	3	Vertical	344	1.91
5885MHz	Pass	PK	5.8814G	102.99	Inf	-Inf	3	Vertical	344	1.91
5885MHz	Pass	PK	5.8958G	88.28	109.61	-21.33	3	Vertical	344	1.91
5885MHz	Pass	AV	5.8814G	100.43	Inf	-Inf	3	Horizontal	353	1.50
5885MHz	Pass	AV	5.8958G	81.07	89.61	-8.54	3	Horizontal	353	1.50
5885MHz	Pass	PK	5.6498G	57.25	68.20	-10.95	3	Horizontal	353	1.50
5885MHz	Pass	PK	5.8814G	111.53	Inf	-Inf	3	Horizontal	353	1.50
5885MHz	Pass	PK	5.8958G	93.32	109.61	-16.29	3	Horizontal	353	1.50
5885MHz	Pass	AV	11.76664G	42.07	54.00	-11.93	3	Vertical	137	2.48
5885MHz	Pass	AV	17.6582G	45.56	68.20	-22.64	3	Vertical	56	2.19
5885MHz	Pass	PK	11.77176G	53.58	74.00	-20.42	3	Vertical	137	2.48
5885MHz	Pass	PK	17.69164G	56.99	88.20	-31.21	3	Vertical	56	2.19
5885MHz	Pass	AV	11.76952G	42.08	54.00	-11.92	3	Horizontal	232	1.78
5885MHz	Pass	AV	17.69452G	45.51	68.20	-22.69	3	Horizontal	91	1.55
5885MHz	Pass	PK	11.7316G	53.92	74.00	-20.08	3	Horizontal	232	1.78
5885MHz	Pass	PK	17.69468G	56.94	88.20	-31.26	3	Horizontal	91	1.55
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8486G	92.19	Inf	-Inf	3	Vertical	4	2.69



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	AV	5.9254G	46.73	68.20	-21.47	3	Vertical	4	2.69
5845MHz	Pass	PK	5.6314G	56.95	68.20	-11.25	3	Vertical	4	2.69
5845MHz	Pass	PK	5.8438G	103.49	Inf	-Inf	3	Vertical	4	2.69
5845MHz	Pass	PK	5.959G	58.36	88.20	-29.84	3	Vertical	4	2.69
5845MHz	Pass	AV	5.8414G	101.52	Inf	-Inf	3	Horizontal	347	2.94
5845MHz	Pass	AV	5.929G	47.33	68.20	-20.87	3	Horizontal	347	2.94
5845MHz	Pass	PK	5.6134G	57.23	68.20	-10.97	3	Horizontal	347	2.94
5845MHz	Pass	PK	5.8474G	112.33	Inf	-Inf	3	Horizontal	347	2.94
5845MHz	Pass	PK	5.9794G	58.64	88.20	-29.56	3	Horizontal	347	2.94
5845MHz	Pass	AV	11.72888G	41.93	54.00	-12.07	3	Vertical	229	1.32
5845MHz	Pass	AV	17.55372G	45.10	68.20	-23.10	3	Vertical	192	1.22
5845MHz	Pass	PK	11.72552G	53.33	74.00	-20.67	3	Vertical	229	1.32
5845MHz	Pass	PK	17.55068G	56.76	88.20	-31.44	3	Vertical	192	1.22
5845MHz	Pass	AV	11.65904G	41.93	54.00	-12.07	3	Horizontal	345	2.11
5845MHz	Pass	AV	17.54764G	45.11	68.20	-23.09	3	Horizontal	160	1.60
5845MHz	Pass	PK	11.6584G	54.00	74.00	-20.00	3	Horizontal	345	2.11
5845MHz	Pass	PK	17.54332G	56.48	88.20	-31.72	3	Horizontal	160	1.60
5865MHz	Pass	AV	5.8614G	93.08	Inf	-Inf	3	Vertical	7	2.71
5865MHz	Pass	AV	5.925G	46.79	68.20	-21.41	3	Vertical	7	2.71
5865MHz	Pass	PK	5.595G	57.03	68.20	-11.17	3	Vertical	7	2.71
5865MHz	Pass	PK	5.8638G	103.56	Inf	-Inf	3	Vertical	7	2.71
5865MHz	Pass	PK	5.985G	58.13	88.20	-30.07	3	Vertical	7	2.71
5865MHz	Pass	AV	5.8626G	101.77	Inf	-Inf	3	Horizontal	347	2.92
5865MHz	Pass	AV	5.925G	47.43	68.20	-20.77	3	Horizontal	347	2.92
5865MHz	Pass	PK	5.6382G	57.97	68.20	-10.23	3	Horizontal	347	2.92
5865MHz	Pass	PK	5.8614G	112.32	Inf	-Inf	3	Horizontal	347	2.92
5865MHz	Pass	PK	5.925G	60.48	88.20	-27.72	3	Horizontal	347	2.92
5865MHz	Pass	AV	11.76856G	42.10	54.00	-11.90	3	Vertical	343	2.77
5865MHz	Pass	AV	17.62636G	45.45	68.20	-22.75	3	Vertical	70	2.20
5865MHz	Pass	PK	11.72152G	53.39	74.00	-20.61	3	Vertical	343	2.77
5865MHz	Pass	PK	17.60444G	56.37	88.20	-31.83	3	Vertical	70	2.20
5865MHz	Pass	AV	11.6904G	42.07	54.00	-11.93	3	Horizontal	227	2.28
5865MHz	Pass	AV	17.63388G	45.45	68.20	-22.75	3	Horizontal	277	1.16
5865MHz	Pass	PK	11.69208G	53.76	74.00	-20.24	3	Horizontal	227	2.28
5865MHz	Pass	PK	17.62668G	56.87	88.20	-31.33	3	Horizontal	277	1.16
5885MHz	Pass	AV	5.8826G	96.64	Inf	-Inf	3	Vertical	350	1.02
5885MHz	Pass	AV	5.8958G	77.52	89.61	-12.09	3	Vertical	350	1.02
5885MHz	Pass	PK	5.6378G	53.62	68.20	-14.58	3	Vertical	350	1.02
5885MHz	Pass	PK	5.8862G	106.64	Inf	-Inf	3	Vertical	350	1.02
5885MHz	Pass	PK	5.8958G	88.38	109.61	-21.23	3	Vertical	350	1.02
5885MHz	Pass	AV	5.8814G	96.72	Inf	-Inf	3	Horizontal	348	1.50
5885MHz	Pass	AV	5.8958G	77.94	89.61	-11.67	3	Horizontal	348	1.50
5885MHz	Pass	PK	5.6198G	53.14	68.20	-15.06	3	Horizontal	348	1.50
5885MHz	Pass	PK	5.8838G	106.81	Inf	-Inf	3	Horizontal	348	1.50
5885MHz	Pass	PK	5.8958G	91.82	109.61	-17.79	3	Horizontal	348	1.50
5885MHz	Pass	AV	11.76552G	42.09	54.00	-11.91	3	Vertical	307	2.68
5885MHz	Pass	AV	17.62388G	45.52	68.20	-22.68	3	Vertical	308	1.19
5885MHz	Pass	PK	11.75464G	53.61	74.00	-20.39	3	Vertical	307	2.68
5885MHz	Pass	PK	17.62732G	57.00	88.20	-31.20	3	Vertical	308	1.19
5885MHz	Pass	AV	11.77192G	42.09	54.00	-11.91	3	Horizontal	225	1.01
5885MHz	Pass	AV	17.69468G	45.50	68.20	-22.70	3	Horizontal	287	2.18
5885MHz	Pass	PK	11.77288G	54.31	74.00	-19.69	3	Horizontal	225	1.01
5885MHz	Pass	PK	17.68844G	57.28	88.20	-30.92	3	Horizontal	287	2.18
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8414G	103.29	Inf	-Inf	3	Vertical	348	1.15
5845MHz	Pass	AV	5.9902G	48.53	68.20	-19.67	3	Vertical	348	1.15
5845MHz	Pass	PK	5.5966G	57.37	68.20	-10.83	3	Vertical	348	1.15
5845MHz	Pass	PK	5.8438G	114.37	Inf	-Inf	3	Vertical	348	1.15
5845MHz	Pass	PK	5.9914G	59.72	88.20	-28.48	3	Vertical	348	1.15
5845MHz	Pass	AV	5.8414G	103.60	Inf	-Inf	3	Horizontal	2	3.00
5845MHz	Pass	AV	5.9254G	48.23	68.20	-19.97	3	Horizontal	2	3.00
5845MHz	Pass	PK	5.6446G	59.12	68.20	-9.08	3	Horizontal	2	3.00





RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5845MHz	Pass	PK	5.8426G	115.95	Inf	-Inf	3	Horizontal	2	3.00
5845MHz	Pass	PK	5.995G	59.61	88.20	-28.59	3	Horizontal	2	3.00
5845MHz	Pass	AV	11.68566G	42.07	54.00	-11.93	3	Vertical	329	1.32
5845MHz	Pass	AV	17.53182G	45.43	68.20	-22.77	3	Vertical	98	2.26
5845MHz	Pass	PK	11.69368G	53.01	74.00	-20.99	3	Vertical	329	1.32
5845MHz	Pass	PK	17.5378G	54.99	88.20	-33.21	3	Vertical	98	2.26
5845MHz	Pass	AV	11.68634G	42.10	54.00	-11.90	3	Horizontal	158	2.21
5845MHz	Pass	AV	17.53562G	45.35	68.20	-22.85	3	Horizontal	298	1.64
5845MHz	Pass	PK	11.68922G	53.66	74.00	-20.34	3	Horizontal	158	2.21
5845MHz	Pass	PK	17.5383G	55.91	88.20	-32.29	3	Horizontal	298	1.64
5865MHz	Pass	AV	5.8662G	103.34	Inf	-Inf	3	Vertical	351	1.19
5865MHz	Pass	AV	6.0198G	48.90	68.20	-19.30	3	Vertical	351	1.19
5865MHz	Pass	PK	5.6478G	57.35	68.20	-10.85	3	Vertical	351	1.19
5865MHz	Pass	PK	5.8674G	113.44	Inf	-Inf	3	Vertical	351	1.19
5865MHz	Pass	PK	5.9778G	59.60	88.20	-28.60	3	Vertical	351	1.19
5865MHz	Pass	AV	5.8638G	103.67	Inf	-Inf	3	Horizontal	0	2.96
5865MHz	Pass	AV	6.0054G	48.51	68.20	-19.69	3	Horizontal	0	2.96
5865MHz	Pass	PK	5.619G	58.21	68.20	-9.99	3	Horizontal	0	2.96
5865MHz	Pass	PK	5.8662G	113.38	Inf	-Inf	3	Horizontal	0	2.96
5865MHz	Pass	PK	6.0126G	59.90	88.20	-28.30	3	Horizontal	0	2.96
5865MHz	Pass	AV	11.72564G	42.16	54.00	-11.84	3	Vertical	65	2.14
5865MHz	Pass	AV	17.59928G	45.53	68.20	-22.67	3	Vertical	80	2.09
5865MHz	Pass	PK	11.72944G	52.68	74.00	-21.32	3	Vertical	65	2.14
5865MHz	Pass	PK	17.59032G	54.51	88.20	-33.69	3	Vertical	80	2.09
5865MHz	Pass	AV	11.7282G	42.19	54.00	-11.81	3	Horizontal	5	2.25
5865MHz	Pass	AV	17.59798G	45.51	68.20	-22.69	3	Horizontal	78	1.18
5865MHz	Pass	PK	11.73486G	52.10	74.00	-21.90	3	Horizontal	5	2.25
5865MHz	Pass	PK	17.59332G	54.82	88.20	-33.38	3	Horizontal	78	1.18
5885MHz	Pass	AV	5.8838G	102.87	Inf	-Inf	3	Vertical	351	1.16
5885MHz	Pass	AV	5.8958G	83.61	89.61	-6.00	3	Vertical	351	1.16
5885MHz	Pass	PK	5.6138G	56.69	68.20	-11.51	3	Vertical	351	1.16
5885MHz	Pass	PK	5.8838G	113.35	Inf	-Inf	3	Vertical	351	1.16
5885MHz	Pass	PK	5.8958G	94.39	109.61	-15.22	3	Vertical	351	1.16
5885MHz	Pass	AV	5.8838G	103.42	Inf	-Inf	3	Horizontal	0	2.94
5885MHz	Pass	AV	5.8958G	83.93	89.61	-5.68	3	Horizontal	0	2.94
5885MHz	Pass	PK	5.6414G	57.29	68.20	-10.91	3	Horizontal	0	2.94
5885MHz	Pass	PK	5.8874G	113.99	Inf	-Inf	3	Horizontal	0	2.94
5885MHz	Pass	PK	5.8958G	95.06	109.61	-14.55	3	Horizontal	0	2.94
5885MHz	Pass	AV	11.76922G	42.20	54.00	-11.80	3	Vertical	171	2.59
5885MHz	Pass	AV	17.6541G	45.64	68.20	-22.56	3	Vertical	85	1.94
5885MHz	Pass	PK	11.77426G	52.58	74.00	-21.42	3	Vertical	171	2.59
5885MHz	Pass	PK	17.65712G	54.51	88.20	-33.69	3	Vertical	85	1.94
5885MHz	Pass	AV	11.7687G	42.15	54.00	-11.85	3	Horizontal	247	1.99
5885MHz	Pass	AV	17.65564G	45.66	68.20	-22.54	3	Horizontal	294	1.75
5885MHz	Pass	PK	11.76672G	52.15	74.00	-21.85	3	Horizontal	247	1.99
5885MHz	Pass	PK	17.65688G	54.76	88.20	-33.44	3	Horizontal	294	1.75
802.11ax HEW40_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8458G	97.99	Inf	-Inf	3	Vertical	343	2.03
5835MHz	Pass	AV	5.925G	47.91	68.20	-20.29	3	Vertical	343	2.03
5835MHz	Pass	PK	5.607G	57.70	68.20	-10.50	3	Vertical	343	2.03
5835MHz	Pass	PK	5.8446G	108.64	Inf	-Inf	3	Vertical	343	2.03
5835MHz	Pass	PK	5.9478G	59.15	88.20	-29.05	3	Vertical	343	2.03
5835MHz	Pass	AV	5.829G	97.99	Inf	-Inf	3	Horizontal	351	1.48
5835MHz	Pass	AV	5.9262G	47.62	68.20	-20.58	3	Horizontal	351	1.48
5835MHz	Pass	PK	5.6082G	57.11	68.20	-11.09	3	Horizontal	351	1.48
5835MHz	Pass	PK	5.8314G	109.58	Inf	-Inf	3	Horizontal	351	1.48
5835MHz	Pass	PK	5.9466G	59.10	88.20	-29.10	3	Horizontal	351	1.48
5835MHz	Pass	AV	11.69992G	41.84	54.00	-12.16	3	Vertical	232	1.83
5835MHz	Pass	AV	17.47956G	45.08	68.20	-23.12	3	Vertical	51	1.85
5835MHz	Pass	PK	11.70056G	53.43	74.00	-20.57	3	Vertical	232	1.83
5835MHz	Pass	PK	17.47684G	57.07	88.20	-31.13	3	Vertical	51	1.85
5835MHz	Pass	AV	11.69592G	41.84	54.00	-12.16	3	Horizontal	166	2.10



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5835MHz	Pass	AV	17.54356G	45.12	68.20	-23.08	3	Horizontal	143	1.78
5835MHz	Pass	PK	11.68312G	53.19	74.00	-20.81	3	Horizontal	166	2.10
5835MHz	Pass	PK	17.53428G	56.76	88.20	-31.44	3	Horizontal	143	1.78
5875MHz	Pass	AV	5.8834G	98.66	Inf	-Inf	3	Vertical	348	1.95
5875MHz	Pass	AV	5.8954G	78.78	89.91	-11.13	3	Vertical	348	1.95
5875MHz	Pass	PK	5.6494G	57.56	68.20	-10.64	3	Vertical	348	1.95
5875MHz	Pass	PK	5.8822G	109.88	Inf	-Inf	3	Vertical	348	1.95
5875MHz	Pass	PK	5.8954G	90.27	109.91	-19.64	3	Vertical	348	1.95
5875MHz	Pass	AV	5.8702G	98.02	Inf	-Inf	3	Horizontal	350	2.94
5875MHz	Pass	AV	5.8954G	77.38	89.91	-12.53	3	Horizontal	350	2.94
5875MHz	Pass	PK	5.5834G	57.48	68.20	-10.72	3	Horizontal	350	2.94
5875MHz	Pass	PK	5.8786G	108.60	Inf	-Inf	3	Horizontal	350	2.94
5875MHz	Pass	PK	5.8954G	89.24	109.91	-20.67	3	Horizontal	350	2.94
5875MHz	Pass	AV	11.76824G	42.08	54.00	-11.92	3	Vertical	348	1.35
5875MHz	Pass	AV	17.6042G	45.49	68.20	-22.71	3	Vertical	115	2.71
5875MHz	Pass	PK	11.75848G	53.79	74.00	-20.21	3	Vertical	348	1.35
5875MHz	Pass	PK	17.6018G	56.72	88.20	-31.48	3	Vertical	115	2.71
5875MHz	Pass	AV	11.7692G	42.10	54.00	-11.90	3	Horizontal	245	3.00
5875MHz	Pass	AV	17.65492G	45.48	68.20	-22.72	3	Horizontal	359	2.52
5875MHz	Pass	PK	11.73112G	54.50	74.00	-19.50	3	Horizontal	245	3.00
5875MHz	Pass	PK	17.65604G	56.47	88.20	-31.73	3	Horizontal	359	2.52
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8302G	98.44	Inf	-Inf	3	Vertical	6	1.90
5835MHz	Pass	AV	5.925G	48.60	68.20	-19.60	3	Vertical	6	1.90
5835MHz	Pass	PK	5.6058G	57.26	68.20	-10.94	3	Vertical	6	1.90
5835MHz	Pass	PK	5.829G	109.84	Inf	-Inf	3	Vertical	6	1.90
5835MHz	Pass	PK	5.9406G	60.16	88.20	-28.04	3	Vertical	6	1.90
5835MHz	Pass	AV	5.8362G	98.47	Inf	-Inf	3	Horizontal	347	2.94
5835MHz	Pass	AV	5.9262G	48.77	68.20	-19.43	3	Horizontal	347	2.94
5835MHz	Pass	PK	5.6466G	57.92	68.20	-10.28	3	Horizontal	347	2.94
5835MHz	Pass	PK	5.823G	109.93	Inf	-Inf	3	Horizontal	347	2.94
5835MHz	Pass	PK	5.9274G	59.51	88.20	-28.69	3	Horizontal	347	2.94
5835MHz	Pass	AV	11.64408G	41.85	54.00	-12.15	3	Vertical	281	1.85
5835MHz	Pass	AV	17.50148G	45.08	68.20	-23.12	3	Vertical	300	1.59
5835MHz	Pass	PK	11.64872G	54.14	74.00	-19.86	3	Vertical	281	1.85
5835MHz	Pass	PK	17.50612G	56.63	88.20	-31.57	3	Vertical	300	1.59
5835MHz	Pass	AV	11.65072G	41.88	54.00	-12.12	3	Horizontal	16	2.25
5835MHz	Pass	AV	17.51876G	45.07	68.20	-23.13	3	Horizontal	46	1.50
5835MHz	Pass	PK	11.65352G	53.75	74.00	-20.25	3	Horizontal	16	2.25
5835MHz	Pass	PK	17.51476G	56.83	88.20	-31.37	3	Horizontal	46	1.50
5875MHz	Pass	AV	5.8642G	98.93	Inf	-Inf	3	Vertical	4	1.95
5875MHz	Pass	AV	5.8954G	78.78	89.91	-11.13	3	Vertical	4	1.95
5875MHz	Pass	PK	5.6338G	57.26	68.20	-10.94	3	Vertical	4	1.95
5875MHz	Pass	PK	5.863G	110.68	Inf	-Inf	3	Vertical	4	1.95
5875MHz	Pass	PK	5.8954G	91.05	109.91	-18.86	3	Vertical	4	1.95
5875MHz	Pass	AV	5.881G	99.21	Inf	-Inf	3	Horizontal	346	2.93
5875MHz	Pass	AV	5.8954G	78.96	89.91	-10.95	3	Horizontal	346	2.93
5875MHz	Pass	PK	5.6422G	57.59	68.20	-10.61	3	Horizontal	346	2.93
5875MHz	Pass	PK	5.8786G	111.18	Inf	-Inf	3	Horizontal	346	2.93
5875MHz	Pass	PK	5.8954G	90.17	109.91	-19.74	3	Horizontal	346	2.93
5875MHz	Pass	AV	11.76984G	42.12	54.00	-11.88	3	Vertical	313	1.59
5875MHz	Pass	AV	17.60908G	45.50	68.20	-22.70	3	Vertical	51	2.64
5875MHz	Pass	PK	11.74536G	52.91	74.00	-21.09	3	Vertical	313	1.59
5875MHz	Pass	PK	17.6042G	57.17	88.20	-31.03	3	Vertical	51	2.64
5875MHz	Pass	AV	11.7692G	42.10	54.00	-11.90	3	Horizontal	111	1.50
5875MHz	Pass	AV	17.6294G	45.50	68.20	-22.70	3	Horizontal	316	2.38
5875MHz	Pass	PK	11.734G	53.25	74.00	-20.75	3	Horizontal	111	1.50
5875MHz	Pass	PK	17.62564G	56.39	88.20	-31.81	3	Horizontal	316	2.38
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8338G	99.69	Inf	-Inf	3	Vertical	353	1.28
5835MHz	Pass	AV	5.925G	49.03	68.20	-19.17	3	Vertical	353	1.28
5835MHz	Pass	PK	5.6346G	57.41	68.20	-10.79	3	Vertical	353	1.28



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5835MHz	Pass	PK	5.8278G	110.47	Inf	-Inf	3	Vertical	353	1.28
5835MHz	Pass	PK	5.9274G	61.31	88.20	-26.89	3	Vertical	353	1.28
5835MHz	Pass	AV	5.8266G	100.53	Inf	-Inf	3	Horizontal	0	2.98
5835MHz	Pass	AV	5.9262G	49.08	68.20	-19.12	3	Horizontal	0	2.98
5835MHz	Pass	PK	5.6358G	58.07	68.20	-10.13	3	Horizontal	0	2.98
5835MHz	Pass	PK	5.829G	111.26	Inf	-Inf	3	Horizontal	0	2.98
5835MHz	Pass	PK	5.9514G	60.48	88.20	-27.72	3	Horizontal	0	2.98
5835MHz	Pass	AV	11.66902G	42.06	54.00	-11.94	3	Vertical	346	1.72
5835MHz	Pass	AV	17.50578G	45.13	68.20	-23.07	3	Vertical	130	1.74
5835MHz	Pass	PK	11.6744G	53.00	74.00	-21.00	3	Vertical	346	1.72
5835MHz	Pass	PK	17.5078G	54.39	88.20	-33.81	3	Vertical	130	1.74
5835MHz	Pass	AV	11.6746G	42.07	54.00	-11.93	3	Horizontal	92	1.80
5835MHz	Pass	AV	17.50496G	45.12	68.20	-23.08	3	Horizontal	360	2.79
5835MHz	Pass	PK	11.6737G	52.38	74.00	-21.62	3	Horizontal	92	1.80
5835MHz	Pass	PK	17.5052G	54.71	88.20	-33.49	3	Horizontal	360	2.79
5875MHz	Pass	AV	5.8666G	99.84	Inf	-Inf	3	Vertical	351	1.19
5875MHz	Pass	AV	5.8954G	79.04	89.91	-10.87	3	Vertical	351	1.19
5875MHz	Pass	PK	5.6194G	57.74	68.20	-10.46	3	Vertical	351	1.19
5875MHz	Pass	PK	5.869G	110.34	Inf	-Inf	3	Vertical	351	1.19
5875MHz	Pass	PK	5.8954G	92.27	109.91	-17.64	3	Vertical	351	1.19
5875MHz	Pass	AV	5.869G	100.09	Inf	-Inf	3	Horizontal	0	2.92
5875MHz	Pass	AV	5.8954G	78.96	89.91	-10.95	3	Horizontal	0	2.92
5875MHz	Pass	PK	5.6302G	57.61	68.20	-10.59	3	Horizontal	0	2.92
5875MHz	Pass	PK	5.869G	112.06	Inf	-Inf	3	Horizontal	0	2.92
5875MHz	Pass	PK	5.8954G	88.96	109.91	-20.95	3	Horizontal	0	2.92
5875MHz	Pass	AV	11.7461G	42.21	54.00	-11.79	3	Vertical	118	2.93
5875MHz	Pass	AV	17.6268G	45.66	68.20	-22.54	3	Vertical	339	2.69
5875MHz	Pass	PK	11.74502G	53.28	74.00	-20.72	3	Vertical	118	2.93
5875MHz	Pass	PK	17.627G	55.63	88.20	-32.57	3	Vertical	339	2.69
5875MHz	Pass	AV	11.74658G	42.21	54.00	-11.79	3	Horizontal	296	2.65
5875MHz	Pass	AV	17.62454G	45.64	68.20	-22.56	3	Horizontal	207	2.13
5875MHz	Pass	PK	11.74506G	54.37	74.00	-19.63	3	Horizontal	296	2.65
5875MHz	Pass	PK	17.6236G	55.79	88.20	-32.41	3	Horizontal	207	2.13
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8334G	95.72	Inf	-Inf	3	Vertical	350	1.98
5855MHz	Pass	AV	5.9258G	55.46	68.20	-12.74	3	Vertical	350	1.98
5855MHz	Pass	PK	5.639G	57.81	68.20	-10.39	3	Vertical	350	1.98
5855MHz	Pass	PK	5.837G	107.75	Inf	-Inf	3	Vertical	350	1.98
5855MHz	Pass	PK	5.9234G	69.60	89.37	-19.77	3	Vertical	350	1.98
5855MHz	Pass	AV	5.8322G	94.70	Inf	-Inf	3	Horizontal	350	1.50
5855MHz	Pass	AV	5.9258G	53.83	68.20	-14.37	3	Horizontal	350	1.50
5855MHz	Pass	PK	5.6042G	57.60	68.20	-10.60	3	Horizontal	350	1.50
5855MHz	Pass	PK	5.8382G	106.26	Inf	-Inf	3	Horizontal	350	1.50
5855MHz	Pass	PK	5.9258G	66.40	88.20	-21.80	3	Horizontal	350	1.50
5855MHz	Pass	AV	11.70336G	41.98	54.00	-12.02	3	Vertical	77	1.29
5855MHz	Pass	AV	17.60452G	45.31	68.20	-22.89	3	Vertical	118	2.14
5855MHz	Pass	PK	11.70392G	54.07	74.00	-19.93	3	Vertical	77	1.29
5855MHz	Pass	PK	17.58644G	57.06	88.20	-31.14	3	Vertical	118	2.14
5855MHz	Pass	AV	11.73496G	42.00	54.00	-12.00	3	Horizontal	48	1.21
5855MHz	Pass	AV	17.605G	45.28	68.20	-22.92	3	Horizontal	96	1.72
5855MHz	Pass	PK	11.73776G	53.74	74.00	-20.26	3	Horizontal	48	1.21
5855MHz	Pass	PK	17.609G	57.17	88.20	-31.03	3	Horizontal	96	1.72
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8586G	96.07	Inf	-Inf	3	Vertical	4	1.96
5855MHz	Pass	AV	5.9258G	54.74	68.20	-13.46	3	Vertical	4	1.96
5855MHz	Pass	PK	5.6234G	58.11	68.20	-10.09	3	Vertical	4	1.96
5855MHz	Pass	PK	5.8298G	107.60	Inf	-Inf	3	Vertical	4	1.96
5855MHz	Pass	PK	5.9282G	67.46	88.20	-20.74	3	Vertical	4	1.96
5855MHz	Pass	AV	5.873G	87.83	Inf	-Inf	3	Horizontal	346	2.94
5855MHz	Pass	AV	5.9258G	50.79	68.20	-17.41	3	Horizontal	346	2.94
5855MHz	Pass	PK	5.6486G	57.45	68.20	-10.75	3	Horizontal	346	2.94
5855MHz	Pass	PK	5.8382G	99.04	Inf	-Inf	3	Horizontal	346	2.94



RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5855MHz	Pass	PK	5.9342G	61.56	88.20	-26.64	3	Horizontal	346	2.94
5855MHz	Pass	AV	11.7332G	41.99	54.00	-12.01	3	Vertical	112	2.35
5855MHz	Pass	AV	17.60484G	45.31	68.20	-22.89	3	Vertical	141	2.56
5855MHz	Pass	PK	11.72616G	54.12	74.00	-19.88	3	Vertical	112	2.35
5855MHz	Pass	PK	17.59732G	57.66	88.20	-30.54	3	Vertical	141	2.56
5855MHz	Pass	AV	11.67272G	42.00	54.00	-12.00	3	Horizontal	282	2.95
5855MHz	Pass	AV	17.60388G	45.27	68.20	-22.93	3	Horizontal	274	2.54
5855MHz	Pass	PK	11.67112G	53.61	74.00	-20.39	3	Horizontal	282	2.95
5855MHz	Pass	PK	17.59732G	56.92	88.20	-31.28	3	Horizontal	274	2.54
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8346G	96.93	Inf	-Inf	3	Vertical	3	1.16
5855MHz	Pass	AV	5.9258G	53.53	68.20	-14.67	3	Vertical	3	1.16
5855MHz	Pass	PK	5.651G	58.45	68.94	-10.49	3	Vertical	3	1.16
5855MHz	Pass	PK	5.8298G	108.77	Inf	-Inf	3	Vertical	3	1.16
5855MHz	Pass	PK	5.9258G	64.05	88.20	-24.15	3	Vertical	3	1.16
5855MHz	Pass	AV	5.8574G	97.31	Inf	-Inf	3	Horizontal	359	2.95
5855MHz	Pass	AV	5.9258G	53.09	68.20	-15.11	3	Horizontal	359	2.95
5855MHz	Pass	PK	5.6378G	58.16	68.20	-10.04	3	Horizontal	359	2.95
5855MHz	Pass	PK	5.861G	107.73	Inf	-Inf	3	Horizontal	359	2.95
5855MHz	Pass	PK	5.9258G	65.07	88.20	-23.13	3	Horizontal	359	2.95
5855MHz	Pass	AV	11.7139G	42.16	54.00	-11.84	3	Vertical	2	2.25
5855MHz	Pass	AV	17.56476G	45.18	68.20	-23.02	3	Vertical	298	2.24
5855MHz	Pass	PK	11.7105G	53.72	74.00	-20.28	3	Vertical	2	2.25
5855MHz	Pass	PK	17.561G	55.19	88.20	-33.01	3	Vertical	298	2.24
5855MHz	Pass	AV	11.70994G	42.19	54.00	-11.81	3	Horizontal	292	2.13
5855MHz	Pass	AV	17.56392G	45.23	68.20	-22.97	3	Horizontal	355	2.51
5855MHz	Pass	PK	11.70726G	52.93	74.00	-21.07	3	Horizontal	292	2.13
5855MHz	Pass	PK	17.56572G	55.22	88.20	-32.98	3	Horizontal	355	2.51
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8558G	76.93	Inf	-Inf	3	Vertical	351	1.92
5815MHz	Pass	AV	5.9254G	51.52	68.20	-16.68	3	Vertical	351	1.92
5815MHz	Pass	PK	5.6494G	58.14	68.20	-10.06	3	Vertical	351	1.92
5815MHz	Pass	PK	5.8534G	88.40	Inf	-Inf	3	Vertical	351	1.92
5815MHz	Pass	PK	5.9278G	62.68	88.20	-25.52	3	Vertical	351	1.92
5815MHz	Pass	AV	5.8102G	77.63	Inf	-Inf	3	Horizontal	350	2.87
5815MHz	Pass	AV	5.9254G	50.84	68.20	-17.36	3	Horizontal	350	2.87
5815MHz	Pass	PK	5.6434G	59.21	68.20	-8.99	3	Horizontal	350	2.87
5815MHz	Pass	PK	5.8066G	88.61	Inf	-Inf	3	Horizontal	350	2.87
5815MHz	Pass	PK	5.9386G	62.07	88.20	-26.13	3	Horizontal	350	2.87
5815MHz	Pass	AV	11.5936G	41.70	54.00	-12.30	3	Vertical	264	1.04
5815MHz	Pass	AV	17.42332G	45.01	68.20	-23.19	3	Vertical	223	2.11
5815MHz	Pass	PK	11.59848G	53.04	74.00	-20.96	3	Vertical	264	1.04
5815MHz	Pass	PK	17.42084G	57.21	88.20	-30.99	3	Vertical	223	2.11
5815MHz	Pass	AV	11.66216G	41.73	54.00	-12.27	3	Horizontal	72	2.25
5815MHz	Pass	AV	17.47348G	45.04	68.20	-23.16	3	Horizontal	292	2.91
5815MHz	Pass	PK	11.66544G	53.14	74.00	-20.86	3	Horizontal	72	2.25
5815MHz	Pass	PK	17.45444G	55.84	88.20	-32.36	3	Horizontal	292	2.91
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.7646G	76.45	Inf	-Inf	3	Vertical	9	2.05
5815MHz	Pass	AV	5.9278G	51.76	68.20	-16.44	3	Vertical	9	2.05
5815MHz	Pass	PK	5.6506G	60.11	68.64	-8.53	3	Vertical	9	2.05
5815MHz	Pass	PK	5.7694G	88.38	Inf	-Inf	3	Vertical	9	2.05
5815MHz	Pass	PK	5.9254G	62.70	88.20	-25.50	3	Vertical	9	2.05
5815MHz	Pass	AV	5.7646G	77.99	Inf	-Inf	3	Horizontal	346	2.93
5815MHz	Pass	AV	5.9254G	53.08	68.20	-15.12	3	Horizontal	346	2.93
5815MHz	Pass	PK	5.6506G	62.80	68.64	-5.84	3	Horizontal	346	2.93
5815MHz	Pass	PK	5.809G	89.76	Inf	-Inf	3	Horizontal	346	2.93
5815MHz	Pass	PK	5.9686G	64.83	88.20	-23.37	3	Horizontal	346	2.93
5815MHz	Pass	AV	11.66184G	41.75	54.00	-12.25	3	Vertical	340	1.49
5815MHz	Pass	AV	17.47796G	45.03	68.20	-23.17	3	Vertical	311	1.31
5815MHz	Pass	PK	11.66328G	53.24	74.00	-20.76	3	Vertical	340	1.49
5815MHz	Pass	PK	17.47684G	57.61	88.20	-30.59	3	Vertical	311	1.31




RSE TX above 1GHz\_Full RU\_5850-5895(MHz)

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5815MHz	Pass	AV	11.6636G	41.71	54.00	-12.29	3	Horizontal	172	1.88
5815MHz	Pass	AV	17.43932G	45.01	68.20	-23.19	3	Horizontal	303	1.42
5815MHz	Pass	PK	11.6616G	53.09	74.00	-20.91	3	Horizontal	172	1.88
5815MHz	Pass	PK	17.43796G	57.13	88.20	-31.07	3	Horizontal	303	1.42
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8342G	92.15	Inf	-Inf	3	Vertical	0	1.17
5815MHz	Pass	AV	5.9482G	54.22	68.20	-13.98	3	Vertical	0	1.17
5815MHz	Pass	PK	5.611G	65.26	68.20	-2.94	3	Vertical	0	1.17
5815MHz	Pass	PK	5.791G	103.46	Inf	-Inf	3	Vertical	0	1.17
5815MHz	Pass	PK	5.9434G	69.33	88.20	-18.87	3	Vertical	0	1.17
5815MHz	Pass	AV	5.773G	93.49	Inf	-Inf	3	Horizontal	0	2.91
5815MHz	Pass	AV	5.953G	54.02	68.20	-14.18	3	Horizontal	0	2.91
5815MHz	Pass	PK	5.6494G	66.42	68.20	-1.78	3	Horizontal	0	2.91
5815MHz	Pass	PK	5.7994G	104.39	Inf	-Inf	3	Horizontal	0	2.91
5815MHz	Pass	PK	5.9386G	68.45	88.20	-19.75	3	Horizontal	0	2.91
5815MHz	Pass	AV	11.62966G	41.93	54.00	-12.07	3	Vertical	19	2.82
5815MHz	Pass	AV	17.4434G	45.14	68.20	-23.06	3	Vertical	350	1.95
5815MHz	Pass	PK	11.63126G	52.31	74.00	-21.69	3	Vertical	19	2.82
5815MHz	Pass	PK	17.44588G	54.82	88.20	-33.38	3	Vertical	350	1.95
5815MHz	Pass	AV	11.6296G	41.95	54.00	-12.05	3	Horizontal	299	2.90
5815MHz	Pass	AV	17.44872G	45.08	68.20	-23.12	3	Horizontal	330	1.00
5815MHz	Pass	PK	11.62618G	52.84	74.00	-21.16	3	Horizontal	299	2.90
5815MHz	Pass	PK	17.4403G	55.71	88.20	-32.49	3	Horizontal	330	1.00

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8402G	102.62	Inf	-Inf	5.67	3	Vertical	349	1.97	96.95	33.98	6.22	34.53
AV	5.941G	48.08	68.20	-20.12	5.95	3	Vertical	349	1.97	42.13	34.20	6.27	34.52
PK	5.6266G	57.27	68.20	-10.93	4.48	3	Vertical	349	1.97	52.79	32.95	6.08	34.55
PK	5.8426G	110.12	Inf	-Inf	5.68	3	Vertical	349	1.97	104.44	33.99	6.22	34.53
PK	5.9266G	59.55	88.20	-28.65	5.93	3	Vertical	349	1.97	53.62	34.20	6.26	34.53

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8438G	102.64	Inf	-Inf	5.68	3	Horizontal	353	1.43	96.96	33.99	6.22	34.53
AV	5.9434G	47.93	68.20	-20.27	5.95	3	Horizontal	353	1.43	41.98	34.20	6.27	34.52
PK	5.6398G	57.55	68.20	-10.65	4.52	3	Horizontal	353	1.43	53.03	32.98	6.09	34.55
PK	5.8414G	110.52	Inf	-Inf	5.67	3	Horizontal	353	1.43	104.85	33.98	6.22	34.53
PK	5.995G	58.87	88.20	-29.33	5.89	3	Horizontal	353	1.43	52.98	34.11	6.30	34.52

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5845MHz\_TX



Legend for the spectrum plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)

09/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.685G	42.89	54.00	-11.11	12.45	3	Vertical	258	2.89	30.44	38.50	8.58	34.63
AV	17.53414G	45.93	68.20	-22.27	14.57	3	Vertical	105	1.19	31.36	38.70	10.30	34.43
PK	11.68674G	53.27	74.00	-20.73	12.45	3	Vertical	258	2.89	40.82	38.50	8.58	34.63
PK	17.53656G	53.85	88.20	-34.35	14.59	3	Vertical	105	1.19	39.26	38.72	10.30	34.43

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5845MHz\_TX



Legend for the spectrum plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)

09/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69454G	42.88	54.00	-11.12	12.45	3	Horizontal	51	2.26	30.43	38.50	8.58	34.63
AV	17.53962G	45.92	68.20	-22.28	14.61	3	Horizontal	84	2.82	31.31	38.74	10.30	34.43
PK	11.68918G	52.78	74.00	-21.22	12.45	3	Horizontal	51	2.26	40.33	38.50	8.58	34.63
PK	17.53218G	55.93	88.20	-32.27	14.56	3	Horizontal	84	2.82	41.37	38.69	10.30	34.43

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	102.40	Inf	-Inf	5.75	3	Vertical	348	1.14	96.65	34.05	6.23	34.53
AV	6.0642G	48.19	68.20	-20.01	5.90	3	Vertical	348	1.14	42.29	34.10	6.31	34.51
PK	5.8666G	57.38	68.20	-10.82	4.38	3	Vertical	348	1.14	53.00	32.87	6.06	34.55
PK	5.8662G	110.54	Inf	-Inf	5.76	3	Vertical	348	1.14	104.78	34.06	6.23	34.53
PK	6.0498G	60.12	88.20	-28.08	5.89	3	Vertical	348	1.14	54.23	34.10	6.31	34.52

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)

5865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	102.82	Inf	-Inf	5.75	3	Horizontal	351	2.85	97.07	34.05	6.23	34.53
AV	6.0066G	48.03	68.20	-20.17	5.88	3	Horizontal	351	2.85	42.15	34.10	6.30	34.52
PK	5.6394G	57.41	68.20	-10.79	4.52	3	Horizontal	351	2.85	52.89	32.98	6.09	34.55
PK	5.8662G	110.59	Inf	-Inf	5.76	3	Horizontal	351	2.85	104.83	34.06	6.23	34.53
PK	6.069G	60.32	88.20	-27.88	5.90	3	Horizontal	351	2.85	54.42	34.10	6.31	34.51



5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73056G	42.89	54.00	-11.11	12.46	3	Vertical	140	2.51	30.43	38.50	8.60	34.64
AV	17.59424G	45.99	68.20	-22.21	14.94	3	Vertical	106	2.95	31.05	39.07	10.31	34.44
PK	11.7256G	53.07	74.00	-20.93	12.45	3	Vertical	140	2.51	40.62	38.50	8.59	34.64
PK	17.59484G	54.30	88.20	-33.90	14.94	3	Vertical	106	2.95	39.36	39.07	10.31	34.44

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72514G	42.88	54.00	-11.12	12.45	3	Horizontal	9	1.10	30.43	38.50	8.59	34.64
AV	17.59154G	46.16	68.20	-22.04	14.92	3	Horizontal	107	2.24	31.24	39.05	10.31	34.44
PK	11.73166G	52.46	74.00	-21.54	12.46	3	Horizontal	9	1.10	40.00	38.50	8.60	34.64
PK	17.59852G	55.62	88.20	-32.58	14.96	3	Horizontal	107	2.24	40.66	39.09	10.32	34.45

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	102.29	Inf	-Inf	5.84	3	Vertical	349	2.02	96.45	34.13	6.24	34.53
AV	5.8958G	78.80	89.61	-10.81	5.90	3	Vertical	349	2.02	72.90	34.18	6.25	34.53
PK	5.6318G	56.90	68.20	-11.30	4.49	3	Vertical	349	2.02	52.41	32.96	6.08	34.55
PK	5.8826G	110.26	Inf	-Inf	5.84	3	Vertical	349	2.02	104.42	34.13	6.24	34.53
PK	5.8958G	91.63	109.61	-17.98	5.90	3	Vertical	349	2.02	85.73	34.18	6.25	34.53

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	102.03	Inf	-Inf	5.84	3	Horizontal	352	1.36	96.19	34.13	6.24	34.53
AV	5.8958G	77.77	89.61	-11.84	5.90	3	Horizontal	352	1.36	71.87	34.18	6.25	34.53
PK	5.6378G	57.63	68.20	-10.57	4.52	3	Horizontal	352	1.36	53.11	32.98	6.09	34.55
PK	5.8814G	110.21	Inf	-Inf	5.84	3	Horizontal	352	1.36	104.37	34.13	6.24	34.53
PK	5.8958G	89.59	109.61	-20.02	5.90	3	Horizontal	352	1.36	83.69	34.18	6.25	34.53

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76784G	42.93	54.00	-11.07	12.45	3	Vertical	128	1.74	30.48	38.50	8.61	34.66
AV	17.6599G	46.27	68.20	-21.93	15.21	3	Vertical	273	2.59	31.06	39.34	10.33	34.46
PK	11.77394G	54.90	74.00	-19.10	12.46	3	Vertical	128	1.74	42.44	38.50	8.62	34.66
PK	17.65082G	56.05	88.20	-32.15	15.17	3	Vertical	273	2.59	40.88	39.30	10.33	34.46

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76876G	42.93	54.00	-11.07	12.45	3	Horizontal	97	1.01	30.48	38.50	8.61	34.66
AV	17.6537G	46.29	68.20	-21.91	15.18	3	Horizontal	342	2.67	31.11	39.31	10.33	34.46
PK	11.76744G	52.68	74.00	-21.32	12.45	3	Horizontal	97	1.01	40.23	38.50	8.61	34.66
PK	17.65026G	55.04	88.20	-33.16	15.17	3	Horizontal	342	2.67	39.87	39.30	10.33	34.46

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8426G	101.12	Inf	-Inf	5.68	3	Vertical	9	2.09	95.44	33.99	6.22	34.53
AV	5.9314G	47.89	68.20	-20.31	5.94	3	Vertical	9	2.09	41.95	34.20	6.27	34.53
PK	5.6062G	57.57	68.20	-10.63	4.42	3	Vertical	9	2.09	53.15	32.91	6.06	34.55
PK	5.8402G	108.91	Inf	-Inf	5.67	3	Vertical	9	2.09	103.24	33.98	6.22	34.53
PK	5.9458G	58.46	88.20	-29.74	5.95	3	Vertical	9	2.09	52.51	34.20	6.27	34.52

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	102.03	Inf	-Inf	5.67	3	Horizontal	281	1.50	96.36	33.98	6.22	34.53
AV	5.9278G	47.99	68.20	-20.21	5.93	3	Horizontal	281	1.50	42.06	34.20	6.26	34.53
PK	5.6086G	57.39	68.20	-10.81	4.44	3	Horizontal	281	1.50	52.95	32.92	6.07	34.55
PK	5.8414G	109.41	Inf	-Inf	5.67	3	Horizontal	281	1.50	103.74	33.98	6.22	34.53
PK	6.0298G	58.81	88.20	-29.39	5.89	3	Horizontal	281	1.50	52.92	34.10	6.31	34.52

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69014G	42.78	54.00	-11.22	12.45	3	Vertical	78	2.09	30.33	38.50	8.58	34.63
AV	17.53108G	46.31	68.20	-21.89	14.56	3	Vertical	219	1.88	31.75	38.69	10.30	34.43
PK	11.6913G	52.59	74.00	-21.41	12.45	3	Vertical	78	2.09	40.14	38.50	8.58	34.63
PK	17.53208G	54.81	88.20	-33.39	14.56	3	Vertical	219	1.88	40.25	38.69	10.30	34.43

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6881G	42.74	54.00	-11.26	12.45	3	Horizontal	227	2.17	30.29	38.50	8.58	34.63
AV	17.53086G	45.89	68.20	-22.31	14.56	3	Horizontal	226	2.00	31.33	38.69	10.30	34.43
PK	11.69016G	52.86	74.00	-21.14	12.45	3	Horizontal	227	2.17	40.41	38.50	8.58	34.63
PK	17.53662G	55.37	88.20	-32.83	14.59	3	Horizontal	226	2.00	40.78	38.72	10.30	34.43

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	101.99	Inf	-Inf	5.77	3	Vertical	4	1.24	96.22	34.07	6.23	34.53
AV	5.9778G	47.94	68.20	-20.26	5.91	3	Vertical	4	1.24	42.03	34.14	6.29	34.52
PK	5.6322G	57.20	68.20	-11.00	4.49	3	Vertical	4	1.24	52.71	32.96	6.08	34.55
PK	5.8686G	109.98	Inf	-Inf	5.77	3	Vertical	4	1.24	104.21	34.07	6.23	34.53
PK	5.9286G	59.49	88.20	-28.71	5.93	3	Vertical	4	1.24	53.56	34.20	6.26	34.53

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	102.10	Inf	-Inf	5.75	3	Horizontal	284	1.48	96.35	34.05	6.23	34.53
AV	5.9874G	47.94	68.20	-20.26	5.90	3	Horizontal	284	1.48	42.04	34.13	6.29	34.52
PK	5.625G	56.89	68.20	-11.31	4.48	3	Horizontal	284	1.48	52.41	32.95	6.08	34.55
PK	5.8602G	109.50	Inf	-Inf	5.74	3	Horizontal	284	1.48	103.76	34.04	6.23	34.53
PK	5.955G	59.40	88.20	-28.80	5.95	3	Horizontal	284	1.48	53.45	34.19	6.28	34.52

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73182G	42.92	54.00	-11.08	12.46	3	Vertical	72	2.60	30.46	38.50	8.60	34.64
AV	17.59634G	46.24	68.20	-21.96	14.95	3	Vertical	43	1.90	31.29	39.08	10.32	34.45
PK	11.72896G	53.45	74.00	-20.55	12.46	3	Vertical	72	2.60	40.99	38.50	8.60	34.64
PK	17.599G	54.86	88.20	-33.34	14.96	3	Vertical	43	1.90	39.90	39.09	10.32	34.45

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72958G	42.82	54.00	-11.18	12.46	3	Horizontal	32	1.86	30.36	38.50	8.60	34.64
AV	17.59998G	46.23	68.20	-21.97	14.97	3	Horizontal	223	1.65	31.26	39.10	10.32	34.45
PK	11.73104G	52.95	74.00	-21.05	12.46	3	Horizontal	32	1.86	40.49	38.50	8.60	34.64
PK	17.59142G	55.18	88.20	-33.02	14.92	3	Horizontal	223	1.65	40.26	39.05	10.31	34.44

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	100.65	Inf	-Inf	5.84	3	Vertical	3	1.13	94.81	34.13	6.24	34.53
AV	5.8958G	77.49	89.61	-12.12	5.90	3	Vertical	3	1.13	71.59	34.18	6.25	34.53
PK	5.6078G	56.77	68.20	-11.43	4.44	3	Vertical	3	1.13	52.33	32.92	6.07	34.55
PK	5.8838G	109.05	Inf	-Inf	5.85	3	Vertical	3	1.13	103.20	34.14	6.24	34.53
PK	5.8958G	89.29	109.61	-20.32	5.90	3	Vertical	3	1.13	83.39	34.18	6.25	34.53

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	102.10	Inf	-Inf	5.84	3	Horizontal	360	2.94	96.26	34.13	6.24	34.53
AV	5.8958G	78.54	89.61	-11.07	5.90	3	Horizontal	360	2.94	72.64	34.18	6.25	34.53
PK	5.6174G	57.14	68.20	-11.06	4.45	3	Horizontal	360	2.94	52.69	32.93	6.07	34.55
PK	5.8814G	110.74	Inf	-Inf	5.84	3	Horizontal	360	2.94	104.90	34.13	6.24	34.53
PK	5.8958G	90.48	109.61	-19.13	5.90	3	Horizontal	360	2.94	84.58	34.18	6.25	34.53



5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76828G	42.94	54.00	-11.06	12.45	3	Vertical	303	2.67	30.49	38.50	8.61	34.66
AV	17.65452G	45.99	68.20	-22.21	15.19	3	Vertical	113	2.01	30.80	39.32	10.33	34.46
PK	11.77162G	52.84	74.00	-21.16	12.45	3	Vertical	303	2.67	40.39	38.50	8.61	34.66
PK	17.65898G	55.58	88.20	-32.62	15.21	3	Vertical	113	2.01	40.37	39.34	10.33	34.46

5.85-5.895GHz\_802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77204G	42.82	54.00	-11.18	12.45	3	Horizontal	310	1.06	30.37	38.50	8.61	34.66
AV	17.6525G	46.24	68.20	-21.96	15.18	3	Horizontal	17	1.41	31.06	39.31	10.33	34.46
PK	11.76576G	53.84	74.00	-20.16	12.45	3	Horizontal	310	1.06	41.39	38.50	8.61	34.66
PK	17.65564G	55.36	88.20	-32.84	15.19	3	Horizontal	17	1.41	40.17	39.32	10.33	34.46

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8426G	99.91	Inf	-Inf	5.36	3	Vertical	351	2.70	94.55	34.07	5.82	34.53
AV	5.9266G	47.14	68.20	-21.06	5.58	3	Vertical	351	2.70	41.56	34.25	5.86	34.53
PK	5.6302G	57.43	68.20	-10.77	4.17	3	Vertical	351	2.70	53.26	32.96	5.76	34.55
PK	5.8414G	108.17	Inf	-Inf	5.36	3	Vertical	351	2.70	102.81	34.07	5.82	34.53
PK	6.0778G	58.62	88.20	-29.58	5.48	3	Vertical	351	2.70	53.14	34.04	5.95	34.51

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	98.33	Inf	-Inf	5.36	3	Horizontal	357	1.46	92.97	34.07	5.82	34.53
AV	5.9314G	47.06	68.20	-21.14	5.57	3	Horizontal	357	1.46	41.49	34.24	5.86	34.53
PK	5.5894G	57.25	68.20	-10.95	4.09	3	Horizontal	357	1.46	53.16	32.90	5.74	34.55
PK	5.8426G	106.89	Inf	-Inf	5.36	3	Horizontal	357	1.46	101.53	34.07	5.82	34.53
PK	6.031G	58.83	88.20	-29.37	5.49	3	Horizontal	357	1.46	53.34	34.10	5.91	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.71052G	41.92	54.00	-12.08	12.17	3	Vertical	284	3.00	29.75	38.42	8.39	34.64
AV	17.54492G	45.13	68.20	-23.07	14.56	3	Vertical	110	2.77	30.57	38.72	10.27	34.43
PK	11.71096G	53.11	74.00	-20.89	12.17	3	Vertical	284	3.00	40.94	38.42	8.39	34.64
PK	17.53996G	56.54	88.20	-31.66	14.54	3	Vertical	110	2.77	42.00	38.70	10.27	34.43

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69092G	41.93	54.00	-12.07	12.15	3	Horizontal	175	2.10	29.78	38.40	8.38	34.63
AV	17.55228G	45.08	68.20	-23.12	14.60	3	Horizontal	267	1.03	30.48	38.76	10.27	34.43
PK	11.69016G	53.86	74.00	-20.14	12.15	3	Horizontal	175	2.10	41.71	38.40	8.38	34.63
PK	17.56332G	56.16	88.20	-32.04	14.66	3	Horizontal	267	1.03	41.50	38.82	10.28	34.44

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	98.63	Inf	-Inf	5.45	3	Vertical	343	1.35	93.18	34.15	5.83	34.53
AV	5.925G	47.08	68.20	-21.12	5.58	3	Vertical	343	1.35	41.50	34.25	5.86	34.53
PK	5.6286G	58.27	68.20	-9.93	4.17	3	Vertical	343	1.35	54.10	32.96	5.76	34.55
PK	5.8602G	107.08	Inf	-Inf	5.44	3	Vertical	343	1.35	101.64	34.14	5.83	34.53
PK	6.0258G	58.52	88.20	-29.68	5.49	3	Vertical	343	1.35	53.03	34.10	5.91	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	99.28	Inf	-Inf	5.45	3	Horizontal	7	2.86	93.83	34.15	5.83	34.53
AV	5.931G	47.13	68.20	-21.07	5.57	3	Horizontal	7	2.86	41.56	34.24	5.86	34.53
PK	5.6322G	58.79	68.20	-9.41	4.17	3	Horizontal	7	2.86	54.62	32.96	5.76	34.55
PK	5.8614G	107.37	Inf	-Inf	5.45	3	Horizontal	7	2.86	101.92	34.15	5.83	34.53
PK	5.9514G	58.60	88.20	-29.60	5.55	3	Horizontal	7	2.86	53.05	34.20	5.87	34.52

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76632G	42.06	54.00	-11.94	12.28	3	Vertical	360	2.81	29.78	38.53	8.41	34.66
AV	17.6278G	45.46	68.20	-22.74	14.96	3	Vertical	286	1.89	30.50	39.11	10.30	34.45
PK	11.72856G	54.01	74.00	-19.99	12.21	3	Vertical	360	2.81	41.80	38.46	8.39	34.64
PK	17.615G	56.86	88.20	-31.34	14.91	3	Vertical	286	1.89	41.95	39.06	10.30	34.45

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76888G	42.08	54.00	-11.92	12.29	3	Horizontal	149	2.73	29.79	38.54	8.41	34.66
AV	17.63132G	45.47	68.20	-22.73	14.98	3	Horizontal	313	1.46	30.49	39.13	10.30	34.45
PK	11.77G	53.46	74.00	-20.54	12.29	3	Horizontal	149	2.73	41.17	38.54	8.41	34.66
PK	17.603G	57.17	88.20	-31.03	14.85	3	Horizontal	313	1.46	42.32	39.01	10.29	34.45

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	98.92	Inf	-Inf	5.54	3	Vertical	342	2.04	93.38	34.23	5.84	34.53
AV	5.8958G	75.69	89.61	-13.92	5.59	3	Vertical	342	2.04	70.10	34.28	5.84	34.53
PK	5.6282G	57.72	68.20	-10.48	4.17	3	Vertical	342	2.04	53.55	32.96	5.76	34.55
PK	5.8826G	106.93	Inf	-Inf	5.54	3	Vertical	342	2.04	101.39	34.23	5.84	34.53
PK	5.8958G	86.48	109.61	-23.13	5.59	3	Vertical	342	2.04	80.89	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	98.55	Inf	-Inf	5.54	3	Horizontal	353	2.85	93.01	34.23	5.84	34.53
AV	5.8958G	75.30	89.61	-14.31	5.59	3	Horizontal	353	2.85	69.71	34.28	5.84	34.53
PK	5.639G	56.94	68.20	-11.26	4.19	3	Horizontal	353	2.85	52.75	32.98	5.76	34.55
PK	5.8814G	106.55	Inf	-Inf	5.54	3	Horizontal	353	2.85	101.01	34.23	5.84	34.53
PK	5.8958G	87.06	109.61	-22.55	5.59	3	Horizontal	353	2.85	81.47	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7676G	42.07	54.00	-11.93	12.29	3	Vertical	8	2.75	29.78	38.54	8.41	34.66
AV	17.695G	45.49	68.20	-22.71	15.24	3	Vertical	256	2.80	30.25	39.38	10.33	34.47
PK	11.76112G	53.22	74.00	-20.78	12.27	3	Vertical	8	2.75	40.95	38.52	8.40	34.65
PK	17.66812G	56.81	88.20	-31.39	15.13	3	Vertical	256	2.80	41.68	39.27	10.32	34.46

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.80808G	42.07	54.00	-11.93	12.35	3	Horizontal	327	2.93	29.72	38.60	8.42	34.67
AV	17.6942G	45.48	68.20	-22.72	15.24	3	Horizontal	334	1.27	30.24	39.38	10.33	34.47
PK	11.80968G	53.74	74.00	-20.26	12.35	3	Horizontal	327	2.93	41.39	38.60	8.42	34.67
PK	17.68188G	56.90	88.20	-31.30	15.18	3	Horizontal	334	1.27	41.72	39.33	10.32	34.47

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8474G	99.34	Inf	-Inf	5.38	3	Vertical	6	1.25	93.96	34.09	5.82	34.53
AV	5.9254G	47.07	68.20	-21.13	5.58	3	Vertical	6	1.25	41.49	34.25	5.86	34.53
PK	5.5594G	57.47	68.20	-10.73	4.05	3	Vertical	6	1.25	53.42	32.90	5.71	34.56
PK	5.8498G	107.94	Inf	-Inf	5.39	3	Vertical	6	1.25	102.55	34.10	5.82	34.53
PK	6.037G	58.17	88.20	-30.03	5.50	3	Vertical	6	1.25	52.67	34.10	5.92	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)

5845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	99.83	Inf	-Inf	5.36	3	Horizontal	350	2.93	94.47	34.07	5.82	34.53
AV	5.9278G	47.23	68.20	-20.97	5.57	3	Horizontal	350	2.93	41.66	34.24	5.86	34.53
PK	5.6494G	58.09	68.20	-10.11	4.21	3	Horizontal	350	2.93	53.88	33.00	5.76	34.55
PK	5.8414G	108.11	Inf	-Inf	5.36	3	Horizontal	350	2.93	102.75	34.07	5.82	34.53
PK	5.9278G	59.07	88.20	-29.13	5.57	3	Horizontal	350	2.93	53.50	34.24	5.86	34.53



5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6892G	41.91	54.00	-12.09	12.15	3	Vertical	166	1.25	29.76	38.40	8.38	34.63
AV	17.52516G	45.10	68.20	-23.10	14.46	3	Vertical	50	1.04	30.64	38.63	10.26	34.43
PK	11.68664G	54.54	74.00	-19.46	12.15	3	Vertical	166	1.25	42.39	38.40	8.38	34.63
PK	17.52508G	56.88	88.20	-31.32	14.46	3	Vertical	50	1.04	42.42	38.63	10.26	34.43

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72984G	41.94	54.00	-12.06	12.21	3	Horizontal	143	2.60	29.73	38.46	8.39	34.64
AV	17.54908G	45.12	68.20	-23.08	14.59	3	Horizontal	151	1.91	30.53	38.75	10.27	34.43
PK	11.72248G	53.38	74.00	-20.62	12.19	3	Horizontal	143	2.60	41.19	38.44	8.39	34.64
PK	17.5502G	56.82	88.20	-31.38	14.59	3	Horizontal	151	1.91	42.23	38.75	10.27	34.43

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	100.59	Inf	-Inf	5.45	3	Vertical	9	1.93	95.14	34.15	5.83	34.53
AV	5.9274G	47.09	68.20	-21.11	5.58	3	Vertical	9	1.93	41.51	34.25	5.86	34.53
PK	5.6094G	57.99	68.20	-10.21	4.12	3	Vertical	9	1.93	53.87	32.92	5.75	34.55
PK	5.8686G	108.71	Inf	-Inf	5.47	3	Vertical	9	1.93	103.24	34.17	5.83	34.53
PK	5.9622G	58.80	88.20	-29.40	5.53	3	Vertical	9	1.93	53.27	34.18	5.87	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8638G	99.80	Inf	-Inf	5.46	3	Horizontal	352	2.95	94.34	34.16	5.83	34.53
AV	5.925G	47.19	68.20	-21.01	5.58	3	Horizontal	352	2.95	41.61	34.25	5.86	34.53
PK	5.6502G	57.13	68.35	-11.22	4.21	3	Horizontal	352	2.95	52.92	33.00	5.76	34.55
PK	5.8614G	107.87	Inf	-Inf	5.45	3	Horizontal	352	2.95	102.42	34.15	5.83	34.53
PK	6.015G	58.84	88.20	-29.36	5.48	3	Horizontal	352	2.95	53.36	34.10	5.90	34.52

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76984G	42.07	54.00	-11.93	12.29	3	Vertical	226	1.30	29.78	38.54	8.41	34.66
AV	17.63404G	45.47	68.20	-22.73	15.00	3	Vertical	96	1.42	30.47	39.14	10.31	34.45
PK	11.76688G	53.54	74.00	-20.46	12.28	3	Vertical	226	1.30	41.26	38.53	8.41	34.66
PK	17.62812G	57.01	88.20	-31.19	14.96	3	Vertical	96	1.42	42.05	39.11	10.30	34.45

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7684G	42.11	54.00	-11.89	12.29	3	Horizontal	173	2.81	29.82	38.54	8.41	34.66
AV	17.62412G	45.47	68.20	-22.73	14.95	3	Horizontal	53	2.54	30.52	39.10	10.30	34.45
PK	11.76136G	53.38	74.00	-20.62	12.27	3	Horizontal	173	2.81	41.11	38.52	8.40	34.65
PK	17.60172G	56.74	88.20	-31.46	14.85	3	Horizontal	53	2.54	41.89	39.01	10.29	34.45

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	100.19	Inf	-Inf	5.54	3	Vertical	7	1.89	94.65	34.23	5.84	34.53
AV	5.8958G	76.90	89.61	-12.71	5.59	3	Vertical	7	1.89	71.31	34.28	5.84	34.53
PK	5.6318G	56.55	68.20	-11.65	4.17	3	Vertical	7	1.89	52.38	32.96	5.76	34.55
PK	5.8826G	108.59	Inf	-Inf	5.54	3	Vertical	7	1.89	103.05	34.23	5.84	34.53
PK	5.8958G	89.66	109.61	-19.95	5.59	3	Vertical	7	1.89	84.07	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	100.16	Inf	-Inf	5.54	3	Horizontal	350	2.92	94.62	34.23	5.84	34.53
AV	5.8958G	77.02	89.61	-12.59	5.59	3	Horizontal	350	2.92	71.43	34.28	5.84	34.53
PK	5.5982G	57.82	68.20	-10.38	4.10	3	Horizontal	350	2.92	53.72	32.90	5.75	34.55
PK	5.8826G	108.35	Inf	-Inf	5.54	3	Horizontal	350	2.92	102.81	34.23	5.84	34.53
PK	5.8958G	88.56	109.61	-21.05	5.59	3	Horizontal	350	2.92	82.97	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.80872G	42.07	54.00	-11.93	12.35	3	Vertical	194	1.36	29.72	38.60	8.42	34.67
AV	17.6942G	45.50	68.20	-22.70	15.24	3	Vertical	183	1.34	30.26	39.38	10.33	34.47
PK	11.80616G	53.91	74.00	-20.09	12.35	3	Vertical	194	1.36	41.56	38.60	8.42	34.67
PK	17.655G	57.13	88.20	-31.07	15.07	3	Vertical	183	1.34	42.06	39.22	10.31	34.46

5.85-5.895GHz\_802.11n\_HT20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76904G	42.08	54.00	-11.92	12.29	3	Horizontal	90	2.81	29.79	38.54	8.41	34.66
AV	17.695G	45.53	68.20	-22.67	15.24	3	Horizontal	194	1.81	30.29	39.38	10.33	34.47
PK	11.76632G	54.06	74.00	-19.94	12.28	3	Horizontal	90	2.81	41.78	38.53	8.41	34.66
PK	17.67676G	56.90	88.20	-31.30	15.16	3	Horizontal	194	1.81	41.74	39.31	10.32	34.47

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	105.38	Inf	-Inf	5.36	3	Vertical	353	1.00	100.02	34.07	5.82	34.53
AV	6.0154G	49.32	68.20	-18.88	5.48	3	Vertical	353	1.00	43.84	34.10	5.90	34.52
PK	5.6314G	58.27	68.20	-9.93	4.17	3	Vertical	353	1.00	54.10	32.96	5.76	34.55
PK	5.8414G	113.50	Inf	-Inf	5.36	3	Vertical	353	1.00	108.14	34.07	5.82	34.53
PK	5.977G	61.19	88.20	-27.01	5.51	3	Vertical	353	1.00	55.68	34.15	5.88	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8426G	105.48	Inf	-Inf	5.36	3	Horizontal	352	2.25	100.12	34.07	5.82	34.53
AV	5.9314G	48.84	68.20	-19.36	5.57	3	Horizontal	352	2.25	43.27	34.24	5.86	34.53
PK	5.6362G	57.42	68.20	-10.78	4.18	3	Horizontal	352	2.25	53.24	32.97	5.76	34.55
PK	5.8438G	114.42	Inf	-Inf	5.37	3	Horizontal	352	2.25	109.05	34.08	5.82	34.53
PK	5.9866G	59.82	88.20	-28.38	5.49	3	Horizontal	352	2.25	54.33	34.13	5.88	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72984G	41.93	54.00	-12.07	12.21	3	Vertical	142	2.35	29.72	38.46	8.39	34.64
AV	17.5478G	45.12	68.20	-23.08	14.58	3	Vertical	118	2.76	30.54	38.74	10.27	34.43
PK	11.72544G	53.99	74.00	-20.01	12.20	3	Vertical	142	2.35	41.79	38.45	8.39	34.64
PK	17.5278G	57.30	88.20	-30.90	14.47	3	Vertical	118	2.76	42.83	38.64	10.26	34.43

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65968G	41.93	54.00	-12.07	12.15	3	Horizontal	316	2.08	29.78	38.40	8.37	34.62
AV	17.55516G	45.10	68.20	-23.10	14.62	3	Horizontal	62	1.49	30.48	38.78	10.27	34.43
PK	11.65828G	53.45	74.00	-20.55	12.15	3	Horizontal	316	2.08	41.30	38.40	8.37	34.62
PK	17.56284G	56.98	88.20	-31.22	14.65	3	Horizontal	62	1.49	42.33	38.81	10.28	34.44

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	105.83	Inf	-Inf	5.45	3	Vertical	350	1.08	100.38	34.15	5.83	34.53
AV	5.9778G	49.42	68.20	-18.78	5.50	3	Vertical	350	1.08	43.92	34.14	5.88	34.52
PK	5.6046G	57.52	68.20	-10.68	4.11	3	Vertical	350	1.08	53.41	32.91	5.75	34.55
PK	5.8626G	114.01	Inf	-Inf	5.45	3	Vertical	350	1.08	108.56	34.15	5.83	34.53
PK	5.9742G	61.40	88.20	-26.80	5.51	3	Vertical	350	1.08	55.89	34.15	5.88	34.52

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX

5865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	105.56	Inf	-Inf	5.47	3	Horizontal	352	2.92	100.09	34.17	5.83	34.53
AV	6.0234G	49.21	68.20	-18.99	5.49	3	Horizontal	352	2.92	43.72	34.10	5.91	34.52
PK	5.6454G	58.16	68.20	-10.04	4.20	3	Horizontal	352	2.92	53.96	32.99	5.76	34.55
PK	5.8686G	113.93	Inf	-Inf	5.47	3	Horizontal	352	2.92	108.46	34.17	5.83	34.53
PK	6.0558G	60.87	88.20	-27.33	5.51	3	Horizontal	352	2.92	55.36	34.09	5.93	34.51



5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77G	42.10	54.00	-11.90	12.29	3	Vertical	274	2.75	29.81	38.54	8.41	34.66
AV	17.6326G	45.45	68.20	-22.75	14.98	3	Vertical	300	1.79	30.47	39.13	10.30	34.45
PK	11.7292G	54.23	74.00	-19.77	12.21	3	Vertical	274	2.75	42.02	38.46	8.39	34.64
PK	17.59116G	56.63	88.20	-31.57	14.81	3	Vertical	300	1.79	41.82	38.96	10.29	34.44

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76872G	42.07	54.00	-11.93	12.29	3	Horizontal	307	2.29	29.78	38.54	8.41	34.66
AV	17.63004G	45.46	68.20	-22.74	14.97	3	Horizontal	227	1.05	30.49	39.12	10.30	34.45
PK	11.76408G	53.15	74.00	-20.85	12.29	3	Horizontal	307	2.29	40.86	38.53	8.41	34.65
PK	17.61964G	56.35	88.20	-31.85	14.93	3	Horizontal	227	1.05	41.42	39.08	10.30	34.45

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	106.65	Inf	-Inf	5.54	3	Vertical	6	1.84	101.11	34.23	5.84	34.53
AV	5.8958G	83.57	89.61	-6.04	5.59	3	Vertical	6	1.84	77.98	34.28	5.84	34.53
PK	5.5958G	57.40	68.20	-10.80	4.10	3	Vertical	6	1.84	53.30	32.90	5.75	34.55
PK	5.8814G	114.36	Inf	-Inf	5.54	3	Vertical	6	1.84	108.82	34.23	5.84	34.53
PK	5.8958G	94.32	109.61	-15.29	5.59	3	Vertical	6	1.84	88.73	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	103.87	Inf	-Inf	5.54	3	Horizontal	354	1.50	98.33	34.23	5.84	34.53
AV	5.8958G	79.74	89.61	-9.87	5.59	3	Horizontal	354	1.50	74.15	34.28	5.84	34.53
PK	5.6222G	57.60	68.20	-10.60	4.15	3	Horizontal	354	1.50	53.45	32.94	5.76	34.55
PK	5.8814G	111.66	Inf	-Inf	5.54	3	Horizontal	354	1.50	106.12	34.23	5.84	34.53
PK	5.8958G	90.90	109.61	-18.71	5.59	3	Horizontal	354	1.50	85.31	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77032G	42.08	54.00	-11.92	12.29	3	Vertical	153	2.37	29.79	38.54	8.41	34.66
AV	17.62188G	45.54	68.20	-22.66	14.94	3	Vertical	125	1.02	30.60	39.09	10.30	34.45
PK	11.73048G	53.74	74.00	-20.26	12.22	3	Vertical	153	2.37	41.52	38.46	8.40	34.64
PK	17.62636G	57.66	88.20	-30.54	14.96	3	Vertical	125	1.02	42.70	39.11	10.30	34.45

5.85-5.895GHz\_802.11n HT20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77256G	42.09	54.00	-11.91	12.30	3	Horizontal	21	1.19	29.79	38.55	8.41	34.66
AV	17.695G	45.53	68.20	-22.67	15.24	3	Horizontal	104	1.34	30.29	39.38	10.33	34.47
PK	11.77144G	53.43	74.00	-20.57	12.29	3	Horizontal	21	1.19	41.14	38.54	8.41	34.66
PK	17.68492G	56.69	88.20	-31.51	15.20	3	Horizontal	104	1.34	41.49	39.34	10.33	34.47

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8374G	98.82	Inf	-Inf	5.34	3	Vertical	352	1.89	93.48	34.05	5.82	34.53
AV	5.925G	48.14	68.20	-20.06	5.58	3	Vertical	352	1.89	42.56	34.25	5.86	34.53
PK	5.6502G	57.73	68.35	-10.62	4.21	3	Vertical	352	1.89	53.52	33.00	5.76	34.55
PK	5.8326G	107.69	Inf	-Inf	5.31	3	Vertical	352	1.89	102.38	34.03	5.81	34.53
PK	5.925G	59.29	88.20	-28.91	5.58	3	Vertical	352	1.89	53.71	34.25	5.86	34.53

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8242G	97.85	Inf	-Inf	5.28	3	Horizontal	354	1.52	92.57	34.00	5.81	34.53
AV	5.925G	47.66	68.20	-20.54	5.58	3	Horizontal	354	1.52	42.08	34.25	5.86	34.53
PK	5.6286G	57.96	68.20	-10.24	4.17	3	Horizontal	354	1.52	53.79	32.96	5.76	34.55
PK	5.8242G	106.96	Inf	-Inf	5.28	3	Horizontal	354	1.52	101.68	34.00	5.81	34.53
PK	5.9358G	59.45	88.20	-28.75	5.56	3	Horizontal	354	1.52	53.89	34.23	5.86	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port1)

5835MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69816G	41.85	54.00	-12.15	12.15	3	Vertical	59	1.45	29.70	38.40	8.38	34.63
AV	17.47308G	45.11	68.20	-23.09	14.34	3	Vertical	85	2.54	30.77	38.50	10.24	34.40
PK	11.70552G	53.51	74.00	-20.49	12.16	3	Vertical	59	1.45	41.35	38.41	8.39	34.64
PK	17.47396G	56.42	88.20	-31.78	14.34	3	Vertical	85	2.54	42.08	38.50	10.24	34.40

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port1)

5835MHz\_TX




09/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70008G	41.84	54.00	-12.16	12.16	3	Horizontal	228	1.92	29.68	38.40	8.39	34.63
AV	17.5218G	45.09	68.20	-23.11	14.44	3	Horizontal	284	2.11	30.65	38.61	10.26	34.43
PK	11.6948G	53.14	74.00	-20.86	12.15	3	Horizontal	228	1.92	40.99	38.40	8.38	34.63
PK	17.5434G	56.86	88.20	-31.34	14.56	3	Horizontal	284	2.11	42.30	38.72	10.27	34.43

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	98.17	Inf	-Inf	5.46	3	Vertical	356	2.04	92.71	34.16	5.83	34.53
AV	5.8954G	75.06	89.91	-14.85	5.59	3	Vertical	356	2.04	69.47	34.28	5.84	34.53
PK	5.599G	56.96	68.20	-11.24	4.10	3	Vertical	356	2.04	52.86	32.90	5.75	34.55
PK	5.8666G	107.31	Inf	-Inf	5.47	3	Vertical	356	2.04	101.84	34.17	5.83	34.53
PK	5.8954G	86.71	109.91	-23.20	5.59	3	Vertical	356	2.04	81.12	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	97.69	Inf	-Inf	5.46	3	Horizontal	356	1.46	92.23	34.16	5.83	34.53
AV	5.8954G	74.48	89.91	-15.43	5.59	3	Horizontal	356	1.46	68.89	34.28	5.84	34.53
PK	5.6266G	57.93	68.20	-10.27	4.16	3	Horizontal	356	1.46	53.77	32.95	5.76	34.55
PK	5.8642G	105.97	Inf	-Inf	5.46	3	Horizontal	356	1.46	100.51	34.16	5.83	34.53
PK	5.8954G	85.31	109.91	-24.60	5.59	3	Horizontal	356	1.46	79.72	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77128G	42.08	54.00	-11.92	12.29	3	Vertical	194	1.01	29.79	38.54	8.41	34.66
AV	17.657G	45.49	68.20	-22.71	15.08	3	Vertical	19	2.32	30.41	39.23	10.31	34.46
PK	11.75432G	53.47	74.00	-20.53	12.26	3	Vertical	194	1.01	41.21	38.51	8.40	34.65
PK	17.65956G	57.37	88.20	-30.83	15.10	3	Vertical	19	2.32	42.27	39.24	10.32	34.46

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76792G	42.11	54.00	-11.89	12.29	3	Horizontal	223	2.70	29.82	38.54	8.41	34.66
AV	17.66452G	45.47	68.20	-22.73	15.12	3	Horizontal	337	2.30	30.35	39.26	10.32	34.46
PK	11.72984G	53.14	74.00	-20.86	12.21	3	Horizontal	223	2.70	40.93	38.46	8.39	34.64
PK	17.65188G	57.62	88.20	-30.58	15.06	3	Horizontal	337	2.30	42.56	39.21	10.31	34.46

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8338G	98.83	Inf	-Inf	5.33	3	Vertical	8	1.89	93.50	34.04	5.82	34.53
AV	5.925G	48.91	68.20	-19.29	5.58	3	Vertical	8	1.89	43.33	34.25	5.86	34.53
PK	5.6202G	57.93	68.20	-10.27	4.15	3	Vertical	8	1.89	53.78	32.94	5.76	34.55
PK	5.8302G	108.21	Inf	-Inf	5.30	3	Vertical	8	1.89	102.91	34.02	5.81	34.53
PK	5.9286G	60.01	88.20	-28.19	5.57	3	Vertical	8	1.89	54.44	34.24	5.86	34.53

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_1TX(Port2)

5835MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8374G	99.35	Inf	-Inf	5.34	3	Horizontal	349	2.94	94.01	34.05	5.82	34.53
AV	5.925G	48.49	68.20	-19.71	5.58	3	Horizontal	349	2.94	42.91	34.25	5.86	34.53
PK	5.6298G	57.53	68.20	-10.67	4.17	3	Horizontal	349	2.94	53.36	32.96	5.76	34.55
PK	5.8386G	108.23	Inf	-Inf	5.34	3	Horizontal	349	2.94	102.89	34.05	5.82	34.53
PK	5.9358G	59.71	88.20	-28.49	5.56	3	Horizontal	349	2.94	54.15	34.23	5.86	34.53



5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63328G	41.86	54.00	-12.14	12.15	3	Vertical	9	1.20	29.71	38.40	8.36	34.61
AV	17.51652G	45.08	68.20	-23.12	14.42	3	Vertical	293	2.59	30.66	38.58	10.26	34.42
PK	11.63576G	53.50	74.00	-20.50	12.16	3	Vertical	9	1.20	41.34	38.40	8.37	34.61
PK	17.52244G	57.52	88.20	-30.68	14.44	3	Vertical	293	2.59	43.08	38.61	10.26	34.43

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63264G	41.88	54.00	-12.12	12.15	3	Horizontal	140	1.95	29.73	38.40	8.36	34.61
AV	17.54436G	45.09	68.20	-23.11	14.56	3	Horizontal	67	2.81	30.53	38.72	10.27	34.43
PK	11.6364G	53.55	74.00	-20.45	12.16	3	Horizontal	140	1.95	41.39	38.40	8.37	34.61
PK	17.51364G	58.89	88.20	-29.31	14.41	3	Horizontal	67	2.81	44.48	38.57	10.26	34.42

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	99.17	Inf	-Inf	5.46	3	Vertical	7	1.94	93.71	34.16	5.83	34.53
AV	5.8954G	75.59	89.91	-14.32	5.59	3	Vertical	7	1.94	70.00	34.28	5.84	34.53
PK	5.6434G	57.15	68.20	-11.05	4.20	3	Vertical	7	1.94	52.95	32.99	5.76	34.55
PK	5.8642G	107.27	Inf	-Inf	5.46	3	Vertical	7	1.94	101.81	34.16	5.83	34.53
PK	5.8954G	86.55	109.91	-23.36	5.59	3	Vertical	7	1.94	80.96	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8798G	99.13	Inf	-Inf	5.53	3	Horizontal	351	2.92	93.60	34.22	5.84	34.53
AV	5.8954G	75.90	89.91	-14.01	5.59	3	Horizontal	351	2.92	70.31	34.28	5.84	34.53
PK	5.5822G	57.02	68.20	-11.18	4.08	3	Horizontal	351	2.92	52.94	32.90	5.73	34.55
PK	5.8834G	107.62	Inf	-Inf	5.54	3	Horizontal	351	2.92	102.08	34.23	5.84	34.53
PK	5.8954G	86.23	109.91	-23.68	5.59	3	Horizontal	351	2.92	80.64	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76808G	42.10	54.00	-11.90	12.29	3	Vertical	53	2.31	29.81	38.54	8.41	34.66
AV	17.64452G	45.50	68.20	-22.70	15.03	3	Vertical	308	1.65	30.47	39.18	10.31	34.46
PK	11.75448G	53.51	74.00	-20.49	12.26	3	Vertical	53	2.31	41.25	38.51	8.40	34.65
PK	17.63956G	56.98	88.20	-31.22	15.01	3	Vertical	308	1.65	41.97	39.16	10.31	34.46

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76744G	42.08	54.00	-11.92	12.28	3	Horizontal	87	2.29	29.80	38.53	8.41	34.66
AV	17.65892G	45.48	68.20	-22.72	15.10	3	Horizontal	232	1.95	30.38	39.24	10.32	34.46
PK	11.7772G	53.29	74.00	-20.71	12.30	3	Horizontal	87	2.29	40.99	38.55	8.41	34.66
PK	17.65076G	56.51	88.20	-31.69	15.05	3	Horizontal	232	1.95	41.46	39.20	10.31	34.46

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8314G	103.18	Inf	-Inf	5.31	3	Vertical	7	1.88	97.87	34.03	5.81	34.53
AV	5.9298G	50.55	68.20	-17.65	5.57	3	Vertical	7	1.88	44.98	34.24	5.86	34.53
PK	5.649G	59.44	68.20	-8.76	4.21	3	Vertical	7	1.88	55.23	33.00	5.76	34.55
PK	5.841G	112.22	Inf	-Inf	5.35	3	Vertical	7	1.88	106.87	34.06	5.82	34.53
PK	5.9262G	62.02	88.20	-26.18	5.58	3	Vertical	7	1.88	56.44	34.25	5.86	34.53

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8374G	102.73	Inf	-Inf	5.34	3	Horizontal	352	2.94	97.39	34.05	5.82	34.53
AV	5.9262G	49.74	68.20	-18.46	5.58	3	Horizontal	352	2.94	44.16	34.25	5.86	34.53
PK	5.649G	57.94	68.20	-10.26	4.21	3	Horizontal	352	2.94	53.73	33.00	5.76	34.55
PK	5.8458G	111.15	Inf	-Inf	5.37	3	Horizontal	352	2.94	105.78	34.08	5.82	34.53
PK	5.9286G	60.48	88.20	-27.72	5.57	3	Horizontal	352	2.94	54.91	34.24	5.86	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70312G	41.85	54.00	-12.15	12.17	3	Vertical	88	1.21	29.68	38.41	8.39	34.63
AV	17.51796G	45.10	68.20	-23.10	14.43	3	Vertical	271	2.09	30.67	38.59	10.26	34.42
PK	11.65768G	53.12	74.00	-20.88	12.15	3	Vertical	88	1.21	40.97	38.40	8.37	34.62
PK	17.52788G	56.94	88.20	-31.26	14.47	3	Vertical	271	2.09	42.47	38.64	10.26	34.43

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69688G	41.85	54.00	-12.15	12.15	3	Horizontal	148	2.49	29.70	38.40	8.38	34.63
AV	17.545G	45.14	68.20	-23.06	14.56	3	Horizontal	86	1.60	30.58	38.72	10.27	34.43
PK	11.68168G	52.86	74.00	-21.14	12.15	3	Horizontal	148	2.49	40.71	38.40	8.38	34.63
PK	17.51332G	56.71	88.20	-31.49	14.41	3	Horizontal	86	1.60	42.30	38.57	10.26	34.42

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8654G	103.08	Inf	-Inf	5.46	3	Vertical	351	1.80	97.62	34.16	5.83	34.53
AV	5.8954G	77.65	89.91	-12.26	5.59	3	Vertical	351	1.80	72.06	34.28	5.84	34.53
PK	5.647G	57.73	68.20	-10.47	4.20	3	Vertical	351	1.80	53.53	32.99	5.76	34.55
PK	5.8666G	111.38	Inf	-Inf	5.47	3	Vertical	351	1.80	105.91	34.17	5.83	34.53
PK	5.8954G	90.20	109.91	-19.71	5.59	3	Vertical	351	1.80	84.61	34.28	5.84	34.53

5.85-5.895GHz\_802.11n HT40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8654G	102.81	Inf	-Inf	5.46	3	Horizontal	351	2.32	97.35	34.16	5.83	34.53
AV	5.8954G	78.72	89.91	-11.19	5.59	3	Horizontal	351	2.32	73.13	34.28	5.84	34.53
PK	5.6194G	57.27	68.20	-10.93	4.14	3	Horizontal	351	2.32	53.13	32.94	5.75	34.55
PK	5.8642G	110.82	Inf	-Inf	5.46	3	Horizontal	351	2.32	105.36	34.16	5.83	34.53
PK	5.8954G	89.33	109.91	-20.58	5.59	3	Horizontal	351	2.32	83.74	34.28	5.84	34.53

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77016G	42.09	54.00	-11.91	12.29	3	Vertical	155	2.29	29.80	38.54	8.41	34.66
AV	17.62996G	45.48	68.20	-22.72	14.97	3	Vertical	156	1.70	30.51	39.12	10.30	34.45
PK	11.7308G	53.97	74.00	-20.03	12.22	3	Vertical	155	2.29	41.75	38.46	8.40	34.64
PK	17.6246G	56.96	88.20	-31.24	14.95	3	Vertical	156	1.70	42.01	39.10	10.30	34.45

5.85-5.895GHz\_802.11n\_HT40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77144G	42.08	54.00	-11.92	12.29	3	Horizontal	49	1.97	29.79	38.54	8.41	34.66
AV	17.60412G	45.48	68.20	-22.72	14.86	3	Horizontal	222	2.22	30.62	39.02	10.29	34.45
PK	11.76472G	53.80	74.00	-20.20	12.29	3	Horizontal	49	1.97	41.51	38.53	8.41	34.65
PK	17.60932G	56.85	88.20	-31.35	14.89	3	Horizontal	222	2.22	41.96	39.04	10.30	34.45

5.85-5.895GHz\_802.11ac\_VHT80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8382G	95.68	Inf	-Inf	5.34	3	Vertical	351	1.97	90.34	34.05	5.82	34.53
AV	5.927G	55.93	68.20	-12.27	5.58	3	Vertical	351	1.97	50.35	34.25	5.86	34.53
PK	5.6282G	57.65	68.20	-10.55	4.17	3	Vertical	351	1.97	53.48	32.96	5.76	34.55
PK	5.837G	105.29	Inf	-Inf	5.34	3	Vertical	351	1.97	99.95	34.05	5.82	34.53
PK	5.9318G	69.23	88.20	-18.97	5.57	3	Vertical	351	1.97	63.66	34.24	5.86	34.53

5.85-5.895GHz\_802.11ac\_VHT80\_Nss1,(MCS0)\_1TX(Port1)

5855MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8598G	94.85	Inf	-Inf	5.44	3	Horizontal	353	1.37	89.41	34.14	5.83	34.53
AV	5.9258G	54.82	68.20	-13.38	5.58	3	Horizontal	353	1.37	49.24	34.25	5.86	34.53
PK	5.6258G	58.09	68.20	-10.11	4.16	3	Horizontal	353	1.37	53.93	32.95	5.76	34.55
PK	5.8586G	103.95	Inf	-Inf	5.43	3	Horizontal	353	1.37	98.52	34.13	5.83	34.53
PK	5.9294G	66.93	88.20	-21.27	5.57	3	Horizontal	353	1.37	61.36	34.24	5.86	34.53



5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68256G	42.02	54.00	-11.98	12.15	3	Vertical	8	1.17	29.87	38.40	8.38	34.63
AV	17.5335G	45.29	68.20	-22.91	14.51	3	Vertical	348	2.29	30.78	38.67	10.27	34.43
PK	11.68584G	53.13	74.00	-20.87	12.15	3	Vertical	8	1.17	40.98	38.40	8.38	34.63
PK	17.53332G	56.37	88.20	-31.83	14.51	3	Vertical	348	2.29	41.86	38.67	10.27	34.43

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7324G	42.00	54.00	-12.00	12.22	3	Horizontal	324	2.81	29.78	38.46	8.40	34.64
AV	17.60388G	45.27	68.20	-22.93	14.86	3	Horizontal	91	1.58	30.41	39.02	10.29	34.45
PK	11.73064G	54.27	74.00	-19.73	12.22	3	Horizontal	324	2.81	42.05	38.46	8.40	34.64
PK	17.60388G	56.92	88.20	-31.28	14.86	3	Horizontal	91	1.58	42.06	39.02	10.29	34.45

5.85-5.895GHz\_802.11ac\_VHT80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8526G	95.51	Inf	-Inf	5.40	3	Vertical	11	1.91	90.11	34.11	5.82	34.53
AV	5.9258G	55.81	68.20	-12.39	5.58	3	Vertical	11	1.91	50.23	34.25	5.86	34.53
PK	5.6174G	58.28	68.20	-9.92	4.13	3	Vertical	11	1.91	54.15	32.93	5.75	34.55
PK	5.8538G	104.24	Inf	-Inf	5.41	3	Vertical	11	1.91	98.83	34.12	5.82	34.53
PK	5.9294G	69.99	88.20	-18.21	5.57	3	Vertical	11	1.91	64.42	34.24	5.86	34.53

5.85-5.895GHz\_802.11ac\_VHT80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.879G	95.72	Inf	-Inf	5.53	3	Horizontal	350	2.94	90.19	34.22	5.84	34.53
AV	5.9282G	57.02	68.20	-11.18	5.57	3	Horizontal	350	2.94	51.45	34.24	5.86	34.53
PK	5.6354G	59.21	68.20	-8.99	4.18	3	Horizontal	350	2.94	55.03	32.97	5.76	34.55
PK	5.8394G	104.51	Inf	-Inf	5.35	3	Horizontal	350	2.94	99.16	34.06	5.82	34.53
PK	5.9318G	68.97	88.20	-19.23	5.57	3	Horizontal	350	2.94	63.40	34.24	5.86	34.53

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73048G	41.98	54.00	-12.02	12.22	3	Vertical	148	1.25	29.76	38.46	8.40	34.64
AV	17.60468G	45.32	68.20	-22.88	14.86	3	Vertical	151	1.60	30.46	39.02	10.29	34.45
PK	11.74552G	53.54	74.00	-20.46	12.24	3	Vertical	148	1.25	41.30	38.49	8.40	34.65
PK	17.59572G	56.95	88.20	-31.25	14.83	3	Vertical	151	1.60	42.12	38.98	10.29	34.44

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73304G	41.97	54.00	-12.03	12.23	3	Horizontal	194	1.33	29.74	38.47	8.40	34.64
AV	17.53388G	45.27	68.20	-22.93	14.51	3	Horizontal	348	1.43	30.76	38.67	10.27	34.43
PK	11.73424G	53.63	74.00	-20.37	12.23	3	Horizontal	194	1.33	41.40	38.47	8.40	34.64
PK	17.53956G	56.78	88.20	-31.42	14.54	3	Horizontal	348	1.43	42.24	38.70	10.27	34.43

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.867G	98.83	Inf	-Inf	5.47	3	Vertical	353	1.09	93.36	34.17	5.83	34.53
AV	5.927G	60.22	68.20	-7.98	5.58	3	Vertical	353	1.09	54.64	34.25	5.86	34.53
PK	5.6462G	59.12	68.20	-9.08	4.20	3	Vertical	353	1.09	54.92	32.99	5.76	34.55
PK	5.8514G	109.03	Inf	-Inf	5.40	3	Vertical	353	1.09	103.63	34.11	5.82	34.53
PK	5.9318G	71.49	88.20	-16.71	5.57	3	Vertical	353	1.09	65.92	34.24	5.86	34.53

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8586G	98.81	Inf	-Inf	5.43	3	Horizontal	352	2.97	93.38	34.13	5.83	34.53
AV	5.927G	59.91	68.20	-8.29	5.58	3	Horizontal	352	2.97	54.33	34.25	5.86	34.53
PK	5.645G	59.56	68.20	-8.64	4.20	3	Horizontal	352	2.97	55.36	32.99	5.76	34.55
PK	5.8682G	108.05	Inf	-Inf	5.47	3	Horizontal	352	2.97	102.58	34.17	5.83	34.53
PK	5.9246G	72.39	88.49	-16.10	5.58	3	Horizontal	352	2.97	66.81	34.25	5.86	34.53

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6732G	41.96	54.00	-12.04	12.15	3	Vertical	233	2.77	29.81	38.40	8.38	34.63
AV	17.55388G	45.29	68.20	-22.91	14.61	3	Vertical	138	2.34	30.68	38.77	10.27	34.43
PK	11.67208G	53.70	74.00	-20.30	12.15	3	Vertical	233	2.77	41.55	38.40	8.38	34.63
PK	17.55876G	56.64	88.20	-31.56	14.63	3	Vertical	138	2.34	42.01	38.79	10.28	34.44

5.85-5.895GHz\_802.11ac VHT80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73208G	41.97	54.00	-12.03	12.22	3	Horizontal	116	1.16	29.75	38.46	8.40	34.64
AV	17.59572G	45.24	68.20	-22.96	14.83	3	Horizontal	180	1.56	30.41	38.98	10.29	34.44
PK	11.73576G	53.60	74.00	-20.40	12.22	3	Horizontal	116	1.16	41.38	38.47	8.40	34.65
PK	17.60356G	56.14	88.20	-32.06	14.85	3	Horizontal	180	1.56	41.29	39.01	10.29	34.45

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port1)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8066G	90.90	Inf	-Inf	5.19	3	Vertical	349	1.97	85.71	33.93	5.80	34.54
AV	5.9314G	54.01	68.20	-14.19	5.57	3	Vertical	349	1.97	48.44	34.24	5.86	34.53
PK	5.6326G	64.08	68.20	-4.12	4.18	3	Vertical	349	1.97	59.90	32.97	5.76	34.55
PK	5.8018G	99.29	Inf	-Inf	5.17	3	Vertical	349	1.97	94.12	33.91	5.80	34.54
PK	5.9434G	68.11	88.20	-20.09	5.55	3	Vertical	349	1.97	62.56	34.21	5.86	34.52

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port1)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7682G	90.93	Inf	-Inf	4.96	3	Horizontal	355	3.00	85.97	33.71	5.79	34.54
AV	5.9434G	52.11	68.20	-16.09	5.55	3	Horizontal	355	3.00	46.56	34.21	5.86	34.52
PK	5.647G	64.32	68.20	-3.88	4.20	3	Horizontal	355	3.00	60.12	32.99	5.76	34.55
PK	5.7886G	100.18	Inf	-Inf	5.09	3	Horizontal	355	3.00	95.09	33.83	5.80	34.54
PK	5.941G	66.48	88.20	-21.72	5.56	3	Horizontal	355	3.00	60.92	34.22	5.86	34.52

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port1)

5815MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66232G	41.72	54.00	-12.28	12.15	3	Vertical	72	1.09	29.57	38.40	8.37	34.62
AV	17.41284G	45.09	68.20	-23.11	14.35	3	Vertical	161	2.66	30.74	38.50	10.22	34.37
PK	11.66184G	53.64	74.00	-20.36	12.15	3	Vertical	72	1.09	41.49	38.40	8.37	34.62
PK	17.41972G	56.65	88.20	-31.55	14.35	3	Vertical	161	2.66	42.30	38.50	10.22	34.37

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port1)

5815MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61424G	41.75	54.00	-12.25	12.15	3	Horizontal	50	1.29	29.60	38.40	8.36	34.61
AV	17.44588G	45.07	68.20	-23.13	14.34	3	Horizontal	281	1.69	30.73	38.50	10.23	34.39
PK	11.61192G	53.37	74.00	-20.63	12.15	3	Horizontal	50	1.29	41.22	38.40	8.36	34.61
PK	17.441G	57.37	88.20	-30.83	14.35	3	Horizontal	281	1.69	43.02	38.50	10.23	34.38

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	89.89	Inf	-Inf	5.47	3	Vertical	9	2.76	84.42	34.17	5.83	34.53
AV	5.9374G	51.61	68.20	-16.59	5.56	3	Vertical	9	2.76	46.05	34.23	5.86	34.53
PK	5.6242G	64.67	68.20	-3.53	4.16	3	Vertical	9	2.76	60.51	32.95	5.76	34.55
PK	5.8654G	98.73	Inf	-Inf	5.46	3	Vertical	9	2.76	93.27	34.16	5.83	34.53
PK	5.9386G	66.81	88.20	-21.39	5.56	3	Vertical	9	2.76	61.25	34.22	5.86	34.52

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port2)

5815MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7646G	90.74	Inf	-Inf	4.94	3	Horizontal	348	3.00	85.80	33.69	5.79	34.54
AV	5.941G	53.16	68.20	-15.04	5.56	3	Horizontal	348	3.00	47.60	34.22	5.86	34.52
PK	5.635G	66.19	68.20	-2.01	4.18	3	Horizontal	348	3.00	62.01	32.97	5.76	34.55
PK	5.7682G	99.80	Inf	-Inf	4.96	3	Horizontal	348	3.00	94.84	33.71	5.79	34.54
PK	5.941G	67.00	88.20	-21.20	5.56	3	Horizontal	348	3.00	61.44	34.22	5.86	34.52



5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61504G	41.74	54.00	-12.26	12.15	3	Vertical	318	2.17	29.59	38.40	8.36	34.61
AV	17.46132G	45.06	68.20	-23.14	14.34	3	Vertical	275	1.58	30.72	38.50	10.24	34.40
PK	11.6108G	53.27	74.00	-20.73	12.15	3	Vertical	318	2.17	41.12	38.40	8.36	34.61
PK	17.46348G	56.35	88.20	-31.85	14.34	3	Vertical	275	1.58	42.01	38.50	10.24	34.40

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59744G	41.76	54.00	-12.24	12.16	3	Horizontal	247	1.50	29.60	38.41	8.35	34.60
AV	17.43572G	45.08	68.20	-23.12	14.35	3	Horizontal	167	2.54	30.73	38.50	10.23	34.38
PK	11.59864G	53.17	74.00	-20.83	12.15	3	Horizontal	247	1.50	41.02	38.40	8.35	34.60
PK	17.43092G	56.52	88.20	-31.68	14.35	3	Horizontal	167	2.54	42.17	38.50	10.23	34.38

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_2TX

5815MHz\_TX




30/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7718G	92.40	Inf	-Inf	4.98	3	Vertical	351	1.02	87.42	33.73	5.79	34.54
AV	5.9458G	52.66	68.20	-15.54	5.56	3	Vertical	351	1.02	47.10	34.21	5.87	34.52
PK	5.6458G	63.34	68.20	-4.86	4.20	3	Vertical	351	1.02	59.14	32.99	5.76	34.55
PK	5.8006G	102.33	Inf	-Inf	5.16	3	Vertical	351	1.02	97.17	33.90	5.80	34.54
PK	5.9434G	65.97	88.20	-22.23	5.55	3	Vertical	351	1.02	60.42	34.21	5.86	34.52

5.85-5.895GHz\_802.11ac VHT160\_Nss1,(MCS0)\_2TX

5815MHz\_TX




30/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	93.02	Inf	-Inf	5.08	3	Horizontal	352	1.50	87.94	33.82	5.80	34.54
AV	5.9506G	51.99	68.20	-16.21	5.55	3	Horizontal	352	1.50	46.44	34.20	5.87	34.52
PK	5.641G	64.99	68.20	-3.21	4.19	3	Horizontal	352	1.50	60.80	32.98	5.76	34.55
PK	5.785G	102.94	Inf	-Inf	5.07	3	Horizontal	352	1.50	97.87	33.81	5.80	34.54
PK	5.9482G	66.31	88.20	-21.89	5.55	3	Horizontal	352	1.50	60.76	34.20	5.87	34.52

5.85-5.895GHz\_802.11ac\_VHT160\_Nss1,(MCS0)\_2TX

5815MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.62104G	41.76	54.00	-12.24	12.15	3	Vertical	156	1.67	29.61	38.40	8.36	34.61
AV	17.44492G	45.07	68.20	-23.13	14.34	3	Vertical	1	2.06	30.73	38.50	10.23	34.39
PK	11.6276G	53.04	74.00	-20.96	12.15	3	Vertical	156	1.67	40.89	38.40	8.36	34.61
PK	17.44356G	56.58	88.20	-31.62	14.34	3	Vertical	1	2.06	42.24	38.50	10.23	34.39

5.85-5.895GHz\_802.11ac\_VHT160\_Nss1,(MCS0)\_2TX

5815MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6268G	41.75	54.00	-12.25	12.15	3	Horizontal	123	1.66	29.60	38.40	8.36	34.61
AV	17.46532G	45.06	68.20	-23.14	14.34	3	Horizontal	146	2.57	30.72	38.50	10.24	34.40
PK	11.62072G	54.37	74.00	-19.63	12.15	3	Horizontal	123	1.66	42.22	38.40	8.36	34.61
PK	17.46988G	56.64	88.20	-31.56	14.34	3	Horizontal	146	2.57	42.30	38.50	10.24	34.40

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	102.00	Inf	-Inf	5.36	3	Vertical	352	1.91	96.64	34.07	5.82	34.53
AV	5.9278G	47.25	68.20	-20.95	5.57	3	Vertical	352	1.91	41.68	34.24	5.86	34.53
PK	5.5966G	57.12	68.20	-11.08	4.10	3	Vertical	352	1.91	53.02	32.90	5.75	34.55
PK	5.8402G	112.27	Inf	-Inf	5.35	3	Vertical	352	1.91	106.92	34.06	5.82	34.53
PK	6.0022G	59.14	88.20	-29.06	5.47	3	Vertical	352	1.91	53.67	34.10	5.89	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	100.46	Inf	-Inf	5.36	3	Horizontal	353	1.45	95.10	34.07	5.82	34.53
AV	5.9266G	47.02	68.20	-21.18	5.58	3	Horizontal	353	1.45	41.44	34.25	5.86	34.53
PK	5.5894G	57.32	68.20	-10.88	4.09	3	Horizontal	353	1.45	53.23	32.90	5.74	34.55
PK	5.8486G	110.65	Inf	-Inf	5.38	3	Horizontal	353	1.45	105.27	34.09	5.82	34.53
PK	5.9278G	58.50	88.20	-29.70	5.57	3	Horizontal	353	1.45	52.93	34.24	5.86	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65888G	41.91	54.00	-12.09	12.15	3	Vertical	257	2.01	29.76	38.40	8.37	34.62
AV	17.5006G	45.13	68.20	-23.07	14.33	3	Vertical	109	2.55	30.80	38.50	10.25	34.42
PK	11.65748G	53.62	74.00	-20.38	12.15	3	Vertical	257	2.01	41.47	38.40	8.37	34.62
PK	17.50956G	57.19	88.20	-31.01	14.39	3	Vertical	109	2.55	42.80	38.55	10.26	34.42

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.71952G	41.94	54.00	-12.06	12.19	3	Horizontal	141	1.62	29.75	38.44	8.39	34.64
AV	17.54748G	45.09	68.20	-23.11	14.58	3	Horizontal	306	1.01	30.51	38.74	10.27	34.43
PK	11.7132G	53.96	74.00	-20.04	12.18	3	Horizontal	141	1.62	41.78	38.43	8.39	34.64
PK	17.54764G	56.47	88.20	-31.73	14.58	3	Horizontal	306	1.01	41.89	38.74	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8638G	102.10	Inf	-Inf	5.46	3	Vertical	354	1.88	96.64	34.16	5.83	34.53
AV	6.0258G	47.51	68.20	-20.69	5.49	3	Vertical	354	1.88	42.02	34.10	5.91	34.52
PK	5.6274G	57.37	68.20	-10.83	4.16	3	Vertical	354	1.88	53.21	32.95	5.76	34.55
PK	5.8614G	113.25	Inf	-Inf	5.45	3	Vertical	354	1.88	107.80	34.15	5.83	34.53
PK	5.9526G	59.17	88.20	-29.03	5.54	3	Vertical	354	1.88	53.63	34.19	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	100.69	Inf	-Inf	5.45	3	Horizontal	353	1.37	95.24	34.15	5.83	34.53
AV	5.9262G	47.10	68.20	-21.10	5.58	3	Horizontal	353	1.37	41.52	34.25	5.86	34.53
PK	5.6022G	57.09	68.20	-11.11	4.10	3	Horizontal	353	1.37	52.99	32.90	5.75	34.55
PK	5.8638G	111.19	Inf	-Inf	5.46	3	Horizontal	353	1.37	105.73	34.16	5.83	34.53
PK	5.949G	58.41	88.20	-29.79	5.55	3	Horizontal	353	1.37	52.86	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7676G	42.08	54.00	-11.92	12.29	3	Vertical	313	1.86	29.79	38.54	8.41	34.66
AV	17.62572G	45.48	68.20	-22.72	14.95	3	Vertical	281	2.39	30.53	39.10	10.30	34.45
PK	11.76824G	53.46	74.00	-20.54	12.29	3	Vertical	313	1.86	41.17	38.54	8.41	34.66
PK	17.61292G	57.26	88.20	-30.94	14.90	3	Vertical	281	2.39	42.36	39.05	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70744G	42.11	54.00	-11.89	12.16	3	Horizontal	273	1.21	29.95	38.41	8.39	34.64
AV	17.62572G	45.43	68.20	-22.77	14.95	3	Horizontal	165	1.72	30.48	39.10	10.30	34.45
PK	11.70904G	53.44	74.00	-20.56	12.17	3	Horizontal	273	1.21	41.27	38.42	8.39	34.64
PK	17.61084G	57.49	88.20	-30.71	14.89	3	Horizontal	165	1.72	42.60	39.04	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	93.16	Inf	-Inf	5.54	3	Vertical	344	1.91	87.62	34.23	5.84	34.53
AV	5.8958G	73.89	89.61	-15.72	5.59	3	Vertical	344	1.91	68.30	34.28	5.84	34.53
PK	5.6426G	57.54	68.20	-10.66	4.20	3	Vertical	344	1.91	53.34	32.99	5.76	34.55
PK	5.8814G	102.99	Inf	-Inf	5.54	3	Vertical	344	1.91	97.45	34.23	5.84	34.53
PK	5.8958G	88.28	109.61	-21.33	5.59	3	Vertical	344	1.91	82.69	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)

5885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	100.43	Inf	-Inf	5.54	3	Horizontal	353	1.50	94.89	34.23	5.84	34.53
AV	5.8958G	81.07	89.61	-8.54	5.59	3	Horizontal	353	1.50	75.48	34.28	5.84	34.53
PK	5.6498G	57.25	68.20	-10.95	4.21	3	Horizontal	353	1.50	53.04	33.00	5.76	34.55
PK	5.8814G	111.53	Inf	-Inf	5.54	3	Horizontal	353	1.50	105.99	34.23	5.84	34.53
PK	5.8958G	93.32	109.61	-16.29	5.59	3	Horizontal	353	1.50	87.73	34.28	5.84	34.53



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76664G	42.07	54.00	-11.93	12.28	3	Vertical	137	2.48	29.79	38.53	8.41	34.66
AV	17.6582G	45.56	68.20	-22.64	15.08	3	Vertical	56	2.19	30.48	39.23	10.31	34.46
PK	11.77176G	53.58	74.00	-20.42	12.29	3	Vertical	137	2.48	41.29	38.54	8.41	34.66
PK	17.69164G	56.99	88.20	-31.21	15.23	3	Vertical	56	2.19	41.76	39.37	10.33	34.47

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port1)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76952G	42.08	54.00	-11.92	12.29	3	Horizontal	232	1.78	29.79	38.54	8.41	34.66
AV	17.69452G	45.51	68.20	-22.69	15.24	3	Horizontal	91	1.55	30.27	39.38	10.33	34.47
PK	11.7316G	53.92	74.00	-20.08	12.22	3	Horizontal	232	1.78	41.70	38.46	8.40	34.64
PK	17.69468G	56.94	88.20	-31.26	15.24	3	Horizontal	91	1.55	41.70	39.38	10.33	34.47

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	92.19	Inf	-Inf	5.38	3	Vertical	4	2.69	86.81	34.09	5.82	34.53
AV	5.9254G	46.73	68.20	-21.47	5.58	3	Vertical	4	2.69	41.15	34.25	5.86	34.53
PK	5.6314G	56.95	68.20	-11.25	4.17	3	Vertical	4	2.69	52.78	32.96	5.76	34.55
PK	5.8438G	103.49	Inf	-Inf	5.37	3	Vertical	4	2.69	98.12	34.08	5.82	34.53
PK	5.959G	58.36	88.20	-29.84	5.53	3	Vertical	4	2.69	52.83	34.18	5.87	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	101.52	Inf	-Inf	5.36	3	Horizontal	347	2.94	96.16	34.07	5.82	34.53
AV	5.929G	47.33	68.20	-20.87	5.57	3	Horizontal	347	2.94	41.76	34.24	5.86	34.53
PK	5.6134G	57.23	68.20	-10.97	4.13	3	Horizontal	347	2.94	53.10	32.93	5.75	34.55
PK	5.8474G	112.33	Inf	-Inf	5.38	3	Horizontal	347	2.94	106.95	34.09	5.82	34.53
PK	5.9794G	58.64	88.20	-29.56	5.50	3	Horizontal	347	2.94	53.14	34.14	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72888G	41.93	54.00	-12.07	12.21	3	Vertical	229	1.32	29.72	38.46	8.39	34.64
AV	17.55372G	45.10	68.20	-23.10	14.61	3	Vertical	192	1.22	30.49	38.77	10.27	34.43
PK	11.72552G	53.33	74.00	-20.67	12.20	3	Vertical	229	1.32	41.13	38.45	8.39	34.64
PK	17.55068G	56.76	88.20	-31.44	14.59	3	Vertical	192	1.22	42.17	38.75	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65904G	41.93	54.00	-12.07	12.15	3	Horizontal	345	2.11	29.78	38.40	8.37	34.62
AV	17.54764G	45.11	68.20	-23.09	14.58	3	Horizontal	160	1.60	30.53	38.74	10.27	34.43
PK	11.6584G	54.00	74.00	-20.00	12.15	3	Horizontal	345	2.11	41.85	38.40	8.37	34.62
PK	17.54332G	56.48	88.20	-31.72	14.56	3	Horizontal	160	1.60	41.92	38.72	10.27	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	93.08	Inf	-Inf	5.45	3	Vertical	7	2.71	87.63	34.15	5.83	34.53
AV	5.925G	46.79	68.20	-21.41	5.58	3	Vertical	7	2.71	41.21	34.25	5.86	34.53
PK	5.595G	57.03	68.20	-11.17	4.10	3	Vertical	7	2.71	52.93	32.90	5.75	34.55
PK	5.8638G	103.56	Inf	-Inf	5.46	3	Vertical	7	2.71	98.10	34.16	5.83	34.53
PK	5.985G	58.13	88.20	-30.07	5.49	3	Vertical	7	2.71	52.64	34.13	5.88	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	101.77	Inf	-Inf	5.45	3	Horizontal	347	2.92	96.32	34.15	5.83	34.53
AV	5.925G	47.43	68.20	-20.77	5.58	3	Horizontal	347	2.92	41.85	34.25	5.86	34.53
PK	5.6382G	57.97	68.20	-10.23	4.19	3	Horizontal	347	2.92	53.78	32.98	5.76	34.55
PK	5.8614G	112.32	Inf	-Inf	5.45	3	Horizontal	347	2.92	106.87	34.15	5.83	34.53
PK	5.925G	60.48	88.20	-27.72	5.58	3	Horizontal	347	2.92	54.90	34.25	5.86	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76856G	42.10	54.00	-11.90	12.29	3	Vertical	343	2.77	29.81	38.54	8.41	34.66
AV	17.62636G	45.45	68.20	-22.75	14.96	3	Vertical	70	2.20	30.49	39.11	10.30	34.45
PK	11.72152G	53.39	74.00	-20.61	12.19	3	Vertical	343	2.77	41.20	38.44	8.39	34.64
PK	17.60444G	56.37	88.20	-31.83	14.86	3	Vertical	70	2.20	41.51	39.02	10.29	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6904G	42.07	54.00	-11.93	12.15	3	Horizontal	227	2.28	29.92	38.40	8.38	34.63
AV	17.63388G	45.45	68.20	-22.75	15.00	3	Horizontal	277	1.16	30.45	39.14	10.31	34.45
PK	11.69208G	53.76	74.00	-20.24	12.15	3	Horizontal	227	2.28	41.61	38.40	8.38	34.63
PK	17.62668G	56.87	88.20	-31.33	14.96	3	Horizontal	277	1.16	41.91	39.11	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	96.64	Inf	-Inf	0.49	3	Vertical	350	1.02	96.15	0.39	17.72	17.62
AV	5.8958G	77.52	89.61	-12.09	0.51	3	Vertical	350	1.02	77.01	0.32	17.76	17.57
PK	5.6378G	53.62	68.20	-14.58	0.30	3	Vertical	350	1.02	53.32	1.86	17.04	18.60
PK	5.8862G	106.64	Inf	-Inf	0.49	3	Vertical	350	1.02	106.15	0.37	17.73	17.61
PK	5.8958G	88.38	109.61	-21.23	0.51	3	Vertical	350	1.02	87.87	0.32	17.76	17.57

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	96.72	Inf	-Inf	0.50	3	Horizontal	348	1.50	96.22	0.40	17.72	17.62
AV	5.8958G	77.94	89.61	-11.67	0.51	3	Horizontal	348	1.50	77.43	0.32	17.76	17.57
PK	5.6198G	53.14	68.20	-15.06	0.29	3	Horizontal	348	1.50	52.85	1.97	16.99	18.67
PK	5.8838G	106.81	Inf	-Inf	0.50	3	Horizontal	348	1.50	106.31	0.39	17.72	17.61
PK	5.8958G	91.82	109.61	-17.79	0.51	3	Horizontal	348	1.50	91.31	0.32	17.76	17.57

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76552G	42.09	54.00	-11.91	12.29	3	Vertical	307	2.68	29.80	38.53	8.41	34.65
AV	17.62388G	45.52	68.20	-22.68	14.95	3	Vertical	308	1.19	30.57	39.10	10.30	34.45
PK	11.75464G	53.61	74.00	-20.39	12.26	3	Vertical	307	2.68	41.35	38.51	8.40	34.65
PK	17.62732G	57.00	88.20	-31.20	14.96	3	Vertical	308	1.19	42.04	39.11	10.30	34.45

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.77192G	42.09	54.00	-11.91	12.29	3	Horizontal	225	1.01	29.80	38.54	8.41	34.66
AV	17.69468G	45.50	68.20	-22.70	15.24	3	Horizontal	287	2.18	30.26	39.38	10.33	34.47
PK	11.77288G	54.31	74.00	-19.69	12.30	3	Horizontal	225	1.01	42.01	38.55	8.41	34.66
PK	17.68844G	57.28	88.20	-30.92	15.21	3	Horizontal	287	2.18	42.07	39.35	10.33	34.47

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	103.29	Inf	-Inf	5.67	3	Vertical	348	1.15	97.62	33.98	6.22	34.53
AV	5.9902G	48.53	68.20	-19.67	5.90	3	Vertical	348	1.15	42.63	34.12	6.30	34.52
PK	5.5966G	57.37	68.20	-10.83	4.40	3	Vertical	348	1.15	52.97	32.89	6.06	34.55
PK	5.8438G	114.37	Inf	-Inf	5.68	3	Vertical	348	1.15	108.69	33.99	6.22	34.53
PK	5.9914G	59.72	88.20	-28.48	5.90	3	Vertical	348	1.15	53.82	34.12	6.30	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5845MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8414G	103.60	Inf	-Inf	5.67	3	Horizontal	2	3.00	97.93	33.98	6.22	34.53
AV	5.9254G	48.23	68.20	-19.97	5.93	3	Horizontal	2	3.00	42.30	34.20	6.26	34.53
PK	5.6446G	59.12	68.20	-9.08	4.53	3	Horizontal	2	3.00	54.59	32.99	6.09	34.55
PK	5.8426G	115.95	Inf	-Inf	5.68	3	Horizontal	2	3.00	110.27	33.99	6.22	34.53
PK	5.995G	59.61	88.20	-28.59	5.89	3	Horizontal	2	3.00	53.72	34.11	6.30	34.52



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68566G	42.07	54.00	-11.93	12.45	3	Vertical	329	1.32	29.62	38.50	8.58	34.63
AV	17.53182G	45.43	68.20	-22.77	14.56	3	Vertical	98	2.26	30.87	38.69	10.30	34.43
PK	11.69368G	53.01	74.00	-20.99	12.45	3	Vertical	329	1.32	40.56	38.50	8.58	34.63
PK	17.5378G	54.99	88.20	-33.21	14.60	3	Vertical	98	2.26	40.39	38.73	10.30	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5845MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68634G	42.10	54.00	-11.90	12.45	3	Horizontal	158	2.21	29.65	38.50	8.58	34.63
AV	17.53562G	45.35	68.20	-22.85	14.58	3	Horizontal	298	1.64	30.77	38.71	10.30	34.43
PK	11.68922G	53.66	74.00	-20.34	12.45	3	Horizontal	158	2.21	41.21	38.50	8.58	34.63
PK	17.5383G	55.91	88.20	-32.29	14.60	3	Horizontal	298	1.64	41.31	38.73	10.30	34.43

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8662G	103.34	Inf	-Inf	5.76	3	Vertical	351	1.19	97.58	34.06	6.23	34.53
AV	6.0198G	48.90	68.20	-19.30	5.88	3	Vertical	351	1.19	43.02	34.10	6.30	34.52
PK	5.6478G	57.35	68.20	-10.85	4.54	3	Vertical	351	1.19	52.81	33.00	6.09	34.55
PK	5.8674G	113.44	Inf	-Inf	5.77	3	Vertical	351	1.19	107.67	34.07	6.23	34.53
PK	5.9778G	59.60	88.20	-28.60	5.91	3	Vertical	351	1.19	53.69	34.14	6.29	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8638G	103.67	Inf	-Inf	5.76	3	Horizontal	0	2.96	97.91	34.06	6.23	34.53
AV	6.0054G	48.51	68.20	-19.69	5.88	3	Horizontal	0	2.96	42.63	34.10	6.30	34.52
PK	5.619G	58.21	68.20	-9.99	4.46	3	Horizontal	0	2.96	53.75	32.94	6.07	34.55
PK	5.8662G	113.38	Inf	-Inf	5.76	3	Horizontal	0	2.96	107.62	34.06	6.23	34.53
PK	6.0126G	59.90	88.20	-28.30	5.88	3	Horizontal	0	2.96	54.02	34.10	6.30	34.52

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72564G	42.16	54.00	-11.84	12.45	3	Vertical	65	2.14	29.71	38.50	8.59	34.64
AV	17.59928G	45.53	68.20	-22.67	14.97	3	Vertical	80	2.09	30.56	39.10	10.32	34.45
PK	11.72944G	52.68	74.00	-21.32	12.46	3	Vertical	65	2.14	40.22	38.50	8.60	34.64
PK	17.59032G	54.51	88.20	-33.69	14.91	3	Vertical	80	2.09	39.60	39.04	10.31	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7282G	42.19	54.00	-11.81	12.46	3	Horizontal	5	2.25	29.73	38.50	8.60	34.64
AV	17.59798G	45.51	68.20	-22.69	14.96	3	Horizontal	78	1.18	30.55	39.09	10.32	34.45
PK	11.73486G	52.10	74.00	-21.90	12.45	3	Horizontal	5	2.25	39.65	38.50	8.60	34.65
PK	17.59332G	54.82	88.20	-33.38	14.93	3	Horizontal	78	1.18	39.89	39.06	10.31	34.44

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8838G	102.87	Inf	-Inf	5.85	3	Vertical	351	1.16	97.02	34.14	6.24	34.53
AV	5.8958G	83.61	89.61	-6.00	5.90	3	Vertical	351	1.16	77.71	34.18	6.25	34.53
PK	5.6138G	56.69	68.20	-11.51	4.45	3	Vertical	351	1.16	52.24	32.93	6.07	34.55
PK	5.8838G	113.35	Inf	-Inf	5.85	3	Vertical	351	1.16	107.50	34.14	6.24	34.53
PK	5.8958G	94.39	109.61	-15.22	5.90	3	Vertical	351	1.16	88.49	34.18	6.25	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8838G	103.42	Inf	-Inf	5.85	3	Horizontal	0	2.94	97.57	34.14	6.24	34.53
AV	5.8958G	83.93	89.61	-5.68	5.90	3	Horizontal	0	2.94	78.03	34.18	6.25	34.53
PK	5.6414G	57.29	68.20	-10.91	4.52	3	Horizontal	0	2.94	52.77	32.98	6.09	34.55
PK	5.8874G	113.99	Inf	-Inf	5.86	3	Horizontal	0	2.94	108.13	34.15	6.24	34.53
PK	5.8958G	95.06	109.61	-14.55	5.90	3	Horizontal	0	2.94	89.16	34.18	6.25	34.53

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76922G	42.20	54.00	-11.80	12.45	3	Vertical	171	2.59	29.75	38.50	8.61	34.66
AV	17.6541G	45.64	68.20	-22.56	15.19	3	Vertical	85	1.94	30.45	39.32	10.33	34.46
PK	11.77426G	52.58	74.00	-21.42	12.46	3	Vertical	171	2.59	40.12	38.50	8.62	34.66
PK	17.65712G	54.51	88.20	-33.69	15.20	3	Vertical	85	1.94	39.31	39.33	10.33	34.46

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7687G	42.15	54.00	-11.85	12.45	3	Horizontal	247	1.99	29.70	38.50	8.61	34.66
AV	17.65564G	45.66	68.20	-22.54	15.19	3	Horizontal	294	1.75	30.47	39.32	10.33	34.46
PK	11.76672G	52.15	74.00	-21.85	12.45	3	Horizontal	247	1.99	39.70	38.50	8.61	34.66
PK	17.65688G	54.76	88.20	-33.44	15.20	3	Horizontal	294	1.75	39.56	39.33	10.33	34.46

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8458G	97.99	Inf	-Inf	5.37	3	Vertical	343	2.03	92.62	34.08	5.82	34.53
AV	5.925G	47.91	68.20	-20.29	5.58	3	Vertical	343	2.03	42.33	34.25	5.86	34.53
PK	5.607G	57.70	68.20	-10.50	4.11	3	Vertical	343	2.03	53.59	32.91	5.75	34.55
PK	5.8446G	108.64	Inf	-Inf	5.37	3	Vertical	343	2.03	103.27	34.08	5.82	34.53
PK	5.9478G	59.15	88.20	-29.05	5.55	3	Vertical	343	2.03	53.60	34.20	5.87	34.52

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.829G	97.99	Inf	-Inf	5.30	3	Horizontal	351	1.48	92.69	34.02	5.81	34.53
AV	5.9262G	47.62	68.20	-20.58	5.58	3	Horizontal	351	1.48	42.04	34.25	5.86	34.53
PK	5.6082G	57.11	68.20	-11.09	4.12	3	Horizontal	351	1.48	52.99	32.92	5.75	34.55
PK	5.8314G	109.58	Inf	-Inf	5.31	3	Horizontal	351	1.48	104.27	34.03	5.81	34.53
PK	5.9466G	59.10	88.20	-29.10	5.56	3	Horizontal	351	1.48	53.54	34.21	5.87	34.52

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69992G	41.84	54.00	-12.16	12.16	3	Vertical	232	1.83	29.68	38.40	8.39	34.63
AV	17.47956G	45.08	68.20	-23.12	14.33	3	Vertical	51	1.85	30.75	38.50	10.24	34.41
PK	11.70056G	53.43	74.00	-20.57	12.16	3	Vertical	232	1.83	41.27	38.40	8.39	34.63
PK	17.47684G	57.07	88.20	-31.13	14.33	3	Vertical	51	1.85	42.74	38.50	10.24	34.41

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69592G	41.84	54.00	-12.16	12.15	3	Horizontal	166	2.10	29.69	38.40	8.38	34.63
AV	17.54356G	45.12	68.20	-23.08	14.56	3	Horizontal	143	1.78	30.56	38.72	10.27	34.43
PK	11.68312G	53.19	74.00	-20.81	12.15	3	Horizontal	166	2.10	41.04	38.40	8.38	34.63
PK	17.53428G	56.76	88.20	-31.44	14.51	3	Horizontal	143	1.78	42.25	38.67	10.27	34.43

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	98.66	Inf	-Inf	5.54	3	Vertical	348	1.95	93.12	34.23	5.84	34.53
AV	5.8954G	78.78	89.91	-11.13	5.59	3	Vertical	348	1.95	73.19	34.28	5.84	34.53
PK	5.6494G	57.56	68.20	-10.64	4.21	3	Vertical	348	1.95	53.35	33.00	5.76	34.55
PK	5.8822G	109.88	Inf	-Inf	5.54	3	Vertical	348	1.95	104.34	34.23	5.84	34.53
PK	5.8954G	90.27	109.91	-19.64	5.59	3	Vertical	348	1.95	84.68	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)

5875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8702G	98.02	Inf	-Inf	5.48	3	Horizontal	350	2.94	92.54	34.18	5.83	34.53
AV	5.8954G	77.38	89.91	-12.53	5.59	3	Horizontal	350	2.94	71.79	34.28	5.84	34.53
PK	5.5834G	57.48	68.20	-10.72	4.09	3	Horizontal	350	2.94	53.39	32.90	5.74	34.55
PK	5.8786G	108.60	Inf	-Inf	5.52	3	Horizontal	350	2.94	103.08	34.21	5.84	34.53
PK	5.8954G	89.24	109.91	-20.67	5.59	3	Horizontal	350	2.94	83.65	34.28	5.84	34.53



5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76824G	42.08	54.00	-11.92	12.29	3	Vertical	348	1.35	29.79	38.54	8.41	34.66
AV	17.6042G	45.49	68.20	-22.71	14.86	3	Vertical	115	2.71	30.63	39.02	10.29	34.45
PK	11.75848G	53.79	74.00	-20.21	12.27	3	Vertical	348	1.35	41.52	38.52	8.40	34.65
PK	17.6018G	56.72	88.20	-31.48	14.85	3	Vertical	115	2.71	41.87	39.01	10.29	34.45

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port1)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7692G	42.10	54.00	-11.90	12.29	3	Horizontal	245	3.00	29.81	38.54	8.41	34.66
AV	17.65492G	45.48	68.20	-22.72	15.07	3	Horizontal	359	2.52	30.41	39.22	10.31	34.46
PK	11.73112G	54.50	74.00	-19.50	12.22	3	Horizontal	245	3.00	42.28	38.46	8.40	34.64
PK	17.65604G	56.47	88.20	-31.73	15.07	3	Horizontal	359	2.52	41.40	39.22	10.31	34.46

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8302G	98.44	Inf	-Inf	5.30	3	Vertical	6	1.90	93.14	34.02	5.81	34.53
AV	5.925G	48.60	68.20	-19.60	5.58	3	Vertical	6	1.90	43.02	34.25	5.86	34.53
PK	5.6058G	57.26	68.20	-10.94	4.11	3	Vertical	6	1.90	53.15	32.91	5.75	34.55
PK	5.829G	109.84	Inf	-Inf	5.30	3	Vertical	6	1.90	104.54	34.02	5.81	34.53
PK	5.9406G	60.16	88.20	-28.04	5.56	3	Vertical	6	1.90	54.60	34.22	5.86	34.52

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8362G	98.47	Inf	-Inf	5.33	3	Horizontal	347	2.94	93.14	34.04	5.82	34.53
AV	5.9262G	48.77	68.20	-19.43	5.58	3	Horizontal	347	2.94	43.19	34.25	5.86	34.53
PK	5.6466G	57.92	68.20	-10.28	4.20	3	Horizontal	347	2.94	53.72	32.99	5.76	34.55
PK	5.823G	109.93	Inf	-Inf	5.27	3	Horizontal	347	2.94	104.66	33.99	5.81	34.53
PK	5.9274G	59.51	88.20	-28.69	5.58	3	Horizontal	347	2.94	53.93	34.25	5.86	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64408G	41.85	54.00	-12.15	12.15	3	Vertical	281	1.85	29.70	38.40	8.37	34.62
AV	17.50148G	45.08	68.20	-23.12	14.34	3	Vertical	300	1.59	30.74	38.51	10.25	34.42
PK	11.64872G	54.14	74.00	-19.86	12.15	3	Vertical	281	1.85	41.99	38.40	8.37	34.62
PK	17.50612G	56.63	88.20	-31.57	14.36	3	Vertical	300	1.59	42.27	38.53	10.25	34.42

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65072G	41.88	54.00	-12.12	12.15	3	Horizontal	16	2.25	29.73	38.40	8.37	34.62
AV	17.51876G	45.07	68.20	-23.13	14.43	3	Horizontal	46	1.50	30.64	38.59	10.26	34.42
PK	11.65352G	53.75	74.00	-20.25	12.15	3	Horizontal	16	2.25	41.60	38.40	8.37	34.62
PK	17.51476G	56.83	88.20	-31.37	14.41	3	Horizontal	46	1.50	42.42	38.57	10.26	34.42

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5875MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	98.93	Inf	-Inf	5.46	3	Vertical	4	1.95	93.47	34.16	5.83	34.53
AV	5.8954G	78.78	89.91	-11.13	5.59	3	Vertical	4	1.95	73.19	34.28	5.84	34.53
PK	5.6338G	57.26	68.20	-10.94	4.18	3	Vertical	4	1.95	53.08	32.97	5.76	34.55
PK	5.863G	110.68	Inf	-Inf	5.45	3	Vertical	4	1.95	105.23	34.15	5.83	34.53
PK	5.8954G	91.05	109.91	-18.86	5.59	3	Vertical	4	1.95	85.46	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5875MHz\_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.881G	99.21	Inf	-Inf	5.53	3	Horizontal	346	2.93	93.68	34.22	5.84	34.53
AV	5.8954G	78.96	89.91	-10.95	5.59	3	Horizontal	346	2.93	73.37	34.28	5.84	34.53
PK	5.6422G	57.59	68.20	-10.61	4.19	3	Horizontal	346	2.93	53.40	32.98	5.76	34.55
PK	5.8786G	111.18	Inf	-Inf	5.52	3	Horizontal	346	2.93	105.66	34.21	5.84	34.53
PK	5.8954G	90.17	109.91	-19.74	5.59	3	Horizontal	346	2.93	84.58	34.28	5.84	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76984G	42.12	54.00	-11.88	12.29	3	Vertical	313	1.59	29.83	38.54	8.41	34.66
AV	17.60908G	45.50	68.20	-22.70	14.89	3	Vertical	51	2.64	30.61	39.04	10.30	34.45
PK	11.74536G	52.91	74.00	-21.09	12.24	3	Vertical	313	1.59	40.67	38.49	8.40	34.65
PK	17.6042G	57.17	88.20	-31.03	14.86	3	Vertical	51	2.64	42.31	39.02	10.29	34.45

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7692G	42.10	54.00	-11.90	12.29	3	Horizontal	111	1.50	29.81	38.54	8.41	34.66
AV	17.6294G	45.50	68.20	-22.70	14.97	3	Horizontal	316	2.38	30.53	39.12	10.30	34.45
PK	11.734G	53.25	74.00	-20.75	12.23	3	Horizontal	111	1.50	41.02	38.47	8.40	34.64
PK	17.62564G	56.39	88.20	-31.81	14.95	3	Horizontal	316	2.38	41.44	39.10	10.30	34.45

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8338G	99.69	Inf	-Inf	5.66	3	Vertical	353	1.28	94.03	33.97	6.22	34.53
AV	5.925G	49.03	68.20	-19.17	5.93	3	Vertical	353	1.28	43.10	34.20	6.26	34.53
PK	5.6346G	57.41	68.20	-10.79	4.50	3	Vertical	353	1.28	52.91	32.97	6.08	34.55
PK	5.8278G	110.47	Inf	-Inf	5.64	3	Vertical	353	1.28	104.83	33.96	6.21	34.53
PK	5.9274G	61.31	88.20	-26.89	5.93	3	Vertical	353	1.28	55.38	34.20	6.26	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8266G	100.53	Inf	-Inf	5.63	3	Horizontal	0	2.98	94.90	33.95	6.21	34.53
AV	5.9262G	49.08	68.20	-19.12	5.93	3	Horizontal	0	2.98	43.15	34.20	6.26	34.53
PK	5.6358G	58.07	68.20	-10.13	4.51	3	Horizontal	0	2.98	53.56	32.97	6.09	34.55
PK	5.829G	111.26	Inf	-Inf	5.64	3	Horizontal	0	2.98	105.62	33.96	6.21	34.53
PK	5.9514G	60.48	88.20	-27.72	5.96	3	Horizontal	0	2.98	54.52	34.20	6.28	34.52

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66902G	42.06	54.00	-11.94	12.45	3	Vertical	346	1.72	29.61	38.50	8.57	34.62
AV	17.50578G	45.13	68.20	-23.07	14.40	3	Vertical	130	1.74	30.73	38.53	10.29	34.42
PK	11.6744G	53.00	74.00	-21.00	12.44	3	Vertical	346	1.72	40.56	38.50	8.57	34.63
PK	17.5078G	54.39	88.20	-33.81	14.42	3	Vertical	130	1.74	39.97	38.55	10.29	34.42

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5835MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6746G	42.07	54.00	-11.93	12.44	3	Horizontal	92	1.80	29.63	38.50	8.57	34.63
AV	17.50496G	45.12	68.20	-23.08	14.40	3	Horizontal	360	2.79	30.72	38.53	10.29	34.42
PK	11.6737G	52.38	74.00	-21.62	12.44	3	Horizontal	92	1.80	39.94	38.50	8.57	34.63
PK	17.5052G	54.71	88.20	-33.49	14.40	3	Horizontal	360	2.79	40.31	38.53	10.29	34.42

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	99.84	Inf	-Inf	5.77	3	Vertical	351	1.19	94.07	34.07	6.23	34.53
AV	5.8954G	79.04	89.91	-10.87	5.90	3	Vertical	351	1.19	73.14	34.18	6.25	34.53
PK	5.6194G	57.74	68.20	-10.46	4.46	3	Vertical	351	1.19	53.28	32.94	6.07	34.55
PK	5.869G	110.34	Inf	-Inf	5.78	3	Vertical	351	1.19	104.56	34.08	6.23	34.53
PK	5.8954G	92.27	109.91	-17.64	5.90	3	Vertical	351	1.19	86.37	34.18	6.25	34.53

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.869G	100.09	Inf	-Inf	5.78	3	Horizontal	0	2.92	94.31	34.08	6.23	34.53
AV	5.8954G	78.96	89.91	-10.95	5.90	3	Horizontal	0	2.92	73.06	34.18	6.25	34.53
PK	5.6302G	57.61	68.20	-10.59	4.49	3	Horizontal	0	2.92	53.12	32.96	6.08	34.55
PK	5.869G	112.06	Inf	-Inf	5.78	3	Horizontal	0	2.92	106.28	34.08	6.23	34.53
PK	5.8954G	88.96	109.91	-20.95	5.90	3	Horizontal	0	2.92	83.06	34.18	6.25	34.53



5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7461G	42.21	54.00	-11.79	12.45	3	Vertical	118	2.93	29.76	38.50	8.60	34.65
AV	17.6268G	45.66	68.20	-22.54	15.08	3	Vertical	339	2.69	30.58	39.21	10.32	34.45
PK	11.74502G	53.28	74.00	-20.72	12.45	3	Vertical	118	2.93	40.83	38.50	8.60	34.65
PK	17.627G	55.63	88.20	-32.57	15.08	3	Vertical	339	2.69	40.55	39.21	10.32	34.45

5.85-5.895GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74658G	42.21	54.00	-11.79	12.45	3	Horizontal	296	2.65	29.76	38.50	8.60	34.65
AV	17.62454G	45.64	68.20	-22.56	15.07	3	Horizontal	207	2.13	30.57	39.20	10.32	34.45
PK	11.74506G	54.37	74.00	-19.63	12.45	3	Horizontal	296	2.65	41.92	38.50	8.60	34.65
PK	17.6236G	55.79	88.20	-32.41	15.06	3	Horizontal	207	2.13	40.73	39.19	10.32	34.45

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	95.72	Inf	-Inf	5.32	3	Vertical	350	1.98	90.40	34.03	5.82	34.53
AV	5.9258G	55.46	68.20	-12.74	5.58	3	Vertical	350	1.98	49.88	34.25	5.86	34.53
PK	5.639G	57.81	68.20	-10.39	4.19	3	Vertical	350	1.98	53.62	32.98	5.76	34.55
PK	5.837G	107.75	Inf	-Inf	5.34	3	Vertical	350	1.98	102.41	34.05	5.82	34.53
PK	5.9234G	69.60	89.37	-19.77	5.58	3	Vertical	350	1.98	64.02	34.25	5.86	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	94.70	Inf	-Inf	5.31	3	Horizontal	350	1.50	89.39	34.03	5.81	34.53
AV	5.9258G	53.83	68.20	-14.37	5.58	3	Horizontal	350	1.50	48.25	34.25	5.86	34.53
PK	5.6042G	57.60	68.20	-10.60	4.11	3	Horizontal	350	1.50	53.49	32.91	5.75	34.55
PK	5.8382G	106.26	Inf	-Inf	5.34	3	Horizontal	350	1.50	100.92	34.05	5.82	34.53
PK	5.9258G	66.40	88.20	-21.80	5.58	3	Horizontal	350	1.50	60.82	34.25	5.86	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70336G	41.98	54.00	-12.02	12.16	3	Vertical	77	1.29	29.82	38.41	8.39	34.64
AV	17.60452G	45.31	68.20	-22.89	14.86	3	Vertical	118	2.14	30.45	39.02	10.29	34.45
PK	11.70392G	54.07	74.00	-19.93	12.16	3	Vertical	77	1.29	41.91	38.41	8.39	34.64
PK	17.58644G	57.06	88.20	-31.14	14.78	3	Vertical	118	2.14	42.28	38.93	10.29	34.44

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port1)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73496G	42.00	54.00	-12.00	12.22	3	Horizontal	48	1.21	29.78	38.47	8.40	34.65
AV	17.605G	45.28	68.20	-22.92	14.86	3	Horizontal	96	1.72	30.42	39.02	10.29	34.45
PK	11.73776G	53.74	74.00	-20.26	12.23	3	Horizontal	48	1.21	41.51	38.48	8.40	34.65
PK	17.609G	57.17	88.20	-31.03	14.89	3	Horizontal	96	1.72	42.28	39.04	10.30	34.45

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8586G	96.07	Inf	-Inf	5.43	3	Vertical	4	1.96	90.64	34.13	5.83	34.53
AV	5.9258G	54.74	68.20	-13.46	5.58	3	Vertical	4	1.96	49.16	34.25	5.86	34.53
PK	5.6234G	58.11	68.20	-10.09	4.16	3	Vertical	4	1.96	53.95	32.95	5.76	34.55
PK	5.8298G	107.60	Inf	-Inf	5.30	3	Vertical	4	1.96	102.30	34.02	5.81	34.53
PK	5.9282G	67.46	88.20	-20.74	5.57	3	Vertical	4	1.96	61.89	34.24	5.86	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.873G	87.83	Inf	-Inf	5.49	3	Horizontal	346	2.94	82.34	34.19	5.83	34.53
AV	5.9258G	50.79	68.20	-17.41	5.58	3	Horizontal	346	2.94	45.21	34.25	5.86	34.53
PK	5.6486G	57.45	68.20	-10.75	4.21	3	Horizontal	346	2.94	53.24	33.00	5.76	34.55
PK	5.8382G	99.04	Inf	-Inf	5.34	3	Horizontal	346	2.94	93.70	34.05	5.82	34.53
PK	5.9342G	61.56	88.20	-26.64	5.56	3	Horizontal	346	2.94	56.00	34.23	5.86	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7332G	41.99	54.00	-12.01	12.23	3	Vertical	112	2.35	29.76	38.47	8.40	34.64
AV	17.60484G	45.31	68.20	-22.89	14.86	3	Vertical	141	2.56	30.45	39.02	10.29	34.45
PK	11.72616G	54.12	74.00	-19.88	12.20	3	Vertical	112	2.35	41.92	38.45	8.39	34.64
PK	17.59732G	57.66	88.20	-30.54	14.83	3	Vertical	141	2.56	42.83	38.99	10.29	34.45

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.67272G	42.00	54.00	-12.00	12.15	3	Horizontal	282	2.95	29.85	38.40	8.38	34.63
AV	17.60388G	45.27	68.20	-22.93	14.86	3	Horizontal	274	2.54	30.41	39.02	10.29	34.45
PK	11.67112G	53.61	74.00	-20.39	12.16	3	Horizontal	282	2.95	41.45	38.40	8.38	34.62
PK	17.59732G	56.92	88.20	-31.28	14.83	3	Horizontal	274	2.54	42.09	38.99	10.29	34.45

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8346G	96.93	Inf	-Inf	5.66	3	Vertical	3	1.16	91.27	33.97	6.22	34.53
AV	5.9258G	53.53	68.20	-14.67	5.93	3	Vertical	3	1.16	47.60	34.20	6.26	34.53
PK	5.651G	58.45	68.94	-10.49	4.56	3	Vertical	3	1.16	53.89	33.01	6.10	34.55
PK	5.8298G	108.77	Inf	-Inf	5.64	3	Vertical	3	1.16	103.13	33.96	6.21	34.53
PK	5.9258G	64.05	88.20	-24.15	5.93	3	Vertical	3	1.16	58.12	34.20	6.26	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8574G	97.31	Inf	-Inf	5.73	3	Horizontal	359	2.95	91.58	34.03	6.23	34.53
AV	5.9258G	53.09	68.20	-15.11	5.93	3	Horizontal	359	2.95	47.16	34.20	6.26	34.53
PK	5.6378G	58.16	68.20	-10.04	4.52	3	Horizontal	359	2.95	53.64	32.98	6.09	34.55
PK	5.861G	107.73	Inf	-Inf	5.74	3	Horizontal	359	2.95	101.99	34.04	6.23	34.53
PK	5.9258G	65.07	88.20	-23.13	5.93	3	Horizontal	359	2.95	59.14	34.20	6.26	34.53

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7139G	42.16	54.00	-11.84	12.45	3	Vertical	2	2.25	29.71	38.50	8.59	34.64
AV	17.56476G	45.18	68.20	-23.02	14.76	3	Vertical	298	2.24	30.42	38.89	10.31	34.44
PK	11.7105G	53.72	74.00	-20.28	12.45	3	Vertical	2	2.25	41.27	38.50	8.59	34.64
PK	17.561G	55.19	88.20	-33.01	14.74	3	Vertical	298	2.24	40.45	38.87	10.31	34.44

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5855MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70994G	42.19	54.00	-11.81	12.45	3	Horizontal	292	2.13	29.74	38.50	8.59	34.64
AV	17.56392G	45.23	68.20	-22.97	14.75	3	Horizontal	355	2.51	30.48	38.88	10.31	34.44
PK	11.70726G	52.93	74.00	-21.07	12.45	3	Horizontal	292	2.13	40.48	38.50	8.59	34.64
PK	17.56572G	55.22	88.20	-32.98	14.76	3	Horizontal	355	2.51	40.46	38.89	10.31	34.44

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7946G	91.35	Inf	-Inf	5.13	3	Vertical	351	1.92	86.22	33.87	5.80	34.54
AV	5.95G	54.78	68.20	-13.42	5.55	3	Vertical	351	1.92	49.23	34.20	5.87	34.52
PK	5.6032G	64.82	68.20	-3.38	4.11	3	Vertical	351	1.92	60.71	32.91	5.75	34.55
PK	5.8408G	103.22	Inf	-Inf	5.35	3	Vertical	351	1.92	97.87	34.06	5.82	34.53
PK	5.9626G	68.79	88.20	-19.41	5.52	3	Vertical	351	1.92	63.27	34.17	5.87	34.52

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)

5815MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	90.55	Inf	-Inf	5.02	3	Horizontal	351	1.50	85.53	33.77	5.79	34.54
AV	5.95G	53.24	68.20	-14.96	5.55	3	Horizontal	351	1.50	47.69	34.20	5.87	34.52
PK	5.6452G	65.06	68.20	-3.14	4.20	3	Horizontal	351	1.50	60.86	32.99	5.76	34.55
PK	5.809G	102.47	Inf	-Inf	5.20	3	Horizontal	351	1.50	97.27	33.94	5.80	34.54
PK	5.941G	66.51	88.20	-21.69	5.56	3	Horizontal	351	1.50	60.95	34.22	5.86	34.52



5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5936G	41.70	54.00	-12.30	12.17	3	Vertical	264	1.04	29.53	38.42	8.35	34.60
AV	17.42332G	45.01	68.20	-23.19	14.35	3	Vertical	223	2.11	30.66	38.50	10.22	34.37
PK	11.59848G	53.04	74.00	-20.96	12.15	3	Vertical	264	1.04	40.89	38.40	8.35	34.60
PK	17.42084G	57.21	88.20	-30.99	14.35	3	Vertical	223	2.11	42.86	38.50	10.22	34.37

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port1)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66216G	41.73	54.00	-12.27	12.15	3	Horizontal	72	2.25	29.58	38.40	8.37	34.62
AV	17.47348G	45.04	68.20	-23.16	14.34	3	Horizontal	292	2.91	30.70	38.50	10.24	34.40
PK	11.66544G	53.14	74.00	-20.86	12.15	3	Horizontal	72	2.25	40.99	38.40	8.37	34.62
PK	17.45444G	55.84	88.20	-32.36	14.34	3	Horizontal	292	2.91	41.50	38.50	10.23	34.39

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8612G	90.31	Inf	-Inf	5.44	3	Vertical	4	1.96	84.87	34.14	5.83	34.53
AV	5.9632G	51.24	68.20	-16.96	5.52	3	Vertical	4	1.96	45.72	34.17	5.87	34.52
PK	5.6374G	64.47	68.20	-3.73	4.18	3	Vertical	4	1.96	60.29	32.97	5.76	34.55
PK	5.857G	101.71	Inf	-Inf	5.43	3	Vertical	4	1.96	96.28	34.13	5.83	34.53
PK	5.953G	63.37	88.20	-24.83	5.54	3	Vertical	4	1.96	57.83	34.19	5.87	34.52

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8504G	90.03	Inf	-Inf	5.39	3	Horizontal	347	2.91	84.64	34.10	5.82	34.53
AV	5.9596G	51.19	68.20	-17.01	5.53	3	Horizontal	347	2.91	45.66	34.18	5.87	34.52
PK	5.6386G	65.78	68.20	-2.42	4.19	3	Horizontal	347	2.91	61.59	32.98	5.76	34.55
PK	5.8618G	101.78	Inf	-Inf	5.45	3	Horizontal	347	2.91	96.33	34.15	5.83	34.53
PK	5.9542G	65.08	88.20	-23.12	5.54	3	Horizontal	347	2.91	59.54	34.19	5.87	34.52

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66184G	41.75	54.00	-12.25	12.15	3	Vertical	340	1.49	29.60	38.40	8.37	34.62
AV	17.47796G	45.03	68.20	-23.17	14.33	3	Vertical	311	1.31	30.70	38.50	10.24	34.41
PK	11.66328G	53.24	74.00	-20.76	12.15	3	Vertical	340	1.49	41.09	38.40	8.37	34.62
PK	17.47684G	57.61	88.20	-30.59	14.33	3	Vertical	311	1.31	43.28	38.50	10.24	34.41

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX(Port2)


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6636G	41.71	54.00	-12.29	12.15	3	Horizontal	172	1.88	29.56	38.40	8.37	34.62
AV	17.43932G	45.01	68.20	-23.19	14.35	3	Horizontal	303	1.42	30.66	38.50	10.23	34.38
PK	11.6616G	53.09	74.00	-20.91	12.15	3	Horizontal	172	1.88	40.94	38.40	8.37	34.62
PK	17.43796G	57.13	88.20	-31.07	14.35	3	Horizontal	303	1.42	42.78	38.50	10.23	34.38

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8342G	92.15	Inf	-Inf	5.66	3	Vertical	0	1.17	86.49	33.97	6.22	34.53
AV	5.9482G	54.22	68.20	-13.98	5.95	3	Vertical	0	1.17	48.27	34.20	6.27	34.52
PK	5.611G	65.26	68.20	-2.94	4.44	3	Vertical	0	1.17	60.82	32.92	6.07	34.55
PK	5.791G	103.46	Inf	-Inf	5.51	3	Vertical	0	1.17	97.95	33.86	6.19	34.54
PK	5.9434G	69.33	88.20	-18.87	5.95	3	Vertical	0	1.17	63.38	34.20	6.27	34.52

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.773G	93.49	Inf	-Inf	5.43	3	Horizontal	0	2.91	88.06	33.79	6.18	34.54
AV	5.953G	54.02	68.20	-14.18	5.95	3	Horizontal	0	2.91	48.07	34.19	6.28	34.52
PK	5.6494G	66.42	68.20	-1.78	4.54	3	Horizontal	0	2.91	61.88	33.00	6.09	34.55
PK	5.7994G	104.39	Inf	-Inf	5.56	3	Horizontal	0	2.91	98.83	33.90	6.20	34.54
PK	5.9386G	68.45	88.20	-19.75	5.95	3	Horizontal	0	2.91	62.50	34.20	6.27	34.52

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.62966G	41.93	54.00	-12.07	12.44	3	Vertical	19	2.82	29.49	38.50	8.55	34.61
AV	17.4434G	45.14	68.20	-23.06	14.39	3	Vertical	350	1.95	30.75	38.50	10.28	34.39
PK	11.63126G	52.31	74.00	-21.69	12.45	3	Vertical	19	2.82	39.86	38.50	8.56	34.61
PK	17.44588G	54.82	88.20	-33.38	14.39	3	Vertical	350	1.95	40.43	38.50	10.28	34.39

5.85-5.895GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5815MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6296G	41.95	54.00	-12.05	12.44	3	Horizontal	299	2.90	29.51	38.50	8.55	34.61
AV	17.44872G	45.08	68.20	-23.12	14.39	3	Horizontal	330	1.00	30.69	38.50	10.28	34.39
PK	11.62618G	52.84	74.00	-21.16	12.44	3	Horizontal	299	2.90	40.40	38.50	8.55	34.61
PK	17.4403G	55.71	88.20	-32.49	14.40	3	Horizontal	330	1.00	41.31	38.50	10.28	34.38



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz										
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	5.1478G	47.15	54.00	-6.85	3	Vertical	87	2.54
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	5.1304G	47.03	54.00	-6.97	3	Vertical	266	3.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	AV	5.148G	47.48	54.00	-6.52	3	Horizontal	22	2.49
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	AV	5.1438G	47.27	54.00	-6.73	3	Horizontal	356	2.49
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	AV	5.148G	47.26	54.00	-6.74	3	Horizontal	14	2.48
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	AV	5.15G	48.25	54.00	-5.75	3	Horizontal	344	1.64
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	5.1418G	47.35	54.00	-6.65	3	Horizontal	359	2.56
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	5.1396G	47.51	54.00	-6.49	3	Horizontal	0	2.54
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	5.149G	48.17	54.00	-5.83	3	Horizontal	4	2.49
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	AV	5.15G	47.82	54.00	-6.18	3	Horizontal	17	2.49
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	AV	5.15G	48.21	54.00	-5.79	3	Horizontal	357	1.66
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	AV	5.15G	51.96	54.00	-2.04	3	Horizontal	21	2.56
802.11ax HEW80_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	5.15G	48.68	54.00	-5.32	3	Horizontal	4	2.56
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	Pass	AV	5.149G	46.69	54.00	-7.31	3	Horizontal	290	1.52
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	AV	5.15G	50.55	54.00	-3.45	3	Horizontal	15	1.50
5.25-5.35GHz										
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	AV	5.3544G	46.45	54.00	-7.55	3	Horizontal	8	1.60
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	AV	5.351G	45.95	54.00	-8.05	3	Horizontal	9	2.38
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	AV	5.3638G	46.63	54.00	-7.37	3	Horizontal	11	2.60
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	AV	5.3572G	45.93	54.00	-8.07	3	Vertical	20	1.49
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	AV	5.35G	46.82	54.00	-7.18	3	Horizontal	10	1.69
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	AV	5.3556G	46.33	54.00	-7.67	3	Horizontal	13	1.47
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	5.3664G	46.23	54.00	-7.77	3	Horizontal	3	1.64
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	5.3618G	46.66	54.00	-7.34	3	Horizontal	10	1.45
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	5.3628G	46.55	54.00	-7.45	3	Vertical	28	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	AV	5.35G	46.63	54.00	-7.37	3	Horizontal	14	2.52
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	AV	5.35G	47.51	54.00	-6.49	3	Horizontal	18	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	AV	5.35G	51.24	54.00	-2.76	3	Horizontal	14	2.48
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	AV	5.35G	47.14	54.00	-6.86	3	Horizontal	5	1.57
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	AV	5.041G	45.95	54.00	-8.05	3	Horizontal	11	1.49
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	AV	5.35G	47.31	54.00	-6.69	3	Horizontal	12	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	Pass	AV	5.15G	48.14	54.00	-5.86	3	Horizontal	0	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	Pass	AV	5.15G	46.35	54.00	-7.65	3	Horizontal	356	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	Pass	AV	5.0316G	46.02	54.00	-7.98	3	Vertical	92	2.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	Pass	AV	5.0472G	46.05	54.00	-7.95	3	Horizontal	355	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	AV	5.15G	49.03	54.00	-4.97	3	Horizontal	3	2.39
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	Pass	AV	5.058G	46.03	54.00	-7.97	3	Vertical	93	2.49
5.47-5.725GHz										
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	AV	5.4566G	46.29	54.00	-7.71	3	Horizontal	9	2.32
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	AV	5.4508G	46.11	54.00	-7.89	3	Horizontal	12	1.57
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	PK	5.7284G	60.71	68.20	-7.49	3	Horizontal	8	3.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	PK	5.7272G	59.73	68.20	-8.47	3	Horizontal	10	1.49
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	AV	5.4524G	46.28	54.00	-7.72	3	Horizontal	10	1.48
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	AV	5.4514G	46.60	54.00	-7.40	3	Horizontal	15	1.48
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	PK	5.7316G	62.15	68.20	-6.05	3	Horizontal	2	3.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	PK	5.7868G	58.54	68.20	-9.66	3	Horizontal	14	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	AV	5.4576G	46.38	54.00	-7.62	3	Horizontal	13	1.49
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	AV	5.4582G	46.22	54.00	-7.78	3	Vertical	17	1.22
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	PK	5.7288G	60.18	68.20	-8.02	3	Horizontal	14	2.99
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	PK	5.7296G	59.39	68.20	-8.81	3	Horizontal	14	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	5.4592G	46.38	54.00	-7.62	3	Horizontal	13	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	5.7252G	61.22	68.20	-6.98	3	Horizontal	10	2.99
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	5.46G	47.01	54.00	-6.99	3	Horizontal	16	1.48
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	PK	5.7296G	64.15	68.20	-4.05	3	Horizontal	3	3.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	5.4572G	47.89	54.00	-6.11	3	Horizontal	14	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	PK	5.7268G	63.36	68.20	-4.84	3	Horizontal	17	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	AV	5.4588G	45.00	54.00	-9.00	3	Horizontal	20	1.42
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	AV	5.4596G	45.08	54.00	-8.92	3	Horizontal	8	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	PK	5.7276G	60.59	68.20	-7.61	3	Horizontal	17	3.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	PK	5.7894G	59.08	68.20	-9.12	3	Vertical	26	1.33



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 61_2TX	Pass	PK	5.4628G	65.29	68.20	-2.91	3	Horizontal	9	2.29
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_2TX	Pass	PK	5.727G	62.98	68.20	-5.22	3	Horizontal	19	2.99
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX(Port1)	Pass	PK	5.466G	60.45	68.20	-7.75	3	Horizontal	10	1.49
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX(Port2)	Pass	AV	5.446G	45.05	54.00	-8.95	3	Horizontal	10	1.48
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX(Port1)	Pass	PK	5.787G	61.08	68.20	-7.12	3	Horizontal	10	3.00
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX(Port2)	Pass	PK	5.819G	59.42	68.20	-8.78	3	Horizontal	11	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_2TX	Pass	AV	5.46G	50.32	54.00	-3.68	3	Horizontal	10	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_2TX	Pass	PK	5.781G	62.80	68.20	-5.40	3	Horizontal	9	1.46
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port1)	Pass	PK	5.4656G	67.41	68.20	-0.79	3	Horizontal	355	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port2)	Pass	AV	5.4428G	45.65	54.00	-8.35	3	Horizontal	354	1.43
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67S_1TX(Port1)	Pass	PK	5.7296G	67.69	68.20	-0.51	3	Horizontal	351	1.45
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67S_1TX(Port2)	Pass	PK	5.738G	64.23	68.20	-3.97	3	Horizontal	3	1.37
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_2TX	Pass	AV	5.4596G	50.91	54.00	-3.09	3	Horizontal	356	2.99
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67S_2TX	Pass	PK	5.7296G	67.37	68.20	-0.83	3	Horizontal	352	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port1)	Pass	AV	5.4582G	46.14	54.00	-7.86	3	Vertical	360	1.19
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port2)	Pass	AV	5.4594G	46.33	54.00	-7.67	3	Horizontal	293	1.48
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_1TX(Port1)	Pass	PK	5.9258G	59.15	68.20	-9.05	3	Horizontal	5	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_1TX(Port2)	Pass	PK	5.975G	59.11	68.20	-9.09	3	Vertical	17	1.31
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 37_1TX(Port1)	Pass	AV	5.451G	46.14	54.00	-7.86	3	Vertical	356	1.31
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 37_1TX(Port2)	Pass	AV	5.445G	46.36	54.00	-7.64	3	Vertical	21	1.34
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 40_1TX(Port1)	Pass	PK	5.9726G	59.05	68.20	-9.15	3	Horizontal	6	1.50
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 40_1TX(Port2)	Pass	PK	5.963G	58.77	68.20	-9.43	3	Horizontal	15	1.50
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 53_1TX(Port1)	Pass	AV	5.445G	46.38	54.00	-7.62	3	Horizontal	16	2.98
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 53_1TX(Port2)	Pass	AV	5.4558G	46.09	54.00	-7.91	3	Vertical	24	1.35
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 54_1TX(Port1)	Pass	PK	5.9294G	58.89	68.20	-9.31	3	Vertical	4	1.26
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 54_1TX(Port2)	Pass	PK	5.9258G	59.24	68.20	-8.96	3	Vertical	23	1.27
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	Pass	AV	5.4522G	46.11	54.00	-7.89	3	Vertical	3	1.25
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_2TX	Pass	PK	5.9834G	60.38	68.20	-7.82	3	Horizontal	14	1.31
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 37_2TX	Pass	AV	5.4594G	46.24	54.00	-7.76	3	Horizontal	15	1.48
802.11ax HEW20_Nss1,(MCS0),RU 52#RU 40_2TX	Pass	PK	5.9726G	60.78	68.20	-7.42	3	Vertical	5	1.28
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 53_2TX	Pass	AV	5.4474G	46.67	54.00	-7.33	3	Horizontal	17	1.47
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 54_2TX	Pass	PK	5.9426G	60.05	68.20	-8.15	3	Horizontal	17	1.35
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 61_1TX(Port1)	Pass	AV	5.4598G	44.89	54.00	-9.11	3	Horizontal	358	1.48
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 61_1TX(Port2)	Pass	PK	5.9614G	59.54	68.20	-8.66	3	Vertical	14	1.35
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_1TX(Port1)	Pass	PK	6.0098G	58.79	68.20	-9.41	3	Horizontal	20	2.90
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_1TX(Port2)	Pass	PK	5.9366G	58.94	68.20	-9.26	3	Horizontal	19	1.39
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 61_2TX	Pass	AV	5.4562G	44.79	54.00	-9.21	3	Horizontal	7	1.41
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_2TX	Pass	PK	5.9846G	59.48	68.20	-8.72	3	Vertical	17	1.31
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX(Port1)	Pass	PK	5.9322G	59.29	68.20	-8.91	3	Horizontal	10	2.91
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX(Port2)	Pass	PK	5.643G	59.62	68.20	-8.58	3	Vertical	16	1.29
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX(Port1)	Pass	PK	5.9898G	58.89	68.20	-9.31	3	Vertical	355	1.34
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX(Port2)	Pass	PK	5.9286G	59.25	68.20	-8.95	3	Vertical	16	1.30
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_2TX	Pass	PK	5.9346G	60.73	68.20	-7.47	3	Vertical	360	1.24
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_2TX	Pass	PK	17.35548G	56.89	68.20	-11.31	3	Horizontal	0	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1478G	47.15	54.00	-6.85	3	Vertical	87	2.54
5180MHz	Pass	AV	5.1716G	98.41	Inf	-Inf	3	Vertical	87	2.54
5180MHz	Pass	PK	5.1358G	57.20	74.00	-16.80	3	Vertical	87	2.54
5180MHz	Pass	PK	5.172G	105.25	Inf	-Inf	3	Vertical	87	2.54
5180MHz	Pass	AV	5.1372G	47.14	54.00	-6.86	3	Horizontal	14	2.48
5180MHz	Pass	AV	5.1716G	103.84	Inf	-Inf	3	Horizontal	14	2.48
5180MHz	Pass	PK	5.1486G	57.97	74.00	-16.03	3	Horizontal	14	2.48
5180MHz	Pass	PK	5.1722G	110.56	Inf	-Inf	3	Horizontal	14	2.48
5180MHz	Pass	AV	15.555G	43.90	54.00	-10.10	3	Vertical	325	1.50
5180MHz	Pass	PK	10.35412G	53.80	68.20	-14.40	3	Vertical	5	1.45
5180MHz	Pass	PK	15.55332G	54.83	74.00	-19.17	3	Vertical	325	1.50
5180MHz	Pass	AV	15.555G	43.93	54.00	-10.07	3	Horizontal	46	2.67
5180MHz	Pass	PK	10.34566G	54.62	68.20	-13.58	3	Horizontal	244	1.50
5180MHz	Pass	PK	15.54738G	54.31	74.00	-19.69	3	Horizontal	46	2.67
5500MHz	Pass	AV	5.45G	45.93	54.00	-8.07	3	Vertical	346	1.50
5500MHz	Pass	AV	5.492G	100.56	Inf	-Inf	3	Vertical	346	1.50
5500MHz	Pass	PK	5.4544G	56.75	74.00	-17.25	3	Vertical	346	1.50
5500MHz	Pass	PK	5.4622G	55.98	68.20	-12.22	3	Vertical	346	1.50
5500MHz	Pass	PK	5.4918G	107.47	Inf	-Inf	3	Vertical	346	1.50
5500MHz	Pass	AV	5.4566G	46.29	54.00	-7.71	3	Horizontal	9	2.32
5500MHz	Pass	AV	5.4916G	103.44	Inf	-Inf	3	Horizontal	9	2.32
5500MHz	Pass	PK	5.4522G	56.67	74.00	-17.33	3	Horizontal	9	2.32
5500MHz	Pass	PK	5.4642G	57.71	68.20	-10.49	3	Horizontal	9	2.32
5500MHz	Pass	PK	5.4918G	110.01	Inf	-Inf	3	Horizontal	9	2.32
5500MHz	Pass	AV	11.00318G	42.12	54.00	-11.88	3	Vertical	154	1.50
5500MHz	Pass	PK	11.0027G	54.97	74.00	-19.03	3	Vertical	154	1.50
5500MHz	Pass	PK	16.50486G	56.86	68.20	-11.34	3	Vertical	141	1.50
5500MHz	Pass	AV	11.00384G	42.13	54.00	-11.87	3	Horizontal	359	1.50
5500MHz	Pass	PK	11.01362G	54.55	74.00	-19.45	3	Horizontal	359	1.50
5500MHz	Pass	PK	16.49526G	56.33	68.20	-11.87	3	Horizontal	359	2.46
5745MHz	Pass	AV	5.4582G	46.14	54.00	-7.86	3	Vertical	360	1.19
5745MHz	Pass	AV	5.7366G	107.33	Inf	-Inf	3	Vertical	360	1.19
5745MHz	Pass	PK	5.6082G	57.15	68.20	-11.05	3	Vertical	360	1.19
5745MHz	Pass	PK	5.7366G	113.78	Inf	-Inf	3	Vertical	360	1.19
5745MHz	Pass	PK	5.9286G	59.00	68.20	-9.20	3	Vertical	360	1.19
5745MHz	Pass	AV	5.4486G	46.09	54.00	-7.91	3	Horizontal	14	1.44
5745MHz	Pass	AV	5.7366G	109.82	Inf	-Inf	3	Horizontal	14	1.44
5745MHz	Pass	PK	5.5374G	57.01	68.20	-11.19	3	Horizontal	14	1.44
5745MHz	Pass	PK	5.7366G	116.67	Inf	-Inf	3	Horizontal	14	1.44
5745MHz	Pass	PK	5.9286G	58.90	68.20	-9.30	3	Horizontal	14	1.44
5745MHz	Pass	AV	11.4918G	42.06	54.00	-11.94	3	Vertical	50	1.70
5745MHz	Pass	PK	11.48118G	54.19	74.00	-19.81	3	Vertical	50	1.70
5745MHz	Pass	PK	17.2485G	57.01	68.20	-11.19	3	Vertical	136	1.08
5745MHz	Pass	AV	11.4948G	42.08	54.00	-11.92	3	Horizontal	201	1.32
5745MHz	Pass	PK	11.50248G	54.56	74.00	-19.44	3	Horizontal	201	1.32
5745MHz	Pass	PK	17.22792G	57.01	68.20	-11.19	3	Horizontal	306	2.98
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1304G	47.03	54.00	-6.97	3	Vertical	266	3.00
5180MHz	Pass	AV	5.1718G	99.82	Inf	-Inf	3	Vertical	266	3.00
5180MHz	Pass	PK	5.1396G	57.02	74.00	-16.98	3	Vertical	266	3.00
5180MHz	Pass	PK	5.1718G	106.62	Inf	-Inf	3	Vertical	266	3.00
5180MHz	Pass	AV	5.1404G	47.02	54.00	-6.98	3	Horizontal	356	2.48
5180MHz	Pass	AV	5.1716G	103.98	Inf	-Inf	3	Horizontal	356	2.48
5180MHz	Pass	PK	5.1342G	57.52	74.00	-16.48	3	Horizontal	356	2.48
5180MHz	Pass	PK	5.1718G	110.97	Inf	-Inf	3	Horizontal	356	2.48
5180MHz	Pass	AV	15.555G	42.87	54.00	-11.13	3	Vertical	201	2.16
5180MHz	Pass	PK	10.3681G	53.89	68.20	-14.31	3	Vertical	324	3.00
5180MHz	Pass	PK	15.53238G	55.53	74.00	-18.47	3	Vertical	201	2.16
5180MHz	Pass	AV	15.555G	42.93	54.00	-11.07	3	Horizontal	19	2.97
5180MHz	Pass	PK	10.3555G	53.49	68.20	-14.71	3	Horizontal	205	2.04





RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	15.5268G	55.08	74.00	-18.92	3	Horizontal	19	2.97
5500MHz	Pass	AV	5.453G	46.00	54.00	-8.00	3	Vertical	15	1.44
5500MHz	Pass	AV	5.4916G	101.93	Inf	-Inf	3	Vertical	15	1.44
5500MHz	Pass	PK	5.451G	56.78	74.00	-17.22	3	Vertical	15	1.44
5500MHz	Pass	PK	5.4686G	56.23	68.20	-11.97	3	Vertical	15	1.44
5500MHz	Pass	PK	5.4918G	108.79	Inf	-Inf	3	Vertical	15	1.44
5500MHz	Pass	AV	5.4508G	46.11	54.00	-7.89	3	Horizontal	12	1.57
5500MHz	Pass	AV	5.4916G	103.02	Inf	-Inf	3	Horizontal	12	1.57
5500MHz	Pass	PK	5.4592G	56.46	74.00	-17.54	3	Horizontal	12	1.57
5500MHz	Pass	PK	5.4638G	56.29	68.20	-11.91	3	Horizontal	12	1.57
5500MHz	Pass	PK	5.4922G	109.85	Inf	-Inf	3	Horizontal	12	1.57
5500MHz	Pass	AV	11.01368G	42.12	54.00	-11.88	3	Vertical	180	1.76
5500MHz	Pass	PK	10.98596G	55.00	74.00	-19.00	3	Vertical	180	1.76
5500MHz	Pass	PK	16.48524G	57.07	68.20	-11.13	3	Vertical	36	1.66
5500MHz	Pass	AV	11.00006G	42.13	54.00	-11.87	3	Horizontal	106	1.19
5500MHz	Pass	PK	11.00174G	54.96	74.00	-19.04	3	Horizontal	106	1.19
5500MHz	Pass	PK	16.48998G	56.62	68.20	-11.58	3	Horizontal	307	1.35
5745MHz	Pass	AV	5.4498G	45.99	54.00	-8.01	3	Vertical	15	1.31
5745MHz	Pass	AV	5.7366G	109.46	Inf	-Inf	3	Vertical	15	1.31
5745MHz	Pass	PK	5.5698G	57.61	68.20	-10.59	3	Vertical	15	1.31
5745MHz	Pass	PK	5.7366G	116.19	Inf	-Inf	3	Vertical	15	1.31
5745MHz	Pass	PK	6.0186G	58.40	68.20	-9.80	3	Vertical	15	1.31
5745MHz	Pass	AV	5.4594G	46.33	54.00	-7.67	3	Horizontal	293	1.48
5745MHz	Pass	AV	5.7366G	108.62	Inf	-Inf	3	Horizontal	293	1.48
5745MHz	Pass	PK	5.5518G	57.62	68.20	-10.58	3	Horizontal	293	1.48
5745MHz	Pass	PK	5.7366G	115.08	Inf	-Inf	3	Horizontal	293	1.48
5745MHz	Pass	PK	6.0294G	58.81	68.20	-9.39	3	Horizontal	293	1.48
5745MHz	Pass	AV	11.50374G	42.07	54.00	-11.93	3	Vertical	22	1.50
5745MHz	Pass	PK	11.48586G	54.72	74.00	-19.28	3	Vertical	22	1.50
5745MHz	Pass	PK	17.23452G	56.42	68.20	-11.78	3	Vertical	156	1.50
5745MHz	Pass	AV	11.4942G	42.07	54.00	-11.93	3	Horizontal	109	1.50
5745MHz	Pass	PK	11.49396G	54.43	74.00	-19.57	3	Horizontal	109	1.50
5745MHz	Pass	PK	17.24952G	56.62	68.20	-11.58	3	Horizontal	346	1.74
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.143G	47.22	54.00	-6.78	3	Vertical	100	2.98
5180MHz	Pass	AV	5.172G	99.89	Inf	-Inf	3	Vertical	100	2.98
5180MHz	Pass	PK	5.133G	57.88	74.00	-16.12	3	Vertical	100	2.98
5180MHz	Pass	PK	5.1714G	107.80	Inf	-Inf	3	Vertical	100	2.98
5180MHz	Pass	AV	5.1418G	47.35	54.00	-6.65	3	Horizontal	359	2.56
5180MHz	Pass	AV	5.172G	104.82	Inf	-Inf	3	Horizontal	359	2.56
5180MHz	Pass	PK	5.1478G	60.02	74.00	-13.98	3	Horizontal	359	2.56
5180MHz	Pass	PK	5.172G	113.14	Inf	-Inf	3	Horizontal	359	2.56
5180MHz	Pass	AV	15.555G	42.94	54.00	-11.06	3	Vertical	283	3.00
5180MHz	Pass	PK	10.37338G	54.05	68.20	-14.15	3	Vertical	1	3.00
5180MHz	Pass	PK	15.54192G	54.45	74.00	-19.55	3	Vertical	283	3.00
5180MHz	Pass	AV	15.555G	42.96	54.00	-11.04	3	Horizontal	220	1.50
5180MHz	Pass	PK	10.37296G	54.20	68.20	-14.00	3	Horizontal	78	1.50
5180MHz	Pass	PK	15.55374G	54.70	74.00	-19.30	3	Horizontal	220	1.50
5500MHz	Pass	AV	5.4502G	46.13	54.00	-7.87	3	Vertical	1	1.41
5500MHz	Pass	AV	5.492G	100.01	Inf	-Inf	3	Vertical	1	1.41
5500MHz	Pass	PK	5.451G	56.28	74.00	-17.72	3	Vertical	1	1.41
5500MHz	Pass	PK	5.4696G	56.29	68.20	-11.91	3	Vertical	1	1.41
5500MHz	Pass	PK	5.4922G	108.15	Inf	-Inf	3	Vertical	1	1.41
5500MHz	Pass	AV	5.4592G	46.38	54.00	-7.62	3	Horizontal	13	1.50
5500MHz	Pass	AV	5.4916G	102.39	Inf	-Inf	3	Horizontal	13	1.50
5500MHz	Pass	PK	5.4534G	57.04	74.00	-16.96	3	Horizontal	13	1.50
5500MHz	Pass	PK	5.4654G	58.80	68.20	-9.40	3	Horizontal	13	1.50
5500MHz	Pass	PK	5.4916G	110.73	Inf	-Inf	3	Horizontal	13	1.50
5500MHz	Pass	AV	10.99094G	42.11	54.00	-11.89	3	Vertical	4	1.50
5500MHz	Pass	PK	10.98584G	54.28	74.00	-19.72	3	Vertical	4	1.50
5500MHz	Pass	PK	16.50294G	56.57	68.20	-11.63	3	Vertical	254	2.94
5500MHz	Pass	AV	11.01452G	42.14	54.00	-11.86	3	Horizontal	44	2.75



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	10.99994G	54.72	74.00	-19.28	3	Horizontal	44	2.75
5500MHz	Pass	PK	16.48764G	56.73	68.20	-11.47	3	Horizontal	67	1.32
5745MHz	Pass	AV	5.4522G	46.11	54.00	-7.89	3	Vertical	3	1.25
5745MHz	Pass	AV	5.7366G	111.23	Inf	-Inf	3	Vertical	3	1.25
5745MHz	Pass	PK	5.6058G	57.09	68.20	-11.11	3	Vertical	3	1.25
5745MHz	Pass	PK	5.7366G	119.24	Inf	-Inf	3	Vertical	3	1.25
5745MHz	Pass	PK	5.9274G	59.66	68.20	-8.54	3	Vertical	3	1.25
5745MHz	Pass	AV	5.4462G	46.07	54.00	-7.93	3	Horizontal	13	1.43
5745MHz	Pass	AV	5.7366G	112.69	Inf	-Inf	3	Horizontal	13	1.43
5745MHz	Pass	PK	5.6274G	57.93	68.20	-10.27	3	Horizontal	13	1.43
5745MHz	Pass	PK	5.7366G	120.31	Inf	-Inf	3	Horizontal	13	1.43
5745MHz	Pass	PK	5.9322G	59.25	68.20	-8.95	3	Horizontal	13	1.43
5745MHz	Pass	AV	11.49264G	42.08	54.00	-11.92	3	Vertical	254	2.22
5745MHz	Pass	PK	11.48544G	54.57	74.00	-19.43	3	Vertical	254	2.22
5745MHz	Pass	PK	17.22432G	56.32	68.20	-11.88	3	Vertical	223	1.50
5745MHz	Pass	AV	11.5023G	42.07	54.00	-11.93	3	Horizontal	60	1.50
5745MHz	Pass	PK	11.4888G	54.52	74.00	-19.48	3	Horizontal	60	1.50
5745MHz	Pass	PK	17.2212G	56.57	68.20	-11.63	3	Horizontal	130	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3282G	98.72	Inf	-Inf	3	Vertical	347	2.34
5320MHz	Pass	AV	5.3678G	46.13	54.00	-7.87	3	Vertical	347	2.34
5320MHz	Pass	PK	5.3278G	105.58	Inf	-Inf	3	Vertical	347	2.34
5320MHz	Pass	PK	5.3522G	57.56	74.00	-16.44	3	Vertical	347	2.34
5320MHz	Pass	AV	5.3282G	105.41	Inf	-Inf	3	Horizontal	8	1.60
5320MHz	Pass	AV	5.3544G	46.45	54.00	-7.55	3	Horizontal	8	1.60
5320MHz	Pass	PK	5.3278G	112.24	Inf	-Inf	3	Horizontal	8	1.60
5320MHz	Pass	PK	5.352G	61.83	74.00	-12.17	3	Horizontal	8	1.60
5320MHz	Pass	AV	10.62542G	41.58	54.00	-12.42	3	Vertical	44	1.50
5320MHz	Pass	AV	15.96888G	42.32	54.00	-11.68	3	Vertical	0	1.50
5320MHz	Pass	PK	10.6307G	54.63	74.00	-19.37	3	Vertical	44	1.50
5320MHz	Pass	PK	15.97266G	54.36	74.00	-19.64	3	Vertical	0	1.50
5320MHz	Pass	AV	10.62566G	41.58	54.00	-12.42	3	Horizontal	62	1.50
5320MHz	Pass	AV	15.96744G	42.29	54.00	-11.71	3	Horizontal	63	1.50
5320MHz	Pass	PK	10.64486G	54.22	74.00	-19.78	3	Horizontal	62	1.50
5320MHz	Pass	PK	15.97212G	54.56	74.00	-19.44	3	Horizontal	63	1.50
5700MHz	Pass	AV	5.7084G	100.44	Inf	-Inf	3	Vertical	348	1.36
5700MHz	Pass	PK	5.708G	109.63	Inf	-Inf	3	Vertical	348	1.36
5700MHz	Pass	PK	5.7788G	59.81	68.20	-8.39	3	Vertical	348	1.36
5700MHz	Pass	AV	5.7084G	103.54	Inf	-Inf	3	Horizontal	8	3.00
5700MHz	Pass	PK	5.7084G	113.41	Inf	-Inf	3	Horizontal	8	3.00
5700MHz	Pass	PK	5.7284G	60.71	68.20	-7.49	3	Horizontal	8	3.00
5700MHz	Pass	AV	11.40882G	41.90	54.00	-12.10	3	Vertical	163	1.86
5700MHz	Pass	PK	11.39844G	55.11	74.00	-18.89	3	Vertical	163	1.86
5700MHz	Pass	PK	17.11386G	56.70	68.20	-11.50	3	Vertical	48	1.50
5700MHz	Pass	AV	11.4129G	41.92	54.00	-12.08	3	Horizontal	260	2.99
5700MHz	Pass	PK	11.4129G	54.69	74.00	-19.31	3	Horizontal	260	2.99
5700MHz	Pass	PK	17.09178G	56.56	68.20	-11.64	3	Horizontal	66	1.50
5825MHz	Pass	AV	5.8334G	108.64	Inf	-Inf	3	Vertical	360	1.25
5825MHz	Pass	PK	5.6258G	57.20	68.20	-11.00	3	Vertical	360	1.25
5825MHz	Pass	PK	5.8334G	114.98	Inf	-Inf	3	Vertical	360	1.25
5825MHz	Pass	PK	6.071G	58.98	68.20	-9.22	3	Vertical	360	1.25
5825MHz	Pass	AV	5.8334G	110.04	Inf	-Inf	3	Horizontal	5	1.50
5825MHz	Pass	PK	5.5682G	57.20	68.20	-11.00	3	Horizontal	5	1.50
5825MHz	Pass	PK	5.8322G	116.36	Inf	-Inf	3	Horizontal	5	1.50
5825MHz	Pass	PK	5.9258G	59.15	68.20	-9.05	3	Horizontal	5	1.50
5825MHz	Pass	AV	11.66398G	41.86	54.00	-12.14	3	Vertical	247	1.50
5825MHz	Pass	PK	11.6557G	54.78	74.00	-19.22	3	Vertical	247	1.50
5825MHz	Pass	PK	17.48376G	57.10	68.20	-11.10	3	Vertical	0	1.50
5825MHz	Pass	AV	11.6638G	41.84	54.00	-12.16	3	Horizontal	254	1.50
5825MHz	Pass	PK	11.63992G	54.87	74.00	-19.13	3	Horizontal	254	1.50
5825MHz	Pass	PK	17.47458G	57.18	68.20	-11.02	3	Horizontal	5	1.50
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3284G	100.17	Inf	-Inf	3	Vertical	18	1.49
5320MHz	Pass	AV	5.3532G	45.87	54.00	-8.13	3	Vertical	18	1.49
5320MHz	Pass	PK	5.3276G	107.25	Inf	-Inf	3	Vertical	18	1.49
5320MHz	Pass	PK	5.363G	56.89	74.00	-17.11	3	Vertical	18	1.49
5320MHz	Pass	AV	5.328G	102.78	Inf	-Inf	3	Horizontal	9	2.38
5320MHz	Pass	AV	5.351G	45.95	54.00	-8.05	3	Horizontal	9	2.38
5320MHz	Pass	PK	5.3278G	109.28	Inf	-Inf	3	Horizontal	9	2.38
5320MHz	Pass	PK	5.3504G	58.30	74.00	-15.70	3	Horizontal	9	2.38
5320MHz	Pass	AV	10.64252G	41.61	54.00	-12.39	3	Vertical	226	1.50
5320MHz	Pass	AV	15.95988G	42.30	54.00	-11.70	3	Vertical	61	1.46
5320MHz	Pass	PK	10.65128G	54.02	74.00	-19.98	3	Vertical	226	1.50
5320MHz	Pass	PK	15.97434G	54.38	74.00	-19.62	3	Vertical	61	1.46
5320MHz	Pass	AV	10.62914G	41.62	54.00	-12.38	3	Horizontal	218	1.50
5320MHz	Pass	AV	15.95868G	42.30	54.00	-11.70	3	Horizontal	233	2.16
5320MHz	Pass	PK	10.65344G	54.59	74.00	-19.41	3	Horizontal	218	1.50
5320MHz	Pass	PK	15.96174G	54.75	74.00	-19.25	3	Horizontal	233	2.16
5700MHz	Pass	AV	5.708G	100.81	Inf	-Inf	3	Vertical	17	1.43
5700MHz	Pass	PK	5.7088G	110.83	Inf	-Inf	3	Vertical	17	1.43
5700MHz	Pass	PK	5.7868G	58.02	68.20	-10.18	3	Vertical	17	1.43
5700MHz	Pass	AV	5.7088G	100.88	Inf	-Inf	3	Horizontal	10	1.49
5700MHz	Pass	PK	5.708G	111.82	Inf	-Inf	3	Horizontal	10	1.49
5700MHz	Pass	PK	5.7272G	59.73	68.20	-8.47	3	Horizontal	10	1.49
5700MHz	Pass	AV	11.41476G	41.91	54.00	-12.09	3	Vertical	231	2.65
5700MHz	Pass	PK	11.40708G	54.73	74.00	-19.27	3	Vertical	231	2.65
5700MHz	Pass	PK	17.09928G	56.77	68.20	-11.43	3	Vertical	325	1.50
5700MHz	Pass	AV	11.41182G	41.92	54.00	-12.08	3	Horizontal	307	1.42
5700MHz	Pass	PK	11.40672G	54.44	74.00	-19.56	3	Horizontal	307	1.42
5700MHz	Pass	PK	17.08536G	57.30	68.20	-10.90	3	Horizontal	340	1.20
5825MHz	Pass	AV	5.8334G	109.52	Inf	-Inf	3	Vertical	17	1.31
5825MHz	Pass	PK	5.5802G	57.65	68.20	-10.55	3	Vertical	17	1.31
5825MHz	Pass	PK	5.8322G	116.63	Inf	-Inf	3	Vertical	17	1.31
5825MHz	Pass	PK	5.975G	59.11	68.20	-9.09	3	Vertical	17	1.31
5825MHz	Pass	AV	5.8334G	108.75	Inf	-Inf	3	Horizontal	12	1.50
5825MHz	Pass	PK	5.6186G	57.26	68.20	-10.94	3	Horizontal	12	1.50
5825MHz	Pass	PK	5.8334G	115.67	Inf	-Inf	3	Horizontal	12	1.50
5825MHz	Pass	PK	6.0122G	58.88	68.20	-9.32	3	Horizontal	12	1.50
5825MHz	Pass	AV	11.665G	41.88	54.00	-12.12	3	Vertical	8	1.43
5825MHz	Pass	PK	11.65078G	54.01	74.00	-19.99	3	Vertical	8	1.43
5825MHz	Pass	PK	17.47116G	57.15	68.20	-11.05	3	Vertical	5	1.50
5825MHz	Pass	AV	11.66224G	41.86	54.00	-12.14	3	Horizontal	199	2.42
5825MHz	Pass	PK	11.64994G	54.24	74.00	-19.76	3	Horizontal	199	2.42
5825MHz	Pass	PK	17.47314G	58.18	68.20	-10.02	3	Horizontal	215	1.50
802.11ax HEW20_Nss1_(MCS0)_RU 26#RU 8_2TX	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3282G	99.68	Inf	-Inf	3	Vertical	0	1.43
5320MHz	Pass	AV	5.3504G	46.05	54.00	-7.95	3	Vertical	0	1.43
5320MHz	Pass	PK	5.3278G	107.99	Inf	-Inf	3	Vertical	0	1.43
5320MHz	Pass	PK	5.3502G	57.82	74.00	-16.18	3	Vertical	0	1.43
5320MHz	Pass	AV	5.3286G	103.56	Inf	-Inf	3	Horizontal	3	1.64
5320MHz	Pass	AV	5.3664G	46.23	54.00	-7.77	3	Horizontal	3	1.64
5320MHz	Pass	PK	5.3284G	111.96	Inf	-Inf	3	Horizontal	3	1.64
5320MHz	Pass	PK	5.3522G	58.88	74.00	-15.12	3	Horizontal	3	1.64
5320MHz	Pass	AV	10.62554G	41.62	54.00	-12.38	3	Vertical	74	1.50
5320MHz	Pass	AV	15.95838G	42.31	54.00	-11.69	3	Vertical	251	1.50
5320MHz	Pass	PK	10.63526G	53.79	74.00	-20.21	3	Vertical	74	1.50
5320MHz	Pass	PK	15.95886G	54.75	74.00	-19.25	3	Vertical	251	1.50
5320MHz	Pass	AV	10.6286G	41.62	54.00	-12.38	3	Horizontal	243	1.00
5320MHz	Pass	AV	15.95694G	42.29	54.00	-11.71	3	Horizontal	146	1.50
5320MHz	Pass	PK	10.62566G	54.22	74.00	-19.78	3	Horizontal	243	1.00
5320MHz	Pass	PK	15.95844G	54.55	74.00	-19.45	3	Horizontal	146	1.50
5700MHz	Pass	AV	5.7084G	97.97	Inf	-Inf	3	Vertical	360	1.36
5700MHz	Pass	PK	5.7084G	106.87	Inf	-Inf	3	Vertical	360	1.36
5700MHz	Pass	PK	5.7952G	58.79	68.20	-9.41	3	Vertical	360	1.36



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	AV	5.708G	100.40	Inf	-Inf	3	Horizontal	10	2.99
5700MHz	Pass	PK	5.708G	109.52	Inf	-Inf	3	Horizontal	10	2.99
5700MHz	Pass	PK	5.7252G	61.22	68.20	-6.98	3	Horizontal	10	2.99
5700MHz	Pass	AV	11.41236G	41.94	54.00	-12.06	3	Vertical	122	1.50
5700MHz	Pass	PK	11.40894G	54.66	74.00	-19.34	3	Vertical	122	1.50
5700MHz	Pass	PK	17.0853G	56.44	68.20	-11.76	3	Vertical	171	1.50
5700MHz	Pass	AV	11.41398G	41.95	54.00	-12.05	3	Horizontal	120	1.50
5700MHz	Pass	PK	11.40084G	54.10	74.00	-19.90	3	Horizontal	120	1.50
5700MHz	Pass	PK	17.11218G	57.33	68.20	-10.87	3	Horizontal	1	2.01
5825MHz	Pass	AV	5.8334G	112.37	Inf	-Inf	3	Vertical	15	1.21
5825MHz	Pass	PK	5.6186G	58.14	68.20	-10.06	3	Vertical	15	1.21
5825MHz	Pass	PK	5.8334G	120.40	Inf	-Inf	3	Vertical	15	1.21
5825MHz	Pass	PK	5.9246G	60.63	68.50	-7.87	3	Vertical	15	1.21
5825MHz	Pass	AV	5.8334G	112.36	Inf	-Inf	3	Horizontal	14	1.31
5825MHz	Pass	PK	5.651G	58.32	68.94	-10.62	3	Horizontal	14	1.31
5825MHz	Pass	PK	5.8334G	120.14	Inf	-Inf	3	Horizontal	14	1.31
5825MHz	Pass	PK	5.9834G	60.38	68.20	-7.82	3	Horizontal	14	1.31
5825MHz	Pass	AV	11.66482G	41.88	54.00	-12.12	3	Vertical	332	1.50
5825MHz	Pass	PK	11.65768G	54.35	74.00	-19.65	3	Vertical	332	1.50
5825MHz	Pass	PK	17.47464G	56.98	68.20	-11.22	3	Vertical	93	1.99
5825MHz	Pass	AV	11.66302G	41.87	54.00	-12.13	3	Horizontal	0	1.50
5825MHz	Pass	PK	11.6356G	54.14	74.00	-19.86	3	Horizontal	0	1.50
5825MHz	Pass	PK	17.46054G	57.88	68.20	-10.32	3	Horizontal	344	1.50
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1436G	47.29	54.00	-6.71	3	Vertical	92	2.60
5180MHz	Pass	AV	5.1722G	99.92	Inf	-Inf	3	Vertical	92	2.60
5180MHz	Pass	PK	5.1486G	57.74	74.00	-16.26	3	Vertical	92	2.60
5180MHz	Pass	PK	5.1734G	109.38	Inf	-Inf	3	Vertical	92	2.60
5180MHz	Pass	AV	5.148G	47.48	54.00	-6.52	3	Horizontal	22	2.49
5180MHz	Pass	AV	5.1728G	104.14	Inf	-Inf	3	Horizontal	22	2.49
5180MHz	Pass	PK	5.146G	57.91	74.00	-16.09	3	Horizontal	22	2.49
5180MHz	Pass	PK	5.1738G	113.33	Inf	-Inf	3	Horizontal	22	2.49
5180MHz	Pass	AV	15.555G	42.93	54.00	-11.07	3	Vertical	73	1.50
5180MHz	Pass	PK	10.37482G	53.83	68.20	-14.37	3	Vertical	229	2.08
5180MHz	Pass	PK	15.55464G	54.11	74.00	-19.89	3	Vertical	73	1.50
5180MHz	Pass	AV	15.555G	42.90	54.00	-11.10	3	Horizontal	68	1.31
5180MHz	Pass	PK	10.357G	53.96	68.20	-14.24	3	Horizontal	92	1.50
5180MHz	Pass	PK	15.5448G	54.74	74.00	-19.26	3	Horizontal	68	1.31
5500MHz	Pass	AV	5.4502G	46.16	54.00	-7.84	3	Vertical	348	1.50
5500MHz	Pass	AV	5.4922G	94.11	Inf	-Inf	3	Vertical	348	1.50
5500MHz	Pass	PK	5.4566G	56.94	74.00	-17.06	3	Vertical	348	1.50
5500MHz	Pass	PK	5.4606G	57.04	68.20	-11.16	3	Vertical	348	1.50
5500MHz	Pass	PK	5.4916G	104.69	Inf	-Inf	3	Vertical	348	1.50
5500MHz	Pass	AV	5.4524G	46.28	54.00	-7.72	3	Horizontal	10	1.48
5500MHz	Pass	AV	5.4936G	97.48	Inf	-Inf	3	Horizontal	10	1.48
5500MHz	Pass	PK	5.4562G	57.29	74.00	-16.71	3	Horizontal	10	1.48
5500MHz	Pass	PK	5.4682G	59.49	68.20	-8.71	3	Horizontal	10	1.48
5500MHz	Pass	PK	5.4928G	108.29	Inf	-Inf	3	Horizontal	10	1.48
5500MHz	Pass	AV	11.0126G	42.20	54.00	-11.80	3	Vertical	60	1.50
5500MHz	Pass	PK	11.00348G	54.22	74.00	-19.78	3	Vertical	60	1.50
5500MHz	Pass	PK	16.4916G	56.67	68.20	-11.53	3	Vertical	157	3.00
5500MHz	Pass	AV	11.01458G	42.21	54.00	-11.79	3	Horizontal	70	1.50
5500MHz	Pass	PK	10.99736G	54.69	74.00	-19.31	3	Horizontal	70	1.50
5500MHz	Pass	PK	16.49208G	56.15	68.20	-12.05	3	Horizontal	327	1.50
5745MHz	Pass	AV	5.451G	46.14	54.00	-7.86	3	Vertical	356	1.31
5745MHz	Pass	AV	5.7366G	104.48	Inf	-Inf	3	Vertical	356	1.31
5745MHz	Pass	PK	5.5674G	57.73	68.20	-10.47	3	Vertical	356	1.31
5745MHz	Pass	PK	5.7378G	113.43	Inf	-Inf	3	Vertical	356	1.31
5745MHz	Pass	PK	5.9286G	59.07	68.20	-9.13	3	Vertical	356	1.31
5745MHz	Pass	AV	5.445G	46.10	54.00	-7.90	3	Horizontal	360	2.93
5745MHz	Pass	AV	5.7378G	107.42	Inf	-Inf	3	Horizontal	360	2.93
5745MHz	Pass	PK	5.5782G	57.46	68.20	-10.74	3	Horizontal	360	2.93



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7378G	116.03	Inf	-Inf	3	Horizontal	360	2.93
5745MHz	Pass	PK	5.931G	58.72	68.20	-9.48	3	Horizontal	360	2.93
5745MHz	Pass	AV	11.495G	42.13	54.00	-11.87	3	Vertical	189	2.60
5745MHz	Pass	PK	11.49054G	54.39	74.00	-19.61	3	Vertical	189	2.60
5745MHz	Pass	PK	17.23632G	55.67	68.20	-12.53	3	Vertical	199	1.34
5745MHz	Pass	AV	11.49344G	42.13	54.00	-11.87	3	Horizontal	49	2.51
5745MHz	Pass	PK	11.48744G	54.56	74.00	-19.44	3	Horizontal	49	2.51
5745MHz	Pass	PK	17.23294G	56.14	68.20	-12.06	3	Horizontal	274	2.47
802.11ax HEW20_Nss1,(MCS0),RU 52.#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1412G	46.84	54.00	-7.16	3	Vertical	273	2.48
5180MHz	Pass	AV	5.1732G	100.00	Inf	-Inf	3	Vertical	273	2.48
5180MHz	Pass	PK	5.1328G	57.46	74.00	-16.54	3	Vertical	273	2.48
5180MHz	Pass	PK	5.1732G	109.84	Inf	-Inf	3	Vertical	273	2.48
5180MHz	Pass	AV	5.1438G	47.27	54.00	-6.73	3	Horizontal	356	2.49
5180MHz	Pass	AV	5.1732G	104.34	Inf	-Inf	3	Horizontal	356	2.49
5180MHz	Pass	PK	5.1494G	59.84	74.00	-14.16	3	Horizontal	356	2.49
5180MHz	Pass	PK	5.1728G	113.77	Inf	-Inf	3	Horizontal	356	2.49
5180MHz	Pass	AV	15.555G	42.96	54.00	-11.04	3	Vertical	55	1.50
5180MHz	Pass	PK	10.35172G	53.98	68.20	-14.22	3	Vertical	334	1.50
5180MHz	Pass	PK	15.55026G	54.55	74.00	-19.45	3	Vertical	55	1.50
5180MHz	Pass	AV	15.555G	42.89	54.00	-11.11	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.3468G	53.89	68.20	-14.31	3	Horizontal	150	1.50
5180MHz	Pass	PK	15.5322G	54.87	74.00	-19.13	3	Horizontal	0	1.50
5500MHz	Pass	AV	5.46G	46.25	54.00	-7.75	3	Vertical	19	1.22
5500MHz	Pass	AV	5.4936G	101.88	Inf	-Inf	3	Vertical	19	1.22
5500MHz	Pass	PK	5.4558G	56.52	74.00	-17.48	3	Vertical	19	1.22
5500MHz	Pass	PK	5.4648G	56.50	68.20	-11.70	3	Vertical	19	1.22
5500MHz	Pass	PK	5.494G	110.81	Inf	-Inf	3	Vertical	19	1.22
5500MHz	Pass	AV	5.4514G	46.60	54.00	-7.40	3	Horizontal	15	1.48
5500MHz	Pass	AV	5.4926G	102.62	Inf	-Inf	3	Horizontal	15	1.48
5500MHz	Pass	PK	5.4586G	56.68	74.00	-17.32	3	Horizontal	15	1.48
5500MHz	Pass	PK	5.4646G	57.55	68.20	-10.65	3	Horizontal	15	1.48
5500MHz	Pass	PK	5.4936G	111.82	Inf	-Inf	3	Horizontal	15	1.48
5500MHz	Pass	AV	11.01338G	42.23	54.00	-11.77	3	Vertical	359	2.70
5500MHz	Pass	PK	10.99898G	54.60	74.00	-19.40	3	Vertical	359	2.70
5500MHz	Pass	PK	16.51374G	56.26	68.20	-11.94	3	Vertical	227	1.50
5500MHz	Pass	AV	11.015G	42.21	54.00	-11.79	3	Horizontal	192	1.00
5500MHz	Pass	PK	10.98932G	54.89	74.00	-19.11	3	Horizontal	192	1.00
5500MHz	Pass	PK	16.49838G	56.38	68.20	-11.82	3	Horizontal	360	1.50
5745MHz	Pass	AV	5.445G	46.36	54.00	-7.64	3	Vertical	21	1.34
5745MHz	Pass	AV	5.7366G	104.26	Inf	-Inf	3	Vertical	21	1.34
5745MHz	Pass	PK	5.6502G	58.10	68.35	-10.25	3	Vertical	21	1.34
5745MHz	Pass	PK	5.739G	113.61	Inf	-Inf	3	Vertical	21	1.34
5745MHz	Pass	PK	5.9358G	58.54	68.20	-9.66	3	Vertical	21	1.34
5745MHz	Pass	AV	5.457G	46.13	54.00	-7.87	3	Horizontal	294	1.41
5745MHz	Pass	AV	5.739G	103.91	Inf	-Inf	3	Horizontal	294	1.41
5745MHz	Pass	PK	5.5626G	57.43	68.20	-10.77	3	Horizontal	294	1.41
5745MHz	Pass	PK	5.7378G	112.37	Inf	-Inf	3	Horizontal	294	1.41
5745MHz	Pass	PK	5.9262G	58.62	68.20	-9.58	3	Horizontal	294	1.41
5745MHz	Pass	AV	11.4929G	42.12	54.00	-11.88	3	Vertical	347	2.29
5745MHz	Pass	PK	11.49354G	54.95	74.00	-19.05	3	Vertical	347	2.29
5745MHz	Pass	PK	17.23034G	55.76	68.20	-12.44	3	Vertical	186	2.73
5745MHz	Pass	AV	11.49442G	42.13	54.00	-11.87	3	Horizontal	282	2.40
5745MHz	Pass	PK	11.48912G	55.22	74.00	-18.78	3	Horizontal	282	2.40
5745MHz	Pass	PK	17.23196G	55.88	68.20	-12.32	3	Horizontal	146	2.49
802.11ax HEW20_Nss1,(MCS0),RU 52.#RU 37_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1424G	47.15	54.00	-6.85	3	Vertical	98	2.44
5180MHz	Pass	AV	5.173G	100.85	Inf	-Inf	3	Vertical	98	2.44
5180MHz	Pass	PK	5.1432G	57.65	74.00	-16.35	3	Vertical	98	2.44
5180MHz	Pass	PK	5.173G	109.99	Inf	-Inf	3	Vertical	98	2.44
5180MHz	Pass	AV	5.1396G	47.51	54.00	-6.49	3	Horizontal	0	2.54
5180MHz	Pass	AV	5.172G	105.04	Inf	-Inf	3	Horizontal	0	2.54