



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	5.1476G	61.84	74.00	-12.16	3	Horizontal	0	2.54
5180MHz	Pass	PK	5.1732G	114.45	Inf	-Inf	3	Horizontal	0	2.54
5180MHz	Pass	AV	15.555G	42.89	54.00	-11.11	3	Vertical	210	1.24
5180MHz	Pass	PK	10.37176G	54.63	68.20	-13.57	3	Vertical	214	1.44
5180MHz	Pass	PK	15.55296G	54.29	74.00	-19.71	3	Vertical	210	1.24
5180MHz	Pass	AV	15.555G	42.88	54.00	-11.12	3	Horizontal	203	1.50
5180MHz	Pass	PK	10.37368G	53.70	68.20	-14.50	3	Horizontal	164	1.50
5180MHz	Pass	PK	15.55134G	54.54	74.00	-19.46	3	Horizontal	203	1.50
5500MHz	Pass	AV	5.458G	46.83	54.00	-7.17	3	Vertical	0	1.32
5500MHz	Pass	AV	5.4928G	101.50	Inf	-Inf	3	Vertical	0	1.32
5500MHz	Pass	PK	5.452G	56.56	74.00	-17.44	3	Vertical	0	1.32
5500MHz	Pass	PK	5.4696G	57.25	68.20	-10.95	3	Vertical	0	1.32
5500MHz	Pass	PK	5.4934G	110.87	Inf	-Inf	3	Vertical	0	1.32
5500MHz	Pass	AV	5.46G	47.01	54.00	-6.99	3	Horizontal	16	1.48
5500MHz	Pass	AV	5.494G	104.01	Inf	-Inf	3	Horizontal	16	1.48
5500MHz	Pass	PK	5.4566G	58.21	74.00	-15.79	3	Horizontal	16	1.48
5500MHz	Pass	PK	5.4696G	60.54	68.20	-7.66	3	Horizontal	16	1.48
5500MHz	Pass	PK	5.493G	112.90	Inf	-Inf	3	Horizontal	16	1.48
5500MHz	Pass	AV	11.00774G	42.21	54.00	-11.79	3	Vertical	134	1.50
5500MHz	Pass	PK	10.98806G	55.15	74.00	-18.85	3	Vertical	134	1.50
5500MHz	Pass	PK	16.49736G	53.78	68.20	-14.42	3	Vertical	192	1.07
5500MHz	Pass	AV	11.01326G	42.21	54.00	-11.79	3	Horizontal	210	1.36
5500MHz	Pass	PK	10.99274G	52.09	74.00	-21.91	3	Horizontal	210	1.36
5500MHz	Pass	PK	16.4856G	53.38	68.20	-14.82	3	Horizontal	269	2.04
5745MHz	Pass	AV	5.457G	46.08	54.00	-7.92	3	Vertical	18	1.26
5745MHz	Pass	AV	5.739G	103.22	Inf	-Inf	3	Vertical	18	1.26
5745MHz	Pass	PK	5.5974G	58.28	68.20	-9.92	3	Vertical	18	1.26
5745MHz	Pass	PK	5.739G	112.41	Inf	-Inf	3	Vertical	18	1.26
5745MHz	Pass	PK	5.9394G	58.62	68.20	-9.58	3	Vertical	18	1.26
5745MHz	Pass	AV	5.4594G	46.24	54.00	-7.76	3	Horizontal	15	1.48
5745MHz	Pass	AV	5.739G	104.09	Inf	-Inf	3	Horizontal	15	1.48
5745MHz	Pass	PK	5.6022G	57.85	68.20	-10.35	3	Horizontal	15	1.48
5745MHz	Pass	PK	5.739G	110.37	Inf	-Inf	3	Horizontal	15	1.48
5745MHz	Pass	PK	6.0414G	58.27	68.20	-9.93	3	Horizontal	15	1.48
5745MHz	Pass	AV	11.49452G	42.14	54.00	-11.86	3	Vertical	107	1.70
5745MHz	Pass	PK	11.49232G	54.62	74.00	-19.38	3	Vertical	107	1.70
5745MHz	Pass	PK	17.23546G	55.82	68.20	-12.38	3	Vertical	301	2.74
5745MHz	Pass	AV	11.49198G	42.12	54.00	-11.88	3	Horizontal	32	1.78
5745MHz	Pass	PK	11.49038G	54.20	74.00	-19.80	3	Horizontal	32	1.78
5745MHz	Pass	PK	17.23192G	56.01	68.20	-12.19	3	Horizontal	136	2.09
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3274G	96.19	Inf	-Inf	3	Vertical	345	2.34
5320MHz	Pass	AV	5.3536G	46.10	54.00	-7.90	3	Vertical	345	2.34
5320MHz	Pass	PK	5.3266G	104.60	Inf	-Inf	3	Vertical	345	2.34
5320MHz	Pass	PK	5.3512G	58.44	74.00	-15.56	3	Vertical	345	2.34
5320MHz	Pass	AV	5.3278G	103.87	Inf	-Inf	3	Horizontal	11	2.60
5320MHz	Pass	AV	5.3638G	46.63	54.00	-7.37	3	Horizontal	11	2.60
5320MHz	Pass	PK	5.3276G	112.94	Inf	-Inf	3	Horizontal	11	2.60
5320MHz	Pass	PK	5.35G	63.15	74.00	-10.85	3	Horizontal	11	2.60
5320MHz	Pass	AV	10.62806G	41.70	54.00	-12.30	3	Vertical	287	1.70
5320MHz	Pass	AV	15.9588G	42.38	54.00	-11.62	3	Vertical	283	1.50
5320MHz	Pass	PK	10.63766G	54.05	74.00	-19.95	3	Vertical	287	1.70
5320MHz	Pass	PK	15.96576G	54.91	74.00	-19.09	3	Vertical	283	1.50
5320MHz	Pass	AV	10.62506G	41.73	54.00	-12.27	3	Horizontal	293	1.50
5320MHz	Pass	AV	15.97176G	42.36	54.00	-11.64	3	Horizontal	157	1.93
5320MHz	Pass	PK	10.6265G	54.57	74.00	-19.43	3	Horizontal	293	1.50
5320MHz	Pass	PK	15.94602G	54.60	74.00	-19.40	3	Horizontal	157	1.93
5700MHz	Pass	AV	5.7076G	98.72	Inf	-Inf	3	Vertical	360	1.28
5700MHz	Pass	PK	5.708G	108.68	Inf	-Inf	3	Vertical	360	1.28
5700MHz	Pass	PK	5.728G	58.68	68.20	-9.52	3	Vertical	360	1.28
5700MHz	Pass	AV	5.708G	100.93	Inf	-Inf	3	Horizontal	2	3.00
5700MHz	Pass	PK	5.7088G	111.20	Inf	-Inf	3	Horizontal	2	3.00



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	5.7316G	62.15	68.20	-6.05	3	Horizontal	2	3.00
5700MHz	Pass	AV	11.39886G	41.98	54.00	-12.02	3	Vertical	189	2.50
5700MHz	Pass	PK	11.40412G	53.83	74.00	-20.17	3	Vertical	189	2.50
5700MHz	Pass	PK	17.09962G	55.30	68.20	-12.90	3	Vertical	125	2.44
5700MHz	Pass	AV	11.405G	41.96	54.00	-12.04	3	Horizontal	88	1.16
5700MHz	Pass	PK	11.39504G	54.49	74.00	-19.51	3	Horizontal	88	1.16
5700MHz	Pass	PK	17.1012G	56.33	68.20	-11.87	3	Horizontal	283	1.27
5825MHz	Pass	AV	5.8322G	105.77	Inf	-Inf	3	Vertical	3	1.32
5825MHz	Pass	PK	5.5862G	57.69	68.20	-10.51	3	Vertical	3	1.32
5825MHz	Pass	PK	5.831G	114.89	Inf	-Inf	3	Vertical	3	1.32
5825MHz	Pass	PK	6.035G	58.66	68.20	-9.54	3	Vertical	3	1.32
5825MHz	Pass	AV	5.8322G	107.89	Inf	-Inf	3	Horizontal	6	1.50
5825MHz	Pass	PK	5.615G	57.39	68.20	-10.81	3	Horizontal	6	1.50
5825MHz	Pass	PK	5.8322G	116.63	Inf	-Inf	3	Horizontal	6	1.50
5825MHz	Pass	PK	5.9726G	59.05	68.20	-9.15	3	Horizontal	6	1.50
5825MHz	Pass	AV	11.65326G	41.82	54.00	-12.18	3	Vertical	215	1.54
5825MHz	Pass	PK	11.64596G	53.94	74.00	-20.06	3	Vertical	215	1.54
5825MHz	Pass	PK	17.47046G	56.56	68.20	-11.64	3	Vertical	97	1.82
5825MHz	Pass	AV	11.64878G	41.83	54.00	-12.17	3	Horizontal	316	2.49
5825MHz	Pass	PK	11.6529G	54.02	74.00	-19.98	3	Horizontal	316	2.49
5825MHz	Pass	PK	17.47036G	56.58	68.20	-11.62	3	Horizontal	210	2.09
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3276G	100.23	Inf	-Inf	3	Vertical	20	1.49
5320MHz	Pass	AV	5.3572G	45.93	54.00	-8.07	3	Vertical	20	1.49
5320MHz	Pass	PK	5.3274G	109.66	Inf	-Inf	3	Vertical	20	1.49
5320MHz	Pass	PK	5.3504G	59.32	74.00	-14.68	3	Vertical	20	1.49
5320MHz	Pass	AV	5.3278G	102.70	Inf	-Inf	3	Horizontal	10	2.38
5320MHz	Pass	AV	5.3642G	45.87	54.00	-8.13	3	Horizontal	10	2.38
5320MHz	Pass	PK	5.327G	112.18	Inf	-Inf	3	Horizontal	10	2.38
5320MHz	Pass	PK	5.3504G	61.36	74.00	-12.64	3	Horizontal	10	2.38
5320MHz	Pass	AV	10.6271G	41.73	54.00	-12.27	3	Vertical	2	1.36
5320MHz	Pass	AV	15.9561G	42.38	54.00	-11.62	3	Vertical	2	1.50
5320MHz	Pass	PK	10.6469G	54.00	74.00	-20.00	3	Vertical	2	1.36
5320MHz	Pass	PK	15.97188G	55.16	74.00	-18.84	3	Vertical	2	1.50
5320MHz	Pass	AV	10.62854G	41.69	54.00	-12.31	3	Horizontal	334	2.88
5320MHz	Pass	AV	15.9594G	42.35	54.00	-11.65	3	Horizontal	15	1.50
5320MHz	Pass	PK	10.6346G	54.44	74.00	-19.56	3	Horizontal	334	2.88
5320MHz	Pass	PK	15.96828G	55.21	74.00	-18.79	3	Horizontal	15	1.50
5700MHz	Pass	AV	5.708G	98.19	Inf	-Inf	3	Vertical	20	1.45
5700MHz	Pass	PK	5.7076G	108.91	Inf	-Inf	3	Vertical	20	1.45
5700MHz	Pass	PK	5.758G	58.48	68.20	-9.72	3	Vertical	20	1.45
5700MHz	Pass	AV	5.7084G	98.60	Inf	-Inf	3	Horizontal	14	1.50
5700MHz	Pass	PK	5.7088G	109.56	Inf	-Inf	3	Horizontal	14	1.50
5700MHz	Pass	PK	5.7868G	58.54	68.20	-9.66	3	Horizontal	14	1.50
5700MHz	Pass	AV	11.39894G	41.96	54.00	-12.04	3	Vertical	165	2.80
5700MHz	Pass	PK	11.39548G	53.96	74.00	-20.04	3	Vertical	165	2.80
5700MHz	Pass	PK	17.10438G	55.44	68.20	-12.76	3	Vertical	130	2.73
5700MHz	Pass	AV	11.40496G	41.96	54.00	-12.04	3	Horizontal	355	2.57
5700MHz	Pass	PK	11.40374G	53.95	74.00	-20.05	3	Horizontal	355	2.57
5700MHz	Pass	PK	17.1001G	55.99	68.20	-12.21	3	Horizontal	122	2.31
5825MHz	Pass	AV	5.8322G	107.51	Inf	-Inf	3	Vertical	22	1.27
5825MHz	Pass	PK	5.6162G	57.21	68.20	-10.99	3	Vertical	22	1.27
5825MHz	Pass	PK	5.831G	115.83	Inf	-Inf	3	Vertical	22	1.27
5825MHz	Pass	PK	5.9534G	58.59	68.20	-9.61	3	Vertical	22	1.27
5825MHz	Pass	AV	5.8322G	106.19	Inf	-Inf	3	Horizontal	15	1.50
5825MHz	Pass	PK	5.6126G	57.50	68.20	-10.70	3	Horizontal	15	1.50
5825MHz	Pass	PK	5.8322G	114.63	Inf	-Inf	3	Horizontal	15	1.50
5825MHz	Pass	PK	5.963G	58.77	68.20	-9.43	3	Horizontal	15	1.50
5825MHz	Pass	AV	11.64964G	41.82	54.00	-12.18	3	Vertical	40	1.51
5825MHz	Pass	PK	11.64504G	53.98	74.00	-20.02	3	Vertical	40	1.51
5825MHz	Pass	PK	17.4793G	56.58	68.20	-11.62	3	Vertical	66	1.56
5825MHz	Pass	AV	11.6504G	41.83	54.00	-12.17	3	Horizontal	50	1.14



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	11.64786G	54.06	74.00	-19.94	3	Horizontal	50	1.14
5825MHz	Pass	PK	17.47742G	57.56	68.20	-10.64	3	Horizontal	220	1.15
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3274G	100.30	Inf	-Inf	3	Vertical	6	1.41
5320MHz	Pass	AV	5.3692G	46.14	54.00	-7.86	3	Vertical	6	1.41
5320MHz	Pass	PK	5.3276G	109.79	Inf	-Inf	3	Vertical	6	1.41
5320MHz	Pass	PK	5.3524G	60.74	74.00	-13.26	3	Vertical	6	1.41
5320MHz	Pass	AV	5.328G	104.07	Inf	-Inf	3	Horizontal	10	1.45
5320MHz	Pass	AV	5.3618G	46.66	54.00	-7.34	3	Horizontal	10	1.45
5320MHz	Pass	PK	5.3276G	113.03	Inf	-Inf	3	Horizontal	10	1.45
5320MHz	Pass	PK	5.35G	61.64	74.00	-12.36	3	Horizontal	10	1.45
5320MHz	Pass	AV	10.62752G	41.74	54.00	-12.26	3	Vertical	347	2.03
5320MHz	Pass	AV	15.95748G	42.38	54.00	-11.62	3	Vertical	0	1.50
5320MHz	Pass	PK	10.63472G	54.16	74.00	-19.84	3	Vertical	347	2.03
5320MHz	Pass	PK	15.95712G	54.97	74.00	-19.03	3	Vertical	0	1.50
5320MHz	Pass	AV	10.62566G	41.72	54.00	-12.28	3	Horizontal	322	2.83
5320MHz	Pass	AV	15.95784G	42.37	54.00	-11.63	3	Horizontal	268	2.99
5320MHz	Pass	PK	10.64354G	53.84	74.00	-20.16	3	Horizontal	322	2.83
5320MHz	Pass	PK	15.9552G	55.35	74.00	-18.65	3	Horizontal	268	2.99
5700MHz	Pass	AV	5.7072G	102.49	Inf	-Inf	3	Vertical	0	1.32
5700MHz	Pass	PK	5.708G	113.28	Inf	-Inf	3	Vertical	0	1.32
5700MHz	Pass	PK	5.7284G	62.88	68.20	-5.32	3	Vertical	0	1.32
5700MHz	Pass	AV	5.7068G	103.94	Inf	-Inf	3	Horizontal	3	3.00
5700MHz	Pass	PK	5.7084G	113.93	Inf	-Inf	3	Horizontal	3	3.00
5700MHz	Pass	PK	5.7296G	64.15	68.20	-4.05	3	Horizontal	3	3.00
5700MHz	Pass	AV	11.405G	41.96	54.00	-12.04	3	Vertical	271	2.22
5700MHz	Pass	PK	11.40328G	54.41	74.00	-19.59	3	Vertical	271	2.22
5700MHz	Pass	PK	17.09646G	55.90	68.20	-12.30	3	Vertical	11	1.33
5700MHz	Pass	AV	11.40356G	41.97	54.00	-12.03	3	Horizontal	207	1.30
5700MHz	Pass	PK	11.40356G	54.26	74.00	-19.74	3	Horizontal	207	1.30
5700MHz	Pass	PK	17.10484G	55.74	68.20	-12.46	3	Horizontal	218	1.22
5825MHz	Pass	AV	5.8322G	109.95	Inf	-Inf	3	Vertical	5	1.28
5825MHz	Pass	PK	5.6294G	57.53	68.20	-10.67	3	Vertical	5	1.28
5825MHz	Pass	PK	5.8334G	118.48	Inf	-Inf	3	Vertical	5	1.28
5825MHz	Pass	PK	5.9726G	60.78	68.20	-7.42	3	Vertical	5	1.28
5825MHz	Pass	AV	5.8334G	107.98	Inf	-Inf	3	Horizontal	15	2.85
5825MHz	Pass	PK	5.5778G	58.26	68.20	-9.94	3	Horizontal	15	2.85
5825MHz	Pass	PK	5.831G	116.55	Inf	-Inf	3	Horizontal	15	2.85
5825MHz	Pass	PK	5.9846G	59.37	68.20	-8.83	3	Horizontal	15	2.85
5825MHz	Pass	AV	11.6485G	41.82	54.00	-12.18	3	Vertical	64	2.81
5825MHz	Pass	PK	11.65376G	54.34	74.00	-19.66	3	Vertical	64	2.81
5825MHz	Pass	PK	17.4726G	56.90	68.20	-11.30	3	Vertical	202	2.78
5825MHz	Pass	AV	11.65494G	41.83	54.00	-12.17	3	Horizontal	1	1.60
5825MHz	Pass	PK	11.64538G	54.95	74.00	-19.05	3	Horizontal	1	1.60
5825MHz	Pass	PK	17.4794G	56.62	68.20	-11.58	3	Horizontal	151	2.71
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	46.81	54.00	-7.19	3	Vertical	98	2.95
5180MHz	Pass	AV	5.1762G	93.38	Inf	-Inf	3	Vertical	98	2.95
5180MHz	Pass	PK	5.1478G	58.62	74.00	-15.38	3	Vertical	98	2.95
5180MHz	Pass	PK	5.1746G	105.09	Inf	-Inf	3	Vertical	98	2.95
5180MHz	Pass	AV	5.148G	47.26	54.00	-6.74	3	Horizontal	14	2.48
5180MHz	Pass	AV	5.1766G	98.09	Inf	-Inf	3	Horizontal	14	2.48
5180MHz	Pass	PK	5.1464G	62.13	74.00	-11.87	3	Horizontal	14	2.48
5180MHz	Pass	PK	5.1772G	109.40	Inf	-Inf	3	Horizontal	14	2.48
5180MHz	Pass	AV	15.55044G	44.71	54.00	-9.29	3	Vertical	138	1.50
5180MHz	Pass	PK	10.37332G	54.14	68.20	-14.06	3	Vertical	26	1.75
5180MHz	Pass	PK	15.55236G	56.04	74.00	-17.96	3	Vertical	138	1.50
5180MHz	Pass	AV	15.55206G	44.69	54.00	-9.31	3	Horizontal	270	1.50
5180MHz	Pass	PK	10.36354G	53.81	68.20	-14.39	3	Horizontal	161	1.50
5180MHz	Pass	PK	15.53658G	55.19	74.00	-18.81	3	Horizontal	270	1.50
5500MHz	Pass	AV	5.4592G	46.04	54.00	-7.96	3	Vertical	356	1.43
5500MHz	Pass	AV	5.4942G	91.19	Inf	-Inf	3	Vertical	356	1.43



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4536G	56.97	74.00	-17.03	3	Vertical	356	1.43
5500MHz	Pass	PK	5.4698G	56.49	68.20	-11.71	3	Vertical	356	1.43
5500MHz	Pass	PK	5.492G	102.75	Inf	-Inf	3	Vertical	356	1.43
5500MHz	Pass	AV	5.4576G	46.38	54.00	-7.62	3	Horizontal	13	1.49
5500MHz	Pass	AV	5.4972G	94.51	Inf	-Inf	3	Horizontal	13	1.49
5500MHz	Pass	PK	5.4578G	57.13	74.00	-16.87	3	Horizontal	13	1.49
5500MHz	Pass	PK	5.47G	58.26	68.20	-9.94	3	Horizontal	13	1.49
5500MHz	Pass	PK	5.496G	106.00	Inf	-Inf	3	Horizontal	13	1.49
5500MHz	Pass	AV	11.00336G	42.09	54.00	-11.91	3	Vertical	1	1.50
5500MHz	Pass	PK	10.99274G	54.96	74.00	-19.04	3	Vertical	1	1.50
5500MHz	Pass	PK	16.488G	56.47	68.20	-11.73	3	Vertical	158	1.50
5500MHz	Pass	AV	11.00396G	42.09	54.00	-11.91	3	Horizontal	65	1.50
5500MHz	Pass	PK	11.01026G	54.19	74.00	-19.81	3	Horizontal	65	1.50
5500MHz	Pass	PK	16.49622G	56.42	68.20	-11.78	3	Horizontal	270	1.50
5745MHz	Pass	AV	5.4558G	46.25	54.00	-7.75	3	Vertical	9	1.20
5745MHz	Pass	AV	5.7426G	102.24	Inf	-Inf	3	Vertical	9	1.20
5745MHz	Pass	PK	5.6106G	57.17	68.20	-11.03	3	Vertical	9	1.20
5745MHz	Pass	PK	5.7426G	110.96	Inf	-Inf	3	Vertical	9	1.20
5745MHz	Pass	PK	6.0174G	58.83	68.20	-9.37	3	Vertical	9	1.20
5745MHz	Pass	AV	5.445G	46.38	54.00	-7.62	3	Horizontal	16	2.98
5745MHz	Pass	AV	5.7414G	104.81	Inf	-Inf	3	Horizontal	16	2.98
5745MHz	Pass	PK	5.583G	57.61	68.20	-10.59	3	Horizontal	16	2.98
5745MHz	Pass	PK	5.739G	114.22	Inf	-Inf	3	Horizontal	16	2.98
5745MHz	Pass	PK	5.937G	59.06	68.20	-9.14	3	Horizontal	16	2.98
5745MHz	Pass	AV	11.49404G	42.17	54.00	-11.83	3	Vertical	219	2.60
5745MHz	Pass	PK	11.49218G	53.73	74.00	-20.27	3	Vertical	219	2.60
5745MHz	Pass	PK	17.23848G	55.61	68.20	-12.59	3	Vertical	311	2.75
5745MHz	Pass	AV	11.49148G	42.15	54.00	-11.85	3	Horizontal	9	1.48
5745MHz	Pass	PK	11.49174G	54.12	74.00	-19.88	3	Horizontal	9	1.48
5745MHz	Pass	PK	17.238G	56.12	68.20	-12.08	3	Horizontal	91	2.97
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	47.84	54.00	-6.16	3	Vertical	261	2.49
5180MHz	Pass	AV	5.174G	99.92	Inf	-Inf	3	Vertical	261	2.49
5180MHz	Pass	PK	5.1464G	59.56	74.00	-14.44	3	Vertical	261	2.49
5180MHz	Pass	PK	5.1772G	110.21	Inf	-Inf	3	Vertical	261	2.49
5180MHz	Pass	AV	5.15G	48.25	54.00	-5.75	3	Horizontal	344	1.64
5180MHz	Pass	AV	5.175G	100.72	Inf	-Inf	3	Horizontal	344	1.64
5180MHz	Pass	PK	5.15G	60.77	74.00	-13.23	3	Horizontal	344	1.64
5180MHz	Pass	PK	5.1752G	111.11	Inf	-Inf	3	Horizontal	344	1.64
5180MHz	Pass	AV	15.54054G	43.29	54.00	-10.71	3	Vertical	67	2.55
5180MHz	Pass	PK	10.36198G	54.17	68.20	-14.03	3	Vertical	244	1.57
5180MHz	Pass	PK	15.54206G	54.69	74.00	-19.31	3	Vertical	67	2.55
5180MHz	Pass	AV	15.54136G	43.30	54.00	-10.70	3	Horizontal	225	1.60
5180MHz	Pass	PK	10.35742G	53.64	68.20	-14.56	3	Horizontal	350	2.57
5180MHz	Pass	PK	15.53534G	54.81	74.00	-19.19	3	Horizontal	225	1.60
5500MHz	Pass	AV	5.4582G	46.22	54.00	-7.78	3	Vertical	17	1.22
5500MHz	Pass	AV	5.4918G	94.42	Inf	-Inf	3	Vertical	17	1.22
5500MHz	Pass	PK	5.4512G	57.15	74.00	-16.85	3	Vertical	17	1.22
5500MHz	Pass	PK	5.4634G	56.46	68.20	-11.74	3	Vertical	17	1.22
5500MHz	Pass	PK	5.4968G	104.84	Inf	-Inf	3	Vertical	17	1.22
5500MHz	Pass	AV	5.4566G	46.19	54.00	-7.81	3	Horizontal	14	1.50
5500MHz	Pass	AV	5.4974G	95.27	Inf	-Inf	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.46G	56.55	74.00	-17.45	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.4672G	56.85	68.20	-11.35	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.496G	106.39	Inf	-Inf	3	Horizontal	14	1.50
5500MHz	Pass	AV	10.98866G	42.09	54.00	-11.91	3	Vertical	359	2.43
5500MHz	Pass	PK	11.01242G	53.96	74.00	-20.04	3	Vertical	359	2.43
5500MHz	Pass	PK	16.50078G	56.29	68.20	-11.91	3	Vertical	79	1.50
5500MHz	Pass	AV	11.00114G	42.08	54.00	-11.92	3	Horizontal	58	1.50
5500MHz	Pass	PK	11.00498G	53.81	74.00	-20.19	3	Horizontal	58	1.50
5500MHz	Pass	PK	16.49916G	56.65	68.20	-11.55	3	Horizontal	0	1.80
5745MHz	Pass	AV	5.4558G	46.09	54.00	-7.91	3	Vertical	24	1.35



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	AV	5.7426G	103.23	Inf	-Inf	3	Vertical	24	1.35
5745MHz	Pass	PK	5.5722G	57.87	68.20	-10.33	3	Vertical	24	1.35
5745MHz	Pass	PK	5.7402G	112.82	Inf	-Inf	3	Vertical	24	1.35
5745MHz	Pass	PK	5.937G	58.40	68.20	-9.80	3	Vertical	24	1.35
5745MHz	Pass	AV	5.4462G	46.09	54.00	-7.91	3	Horizontal	296	1.40
5745MHz	Pass	AV	5.7378G	102.74	Inf	-Inf	3	Horizontal	296	1.40
5745MHz	Pass	PK	5.6034G	58.92	68.20	-9.28	3	Horizontal	296	1.40
5745MHz	Pass	PK	5.7378G	112.00	Inf	-Inf	3	Horizontal	296	1.40
5745MHz	Pass	PK	5.9502G	59.37	68.20	-8.83	3	Horizontal	296	1.40
5745MHz	Pass	AV	11.49146G	42.15	54.00	-11.85	3	Vertical	232	2.53
5745MHz	Pass	PK	11.48654G	53.94	74.00	-20.06	3	Vertical	232	2.53
5745MHz	Pass	PK	17.23746G	56.20	68.20	-12.00	3	Vertical	31	1.47
5745MHz	Pass	AV	11.49084G	42.16	54.00	-11.84	3	Horizontal	3	1.39
5745MHz	Pass	PK	11.49262G	54.68	74.00	-19.32	3	Horizontal	3	1.39
5745MHz	Pass	PK	17.23734G	56.22	68.20	-11.98	3	Horizontal	92	1.89
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.135G	47.32	54.00	-6.68	3	Vertical	94	2.45
5180MHz	Pass	AV	5.1768G	99.06	Inf	-Inf	3	Vertical	94	2.45
5180MHz	Pass	PK	5.1472G	58.33	74.00	-15.67	3	Vertical	94	2.45
5180MHz	Pass	PK	5.173G	109.06	Inf	-Inf	3	Vertical	94	2.45
5180MHz	Pass	AV	5.149G	48.17	54.00	-5.83	3	Horizontal	4	2.49
5180MHz	Pass	AV	5.1762G	102.98	Inf	-Inf	3	Horizontal	4	2.49
5180MHz	Pass	PK	5.1484G	59.96	74.00	-14.04	3	Horizontal	4	2.49
5180MHz	Pass	PK	5.1744G	113.25	Inf	-Inf	3	Horizontal	4	2.49
5180MHz	Pass	AV	15.53964G	43.30	54.00	-10.70	3	Vertical	155	2.52
5180MHz	Pass	PK	10.35584G	54.06	68.20	-14.14	3	Vertical	264	1.09
5180MHz	Pass	PK	15.54252G	55.31	74.00	-18.69	3	Vertical	155	2.52
5180MHz	Pass	AV	15.54074G	43.28	54.00	-10.72	3	Horizontal	231	2.69
5180MHz	Pass	PK	10.3578G	53.69	68.20	-14.51	3	Horizontal	326	2.10
5180MHz	Pass	PK	15.54014G	54.51	74.00	-19.49	3	Horizontal	231	2.69
5500MHz	Pass	AV	5.4596G	46.82	54.00	-7.18	3	Vertical	0	1.41
5500MHz	Pass	AV	5.4946G	99.88	Inf	-Inf	3	Vertical	0	1.41
5500MHz	Pass	PK	5.46G	57.21	74.00	-16.79	3	Vertical	0	1.41
5500MHz	Pass	PK	5.4682G	59.26	68.20	-8.94	3	Vertical	0	1.41
5500MHz	Pass	PK	5.4948G	109.91	Inf	-Inf	3	Vertical	0	1.41
5500MHz	Pass	AV	5.4572G	47.89	54.00	-6.11	3	Horizontal	14	1.50
5500MHz	Pass	AV	5.4926G	101.98	Inf	-Inf	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.4554G	60.03	74.00	-13.97	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.47G	60.47	68.20	-7.73	3	Horizontal	14	1.50
5500MHz	Pass	PK	5.4962G	112.00	Inf	-Inf	3	Horizontal	14	1.50
5500MHz	Pass	AV	10.98866G	42.08	54.00	-11.92	3	Vertical	42	1.62
5500MHz	Pass	PK	10.99754G	54.42	74.00	-19.58	3	Vertical	42	1.62
5500MHz	Pass	PK	16.4922G	56.91	68.20	-11.29	3	Vertical	256	1.50
5500MHz	Pass	AV	10.98872G	42.68	54.00	-11.32	3	Horizontal	6	1.50
5500MHz	Pass	PK	10.9937G	54.08	74.00	-19.92	3	Horizontal	6	1.50
5500MHz	Pass	PK	16.5012G	57.57	68.20	-10.63	3	Horizontal	31	2.91
5745MHz	Pass	AV	5.4474G	46.20	54.00	-7.80	3	Vertical	20	1.25
5745MHz	Pass	AV	5.7414G	105.74	Inf	-Inf	3	Vertical	20	1.25
5745MHz	Pass	PK	5.5818G	57.89	68.20	-10.31	3	Vertical	20	1.25
5745MHz	Pass	PK	5.7414G	114.44	Inf	-Inf	3	Vertical	20	1.25
5745MHz	Pass	PK	5.949G	59.01	68.20	-9.19	3	Vertical	20	1.25
5745MHz	Pass	AV	5.4474G	46.67	54.00	-7.33	3	Horizontal	17	1.47
5745MHz	Pass	AV	5.7366G	106.99	Inf	-Inf	3	Horizontal	17	1.47
5745MHz	Pass	PK	5.5938G	57.24	68.20	-10.96	3	Horizontal	17	1.47
5745MHz	Pass	PK	5.7378G	116.67	Inf	-Inf	3	Horizontal	17	1.47
5745MHz	Pass	PK	5.9406G	59.10	68.20	-9.10	3	Horizontal	17	1.47
5745MHz	Pass	AV	11.4944G	42.16	54.00	-11.84	3	Vertical	80	2.39
5745MHz	Pass	PK	11.49248G	54.60	74.00	-19.40	3	Vertical	80	2.39
5745MHz	Pass	PK	17.2357G	56.67	68.20	-11.53	3	Vertical	347	1.72
5745MHz	Pass	AV	11.4925G	42.16	54.00	-11.84	3	Horizontal	14	2.15
5745MHz	Pass	PK	11.48958G	53.46	74.00	-20.54	3	Horizontal	14	2.15
5745MHz	Pass	PK	17.23614G	56.19	68.20	-12.01	3	Horizontal	207	1.19



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3288G	94.21	Inf	-Inf	3	Vertical	350	2.35
5320MHz	Pass	AV	5.3698G	46.10	54.00	-7.90	3	Vertical	350	2.35
5320MHz	Pass	PK	5.3284G	105.39	Inf	-Inf	3	Vertical	350	2.35
5320MHz	Pass	PK	5.3508G	58.91	74.00	-15.09	3	Vertical	350	2.35
5320MHz	Pass	AV	5.3286G	101.28	Inf	-Inf	3	Horizontal	10	1.69
5320MHz	Pass	AV	5.35G	46.82	54.00	-7.18	3	Horizontal	10	1.69
5320MHz	Pass	PK	5.3254G	112.80	Inf	-Inf	3	Horizontal	10	1.69
5320MHz	Pass	PK	5.35G	63.59	74.00	-10.41	3	Horizontal	10	1.69
5320MHz	Pass	AV	10.63546G	41.58	54.00	-12.42	3	Vertical	141	1.12
5320MHz	Pass	AV	15.95712G	43.00	54.00	-11.00	3	Vertical	314	1.46
5320MHz	Pass	PK	10.63862G	53.83	74.00	-20.17	3	Vertical	141	1.12
5320MHz	Pass	PK	15.96222G	54.35	74.00	-19.65	3	Vertical	314	1.46
5320MHz	Pass	AV	10.63808G	41.60	54.00	-12.40	3	Horizontal	114	2.57
5320MHz	Pass	AV	15.95734G	42.99	54.00	-11.01	3	Horizontal	176	1.89
5320MHz	Pass	PK	10.6391G	53.94	74.00	-20.06	3	Horizontal	114	2.57
5320MHz	Pass	PK	15.96364G	54.50	74.00	-19.50	3	Horizontal	176	1.89
5700MHz	Pass	AV	5.7088G	95.28	Inf	-Inf	3	Vertical	352	2.52
5700MHz	Pass	PK	5.7088G	106.52	Inf	-Inf	3	Vertical	352	2.52
5700MHz	Pass	PK	5.7276G	58.49	68.20	-9.71	3	Vertical	352	2.52
5700MHz	Pass	AV	5.7056G	98.10	Inf	-Inf	3	Horizontal	14	2.99
5700MHz	Pass	PK	5.7056G	109.63	Inf	-Inf	3	Horizontal	14	2.99
5700MHz	Pass	PK	5.7288G	60.18	68.20	-8.02	3	Horizontal	14	2.99
5700MHz	Pass	AV	11.40246G	41.94	54.00	-12.06	3	Vertical	196	2.05
5700MHz	Pass	PK	11.39998G	54.32	74.00	-19.68	3	Vertical	196	2.05
5700MHz	Pass	PK	17.09554G	55.66	68.20	-12.54	3	Vertical	151	2.17
5700MHz	Pass	AV	11.40288G	41.96	54.00	-12.04	3	Horizontal	143	2.39
5700MHz	Pass	PK	11.39796G	54.20	74.00	-19.80	3	Horizontal	143	2.39
5700MHz	Pass	PK	17.0975G	56.74	68.20	-11.46	3	Horizontal	354	2.64
5825MHz	Pass	AV	5.8322G	102.36	Inf	-Inf	3	Vertical	4	1.26
5825MHz	Pass	PK	5.5946G	57.72	68.20	-10.48	3	Vertical	4	1.26
5825MHz	Pass	PK	5.8322G	112.19	Inf	-Inf	3	Vertical	4	1.26
5825MHz	Pass	PK	5.9294G	58.89	68.20	-9.31	3	Vertical	4	1.26
5825MHz	Pass	AV	5.8274G	104.27	Inf	-Inf	3	Horizontal	7	1.50
5825MHz	Pass	PK	5.6066G	57.28	68.20	-10.92	3	Horizontal	7	1.50
5825MHz	Pass	PK	5.8298G	114.53	Inf	-Inf	3	Horizontal	7	1.50
5825MHz	Pass	PK	6.005G	58.45	68.20	-9.75	3	Horizontal	7	1.50
5825MHz	Pass	AV	11.65044G	41.75	54.00	-12.25	3	Vertical	182	2.11
5825MHz	Pass	PK	11.65158G	54.67	74.00	-19.33	3	Vertical	182	2.11
5825MHz	Pass	PK	17.47506G	56.50	68.20	-11.70	3	Vertical	95	2.77
5825MHz	Pass	AV	11.64914G	41.73	54.00	-12.27	3	Horizontal	180	2.48
5825MHz	Pass	PK	11.64714G	53.54	74.00	-20.46	3	Horizontal	180	2.48
5825MHz	Pass	PK	17.47446G	57.30	68.20	-10.90	3	Horizontal	92	1.87
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3222G	95.93	Inf	-Inf	3	Vertical	24	1.50
5320MHz	Pass	AV	5.3694G	46.29	54.00	-7.71	3	Vertical	24	1.50
5320MHz	Pass	PK	5.3222G	107.19	Inf	-Inf	3	Vertical	24	1.50
5320MHz	Pass	PK	5.3504G	58.44	74.00	-15.56	3	Vertical	24	1.50
5320MHz	Pass	AV	5.3226G	98.18	Inf	-Inf	3	Horizontal	13	1.47
5320MHz	Pass	AV	5.3556G	46.33	54.00	-7.67	3	Horizontal	13	1.47
5320MHz	Pass	PK	5.3254G	109.50	Inf	-Inf	3	Horizontal	13	1.47
5320MHz	Pass	PK	5.3506G	58.76	74.00	-15.24	3	Horizontal	13	1.47
5320MHz	Pass	AV	10.6373G	41.60	54.00	-12.40	3	Vertical	104	1.53
5320MHz	Pass	AV	15.95626G	42.99	54.00	-11.01	3	Vertical	130	1.40
5320MHz	Pass	PK	10.64194G	53.41	74.00	-20.59	3	Vertical	104	1.53
5320MHz	Pass	PK	15.95712G	54.61	74.00	-19.39	3	Vertical	130	1.40
5320MHz	Pass	AV	10.64204G	41.60	54.00	-12.40	3	Horizontal	26	1.15
5320MHz	Pass	AV	15.95528G	42.95	54.00	-11.05	3	Horizontal	72	1.30
5320MHz	Pass	PK	10.64066G	53.60	74.00	-20.40	3	Horizontal	26	1.15
5320MHz	Pass	PK	15.9648G	54.55	74.00	-19.45	3	Horizontal	72	1.30
5700MHz	Pass	AV	5.708G	95.42	Inf	-Inf	3	Vertical	20	1.45
5700MHz	Pass	PK	5.7056G	107.03	Inf	-Inf	3	Vertical	20	1.45



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	5.774G	58.60	68.20	-9.60	3	Vertical	20	1.45
5700MHz	Pass	AV	5.706G	95.46	Inf	-Inf	3	Horizontal	14	1.50
5700MHz	Pass	PK	5.7028G	107.31	Inf	-Inf	3	Horizontal	14	1.50
5700MHz	Pass	PK	5.7296G	59.39	68.20	-8.81	3	Horizontal	14	1.50
5700MHz	Pass	AV	11.4004G	41.96	54.00	-12.04	3	Vertical	358	2.05
5700MHz	Pass	PK	11.39818G	53.62	74.00	-20.38	3	Vertical	358	2.05
5700MHz	Pass	PK	17.1019G	55.93	68.20	-12.27	3	Vertical	143	1.58
5700MHz	Pass	AV	11.4035G	41.97	54.00	-12.03	3	Horizontal	277	2.00
5700MHz	Pass	PK	11.40432G	54.60	74.00	-19.40	3	Horizontal	277	2.00
5700MHz	Pass	PK	17.09762G	55.87	68.20	-12.33	3	Horizontal	126	2.85
5825MHz	Pass	AV	5.831G	104.75	Inf	-Inf	3	Vertical	23	1.27
5825MHz	Pass	PK	5.597G	57.00	68.20	-11.20	3	Vertical	23	1.27
5825MHz	Pass	PK	5.8286G	114.65	Inf	-Inf	3	Vertical	23	1.27
5825MHz	Pass	PK	5.9258G	59.24	68.20	-8.96	3	Vertical	23	1.27
5825MHz	Pass	AV	5.831G	103.42	Inf	-Inf	3	Horizontal	17	1.33
5825MHz	Pass	PK	5.603G	57.69	68.20	-10.51	3	Horizontal	17	1.33
5825MHz	Pass	PK	5.8322G	113.67	Inf	-Inf	3	Horizontal	17	1.33
5825MHz	Pass	PK	6.029G	59.06	68.20	-9.14	3	Horizontal	17	1.33
5825MHz	Pass	AV	11.65006G	41.74	54.00	-12.26	3	Vertical	284	2.40
5825MHz	Pass	PK	11.64596G	54.08	74.00	-19.92	3	Vertical	284	2.40
5825MHz	Pass	PK	17.47146G	55.74	68.20	-12.46	3	Vertical	289	1.29
5825MHz	Pass	AV	11.65264G	41.76	54.00	-12.24	3	Horizontal	68	2.29
5825MHz	Pass	PK	11.64992G	53.80	74.00	-20.20	3	Horizontal	68	2.29
5825MHz	Pass	PK	17.47972G	56.89	68.20	-11.31	3	Horizontal	245	2.08
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 54_2TX	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3236G	94.56	Inf	-Inf	3	Vertical	28	1.50
5320MHz	Pass	AV	5.3628G	46.55	54.00	-7.45	3	Vertical	28	1.50
5320MHz	Pass	PK	5.3282G	104.46	Inf	-Inf	3	Vertical	28	1.50
5320MHz	Pass	PK	5.365G	56.72	74.00	-17.28	3	Vertical	28	1.50
5320MHz	Pass	AV	5.3238G	100.36	Inf	-Inf	3	Horizontal	16	2.50
5320MHz	Pass	AV	5.356G	46.52	54.00	-7.48	3	Horizontal	16	2.50
5320MHz	Pass	PK	5.3228G	111.00	Inf	-Inf	3	Horizontal	16	2.50
5320MHz	Pass	PK	5.3506G	59.81	74.00	-14.19	3	Horizontal	16	2.50
5320MHz	Pass	AV	10.64172G	41.60	54.00	-12.40	3	Vertical	248	1.34
5320MHz	Pass	AV	15.958G	42.97	54.00	-11.03	3	Vertical	97	2.84
5320MHz	Pass	PK	10.6446G	53.74	74.00	-20.26	3	Vertical	248	1.34
5320MHz	Pass	PK	15.9564G	54.19	74.00	-19.81	3	Vertical	97	2.84
5320MHz	Pass	AV	10.64094G	41.59	54.00	-12.41	3	Horizontal	163	1.71
5320MHz	Pass	AV	15.95862G	42.98	54.00	-11.02	3	Horizontal	228	1.47
5320MHz	Pass	PK	10.64272G	53.78	74.00	-20.22	3	Horizontal	163	1.71
5320MHz	Pass	PK	15.96288G	54.72	74.00	-19.28	3	Horizontal	228	1.47
5700MHz	Pass	AV	5.7052G	99.37	Inf	-Inf	3	Vertical	8	1.27
5700MHz	Pass	PK	5.7072G	109.99	Inf	-Inf	3	Vertical	8	1.27
5700MHz	Pass	PK	5.7284G	62.55	68.20	-5.65	3	Vertical	8	1.27
5700MHz	Pass	AV	5.7076G	101.25	Inf	-Inf	3	Horizontal	17	1.50
5700MHz	Pass	PK	5.7032G	111.49	Inf	-Inf	3	Horizontal	17	1.50
5700MHz	Pass	PK	5.7268G	63.36	68.20	-4.84	3	Horizontal	17	1.50
5700MHz	Pass	AV	11.404G	41.95	54.00	-12.05	3	Vertical	72	1.48
5700MHz	Pass	PK	11.4003G	54.06	74.00	-19.94	3	Vertical	72	1.48
5700MHz	Pass	PK	17.09596G	56.09	68.20	-12.11	3	Vertical	346	1.57
5700MHz	Pass	AV	11.3963G	41.96	54.00	-12.04	3	Horizontal	259	1.54
5700MHz	Pass	PK	11.40126G	54.16	74.00	-19.84	3	Horizontal	259	1.54
5700MHz	Pass	PK	17.10228G	57.06	68.20	-11.14	3	Horizontal	59	2.40
5825MHz	Pass	AV	5.831G	106.42	Inf	-Inf	3	Vertical	17	1.22
5825MHz	Pass	PK	5.6306G	57.94	68.20	-10.26	3	Vertical	17	1.22
5825MHz	Pass	PK	5.8346G	116.25	Inf	-Inf	3	Vertical	17	1.22
5825MHz	Pass	PK	5.963G	59.75	68.20	-8.45	3	Vertical	17	1.22
5825MHz	Pass	AV	5.8286G	107.97	Inf	-Inf	3	Horizontal	17	1.35
5825MHz	Pass	PK	5.6378G	58.12	68.20	-10.08	3	Horizontal	17	1.35
5825MHz	Pass	PK	5.8298G	117.46	Inf	-Inf	3	Horizontal	17	1.35
5825MHz	Pass	PK	5.9426G	60.05	68.20	-8.15	3	Horizontal	17	1.35
5825MHz	Pass	AV	11.65488G	41.74	54.00	-12.26	3	Vertical	288	1.21





RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	11.6466G	53.67	74.00	-20.33	3	Vertical	288	1.21
5825MHz	Pass	PK	17.4718G	56.60	68.20	-11.60	3	Vertical	44	2.77
5825MHz	Pass	AV	11.6527G	41.74	54.00	-12.26	3	Horizontal	106	1.86
5825MHz	Pass	PK	11.65348G	53.86	74.00	-20.14	3	Horizontal	106	1.86
5825MHz	Pass	PK	17.47868G	56.17	68.20	-12.03	3	Horizontal	62	1.39
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.74	54.00	-7.26	3	Vertical	89	2.47
5190MHz	Pass	AV	5.182G	92.66	Inf	-Inf	3	Vertical	89	2.47
5190MHz	Pass	PK	5.1328G	64.99	74.00	-9.01	3	Vertical	89	2.47
5190MHz	Pass	PK	5.1824G	104.21	Inf	-Inf	3	Vertical	89	2.47
5190MHz	Pass	AV	5.15G	47.82	54.00	-6.18	3	Horizontal	17	2.49
5190MHz	Pass	AV	5.1776G	96.57	Inf	-Inf	3	Horizontal	17	2.49
5190MHz	Pass	PK	5.1324G	67.56	74.00	-6.44	3	Horizontal	17	2.49
5190MHz	Pass	PK	5.1776G	107.48	Inf	-Inf	3	Horizontal	17	2.49
5190MHz	Pass	AV	15.5604G	43.64	54.00	-10.36	3	Vertical	62	2.55
5190MHz	Pass	PK	10.4022G	53.82	68.20	-14.38	3	Vertical	293	2.35
5190MHz	Pass	PK	15.55308G	55.59	74.00	-18.41	3	Vertical	62	2.55
5190MHz	Pass	AV	15.57576G	43.60	54.00	-10.40	3	Horizontal	34	1.15
5190MHz	Pass	PK	10.39824G	54.85	68.20	-13.35	3	Horizontal	217	3.00
5190MHz	Pass	PK	15.55896G	55.56	74.00	-18.44	3	Horizontal	34	1.15
5510MHz	Pass	AV	5.46G	44.92	54.00	-9.08	3	Vertical	3	1.42
5510MHz	Pass	AV	5.5028G	88.07	Inf	-Inf	3	Vertical	3	1.42
5510MHz	Pass	PK	5.4484G	57.03	74.00	-16.97	3	Vertical	3	1.42
5510MHz	Pass	PK	5.4692G	57.45	68.20	-10.75	3	Vertical	3	1.42
5510MHz	Pass	PK	5.4984G	99.65	Inf	-Inf	3	Vertical	3	1.42
5510MHz	Pass	AV	5.4588G	45.00	54.00	-9.00	3	Horizontal	20	1.42
5510MHz	Pass	AV	5.4972G	89.01	Inf	-Inf	3	Horizontal	20	1.42
5510MHz	Pass	PK	5.4152G	56.69	74.00	-17.31	3	Horizontal	20	1.42
5510MHz	Pass	PK	5.468G	56.64	68.20	-11.56	3	Horizontal	20	1.42
5510MHz	Pass	PK	5.5012G	100.26	Inf	-Inf	3	Horizontal	20	1.42
5510MHz	Pass	AV	11.01952G	42.10	54.00	-11.90	3	Vertical	154	1.50
5510MHz	Pass	PK	11.04244G	54.48	74.00	-19.52	3	Vertical	154	1.50
5510MHz	Pass	PK	16.52904G	56.35	68.20	-11.85	3	Vertical	251	1.50
5510MHz	Pass	AV	10.99084G	42.12	54.00	-11.88	3	Horizontal	14	1.32
5510MHz	Pass	PK	11.01388G	54.17	74.00	-19.83	3	Horizontal	14	1.32
5510MHz	Pass	PK	16.52544G	55.91	68.20	-12.29	3	Horizontal	267	1.50
5755MHz	Pass	AV	5.4574G	44.81	54.00	-9.19	3	Vertical	350	1.28
5755MHz	Pass	AV	5.749G	98.51	Inf	-Inf	3	Vertical	350	1.28
5755MHz	Pass	PK	5.6074G	57.30	68.20	-10.90	3	Vertical	350	1.28
5755MHz	Pass	PK	5.7418G	109.63	Inf	-Inf	3	Vertical	350	1.28
5755MHz	Pass	PK	5.9326G	58.43	68.20	-9.77	3	Vertical	350	1.28
5755MHz	Pass	AV	5.4598G	44.89	54.00	-9.11	3	Horizontal	358	1.48
5755MHz	Pass	AV	5.743G	101.01	Inf	-Inf	3	Horizontal	358	1.48
5755MHz	Pass	PK	5.6122G	58.29	68.20	-9.91	3	Horizontal	358	1.48
5755MHz	Pass	PK	5.743G	112.43	Inf	-Inf	3	Horizontal	358	1.48
5755MHz	Pass	PK	6.0406G	58.80	68.20	-9.40	3	Horizontal	358	1.48
5755MHz	Pass	AV	11.48972G	42.31	54.00	-11.69	3	Vertical	360	1.50
5755MHz	Pass	PK	11.50988G	53.56	74.00	-20.44	3	Vertical	360	1.50
5755MHz	Pass	PK	17.26104G	56.33	68.20	-11.87	3	Vertical	359	1.31
5755MHz	Pass	AV	11.49356G	42.25	54.00	-11.75	3	Horizontal	84	1.50
5755MHz	Pass	PK	11.49632G	53.69	74.00	-20.31	3	Horizontal	84	1.50
5755MHz	Pass	PK	17.2596G	56.90	68.20	-11.30	3	Horizontal	197	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.59	54.00	-7.41	3	Vertical	112	2.75
5190MHz	Pass	AV	5.182G	95.34	Inf	-Inf	3	Vertical	112	2.75
5190MHz	Pass	PK	5.15G	58.45	74.00	-15.55	3	Vertical	112	2.75
5190MHz	Pass	PK	5.1844G	106.47	Inf	-Inf	3	Vertical	112	2.75
5190MHz	Pass	AV	5.15G	48.21	54.00	-5.79	3	Horizontal	357	1.66
5190MHz	Pass	AV	5.1776G	98.79	Inf	-Inf	3	Horizontal	357	1.66
5190MHz	Pass	PK	5.1456G	59.67	74.00	-14.33	3	Horizontal	357	1.66
5190MHz	Pass	PK	5.1772G	109.90	Inf	-Inf	3	Horizontal	357	1.66
5190MHz	Pass	AV	15.59196G	43.63	54.00	-10.37	3	Vertical	145	2.38





RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	10.39776G	53.61	68.20	-14.59	3	Vertical	136	1.50
5190MHz	Pass	PK	15.54948G	55.31	74.00	-18.69	3	Vertical	145	2.38
5190MHz	Pass	AV	15.59112G	43.59	54.00	-10.41	3	Horizontal	154	1.50
5190MHz	Pass	PK	10.40904G	54.21	68.20	-13.99	3	Horizontal	360	2.62
5190MHz	Pass	PK	15.5634G	56.03	74.00	-17.97	3	Horizontal	154	1.50
5510MHz	Pass	AV	5.4596G	45.06	54.00	-8.94	3	Vertical	10	1.42
5510MHz	Pass	AV	5.498G	94.80	Inf	-Inf	3	Vertical	10	1.42
5510MHz	Pass	PK	5.4572G	57.34	74.00	-16.66	3	Vertical	10	1.42
5510MHz	Pass	PK	5.4636G	56.02	68.20	-12.18	3	Vertical	10	1.42
5510MHz	Pass	PK	5.4972G	105.81	Inf	-Inf	3	Vertical	10	1.42
5510MHz	Pass	AV	5.4596G	45.08	54.00	-8.92	3	Horizontal	8	1.50
5510MHz	Pass	AV	5.5032G	95.26	Inf	-Inf	3	Horizontal	8	1.50
5510MHz	Pass	PK	5.4224G	57.21	74.00	-16.79	3	Horizontal	8	1.50
5510MHz	Pass	PK	5.4612G	58.11	68.20	-10.09	3	Horizontal	8	1.50
5510MHz	Pass	PK	5.5048G	106.00	Inf	-Inf	3	Horizontal	8	1.50
5510MHz	Pass	AV	10.9918G	42.12	54.00	-11.88	3	Vertical	277	1.50
5510MHz	Pass	PK	11.0014G	53.54	74.00	-20.46	3	Vertical	277	1.50
5510MHz	Pass	PK	16.5342G	56.69	68.20	-11.51	3	Vertical	228	2.20
5510MHz	Pass	AV	11.00668G	42.13	54.00	-11.87	3	Horizontal	0	2.25
5510MHz	Pass	PK	10.99948G	54.22	74.00	-19.78	3	Horizontal	0	2.25
5510MHz	Pass	PK	16.55028G	56.58	68.20	-11.62	3	Horizontal	224	1.51
5755MHz	Pass	AV	5.4562G	44.72	54.00	-9.28	3	Vertical	14	1.35
5755MHz	Pass	AV	5.743G	99.92	Inf	-Inf	3	Vertical	14	1.35
5755MHz	Pass	PK	5.5942G	57.66	68.20	-10.54	3	Vertical	14	1.35
5755MHz	Pass	PK	5.7466G	110.99	Inf	-Inf	3	Vertical	14	1.35
5755MHz	Pass	PK	5.9614G	59.54	68.20	-8.66	3	Vertical	14	1.35
5755MHz	Pass	AV	5.4574G	44.69	54.00	-9.31	3	Horizontal	284	1.50
5755MHz	Pass	AV	5.743G	99.50	Inf	-Inf	3	Horizontal	284	1.50
5755MHz	Pass	PK	5.6218G	57.61	68.20	-10.59	3	Horizontal	284	1.50
5755MHz	Pass	PK	5.7466G	109.49	Inf	-Inf	3	Horizontal	284	1.50
5755MHz	Pass	PK	5.9314G	58.26	68.20	-9.94	3	Horizontal	284	1.50
5755MHz	Pass	AV	11.49044G	42.44	54.00	-11.56	3	Vertical	309	1.42
5755MHz	Pass	PK	11.4926G	54.20	74.00	-19.80	3	Vertical	309	1.42
5755MHz	Pass	PK	17.25984G	56.92	68.20	-11.28	3	Vertical	268	2.13
5755MHz	Pass	AV	11.49236G	42.22	54.00	-11.78	3	Horizontal	124	1.50
5755MHz	Pass	PK	11.51528G	54.61	74.00	-19.39	3	Horizontal	124	1.50
5755MHz	Pass	PK	17.2572G	56.25	68.20	-11.95	3	Horizontal	213	1.66
802.11ax HEW40_Nss1_(MCS0)_RU 242#RU 61_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	48.58	54.00	-5.42	3	Vertical	112	2.67
5190MHz	Pass	AV	5.1812G	97.03	Inf	-Inf	3	Vertical	112	2.67
5190MHz	Pass	PK	5.15G	61.20	74.00	-12.80	3	Vertical	112	2.67
5190MHz	Pass	PK	5.1808G	108.33	Inf	-Inf	3	Vertical	112	2.67
5190MHz	Pass	AV	5.15G	51.96	54.00	-2.04	3	Horizontal	21	2.56
5190MHz	Pass	AV	5.182G	101.62	Inf	-Inf	3	Horizontal	21	2.56
5190MHz	Pass	PK	5.15G	63.63	74.00	-10.37	3	Horizontal	21	2.56
5190MHz	Pass	PK	5.1796G	113.85	Inf	-Inf	3	Horizontal	21	2.56
5190MHz	Pass	AV	15.56028G	43.59	54.00	-10.41	3	Vertical	30	1.50
5190MHz	Pass	PK	10.35516G	54.38	68.20	-13.82	3	Vertical	346	1.50
5190MHz	Pass	PK	15.57804G	55.75	74.00	-18.25	3	Vertical	30	1.50
5190MHz	Pass	AV	15.59952G	43.59	54.00	-10.41	3	Horizontal	357	2.82
5190MHz	Pass	PK	10.4094G	53.90	68.20	-14.30	3	Horizontal	152	1.50
5190MHz	Pass	PK	15.57264G	55.83	74.00	-18.17	3	Horizontal	357	2.82
5510MHz	Pass	AV	5.458G	45.14	54.00	-8.86	3	Vertical	356	1.43
5510MHz	Pass	AV	5.5036G	93.46	Inf	-Inf	3	Vertical	356	1.43
5510MHz	Pass	PK	5.4596G	62.25	74.00	-11.75	3	Vertical	356	1.43
5510MHz	Pass	PK	5.4632G	62.96	68.20	-5.24	3	Vertical	356	1.43
5510MHz	Pass	PK	5.504G	104.90	Inf	-Inf	3	Vertical	356	1.43
5510MHz	Pass	AV	5.4588G	45.38	54.00	-8.62	3	Horizontal	9	2.29
5510MHz	Pass	AV	5.4964G	94.73	Inf	-Inf	3	Horizontal	9	2.29
5510MHz	Pass	PK	5.4592G	63.13	74.00	-10.87	3	Horizontal	9	2.29
5510MHz	Pass	PK	5.4628G	65.29	68.20	-2.91	3	Horizontal	9	2.29
5510MHz	Pass	PK	5.4964G	105.42	Inf	-Inf	3	Horizontal	9	2.29



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	AV	11.00716G	42.10	54.00	-11.90	3	Vertical	34	2.40
5510MHz	Pass	PK	11.01124G	53.58	74.00	-20.42	3	Vertical	34	2.40
5510MHz	Pass	PK	16.53888G	56.97	68.20	-11.23	3	Vertical	125	1.50
5510MHz	Pass	AV	10.99984G	42.09	54.00	-11.91	3	Horizontal	327	1.98
5510MHz	Pass	PK	11.04628G	54.15	74.00	-19.85	3	Horizontal	327	1.98
5510MHz	Pass	PK	16.52496G	56.32	68.20	-11.88	3	Horizontal	337	1.50
5755MHz	Pass	AV	5.4574G	44.73	54.00	-9.27	3	Vertical	8	1.28
5755MHz	Pass	AV	5.749G	96.79	Inf	-Inf	3	Vertical	8	1.28
5755MHz	Pass	PK	5.575G	57.45	68.20	-10.75	3	Vertical	8	1.28
5755MHz	Pass	PK	5.7478G	107.25	Inf	-Inf	3	Vertical	8	1.28
5755MHz	Pass	PK	5.9398G	58.88	68.20	-9.32	3	Vertical	8	1.28
5755MHz	Pass	AV	5.4562G	44.79	54.00	-9.21	3	Horizontal	7	1.41
5755MHz	Pass	AV	5.7418G	98.18	Inf	-Inf	3	Horizontal	7	1.41
5755MHz	Pass	PK	5.5954G	57.07	68.20	-11.13	3	Horizontal	7	1.41
5755MHz	Pass	PK	5.743G	108.57	Inf	-Inf	3	Horizontal	7	1.41
5755MHz	Pass	PK	5.9434G	58.41	68.20	-9.79	3	Horizontal	7	1.41
5755MHz	Pass	AV	11.49128G	42.76	54.00	-11.24	3	Vertical	346	1.99
5755MHz	Pass	PK	11.53796G	54.05	74.00	-19.95	3	Vertical	346	1.99
5755MHz	Pass	PK	17.29476G	56.42	68.20	-11.78	3	Vertical	83	2.90
5755MHz	Pass	AV	11.48876G	42.36	54.00	-11.64	3	Horizontal	285	1.18
5755MHz	Pass	PK	11.49248G	54.20	74.00	-19.80	3	Horizontal	285	1.18
5755MHz	Pass	PK	17.27388G	56.67	68.20	-11.53	3	Horizontal	36	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5310MHz	Pass	AV	5.3168G	95.11	Inf	-Inf	3	Vertical	354	1.48
5310MHz	Pass	AV	5.3508G	45.24	54.00	-8.76	3	Vertical	354	1.48
5310MHz	Pass	PK	5.3168G	105.60	Inf	-Inf	3	Vertical	354	1.48
5310MHz	Pass	PK	5.368G	57.39	74.00	-16.61	3	Vertical	354	1.48
5310MHz	Pass	AV	5.316G	101.01	Inf	-Inf	3	Horizontal	14	2.52
5310MHz	Pass	AV	5.35G	46.63	54.00	-7.37	3	Horizontal	14	2.52
5310MHz	Pass	PK	5.3196G	111.61	Inf	-Inf	3	Horizontal	14	2.52
5310MHz	Pass	PK	5.3504G	62.80	74.00	-11.20	3	Horizontal	14	2.52
5310MHz	Pass	AV	15.91332G	43.11	54.00	-10.89	3	Vertical	76	1.50
5310MHz	Pass	PK	10.60476G	53.47	74.00	-20.53	3	Vertical	251	1.50
5310MHz	Pass	PK	15.92628G	55.47	74.00	-18.53	3	Vertical	76	1.50
5310MHz	Pass	AV	15.90036G	43.13	54.00	-10.87	3	Horizontal	167	1.50
5310MHz	Pass	PK	10.60908G	53.19	74.00	-20.81	3	Horizontal	192	1.26
5310MHz	Pass	PK	15.90648G	55.02	74.00	-18.98	3	Horizontal	167	1.50
5670MHz	Pass	AV	5.679G	98.34	Inf	-Inf	3	Vertical	356	1.38
5670MHz	Pass	PK	5.6838G	109.22	Inf	-Inf	3	Vertical	356	1.38
5670MHz	Pass	PK	5.7252G	59.78	68.20	-8.42	3	Vertical	356	1.38
5670MHz	Pass	AV	5.6838G	101.96	Inf	-Inf	3	Horizontal	17	3.00
5670MHz	Pass	PK	5.6844G	112.81	Inf	-Inf	3	Horizontal	17	3.00
5670MHz	Pass	PK	5.7276G	60.59	68.20	-7.61	3	Horizontal	17	3.00
5670MHz	Pass	AV	11.33532G	41.79	54.00	-12.21	3	Vertical	25	1.50
5670MHz	Pass	PK	11.33916G	53.66	74.00	-20.34	3	Vertical	25	1.50
5670MHz	Pass	PK	16.9806G	56.29	68.20	-11.91	3	Vertical	29	1.01
5670MHz	Pass	AV	11.35452G	41.81	54.00	-12.19	3	Horizontal	95	1.48
5670MHz	Pass	PK	11.3244G	53.90	74.00	-20.10	3	Horizontal	95	1.48
5670MHz	Pass	PK	17.02344G	56.09	68.20	-12.11	3	Horizontal	68	1.49
5795MHz	Pass	AV	5.8046G	99.74	Inf	-Inf	3	Vertical	6	1.35
5795MHz	Pass	PK	5.597G	57.55	68.20	-10.65	3	Vertical	6	1.35
5795MHz	Pass	PK	5.8058G	110.91	Inf	-Inf	3	Vertical	6	1.35
5795MHz	Pass	PK	5.987G	58.54	68.20	-9.66	3	Vertical	6	1.35
5795MHz	Pass	AV	5.8034G	102.17	Inf	-Inf	3	Horizontal	20	2.90
5795MHz	Pass	PK	5.645G	57.56	68.20	-10.64	3	Horizontal	20	2.90
5795MHz	Pass	PK	5.807G	113.34	Inf	-Inf	3	Horizontal	20	2.90
5795MHz	Pass	PK	6.0098G	58.79	68.20	-9.41	3	Horizontal	20	2.90
5795MHz	Pass	AV	11.56048G	41.90	54.00	-12.10	3	Vertical	0	1.11
5795MHz	Pass	PK	11.56816G	53.64	74.00	-20.36	3	Vertical	0	1.11
5795MHz	Pass	PK	17.37828G	56.84	68.20	-11.36	3	Vertical	1	1.50
5795MHz	Pass	AV	11.56276G	41.92	54.00	-12.08	3	Horizontal	261	2.15
5795MHz	Pass	PK	11.57356G	54.32	74.00	-19.68	3	Horizontal	261	2.15



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	17.4126G	58.16	68.20	-10.04	3	Horizontal	56	1.27
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5310MHz	Pass	AV	5.32G	95.90	Inf	-Inf	3	Vertical	30	1.50
5310MHz	Pass	AV	5.35G	46.32	54.00	-7.68	3	Vertical	30	1.50
5310MHz	Pass	PK	5.3188G	107.27	Inf	-Inf	3	Vertical	30	1.50
5310MHz	Pass	PK	5.3504G	59.18	74.00	-14.82	3	Vertical	30	1.50
5310MHz	Pass	AV	5.3232G	98.14	Inf	-Inf	3	Horizontal	18	1.50
5310MHz	Pass	AV	5.35G	47.51	54.00	-6.49	3	Horizontal	18	1.50
5310MHz	Pass	PK	5.3164G	108.93	Inf	-Inf	3	Horizontal	18	1.50
5310MHz	Pass	PK	5.35G	60.81	74.00	-13.19	3	Horizontal	18	1.50
5310MHz	Pass	AV	15.9G	43.09	54.00	-10.91	3	Vertical	316	1.50
5310MHz	Pass	PK	10.63176G	53.41	74.00	-20.59	3	Vertical	42	1.56
5310MHz	Pass	PK	15.90432G	55.17	74.00	-18.83	3	Vertical	316	1.50
5310MHz	Pass	AV	15.912G	43.10	54.00	-10.90	3	Horizontal	338	1.50
5310MHz	Pass	PK	10.64952G	53.48	74.00	-20.52	3	Horizontal	89	1.50
5310MHz	Pass	PK	15.90648G	55.35	74.00	-18.65	3	Horizontal	338	1.50
5670MHz	Pass	AV	5.6832G	95.84	Inf	-Inf	3	Vertical	26	1.33
5670MHz	Pass	PK	5.6772G	106.79	Inf	-Inf	3	Vertical	26	1.33
5670MHz	Pass	PK	5.7894G	59.08	68.20	-9.12	3	Vertical	26	1.33
5670MHz	Pass	AV	5.6772G	96.30	Inf	-Inf	3	Horizontal	20	1.40
5670MHz	Pass	PK	5.6796G	107.34	Inf	-Inf	3	Horizontal	20	1.40
5670MHz	Pass	PK	5.799G	58.88	68.20	-9.32	3	Horizontal	20	1.40
5670MHz	Pass	AV	11.33736G	41.80	54.00	-12.20	3	Vertical	360	1.50
5670MHz	Pass	PK	11.31084G	53.34	74.00	-20.66	3	Vertical	360	1.50
5670MHz	Pass	PK	17.037G	56.65	68.20	-11.55	3	Vertical	294	1.50
5670MHz	Pass	AV	11.35584G	41.83	54.00	-12.17	3	Horizontal	17	1.50
5670MHz	Pass	PK	11.3346G	54.19	74.00	-19.81	3	Horizontal	17	1.50
5670MHz	Pass	PK	16.98924G	55.38	68.20	-12.82	3	Horizontal	264	3.00
5795MHz	Pass	AV	5.8082G	101.25	Inf	-Inf	3	Vertical	25	1.31
5795MHz	Pass	PK	5.5886G	57.25	68.20	-10.95	3	Vertical	25	1.31
5795MHz	Pass	PK	5.8058G	111.67	Inf	-Inf	3	Vertical	25	1.31
5795MHz	Pass	PK	5.951G	58.69	68.20	-9.51	3	Vertical	25	1.31
5795MHz	Pass	AV	5.8046G	100.08	Inf	-Inf	3	Horizontal	19	1.39
5795MHz	Pass	PK	5.651G	58.57	68.94	-10.37	3	Horizontal	19	1.39
5795MHz	Pass	PK	5.8082G	111.00	Inf	-Inf	3	Horizontal	19	1.39
5795MHz	Pass	PK	5.9366G	58.94	68.20	-9.26	3	Horizontal	19	1.39
5795MHz	Pass	AV	11.56072G	41.93	54.00	-12.07	3	Vertical	270	1.50
5795MHz	Pass	PK	11.56072G	53.82	74.00	-20.18	3	Vertical	270	1.50
5795MHz	Pass	PK	17.41308G	57.87	68.20	-10.33	3	Vertical	152	1.50
5795MHz	Pass	AV	11.56036G	41.89	54.00	-12.11	3	Horizontal	214	1.13
5795MHz	Pass	PK	11.61532G	54.60	74.00	-19.40	3	Horizontal	214	1.13
5795MHz	Pass	PK	17.4144G	57.32	68.20	-10.88	3	Horizontal	177	1.50
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-
5310MHz	Pass	AV	5.3232G	97.44	Inf	-Inf	3	Vertical	13	1.50
5310MHz	Pass	AV	5.35G	48.78	54.00	-5.22	3	Vertical	13	1.50
5310MHz	Pass	PK	5.3208G	109.79	Inf	-Inf	3	Vertical	13	1.50
5310MHz	Pass	PK	5.35G	62.05	74.00	-11.95	3	Vertical	13	1.50
5310MHz	Pass	AV	5.318G	102.68	Inf	-Inf	3	Horizontal	14	2.48
5310MHz	Pass	AV	5.35G	51.24	54.00	-2.76	3	Horizontal	14	2.48
5310MHz	Pass	PK	5.3184G	113.44	Inf	-Inf	3	Horizontal	14	2.48
5310MHz	Pass	PK	5.35G	65.42	74.00	-8.58	3	Horizontal	14	2.48
5310MHz	Pass	AV	15.9152G	43.09	54.00	-10.91	3	Vertical	99	1.50
5310MHz	Pass	PK	10.59156G	53.33	68.20	-14.87	3	Vertical	29	1.50
5310MHz	Pass	PK	15.92748G	54.90	74.00	-19.10	3	Vertical	99	1.50
5310MHz	Pass	AV	15.91176G	43.12	54.00	-10.88	3	Horizontal	31	1.50
5310MHz	Pass	PK	10.6338G	53.68	74.00	-20.32	3	Horizontal	211	1.50
5310MHz	Pass	PK	15.9072G	54.94	74.00	-19.06	3	Horizontal	31	1.50
5670MHz	Pass	AV	5.6838G	100.83	Inf	-Inf	3	Vertical	14	1.32
5670MHz	Pass	PK	5.6838G	111.63	Inf	-Inf	3	Vertical	14	1.32
5670MHz	Pass	PK	5.8032G	62.44	68.20	-5.76	3	Vertical	14	1.32
5670MHz	Pass	AV	5.6844G	103.31	Inf	-Inf	3	Horizontal	19	2.99
5670MHz	Pass	PK	5.682G	114.19	Inf	-Inf	3	Horizontal	19	2.99



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	5.727G	62.98	68.20	-5.22	3	Horizontal	19	2.99
5670MHz	Pass	AV	11.3586G	42.09	54.00	-11.91	3	Vertical	341	3.00
5670MHz	Pass	PK	11.33808G	53.61	74.00	-20.39	3	Vertical	341	3.00
5670MHz	Pass	PK	17.02524G	56.86	68.20	-11.34	3	Vertical	247	3.00
5670MHz	Pass	AV	11.3568G	41.84	54.00	-12.16	3	Horizontal	21	1.77
5670MHz	Pass	PK	11.3184G	53.72	74.00	-20.28	3	Horizontal	21	1.77
5670MHz	Pass	PK	17.02404G	55.80	68.20	-12.40	3	Horizontal	94	1.50
5795MHz	Pass	AV	5.801G	102.86	Inf	-Inf	3	Vertical	17	1.31
5795MHz	Pass	PK	5.6306G	58.14	68.20	-10.06	3	Vertical	17	1.31
5795MHz	Pass	PK	5.807G	113.97	Inf	-Inf	3	Vertical	17	1.31
5795MHz	Pass	PK	5.9846G	59.48	68.20	-8.72	3	Vertical	17	1.31
5795MHz	Pass	AV	5.8034G	103.80	Inf	-Inf	3	Horizontal	20	2.94
5795MHz	Pass	PK	5.5838G	57.67	68.20	-10.53	3	Horizontal	20	2.94
5795MHz	Pass	PK	5.807G	114.55	Inf	-Inf	3	Horizontal	20	2.94
5795MHz	Pass	PK	5.939G	59.21	68.20	-8.99	3	Horizontal	20	2.94
5795MHz	Pass	AV	11.56276G	41.91	54.00	-12.09	3	Vertical	49	1.50
5795MHz	Pass	PK	11.56324G	53.70	74.00	-20.30	3	Vertical	49	1.50
5795MHz	Pass	PK	17.40792G	57.54	68.20	-10.66	3	Vertical	0	1.01
5795MHz	Pass	AV	11.56036G	41.89	54.00	-12.11	3	Horizontal	265	1.50
5795MHz	Pass	PK	11.59276G	53.37	74.00	-20.63	3	Horizontal	265	1.50
5795MHz	Pass	PK	17.4126G	57.57	68.20	-10.63	3	Horizontal	57	2.20
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	46.65	54.00	-7.35	3	Vertical	95	2.34
5210MHz	Pass	AV	5.201G	85.65	Inf	-Inf	3	Vertical	95	2.34
5210MHz	Pass	AV	5.447G	44.98	54.00	-9.02	3	Vertical	95	2.34
5210MHz	Pass	PK	5.141G	59.84	74.00	-14.16	3	Vertical	95	2.34
5210MHz	Pass	PK	5.195G	96.90	Inf	-Inf	3	Vertical	95	2.34
5210MHz	Pass	PK	5.385G	57.14	74.00	-16.86	3	Vertical	95	2.34
5210MHz	Pass	AV	5.15G	48.68	54.00	-5.32	3	Horizontal	4	2.56
5210MHz	Pass	AV	5.199G	91.09	Inf	-Inf	3	Horizontal	4	2.56
5210MHz	Pass	AV	5.404G	45.21	54.00	-8.79	3	Horizontal	4	2.56
5210MHz	Pass	PK	5.146G	64.58	74.00	-9.42	3	Horizontal	4	2.56
5210MHz	Pass	PK	5.201G	102.02	Inf	-Inf	3	Horizontal	4	2.56
5210MHz	Pass	PK	5.388G	56.87	74.00	-17.13	3	Horizontal	4	2.56
5210MHz	Pass	AV	15.60696G	43.63	54.00	-10.37	3	Vertical	204	1.50
5210MHz	Pass	PK	10.41952G	54.41	68.20	-13.79	3	Vertical	283	1.50
5210MHz	Pass	PK	15.58944G	55.33	74.00	-18.67	3	Vertical	204	1.50
5210MHz	Pass	AV	15.60696G	43.62	54.00	-10.38	3	Horizontal	322	1.50
5210MHz	Pass	PK	10.41904G	53.40	68.20	-14.80	3	Horizontal	340	1.50
5210MHz	Pass	PK	15.62424G	55.35	74.00	-18.65	3	Horizontal	322	1.50
5530MHz	Pass	AV	5.35G	44.48	54.00	-9.52	3	Vertical	352	1.36
5530MHz	Pass	AV	5.425G	45.02	54.00	-8.98	3	Vertical	352	1.36
5530MHz	Pass	AV	5.506G	83.78	Inf	-Inf	3	Vertical	352	1.36
5530MHz	Pass	PK	5.312G	56.43	68.20	-11.77	3	Vertical	352	1.36
5530MHz	Pass	PK	5.457G	58.17	74.00	-15.83	3	Vertical	352	1.36
5530MHz	Pass	PK	5.469G	58.52	68.20	-9.68	3	Vertical	352	1.36
5530MHz	Pass	PK	5.507G	94.71	Inf	-Inf	3	Vertical	352	1.36
5530MHz	Pass	PK	5.728G	58.46	68.20	-9.74	3	Vertical	352	1.36
5530MHz	Pass	AV	5.35G	44.61	54.00	-9.39	3	Horizontal	10	1.49
5530MHz	Pass	AV	5.46G	45.33	54.00	-8.67	3	Horizontal	10	1.49
5530MHz	Pass	AV	5.5G	86.91	Inf	-Inf	3	Horizontal	10	1.49
5530MHz	Pass	PK	5.334G	56.27	68.20	-11.93	3	Horizontal	10	1.49
5530MHz	Pass	PK	5.46G	60.09	74.00	-13.91	3	Horizontal	10	1.49
5530MHz	Pass	PK	5.466G	60.45	68.20	-7.75	3	Horizontal	10	1.49
5530MHz	Pass	PK	5.499G	98.00	Inf	-Inf	3	Horizontal	10	1.49
5530MHz	Pass	PK	5.772G	57.96	68.20	-10.24	3	Horizontal	10	1.49
5530MHz	Pass	AV	11.06312G	42.08	54.00	-11.92	3	Vertical	137	2.75
5530MHz	Pass	PK	11.01944G	53.99	74.00	-20.01	3	Vertical	137	2.75
5530MHz	Pass	PK	16.62528G	56.78	68.20	-11.42	3	Vertical	360	1.19
5530MHz	Pass	AV	11.06G	42.07	54.00	-11.93	3	Horizontal	53	1.50
5530MHz	Pass	PK	11.05448G	54.57	74.00	-19.43	3	Horizontal	53	1.50
5530MHz	Pass	PK	16.57776G	56.31	68.20	-11.89	3	Horizontal	255	1.50



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7642G	96.51	Inf	-Inf	3	Vertical	360	1.31
5775MHz	Pass	PK	5.6274G	57.55	68.20	-10.65	3	Vertical	360	1.31
5775MHz	Pass	PK	5.7618G	107.67	Inf	-Inf	3	Vertical	360	1.31
5775MHz	Pass	PK	5.9502G	58.93	68.20	-9.27	3	Vertical	360	1.31
5775MHz	Pass	AV	5.763G	99.94	Inf	-Inf	3	Horizontal	10	2.91
5775MHz	Pass	PK	5.6142G	58.09	68.20	-10.11	3	Horizontal	10	2.91
5775MHz	Pass	PK	5.7618G	110.94	Inf	-Inf	3	Horizontal	10	2.91
5775MHz	Pass	PK	5.9322G	59.29	68.20	-8.91	3	Horizontal	10	2.91
5775MHz	Pass	AV	11.49768G	42.05	54.00	-11.95	3	Vertical	267	2.46
5775MHz	Pass	PK	11.49432G	54.18	74.00	-19.82	3	Vertical	267	2.46
5775MHz	Pass	PK	17.32548G	56.80	68.20	-11.40	3	Vertical	207	1.21
5775MHz	Pass	AV	11.49576G	42.02	54.00	-11.98	3	Horizontal	197	3.00
5775MHz	Pass	PK	11.52144G	53.80	74.00	-20.20	3	Horizontal	197	3.00
5775MHz	Pass	PK	17.385G	56.26	68.20	-11.94	3	Horizontal	66	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	46.03	54.00	-7.97	3	Vertical	104	2.63
5210MHz	Pass	AV	5.202G	86.01	Inf	-Inf	3	Vertical	104	2.63
5210MHz	Pass	AV	5.376G	44.90	54.00	-9.10	3	Vertical	104	2.63
5210MHz	Pass	PK	5.147G	59.58	74.00	-14.42	3	Vertical	104	2.63
5210MHz	Pass	PK	5.186G	97.17	Inf	-Inf	3	Vertical	104	2.63
5210MHz	Pass	PK	5.389G	56.46	74.00	-17.54	3	Vertical	104	2.63
5210MHz	Pass	AV	5.149G	46.69	54.00	-7.31	3	Horizontal	290	1.52
5210MHz	Pass	AV	5.198G	88.66	Inf	-Inf	3	Horizontal	290	1.52
5210MHz	Pass	AV	5.381G	44.92	54.00	-9.08	3	Horizontal	290	1.52
5210MHz	Pass	PK	5.15G	62.73	74.00	-11.27	3	Horizontal	290	1.52
5210MHz	Pass	PK	5.198G	100.17	Inf	-Inf	3	Horizontal	290	1.52
5210MHz	Pass	PK	5.454G	56.67	74.00	-17.33	3	Horizontal	290	1.52
5210MHz	Pass	AV	15.60624G	43.64	54.00	-10.36	3	Vertical	104	2.96
5210MHz	Pass	PK	10.47592G	53.65	68.20	-14.55	3	Vertical	357	1.50
5210MHz	Pass	PK	15.59304G	55.27	74.00	-18.73	3	Vertical	104	2.96
5210MHz	Pass	AV	15.60504G	43.63	54.00	-10.37	3	Horizontal	288	1.86
5210MHz	Pass	PK	10.3996G	53.97	68.20	-14.23	3	Horizontal	52	2.62
5210MHz	Pass	PK	15.60888G	55.12	74.00	-18.88	3	Horizontal	288	1.86
5530MHz	Pass	AV	5.35G	44.54	54.00	-9.46	3	Vertical	24	1.50
5530MHz	Pass	AV	5.46G	44.97	54.00	-9.03	3	Vertical	24	1.50
5530MHz	Pass	AV	5.522G	84.12	Inf	-Inf	3	Vertical	24	1.50
5530MHz	Pass	PK	5.298G	57.20	68.20	-11.00	3	Vertical	24	1.50
5530MHz	Pass	PK	5.412G	57.17	74.00	-16.83	3	Vertical	24	1.50
5530MHz	Pass	PK	5.468G	56.07	68.20	-12.13	3	Vertical	24	1.50
5530MHz	Pass	PK	5.509G	95.10	Inf	-Inf	3	Vertical	24	1.50
5530MHz	Pass	PK	5.78G	57.91	68.20	-10.29	3	Vertical	24	1.50
5530MHz	Pass	AV	5.35G	44.52	54.00	-9.48	3	Horizontal	10	1.48
5530MHz	Pass	AV	5.446G	45.05	54.00	-8.95	3	Horizontal	10	1.48
5530MHz	Pass	AV	5.521G	86.27	Inf	-Inf	3	Horizontal	10	1.48
5530MHz	Pass	PK	5.331G	56.83	68.20	-11.37	3	Horizontal	10	1.48
5530MHz	Pass	PK	5.426G	57.76	74.00	-16.24	3	Horizontal	10	1.48
5530MHz	Pass	PK	5.468G	56.21	68.20	-11.99	3	Horizontal	10	1.48
5530MHz	Pass	PK	5.515G	97.55	Inf	-Inf	3	Horizontal	10	1.48
5530MHz	Pass	PK	5.778G	58.56	68.20	-9.64	3	Horizontal	10	1.48
5530MHz	Pass	AV	11.05976G	42.07	54.00	-11.93	3	Vertical	348	1.50
5530MHz	Pass	PK	11.0108G	54.39	74.00	-19.61	3	Vertical	348	1.50
5530MHz	Pass	PK	16.54536G	56.50	68.20	-11.70	3	Vertical	47	2.84
5530MHz	Pass	AV	11.06G	42.07	54.00	-11.93	3	Horizontal	349	1.50
5530MHz	Pass	PK	11.07344G	53.91	74.00	-20.09	3	Horizontal	349	1.50
5530MHz	Pass	PK	16.61184G	57.00	68.20	-11.20	3	Horizontal	44	1.50
5775MHz	Pass	AV	5.7618G	97.90	Inf	-Inf	3	Vertical	16	1.29
5775MHz	Pass	PK	5.643G	59.62	68.20	-8.58	3	Vertical	16	1.29
5775MHz	Pass	PK	5.7618G	108.95	Inf	-Inf	3	Vertical	16	1.29
5775MHz	Pass	PK	5.9322G	58.65	68.20	-9.55	3	Vertical	16	1.29
5775MHz	Pass	AV	5.7618G	97.69	Inf	-Inf	3	Horizontal	9	2.92
5775MHz	Pass	PK	5.6514G	60.12	69.24	-9.12	3	Horizontal	9	2.92
5775MHz	Pass	PK	5.7618G	109.23	Inf	-Inf	3	Horizontal	9	2.92



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	5.9382G	58.46	68.20	-9.74	3	Horizontal	9	2.92
5775MHz	Pass	AV	11.49288G	42.16	54.00	-11.84	3	Vertical	304	1.69
5775MHz	Pass	PK	11.514G	53.31	74.00	-20.69	3	Vertical	304	1.69
5775MHz	Pass	PK	17.325G	56.38	68.20	-11.82	3	Vertical	103	1.50
5775MHz	Pass	AV	11.49168G	42.03	54.00	-11.97	3	Horizontal	146	1.50
5775MHz	Pass	PK	11.49048G	53.23	74.00	-20.77	3	Horizontal	146	1.50
5775MHz	Pass	PK	17.35068G	56.29	68.20	-11.91	3	Horizontal	237	1.50
802.11ax HEW80_Nss1_(MCS0)_RU 484#RU 65_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	48.85	54.00	-5.15	3	Vertical	105	2.62
5210MHz	Pass	AV	5.201G	90.60	Inf	-Inf	3	Vertical	105	2.62
5210MHz	Pass	AV	5.395G	45.11	54.00	-8.89	3	Vertical	105	2.62
5210MHz	Pass	PK	5.149G	65.64	74.00	-8.36	3	Vertical	105	2.62
5210MHz	Pass	PK	5.2G	102.71	Inf	-Inf	3	Vertical	105	2.62
5210MHz	Pass	PK	5.368G	57.07	74.00	-16.93	3	Vertical	105	2.62
5210MHz	Pass	AV	5.15G	50.55	54.00	-3.45	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.189G	92.95	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.373G	45.68	54.00	-8.32	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.15G	68.74	74.00	-5.26	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.201G	104.63	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.399G	57.84	74.00	-16.16	3	Horizontal	15	1.50
5210MHz	Pass	AV	15.6048G	43.61	54.00	-10.39	3	Vertical	350	1.50
5210MHz	Pass	PK	10.384G	54.12	68.20	-14.08	3	Vertical	267	1.51
5210MHz	Pass	PK	15.60456G	55.51	74.00	-18.49	3	Vertical	350	1.50
5210MHz	Pass	AV	15.606G	43.60	54.00	-10.40	3	Horizontal	216	1.02
5210MHz	Pass	PK	10.37656G	53.75	68.20	-14.45	3	Horizontal	343	1.50
5210MHz	Pass	PK	15.59976G	55.43	74.00	-18.57	3	Horizontal	216	1.02
5530MHz	Pass	AV	5.35G	44.60	54.00	-9.40	3	Vertical	357	1.36
5530MHz	Pass	AV	5.46G	47.37	54.00	-6.63	3	Vertical	357	1.36
5530MHz	Pass	AV	5.507G	92.27	Inf	-Inf	3	Vertical	357	1.36
5530MHz	Pass	PK	5.319G	56.84	68.20	-11.36	3	Vertical	357	1.36
5530MHz	Pass	PK	5.446G	58.68	74.00	-15.32	3	Vertical	357	1.36
5530MHz	Pass	PK	5.469G	60.36	68.20	-7.84	3	Vertical	357	1.36
5530MHz	Pass	PK	5.505G	103.86	Inf	-Inf	3	Vertical	357	1.36
5530MHz	Pass	PK	5.737G	58.80	68.20	-9.40	3	Vertical	357	1.36
5530MHz	Pass	AV	5.35G	45.01	54.00	-8.99	3	Horizontal	10	1.50
5530MHz	Pass	AV	5.46G	50.32	54.00	-3.68	3	Horizontal	10	1.50
5530MHz	Pass	AV	5.499G	95.56	Inf	-Inf	3	Horizontal	10	1.50
5530MHz	Pass	PK	5.289G	56.96	68.20	-11.24	3	Horizontal	10	1.50
5530MHz	Pass	PK	5.457G	62.41	74.00	-11.59	3	Horizontal	10	1.50
5530MHz	Pass	PK	5.47G	63.63	68.20	-4.57	3	Horizontal	10	1.50
5530MHz	Pass	PK	5.513G	107.65	Inf	-Inf	3	Horizontal	10	1.50
5530MHz	Pass	PK	5.742G	59.05	68.20	-9.15	3	Horizontal	10	1.50
5530MHz	Pass	AV	11.06216G	42.06	54.00	-11.94	3	Vertical	150	1.50
5530MHz	Pass	PK	11.02856G	53.73	74.00	-20.27	3	Vertical	150	1.50
5530MHz	Pass	PK	16.62912G	55.99	68.20	-12.21	3	Vertical	246	1.00
5530MHz	Pass	AV	11.05904G	42.06	54.00	-11.94	3	Horizontal	164	1.90
5530MHz	Pass	PK	11.078G	55.25	74.00	-18.75	3	Horizontal	164	1.90
5530MHz	Pass	PK	16.56552G	56.24	68.20	-11.96	3	Horizontal	10	1.50
5775MHz	Pass	AV	5.7666G	99.17	Inf	-Inf	3	Vertical	360	1.24
5775MHz	Pass	PK	5.6454G	58.85	68.20	-9.35	3	Vertical	360	1.24
5775MHz	Pass	PK	5.7666G	111.37	Inf	-Inf	3	Vertical	360	1.24
5775MHz	Pass	PK	5.9346G	60.73	68.20	-7.47	3	Vertical	360	1.24
5775MHz	Pass	AV	5.7606G	101.57	Inf	-Inf	3	Horizontal	9	2.93
5775MHz	Pass	PK	5.6418G	58.36	68.20	-9.84	3	Horizontal	9	2.93
5775MHz	Pass	PK	5.7426G	112.22	Inf	-Inf	3	Horizontal	9	2.93
5775MHz	Pass	PK	5.9262G	60.29	68.20	-7.91	3	Horizontal	9	2.93
5775MHz	Pass	AV	11.50392G	42.18	54.00	-11.82	3	Vertical	49	2.01
5775MHz	Pass	PK	11.5692G	53.41	74.00	-20.59	3	Vertical	49	2.01
5775MHz	Pass	PK	17.36244G	55.96	68.20	-12.24	3	Vertical	360	1.33
5775MHz	Pass	AV	11.49984G	42.07	54.00	-11.93	3	Horizontal	307	1.50
5775MHz	Pass	PK	11.50008G	53.49	74.00	-20.51	3	Horizontal	307	1.50
5775MHz	Pass	PK	17.28132G	57.29	68.20	-10.91	3	Horizontal	98	1.50



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0),RU 484.#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.046G	45.94	54.00	-8.06	3	Vertical	345	1.49
5290MHz	Pass	AV	5.306G	86.71	Inf	-Inf	3	Vertical	345	1.49
5290MHz	Pass	AV	5.35G	45.55	54.00	-8.45	3	Vertical	345	1.49
5290MHz	Pass	PK	5.129G	58.45	74.00	-15.55	3	Vertical	345	1.49
5290MHz	Pass	PK	5.305G	97.79	Inf	-Inf	3	Vertical	345	1.49
5290MHz	Pass	PK	5.351G	57.50	74.00	-16.50	3	Vertical	345	1.49
5290MHz	Pass	PK	5.533G	57.12	68.20	-11.08	3	Vertical	345	1.49
5290MHz	Pass	AV	5.04G	45.95	54.00	-8.05	3	Horizontal	5	1.57
5290MHz	Pass	AV	5.301G	92.69	Inf	-Inf	3	Horizontal	5	1.57
5290MHz	Pass	AV	5.35G	47.14	54.00	-6.86	3	Horizontal	5	1.57
5290MHz	Pass	PK	5.083G	57.80	74.00	-16.20	3	Horizontal	5	1.57
5290MHz	Pass	PK	5.302G	103.80	Inf	-Inf	3	Horizontal	5	1.57
5290MHz	Pass	PK	5.35G	58.84	74.00	-15.16	3	Horizontal	5	1.57
5290MHz	Pass	PK	5.523G	57.99	68.20	-10.21	3	Horizontal	5	1.57
5290MHz	Pass	AV	15.8136G	43.35	54.00	-10.65	3	Vertical	311	1.50
5290MHz	Pass	PK	10.54184G	53.12	68.20	-15.08	3	Vertical	128	1.50
5290MHz	Pass	PK	15.9048G	55.11	74.00	-18.89	3	Vertical	311	1.50
5290MHz	Pass	AV	15.81504G	43.36	54.00	-10.64	3	Horizontal	275	1.50
5290MHz	Pass	PK	10.52984G	53.60	68.20	-14.60	3	Horizontal	13	1.50
5290MHz	Pass	PK	15.82656G	55.04	74.00	-18.96	3	Horizontal	275	1.50
5610MHz	Pass	AV	5.456G	45.10	54.00	-8.90	3	Vertical	356	1.34
5610MHz	Pass	AV	5.622G	93.35	Inf	-Inf	3	Vertical	356	1.34
5610MHz	Pass	PK	5.398G	56.96	74.00	-17.04	3	Vertical	356	1.34
5610MHz	Pass	PK	5.463G	56.15	68.20	-12.05	3	Vertical	356	1.34
5610MHz	Pass	PK	5.625G	105.14	Inf	-Inf	3	Vertical	356	1.34
5610MHz	Pass	PK	5.826G	60.33	68.20	-7.87	3	Vertical	356	1.34
5610MHz	Pass	AV	5.451G	45.74	54.00	-8.26	3	Horizontal	10	3.00
5610MHz	Pass	AV	5.625G	97.51	Inf	-Inf	3	Horizontal	10	3.00
5610MHz	Pass	PK	5.422G	57.40	74.00	-16.60	3	Horizontal	10	3.00
5610MHz	Pass	PK	5.467G	57.09	68.20	-11.11	3	Horizontal	10	3.00
5610MHz	Pass	PK	5.642G	109.23	Inf	-Inf	3	Horizontal	10	3.00
5610MHz	Pass	PK	5.787G	61.08	68.20	-7.12	3	Horizontal	10	3.00
5610MHz	Pass	AV	11.17272G	41.78	54.00	-12.22	3	Vertical	65	2.71
5610MHz	Pass	PK	11.21376G	53.69	74.00	-20.31	3	Vertical	65	2.71
5610MHz	Pass	PK	16.8756G	56.46	68.20	-11.74	3	Vertical	219	1.50
5610MHz	Pass	AV	11.17032G	41.73	54.00	-12.27	3	Horizontal	300	1.50
5610MHz	Pass	PK	11.25984G	53.66	74.00	-20.34	3	Horizontal	300	1.50
5610MHz	Pass	PK	16.88424G	56.75	68.20	-11.45	3	Horizontal	193	1.42
5775MHz	Pass	AV	5.793G	97.16	Inf	-Inf	3	Vertical	355	1.34
5775MHz	Pass	PK	5.5338G	57.61	68.20	-10.59	3	Vertical	355	1.34
5775MHz	Pass	PK	5.7918G	108.12	Inf	-Inf	3	Vertical	355	1.34
5775MHz	Pass	PK	5.9898G	58.89	68.20	-9.31	3	Vertical	355	1.34
5775MHz	Pass	AV	5.8026G	99.59	Inf	-Inf	3	Horizontal	360	2.97
5775MHz	Pass	PK	5.6082G	57.78	68.20	-10.42	3	Horizontal	360	2.97
5775MHz	Pass	PK	5.8026G	111.28	Inf	-Inf	3	Horizontal	360	2.97
5775MHz	Pass	PK	5.9394G	58.63	68.20	-9.57	3	Horizontal	360	2.97
5775MHz	Pass	AV	11.4912G	42.02	54.00	-11.98	3	Vertical	198	2.84
5775MHz	Pass	PK	11.52744G	53.80	74.00	-20.20	3	Vertical	198	2.84
5775MHz	Pass	PK	17.3346G	56.61	68.20	-11.59	3	Vertical	0	1.50
5775MHz	Pass	AV	11.49024G	42.01	54.00	-11.99	3	Horizontal	85	2.82
5775MHz	Pass	PK	11.5272G	53.65	74.00	-20.35	3	Horizontal	85	2.82
5775MHz	Pass	PK	17.37372G	57.02	68.20	-11.18	3	Horizontal	50	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484.#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.04G	45.93	54.00	-8.07	3	Vertical	16	1.50
5290MHz	Pass	AV	5.319G	86.77	Inf	-Inf	3	Vertical	16	1.50
5290MHz	Pass	AV	5.35G	45.34	54.00	-8.66	3	Vertical	16	1.50
5290MHz	Pass	PK	5.057G	58.02	74.00	-15.98	3	Vertical	16	1.50
5290MHz	Pass	PK	5.304G	97.99	Inf	-Inf	3	Vertical	16	1.50
5290MHz	Pass	PK	5.389G	57.23	74.00	-16.77	3	Vertical	16	1.50
5290MHz	Pass	PK	5.537G	57.02	68.20	-11.18	3	Vertical	16	1.50
5290MHz	Pass	AV	5.041G	45.95	54.00	-8.05	3	Horizontal	11	1.49





RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.298G	89.74	Inf	-Inf	3	Horizontal	11	1.49
5290MHz	Pass	AV	5.35G	45.76	54.00	-8.24	3	Horizontal	11	1.49
5290MHz	Pass	PK	5.108G	57.37	74.00	-16.63	3	Horizontal	11	1.49
5290MHz	Pass	PK	5.309G	100.87	Inf	-Inf	3	Horizontal	11	1.49
5290MHz	Pass	PK	5.4G	56.63	74.00	-17.37	3	Horizontal	11	1.49
5290MHz	Pass	PK	5.517G	57.00	68.20	-11.20	3	Horizontal	11	1.49
5290MHz	Pass	AV	15.81768G	43.33	54.00	-10.67	3	Vertical	21	1.50
5290MHz	Pass	PK	10.53656G	53.73	68.20	-14.47	3	Vertical	360	1.71
5290MHz	Pass	PK	15.91632G	55.11	74.00	-18.89	3	Vertical	21	1.50
5290MHz	Pass	AV	15.81456G	43.34	54.00	-10.66	3	Horizontal	278	1.50
5290MHz	Pass	PK	10.62848G	53.32	74.00	-20.68	3	Horizontal	191	2.28
5290MHz	Pass	PK	15.846G	54.97	74.00	-19.03	3	Horizontal	278	1.50
5610MHz	Pass	AV	5.456G	44.89	54.00	-9.11	3	Vertical	25	1.50
5610MHz	Pass	AV	5.638G	94.74	Inf	-Inf	3	Vertical	25	1.50
5610MHz	Pass	PK	5.381G	56.91	74.00	-17.09	3	Vertical	25	1.50
5610MHz	Pass	PK	5.465G	55.78	68.20	-12.42	3	Vertical	25	1.50
5610MHz	Pass	PK	5.639G	106.24	Inf	-Inf	3	Vertical	25	1.50
5610MHz	Pass	PK	5.815G	59.10	68.20	-9.10	3	Vertical	25	1.50
5610MHz	Pass	AV	5.424G	45.02	54.00	-8.98	3	Horizontal	11	1.50
5610MHz	Pass	AV	5.621G	96.26	Inf	-Inf	3	Horizontal	11	1.50
5610MHz	Pass	PK	5.397G	57.89	74.00	-16.11	3	Horizontal	11	1.50
5610MHz	Pass	PK	5.461G	56.11	68.20	-12.09	3	Horizontal	11	1.50
5610MHz	Pass	PK	5.636G	107.17	Inf	-Inf	3	Horizontal	11	1.50
5610MHz	Pass	PK	5.819G	59.42	68.20	-8.78	3	Horizontal	11	1.50
5610MHz	Pass	AV	11.17032G	41.67	54.00	-12.33	3	Vertical	210	1.00
5610MHz	Pass	PK	11.21832G	53.21	74.00	-20.79	3	Vertical	210	1.00
5610MHz	Pass	PK	16.82952G	56.59	68.20	-11.61	3	Vertical	193	1.50
5610MHz	Pass	AV	11.17104G	41.70	54.00	-12.30	3	Horizontal	9	1.18
5610MHz	Pass	PK	11.16504G	53.96	74.00	-20.04	3	Horizontal	9	1.18
5610MHz	Pass	PK	16.80864G	57.33	68.20	-10.87	3	Horizontal	86	1.50
5775MHz	Pass	AV	5.805G	97.62	Inf	-Inf	3	Vertical	16	1.30
5775MHz	Pass	PK	5.5818G	57.35	68.20	-10.85	3	Vertical	16	1.30
5775MHz	Pass	PK	5.8002G	109.56	Inf	-Inf	3	Vertical	16	1.30
5775MHz	Pass	PK	5.9286G	59.25	68.20	-8.95	3	Vertical	16	1.30
5775MHz	Pass	AV	5.7834G	97.12	Inf	-Inf	3	Horizontal	288	1.50
5775MHz	Pass	PK	5.6226G	57.26	68.20	-10.94	3	Horizontal	288	1.50
5775MHz	Pass	PK	5.7846G	109.84	Inf	-Inf	3	Horizontal	288	1.50
5775MHz	Pass	PK	5.931G	59.03	68.20	-9.17	3	Horizontal	288	1.50
5775MHz	Pass	AV	11.49288G	42.00	54.00	-12.00	3	Vertical	63	2.77
5775MHz	Pass	PK	11.50416G	53.48	74.00	-20.52	3	Vertical	63	2.77
5775MHz	Pass	PK	17.28132G	56.21	68.20	-11.99	3	Vertical	103	2.35
5775MHz	Pass	AV	11.49096G	42.01	54.00	-11.99	3	Horizontal	337	2.22
5775MHz	Pass	PK	11.5116G	54.22	74.00	-19.78	3	Horizontal	337	2.22
5775MHz	Pass	PK	17.32668G	56.39	68.20	-11.81	3	Horizontal	33	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.05G	45.95	54.00	-8.05	3	Vertical	0	1.46
5290MHz	Pass	AV	5.308G	90.43	Inf	-Inf	3	Vertical	0	1.46
5290MHz	Pass	AV	5.35G	45.70	54.00	-8.30	3	Vertical	0	1.46
5290MHz	Pass	PK	5.141G	57.76	74.00	-16.24	3	Vertical	0	1.46
5290MHz	Pass	PK	5.311G	101.32	Inf	-Inf	3	Vertical	0	1.46
5290MHz	Pass	PK	5.451G	57.37	74.00	-16.63	3	Vertical	0	1.46
5290MHz	Pass	PK	5.464G	58.04	68.20	-10.16	3	Vertical	0	1.46
5290MHz	Pass	AV	5.051G	46.00	54.00	-8.00	3	Horizontal	12	1.50
5290MHz	Pass	AV	5.304G	94.47	Inf	-Inf	3	Horizontal	12	1.50
5290MHz	Pass	AV	5.35G	47.31	54.00	-6.69	3	Horizontal	12	1.50
5290MHz	Pass	PK	5.042G	57.83	74.00	-16.17	3	Horizontal	12	1.50
5290MHz	Pass	PK	5.311G	106.29	Inf	-Inf	3	Horizontal	12	1.50
5290MHz	Pass	PK	5.35G	58.18	74.00	-15.82	3	Horizontal	12	1.50
5290MHz	Pass	PK	5.474G	58.42	68.20	-9.78	3	Horizontal	12	1.50
5290MHz	Pass	AV	15.81432G	43.32	54.00	-10.68	3	Vertical	0	1.50
5290MHz	Pass	PK	10.52096G	53.22	68.20	-14.98	3	Vertical	302	1.50
5290MHz	Pass	PK	15.90528G	55.19	74.00	-18.81	3	Vertical	0	1.50



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	15.81288G	43.32	54.00	-10.68	3	Horizontal	264	1.88
5290MHz	Pass	PK	10.54976G	54.07	68.20	-14.13	3	Horizontal	338	1.50
5290MHz	Pass	PK	15.91704G	55.17	74.00	-18.83	3	Horizontal	264	1.88
5610MHz	Pass	AV	5.46G	45.41	54.00	-8.59	3	Vertical	358	1.34
5610MHz	Pass	AV	5.623G	97.42	Inf	-Inf	3	Vertical	358	1.34
5610MHz	Pass	PK	5.364G	57.28	74.00	-16.72	3	Vertical	358	1.34
5610MHz	Pass	PK	5.462G	56.57	68.20	-11.63	3	Vertical	358	1.34
5610MHz	Pass	PK	5.628G	109.02	Inf	-Inf	3	Vertical	358	1.34
5610MHz	Pass	PK	5.791G	61.92	68.20	-6.28	3	Vertical	358	1.34
5610MHz	Pass	AV	5.457G	46.14	54.00	-7.86	3	Horizontal	9	1.46
5610MHz	Pass	AV	5.628G	99.68	Inf	-Inf	3	Horizontal	9	1.46
5610MHz	Pass	PK	5.453G	57.92	74.00	-16.08	3	Horizontal	9	1.46
5610MHz	Pass	PK	5.467G	57.95	68.20	-10.25	3	Horizontal	9	1.46
5610MHz	Pass	PK	5.631G	111.31	Inf	-Inf	3	Horizontal	9	1.46
5610MHz	Pass	PK	5.781G	62.80	68.20	-5.40	3	Horizontal	9	1.46
5610MHz	Pass	AV	11.17344G	41.66	54.00	-12.34	3	Vertical	0	2.42
5610MHz	Pass	PK	11.23416G	53.08	74.00	-20.92	3	Vertical	0	2.42
5610MHz	Pass	PK	16.87008G	56.52	68.20	-11.68	3	Vertical	169	1.50
5610MHz	Pass	AV	11.17032G	41.68	54.00	-12.32	3	Horizontal	103	1.49
5610MHz	Pass	PK	11.1708G	53.65	74.00	-20.35	3	Horizontal	103	1.49
5610MHz	Pass	PK	16.84704G	56.08	68.20	-12.12	3	Horizontal	250	1.00
5775MHz	Pass	AV	11.51016G	42.19	54.00	-11.81	3	Vertical	272	2.23
5775MHz	Pass	PK	11.52776G	51.63	74.00	-22.37	3	Vertical	272	2.23
5775MHz	Pass	PK	17.27172G	56.48	68.20	-11.72	3	Vertical	22	2.56
5775MHz	Pass	AV	11.5008G	42.00	54.00	-12.00	3	Horizontal	140	1.50
5775MHz	Pass	PK	11.54448G	53.53	74.00	-20.47	3	Horizontal	140	1.50
5775MHz	Pass	PK	17.35548G	56.89	68.20	-11.31	3	Horizontal	0	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	46.71	54.00	-7.29	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2152G	83.84	Inf	-Inf	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.454G	44.78	54.00	-9.22	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	60.81	74.00	-13.19	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2116G	95.15	Inf	-Inf	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4264G	57.02	74.00	-16.98	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	56.89	68.20	-11.31	3	Vertical	93	2.52
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.14	54.00	-5.86	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2356G	87.91	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4276G	45.11	54.00	-8.89	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	63.73	74.00	-10.27	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.232G	98.62	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3916G	57.06	74.00	-16.94	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5464G	56.82	68.20	-11.38	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.79896G	43.22	54.00	-10.78	3	Vertical	342	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61568G	53.71	74.00	-20.29	3	Vertical	242	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.80088G	52.40	74.00	-21.60	3	Vertical	342	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63G	43.41	54.00	-10.59	3	Horizontal	360	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4544G	53.42	68.20	-14.78	3	Horizontal	190	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.63144G	55.65	74.00	-18.35	3	Horizontal	360	2.11
5570MHz	Pass	AV	5.4596G	48.49	54.00	-5.51	3	Vertical	350	1.24
5570MHz	Pass	AV	5.528G	85.92	Inf	-Inf	3	Vertical	350	1.24
5570MHz	Pass	PK	5.33G	56.17	68.20	-12.03	3	Vertical	350	1.24
5570MHz	Pass	PK	5.4332G	60.77	74.00	-13.23	3	Vertical	350	1.24
5570MHz	Pass	PK	5.4692G	62.49	68.20	-5.71	3	Vertical	350	1.24
5570MHz	Pass	PK	5.5328G	98.17	Inf	-Inf	3	Vertical	350	1.24
5570MHz	Pass	PK	5.81G	59.21	68.20	-8.99	3	Vertical	350	1.24
5570MHz	Pass	AV	5.4596G	52.30	54.00	-1.70	3	Horizontal	355	1.50
5570MHz	Pass	AV	5.5364G	89.23	Inf	-Inf	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.3492G	56.52	68.20	-11.68	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.4584G	65.35	74.00	-8.65	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.4656G	67.41	68.20	-0.79	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.5532G	100.82	Inf	-Inf	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.7476G	58.10	68.20	-10.10	3	Horizontal	355	1.50



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.06224G	42.07	54.00	-11.93	3	Vertical	359	3.00
5570MHz	Pass	PK	11.1976G	54.57	74.00	-19.43	3	Vertical	359	3.00
5570MHz	Pass	PK	16.75128G	56.16	68.20	-12.04	3	Vertical	144	1.99
5570MHz	Pass	AV	11.07184G	42.10	54.00	-11.90	3	Horizontal	340	1.50
5570MHz	Pass	PK	11.07184G	54.56	74.00	-19.44	3	Horizontal	340	1.50
5570MHz	Pass	PK	16.61832G	56.77	68.20	-11.43	3	Horizontal	218	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0484G	46.01	54.00	-7.99	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2284G	82.80	Inf	-Inf	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.46G	44.71	54.00	-9.29	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	59.48	74.00	-14.52	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.232G	94.59	Inf	-Inf	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.376G	56.42	74.00	-17.58	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5332G	56.82	68.20	-11.38	3	Vertical	110	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	46.35	54.00	-7.65	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2212G	86.83	Inf	-Inf	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4456G	44.83	54.00	-9.17	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	63.29	74.00	-10.71	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2068G	97.71	Inf	-Inf	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3952G	57.24	74.00	-16.76	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.526G	56.86	68.20	-11.34	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63G	43.40	54.00	-10.60	3	Vertical	273	2.37
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.39104G	53.45	68.20	-14.75	3	Vertical	229	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.64872G	55.42	74.00	-18.58	3	Vertical	273	2.37
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.80024G	43.32	54.00	-10.68	3	Horizontal	149	2.73
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4136G	53.67	68.20	-14.53	3	Horizontal	232	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.82712G	51.76	74.00	-22.24	3	Horizontal	149	2.73
5570MHz	Pass	AV	5.4488G	45.25	54.00	-8.75	3	Vertical	12	1.96
5570MHz	Pass	AV	5.5532G	89.38	Inf	-Inf	3	Vertical	12	1.96
5570MHz	Pass	PK	5.3444G	56.56	68.20	-11.64	3	Vertical	12	1.96
5570MHz	Pass	PK	5.414G	56.72	74.00	-17.28	3	Vertical	12	1.96
5570MHz	Pass	PK	5.462G	57.16	68.20	-11.04	3	Vertical	12	1.96
5570MHz	Pass	PK	5.5472G	100.41	Inf	-Inf	3	Vertical	12	1.96
5570MHz	Pass	PK	5.8256G	58.92	68.20	-9.28	3	Vertical	12	1.96
5570MHz	Pass	AV	5.4428G	45.65	54.00	-8.35	3	Horizontal	354	1.43
5570MHz	Pass	AV	5.552G	90.49	Inf	-Inf	3	Horizontal	354	1.43
5570MHz	Pass	PK	5.35G	56.41	74.00	-17.59	3	Horizontal	354	1.43
5570MHz	Pass	PK	5.4008G	57.40	74.00	-16.60	3	Horizontal	354	1.43
5570MHz	Pass	PK	5.4632G	56.81	68.20	-11.39	3	Horizontal	354	1.43
5570MHz	Pass	PK	5.5424G	101.89	Inf	-Inf	3	Horizontal	354	1.43
5570MHz	Pass	PK	5.7296G	58.78	68.20	-9.42	3	Horizontal	354	1.43
5570MHz	Pass	AV	11.06128G	42.08	54.00	-11.92	3	Vertical	112	1.50
5570MHz	Pass	PK	11.0896G	54.60	74.00	-19.40	3	Vertical	112	1.50
5570MHz	Pass	PK	16.70856G	56.08	68.20	-12.12	3	Vertical	257	1.50
5570MHz	Pass	AV	11.06224G	42.08	54.00	-11.92	3	Horizontal	142	1.50
5570MHz	Pass	PK	11.0728G	53.74	74.00	-20.26	3	Horizontal	142	1.50
5570MHz	Pass	PK	16.61352G	56.72	68.20	-11.48	3	Horizontal	136	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996#RU 67_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	47.24	54.00	-6.76	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.208G	86.00	Inf	-Inf	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4528G	44.90	54.00	-9.10	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	62.78	74.00	-11.22	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2212G	96.80	Inf	-Inf	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3604G	57.31	74.00	-16.69	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5368G	56.54	68.20	-11.66	3	Vertical	97	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.03	54.00	-4.97	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2032G	90.14	Inf	-Inf	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3952G	45.56	54.00	-8.44	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	66.34	74.00	-7.66	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.208G	101.53	Inf	-Inf	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	57.34	74.00	-16.66	3	Horizontal	3	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4888G	56.77	68.20	-11.43	3	Horizontal	3	2.39



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63096G	43.41	54.00	-10.59	3	Vertical	195	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.43184G	53.21	68.20	-14.99	3	Vertical	290	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.65544G	55.13	74.00	-18.87	3	Vertical	195	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63G	43.39	54.00	-10.61	3	Horizontal	250	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4856G	53.81	68.20	-14.39	3	Horizontal	96	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.63816G	54.93	74.00	-19.07	3	Horizontal	250	1.50
5570MHz	Pass	AV	5.4596G	48.52	54.00	-5.48	3	Vertical	353	1.87
5570MHz	Pass	AV	5.5472G	89.84	Inf	-Inf	3	Vertical	353	1.87
5570MHz	Pass	PK	5.3252G	56.66	68.20	-11.54	3	Vertical	353	1.87
5570MHz	Pass	PK	5.4584G	59.34	74.00	-14.66	3	Vertical	353	1.87
5570MHz	Pass	PK	5.4632G	61.53	68.20	-6.67	3	Vertical	353	1.87
5570MHz	Pass	PK	5.5352G	101.73	Inf	-Inf	3	Vertical	353	1.87
5570MHz	Pass	PK	5.8208G	59.04	68.20	-9.16	3	Vertical	353	1.87
5570MHz	Pass	AV	5.4596G	50.91	54.00	-3.09	3	Horizontal	356	2.99
5570MHz	Pass	AV	5.5508G	91.93	Inf	-Inf	3	Horizontal	356	2.99
5570MHz	Pass	PK	5.2712G	57.08	68.20	-11.12	3	Horizontal	356	2.99
5570MHz	Pass	PK	5.4584G	61.74	74.00	-12.26	3	Horizontal	356	2.99
5570MHz	Pass	PK	5.468G	64.76	68.20	-3.44	3	Horizontal	356	2.99
5570MHz	Pass	PK	5.54G	102.88	Inf	-Inf	3	Horizontal	356	2.99
5570MHz	Pass	PK	5.7632G	59.25	68.20	-8.95	3	Horizontal	356	2.99
5570MHz	Pass	AV	11.06944G	42.10	54.00	-11.90	3	Vertical	358	1.50
5570MHz	Pass	PK	11.02384G	54.28	74.00	-19.72	3	Vertical	358	1.50
5570MHz	Pass	PK	16.59576G	56.28	68.20	-11.92	3	Vertical	45	1.50
5570MHz	Pass	AV	11.06032G	42.07	54.00	-11.93	3	Horizontal	0	1.50
5570MHz	Pass	PK	11.07712G	53.77	74.00	-20.23	3	Horizontal	0	1.50
5570MHz	Pass	PK	16.6068G	56.53	68.20	-11.67	3	Horizontal	243	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0316G	46.02	54.00	-7.98	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2644G	80.53	Inf	-Inf	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4564G	44.81	54.00	-9.19	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0676G	57.18	74.00	-16.82	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2896G	91.03	Inf	-Inf	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.364G	55.64	74.00	-18.36	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5476G	56.39	68.20	-11.81	3	Vertical	92	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.04G	46.00	54.00	-8.00	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.268G	85.18	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	45.45	54.00	-8.55	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	56.64	74.00	-17.36	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2668G	95.96	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.37G	60.08	74.00	-13.92	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5356G	56.82	68.20	-11.38	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63048G	43.42	54.00	-10.58	3	Vertical	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53744G	55.02	68.20	-13.18	3	Vertical	92	2.74
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.65256G	55.19	74.00	-18.81	3	Vertical	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63096G	43.38	54.00	-10.62	3	Horizontal	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46736G	53.43	68.20	-14.77	3	Horizontal	21	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67128G	54.92	74.00	-19.08	3	Horizontal	360	1.20
5570MHz	Pass	AV	5.4596G	47.23	54.00	-6.77	3	Vertical	345	2.58
5570MHz	Pass	AV	5.5952G	91.09	Inf	-Inf	3	Vertical	345	2.58
5570MHz	Pass	PK	5.2724G	54.77	68.20	-13.43	3	Vertical	345	2.58
5570MHz	Pass	PK	5.4584G	59.21	74.00	-14.79	3	Vertical	345	2.58
5570MHz	Pass	PK	5.4668G	59.14	68.20	-9.06	3	Vertical	345	2.58
5570MHz	Pass	PK	5.5928G	102.79	Inf	-Inf	3	Vertical	345	2.58
5570MHz	Pass	PK	5.7344G	65.62	68.20	-2.58	3	Vertical	345	2.58
5570MHz	Pass	AV	5.4596G	49.92	54.00	-4.08	3	Horizontal	351	1.45
5570MHz	Pass	AV	5.6012G	94.26	Inf	-Inf	3	Horizontal	351	1.45
5570MHz	Pass	PK	5.3G	56.59	68.20	-11.61	3	Horizontal	351	1.45
5570MHz	Pass	PK	5.4548G	59.90	74.00	-14.10	3	Horizontal	351	1.45
5570MHz	Pass	PK	5.4668G	61.90	68.20	-6.30	3	Horizontal	351	1.45
5570MHz	Pass	PK	5.5844G	105.29	Inf	-Inf	3	Horizontal	351	1.45
5570MHz	Pass	PK	5.7296G	67.69	68.20	-0.51	3	Horizontal	351	1.45
5570MHz	Pass	AV	11.05888G	42.06	54.00	-11.94	3	Vertical	29	1.50



RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.02624G	53.97	74.00	-20.03	3	Vertical	29	1.50
5570MHz	Pass	PK	16.82856G	56.25	68.20	-11.95	3	Vertical	44.	1.50
5570MHz	Pass	AV	11.07472G	42.08	54.00	-11.92	3	Horizontal	54	1.00
5570MHz	Pass	PK	11.2216G	54.99	74.00	-19.01	3	Horizontal	54	1.00
5570MHz	Pass	PK	16.7652G	56.53	68.20	-11.67	3	Horizontal	320	2.18
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0616G	45.99	54.00	-8.01	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2788G	79.75	Inf	-Inf	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4468G	44.78	54.00	-9.22	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.058G	56.12	74.00	-17.88	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2944G	91.63	Inf	-Inf	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	56.41	74.00	-17.59	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4816G	56.68	68.20	-11.52	3	Vertical	4	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0472G	46.05	54.00	-7.95	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2644G	83.86	Inf	-Inf	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4468G	44.86	54.00	-9.14	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1288G	56.58	74.00	-17.42	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.268G	93.70	Inf	-Inf	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	57.51	74.00	-16.49	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5164G	55.27	68.20	-12.93	3	Horizontal	355	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63096G	43.40	54.00	-10.60	3	Vertical	317	2.35
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.42848G	53.63	68.20	-14.57	3	Vertical	36	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.71976G	54.85	74.00	-19.15	3	Vertical	317	2.35
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63G	43.38	54.00	-10.62	3	Horizontal	139	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.42416G	53.57	68.20	-14.63	3	Horizontal	11	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.63432G	54.91	74.00	-19.09	3	Horizontal	139	1.50
5570MHz	Pass	AV	5.4572G	46.29	54.00	-7.71	3	Vertical	12	1.32
5570MHz	Pass	AV	5.6036G	92.58	Inf	-Inf	3	Vertical	12	1.32
5570MHz	Pass	PK	5.3036G	55.66	68.20	-12.54	3	Vertical	12	1.32
5570MHz	Pass	PK	5.456G	56.18	74.00	-17.82	3	Vertical	12	1.32
5570MHz	Pass	PK	5.4692G	57.04	68.20	-11.16	3	Vertical	12	1.32
5570MHz	Pass	PK	5.6228G	103.34	Inf	-Inf	3	Vertical	12	1.32
5570MHz	Pass	PK	5.7464G	61.35	68.20	-6.85	3	Vertical	12	1.32
5570MHz	Pass	AV	5.4596G	47.00	54.00	-7.00	3	Horizontal	3	1.37
5570MHz	Pass	AV	5.6012G	93.97	Inf	-Inf	3	Horizontal	3	1.37
5570MHz	Pass	PK	5.3204G	55.70	68.20	-12.50	3	Horizontal	3	1.37
5570MHz	Pass	PK	5.4584G	57.24	74.00	-16.76	3	Horizontal	3	1.37
5570MHz	Pass	PK	5.4692G	57.98	68.20	-10.22	3	Horizontal	3	1.37
5570MHz	Pass	PK	5.63G	105.48	Inf	-Inf	3	Horizontal	3	1.37
5570MHz	Pass	PK	5.738G	64.23	68.20	-3.97	3	Horizontal	3	1.37
5570MHz	Pass	AV	11.06224G	42.07	54.00	-11.93	3	Vertical	57	1.26
5570MHz	Pass	PK	11.03968G	54.34	74.00	-19.66	3	Vertical	57	1.26
5570MHz	Pass	PK	16.66056G	57.01	68.20	-11.19	3	Vertical	73	1.50
5570MHz	Pass	AV	11.06864G	42.08	54.00	-11.92	3	Horizontal	215	1.49
5570MHz	Pass	PK	11.07184G	52.54	74.00	-21.46	3	Horizontal	215	1.49
5570MHz	Pass	PK	16.63608G	56.17	68.20	-12.03	3	Horizontal	141	1.50
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.058G	46.03	54.00	-7.97	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2644G	81.42	Inf	-Inf	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.454G	44.84	54.00	-9.16	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1324G	56.56	74.00	-17.44	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2884G	91.33	Inf	-Inf	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4516G	55.00	74.00	-19.00	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5488G	56.05	68.20	-12.15	3	Vertical	93	2.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0424G	46.02	54.00	-7.98	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2656G	86.05	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	45.64	54.00	-8.36	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0124G	57.80	74.00	-16.20	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	97.11	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3664G	61.64	74.00	-12.36	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4756G	56.50	68.20	-11.70	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63096G	43.43	54.00	-10.57	3	Vertical	72	1.50




RSE TX above 1GHz\_Partial RU\_5150-5850(MHz)

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45536G	53.20	68.20	-15.00	3	Vertical	130	2.29
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.68856G	54.81	74.00	-19.19	3	Vertical	72	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.63G	43.42	54.00	-10.58	3	Horizontal	258	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.42176G	54.11	68.20	-14.09	3	Horizontal	224	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67224G	55.16	74.00	-18.84	3	Horizontal	258	1.50
5570MHz	Pass	AV	5.4596G	48.21	54.00	-5.79	3	Vertical	4	2.60
5570MHz	Pass	AV	5.6024G	95.13	Inf	-Inf	3	Vertical	4	2.60
5570MHz	Pass	PK	5.2976G	56.31	68.20	-11.89	3	Vertical	4	2.60
5570MHz	Pass	PK	5.4596G	58.96	74.00	-15.04	3	Vertical	4	2.60
5570MHz	Pass	PK	5.4656G	58.31	68.20	-9.89	3	Vertical	4	2.60
5570MHz	Pass	PK	5.6156G	105.68	Inf	-Inf	3	Vertical	4	2.60
5570MHz	Pass	PK	5.7368G	67.22	68.20	-0.98	3	Vertical	4	2.60
5570MHz	Pass	AV	5.4596G	51.62	54.00	-2.38	3	Horizontal	352	1.50
5570MHz	Pass	AV	5.5928G	96.94	Inf	-Inf	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.2988G	56.33	68.20	-11.87	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.4572G	62.45	74.00	-11.55	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.4656G	62.96	68.20	-5.24	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.6G	107.34	Inf	-Inf	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.7296G	67.37	68.20	-0.83	3	Horizontal	352	1.50
5570MHz	Pass	AV	11.0608G	42.02	54.00	-11.98	3	Vertical	359	1.50
5570MHz	Pass	PK	11.0416G	54.39	74.00	-19.61	3	Vertical	359	1.50
5570MHz	Pass	PK	16.80072G	56.87	68.20	-11.33	3	Vertical	214	1.50
5570MHz	Pass	AV	11.0608G	42.08	54.00	-11.92	3	Horizontal	279	1.68
5570MHz	Pass	PK	11.08672G	54.60	74.00	-19.40	3	Horizontal	279	1.68
5570MHz	Pass	PK	16.82424G	56.33	68.20	-11.87	3	Horizontal	2	2.77

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	47.15	54.00	-6.85	4.24	3	Vertical	87	2.54	42.91	33.00	5.86	34.62
AV	5.1716G	98.41	Inf	-Inf	4.30	3	Vertical	87	2.54	94.11	33.04	5.87	34.61
PK	5.1358G	57.20	74.00	-16.80	4.23	3	Vertical	87	2.54	52.97	33.00	5.85	34.62
PK	5.172G	105.25	Inf	-Inf	4.30	3	Vertical	87	2.54	100.95	33.04	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	47.14	54.00	-6.86	4.23	3	Horizontal	14	2.48	42.91	33.00	5.85	34.62
AV	5.1716G	103.84	Inf	-Inf	4.30	3	Horizontal	14	2.48	99.54	33.04	5.87	34.61
PK	5.1486G	57.97	74.00	-16.03	4.24	3	Horizontal	14	2.48	53.73	33.00	5.86	34.62
PK	5.1722G	110.56	Inf	-Inf	4.30	3	Horizontal	14	2.48	106.26	33.04	5.87	34.61



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	43.90	54.00	-10.10	13.27	3	Vertical	325	1.50	30.63	38.39	9.80	34.92
PK	10.35412G	53.80	68.20	-14.40	12.11	3	Vertical	5	1.45	41.69	38.96	8.02	34.87
PK	15.55332G	54.83	74.00	-19.17	13.27	3	Vertical	325	1.50	41.56	38.39	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	43.93	54.00	-10.07	13.27	3	Horizontal	46	2.67	30.66	38.39	9.80	34.92
PK	10.34566G	54.62	68.20	-13.58	12.08	3	Horizontal	244	1.50	42.54	38.94	8.02	34.88
PK	15.54738G	54.31	74.00	-19.69	13.29	3	Horizontal	46	2.67	41.02	38.41	9.80	34.92

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	45.93	54.00	-8.07	4.34	3	Vertical	346	1.50	41.59	32.90	6.01	34.57
AV	5.492G	100.56	Inf	-Inf	4.28	3	Vertical	346	1.50	96.28	32.82	6.02	34.56
PK	5.4544G	56.75	74.00	-17.25	4.33	3	Vertical	346	1.50	52.42	32.89	6.01	34.57
PK	5.4622G	55.98	68.20	-12.22	4.32	3	Vertical	346	1.50	51.66	32.88	6.01	34.57
PK	5.4918G	107.47	Inf	-Inf	4.28	3	Vertical	346	1.50	103.19	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4566G	46.29	54.00	-7.71	4.33	3	Horizontal	9	2.32	41.96	32.89	6.01	34.57
AV	5.4916G	103.44	Inf	-Inf	4.28	3	Horizontal	9	2.32	99.16	32.82	6.02	34.56
PK	5.4522G	56.67	74.00	-17.33	4.34	3	Horizontal	9	2.32	52.33	32.90	6.01	34.57
PK	5.4642G	57.71	68.20	-10.49	4.31	3	Horizontal	9	2.32	53.40	32.87	6.01	34.57
PK	5.4918G	110.01	Inf	-Inf	4.28	3	Horizontal	9	2.32	105.73	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00318G	42.12	54.00	-11.88	12.61	3	Vertical	154	1.50	29.51	38.90	8.29	34.58
PK	11.0027G	54.97	74.00	-19.03	12.61	3	Vertical	154	1.50	42.36	38.90	8.29	34.58
PK	16.50486G	56.86	68.20	-11.34	13.70	3	Vertical	141	1.50	43.16	38.39	10.06	34.75

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00384G	42.13	54.00	-11.87	12.61	3	Horizontal	359	1.50	29.52	38.90	8.29	34.58
PK	11.01362G	54.55	74.00	-19.45	12.61	3	Horizontal	359	1.50	41.94	38.89	8.30	34.58
PK	16.49526G	56.33	68.20	-11.87	13.68	3	Horizontal	359	2.46	42.65	38.38	10.06	34.76

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	46.14	54.00	-7.86	4.32	3	Vertical	360	1.19	41.82	32.88	6.01	34.57
AV	5.7366G	107.33	Inf	-Inf	5.24	3	Vertical	360	1.19	102.09	33.62	6.16	34.54
PK	5.6082G	57.15	68.20	-11.05	4.44	3	Vertical	360	1.19	52.71	32.92	6.07	34.55
PK	5.7366G	113.78	Inf	-Inf	5.24	3	Vertical	360	1.19	108.54	33.62	6.16	34.54
PK	5.9286G	59.00	68.20	-9.20	5.93	3	Vertical	360	1.19	53.07	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	46.09	54.00	-7.91	4.34	3	Horizontal	14	1.44	41.75	32.90	6.01	34.57
AV	5.7366G	109.82	Inf	-Inf	5.24	3	Horizontal	14	1.44	104.58	33.62	6.16	34.54
PK	5.5374G	57.01	68.20	-11.19	4.28	3	Horizontal	14	1.44	52.73	32.80	6.04	34.56
PK	5.7366G	116.67	Inf	-Inf	5.24	3	Horizontal	14	1.44	111.43	33.62	6.16	34.54
PK	5.9286G	58.90	68.20	-9.30	5.93	3	Horizontal	14	1.44	52.97	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4918G	42.06	54.00	-11.94	12.94	3	Vertical	50	1.70	29.12	39.01	8.50	34.57
PK	11.48118G	54.19	74.00	-19.81	12.94	3	Vertical	50	1.70	41.25	39.02	8.49	34.57
PK	17.2485G	57.01	68.20	-11.19	14.16	3	Vertical	136	1.08	42.85	38.20	10.23	34.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4948G	42.08	54.00	-11.92	12.94	3	Horizontal	201	1.32	29.14	39.01	8.50	34.57
PK	11.50248G	54.56	74.00	-19.44	12.92	3	Horizontal	201	1.32	41.64	38.99	8.50	34.57
PK	17.22792G	57.01	68.20	-11.19	14.17	3	Horizontal	306	2.98	42.84	38.20	10.23	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	47.03	54.00	-6.97	4.23	3	Vertical	266	3.00	42.80	33.00	5.85	34.62
AV	5.1718G	99.82	Inf	-Inf	4.30	3	Vertical	266	3.00	95.52	33.04	5.87	34.61
PK	5.1396G	57.02	74.00	-16.98	4.23	3	Vertical	266	3.00	52.79	33.00	5.85	34.62
PK	5.1718G	106.62	Inf	-Inf	4.30	3	Vertical	266	3.00	102.32	33.04	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	47.02	54.00	-6.98	4.23	3	Horizontal	356	2.48	42.79	33.00	5.85	34.62
AV	5.1716G	103.98	Inf	-Inf	4.30	3	Horizontal	356	2.48	99.68	33.04	5.87	34.61
PK	5.1342G	57.52	74.00	-16.48	4.23	3	Horizontal	356	2.48	53.29	33.00	5.85	34.62
PK	5.1718G	110.97	Inf	-Inf	4.30	3	Horizontal	356	2.48	106.67	33.04	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.87	54.00	-11.13	13.27	3	Vertical	201	2.16	29.60	38.39	9.80	34.92
PK	10.3681G	53.89	68.20	-14.31	12.17	3	Vertical	324	3.00	41.72	39.00	8.02	34.85
PK	15.53238G	55.53	74.00	-18.47	13.33	3	Vertical	201	2.16	42.20	38.44	9.79	34.90

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.93	54.00	-11.07	13.27	3	Horizontal	19	2.97	29.66	38.39	9.80	34.92
PK	10.3555G	53.49	68.20	-14.71	12.12	3	Horizontal	205	2.04	41.37	38.97	8.02	34.87
PK	15.5268G	55.08	74.00	-18.92	13.34	3	Horizontal	19	2.97	41.74	38.45	9.79	34.90



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	46.00	54.00	-8.00	4.33	3	Vertical	15	1.44	41.67	32.89	6.01	34.57
AV	5.4916G	101.93	Inf	-Inf	4.28	3	Vertical	15	1.44	97.65	32.82	6.02	34.56
PK	5.451G	56.78	74.00	-17.22	4.34	3	Vertical	15	1.44	52.44	32.90	6.01	34.57
PK	5.4686G	56.23	68.20	-11.97	4.30	3	Vertical	15	1.44	51.93	32.86	6.01	34.57
PK	5.4918G	108.79	Inf	-Inf	4.28	3	Vertical	15	1.44	104.51	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	46.11	54.00	-7.89	4.34	3	Horizontal	12	1.57	41.77	32.90	6.01	34.57
AV	5.4916G	103.02	Inf	-Inf	4.28	3	Horizontal	12	1.57	98.74	32.82	6.02	34.56
PK	5.4592G	56.46	74.00	-17.54	4.32	3	Horizontal	12	1.57	52.14	32.88	6.01	34.57
PK	5.4638G	56.29	68.20	-11.91	4.31	3	Horizontal	12	1.57	51.98	32.87	6.01	34.57
PK	5.4922G	109.85	Inf	-Inf	4.28	3	Horizontal	12	1.57	105.57	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01368G	42.12	54.00	-11.88	12.61	3	Vertical	180	1.76	29.51	38.89	8.30	34.58
PK	10.98596G	55.00	74.00	-19.00	12.61	3	Vertical	180	1.76	42.39	38.91	8.28	34.58
PK	16.48524G	57.07	68.20	-11.13	13.61	3	Vertical	36	1.66	43.46	38.33	10.05	34.77

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00006G	42.13	54.00	-11.87	12.61	3	Horizontal	106	1.19	29.52	38.90	8.29	34.58
PK	11.00174G	54.96	74.00	-19.04	12.61	3	Horizontal	106	1.19	42.35	38.90	8.29	34.58
PK	16.48998G	56.62	68.20	-11.58	13.64	3	Horizontal	307	1.35	42.98	38.35	10.06	34.77

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	45.99	54.00	-8.01	4.34	3	Vertical	15	1.31	41.65	32.90	6.01	34.57
AV	5.7366G	109.46	Inf	-Inf	5.24	3	Vertical	15	1.31	104.22	33.62	6.16	34.54
PK	5.5698G	57.61	68.20	-10.59	4.34	3	Vertical	15	1.31	53.27	32.84	6.05	34.55
PK	5.7366G	116.19	Inf	-Inf	5.24	3	Vertical	15	1.31	110.95	33.62	6.16	34.54
PK	6.0186G	58.40	68.20	-9.80	5.88	3	Vertical	15	1.31	52.52	34.10	6.30	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.33	54.00	-7.67	4.32	3	Horizontal	293	1.48	42.01	32.88	6.01	34.57
AV	5.7366G	108.62	Inf	-Inf	5.24	3	Horizontal	293	1.48	103.38	33.62	6.16	34.54
PK	5.5518G	57.62	68.20	-10.58	4.28	3	Horizontal	293	1.48	53.34	32.80	6.04	34.56
PK	5.7366G	115.08	Inf	-Inf	5.24	3	Horizontal	293	1.48	109.84	33.62	6.16	34.54
PK	6.0294G	58.81	68.20	-9.39	5.89	3	Horizontal	293	1.48	52.92	34.10	6.31	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50374G	42.07	54.00	-11.93	12.91	3	Vertical	22	1.50	29.16	38.98	8.50	34.57
PK	11.48586G	54.72	74.00	-19.28	12.93	3	Vertical	22	1.50	41.79	39.01	8.49	34.57
PK	17.23452G	56.42	68.20	-11.78	14.17	3	Vertical	156	1.50	42.25	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4942G	42.07	54.00	-11.93	12.94	3	Horizontal	109	1.50	29.13	39.01	8.50	34.57
PK	11.49396G	54.43	74.00	-19.57	12.94	3	Horizontal	109	1.50	41.49	39.01	8.50	34.57
PK	17.24952G	56.62	68.20	-11.58	14.16	3	Horizontal	346	1.74	42.46	38.20	10.23	34.27

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	47.22	54.00	-6.78	4.23	3	Vertical	100	2.98	42.99	33.00	5.85	34.62
AV	5.172G	99.89	Inf	-Inf	4.30	3	Vertical	100	2.98	95.59	33.04	5.87	34.61
PK	5.133G	57.88	74.00	-16.12	4.23	3	Vertical	100	2.98	53.65	33.00	5.85	34.62
PK	5.1714G	107.80	Inf	-Inf	4.30	3	Vertical	100	2.98	103.50	33.04	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	47.35	54.00	-6.65	4.23	3	Horizontal	359	2.56	43.12	33.00	5.85	34.62
AV	5.172G	104.82	Inf	-Inf	4.30	3	Horizontal	359	2.56	100.52	33.04	5.87	34.61
PK	5.1478G	60.02	74.00	-13.98	4.24	3	Horizontal	359	2.56	55.78	33.00	5.86	34.62
PK	5.172G	113.14	Inf	-Inf	4.30	3	Horizontal	359	2.56	108.84	33.04	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.94	54.00	-11.06	13.27	3	Vertical	283	3.00	29.67	38.39	9.80	34.92
PK	10.37338G	54.05	68.20	-14.15	12.20	3	Vertical	1	3.00	41.85	39.02	8.03	34.85
PK	15.54192G	54.45	74.00	-19.55	13.31	3	Vertical	283	3.00	41.14	38.42	9.80	34.91

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.96	54.00	-11.04	13.27	3	Horizontal	220	1.50	29.69	38.39	9.80	34.92
PK	10.37296G	54.20	68.20	-14.00	12.20	3	Horizontal	78	1.50	42.00	39.02	8.03	34.85
PK	15.55374G	54.70	74.00	-19.30	13.27	3	Horizontal	220	1.50	41.43	38.39	9.80	34.92

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4502G	46.13	54.00	-7.87	4.34	3	Vertical	1	1.41	41.79	32.90	6.01	34.57
AV	5.4922G	100.01	Inf	-Inf	4.28	3	Vertical	1	1.41	95.73	32.82	6.02	34.56
PK	5.451G	56.28	74.00	-17.72	4.34	3	Vertical	1	1.41	51.94	32.90	6.01	34.57
PK	5.4696G	56.29	68.20	-11.91	4.31	3	Vertical	1	1.41	51.98	32.86	6.01	34.56
PK	5.4922G	108.15	Inf	-Inf	4.28	3	Vertical	1	1.41	103.87	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.38	54.00	-7.62	4.32	3	Horizontal	13	1.50	42.06	32.88	6.01	34.57
AV	5.4916G	102.39	Inf	-Inf	4.28	3	Horizontal	13	1.50	98.11	32.82	6.02	34.56
PK	5.4534G	57.04	74.00	-16.96	4.33	3	Horizontal	13	1.50	52.71	32.89	6.01	34.57
PK	5.4654G	58.80	68.20	-9.40	4.31	3	Horizontal	13	1.50	54.49	32.87	6.01	34.57
PK	5.4916G	110.73	Inf	-Inf	4.28	3	Horizontal	13	1.50	106.45	32.82	6.02	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99094G	42.11	54.00	-11.89	12.62	3	Vertical	4	1.50	29.49	38.91	8.29	34.58
PK	10.98584G	54.28	74.00	-19.72	12.61	3	Vertical	4	1.50	41.67	38.91	8.28	34.58
PK	16.50294G	56.57	68.20	-11.63	13.69	3	Vertical	254	2.94	42.88	38.39	10.06	34.76

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01452G	42.14	54.00	-11.86	12.61	3	Horizontal	44	2.75	29.53	38.89	8.30	34.58
PK	10.99994G	54.72	74.00	-19.28	12.61	3	Horizontal	44	2.75	42.11	38.90	8.29	34.58
PK	16.48764G	56.73	68.20	-11.47	13.62	3	Horizontal	67	1.32	43.11	38.34	10.05	34.77

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	46.11	54.00	-7.89	4.34	3	Vertical	3	1.25	41.77	32.90	6.01	34.57
AV	5.7366G	111.23	Inf	-Inf	5.24	3	Vertical	3	1.25	105.99	33.62	6.16	34.54
PK	5.6058G	57.09	68.20	-11.11	4.42	3	Vertical	3	1.25	52.67	32.91	6.06	34.55
PK	5.7366G	119.24	Inf	-Inf	5.24	3	Vertical	3	1.25	114.00	33.62	6.16	34.54
PK	5.9274G	59.66	68.20	-8.54	5.93	3	Vertical	3	1.25	53.73	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	46.07	54.00	-7.93	4.35	3	Horizontal	13	1.43	41.72	32.91	6.01	34.57
AV	5.7366G	112.69	Inf	-Inf	5.24	3	Horizontal	13	1.43	107.45	33.62	6.16	34.54
PK	5.6274G	57.93	68.20	-10.27	4.48	3	Horizontal	13	1.43	53.45	32.95	6.08	34.55
PK	5.7366G	120.31	Inf	-Inf	5.24	3	Horizontal	13	1.43	115.07	33.62	6.16	34.54
PK	5.9322G	59.25	68.20	-8.95	5.94	3	Horizontal	13	1.43	53.31	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49264G	42.08	54.00	-11.92	12.94	3	Vertical	254	2.22	29.14	39.01	8.50	34.57
PK	11.48544G	54.57	74.00	-19.43	12.93	3	Vertical	254	2.22	41.64	39.01	8.49	34.57
PK	17.22432G	56.32	68.20	-11.88	14.18	3	Vertical	223	1.50	42.14	38.20	10.23	34.25

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5023G	42.07	54.00	-11.93	12.92	3	Horizontal	60	1.50	29.15	38.99	8.50	34.57
PK	11.4888G	54.52	74.00	-19.48	12.94	3	Horizontal	60	1.50	41.58	39.01	8.50	34.57
PK	17.2212G	56.57	68.20	-11.63	14.18	3	Horizontal	130	1.50	42.39	38.20	10.23	34.25

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	98.72	Inf	-Inf	4.30	3	Vertical	347	2.34	94.42	32.94	5.95	34.59
AV	5.3678G	46.13	54.00	-7.87	4.33	3	Vertical	347	2.34	41.80	32.94	5.97	34.58
PK	5.3278G	105.58	Inf	-Inf	4.30	3	Vertical	347	2.34	101.28	32.94	5.95	34.59
PK	5.3522G	57.56	74.00	-16.44	4.28	3	Vertical	347	2.34	53.28	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	105.41	Inf	-Inf	4.30	3	Horizontal	8	1.60	101.11	32.94	5.95	34.59
AV	5.3544G	46.45	54.00	-7.55	4.29	3	Horizontal	8	1.60	42.16	32.91	5.96	34.58
PK	5.3278G	112.24	Inf	-Inf	4.30	3	Horizontal	8	1.60	107.94	32.94	5.95	34.59
PK	5.352G	61.83	74.00	-12.17	4.28	3	Horizontal	8	1.60	57.55	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62542G	41.58	54.00	-12.42	12.58	3	Vertical	44	1.50	29.00	39.13	8.13	34.68
AV	15.96888G	42.32	54.00	-11.68	12.26	3	Vertical	0	1.50	30.06	37.56	9.93	35.23
PK	10.6307G	54.63	74.00	-19.37	12.58	3	Vertical	44	1.50	42.05	39.13	8.13	34.68
PK	15.97266G	54.36	74.00	-19.64	12.25	3	Vertical	0	1.50	42.11	37.55	9.93	35.23

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62566G	41.58	54.00	-12.42	12.58	3	Horizontal	62	1.50	29.00	39.13	8.13	34.68
AV	15.96744G	42.29	54.00	-11.71	12.27	3	Horizontal	63	1.50	30.02	37.57	9.93	35.23
PK	10.64486G	54.22	74.00	-19.78	12.60	3	Horizontal	62	1.50	41.62	39.14	8.14	34.68
PK	15.97212G	54.56	74.00	-19.44	12.26	3	Horizontal	63	1.50	42.30	37.56	9.93	35.23

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	100.44	Inf	-Inf	5.05	3	Vertical	348	1.36	95.39	33.45	6.14	34.54
PK	5.708G	109.63	Inf	-Inf	5.05	3	Vertical	348	1.36	104.58	33.45	6.14	34.54
PK	5.7788G	59.81	68.20	-8.39	5.47	3	Vertical	348	1.36	54.34	33.82	6.19	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	103.54	Inf	-Inf	5.05	3	Horizontal	8	3.00	98.49	33.45	6.14	34.54
PK	5.7084G	113.41	Inf	-Inf	5.05	3	Horizontal	8	3.00	108.36	33.45	6.14	34.54
PK	5.7284G	60.71	68.20	-7.49	5.18	3	Horizontal	8	3.00	55.53	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40882G	41.90	54.00	-12.10	12.98	3	Vertical	163	1.86	28.92	39.09	8.46	34.57
PK	11.39844G	55.11	74.00	-18.89	12.99	3	Vertical	163	1.86	42.12	39.10	8.46	34.57
PK	17.11386G	56.70	68.20	-11.50	13.87	3	Vertical	48	1.50	42.83	37.86	10.20	34.19

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4129G	41.92	54.00	-12.08	12.98	3	Horizontal	260	2.99	28.94	39.09	8.46	34.57
PK	11.4129G	54.69	74.00	-19.31	12.98	3	Horizontal	260	2.99	41.71	39.09	8.46	34.57
PK	17.09178G	56.56	68.20	-11.64	13.81	3	Horizontal	66	1.50	42.75	37.79	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	108.64	Inf	-Inf	5.66	3	Vertical	360	1.25	102.98	33.97	6.22	34.53
PK	5.6258G	57.20	68.20	-11.00	4.48	3	Vertical	360	1.25	52.72	32.95	6.08	34.55
PK	5.8334G	114.98	Inf	-Inf	5.66	3	Vertical	360	1.25	109.32	33.97	6.22	34.53
PK	6.071G	58.98	68.20	-9.22	5.90	3	Vertical	360	1.25	53.08	34.10	6.31	34.51

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	110.04	Inf	-Inf	5.66	3	Horizontal	5	1.50	104.38	33.97	6.22	34.53
PK	5.5682G	57.20	68.20	-11.00	4.34	3	Horizontal	5	1.50	52.86	32.84	6.05	34.55
PK	5.8322G	116.36	Inf	-Inf	5.65	3	Horizontal	5	1.50	110.71	33.96	6.22	34.53
PK	5.9258G	59.15	68.20	-9.05	5.93	3	Horizontal	5	1.50	53.22	34.20	6.26	34.53



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66398G	41.86	54.00	-12.14	12.45	3	Vertical	247	1.50	29.41	38.50	8.57	34.62
PK	11.6557G	54.78	74.00	-19.22	12.45	3	Vertical	247	1.50	42.33	38.50	8.57	34.62
PK	17.48376G	57.10	68.20	-11.10	14.38	3	Vertical	0	1.50	42.72	38.50	10.29	34.41

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6638G	41.84	54.00	-12.16	12.45	3	Horizontal	254	1.50	29.39	38.50	8.57	34.62
PK	11.63992G	54.87	74.00	-19.13	12.45	3	Horizontal	254	1.50	42.42	38.50	8.56	34.61
PK	17.47458G	57.18	68.20	-11.02	14.39	3	Horizontal	5	1.50	42.79	38.50	10.29	34.40

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3284G	100.17	Inf	-Inf	4.30	3	Vertical	18	1.49	95.87	32.94	5.95	34.59
AV	5.3532G	45.87	54.00	-8.13	4.29	3	Vertical	18	1.49	41.58	32.91	5.96	34.58
PK	5.3276G	107.25	Inf	-Inf	4.30	3	Vertical	18	1.49	102.95	32.94	5.95	34.59
PK	5.363G	56.89	74.00	-17.11	4.32	3	Vertical	18	1.49	52.57	32.93	5.97	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	102.78	Inf	-Inf	4.30	3	Horizontal	9	2.38	98.48	32.94	5.95	34.59
AV	5.351G	45.95	54.00	-8.05	4.28	3	Horizontal	9	2.38	41.67	32.90	5.96	34.58
PK	5.3278G	109.28	Inf	-Inf	4.30	3	Horizontal	9	2.38	104.98	32.94	5.95	34.59
PK	5.3504G	58.30	74.00	-15.70	4.28	3	Horizontal	9	2.38	54.02	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64252G	41.61	54.00	-12.39	12.60	3	Vertical	226	1.50	29.01	39.14	8.14	34.68
AV	15.95988G	42.30	54.00	-11.70	12.29	3	Vertical	61	1.46	30.01	37.58	9.93	35.22
PK	10.65128G	54.02	74.00	-19.98	12.61	3	Vertical	226	1.50	41.41	39.15	8.14	34.68
PK	15.97434G	54.38	74.00	-19.62	12.25	3	Vertical	61	1.46	42.13	37.55	9.93	35.23

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62914G	41.62	54.00	-12.38	12.58	3	Horizontal	218	1.50	29.04	39.13	8.13	34.68
AV	15.95868G	42.30	54.00	-11.70	12.29	3	Horizontal	233	2.16	30.01	37.58	9.93	35.22
PK	10.65344G	54.59	74.00	-19.41	12.61	3	Horizontal	218	1.50	41.98	39.15	8.14	34.68
PK	15.96174G	54.75	74.00	-19.25	12.29	3	Horizontal	233	2.16	42.46	37.58	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	100.81	Inf	-Inf	5.05	3	Vertical	17	1.43	95.76	33.45	6.14	34.54
PK	5.7088G	110.83	Inf	-Inf	5.05	3	Vertical	17	1.43	105.78	33.45	6.14	34.54
PK	5.7868G	58.02	68.20	-10.18	5.50	3	Vertical	17	1.43	52.52	33.85	6.19	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	100.88	Inf	-Inf	5.05	3	Horizontal	10	1.49	95.83	33.45	6.14	34.54
PK	5.7088G	111.82	Inf	-Inf	5.05	3	Horizontal	10	1.49	106.77	33.45	6.14	34.54
PK	5.7272G	59.73	68.20	-8.47	5.17	3	Horizontal	10	1.49	54.56	33.56	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41476G	41.91	54.00	-12.09	12.98	3	Vertical	231	2.65	28.93	39.09	8.46	34.57
PK	11.40708G	54.73	74.00	-19.27	12.98	3	Vertical	231	2.65	41.75	39.09	8.46	34.57
PK	17.09928G	56.77	68.20	-11.43	13.82	3	Vertical	325	1.50	42.95	37.80	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41182G	41.92	54.00	-12.08	12.98	3	Horizontal	307	1.42	28.94	39.09	8.46	34.57
PK	11.40672G	54.44	74.00	-19.56	12.98	3	Horizontal	307	1.42	41.46	39.09	8.46	34.57
PK	17.08536G	57.30	68.20	-10.90	13.82	3	Horizontal	340	1.20	43.48	37.79	10.20	34.17

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	109.52	Inf	-Inf	5.66	3	Vertical	17	1.31	103.86	33.97	6.22	34.53
PK	5.5802G	57.65	68.20	-10.55	4.36	3	Vertical	17	1.31	53.29	32.86	6.05	34.55
PK	5.8322G	116.63	Inf	-Inf	5.65	3	Vertical	17	1.31	110.98	33.96	6.22	34.53
PK	5.975G	59.11	68.20	-9.09	5.92	3	Vertical	17	1.31	53.19	34.15	6.29	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	108.75	Inf	-Inf	5.66	3	Horizontal	12	1.50	103.09	33.97	6.22	34.53
PK	5.6186G	57.26	68.20	-10.94	4.46	3	Horizontal	12	1.50	52.80	32.94	6.07	34.55
PK	5.8334G	115.67	Inf	-Inf	5.66	3	Horizontal	12	1.50	110.01	33.97	6.22	34.53
PK	6.0122G	58.88	68.20	-9.32	5.88	3	Horizontal	12	1.50	53.00	34.10	6.30	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.665G	41.88	54.00	-12.12	12.45	3	Vertical	8	1.43	29.43	38.50	8.57	34.62
PK	11.65078G	54.01	74.00	-19.99	12.44	3	Vertical	8	1.43	41.57	38.50	8.56	34.62
PK	17.47116G	57.15	68.20	-11.05	14.39	3	Vertical	5	1.50	42.76	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66224G	41.86	54.00	-12.14	12.45	3	Horizontal	199	2.42	29.41	38.50	8.57	34.62
PK	11.64994G	54.24	74.00	-19.76	12.44	3	Horizontal	199	2.42	41.80	38.50	8.56	34.62
PK	17.47314G	58.18	68.20	-10.02	14.39	3	Horizontal	215	1.50	43.79	38.50	10.29	34.40

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	99.68	Inf	-Inf	4.30	3	Vertical	0	1.43	95.38	32.94	5.95	34.59
AV	5.3504G	46.05	54.00	-7.95	4.28	3	Vertical	0	1.43	41.77	32.90	5.96	34.58
PK	5.3278G	107.99	Inf	-Inf	4.30	3	Vertical	0	1.43	103.69	32.94	5.95	34.59
PK	5.3502G	57.82	74.00	-16.18	4.28	3	Vertical	0	1.43	53.54	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	103.56	Inf	-Inf	4.30	3	Horizontal	3	1.64	99.26	32.94	5.95	34.59
AV	5.3664G	46.23	54.00	-7.77	4.32	3	Horizontal	3	1.64	41.91	32.93	5.97	34.58
PK	5.3284G	111.96	Inf	-Inf	4.30	3	Horizontal	3	1.64	107.66	32.94	5.95	34.59
PK	5.3522G	58.88	74.00	-15.12	4.28	3	Horizontal	3	1.64	54.60	32.90	5.96	34.58



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62554G	41.62	54.00	-12.38	12.58	3	Vertical	74	1.50	29.04	39.13	8.13	34.68
AV	15.95838G	42.31	54.00	-11.69	12.29	3	Vertical	251	1.50	30.02	37.58	9.93	35.22
PK	10.63526G	53.79	74.00	-20.21	12.60	3	Vertical	74	1.50	41.19	39.14	8.14	34.68
PK	15.95886G	54.75	74.00	-19.25	12.29	3	Vertical	251	1.50	42.46	37.58	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6286G	41.62	54.00	-12.38	12.58	3	Horizontal	243	1.00	29.04	39.13	8.13	34.68
AV	15.95694G	42.29	54.00	-11.71	12.30	3	Horizontal	146	1.50	29.99	37.59	9.93	35.22
PK	10.62566G	54.22	74.00	-19.78	12.58	3	Horizontal	243	1.00	41.64	39.13	8.13	34.68
PK	15.95844G	54.55	74.00	-19.45	12.29	3	Horizontal	146	1.50	42.26	37.58	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	97.97	Inf	-Inf	5.05	3	Vertical	360	1.36	92.92	33.45	6.14	34.54
PK	5.7084G	106.87	Inf	-Inf	5.05	3	Vertical	360	1.36	101.82	33.45	6.14	34.54
PK	5.7952G	58.79	68.20	-9.41	5.54	3	Vertical	360	1.36	53.25	33.88	6.20	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	100.40	Inf	-Inf	5.05	3	Horizontal	10	2.99	95.35	33.45	6.14	34.54
PK	5.708G	109.52	Inf	-Inf	5.05	3	Horizontal	10	2.99	104.47	33.45	6.14	34.54
PK	5.7252G	61.22	68.20	-6.98	5.16	3	Horizontal	10	2.99	56.06	33.55	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41236G	41.94	54.00	-12.06	12.98	3	Vertical	122	1.50	28.96	39.09	8.46	34.57
PK	11.40894G	54.66	74.00	-19.34	12.98	3	Vertical	122	1.50	41.68	39.09	8.46	34.57
PK	17.0853G	56.44	68.20	-11.76	13.82	3	Vertical	171	1.50	42.62	37.79	10.20	34.17

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41398G	41.95	54.00	-12.05	12.98	3	Horizontal	120	1.50	28.97	39.09	8.46	34.57
PK	11.40084G	54.10	74.00	-19.90	12.99	3	Horizontal	120	1.50	41.11	39.10	8.46	34.57
PK	17.11218G	57.33	68.20	-10.87	13.86	3	Horizontal	1	2.01	43.47	37.85	10.20	34.19

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	112.37	Inf	-Inf	5.66	3	Vertical	15	1.21	106.71	33.97	6.22	34.53
PK	5.6186G	58.14	68.20	-10.06	4.46	3	Vertical	15	1.21	53.68	32.94	6.07	34.55
PK	5.8334G	120.40	Inf	-Inf	5.66	3	Vertical	15	1.21	114.74	33.97	6.22	34.53
PK	5.9246G	60.63	68.50	-7.87	5.93	3	Vertical	15	1.21	54.70	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	112.36	Inf	-Inf	5.66	3	Horizontal	14	1.31	106.70	33.97	6.22	34.53
PK	5.651G	58.32	68.94	-10.62	4.56	3	Horizontal	14	1.31	53.76	33.01	6.10	34.55
PK	5.8334G	120.14	Inf	-Inf	5.66	3	Horizontal	14	1.31	114.48	33.97	6.22	34.53
PK	5.9834G	60.38	68.20	-7.82	5.90	3	Horizontal	14	1.31	54.48	34.13	6.29	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66482G	41.88	54.00	-12.12	12.45	3	Vertical	332	1.50	29.43	38.50	8.57	34.62
PK	11.65768G	54.35	74.00	-19.65	12.45	3	Vertical	332	1.50	41.90	38.50	8.57	34.62
PK	17.47464G	56.98	68.20	-11.22	14.39	3	Vertical	93	1.99	42.59	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66302G	41.87	54.00	-12.13	12.45	3	Horizontal	0	1.50	29.42	38.50	8.57	34.62
PK	11.6356G	54.14	74.00	-19.86	12.45	3	Horizontal	0	1.50	41.69	38.50	8.56	34.61
PK	17.46054G	57.88	68.20	-10.32	14.38	3	Horizontal	344	1.50	43.50	38.50	10.28	34.40

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	47.29	54.00	-6.71	4.23	3	Vertical	92	2.60	43.06	33.00	5.85	34.62
AV	5.1722G	99.92	Inf	-Inf	4.30	3	Vertical	92	2.60	95.62	33.04	5.87	34.61
PK	5.1486G	57.74	74.00	-16.26	4.24	3	Vertical	92	2.60	53.50	33.00	5.86	34.62
PK	5.1734G	109.38	Inf	-Inf	4.31	3	Vertical	92	2.60	105.07	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.48	54.00	-6.52	4.24	3	Horizontal	22	2.49	43.24	33.00	5.86	34.62
AV	5.1728G	104.14	Inf	-Inf	4.31	3	Horizontal	22	2.49	99.83	33.05	5.87	34.61
PK	5.146G	57.91	74.00	-16.09	4.24	3	Horizontal	22	2.49	53.67	33.00	5.86	34.62
PK	5.1738G	113.33	Inf	-Inf	4.31	3	Horizontal	22	2.49	109.02	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.93	54.00	-11.07	13.27	3	Vertical	73	1.50	29.66	38.39	9.80	34.92
PK	10.37482G	53.83	68.20	-14.37	12.20	3	Vertical	229	2.08	41.63	39.02	8.03	34.85
PK	15.55464G	54.11	74.00	-19.89	13.27	3	Vertical	73	1.50	40.84	38.39	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.90	54.00	-11.10	13.27	3	Horizontal	68	1.31	29.63	38.39	9.80	34.92
PK	10.357G	53.96	68.20	-14.24	12.12	3	Horizontal	92	1.50	41.84	38.97	8.02	34.87
PK	15.5448G	54.74	74.00	-19.26	13.30	3	Horizontal	68	1.31	41.44	38.41	9.80	34.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4502G	46.16	54.00	-7.84	4.34	3	Vertical	348	1.50	41.82	32.90	6.01	34.57
AV	5.4922G	94.11	Inf	-Inf	4.28	3	Vertical	348	1.50	89.83	32.82	6.02	34.56
PK	5.4566G	56.94	74.00	-17.06	4.33	3	Vertical	348	1.50	52.61	32.89	6.01	34.57
PK	5.4606G	57.04	68.20	-11.16	4.32	3	Vertical	348	1.50	52.72	32.88	6.01	34.57
PK	5.4916G	104.69	Inf	-Inf	4.28	3	Vertical	348	1.50	100.41	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	46.28	54.00	-7.72	4.34	3	Horizontal	10	1.48	41.94	32.90	6.01	34.57
AV	5.4936G	97.48	Inf	-Inf	4.27	3	Horizontal	10	1.48	93.21	32.81	6.02	34.56
PK	5.4562G	57.29	74.00	-16.71	4.33	3	Horizontal	10	1.48	52.96	32.89	6.01	34.57
PK	5.4682G	59.49	68.20	-8.71	4.30	3	Horizontal	10	1.48	55.19	32.86	6.01	34.57
PK	5.4928G	108.29	Inf	-Inf	4.27	3	Horizontal	10	1.48	104.02	32.81	6.02	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0126G	42.20	54.00	-11.80	12.61	3	Vertical	60	1.50	29.59	38.89	8.30	34.58
PK	11.00348G	54.22	74.00	-19.78	12.61	3	Vertical	60	1.50	41.61	38.90	8.29	34.58
PK	16.4916G	56.67	68.20	-11.53	13.65	3	Vertical	157	3.00	43.02	38.36	10.06	34.77

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01458G	42.21	54.00	-11.79	12.61	3	Horizontal	70	1.50	29.60	38.89	8.30	34.58
PK	10.99736G	54.69	74.00	-19.31	12.61	3	Horizontal	70	1.50	42.08	38.90	8.29	34.58
PK	16.49208G	56.15	68.20	-12.05	13.65	3	Horizontal	327	1.50	42.50	38.36	10.06	34.77

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	46.14	54.00	-7.86	4.34	3	Vertical	356	1.31	41.80	32.90	6.01	34.57
AV	5.7366G	104.48	Inf	-Inf	5.24	3	Vertical	356	1.31	99.24	33.62	6.16	34.54
PK	5.5674G	57.73	68.20	-10.47	4.33	3	Vertical	356	1.31	53.40	32.83	6.05	34.55
PK	5.7378G	113.43	Inf	-Inf	5.25	3	Vertical	356	1.31	108.18	33.63	6.16	34.54
PK	5.9286G	59.07	68.20	-9.13	5.93	3	Vertical	356	1.31	53.14	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.10	54.00	-7.90	4.35	3	Horizontal	360	2.93	41.75	32.91	6.01	34.57
AV	5.7378G	107.42	Inf	-Inf	5.25	3	Horizontal	360	2.93	102.17	33.63	6.16	34.54
PK	5.5782G	57.46	68.20	-10.74	4.36	3	Horizontal	360	2.93	53.10	32.86	6.05	34.55
PK	5.7378G	116.03	Inf	-Inf	5.25	3	Horizontal	360	2.93	110.78	33.63	6.16	34.54
PK	5.931G	58.72	68.20	-9.48	5.94	3	Horizontal	360	2.93	52.78	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.495G	42.13	54.00	-11.87	12.94	3	Vertical	189	2.60	29.19	39.01	8.50	34.57
PK	11.49054G	54.39	74.00	-19.61	12.94	3	Vertical	189	2.60	41.45	39.01	8.50	34.57
PK	17.23632G	55.67	68.20	-12.53	14.17	3	Vertical	199	1.34	41.50	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49344G	42.13	54.00	-11.87	12.94	3	Horizontal	49	2.51	29.19	39.01	8.50	34.57
PK	11.48744G	54.56	74.00	-19.44	12.93	3	Horizontal	49	2.51	41.63	39.01	8.49	34.57
PK	17.23294G	56.14	68.20	-12.06	14.17	3	Horizontal	274	2.47	41.97	38.20	10.23	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	46.84	54.00	-7.16	4.23	3	Vertical	273	2.48	42.61	33.00	5.85	34.62
AV	5.1732G	100.00	Inf	-Inf	4.31	3	Vertical	273	2.48	95.69	33.05	5.87	34.61
PK	5.1328G	57.46	74.00	-16.54	4.23	3	Vertical	273	2.48	53.23	33.00	5.85	34.62
PK	5.1732G	109.84	Inf	-Inf	4.31	3	Vertical	273	2.48	105.53	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1438G	47.27	54.00	-6.73	4.23	3	Horizontal	356	2.49	43.04	33.00	5.85	34.62
AV	5.1732G	104.34	Inf	-Inf	4.31	3	Horizontal	356	2.49	100.03	33.05	5.87	34.61
PK	5.1494G	59.84	74.00	-14.16	4.24	3	Horizontal	356	2.49	55.60	33.00	5.86	34.62
PK	5.1728G	113.77	Inf	-Inf	4.31	3	Horizontal	356	2.49	109.46	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.96	54.00	-11.04	13.27	3	Vertical	55	1.50	29.69	38.39	9.80	34.92
PK	10.35172G	53.98	68.20	-14.22	12.11	3	Vertical	334	1.50	41.87	38.96	8.02	34.87
PK	15.55026G	54.55	74.00	-19.45	13.28	3	Vertical	55	1.50	41.27	38.40	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.89	54.00	-11.11	13.27	3	Horizontal	0	1.50	29.62	38.39	9.80	34.92
PK	10.3468G	53.89	68.20	-14.31	12.08	3	Horizontal	150	1.50	41.81	38.94	8.02	34.88
PK	15.5322G	54.87	74.00	-19.13	13.33	3	Horizontal	0	1.50	41.54	38.44	9.79	34.90

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.25	54.00	-7.75	4.32	3	Vertical	19	1.22	41.93	32.88	6.01	34.57
AV	5.4936G	101.88	Inf	-Inf	4.27	3	Vertical	19	1.22	97.61	32.81	6.02	34.56
PK	5.4558G	56.52	74.00	-17.48	4.33	3	Vertical	19	1.22	52.19	32.89	6.01	34.57
PK	5.4648G	56.50	68.20	-11.70	4.31	3	Vertical	19	1.22	52.19	32.87	6.01	34.57
PK	5.494G	110.81	Inf	-Inf	4.27	3	Vertical	19	1.22	106.54	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4514G	46.60	54.00	-7.40	4.34	3	Horizontal	15	1.48	42.26	32.90	6.01	34.57
AV	5.4926G	102.62	Inf	-Inf	4.27	3	Horizontal	15	1.48	98.35	32.81	6.02	34.56
PK	5.4586G	56.68	74.00	-17.32	4.32	3	Horizontal	15	1.48	52.36	32.88	6.01	34.57
PK	5.4646G	57.55	68.20	-10.65	4.31	3	Horizontal	15	1.48	53.24	32.87	6.01	34.57
PK	5.4936G	111.82	Inf	-Inf	4.27	3	Horizontal	15	1.48	107.55	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01338G	42.23	54.00	-11.77	12.61	3	Vertical	359	2.70	29.62	38.89	8.30	34.58
PK	10.99898G	54.60	74.00	-19.40	12.61	3	Vertical	359	2.70	41.99	38.90	8.29	34.58
PK	16.51374G	56.26	68.20	-11.94	13.69	3	Vertical	227	1.50	42.57	38.37	10.06	34.74

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.015G	42.21	54.00	-11.79	12.60	3	Horizontal	192	1.00	29.61	38.88	8.30	34.58
PK	10.98932G	54.89	74.00	-19.11	12.62	3	Horizontal	192	1.00	42.27	38.91	8.29	34.58
PK	16.49838G	56.38	68.20	-11.82	13.69	3	Horizontal	360	1.50	42.69	38.39	10.06	34.76

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.36	54.00	-7.64	4.35	3	Vertical	21	1.34	42.01	32.91	6.01	34.57
AV	5.7366G	104.26	Inf	-Inf	5.24	3	Vertical	21	1.34	99.02	33.62	6.16	34.54
PK	5.6502G	58.10	68.35	-10.25	4.55	3	Vertical	21	1.34	53.55	33.00	6.10	34.55
PK	5.739G	113.61	Inf	-Inf	5.25	3	Vertical	21	1.34	108.36	33.63	6.16	34.54
PK	5.9358G	58.54	68.20	-9.66	5.94	3	Vertical	21	1.34	52.60	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.13	54.00	-7.87	4.33	3	Horizontal	294	1.41	41.80	32.89	6.01	34.57
AV	5.739G	103.91	Inf	-Inf	5.25	3	Horizontal	294	1.41	98.66	33.63	6.16	34.54
PK	5.5626G	57.43	68.20	-10.77	4.33	3	Horizontal	294	1.41	53.10	32.83	6.05	34.55
PK	5.7378G	112.37	Inf	-Inf	5.25	3	Horizontal	294	1.41	107.12	33.63	6.16	34.54
PK	5.9262G	58.62	68.20	-9.58	5.93	3	Horizontal	294	1.41	52.69	34.20	6.26	34.53



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4929G	42.12	54.00	-11.88	12.94	3	Vertical	347	2.29	29.18	39.01	8.50	34.57
PK	11.49354G	54.95	74.00	-19.05	12.94	3	Vertical	347	2.29	42.01	39.01	8.50	34.57
PK	17.23034G	55.76	68.20	-12.44	14.17	3	Vertical	186	2.73	41.59	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49442G	42.13	54.00	-11.87	12.94	3	Horizontal	282	2.40	29.19	39.01	8.50	34.57
PK	11.48912G	55.22	74.00	-18.78	12.94	3	Horizontal	282	2.40	42.28	39.01	8.50	34.57
PK	17.23196G	55.88	68.20	-12.32	14.17	3	Horizontal	146	2.49	41.71	38.20	10.23	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	47.15	54.00	-6.85	4.23	3	Vertical	98	2.44	42.92	33.00	5.85	34.62
AV	5.173G	100.85	Inf	-Inf	4.31	3	Vertical	98	2.44	96.54	33.05	5.87	34.61
PK	5.1432G	57.65	74.00	-16.35	4.23	3	Vertical	98	2.44	53.42	33.00	5.85	34.62
PK	5.173G	109.99	Inf	-Inf	4.31	3	Vertical	98	2.44	105.68	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	47.51	54.00	-6.49	4.23	3	Horizontal	0	2.54	43.28	33.00	5.85	34.62
AV	5.172G	105.04	Inf	-Inf	4.30	3	Horizontal	0	2.54	100.74	33.04	5.87	34.61
PK	5.1476G	61.84	74.00	-12.16	4.24	3	Horizontal	0	2.54	57.60	33.00	5.86	34.62
PK	5.1732G	114.45	Inf	-Inf	4.31	3	Horizontal	0	2.54	110.14	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.89	54.00	-11.11	13.27	3	Vertical	210	1.24	29.62	38.39	9.80	34.92
PK	10.37176G	54.63	68.20	-13.57	12.20	3	Vertical	214	1.44	42.43	39.02	8.03	34.85
PK	15.55296G	54.29	74.00	-19.71	13.27	3	Vertical	210	1.24	41.02	38.39	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.555G	42.88	54.00	-11.12	13.27	3	Horizontal	203	1.50	29.61	38.39	9.80	34.92
PK	10.37368G	53.70	68.20	-14.50	12.20	3	Horizontal	164	1.50	41.50	39.02	8.03	34.85
PK	15.55134G	54.54	74.00	-19.46	13.28	3	Horizontal	203	1.50	41.26	38.40	9.80	34.92

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	46.83	54.00	-7.17	4.32	3	Vertical	0	1.32	42.51	32.88	6.01	34.57
AV	5.4928G	101.50	Inf	-Inf	4.27	3	Vertical	0	1.32	97.23	32.81	6.02	34.56
PK	5.452G	56.56	74.00	-17.44	4.34	3	Vertical	0	1.32	52.22	32.90	6.01	34.57
PK	5.4696G	57.25	68.20	-10.95	4.31	3	Vertical	0	1.32	52.94	32.86	6.01	34.56
PK	5.4934G	110.87	Inf	-Inf	4.27	3	Vertical	0	1.32	106.60	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.01	54.00	-6.99	4.32	3	Horizontal	16	1.48	42.69	32.88	6.01	34.57
AV	5.494G	104.01	Inf	-Inf	4.27	3	Horizontal	16	1.48	99.74	32.81	6.02	34.56
PK	5.4566G	58.21	74.00	-15.79	4.33	3	Horizontal	16	1.48	53.88	32.89	6.01	34.57
PK	5.4696G	60.54	68.20	-7.66	4.31	3	Horizontal	16	1.48	56.23	32.86	6.01	34.56
PK	5.493G	112.90	Inf	-Inf	4.27	3	Horizontal	16	1.48	108.63	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00774G	42.21	54.00	-11.79	12.60	3	Vertical	134	1.50	29.61	38.89	8.29	34.58
PK	10.98806G	55.15	74.00	-18.85	12.61	3	Vertical	134	1.50	42.54	38.91	8.28	34.58
PK	16.49736G	53.78	68.20	-14.42	13.69	3	Vertical	192	1.07	40.09	38.39	10.06	34.76

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01326G	42.21	54.00	-11.79	12.61	3	Horizontal	210	1.36	29.60	38.89	8.30	34.58
PK	10.99274G	52.09	74.00	-21.91	12.62	3	Horizontal	210	1.36	39.47	38.91	8.29	34.58
PK	16.4856G	53.38	68.20	-14.82	13.61	3	Horizontal	269	2.04	39.77	38.33	10.05	34.77

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.08	54.00	-7.92	4.33	3	Vertical	18	1.26	41.75	32.89	6.01	34.57
AV	5.739G	103.22	Inf	-Inf	5.25	3	Vertical	18	1.26	97.97	33.63	6.16	34.54
PK	5.5974G	58.28	68.20	-9.92	4.40	3	Vertical	18	1.26	53.88	32.89	6.06	34.55
PK	5.739G	112.41	Inf	-Inf	5.25	3	Vertical	18	1.26	107.16	33.63	6.16	34.54
PK	5.9394G	58.62	68.20	-9.58	5.95	3	Vertical	18	1.26	52.67	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.24	54.00	-7.76	4.32	3	Horizontal	15	1.48	41.92	32.88	6.01	34.57
AV	5.739G	104.09	Inf	-Inf	5.25	3	Horizontal	15	1.48	98.84	33.63	6.16	34.54
PK	5.6022G	57.85	68.20	-10.35	4.41	3	Horizontal	15	1.48	53.44	32.90	6.06	34.55
PK	5.739G	110.37	Inf	-Inf	5.25	3	Horizontal	15	1.48	105.12	33.63	6.16	34.54
PK	6.0414G	58.27	68.20	-9.93	5.89	3	Horizontal	15	1.48	52.38	34.10	6.31	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49452G	42.14	54.00	-11.86	12.94	3	Vertical	107	1.70	29.20	39.01	8.50	34.57
PK	11.49232G	54.62	74.00	-19.38	12.94	3	Vertical	107	1.70	41.68	39.01	8.50	34.57
PK	17.23546G	55.82	68.20	-12.38	14.17	3	Vertical	301	2.74	41.65	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49198G	42.12	54.00	-11.88	12.94	3	Horizontal	32	1.78	29.18	39.01	8.50	34.57
PK	11.49038G	54.20	74.00	-19.80	12.94	3	Horizontal	32	1.78	41.26	39.01	8.50	34.57
PK	17.23192G	56.01	68.20	-12.19	14.17	3	Horizontal	136	2.09	41.84	38.20	10.23	34.26

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3274G	96.19	Inf	-Inf	4.31	3	Vertical	345	2.34	91.88	32.95	5.95	34.59
AV	5.3536G	46.10	54.00	-7.90	4.29	3	Vertical	345	2.34	41.81	32.91	5.96	34.58
PK	5.3266G	104.60	Inf	-Inf	4.31	3	Vertical	345	2.34	100.29	32.95	5.95	34.59
PK	5.3512G	58.44	74.00	-15.56	4.28	3	Vertical	345	2.34	54.16	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3278G	103.87	Inf	-Inf	4.30	3	Horizontal	11	2.60	99.57	32.94	5.95	34.59
AV	5.3638G	46.63	54.00	-7.37	4.32	3	Horizontal	11	2.60	42.31	32.93	5.97	34.58
PK	5.3276G	112.94	Inf	-Inf	4.30	3	Horizontal	11	2.60	108.64	32.94	5.95	34.59
PK	5.35G	63.15	74.00	-10.85	4.28	3	Horizontal	11	2.60	58.87	32.90	5.96	34.58



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62806G	41.70	54.00	-12.30	12.58	3	Vertical	287	1.70	29.12	39.13	8.13	34.68
AV	15.95888G	42.38	54.00	-11.62	12.29	3	Vertical	283	1.50	30.09	37.58	9.93	35.22
PK	10.63766G	54.05	74.00	-19.95	12.60	3	Vertical	287	1.70	41.45	39.14	8.14	34.68
PK	15.96576G	54.91	74.00	-19.09	12.28	3	Vertical	283	1.50	42.63	37.57	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62506G	41.73	54.00	-12.27	12.58	3	Horizontal	293	1.50	29.15	39.13	8.13	34.68
AV	15.97176G	42.36	54.00	-11.64	12.26	3	Horizontal	157	1.93	30.10	37.56	9.93	35.23
PK	10.6265G	54.57	74.00	-19.43	12.58	3	Horizontal	293	1.50	41.99	39.13	8.13	34.68
PK	15.94602G	54.60	74.00	-19.40	12.32	3	Horizontal	157	1.93	42.28	37.61	9.92	35.21

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7076G	98.72	Inf	-Inf	5.05	3	Vertical	360	1.28	93.67	33.45	6.14	34.54
PK	5.708G	108.68	Inf	-Inf	5.05	3	Vertical	360	1.28	103.63	33.45	6.14	34.54
PK	5.728G	58.68	68.20	-9.52	5.18	3	Vertical	360	1.28	53.50	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	100.93	Inf	-Inf	5.05	3	Horizontal	2	3.00	95.88	33.45	6.14	34.54
PK	5.7088G	111.20	Inf	-Inf	5.05	3	Horizontal	2	3.00	106.15	33.45	6.14	34.54
PK	5.7316G	62.15	68.20	-6.05	5.20	3	Horizontal	2	3.00	56.95	33.59	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39886G	41.98	54.00	-12.02	12.99	3	Vertical	189	2.50	28.99	39.10	8.46	34.57
PK	11.40412G	53.83	74.00	-20.17	12.99	3	Vertical	189	2.50	40.84	39.10	8.46	34.57
PK	17.09962G	55.30	68.20	-12.90	13.82	3	Vertical	125	2.44	41.48	37.80	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.405G	41.96	54.00	-12.04	12.98	3	Horizontal	88	1.16	28.98	39.09	8.46	34.57
PK	11.39504G	54.49	74.00	-19.51	12.99	3	Horizontal	88	1.16	41.50	39.10	8.46	34.57
PK	17.1012G	56.33	68.20	-11.87	13.82	3	Horizontal	283	1.27	42.51	37.80	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	105.77	Inf	-Inf	5.65	3	Vertical	3	1.32	100.12	33.96	6.22	34.53
PK	5.5862G	57.69	68.20	-10.51	4.38	3	Vertical	3	1.32	53.31	32.87	6.06	34.55
PK	5.831G	114.89	Inf	-Inf	5.65	3	Vertical	3	1.32	109.24	33.96	6.22	34.53
PK	6.035G	58.66	68.20	-9.54	5.89	3	Vertical	3	1.32	52.77	34.10	6.31	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	107.89	Inf	-Inf	5.65	3	Horizontal	6	1.50	102.24	33.96	6.22	34.53
PK	5.615G	57.39	68.20	-10.81	4.45	3	Horizontal	6	1.50	52.94	32.93	6.07	34.55
PK	5.8322G	116.63	Inf	-Inf	5.65	3	Horizontal	6	1.50	110.98	33.96	6.22	34.53
PK	5.9726G	59.05	68.20	-9.15	5.92	3	Horizontal	6	1.50	53.13	34.15	6.29	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65326G	41.82	54.00	-12.18	12.44	3	Vertical	215	1.54	29.38	38.50	8.56	34.62
PK	11.64596G	53.94	74.00	-20.06	12.44	3	Vertical	215	1.54	41.50	38.50	8.56	34.62
PK	17.47046G	56.56	68.20	-11.64	14.39	3	Vertical	97	1.82	42.17	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64878G	41.83	54.00	-12.17	12.44	3	Horizontal	316	2.49	29.39	38.50	8.56	34.62
PK	11.6529G	54.02	74.00	-19.98	12.44	3	Horizontal	316	2.49	41.58	38.50	8.56	34.62
PK	17.47036G	56.58	68.20	-11.62	14.39	3	Horizontal	210	2.09	42.19	38.50	10.29	34.40

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	100.23	Inf	-Inf	4.30	3	Vertical	20	1.49	95.93	32.94	5.95	34.59
AV	5.3572G	45.93	54.00	-8.07	4.30	3	Vertical	20	1.49	41.63	32.91	5.97	34.58
PK	5.3274G	109.66	Inf	-Inf	4.31	3	Vertical	20	1.49	105.35	32.95	5.95	34.59
PK	5.3504G	59.32	74.00	-14.68	4.28	3	Vertical	20	1.49	55.04	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3278G	102.70	Inf	-Inf	4.30	3	Horizontal	10	2.38	98.40	32.94	5.95	34.59
AV	5.3642G	45.87	54.00	-8.13	4.32	3	Horizontal	10	2.38	41.55	32.93	5.97	34.58
PK	5.327G	112.18	Inf	-Inf	4.31	3	Horizontal	10	2.38	107.87	32.95	5.95	34.59
PK	5.3504G	61.36	74.00	-12.64	4.28	3	Horizontal	10	2.38	57.08	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6271G	41.73	54.00	-12.27	12.58	3	Vertical	2	1.36	29.15	39.13	8.13	34.68
AV	15.9561G	42.38	54.00	-11.62	12.30	3	Vertical	2	1.50	30.08	37.59	9.93	35.22
PK	10.6469G	54.00	74.00	-20.00	12.61	3	Vertical	2	1.36	41.39	39.15	8.14	34.68
PK	15.97188G	55.16	74.00	-18.84	12.26	3	Vertical	2	1.50	42.90	37.56	9.93	35.23

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62854G	41.69	54.00	-12.31	12.58	3	Horizontal	334	2.88	29.11	39.13	8.13	34.68
AV	15.9594G	42.35	54.00	-11.65	12.29	3	Horizontal	15	1.50	30.06	37.58	9.93	35.22
PK	10.6346G	54.44	74.00	-19.56	12.59	3	Horizontal	334	2.88	41.85	39.13	8.14	34.68
PK	15.96828G	55.21	74.00	-18.79	12.26	3	Horizontal	15	1.50	42.95	37.56	9.93	35.23

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	98.19	Inf	-Inf	5.05	3	Vertical	20	1.45	93.14	33.45	6.14	34.54
PK	5.7076G	108.91	Inf	-Inf	5.05	3	Vertical	20	1.45	103.86	33.45	6.14	34.54
PK	5.758G	58.48	68.20	-9.72	5.36	3	Vertical	20	1.45	53.12	33.73	6.17	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	98.60	Inf	-Inf	5.05	3	Horizontal	14	1.50	93.55	33.45	6.14	34.54
PK	5.7088G	109.56	Inf	-Inf	5.05	3	Horizontal	14	1.50	104.51	33.45	6.14	34.54
PK	5.7868G	58.54	68.20	-9.66	5.50	3	Horizontal	14	1.50	53.04	33.85	6.19	34.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39894G	41.96	54.00	-12.04	12.99	3	Vertical	165	2.80	28.97	39.10	8.46	34.57
PK	11.39548G	53.96	74.00	-20.04	12.99	3	Vertical	165	2.80	40.97	39.10	8.46	34.57
PK	17.10438G	55.44	68.20	-12.76	13.84	3	Vertical	130	2.73	41.60	37.82	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40496G	41.96	54.00	-12.04	12.99	3	Horizontal	355	2.57	28.97	39.10	8.46	34.57
PK	11.40374G	53.95	74.00	-20.05	12.99	3	Horizontal	355	2.57	40.96	39.10	8.46	34.57
PK	17.1001G	55.99	68.20	-12.21	13.82	3	Horizontal	122	2.31	42.17	37.80	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	107.51	Inf	-Inf	5.65	3	Vertical	22	1.27	101.86	33.96	6.22	34.53
PK	5.6162G	57.21	68.20	-10.99	4.45	3	Vertical	22	1.27	52.76	32.93	6.07	34.55
PK	5.831G	115.83	Inf	-Inf	5.65	3	Vertical	22	1.27	110.18	33.96	6.22	34.53
PK	5.9534G	58.59	68.20	-9.61	5.95	3	Vertical	22	1.27	52.64	34.19	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	106.19	Inf	-Inf	5.65	3	Horizontal	15	1.50	100.54	33.96	6.22	34.53
PK	5.6126G	57.50	68.20	-10.70	4.45	3	Horizontal	15	1.50	53.05	32.93	6.07	34.55
PK	5.8322G	114.63	Inf	-Inf	5.65	3	Horizontal	15	1.50	108.98	33.96	6.22	34.53
PK	5.963G	58.77	68.20	-9.43	5.93	3	Horizontal	15	1.50	52.84	34.17	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64964G	41.82	54.00	-12.18	12.44	3	Vertical	40	1.51	29.38	38.50	8.56	34.62
PK	11.64504G	53.98	74.00	-20.02	12.44	3	Vertical	40	1.51	41.54	38.50	8.56	34.62
PK	17.4793G	56.58	68.20	-11.62	14.38	3	Vertical	66	1.56	42.20	38.50	10.29	34.41

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6504G	41.83	54.00	-12.17	12.44	3	Horizontal	50	1.14	29.39	38.50	8.56	34.62
PK	11.64786G	54.06	74.00	-19.94	12.44	3	Horizontal	50	1.14	41.62	38.50	8.56	34.62
PK	17.47742G	57.56	68.20	-10.64	14.38	3	Horizontal	220	1.15	43.18	38.50	10.29	34.41

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3274G	100.30	Inf	-Inf	4.31	3	Vertical	6	1.41	95.99	32.95	5.95	34.59
AV	5.3692G	46.14	54.00	-7.86	4.33	3	Vertical	6	1.41	41.81	32.94	5.97	34.58
PK	5.3276G	109.79	Inf	-Inf	4.30	3	Vertical	6	1.41	105.49	32.94	5.95	34.59
PK	5.3524G	60.74	74.00	-13.26	4.28	3	Vertical	6	1.41	56.46	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	104.07	Inf	-Inf	4.30	3	Horizontal	10	1.45	99.77	32.94	5.95	34.59
AV	5.3618G	46.66	54.00	-7.34	4.31	3	Horizontal	10	1.45	42.35	32.92	5.97	34.58
PK	5.3276G	113.03	Inf	-Inf	4.30	3	Horizontal	10	1.45	108.73	32.94	5.95	34.59
PK	5.35G	61.64	74.00	-12.36	4.28	3	Horizontal	10	1.45	57.36	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62752G	41.74	54.00	-12.26	12.58	3	Vertical	347	2.03	29.16	39.13	8.13	34.68
AV	15.95748G	42.38	54.00	-11.62	12.30	3	Vertical	0	1.50	30.08	37.59	9.93	35.22
PK	10.63472G	54.16	74.00	-19.84	12.59	3	Vertical	347	2.03	41.57	39.13	8.14	34.68
PK	15.95712G	54.97	74.00	-19.03	12.30	3	Vertical	0	1.50	42.67	37.59	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62566G	41.72	54.00	-12.28	12.58	3	Horizontal	322	2.83	29.14	39.13	8.13	34.68
AV	15.95784G	42.37	54.00	-11.63	12.29	3	Horizontal	268	2.99	30.08	37.58	9.93	35.22
PK	10.64354G	53.84	74.00	-20.16	12.60	3	Horizontal	322	2.83	41.24	39.14	8.14	34.68
PK	15.9552G	55.35	74.00	-18.65	12.30	3	Horizontal	268	2.99	43.05	37.59	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7072G	102.49	Inf	-Inf	5.04	3	Vertical	0	1.32	97.45	33.44	6.14	34.54
PK	5.708G	113.28	Inf	-Inf	5.05	3	Vertical	0	1.32	108.23	33.45	6.14	34.54
PK	5.7284G	62.88	68.20	-5.32	5.18	3	Vertical	0	1.32	57.70	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	103.94	Inf	-Inf	5.03	3	Horizontal	3	3.00	98.91	33.44	6.13	34.54
PK	5.7084G	113.93	Inf	-Inf	5.05	3	Horizontal	3	3.00	108.88	33.45	6.14	34.54
PK	5.7296G	64.15	68.20	-4.05	5.19	3	Horizontal	3	3.00	58.96	33.58	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.405G	41.96	54.00	-12.04	12.98	3	Vertical	271	2.22	28.98	39.09	8.46	34.57
PK	11.40328G	54.41	74.00	-19.59	12.99	3	Vertical	271	2.22	41.42	39.10	8.46	34.57
PK	17.09646G	55.90	68.20	-12.30	13.82	3	Vertical	11	1.33	42.08	37.80	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40356G	41.97	54.00	-12.03	12.99	3	Horizontal	207	1.30	28.98	39.10	8.46	34.57
PK	11.40356G	54.26	74.00	-19.74	12.99	3	Horizontal	207	1.30	41.27	39.10	8.46	34.57
PK	17.10484G	55.74	68.20	-12.46	13.84	3	Horizontal	218	1.22	41.90	37.82	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	109.95	Inf	-Inf	5.65	3	Vertical	5	1.28	104.30	33.96	6.22	34.53
PK	5.6294G	57.53	68.20	-10.67	4.49	3	Vertical	5	1.28	53.04	32.96	6.08	34.55
PK	5.8334G	118.48	Inf	-Inf	5.66	3	Vertical	5	1.28	112.82	33.97	6.22	34.53
PK	5.9726G	60.78	68.20	-7.42	5.92	3	Vertical	5	1.28	54.86	34.15	6.29	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	107.98	Inf	-Inf	5.66	3	Horizontal	15	2.85	102.32	33.97	6.22	34.53
PK	5.5778G	58.26	68.20	-9.94	4.36	3	Horizontal	15	2.85	53.90	32.86	6.05	34.55
PK	5.831G	116.55	Inf	-Inf	5.65	3	Horizontal	15	2.85	110.90	33.96	6.22	34.53
PK	5.9846G	59.37	68.20	-8.83	5.90	3	Horizontal	15	2.85	53.47	34.13	6.29	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6485G	41.82	54.00	-12.18	12.44	3	Vertical	64	2.81	29.38	38.50	8.56	34.62
PK	11.65376G	54.34	74.00	-19.66	12.44	3	Vertical	64	2.81	41.90	38.50	8.56	34.62
PK	17.4726G	56.90	68.20	-11.30	14.39	3	Vertical	202	2.78	42.51	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65494G	41.83	54.00	-12.17	12.45	3	Horizontal	1	1.60	29.38	38.50	8.57	34.62
PK	11.64538G	54.95	74.00	-19.05	12.44	3	Horizontal	1	1.60	42.51	38.50	8.56	34.62
PK	17.4794G	56.62	68.20	-11.58	14.38	3	Horizontal	151	2.71	42.24	38.50	10.29	34.41

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	46.81	54.00	-7.19	4.23	3	Vertical	98	2.95	42.58	33.00	5.85	34.62
AV	5.1762G	93.38	Inf	-Inf	4.31	3	Vertical	98	2.95	89.07	33.05	5.87	34.61
PK	5.1478G	58.62	74.00	-15.38	4.24	3	Vertical	98	2.95	54.38	33.00	5.86	34.62
PK	5.1746G	105.09	Inf	-Inf	4.31	3	Vertical	98	2.95	100.78	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.26	54.00	-6.74	4.24	3	Horizontal	14	2.48	43.02	33.00	5.86	34.62
AV	5.1766G	98.09	Inf	-Inf	4.31	3	Horizontal	14	2.48	93.78	33.05	5.87	34.61
PK	5.1464G	62.13	74.00	-11.87	4.24	3	Horizontal	14	2.48	57.89	33.00	5.86	34.62
PK	5.1772G	109.40	Inf	-Inf	4.31	3	Horizontal	14	2.48	105.09	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55044G	44.71	54.00	-9.29	13.28	3	Vertical	138	1.50	31.43	38.40	9.80	34.92
PK	10.37332G	54.14	68.20	-14.06	12.20	3	Vertical	26	1.75	41.94	39.02	8.03	34.85
PK	15.55236G	56.04	74.00	-17.96	13.28	3	Vertical	138	1.50	42.76	38.40	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55206G	44.69	54.00	-9.31	13.28	3	Horizontal	270	1.50	31.41	38.40	9.80	34.92
PK	10.36354G	53.81	68.20	-14.39	12.15	3	Horizontal	161	1.50	41.66	38.99	8.02	34.86
PK	15.53658G	55.19	74.00	-18.81	13.31	3	Horizontal	270	1.50	41.88	38.43	9.79	34.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.04	54.00	-7.96	4.32	3	Vertical	356	1.43	41.72	32.88	6.01	34.57
AV	5.4942G	91.19	Inf	-Inf	4.27	3	Vertical	356	1.43	86.92	32.81	6.02	34.56
PK	5.4536G	56.97	74.00	-17.03	4.33	3	Vertical	356	1.43	52.64	32.89	6.01	34.57
PK	5.4698G	56.49	68.20	-11.71	4.31	3	Vertical	356	1.43	52.18	32.86	6.01	34.56
PK	5.492G	102.75	Inf	-Inf	4.28	3	Vertical	356	1.43	98.47	32.82	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	46.38	54.00	-7.62	4.32	3	Horizontal	13	1.49	42.06	32.88	6.01	34.57
AV	5.4972G	94.51	Inf	-Inf	4.27	3	Horizontal	13	1.49	90.24	32.81	6.02	34.56
PK	5.4578G	57.13	74.00	-16.87	4.32	3	Horizontal	13	1.49	52.81	32.88	6.01	34.57
PK	5.47G	58.26	68.20	-9.94	4.31	3	Horizontal	13	1.49	53.95	32.86	6.01	34.56
PK	5.496G	106.00	Inf	-Inf	4.27	3	Horizontal	13	1.49	101.73	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00336G	42.09	54.00	-11.91	12.61	3	Vertical	1	1.50	29.48	38.90	8.29	34.58
PK	10.99274G	54.96	74.00	-19.04	12.62	3	Vertical	1	1.50	42.34	38.91	8.29	34.58
PK	16.488G	56.47	68.20	-11.73	13.62	3	Vertical	158	1.50	42.85	38.34	10.05	34.77

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00396G	42.09	54.00	-11.91	12.61	3	Horizontal	65	1.50	29.48	38.90	8.29	34.58
PK	11.01026G	54.19	74.00	-19.81	12.60	3	Horizontal	65	1.50	41.59	38.89	8.29	34.58
PK	16.49622G	56.42	68.20	-11.78	13.68	3	Horizontal	270	1.50	42.74	38.38	10.06	34.76

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	46.25	54.00	-7.75	4.33	3	Vertical	9	1.20	41.92	32.89	6.01	34.57
AV	5.7426G	102.24	Inf	-Inf	5.28	3	Vertical	9	1.20	96.96	33.66	6.16	34.54
PK	5.6106G	57.17	68.20	-11.03	4.44	3	Vertical	9	1.20	52.73	32.92	6.07	34.55
PK	5.7426G	110.96	Inf	-Inf	5.28	3	Vertical	9	1.20	105.68	33.66	6.16	34.54
PK	6.0174G	58.83	68.20	-9.37	5.88	3	Vertical	9	1.20	52.95	34.10	6.30	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.38	54.00	-7.62	4.35	3	Horizontal	16	2.98	42.03	32.91	6.01	34.57
AV	5.7414G	104.81	Inf	-Inf	5.27	3	Horizontal	16	2.98	99.54	33.65	6.16	34.54
PK	5.583G	57.61	68.20	-10.59	4.37	3	Horizontal	16	2.98	53.24	32.87	6.05	34.55
PK	5.739G	114.22	Inf	-Inf	5.25	3	Horizontal	16	2.98	108.97	33.63	6.16	34.54
PK	5.937G	59.06	68.20	-9.14	5.94	3	Horizontal	16	2.98	53.12	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49404G	42.17	54.00	-11.83	12.94	3	Vertical	219	2.60	29.23	39.01	8.50	34.57
PK	11.49218G	53.73	74.00	-20.27	12.94	3	Vertical	219	2.60	40.79	39.01	8.50	34.57
PK	17.23848G	55.61	68.20	-12.59	14.17	3	Vertical	311	2.75	41.44	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port1)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49148G	42.15	54.00	-11.85	12.94	3	Horizontal	9	1.48	29.21	39.01	8.50	34.57
PK	11.49174G	54.12	74.00	-19.88	12.94	3	Horizontal	9	1.48	41.18	39.01	8.50	34.57
PK	17.238G	56.12	68.20	-12.08	14.17	3	Horizontal	91	2.97	41.95	38.20	10.23	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	47.84	54.00	-6.16	4.24	3	Vertical	261	2.49	43.60	33.00	5.86	34.62
AV	5.174G	99.92	Inf	-Inf	4.31	3	Vertical	261	2.49	95.61	33.05	5.87	34.61
PK	5.1464G	59.56	74.00	-14.44	4.24	3	Vertical	261	2.49	55.32	33.00	5.86	34.62
PK	5.1772G	110.21	Inf	-Inf	4.31	3	Vertical	261	2.49	105.90	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.25	54.00	-5.75	4.24	3	Horizontal	344	1.64	44.01	33.00	5.86	34.62
AV	5.175G	100.72	Inf	-Inf	4.31	3	Horizontal	344	1.64	96.41	33.05	5.87	34.61
PK	5.15G	60.77	74.00	-13.23	4.24	3	Horizontal	344	1.64	56.53	33.00	5.86	34.62
PK	5.1752G	111.11	Inf	-Inf	4.31	3	Horizontal	344	1.64	106.80	33.05	5.87	34.61



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54054G	43.29	54.00	-10.71	13.31	3	Vertical	67	2.55	29.98	38.42	9.80	34.91
PK	10.36198G	54.17	68.20	-14.03	12.15	3	Vertical	244	1.57	42.02	38.99	8.02	34.86
PK	15.54206G	54.69	74.00	-19.31	13.31	3	Vertical	67	2.55	41.38	38.42	9.80	34.91

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54136G	43.30	54.00	-10.70	13.31	3	Horizontal	225	1.60	29.99	38.42	9.80	34.91
PK	10.35742G	53.64	68.20	-14.56	12.12	3	Horizontal	350	2.57	41.52	38.97	8.02	34.87
PK	15.53534G	54.81	74.00	-19.19	13.31	3	Horizontal	225	1.60	41.50	38.43	9.79	34.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	46.22	54.00	-7.78	4.32	3	Vertical	17	1.22	41.90	32.88	6.01	34.57
AV	5.4918G	94.42	Inf	-Inf	4.28	3	Vertical	17	1.22	90.14	32.82	6.02	34.56
PK	5.4512G	57.15	74.00	-16.85	4.34	3	Vertical	17	1.22	52.81	32.90	6.01	34.57
PK	5.4634G	56.46	68.20	-11.74	4.31	3	Vertical	17	1.22	52.15	32.87	6.01	34.57
PK	5.4968G	104.84	Inf	-Inf	4.27	3	Vertical	17	1.22	100.57	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4566G	46.19	54.00	-7.81	4.33	3	Horizontal	14	1.50	41.86	32.89	6.01	34.57
AV	5.4974G	95.27	Inf	-Inf	4.27	3	Horizontal	14	1.50	91.00	32.81	6.02	34.56
PK	5.46G	56.55	74.00	-17.45	4.32	3	Horizontal	14	1.50	52.23	32.88	6.01	34.57
PK	5.4672G	56.85	68.20	-11.35	4.31	3	Horizontal	14	1.50	52.54	32.87	6.01	34.57
PK	5.496G	106.39	Inf	-Inf	4.27	3	Horizontal	14	1.50	102.12	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98866G	42.09	54.00	-11.91	12.62	3	Vertical	359	2.43	29.47	38.91	8.29	34.58
PK	11.01242G	53.96	74.00	-20.04	12.61	3	Vertical	359	2.43	41.35	38.89	8.30	34.58
PK	16.50078G	56.29	68.20	-11.91	13.70	3	Vertical	79	1.50	42.59	38.40	10.06	34.76

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00114G	42.08	54.00	-11.92	12.61	3	Horizontal	58	1.50	29.47	38.90	8.29	34.58
PK	11.00498G	53.81	74.00	-20.19	12.61	3	Horizontal	58	1.50	41.20	38.90	8.29	34.58
PK	16.49916G	56.65	68.20	-11.55	13.70	3	Horizontal	0	1.80	42.95	38.40	10.06	34.76

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	46.09	54.00	-7.91	4.33	3	Vertical	24	1.35	41.76	32.89	6.01	34.57
AV	5.7426G	103.23	Inf	-Inf	5.28	3	Vertical	24	1.35	97.95	33.66	6.16	34.54
PK	5.5722G	57.87	68.20	-10.33	4.34	3	Vertical	24	1.35	53.53	32.84	6.05	34.55
PK	5.7402G	112.82	Inf	-Inf	5.26	3	Vertical	24	1.35	107.56	33.64	6.16	34.54
PK	5.937G	58.40	68.20	-9.80	5.94	3	Vertical	24	1.35	52.46	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	46.09	54.00	-7.91	4.35	3	Horizontal	296	1.40	41.74	32.91	6.01	34.57
AV	5.7378G	102.74	Inf	-Inf	5.25	3	Horizontal	296	1.40	97.49	33.63	6.16	34.54
PK	5.6034G	58.92	68.20	-9.28	4.42	3	Horizontal	296	1.40	54.50	32.91	6.06	34.55
PK	5.7378G	112.00	Inf	-Inf	5.25	3	Horizontal	296	1.40	106.75	33.63	6.16	34.54
PK	5.9502G	59.37	68.20	-8.83	5.96	3	Horizontal	296	1.40	53.41	34.20	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49146G	42.15	54.00	-11.85	12.94	3	Vertical	232	2.53	29.21	39.01	8.50	34.57
PK	11.48654G	53.94	74.00	-20.06	12.93	3	Vertical	232	2.53	41.01	39.01	8.49	34.57
PK	17.23746G	56.20	68.20	-12.00	14.17	3	Vertical	31	1.47	42.03	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49084G	42.16	54.00	-11.84	12.94	3	Horizontal	3	1.39	29.22	39.01	8.50	34.57
PK	11.49262G	54.68	74.00	-19.32	12.94	3	Horizontal	3	1.39	41.74	39.01	8.50	34.57
PK	17.23734G	56.22	68.20	-11.98	14.17	3	Horizontal	92	1.89	42.05	38.20	10.23	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	47.32	54.00	-6.68	4.23	3	Vertical	94	2.45	43.09	33.00	5.85	34.62
AV	5.1768G	99.06	Inf	-Inf	4.31	3	Vertical	94	2.45	94.75	33.05	5.87	34.61
PK	5.1472G	58.33	74.00	-15.67	4.24	3	Vertical	94	2.45	54.09	33.00	5.86	34.62
PK	5.173G	109.06	Inf	-Inf	4.31	3	Vertical	94	2.45	104.75	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.17	54.00	-5.83	4.24	3	Horizontal	4	2.49	43.93	33.00	5.86	34.62
AV	5.1762G	102.98	Inf	-Inf	4.31	3	Horizontal	4	2.49	98.67	33.05	5.87	34.61
PK	5.1484G	59.96	74.00	-14.04	4.24	3	Horizontal	4	2.49	55.72	33.00	5.86	34.62
PK	5.1744G	113.25	Inf	-Inf	4.31	3	Horizontal	4	2.49	108.94	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53964G	43.30	54.00	-10.70	13.30	3	Vertical	155	2.52	30.00	38.42	9.79	34.91
PK	10.35584G	54.06	68.20	-14.14	12.12	3	Vertical	264	1.09	41.94	38.97	8.02	34.87
PK	15.54252G	55.31	74.00	-18.69	13.30	3	Vertical	155	2.52	42.01	38.41	9.80	34.91

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54074G	43.28	54.00	-10.72	13.31	3	Horizontal	231	2.69	29.97	38.42	9.80	34.91
PK	10.3578G	53.69	68.20	-14.51	12.12	3	Horizontal	326	2.10	41.57	38.97	8.02	34.87
PK	15.54014G	54.51	74.00	-19.49	13.31	3	Horizontal	231	2.69	41.20	38.42	9.80	34.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.82	54.00	-7.18	4.32	3	Vertical	0	1.41	42.50	32.88	6.01	34.57
AV	5.4946G	99.88	Inf	-Inf	4.27	3	Vertical	0	1.41	95.61	32.81	6.02	34.56
PK	5.46G	57.21	74.00	-16.79	4.32	3	Vertical	0	1.41	52.89	32.88	6.01	34.57
PK	5.4682G	59.26	68.20	-8.94	4.30	3	Vertical	0	1.41	54.96	32.86	6.01	34.57
PK	5.4948G	109.91	Inf	-Inf	4.27	3	Vertical	0	1.41	105.64	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.89	54.00	-6.11	4.33	3	Horizontal	14	1.50	43.56	32.89	6.01	34.57
AV	5.4926G	101.98	Inf	-Inf	4.27	3	Horizontal	14	1.50	97.71	32.81	6.02	34.56
PK	5.4554G	60.03	74.00	-13.97	4.33	3	Horizontal	14	1.50	55.70	32.89	6.01	34.57
PK	5.47G	60.47	68.20	-7.73	4.31	3	Horizontal	14	1.50	56.16	32.86	6.01	34.56
PK	5.4962G	112.00	Inf	-Inf	4.27	3	Horizontal	14	1.50	107.73	32.81	6.02	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98866G	42.08	54.00	-11.92	12.62	3	Vertical	42	1.62	29.46	38.91	8.29	34.58
PK	10.99754G	54.42	74.00	-19.58	12.61	3	Vertical	42	1.62	41.81	38.90	8.29	34.58
PK	16.4922G	56.91	68.20	-11.29	13.65	3	Vertical	256	1.50	43.26	38.36	10.06	34.77

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98872G	42.68	54.00	-11.32	12.62	3	Horizontal	6	1.50	30.06	38.91	8.29	34.58
PK	10.9937G	54.08	74.00	-19.92	12.62	3	Horizontal	6	1.50	41.46	38.91	8.29	34.58
PK	16.5012G	57.57	68.20	-10.63	13.70	3	Horizontal	31	2.91	43.87	38.40	10.06	34.76

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	46.20	54.00	-7.80	4.35	3	Vertical	20	1.25	41.85	32.91	6.01	34.57
AV	5.7414G	105.74	Inf	-Inf	5.27	3	Vertical	20	1.25	100.47	33.65	6.16	34.54
PK	5.5818G	57.89	68.20	-10.31	4.36	3	Vertical	20	1.25	53.53	32.86	6.05	34.55
PK	5.7414G	114.44	Inf	-Inf	5.27	3	Vertical	20	1.25	109.17	33.65	6.16	34.54
PK	5.949G	59.01	68.20	-9.19	5.95	3	Vertical	20	1.25	53.06	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	46.67	54.00	-7.33	4.35	3	Horizontal	17	1.47	42.32	32.91	6.01	34.57
AV	5.7366G	106.99	Inf	-Inf	5.24	3	Horizontal	17	1.47	101.75	33.62	6.16	34.54
PK	5.5938G	57.24	68.20	-10.96	4.40	3	Horizontal	17	1.47	52.84	32.89	6.06	34.55
PK	5.7378G	116.67	Inf	-Inf	5.25	3	Horizontal	17	1.47	111.42	33.63	6.16	34.54
PK	5.9406G	59.10	68.20	-9.10	5.95	3	Horizontal	17	1.47	53.15	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4944G	42.16	54.00	-11.84	12.94	3	Vertical	80	2.39	29.22	39.01	8.50	34.57
PK	11.49248G	54.60	74.00	-19.40	12.94	3	Vertical	80	2.39	41.66	39.01	8.50	34.57
PK	17.2357G	56.67	68.20	-11.53	14.17	3	Vertical	347	1.72	42.50	38.20	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4925G	42.16	54.00	-11.84	12.94	3	Horizontal	14	2.15	29.22	39.01	8.50	34.57
PK	11.48958G	53.46	74.00	-20.54	12.94	3	Horizontal	14	2.15	40.52	39.01	8.50	34.57
PK	17.23614G	56.19	68.20	-12.01	14.17	3	Horizontal	207	1.19	42.02	38.20	10.23	34.26

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	94.21	Inf	-Inf	4.30	3	Vertical	350	2.35	89.91	32.94	5.95	34.59
AV	5.3698G	46.10	54.00	-7.90	4.33	3	Vertical	350	2.35	41.77	32.94	5.97	34.58
PK	5.3284G	105.39	Inf	-Inf	4.30	3	Vertical	350	2.35	101.09	32.94	5.95	34.59
PK	5.3508G	58.91	74.00	-15.09	4.28	3	Vertical	350	2.35	54.63	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	101.28	Inf	-Inf	4.30	3	Horizontal	10	1.69	96.98	32.94	5.95	34.59
AV	5.35G	46.82	54.00	-7.18	4.28	3	Horizontal	10	1.69	42.54	32.90	5.96	34.58
PK	5.3254G	112.80	Inf	-Inf	4.31	3	Horizontal	10	1.69	108.49	32.95	5.95	34.59
PK	5.35G	63.59	74.00	-10.41	4.28	3	Horizontal	10	1.69	59.31	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63546G	41.58	54.00	-12.42	12.60	3	Vertical	141	1.12	28.98	39.14	8.14	34.68
AV	15.95712G	43.00	54.00	-11.00	12.30	3	Vertical	314	1.46	30.70	37.59	9.93	35.22
PK	10.63862G	53.83	74.00	-20.17	12.60	3	Vertical	141	1.12	41.23	39.14	8.14	34.68
PK	15.96222G	54.35	74.00	-19.65	12.29	3	Vertical	314	1.46	42.06	37.58	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63808G	41.60	54.00	-12.40	12.60	3	Horizontal	114	2.57	29.00	39.14	8.14	34.68
AV	15.95734G	42.99	54.00	-11.01	12.30	3	Horizontal	176	1.89	30.69	37.59	9.93	35.22
PK	10.6391G	53.94	74.00	-20.06	12.60	3	Horizontal	114	2.57	41.34	39.14	8.14	34.68
PK	15.96364G	54.50	74.00	-19.50	12.28	3	Horizontal	176	1.89	42.22	37.57	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	95.28	Inf	-Inf	5.05	3	Vertical	352	2.52	90.23	33.45	6.14	34.54
PK	5.7088G	106.52	Inf	-Inf	5.05	3	Vertical	352	2.52	101.47	33.45	6.14	34.54
PK	5.7276G	58.49	68.20	-9.71	5.18	3	Vertical	352	2.52	53.31	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	98.10	Inf	-Inf	5.02	3	Horizontal	14	2.99	93.08	33.43	6.13	34.54
PK	5.7056G	109.63	Inf	-Inf	5.02	3	Horizontal	14	2.99	104.61	33.43	6.13	34.54
PK	5.7288G	60.18	68.20	-8.02	5.18	3	Horizontal	14	2.99	55.00	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40246G	41.94	54.00	-12.06	12.99	3	Vertical	196	2.05	28.95	39.10	8.46	34.57
PK	11.39998G	54.32	74.00	-19.68	12.99	3	Vertical	196	2.05	41.33	39.10	8.46	34.57
PK	17.09554G	55.66	68.20	-12.54	13.82	3	Vertical	151	2.17	41.84	37.80	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40288G	41.96	54.00	-12.04	12.99	3	Horizontal	143	2.39	28.97	39.10	8.46	34.57
PK	11.39796G	54.20	74.00	-19.80	12.99	3	Horizontal	143	2.39	41.21	39.10	8.46	34.57
PK	17.0975G	56.74	68.20	-11.46	13.82	3	Horizontal	354	2.64	42.92	37.80	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	102.36	Inf	-Inf	5.65	3	Vertical	4	1.26	96.71	33.96	6.22	34.53
PK	5.5946G	57.72	68.20	-10.48	4.40	3	Vertical	4	1.26	53.32	32.89	6.06	34.55
PK	5.8322G	112.19	Inf	-Inf	5.65	3	Vertical	4	1.26	106.54	33.96	6.22	34.53
PK	5.9294G	58.89	68.20	-9.31	5.93	3	Vertical	4	1.26	52.96	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	104.27	Inf	-Inf	5.63	3	Horizontal	7	1.50	98.64	33.95	6.21	34.53
PK	5.6066G	57.28	68.20	-10.92	4.42	3	Horizontal	7	1.50	52.86	32.91	6.06	34.55
PK	5.8298G	114.53	Inf	-Inf	5.64	3	Horizontal	7	1.50	108.89	33.96	6.21	34.53
PK	6.005G	58.45	68.20	-9.75	5.88	3	Horizontal	7	1.50	52.57	34.10	6.30	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65044G	41.75	54.00	-12.25	12.44	3	Vertical	182	2.11	29.31	38.50	8.56	34.62
PK	11.65158G	54.67	74.00	-19.33	12.44	3	Vertical	182	2.11	42.23	38.50	8.56	34.62
PK	17.47506G	56.50	68.20	-11.70	14.38	3	Vertical	95	2.77	42.12	38.50	10.29	34.41

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port1)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64914G	41.73	54.00	-12.27	12.44	3	Horizontal	180	2.48	29.29	38.50	8.56	34.62
PK	11.64714G	53.54	74.00	-20.46	12.44	3	Horizontal	180	2.48	41.10	38.50	8.56	34.62
PK	17.47446G	57.30	68.20	-10.90	14.39	3	Horizontal	92	1.87	42.91	38.50	10.29	34.40

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	95.93	Inf	-Inf	4.32	3	Vertical	24	1.50	91.61	32.96	5.95	34.59
AV	5.3694G	46.29	54.00	-7.71	4.33	3	Vertical	24	1.50	41.96	32.94	5.97	34.58
PK	5.3222G	107.19	Inf	-Inf	4.32	3	Vertical	24	1.50	102.87	32.96	5.95	34.59
PK	5.3504G	58.44	74.00	-15.56	4.28	3	Vertical	24	1.50	54.16	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3226G	98.18	Inf	-Inf	4.31	3	Horizontal	13	1.47	93.87	32.95	5.95	34.59
AV	5.3556G	46.33	54.00	-7.67	4.30	3	Horizontal	13	1.47	42.03	32.91	5.97	34.58
PK	5.3254G	109.50	Inf	-Inf	4.31	3	Horizontal	13	1.47	105.19	32.95	5.95	34.59
PK	5.3506G	58.76	74.00	-15.24	4.28	3	Horizontal	13	1.47	54.48	32.90	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6373G	41.60	54.00	-12.40	12.60	3	Vertical	104	1.53	29.00	39.14	8.14	34.68
AV	15.95626G	42.99	54.00	-11.01	12.30	3	Vertical	130	1.40	30.69	37.59	9.93	35.22
PK	10.64194G	53.41	74.00	-20.59	12.60	3	Vertical	104	1.53	40.81	39.14	8.14	34.68
PK	15.95712G	54.61	74.00	-19.39	12.30	3	Vertical	130	1.40	42.31	37.59	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64204G	41.60	54.00	-12.40	12.60	3	Horizontal	26	1.15	29.00	39.14	8.14	34.68
AV	15.95528G	42.95	54.00	-11.05	12.30	3	Horizontal	72	1.30	30.65	37.59	9.93	35.22
PK	10.64066G	53.60	74.00	-20.40	12.60	3	Horizontal	26	1.15	41.00	39.14	8.14	34.68
PK	15.9648G	54.55	74.00	-19.45	12.28	3	Horizontal	72	1.30	42.27	37.57	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	95.42	Inf	-Inf	5.05	3	Vertical	20	1.45	90.37	33.45	6.14	34.54
PK	5.7056G	107.03	Inf	-Inf	5.02	3	Vertical	20	1.45	102.01	33.43	6.13	34.54
PK	5.774G	58.60	68.20	-9.60	5.44	3	Vertical	20	1.45	53.16	33.80	6.18	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	95.46	Inf	-Inf	5.03	3	Horizontal	14	1.50	90.43	33.44	6.13	34.54
PK	5.7028G	107.31	Inf	-Inf	5.01	3	Horizontal	14	1.50	102.30	33.42	6.13	34.54
PK	5.7296G	59.39	68.20	-8.81	5.19	3	Horizontal	14	1.50	54.20	33.58	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4004G	41.96	54.00	-12.04	12.99	3	Vertical	358	2.05	28.97	39.10	8.46	34.57
PK	11.39818G	53.62	74.00	-20.38	12.99	3	Vertical	358	2.05	40.63	39.10	8.46	34.57
PK	17.1019G	55.93	68.20	-12.27	13.83	3	Vertical	143	1.58	42.10	37.81	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4035G	41.97	54.00	-12.03	12.99	3	Horizontal	277	2.00	28.98	39.10	8.46	34.57
PK	11.40432G	54.60	74.00	-19.40	12.99	3	Horizontal	277	2.00	41.61	39.10	8.46	34.57
PK	17.09762G	55.87	68.20	-12.33	13.82	3	Horizontal	126	2.85	42.05	37.80	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	104.75	Inf	-Inf	5.65	3	Vertical	23	1.27	99.10	33.96	6.22	34.53
PK	5.597G	57.00	68.20	-11.20	4.40	3	Vertical	23	1.27	52.60	32.89	6.06	34.55
PK	5.8286G	114.65	Inf	-Inf	5.64	3	Vertical	23	1.27	109.01	33.96	6.21	34.53
PK	5.9258G	59.24	68.20	-8.96	5.93	3	Vertical	23	1.27	53.31	34.20	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	103.42	Inf	-Inf	5.65	3	Horizontal	17	1.33	97.77	33.96	6.22	34.53
PK	5.603G	57.69	68.20	-10.51	4.42	3	Horizontal	17	1.33	53.27	32.91	6.06	34.55
PK	5.8322G	113.67	Inf	-Inf	5.65	3	Horizontal	17	1.33	108.02	33.96	6.22	34.53
PK	6.029G	59.06	68.20	-9.14	5.89	3	Horizontal	17	1.33	53.17	34.10	6.31	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65006G	41.74	54.00	-12.26	12.44	3	Vertical	284	2.40	29.30	38.50	8.56	34.62
PK	11.64596G	54.08	74.00	-19.92	12.44	3	Vertical	284	2.40	41.64	38.50	8.56	34.62
PK	17.47146G	55.74	68.20	-12.46	14.39	3	Vertical	289	1.29	41.35	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65264G	41.76	54.00	-12.24	12.44	3	Horizontal	68	2.29	29.32	38.50	8.56	34.62
PK	11.64992G	53.80	74.00	-20.20	12.44	3	Horizontal	68	2.29	41.36	38.50	8.56	34.62
PK	17.47972G	56.89	68.20	-11.31	14.38	3	Horizontal	245	2.08	42.51	38.50	10.29	34.41

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	94.56	Inf	-Inf	4.31	3	Vertical	28	1.50	90.25	32.95	5.95	34.59
AV	5.3628G	46.55	54.00	-7.45	4.32	3	Vertical	28	1.50	42.23	32.93	5.97	34.58
PK	5.3282G	104.46	Inf	-Inf	4.30	3	Vertical	28	1.50	100.16	32.94	5.95	34.59
PK	5.365G	56.72	74.00	-17.28	4.32	3	Vertical	28	1.50	52.40	32.93	5.97	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3238G	100.36	Inf	-Inf	4.31	3	Horizontal	16	2.50	96.05	32.95	5.95	34.59
AV	5.356G	46.52	54.00	-7.48	4.30	3	Horizontal	16	2.50	42.22	32.91	5.97	34.58
PK	5.3228G	111.00	Inf	-Inf	4.31	3	Horizontal	16	2.50	106.69	32.95	5.95	34.59
PK	5.3506G	59.81	74.00	-14.19	4.28	3	Horizontal	16	2.50	55.53	32.90	5.96	34.58



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




16/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64172G	41.60	54.00	-12.40	12.60	3	Vertical	248	1.34	29.00	39.14	8.14	34.68
AV	15.958G	42.97	54.00	-11.03	12.29	3	Vertical	97	2.84	30.68	37.58	9.93	35.22
PK	10.6446G	53.74	74.00	-20.26	12.60	3	Vertical	248	1.34	41.14	39.14	8.14	34.68
PK	15.9564G	54.19	74.00	-19.81	12.30	3	Vertical	97	2.84	41.89	37.59	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




16/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64094G	41.59	54.00	-12.41	12.60	3	Horizontal	163	1.71	28.99	39.14	8.14	34.68
AV	15.95862G	42.98	54.00	-11.02	12.29	3	Horizontal	228	1.47	30.69	37.58	9.93	35.22
PK	10.64272G	53.78	74.00	-20.22	12.60	3	Horizontal	163	1.71	41.18	39.14	8.14	34.68
PK	15.96288G	54.72	74.00	-19.28	12.28	3	Horizontal	228	1.47	42.44	37.57	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	99.37	Inf	-Inf	5.02	3	Vertical	8	1.27	94.35	33.43	6.13	34.54
PK	5.7072G	109.99	Inf	-Inf	5.04	3	Vertical	8	1.27	104.95	33.44	6.14	34.54
PK	5.7284G	62.55	68.20	-5.65	5.18	3	Vertical	8	1.27	57.37	33.57	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7076G	101.25	Inf	-Inf	5.05	3	Horizontal	17	1.50	96.20	33.45	6.14	34.54
PK	5.7032G	111.49	Inf	-Inf	5.01	3	Horizontal	17	1.50	106.48	33.42	6.13	34.54
PK	5.7268G	63.36	68.20	-4.84	5.17	3	Horizontal	17	1.50	58.19	33.56	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.404G	41.95	54.00	-12.05	12.99	3	Vertical	72	1.48	28.96	39.10	8.46	34.57
PK	11.4003G	54.06	74.00	-19.94	12.99	3	Vertical	72	1.48	41.07	39.10	8.46	34.57
PK	17.09596G	56.09	68.20	-12.11	13.82	3	Vertical	346	1.57	42.27	37.80	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3963G	41.96	54.00	-12.04	12.99	3	Horizontal	259	1.54	28.97	39.10	8.46	34.57
PK	11.40126G	54.16	74.00	-19.84	12.99	3	Horizontal	259	1.54	41.17	39.10	8.46	34.57
PK	17.10228G	57.06	68.20	-11.14	13.83	3	Horizontal	59	2.40	43.23	37.81	10.20	34.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	106.42	Inf	-Inf	5.65	3	Vertical	17	1.22	100.77	33.96	6.22	34.53
PK	5.6306G	57.94	68.20	-10.26	4.49	3	Vertical	17	1.22	53.45	32.96	6.08	34.55
PK	5.8346G	116.25	Inf	-Inf	5.66	3	Vertical	17	1.22	110.59	33.97	6.22	34.53
PK	5.963G	59.75	68.20	-8.45	5.93	3	Vertical	17	1.22	53.82	34.17	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.97	Inf	-Inf	5.64	3	Horizontal	17	1.35	102.33	33.96	6.21	34.53
PK	5.6378G	58.12	68.20	-10.08	4.52	3	Horizontal	17	1.35	53.60	32.98	6.09	34.55
PK	5.8298G	117.46	Inf	-Inf	5.64	3	Horizontal	17	1.35	111.82	33.96	6.21	34.53
PK	5.9426G	60.05	68.20	-8.15	5.95	3	Horizontal	17	1.35	54.10	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65488G	41.74	54.00	-12.26	12.45	3	Vertical	288	1.21	29.29	38.50	8.57	34.62
PK	11.6466G	53.67	74.00	-20.33	12.44	3	Vertical	288	1.21	41.23	38.50	8.56	34.62
PK	17.4718G	56.60	68.20	-11.60	14.39	3	Vertical	44	2.77	42.21	38.50	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6527G	41.74	54.00	-12.26	12.44	3	Horizontal	106	1.86	29.30	38.50	8.56	34.62
PK	11.65348G	53.86	74.00	-20.14	12.44	3	Horizontal	106	1.86	41.42	38.50	8.56	34.62
PK	17.47868G	56.17	68.20	-12.03	14.38	3	Horizontal	62	1.39	41.79	38.50	10.29	34.41

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.74	54.00	-7.26	4.24	3	Vertical	89	2.47	42.50	33.00	5.86	34.62
AV	5.182G	92.66	Inf	-Inf	4.32	3	Vertical	89	2.47	88.34	33.06	5.87	34.61
PK	5.1328G	64.99	74.00	-9.01	4.23	3	Vertical	89	2.47	60.76	33.00	5.85	34.62
PK	5.1824G	104.21	Inf	-Inf	4.32	3	Vertical	89	2.47	99.89	33.06	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.82	54.00	-6.18	4.24	3	Horizontal	17	2.49	43.58	33.00	5.86	34.62
AV	5.1776G	96.57	Inf	-Inf	4.32	3	Horizontal	17	2.49	92.25	33.06	5.87	34.61
PK	5.1324G	67.56	74.00	-6.44	4.23	3	Horizontal	17	2.49	63.33	33.00	5.85	34.62
PK	5.1776G	107.48	Inf	-Inf	4.32	3	Horizontal	17	2.49	103.16	33.06	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5604G	43.64	54.00	-10.36	13.26	3	Vertical	62	2.55	30.38	38.38	9.80	34.92
PK	10.4022G	53.82	68.20	-14.38	12.32	3	Vertical	293	2.35	41.50	39.10	8.04	34.82
PK	15.55308G	55.59	74.00	-18.41	13.27	3	Vertical	62	2.55	42.32	38.39	9.80	34.92

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57576G	43.60	54.00	-10.40	13.22	3	Horizontal	34	1.15	30.38	38.35	9.81	34.94
PK	10.39824G	54.85	68.20	-13.35	12.31	3	Horizontal	217	3.00	42.54	39.09	8.04	34.82
PK	15.55896G	55.56	74.00	-18.44	13.26	3	Horizontal	34	1.15	42.30	38.38	9.80	34.92

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.92	54.00	-9.08	4.32	3	Vertical	3	1.42	40.60	32.88	6.01	34.57
AV	5.5028G	88.07	Inf	-Inf	4.27	3	Vertical	3	1.42	83.80	32.80	6.03	34.56
PK	5.4484G	57.03	74.00	-16.97	4.34	3	Vertical	3	1.42	52.69	32.90	6.01	34.57
PK	5.4692G	57.45	68.20	-10.75	4.31	3	Vertical	3	1.42	53.14	32.86	6.01	34.56
PK	5.4984G	99.65	Inf	-Inf	4.26	3	Vertical	3	1.42	95.39	32.80	6.02	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.00	54.00	-9.00	4.32	3	Horizontal	20	1.42	40.68	32.88	6.01	34.57
AV	5.4972G	89.01	Inf	-Inf	4.27	3	Horizontal	20	1.42	84.74	32.81	6.02	34.56
PK	5.4152G	56.69	74.00	-17.31	4.40	3	Horizontal	20	1.42	52.29	32.97	6.00	34.57
PK	5.468G	56.64	68.20	-11.56	4.30	3	Horizontal	20	1.42	52.34	32.86	6.01	34.57
PK	5.5012G	100.26	Inf	-Inf	4.27	3	Horizontal	20	1.42	95.99	32.80	6.03	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01952G	42.10	54.00	-11.90	12.60	3	Vertical	154	1.50	29.50	38.88	8.30	34.58
PK	11.04244G	54.48	74.00	-19.52	12.59	3	Vertical	154	1.50	41.89	38.86	8.31	34.58
PK	16.52904G	56.35	68.20	-11.85	13.68	3	Vertical	251	1.50	42.67	38.34	10.06	34.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99084G	42.12	54.00	-11.88	12.62	3	Horizontal	14	1.32	29.50	38.91	8.29	34.58
PK	11.01388G	54.17	74.00	-19.83	12.61	3	Horizontal	14	1.32	41.56	38.89	8.30	34.58
PK	16.52544G	55.91	68.20	-12.29	13.68	3	Horizontal	267	1.50	42.23	38.35	10.06	34.73

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	44.81	54.00	-9.19	4.33	3	Vertical	350	1.28	40.48	32.89	6.01	34.57
AV	5.749G	98.51	Inf	-Inf	5.31	3	Vertical	350	1.28	93.20	33.69	6.16	34.54
PK	5.6074G	57.30	68.20	-10.90	4.43	3	Vertical	350	1.28	52.87	32.91	6.07	34.55
PK	5.7418G	109.63	Inf	-Inf	5.27	3	Vertical	350	1.28	104.36	33.65	6.16	34.54
PK	5.9326G	58.43	68.20	-9.77	5.94	3	Vertical	350	1.28	52.49	34.20	6.27	34.53

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.89	54.00	-9.11	4.32	3	Horizontal	358	1.48	40.57	32.88	6.01	34.57
AV	5.743G	101.01	Inf	-Inf	5.28	3	Horizontal	358	1.48	95.73	33.66	6.16	34.54
PK	5.6122G	58.29	68.20	-9.91	4.44	3	Horizontal	358	1.48	53.85	32.92	6.07	34.55
PK	5.743G	112.43	Inf	-Inf	5.28	3	Horizontal	358	1.48	107.15	33.66	6.16	34.54
PK	6.0406G	58.80	68.20	-9.40	5.89	3	Horizontal	358	1.48	52.91	34.10	6.31	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48972G	42.31	54.00	-11.69	12.94	3	Vertical	360	1.50	29.37	39.01	8.50	34.57
PK	11.50988G	53.56	74.00	-20.44	12.88	3	Vertical	360	1.50	40.68	38.95	8.50	34.57
PK	17.26104G	56.33	68.20	-11.87	14.16	3	Vertical	359	1.31	42.17	38.20	10.24	34.28

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49356G	42.25	54.00	-11.75	12.94	3	Horizontal	84	1.50	29.31	39.01	8.50	34.57
PK	11.49632G	53.69	74.00	-20.31	12.93	3	Horizontal	84	1.50	40.76	39.00	8.50	34.57
PK	17.2596G	56.90	68.20	-11.30	14.16	3	Horizontal	197	1.50	42.74	38.20	10.24	34.28

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.59	54.00	-7.41	4.24	3	Vertical	112	2.75	42.35	33.00	5.86	34.62
AV	5.182G	95.34	Inf	-Inf	4.32	3	Vertical	112	2.75	91.02	33.06	5.87	34.61
PK	5.15G	58.45	74.00	-15.55	4.24	3	Vertical	112	2.75	54.21	33.00	5.86	34.62
PK	5.1844G	106.47	Inf	-Inf	4.33	3	Vertical	112	2.75	102.14	33.07	5.87	34.61

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.21	54.00	-5.79	4.24	3	Horizontal	357	1.66	43.97	33.00	5.86	34.62
AV	5.1776G	98.79	Inf	-Inf	4.32	3	Horizontal	357	1.66	94.47	33.06	5.87	34.61
PK	5.1456G	59.67	74.00	-14.33	4.24	3	Horizontal	357	1.66	55.43	33.00	5.86	34.62
PK	5.1772G	109.90	Inf	-Inf	4.31	3	Horizontal	357	1.66	105.59	33.05	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59196G	43.63	54.00	-10.37	13.18	3	Vertical	145	2.38	30.45	38.32	9.81	34.95
PK	10.39776G	53.61	68.20	-14.59	12.31	3	Vertical	136	1.50	41.30	39.09	8.04	34.82
PK	15.54948G	55.31	74.00	-18.69	13.28	3	Vertical	145	2.38	42.03	38.40	9.80	34.92

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59112G	43.59	54.00	-10.41	13.18	3	Horizontal	154	1.50	30.41	38.32	9.81	34.95
PK	10.40904G	54.21	68.20	-13.99	12.31	3	Horizontal	360	2.62	41.90	39.08	8.04	34.81
PK	15.5634G	56.03	74.00	-17.97	13.24	3	Horizontal	154	1.50	42.79	38.37	9.80	34.93

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.06	54.00	-8.94	4.32	3	Vertical	10	1.42	40.74	32.88	6.01	34.57
AV	5.498G	94.80	Inf	-Inf	4.26	3	Vertical	10	1.42	90.54	32.80	6.02	34.56
PK	5.4572G	57.34	74.00	-16.66	4.33	3	Vertical	10	1.42	53.01	32.89	6.01	34.57
PK	5.4636G	56.02	68.20	-12.18	4.31	3	Vertical	10	1.42	51.71	32.87	6.01	34.57
PK	5.4972G	105.81	Inf	-Inf	4.27	3	Vertical	10	1.42	101.54	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.08	54.00	-8.92	4.32	3	Horizontal	8	1.50	40.76	32.88	6.01	34.57
AV	5.5032G	95.26	Inf	-Inf	4.27	3	Horizontal	8	1.50	90.99	32.80	6.03	34.56
PK	5.4224G	57.21	74.00	-16.79	4.39	3	Horizontal	8	1.50	52.82	32.96	6.00	34.57
PK	5.4612G	58.11	68.20	-10.09	4.32	3	Horizontal	8	1.50	53.79	32.88	6.01	34.57
PK	5.5048G	106.00	Inf	-Inf	4.27	3	Horizontal	8	1.50	101.73	32.80	6.03	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9918G	42.12	54.00	-11.88	12.62	3	Vertical	277	1.50	29.50	38.91	8.29	34.58
PK	11.0014G	53.54	74.00	-20.46	12.61	3	Vertical	277	1.50	40.93	38.90	8.29	34.58
PK	16.5342G	56.69	68.20	-11.51	13.68	3	Vertical	228	2.20	43.01	38.33	10.07	34.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00668G	42.13	54.00	-11.87	12.60	3	Horizontal	0	2.25	29.53	38.89	8.29	34.58
PK	10.99948G	54.22	74.00	-19.78	12.61	3	Horizontal	0	2.25	41.61	38.90	8.29	34.58
PK	16.55028G	56.58	68.20	-11.62	13.67	3	Horizontal	224	1.51	42.91	38.30	10.07	34.70

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	44.72	54.00	-9.28	4.33	3	Vertical	14	1.35	40.39	32.89	6.01	34.57
AV	5.743G	99.92	Inf	-Inf	5.28	3	Vertical	14	1.35	94.64	33.66	6.16	34.54
PK	5.5942G	57.66	68.20	-10.54	4.40	3	Vertical	14	1.35	53.26	32.89	6.06	34.55
PK	5.7466G	110.99	Inf	-Inf	5.30	3	Vertical	14	1.35	105.69	33.68	6.16	34.54
PK	5.9614G	59.54	68.20	-8.66	5.94	3	Vertical	14	1.35	53.60	34.18	6.28	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	44.69	54.00	-9.31	4.33	3	Horizontal	284	1.50	40.36	32.89	6.01	34.57
AV	5.743G	99.50	Inf	-Inf	5.28	3	Horizontal	284	1.50	94.22	33.66	6.16	34.54
PK	5.6218G	57.61	68.20	-10.59	4.47	3	Horizontal	284	1.50	53.14	32.94	6.08	34.55
PK	5.7466G	109.49	Inf	-Inf	5.30	3	Horizontal	284	1.50	104.19	33.68	6.16	34.54
PK	5.9314G	58.26	68.20	-9.94	5.94	3	Horizontal	284	1.50	52.32	34.20	6.27	34.53



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49044G	42.44	54.00	-11.56	12.94	3	Vertical	309	1.42	29.50	39.01	8.50	34.57
PK	11.4926G	54.20	74.00	-19.80	12.94	3	Vertical	309	1.42	41.26	39.01	8.50	34.57
PK	17.25984G	56.92	68.20	-11.28	14.16	3	Vertical	268	2.13	42.76	38.20	10.24	34.28

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49236G	42.22	54.00	-11.78	12.94	3	Horizontal	124	1.50	29.28	39.01	8.50	34.57
PK	11.51528G	54.61	74.00	-19.39	12.86	3	Horizontal	124	1.50	41.75	38.92	8.51	34.57
PK	17.2572G	56.25	68.20	-11.95	14.17	3	Horizontal	213	1.66	42.08	38.20	10.24	34.27

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.58	54.00	-5.42	4.24	3	Vertical	112	2.67	44.34	33.00	5.86	34.62
AV	5.1812G	97.03	Inf	-Inf	4.32	3	Vertical	112	2.67	92.71	33.06	5.87	34.61
PK	5.15G	61.20	74.00	-12.80	4.24	3	Vertical	112	2.67	56.96	33.00	5.86	34.62
PK	5.1808G	108.33	Inf	-Inf	4.32	3	Vertical	112	2.67	104.01	33.06	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.96	54.00	-2.04	4.24	3	Horizontal	21	2.56	47.72	33.00	5.86	34.62
AV	5.182G	101.62	Inf	-Inf	4.32	3	Horizontal	21	2.56	97.30	33.06	5.87	34.61
PK	5.15G	63.63	74.00	-10.37	4.24	3	Horizontal	21	2.56	59.39	33.00	5.86	34.62
PK	5.1796G	113.85	Inf	-Inf	4.32	3	Horizontal	21	2.56	109.53	33.06	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56028G	43.59	54.00	-10.41	13.26	3	Vertical	30	1.50	30.33	38.38	9.80	34.92
PK	10.35516G	54.38	68.20	-13.82	12.12	3	Vertical	346	1.50	42.26	38.97	8.02	34.87
PK	15.57804G	55.75	74.00	-18.25	13.21	3	Vertical	30	1.50	42.54	38.34	9.81	34.94

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59952G	43.59	54.00	-10.41	13.16	3	Horizontal	357	2.82	30.43	38.30	9.81	34.95
PK	10.4094G	53.90	68.20	-14.30	12.31	3	Horizontal	152	1.50	41.59	39.08	8.04	34.81
PK	15.57264G	55.83	74.00	-18.17	13.23	3	Horizontal	357	2.82	42.60	38.35	9.81	34.93

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.14	54.00	-8.86	4.32	3	Vertical	356	1.43	40.82	32.88	6.01	34.57
AV	5.5036G	93.46	Inf	-Inf	4.27	3	Vertical	356	1.43	89.19	32.80	6.03	34.56
PK	5.4596G	62.25	74.00	-11.75	4.32	3	Vertical	356	1.43	57.93	32.88	6.01	34.57
PK	5.4632G	62.96	68.20	-5.24	4.31	3	Vertical	356	1.43	58.65	32.87	6.01	34.57
PK	5.504G	104.90	Inf	-Inf	4.27	3	Vertical	356	1.43	100.63	32.80	6.03	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.38	54.00	-8.62	4.32	3	Horizontal	9	2.29	41.06	32.88	6.01	34.57
AV	5.4964G	94.73	Inf	-Inf	4.27	3	Horizontal	9	2.29	90.46	32.81	6.02	34.56
PK	5.4592G	63.13	74.00	-10.87	4.32	3	Horizontal	9	2.29	58.81	32.88	6.01	34.57
PK	5.4628G	65.29	68.20	-2.91	4.31	3	Horizontal	9	2.29	60.98	32.87	6.01	34.57
PK	5.4964G	105.42	Inf	-Inf	4.27	3	Horizontal	9	2.29	101.15	32.81	6.02	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00716G	42.10	54.00	-11.90	12.60	3	Vertical	34	2.40	29.50	38.89	8.29	34.58
PK	11.01124G	53.58	74.00	-20.42	12.60	3	Vertical	34	2.40	40.98	38.89	8.29	34.58
PK	16.53888G	56.97	68.20	-11.23	13.68	3	Vertical	125	1.50	43.29	38.32	10.07	34.71

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99984G	42.09	54.00	-11.91	12.61	3	Horizontal	327	1.98	29.48	38.90	8.29	34.58
PK	11.04628G	54.15	74.00	-19.85	12.58	3	Horizontal	327	1.98	41.57	38.85	8.31	34.58
PK	16.52496G	56.32	68.20	-11.88	13.68	3	Horizontal	337	1.50	42.64	38.35	10.06	34.73

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	44.73	54.00	-9.27	4.33	3	Vertical	8	1.28	40.40	32.89	6.01	34.57
AV	5.749G	96.79	Inf	-Inf	5.31	3	Vertical	8	1.28	91.48	33.69	6.16	34.54
PK	5.575G	57.45	68.20	-10.75	4.35	3	Vertical	8	1.28	53.10	32.85	6.05	34.55
PK	5.7478G	107.25	Inf	-Inf	5.31	3	Vertical	8	1.28	101.94	33.69	6.16	34.54
PK	5.9398G	58.88	68.20	-9.32	5.95	3	Vertical	8	1.28	52.93	34.20	6.27	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	44.79	54.00	-9.21	4.33	3	Horizontal	7	1.41	40.46	32.89	6.01	34.57
AV	5.7418G	98.18	Inf	-Inf	5.27	3	Horizontal	7	1.41	92.91	33.65	6.16	34.54
PK	5.5954G	57.07	68.20	-11.13	4.40	3	Horizontal	7	1.41	52.67	32.89	6.06	34.55
PK	5.743G	108.57	Inf	-Inf	5.28	3	Horizontal	7	1.41	103.29	33.66	6.16	34.54
PK	5.9434G	58.41	68.20	-9.79	5.95	3	Horizontal	7	1.41	52.46	34.20	6.27	34.52