





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.30	314.33	320	-5.67
High	6265	314.02	314.19	320	-5.81





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.83	314.54	320	-5.17
High	6265	315.80	314.83	320	-4.20





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.12	314.88	320	-5.12
High	6265	314.61	315.29	320	-4.71





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.88	314.60	320	-5.12
High	6265	315.03	314.98	320	-4.97





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.31	314.34	320	-5.66
High	6265	314.94	315.17	320	-4.83



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	315.34	315.74	320	-4.26
High	6265	314.75	314.31	320	-5.25



9.4.7. 802.11a MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	16.62	16.64	320	-303.36
Mid	6475	16.77	16.70	320	-303.23
High	6515	16.85	16.64	320	-303.15



9.4.8. 802.11be EHT20 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	2.59	2.47	320	-317.41
Mid	6475	2.64	2.51	320	-317.36
High	6515	2.85	2.86	320	-317.14





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	3.95	4.13	320	-315.87
Mid	6475	4.42	4.19	320	-315.58
High	6515	4.36	4.37	320	-315.63





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	6.50	6.48	320	-313.50
Mid	6475	6.46	6.41	320	-313.54
High	6515	6.26	6.31	320	-313.69





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	8.41	8.41	320	-311.59
Mid	6475	8.43	8.47	320	-311.53
High	6515	8.42	8.47	320	-311.53





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 10T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	11.05	10.97	320	-308.96
Mid	6475	10.92	10.94	320	-309.06
High	6515	10.87	10.84	320	-309.13



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	19.08	19.01	320	-300.92
Mid	6475	19.04	19.09	320	-300.91
High	6515	19.11	18.99	320	-300.89



9.4.9. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6445	38.22	38.11	320	-281.78
Mid	6485	37.99	37.99	320	-282.01
High	6525	37.98	37.98	320	-282.02



9.4.10. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	59.01	58.80	320	-260.99
High	6545	58.81	58.66	320	-261.19





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	78.03	77.98	320	-241.97
High	6545	77.62	77.97	320	-242.03





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	78.03	77.92	320	-241.97
High	6545	77.60	78.01	320	-241.99



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	77.74	77.70	320	-242.26
High	6545	77.67	77.64	320	-242.33



9.4.11. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	117.52	117.32	320	-202.48





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	156.20	156.66	320	-163.34





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	157.64	156.14	320	-162.36



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	157.10	157.18	320	-162.82



9.4.12. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	196.70	196.53	320	-123.30
High	6585	196.51	195.26	320	-123.49





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	235.52	236.34	320	-83.66
High	6585	236.39	236.64	320	-83.36





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	235.54	235.63	320	-84.37
High	6585	236.00	236.06	320	-83.94





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	236.01	236.42	320	-83.58
High	6585	236.25	236.24	320	-83.75





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	235.50	235.03	320	-84.50
High	6585	235.12	235.84	320	-84.16





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	316.50	316.49	320	-3.50
High	6585	315.22	315.74	320	-4.26





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.96	314.97	320	-5.03
High	6585	316.19	315.19	320	-3.81





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	275.55	274.84	320	-44.45
High	6585	275.46	275.20	320	-44.54





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.15	314.23	320	-5.77
High	6585	314.62	315.07	320	-4.93





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.90	315.08	320	-4.92
High	6585	315.50	315.36	320	-4.50





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	315.91	315.70	320	-4.09
High	6585	314.93	314.46	320	-5.07





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	315.12	316.06	320	-3.94
High	6585	315.15	316.33	320	-3.67



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.35	314.24	320	-5.65
High	6585	315.13	315.32	320	-4.68



9.4.13. 802.11a MODE 2TX IN THE UNII-7 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	16.60	16.56	320	-303.40
Mid	6695	16.58	16.56	320	-303.42
High	6855	16.57	16.61	320	-303.40



9.4.14. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	2.75	2.44	320	-317.25
Mid	6695	2.67	2.95	320	-317.05
High	6855	2.95	3.19	320	-316.81





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	4.14	4.51	320	-315.49
Mid	6695	4.25	4.23	320	-315.75
High	6855	4.09	4.82	320	-315.18





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	6.17	6.13	320	-313.83
Mid	6695	6.17	6.15	320	-313.83
High	6855	6.20	6.16	320	-313.80





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	8.27	8.28	320	-311.72
Mid	6695	8.25	8.23	320	-311.75
High	6855	8.24	8.21	320	-311.76





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	10.95	10.94	320	-309.05
Mid	6695	11.02	10.94	320	-308.98
High	6855	10.97	10.93	320	-309.03



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	18.95	18.97	320	-301.03
Mid	6695	19.01	19.00	320	-300.99
High	6855	18.96	18.99	320	-301.01



9.4.15. 802.11be EHT40 MODE 2TX IN THE UNII-7 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6565	37.98	38.24	320	-281.76
Mid	6685	37.96	38.06	320	-281.94
High	6845	37.95	38.04	320	-281.97



9.4.16. 802.11be EHT80 MODE 2TX IN THE UNII-7 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	58.84	58.96	320	-261.04
Mid	6705	58.74	58.71	320	-261.26
High	6785	58.81	58.66	320	-261.19





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	78.31	77.89	320	-241.69
Mid	6705	78.12	78.20	320	-241.80
High	6785	78.18	78.17	320	-241.82





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+ 484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	78.23	77.28	320	-241.77
Mid	6705	77.46	77.84	320	-242.16
High	6785	78.13	77.80	320	-241.87



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	77.75	77.87	320	-242.13
Mid	6705	77.90	77.78	320	-242.10
High	6785	77.89	77.93	320	-242.08



9.4.17. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	117.58	117.72	320	-202.28





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.89	157.64	320	-162.11





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.95	158.07	320	-161.93



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	156.98	157.35	320	-162.65



9.4.18. 802.11a MODE 2TX IN THE UNII-8 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	16.70	16.65	320	-303.31
Mid	6995	16.72	16.62	320	-303.28
High	7115	16.65	16.62	320	-303.35



9.4.19. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	2.16	2.87	320	-317.13
Mid	6995	2.14	2.11	320	-317.86
High	7115	2.08	2.13	320	-317.87




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	4.08	4.12	320	-315.88
Mid	6995	4.12	4.14	320	-315.86
High	7115	4.13	4.09	320	-315.87




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	6.25	6.21	320	-313.75
Mid	6995	6.16	6.19	320	-313.81
High	7115	6.17	6.20	320	-313.80





LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	8.49	8.31	320	-311.51
Mid	6995	8.38	8.37	320	-311.62
High	7115	8.31	8.32	320	-311.68




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 10T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	10.92	10.85	320	-309.09
Mid	6995	10.89	10.89	320	-309.11
High	7115	10.84	10.87	320	-309.13



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1