


### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T STANDARD POWER




### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR



### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T STANDARD POWER



### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




### 9.5.3. 802.11be EHT40 MODE 2TX IN THE UNII-5 BAND


DATE: 2024-04-16

IC: 3048A-2036

### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T STANDARD POWER



### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




### 9.5.4. 802.11be EHT80 MODE 2TX IN THE UNII-5 BAND


### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) STANDARD POWER

DATE: 2024-04-16


IC: 3048A-2036




### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




# 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) STANDARD POWER




# 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




# 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) STANDARD POWER




# 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER




### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR



### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU STANDARD POWER



### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR




## 9.5.5. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND

### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76652	-51.49	RMS	9.9	3.6	-37.99	-36.33	-1.66
2	6.0196	-10.32	RMS	9.9	3.6	3.18	3.46	28
3	6.28672	-58.83	RMS	9.9	3.6	-45.33	-36.54	-8.79

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7622	-55.23	RMS	9.8	2.5	-42.93	-37.71	-5.22
2	6.02068	-10.27	RMS	9.8	2.5	2.03	2.29	26
3	6.2896	-59.99	RMS	9.8	2.5	-47.69	-37.71	-9.98

RMS - RMS detection

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92688	-53.73	RMS	9.9	3.6	-40.23	-36.76	-3.47
2	6.17096	-10.97	RMS	9.9	3.6	2.53	2.98	45
3	6.44744	-58.53	RMS	9.9	3.6	-45.03	-37.02	-8.01

RMS - RMS detection



RMS - RMS detection

DATE: 2024-04-16

IC: 3048A-2036

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0858	-60.74	RMS	9.9	3.6	-47.24	-37.9	-9.34
2	6.34212	-11.59	RMS	9.9	3.6	1.91	1.99	08
3	6.60636	-59.73	RMS	9.9	3.6	-46.23	-38.01	-8.22


**RMS - RMS detection** 

Rev 9.5 18 Oct 2021

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-57.09	RMS	9.8	2.5	-44.79	-37.12	-7.67
2	6.33852	-9.94	RMS	9.8	2.5	2.36	2.88	52
3	6.6114	-56.69	RMS	9.8	2.5	-44.39	-37.12	-7.27


**RMS - RMS detection** 

### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74816	-73.38	RMS	9.9	3.6	-59.88	-48.58	-11.3
2	6.03112	-22.3	RMS	9.9	3.6	-8.8	-8.58	22
3	6.1186	-69.23	RMS	9.9	3.6	-55.73	-29.11	-26.62

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-71.4	RMS	9.8	3.5	-58.1	-48.87	-9.23
2	6.02932	-22.28	RMS	9.8	3.5	-8.98	-8.87	11
3	6.2968	-71.81	RMS	9.8	3.5	-58.51	-48.87	-9.64

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9042	-71.96	RMS	9.9	3.6	-58.46	-47.62	-10.84
2	6.19328	-21.25	RMS	9.9	3.6	-7.75	-7.62	13
3	6.45392	-72.54	RMS	9.9	3.6	-59.04	-47.62	-11.42

RMS - RMS detection

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91572	-71.27	RMS	9.8	3.5	-57.97	-47.06	-10.91
2	6.1904	-20.66	RMS	9.8	3.5	-7.36	-7.06	3
3	6.45284	-71.76	RMS	9.8	3.5	-58.46	-47.06	-11.4

RMS - RMS detection

Rev 9.5 18 Oct 2021

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08508	-72.33	RMS	9.9	3.6	-58.83	-47.62	-11.21
2	6.34212	-21.73	RMS	9.9	3.6	-8.23	-7.63	6
3	6.606	-73.04	RMS	9.9	3.6	-59.54	-47.63	-11.91

RMS - RMS detection

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08544	-71.57	RMS	9.8	3.5	-58.27	-46.22	-12.05
2	6.33888	-19.81	RMS	9.8	3.5	-6.51	-6.28	23
3	6.4728	-67.16	RMS	9.8	3.5	-53.86	-30.04	-23.82

RMS - RMS detection