




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**



**HIGH CHANNEL CHAIN 1**


### 9.5.9. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




### 9.5.10. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND


#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




**LOW CHANNEL CHAIN 0**



**LOW CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**



**LOW CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**



**LOW CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**



**LOW CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**



**LOW CHANNEL CHAIN 1**



**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**




### 9.5.11. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24724	-72.36	RMS	9.7	6.4	-56.26	-47.99	-8.27
2	6.50104	-24.55	RMS	9.7	6.4	-8.45	-8.3	-.15
3	6.76816	-73.15	RMS	9.7	6.4	-57.05	-48.3	-8.75


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24328	-71.73	RMS	9.8	3.1	-58.83	-49.97	-8.86
2	6.51112	-23.2	RMS	9.8	3.1	-10.3	-9.97	-.33
3	6.7552	-73.35	RMS	9.8	3.1	-60.45	-48.63	-11.82


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2458	-71.89	RMS	9.7	6.4	-55.79	-47.78	-8.01
2	6.487	-24.31	RMS	9.7	6.4	-8.21	-7.89	-3.32
3	6.76672	-72.76	RMS	9.7	6.4	-56.66	-47.89	-8.77


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.244	-71.18	RMS	9.7	3.1	-58.38	-50.15	-8.23
2	6.49816	-23.15	RMS	9.7	3.1	-10.35	-10.15	-.2
3	6.77212	-73.17	RMS	9.7	3.1	-60.37	-50.15	-10.22


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24148	-72.27	RMS	9.7	6.4	-56.17	-47.55	-8.62
2	6.51616	-24	RMS	9.7	6.4	-7.9	-7.55	-.35
3	6.76492	-72.92	RMS	9.7	6.4	-56.82	-47.54	-9.28


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24004	-70.95	RMS	9.7	3.1	-58.15	-50.56	-7.59
2	6.51292	-23.51	RMS	9.7	3.1	-10.71	-10.56	-.15
3	6.76672	-73.6	RMS	9.7	3.1	-60.8	-50.56	-10.24


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23788	-71.55	RMS	9.7	6.4	-55.45	-49.24	-6.21
2	6.49744	-25.95	RMS	9.7	6.4	-9.85	-9.24	-.61
3	6.76816	-72.65	RMS	9.7	6.4	-56.55	-49.24	-7.31

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.244	-70.5	RMS	9.7	4.9	-55.9	-49.69	-6.21
2	6.49456	-24.53	RMS	9.7	4.9	-9.93	-9.69	-.24
3	6.76888	-72.63	RMS	9.7	4.9	-58.03	-49.69	-8.34

RMS - RMS detection




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-71.71	RMS	9.7	6.4	-55.61	-49.61	-6
2	6.4906	-25.86	RMS	9.7	6.4	-9.76	-9.61	-.15
3	6.7732	-72.74	RMS	9.7	6.4	-56.64	-49.61	-7.03

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23752	-70.88	RMS	9.7	4.9	-56.28	-49.42	-6.86
2	6.49564	-24.43	RMS	9.7	4.9	-9.83	-9.42	-.41
3	6.77536	-72.62	RMS	9.7	4.9	-58.02	-49.42	-8.6

RMS - RMS detection


### 9.5.12. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.927	-69.87	RMS	9.9	3.6	-56.37	-48.55	-7.82
2	6.41	-22.27	RMS	9.9	3.6	-8.77	-8.7	-.07
3	6.9302	-70.63	RMS	9.9	3.6	-57.13	-48.7	-8.43

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9474	-65.39	RMS	9.8	3.5	-52.09	-45.75	-6.34
2	6.4136	-20.83	RMS	9.8	3.5	-7.53	-7.39	-1.14
3	6.9014	-69.68	RMS	9.8	3.5	-56.38	-45.7	-10.68

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.081	-69.54	RMS	9.9	3.6	-56.04	-48.93	-7.11
2	6.5922	-22.52	RMS	9.9	3.6	-9.02	-8.93	-.09
3	7.0914	-71.24	RMS	9.9	3.6	-57.74	-48.93	-8.81


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.105	-66.93	RMS	9.8	3.5	-53.63	-46.17	-7.46
2	6.549	-21.43	RMS	9.8	3.5	-8.13	-7.63	-.5
3	7.0908	-71.31	RMS	9.8	3.5	-58.01	-47.63	-10.38


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9234	-70.01	RMS	9.9	3.6	-56.51	-48.49	-8.02
2	6.4082	-22.16	RMS	9.9	3.6	-8.66	-8.49	-.17
3	6.9344	-70.61	RMS	9.9	3.6	-57.11	-48.49	-8.62


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.945	-67.54	RMS	9.8	3.5	-54.24	-45.64	-8.6
2	6.4112	-20.56	RMS	9.8	3.5	-7.26	-7.1	-1.16
3	6.9296	-71.51	RMS	9.8	3.5	-58.21	-47.1	-11.11


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0828	-69.66	RMS	9.9	3.6	-56.16	-49.14	-7.02
2	6.5772	-22.7	RMS	9.9	3.6	-9.2	-9.14	-0.06
3	7.092	-71.11	RMS	9.9	3.6	-57.61	-49.14	-8.47


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0774	-68.87	RMS	9.8	3.5	-55.57	-47.89	-7.68
2	6.5784	-21.47	RMS	9.8	3.5	-8.17	-7.89	-2.28
3	7.0914	-71.19	RMS	9.8	3.5	-57.89	-47.89	-10


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9276	-69.91	RMS	9.9	3.6	-56.41	-48.21	-8.2
2	6.434	-22.01	RMS	9.9	3.6	-8.51	-8.4	-.11
3	6.9326	-70.39	RMS	9.9	3.6	-56.89	-48.4	-8.49

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9444	-66.13	RMS	9.8	3.5	-52.83	-45.85	-6.98
2	6.4106	-20.72	RMS	9.8	3.5	-7.42	-7.27	-.15
3	6.926	-71.72	RMS	9.8	3.5	-58.42	-47.27	-11.15

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-69.79	RMS	9.9	3.6	-56.29	-49.15	-7.14
2	6.5892	-22.86	RMS	9.9	3.6	-9.36	-9.15	-2.21
3	7.0914	-70.91	RMS	9.9	3.6	-57.41	-49.15	-8.26


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1068	-64.71	RMS	9.8	3.5	-51.41	-46.42	-4.99
2	6.5748	-21.47	RMS	9.8	3.5	-8.17	-8.01	-1.16
3	7.0836	-71.14	RMS	9.8	3.5	-57.84	-47.91	-9.93


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9444	-67.71	RMS	9.9	3.6	-54.21	-47.16	-7.05
2	6.4592	-22.68	RMS	9.9	3.6	-9.18	-8.58	-.6
3	6.9062	-67.91	RMS	9.9	3.6	-54.41	-47.24	-7.17


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9444	-62.3	RMS	9.8	3.5	-49	-45.95	-3.05
2	6.3782	-20.68	RMS	9.8	3.5	-7.38	-7.37	-0.01
3	6.9056	-69.04	RMS	9.8	3.5	-55.74	-45.98	-9.76


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.105	-67.29	RMS	9.9	3.6	-53.79	-47.82	-5.97
2	6.5388	-22.84	RMS	9.9	3.6	-9.34	-9.28	-0.06
3	7.1022	-70.88	RMS	9.9	3.6	-57.38	-49.28	-8.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.108	-63.41	RMS	9.8	3.5	-50.11	-46.38	-3.73
2	6.5214	-21.4	RMS	9.8	3.5	-8.1	-8.06	-.04
3	7.0638	-66.91	RMS	9.8	3.5	-53.61	-46.54	-7.07


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9198	-69.96	RMS	9.9	3.6	-56.46	-50.19	-6.27
2	6.4124	-23.95	RMS	9.9	3.6	-10.45	-10.19	-2.26
3	6.9278	-70.51	RMS	9.9	3.6	-57.01	-50.19	-6.82

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9456	-66.77	RMS	9.8	3.5	-53.47	-47.57	-5.9
2	6.4202	-22.46	RMS	9.8	3.5	-9.16	-9.08	-0.08
3	6.9026	-69.04	RMS	9.8	3.5	-55.74	-47.48	-8.26

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0852	-70.14	RMS	9.9	3.6	-56.64	-50.31	-6.33
2	6.5946	-24.02	RMS	9.9	3.6	-10.52	-10.32	-.2
3	7.0902	-71.32	RMS	9.9	3.6	-57.82	-50.32	-7.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.102	-65.4	RMS	9.8	3.5	-52.1	-48.15	-3.95
2	6.579	-22.72	RMS	9.8	3.5	-9.42	-9.39	-.03
3	7.0854	-71.75	RMS	9.8	3.5	-58.45	-49.39	-9.06


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9186	-70.19	RMS	9.9	3.6	-56.69	-49.86	-6.83
2	6.4313	-23.47	RMS	9.9	3.6	-9.97	-9.86	-.11
3	6.9278	-70.32	RMS	9.9	3.6	-56.82	-49.86	-6.96


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9228	-69.34	RMS	9.8	3.5	-56.04	-48.53	-7.51
2	6.4388	-22.08	RMS	9.8	3.5	-8.78	-8.53	-.25
3	6.9314	-71.42	RMS	9.8	3.5	-58.12	-48.53	-9.59


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-70.17	RMS	9.9	3.6	-56.67	-50.11	-6.56
2	6.5934	-23.78	RMS	9.9	3.6	-10.28	-10.11	-1.17
3	7.0944	-71.19	RMS	9.9	3.6	-57.69	-50.11	-7.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-70.21	RMS	9.8	3.5	-56.91	-49.47	-7.44
2	6.5886	-22.92	RMS	9.8	3.5	-9.62	-9.47	-1.15
3	7.0935	-71.69	RMS	9.8	3.5	-58.39	-49.47	-8.92


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9234	-69.83	RMS	9.9	3.6	-56.33	-49.9	-6.43
2	6.4112	-23.61	RMS	9.9	3.6	-10.11	-9.9	-.21
3	6.9272	-70.56	RMS	9.9	3.6	-57.06	-49.9	-7.16

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9198	-69.09	RMS	9.8	3.5	-55.79	-48.5	-7.29
2	6.4154	-21.94	RMS	9.8	3.5	-8.64	-8.5	-1.14
3	6.9332	-71.6	RMS	9.8	3.5	-58.3	-48.5	-9.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0894	-70.21	RMS	9.9	3.6	-56.71	-49.96	-6.75
2	6.573	-23.84	RMS	9.9	3.6	-10.34	-10.28	-0.06
3	7.089	-71.19	RMS	9.9	3.6	-57.69	-50.28	-7.41


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0834	-70.34	RMS	9.8	3.5	-57.04	-49.21	-7.83
2	6.5682	-22.67	RMS	9.8	3.5	-9.37	-9.21	-1.16
3	7.0872	-71.77	RMS	9.8	3.5	-58.47	-49.21	-9.26


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9468	-69.64	RMS	9.9	3.6	-56.14	-49.57	-6.57
2	6.4178	-24.76	RMS	9.9	3.6	-11.26	-11.16	-.1
3	6.932	-71.06	RMS	9.9	3.6	-57.56	-51.16	-6.4


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9444	-67.48	RMS	9.8	3.5	-54.18	-48.17	-6.01
2	6.419	-23.27	RMS	9.8	3.5	-9.97	-9.59	-38
3	6.9284	-72	RMS	9.8	3.5	-58.7	-49.59	-9.11


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0882	-69.58	RMS	9.9	3.6	-56.08	-50.91	-5.17
2	6.5766	-24.85	RMS	9.9	3.6	-11.35	-11.14	-2.1
3	7.0938	-71.16	RMS	9.9	3.6	-57.66	-51.14	-6.52


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.108	-65.77	RMS	9.8	3.5	-52.47	-48.58	-3.89
2	6.5778	-23.89	RMS	9.8	3.5	-10.59	-10.26	-3.33
3	7.0692	-69.97	RMS	9.8	3.5	-56.67	-49.13	-7.54


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-70.87	RMS	9.9	3.6	-57.37	-50.83	-6.54
2	6.4154	-24.34	RMS	9.9	3.6	-10.84	-10.83	-.01
3	6.9296	-71.09	RMS	9.9	3.6	-57.59	-50.83	-6.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9462	-66.01	RMS	9.8	3.5	-52.71	-48.3	-4.41
2	6.4196	-23.19	RMS	9.8	3.5	-9.89	-9.85	-.04
3	6.9302	-72.06	RMS	9.8	3.5	-58.76	-49.85	-8.91

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0858	-70.07	RMS	9.9	3.6	-56.57	-51.15	-5.42
2	6.57	-24.78	RMS	9.9	3.6	-11.28	-11.21	-0.07
3	7.0896	-70.94	RMS	9.9	3.6	-57.44	-51.21	-6.23


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1068	-66.15	RMS	9.8	3.5	-52.85	-48.62	-4.23
2	6.5766	-23.61	RMS	9.8	3.5	-10.31	-10.21	-.1
3	7.0614	-69.62	RMS	9.8	3.5	-56.32	-48.52	-7.8


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-70.73	RMS	9.9	3.6	-57.23	-50.74	-6.49
2	6.4124	-24.3	RMS	9.9	3.6	-10.8	-10.74	-.06
3	6.9362	-71.29	RMS	9.9	3.6	-57.79	-50.74	-7.05


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.921	-70.06	RMS	9.8	3.5	-56.76	-49.58	-7.18
2	6.4196	-23	RMS	9.8	3.5	-9.7	-9.58	-1.12
3	6.9314	-72.18	RMS	9.8	3.5	-58.88	-49.58	-9.3


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0864	-70.24	RMS	9.9	3.6	-56.74	-50.87	-5.87
2	6.573	-24.5	RMS	9.9	3.6	-11	-10.97	-0.03
3	7.0836	-71.27	RMS	9.9	3.6	-57.77	-50.87	-6.9


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0822	-70.45	RMS	9.8	3.5	-57.15	-50.14	-7.01
2	6.57	-23.47	RMS	9.8	3.5	-10.17	-10.14	-.03
3	7.0896	-71.79	RMS	9.8	3.5	-58.49	-50.14	-8.35


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-70.85	RMS	9.9	3.6	-57.35	-50.89	-6.46
2	6.4334	-24.41	RMS	9.9	3.6	-10.91	-10.89	-.02
3	6.9284	-71.05	RMS	9.9	3.6	-57.55	-50.89	-6.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9438	-67.87	RMS	9.8	3.5	-54.57	-48.35	-6.22
2	6.4298	-23.1	RMS	9.8	3.5	-9.8	-9.73	-0.07
3	6.9254	-71.99	RMS	9.8	3.5	-58.69	-49.73	-8.96

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.081	-70.25	RMS	9.9	3.6	-56.75	-50.77	-5.98
2	6.5964	-24.48	RMS	9.9	3.6	-10.98	-10.77	-2.21
3	7.0974	-71.16	RMS	9.9	3.6	-57.66	-50.77	-6.89


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1038	-65.1	RMS	9.8	3.5	-51.8	-48.85	-2.95
2	6.5958	-23.67	RMS	9.8	3.5	-10.37	-10.23	-.14
3	7.0644	-69.27	RMS	9.8	3.5	-55.97	-48.76	-7.21


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-71	RMS	9.9	3.6	-57.5	-50.74	-6.76
2	6.4382	-24.49	RMS	9.9	3.6	-10.99	-10.74	-.25
3	6.9284	-70.81	RMS	9.9	3.6	-57.31	-50.74	-6.57


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-70.18	RMS	9.8	3.5	-56.88	-49.69	-7.19
2	6.4196	-23.12	RMS	9.8	3.5	-9.82	-9.69	-.13
3	6.9344	-71.88	RMS	9.8	3.5	-58.58	-49.69	-8.89


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.081	-70.16	RMS	9.9	3.6	-56.66	-51.03	-5.63
2	6.5886	-24.6	RMS	9.9	3.6	-11.1	-11.03	-0.07
3	7.092	-71.14	RMS	9.9	3.6	-57.64	-51.03	-6.61


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1014	-68.8	RMS	9.8	3.5	-55.5	-48.94	-6.56
2	6.558	-23.48	RMS	9.8	3.5	-10.18	-10.14	-0.04
3	7.0872	-71.59	RMS	9.8	3.5	-58.29	-50.14	-8.15


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9216	-70.85	RMS	9.9	3.6	-57.35	-50.64	-6.71
2	6.4196	-24.18	RMS	9.9	3.6	-10.68	-10.64	-.04
3	6.9278	-70.95	RMS	9.9	3.6	-57.45	-50.64	-6.81

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9246	-70.44	RMS	9.8	3.5	-57.14	-49.64	-7.5
2	6.4106	-23.23	RMS	9.8	3.5	-9.93	-9.64	-2.9
3	6.9362	-72.31	RMS	9.8	3.5	-59.01	-49.64	-9.37

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0834	-70.22	RMS	9.9	3.6	-56.72	-50.75	-5.97
2	6.5706	-24.34	RMS	9.9	3.6	-10.84	-10.75	-.09
3	7.0902	-71.35	RMS	9.9	3.6	-57.85	-50.75	-7.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.081	-70.6	RMS	9.8	3.5	-57.3	-50.08	-7.22
2	6.5784	-23.45	RMS	9.8	3.5	-10.15	-10.08	-0.07
3	7.0896	-71.9	RMS	9.8	3.5	-58.6	-50.08	-8.52


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.927	-69.84	RMS	9.9	3.6	-56.34	-47.81	-8.53
2	6.4094	-21.67	RMS	9.9	3.6	-8.17	-7.96	-2.21
3	6.9338	-70.56	RMS	9.9	3.6	-57.06	-47.96	-9.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9216	-69.13	RMS	9.8	3.5	-55.83	-46.72	-9.11
2	6.4178	-20.13	RMS	9.8	3.5	-6.83	-6.72	-.11
3	6.932	-71.54	RMS	9.8	3.5	-58.24	-46.72	-11.52


RMS - RMS detection





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0882	-67.56	RMS	9.9	3.6	-54.06	-48.08	-5.98
2	6.5766	-21.86	RMS	9.9	3.6	-8.36	-8.31	-.05
3	7.092	-69.8	RMS	9.9	3.6	-56.3	-48.31	-7.99

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0822	-66.68	RMS	9.8	3.5	-53.38	-47.17	-6.21
2	6.5724	-20.64	RMS	9.8	3.5	-7.34	-7.17	-1.17
3	7.0842	-70.31	RMS	9.8	3.5	-57.01	-47.11	-9.9


RMS - RMS detection

9.5.13. 802.11a MODE 2TX IN THE UNII-7 BAND


STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


**LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**



**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**

### 9.5.14. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND


#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR**



**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**



**HIGH CHANNEL CHAIN 0**



**HIGH CHANNEL CHAIN 1**

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T STANDARD POWER**

