



10.5.9. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




10.5.10. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


10.5.11. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24112	-70.03	RMS	9.7	3.5	-56.83	-46.2	-10.63
2	6.50248	-19.78	RMS	9.7	3.5	-6.58	-6.2	-.38
3	6.77356	-71.94	RMS	9.7	3.5	-58.74	-46.2	-12.54


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23824	-69.92	RMS	9.7	3.1	-57.12	-47.71	-9.41
2	6.49456	-20.78	RMS	9.7	3.1	-7.98	-7.71	-2.27
3	6.77392	-72.19	RMS	9.7	3.1	-59.39	-47.71	-11.68


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-69.97	RMS	9.7	3.5	-56.77	-46.08	-10.69
2	6.49096	-19.57	RMS	9.7	3.5	-6.37	-6.08	-.29
3	6.77464	-71.98	RMS	9.7	3.5	-58.78	-46.08	-12.7


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23608	-69.52	RMS	9.7	3.1	-56.72	-47.83	-8.89
2	6.49636	-20.67	RMS	9.7	3.1	-7.87	-7.83	-.04
3	6.77608	-72.55	RMS	9.7	3.1	-59.75	-47.83	-11.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24148	-70	RMS	9.7	3.5	-56.8	-46.07	-10.73
2	6.51796	-19.48	RMS	9.7	3.5	-6.28	-6.07	-.21
3	6.76708	-71.41	RMS	9.7	3.5	-58.21	-46.07	-12.14


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24472	-69.7	RMS	9.7	3.1	-56.9	-47.73	-9.17
2	6.51868	-20.74	RMS	9.7	3.1	-7.94	-7.73	-2.21
3	6.77428	-72.41	RMS	9.7	3.1	-59.61	-47.73	-11.88


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2368	-67.8	RMS	9.7	3.5	-54.6	-46.85	-7.75
2	6.50932	-20.24	RMS	9.7	3.5	-7.04	-6.85	-.19
3	6.77716	-69.64	RMS	9.7	3.5	-56.44	-46.85	-9.59


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23788	-70.04	RMS	9.7	3.1	-57.24	-47.51	-9.73
2	6.49744	-20.53	RMS	9.7	3.1	-7.73	-7.51	-2.22
3	6.76924	-72.83	RMS	9.7	3.1	-60.03	-47.51	-12.52


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2404	-67.78	RMS	9.7	3.5	-54.58	-46.28	-8.3
2	6.52624	-20.28	RMS	9.7	3.5	-7.08	-6.28	-8
3	6.7732	-69.69	RMS	9.7	3.5	-56.49	-46.28	-10.21

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24076	-69.47	RMS	9.7	3.1	-56.67	-47.02	-9.65
2	6.48268	-20.52	RMS	9.7	3.1	-7.72	-7.02	-.7
3	6.7759	-72.25	RMS	9.7	3.1	-59.45	-47.02	-12.43

RMS - RMS detection


10.5.12. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9276	-70.37	RMS	9.9	3.6	-56.87	-47.99	-8.88
2	6.4148	-21.82	RMS	9.9	3.6	-8.32	-8.18	-.14
3	6.9302	-70.74	RMS	9.9	3.6	-57.24	-48.18	-9.06

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93	-70.05	RMS	9.8	3.5	-56.75	-47.26	-9.49
2	6.4202	-21.03	RMS	9.8	3.5	-7.73	-7.63	-.1
3	6.9266	-72.08	RMS	9.8	3.5	-58.78	-47.63	-11.15

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09	-70.01	RMS	9.9	3.6	-56.51	-47.7	-8.81
2	6.1062	-68.35	RMS	9.9	3.6	-54.85	-46.52	-8.33
3	6.573	-21.63	RMS	9.9	3.6	-8.13	-8.07	-.06
4	7.0944	-70.99	RMS	9.9	3.6	-57.49	-48.07	-9.42


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.102	-66.02	RMS	9.8	3.5	-52.72	-46.57	-6.15
2	6.5112	-21.32	RMS	9.8	3.5	-8.02	-7.81	-.21
3	7.0914	-71.61	RMS	9.8	3.5	-58.31	-47.81	-10.5


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9258	-70.55	RMS	3.6	9.9	-57.05	-47.76	-9.29
2	6.4154	-21.39	RMS	3.6	9.9	-7.89	-7.82	-.07
3	6.9272	-70.49	RMS	3.6	9.9	-56.99	-47.82	-9.17

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9252	-69.65	RMS	9.8	3.5	-56.35	-46.79	-9.56
2	6.4118	-20.25	RMS	9.8	3.5	-6.95	-6.8	-.15
3	6.9266	-71.69	RMS	9.8	3.5	-58.39	-46.8	-11.59

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0822	-70.11	RMS	9.9	3.6	-56.61	-47.77	-8.84
2	6.5706	-21.42	RMS	9.9	3.6	-7.92	-7.77	-1.15
3	7.0878	-71.15	RMS	9.9	3.6	-57.65	-47.77	-9.88


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0912	-70.1	RMS	9.8	3.5	-56.8	-46.58	-10.22
2	6.5556	-20.44	RMS	9.8	3.5	-7.14	-7.03	-1.11
3	7.0866	-71.42	RMS	9.8	3.5	-58.12	-47.03	-11.09


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9258	-70.28	RMS	9.9	3.6	-56.78	-47.77	-9.01
2	6.4322	-21.45	RMS	9.9	3.6	-7.95	-7.83	-.12
3	6.9248	-70.71	RMS	9.9	3.6	-57.21	-47.82	-9.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.939	-66.02	RMS	9.8	3.5	-52.72	-45.89	-6.83
2	6.4148	-20.26	RMS	9.8	3.5	-6.96	-6.91	-.05
3	6.926	-71.82	RMS	9.8	3.5	-58.52	-46.91	-11.61

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	6tten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0882	-70.01	RMS	9.9	3.6	-56.51	-47.71	-8.8
2	6.552	-21.59	RMS	9.9	3.6	-8.09	-7.94	-.15
3	7.0854	-71.18	RMS	9.9	3.6	-57.68	-47.94	-9.74


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0918	-69.92	RMS	9.8	3.5	-56.62	-46.53	-10.09
2	6.5586	-20.46	RMS	9.8	3.5	-7.16	-7.03	-.13
3	7.0842	-71.56	RMS	9.8	3.5	-58.26	-46.97	-11.29


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.927	-70.19	RMS	9.9	3.6	-56.69	-47.82	-8.87
2	6.437	-21.53	RMS	9.9	3.6	-8.03	-7.97	-.06
3	6.926	-70.73	RMS	9.9	3.6	-57.23	-47.97	-9.26

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9414	-66.51	RMS	9.8	3.5	-53.21	-45.76	-7.45
2	6.44	-20.28	RMS	9.8	3.5	-6.98	-6.96	-.02
3	6.9104	-69.08	RMS	9.8	3.5	-55.78	-45.92	-9.86

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0876	-70.21	RMS	9.9	3.6	-56.71	-47.85	-8.86
2	6.5976	-21.73	RMS	9.9	3.6	-8.23	-8.04	-1.19
3	7.0884	-71.1	RMS	9.9	3.6	-57.6	-48.04	-9.56


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0996	-64.33	RMS	9.8	3.5	-51.03	-46.19	-4.84
2	6.5364	-20.6	RMS	9.8	3.5	-7.3	-7.26	-.04
3	7.0848	-71.47	RMS	9.8	3.5	-58.17	-47.25	-10.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-70.59	RMS	9.9	3.6	-57.09	-49.92	-7.17
2	6.4136	-23.51	RMS	9.9	3.6	-10.01	-9.92	-.09
3	6.9284	-70.78	RMS	9.9	3.6	-57.28	-49.92	-7.36

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.927	-69.93	RMS	9.8	3.5	-56.63	-48.84	-7.79
2	6.4178	-22.52	RMS	9.8	3.5	-9.22	-8.99	-.23
3	6.9224	-71.77	RMS	9.8	3.5	-58.47	-48.8	-9.67

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0846	-70.16	RMS	9.9	3.6	-56.66	-49.33	-7.33
2	6.5772	-23.02	RMS	9.9	3.6	-9.52	-9.33	-.19
3	7.0932	-71.1	RMS	9.9	3.6	-57.6	-49.33	-8.27


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1068	-66.35	RMS	9.8	3.5	-53.05	-47.38	-5.67
2	6.5742	-22.39	RMS	9.8	3.5	-9.09	-8.97	-1.12
3	7.0908	-71.55	RMS	9.8	3.5	-58.25	-48.97	-9.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-70.42	RMS	9.9	3.6	-56.92	-49.06	-7.86
2	6.4316	-22.62	RMS	9.9	3.6	-9.12	-9.06	-.06
3	6.9308	-70.72	RMS	9.9	3.6	-57.22	-49.06	-8.16

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-69.66	RMS	9.8	3.5	-56.36	-48.25	-8.11
2	6.4442	-21.68	RMS	9.8	3.5	-8.38	-8.25	-1.13
3	6.932	-71.86	RMS	9.8	3.5	-58.56	-48.25	-10.31

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0816	-70	RMS	9.9	3.6	-56.5	-49.31	-7.19
2	6.6	-23.06	RMS	9.9	3.6	-9.56	-9.31	-.25
3	7.0962	-71.28	RMS	9.9	3.6	-57.78	-49.31	-8.47


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0852	-70.34	RMS	9.8	3.5	-57.04	-48.6	-8.44
2	6.6012	-21.98	RMS	9.8	3.5	-8.68	-8.61	-0.07
3	7.0926	-71.56	RMS	9.8	3.5	-58.26	-48.61	-9.65


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9282	-70.39	RMS	9.9	3.6	-56.89	-49.2	-7.69
2	6.4142	-22.98	RMS	9.9	3.6	-9.48	-9.43	-.05
3	6.938	-70.95	RMS	9.9	3.6	-57.45	-49.43	-8.02

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-69.9	RMS	9.8	3.5	-56.6	-48.63	-7.97
2	6.4082	-21.95	RMS	9.8	3.5	-8.65	-8.63	-.02
3	6.9266	-71.79	RMS	9.8	3.5	-58.49	-48.63	-9.86

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0831	-70.26	RMS	9.9	3.6	-56.76	-49	-7.76
2	6.5748	-22.71	RMS	9.9	3.6	-9.21	-9	-2.21
3	7.0926	-71.09	RMS	9.9	3.6	-57.59	-49	-8.59

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0828	-70.12	RMS	9.8	3.5	-56.82	-48.55	-8.27
2	6.5676	-21.86	RMS	9.8	3.5	-8.56	-8.55	-.01
3	7.089	-71.41	RMS	9.8	3.5	-58.11	-48.55	-9.56


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9276	-70.22	RMS	9.9	3.6	-56.72	-50.84	-5.88
2	6.4292	-24.59	RMS	9.9	3.6	-11.09	-11.03	-0.06
3	6.9254	-70.69	RMS	9.9	3.6	-57.19	-51.03	-6.16

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9474	-67.62	RMS	9.8	3.5	-54.32	-48.34	-5.98
2	6.434	-23.37	RMS	9.8	3.5	-10.07	-9.98	-.09
3	6.9392	-71.87	RMS	9.8	3.5	-58.57	-49.98	-8.59

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-70.14	RMS	9.9	3.6	-56.64	-50.76	-5.88
2	6.591	-24.77	RMS	9.9	3.6	-11.27	-10.76	-.51
3	7.089	-71.13	RMS	9.9	3.6	-57.63	-50.76	-6.87


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1044	-66.16	RMS	9.8	3.5	-52.86	-48.7	-4.16
2	6.519	-23.65	RMS	9.8	3.5	-10.35	-10.12	-23
3	7.0908	-71.68	RMS	9.8	3.5	-58.38	-50.12	-8.26


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9234	-70.5	RMS	9.9	3.6	-57	-50.91	-6.09
2	6.4334	-24.53	RMS	9.9	3.6	-11.03	-10.91	-.12
3	6.9272	-70.75	RMS	9.9	3.6	-57.25	-50.91	-6.34

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9288	-69.89	RMS	9.8	3.5	-56.59	-49.75	-6.84
2	6.4199	-23.4	RMS	9.8	3.5	-10.1	-10.03	-0.07
3	6.9272	-71.84	RMS	9.8	3.5	-58.54	-50.03	-8.51

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0846	-70.18	RMS	9.9	3.6	-56.68	-50.85	-5.83
2	6.5688	-24.38	RMS	9.9	3.6	-10.88	-10.85	-.03
3	7.0932	-71.28	RMS	9.9	3.6	-57.78	-50.85	-6.93


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1038	-67.95	RMS	9.8	3.5	-54.65	-48.59	-6.06
2	6.5802	-23.42	RMS	9.8	3.5	-10.12	-9.97	-.15
3	7.089	-71.64	RMS	9.8	3.5	-58.34	-49.97	-8.37


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-70.28	RMS	9.9	3.6	-56.78	-50.79	-5.99
2	6.4328	-24.41	RMS	9.9	3.6	-10.91	-10.79	-.12
3	6.929	-70.76	RMS	9.9	3.6	-57.26	-50.79	-6.47

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9186	-69.74	RMS	9.8	3.5	-56.44	-49.8	-6.64
2	6.41	-23.28	RMS	9.8	3.5	-9.98	-9.8	-1.18
3	6.932	-71.8	RMS	9.8	3.5	-58.5	-49.8	-8.7

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-69.94	RMS	9.9	3.6	-56.44	-50.35	-6.09
2	6.5562	-24.04	RMS	9.9	3.6	-10.54	-10.35	-.19
3	7.0938	-71.2	RMS	9.9	3.6	-57.7	-50.35	-7.35


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0846	-70.17	RMS	9.8	3.5	-56.87	-50	-6.87
2	6.5616	-23.42	RMS	9.8	3.5	-10.12	-10	-1.12
3	7.0908	-71.51	RMS	9.8	3.5	-58.21	-50	-8.21


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9246	-70.44	RMS	9.9	3.6	-56.94	-50.7	-6.24
2	6.4328	-24.38	RMS	9.9	3.6	-10.88	-10.7	-.18
3	6.9266	-70.7	RMS	9.9	3.6	-57.2	-50.7	-6.5

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9234	-69.82	RMS	9.8	3.5	-56.52	-49.79	-6.73
2	6.4334	-23.21	RMS	9.8	3.5	-9.91	-9.79	-1.12
3	6.9254	-71.93	RMS	9.8	3.5	-58.63	-49.79	-8.84

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-70.32	RMS	9.9	3.6	-56.82	-50.57	-6.25
2	6.5976	-24.09	RMS	9.9	3.6	-10.59	-10.57	-0.02
3	7.0884	-71.17	RMS	9.9	3.6	-57.67	-50.57	-7.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1104	-67.9	RMS	9.8	3.5	-54.6	-47.96	-6.64
2	6.5376	-23.38	RMS	9.8	3.5	-10.08	-9.82	-.26
3	7.0914	-71.57	RMS	9.8	3.5	-58.27	-49.82	-8.45


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9288	-70.26	RMS	9.9	3.6	-56.76	-50.69	-6.07
2	6.4352	-24.58	RMS	9.9	3.6	-11.08	-10.97	-.11
3	6.932	-70.8	RMS	9.9	3.6	-57.3	-50.97	-6.33

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-69.89	RMS	9.8	3.5	-56.59	-49.87	-6.72
2	6.4322	-23.41	RMS	9.8	3.5	-10.11	-9.87	-.24
3	6.9272	-71.74	RMS	9.8	3.5	-58.44	-49.87	-8.57

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0858	-70.1	RMS	9.9	3.6	-56.6	-50.81	-5.79
2	6.5676	-24.42	RMS	9.9	3.6	-10.92	-10.87	-0.05
3	7.0944	-71.23	RMS	9.9	3.6	-57.73	-50.87	-6.86


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0816	-69.8	RMS	9.8	3.5	-56.5	-49.83	-6.67
2	6.552	-23.36	RMS	9.8	3.5	-10.06	-9.83	-.23
3	7.1058	-71.61	RMS	9.8	3.5	-58.31	-49.83	-8.48


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-70.58	RMS	9.9	3.6	-57.08	-50.83	-6.25
2	6.4112	-24.34	RMS	9.9	3.6	-10.84	-10.83	-.01
3	6.9326	-70.92	RMS	9.9	3.6	-57.42	-50.83	-6.59

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9228	-69.9	RMS	9.8	3.5	-56.6	-49.86	-6.74
2	6.4082	-23.19	RMS	9.8	3.5	-9.89	-9.86	-.03
3	6.9368	-71.65	RMS	9.8	3.5	-58.35	-49.86	-8.49

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.084	-70.33	RMS	9.9	3.6	-56.83	-50.26	-6.57
2	6.5712	-23.98	RMS	9.9	3.6	-10.48	-10.26	-2.22
3	7.098	-71.34	RMS	9.9	3.6	-57.84	-50.26	-7.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1056	-68.07	RMS	9.8	3.5	-54.77	-48.17	-6.6
2	6.5376	-23.18	RMS	9.8	3.5	-9.88	-9.68	-.2
3	7.086	-71.41	RMS	9.8	3.5	-58.11	-49.68	-8.43


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-68.93	RMS	9.9	3.6	-55.43	-45.94	-9.49
2	6.4106	-19.56	RMS	9.9	3.6	-6.06	-5.94	-1.12
3	6.9362	-69.8	RMS	9.9	3.6	-56.3	-45.94	-10.36

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-67.47	RMS	9.8	3.5	-54.17	-45.23	-8.94
2	6.4124	-18.72	RMS	9.8	3.5	-5.42	-5.23	-.19
3	6.9302	-70.56	RMS	9.8	3.5	-57.26	-45.23	-12.03

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-68.71	RMS	9.9	3.6	-55.21	-47.34	-7.87
2	6.5706	-20.9	RMS	9.9	3.6	-7.4	-7.34	-0.06
3	7.0932	-70.23	RMS	9.9	3.6	-56.73	-47.34	-9.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1038	-65.64	RMS	9.8	3.5	-52.34	-45.48	-6.86
2	6.5778	-20.25	RMS	9.8	3.5	-6.95	-6.86	-0.09
3	7.0878	-70.7	RMS	9.8	3.5	-57.4	-46.86	-10.54

RMS - RMS detection


10.5.13. 802.11a MODE 2TX IN THE UNII-7 BAND

Note: These results leveraged from R14932101-E10a

STANDARD POWER




LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


10.5.14. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND

Note: These results leveraged from R14932101-E10a


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T STANDARD POWER




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR



LOW CHANNEL 0




LOW CHANNEL 1




MID CHANNEL 0



MID CHANNEL 1




HIGH CHANNEL 0




HIGH CHANNEL 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T STANDARD POWER




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1