




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU STANDARD POWER**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**



**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**

**10.5.17. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND**


Note: These results leveraged from R14932101-E10a

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) STANDARD POWER**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.51344	-49.88	RMS	9.9	3.6	-36.38	-24.56	-11.82
3	6.65276	-12.19	RMS	9.9	3.6	1.31	1.41	-.1
2	6.75428	-52.94	RMS	9.9	3.6	-39.44	-18.71	-20.73


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5102	-46.65	RMS	9.8	3.5	-33.35	-24.37	-8.98
3	6.66032	-11.71	RMS	9.8	3.5	1.59	1.91	-.32
2	6.77336	-50.38	RMS	9.8	3.5	-37.08	-20.02	-17.06

RMS - RMS detection


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56384	-66.32	RMS	9.9	3.6	-52.82	-30.71	-22.11
3	6.66104	-23.16	RMS	9.9	3.6	-9.66	-9.48	-.18
2	6.85832	-71.53	RMS	9.9	3.6	-58.03	-40.3	-17.73

RMS - RMS detection






Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.52676	-67.85	RMS	9.8	3.5	-54.55	-33.68	-20.87
3	6.65996	-22.4	RMS	9.8	3.5	-9.1	-8.96	-.14
2	6.75608	-67.53	RMS	9.8	3.5	-54.23	-29.25	-24.98


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) STANDARD POWER**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41768	-55.81	RMS	9.9	3.6	-42.31	-37.13	-5.18
3	6.65744	-12.45	RMS	9.9	3.6	1.05	1.11	-0.06
2	6.87056	-55.92	RMS	9.9	3.6	-42.42	-31.4	-11.02


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41372	-54.58	RMS	9.8	3.5	-41.28	-37.35	-3.93
3	6.65978	-12.03	RMS	9.8	3.5	1.27	1.44	-.17
2	6.84824	-52.86	RMS	9.8	3.5	-39.56	-27.98	-11.58


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.51704	-67.16	RMS	9.9	3.6	-53.66	-34.48	-19.18
3	6.66032	-22.58	RMS	9.9	3.6	-9.08	-8.85	-.23
2	6.7766	-67.26	RMS	9.9	3.6	-53.76	-31.08	-22.68


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56132	-67.87	RMS	9.8	3.5	-54.57	-30.25	-24.32
3	6.656	-22.14	RMS	9.8	3.5	-8.84	-8.78	-.06
2	6.76724	-68.21	RMS	9.8	3.5	-54.91	-30.13	-24.78


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) STANDARD POWER**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.52676	-49.72	RMS	9.9	3.6	-36.22	-23.37	-12.85
3	6.67004	-12.3	RMS	9.9	3.6	1.2	1.35	-.15
2	6.84068	-52.1	RMS	9.9	3.6	-38.6	-27.02	-11.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.44756	-47.75	RMS	9.8	3.5	-34.45	-32.52	-1.93
3	6.66788	-11.99	RMS	9.8	3.5	1.31	1.59	-2.28
2	6.83636	-50.91	RMS	9.8	3.5	-37.61	-26.26	-11.35

RMS - RMS detection


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.48644	-68.83	RMS	9.9	3.6	-55.33	-37.6	-17.73
3	6.67004	-22.58	RMS	9.9	3.6	-9.08	-8.84	-.24
2	6.81584	-69.79	RMS	9.9	3.6	-56.29	-34.76	-21.53

RMS - RMS detection






Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56312	-67.25	RMS	9.8	3.5	-53.95	-30.3	-23.65
3	6.66896	-22.47	RMS	9.8	3.5	-9.17	-9	-.17
2	6.76508	-67.84	RMS	9.8	3.5	-54.54	-30.14	-24.4


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T STANDARD POWER**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.494	-56.93	RMS	9.9	3.6	-43.43	-28.79	-14.64
3	6.6614	-14.61	RMS	9.9	3.6	-1.11	-.98	-.13
2	6.82628	-58.61	RMS	9.9	3.6	-45.11	-27.88	-17.23


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.49292	-54.28	RMS	9.8	3.5	-40.98	-28.59	-12.39
3	6.65924	-14.25	RMS	9.8	3.5	-9.5	-6.8	-2.7
2	6.83348	-58.36	RMS	9.8	3.5	-45.06	-28.26	-16.8


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56384	-66.81	RMS	9.9	3.6	-53.31	-30.28	-23.03
3	6.6614	-22.78	RMS	9.9	3.6	-9.28	-9.05	-.23
2	6.77444	-68.37	RMS	9.9	3.6	-54.87	-31.08	-23.79


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55376	-66.33	RMS	9.8	3.5	-53.03	-30.93	-22.1
3	6.65852	-22.24	RMS	9.8	3.5	-8.94	-8.75	-1.19
2	6.80144	-68.68	RMS	9.8	3.5	-55.38	-33.32	-22.06


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU STANDARD POWER**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5084	-56.65	RMS	9.9	3.6	-43.15	-27.19	-15.96
3	6.66104	-14.79	RMS	9.9	3.6	-1.29	-.74	-.55
2	6.81224	-58.95	RMS	9.9	3.6	-45.45	-26.33	-19.12


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53108	-53.78	RMS	9.8	3.5	-40.48	-24.94	-15.54
3	6.65996	-14	RMS	9.8	3.5	-.7	-.63	-.07
2	6.82268	-58.03	RMS	9.8	3.5	-44.73	-27.2	-17.53

RMS - RMS detection


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5642	-66.08	RMS	9.9	3.6	-52.58	-30.18	-22.4
3	6.66176	-22.78	RMS	9.9	3.6	-9.28	-8.98	-.3
2	6.77192	-68.59	RMS	9.9	3.6	-55.09	-30.77	-24.32

RMS - RMS detection






Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.49868	-66.84	RMS	9.8	3.5	-53.54	-36.34	-17.2
3	6.6614	-22.49	RMS	9.8	3.5	-9.19	-8.97	-.22
2	6.7802	-67.05	RMS	9.8	3.5	-53.75	-31.54	-22.21


RMS - RMS detection

### 10.5.18. 802.11a MODE 2TX IN THE UNII-8 BAND


#### LOW POWER INDOOR




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**

### 10.5.19. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND


#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**



**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**




### 10.5.20. 802.11be EHT40 MODE 2TX IN THE UNII-8 BAND


#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1