



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)
Low	6745	336.64	336.64
High	6905	337.28	336.64



10.4. 99% BANDWIDTH LIMITS

RSS-248 4.4

4.4 The occupied bandwidth of an RLAN device shall not exceed 320 MHz



Note: These results leveraged from R14932101-E10a

RESULTS

10.4.1. 802.11a MODE 2TX IN THE UNII-5 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	16.61	16.59	320	-303.39
Mid	6175	16.64	16.58	320	-303.36
High	6415	16.55	16.54	320	-303.45



10.4.2. 802.11be EHT20 MODE 2TX IN THE UNII-5 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	2.14	2.22	320	-317.78
Mid	6175	2.33	2.18	320	-317.67
High	6415	2.48	2.23	320	-317.52





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	4.07	4.11	320	-315.89
Mid	6175	4.07	4.16	320	-315.84
High	6415	4.09	4.06	320	-315.91





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	6.13	6.17	320	-313.83
Mid	6175	6.15	6.19	320	-313.81
High	6415	6.10	6.17	320	-313.83





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	8.27	8.22	320	-311.73
Mid	6175	8.51	8.60	320	-311.40
High	6415	8.52	8.85	320	-311.15





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	10.87	10.96	320	-309.04
Mid	6175	10.96	10.96	320	-309.04
High	6415	10.94	10.94	320	-309.06



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5955	19.02	19.01	320	-300.98
Mid	6175	18.99	19.02	320	-300.99
High	6415	19.00	18.91	320	-301.00



10.4.3. 802.11be EHT40 MODE 2TX IN THE UNII-5 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5965	37.96	37.95	320	-282.04
Mid	6165	37.93	38.05	320	-281.95
High	6405	38.00	38.11	320	-281.89



10.4.4. 802.11be EHT80 MODE 2TX IN THE UNII-5 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5985	58.87	58.89	320	-261.11
Mid	6145	58.83	58.81	320	-261.17
High	6385	59.01	59.14	320	-260.86





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5985	77.92	77.66	320	-242.09
Mid	6145	77.92	77.98	320	-242.03
High	6385	77.83	77.94	320	-242.06





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5985	78.18	78.05	320	-241.82
Mid	6145	77.75	77.67	320	-242.25
High	6385	77.38	77.60	320	-242.40





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	5985	77.74	77.87	320	-242.13
Mid	6145	77.83	77.72	320	-242.17
High	6385	77.78	78.13	320	-241.87





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6025	157.38	157.65	320	-162.35
Mid	6185	157.40	157.05	320	-162.60
High	6345	157.35	157.45	320	-162.55





TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6025	157.70	157.47	320	-162.30
Mid	6185	157.36	157.30	320	-162.64
High	6345	157.69	157.54	320	-162.31



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6025	156.98	157.15	320	-162.85
Mid	6185	157.16	157.13	320	-162.84
High	6345	156.97	156.86	320	-163.03



10.4.6. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	196.63	195.11	320	-123.37
High	6265	197.01	196.74	320	-122.99





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	236.74	236.22	320	-83.26
High	6265	236.09	236.55	320	-83.45





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	236.69	236.09	320	-83.31
High	6265	236.70	236.94	320	-83.06





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	236.94	236.91	320	-83.06
High	6265	235.40	236.24	320	-83.76





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	235.51	232.99	320	-84.49
High	6265	235.14	234.94	320	-84.86





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	315.35	315.65	320	-4.35
High	6265	315.56	315.37	320	-4.44





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	315.71	315.12	320	-4.29
High	6265	315.97	315.68	320	-4.03





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	276.33	276.60	320	-43.40
High	6265	279.83	279.48	320	-40.17





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.30	314.33	320	-5.67
High	6265	314.02	314.19	320	-5.81





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.83	314.54	320	-5.17
High	6265	315.80	314.83	320	-4.20





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.12	314.88	320	-5.12
High	6265	314.61	315.29	320	-4.71





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.88	314.60	320	-5.12
High	6265	315.03	314.98	320	-4.97





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	314.31	314.34	320	-5.66
High	6265	314.94	315.17	320	-4.83



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6105	315.34	315.74	320	-4.26
High	6265	314.75	314.31	320	-5.25



10.4.7. 802.11a MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	16.62	16.64	320	-303.36
Mid	6475	16.77	16.70	320	-303.23
High	6515	16.85	16.64	320	-303.15





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	3.95	4.13	320	-315.87
Mid	6475	4.42	4.19	320	-315.58
High	6515	4.36	4.37	320	-315.63





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	6.50	6.48	320	-313.50
Mid	6475	6.46	6.41	320	-313.54
High	6515	6.26	6.31	320	-313.69





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	8.41	8.41	320	-311.59
Mid	6475	8.43	8.47	320	-311.53
High	6515	8.42	8.47	320	-311.53



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6435	11.05	10.97	320	-308.96
Mid	6475	10.92	10.94	320	-309.06
High	6515	10.87	10.84	320	-309.13



10.4.9. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6445	38.22	38.11	320	-281.78
Mid	6485	37.99	37.99	320	-282.01
High	6525	37.98	37.98	320	-282.02



10.4.10. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	59.01	58.80	320	-260.99
High	6545	58.81	58.66	320	-261.19





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	78.03	77.98	320	-241.97
High	6545	77.62	77.97	320	-242.03





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	78.03	77.92	320	-241.97
High	6545	77.60	78.01	320	-241.99



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6465	77.74	77.70	320	-242.26
High	6545	77.67	77.64	320	-242.33



10.4.11. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	117.52	117.32	320	-202.48





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	156.20	156.66	320	-163.34





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	157.64	156.14	320	-162.36



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6505	157.10	157.18	320	-162.82



10.4.12. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	196.70	196.53	320	-123.30
High	6585	196.51	195.26	320	-123.49





2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	235.54	235.63	320	-84.37
High	6585	236.00	236.06	320	-83.94



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	236.01	236.42	320	-83.58
High	6585	236.25	236.24	320	-83.75



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	235.50	235.03	320	-84.50
High	6585	235.12	235.84	320	-84.16

