





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	316.50	316.49	320	-3.50
High	6585	315.22	315.74	320	-4.26





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.96	314.97	320	-5.03
High	6585	316.19	315.19	320	-3.81





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	275.55	274.84	320	-44.45
High	6585	275.46	275.20	320	-44.54



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.15	314.23	320	-5.77
High	6585	314.62	315.07	320	-4.93







**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	315.25	315.22	320	-4.75
High	6585	315.84	315.09	320	-4.16





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	315.91	315.70	320	-4.09
High	6585	314.93	314.46	320	-5.07



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	315.12	316.06	320	-3.94
High	6585	315.15	316.33	320	-3.67





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6425	314.35	314.24	320	-5.65
High	6585	315.13	315.32	320	-4.68



### 10.4.13. 802.11a MODE 2TX IN THE UNII-7 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	16.60	16.56	320	-303.40
Mid	6695	16.58	16.56	320	-303.42
High	6855	16.57	16.61	320	-303.40



### 10.4.14. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND



#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	2.75	2.44	320	-317.25
Mid	6695	2.67	2.95	320	-317.05
High	6855	2.95	3.19	320	-316.81





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	4.14	4.51	320	-315.49
Mid	6695	4.25	4.23	320	-315.75
High	6855	4.09	4.82	320	-315.18





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	6.17	6.13	320	-313.83
Mid	6695	6.17	6.15	320	-313.83
High	6855	6.20	6.16	320	-313.80





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	8.27	8.28	320	-311.72
Mid	6695	8.25	8.23	320	-311.75
High	6855	8.24	8.21	320	-311.76





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	10.95	10.94	320	-309.05
Mid	6695	11.02	10.94	320	-308.98
High	6855	10.97	10.93	320	-309.03



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6535	18.95	18.97	320	-301.03
Mid	6695	19.01	19.00	320	-300.99
High	6855	18.96	18.99	320	-301.01







### 10.4.15. 802.11be EHT40 MODE 2TX IN THE UNII-7 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6565	37.98	38.24	320	-281.76
Mid	6685	37.96	38.06	320	-281.94
High	6845	37.95	38.04	320	-281.97





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	78.31	77.89	320	-241.69
Mid	6705	78.12	78.20	320	-241.80
High	6785	78.18	78.17	320	-241.82





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	77.75	77.87	320	-242.13
Mid	6705	77.90	77.78	320	-242.10
High	6785	77.89	77.93	320	-242.08



### 10.4.17. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND



#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	117.58	117.72	320	-202.28





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.89	157.64	320	-162.11



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.95	158.07	320	-161.93





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	156.98	157.35	320	-162.65



### 10.4.18. 802.11a MODE 2TX IN THE UNII-8 BAND

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	16.70	16.65	320	-303.31
Mid	6995	16.72	16.62	320	-303.28
High	7115	16.65	16.62	320	-303.35



### 10.4.19. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND



#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	2.16	2.87	320	-317.13
Mid	6995	2.14	2.11	320	-317.86
High	7115	2.08	2.13	320	-317.87





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	4.08	4.12	320	-315.88
Mid	6995	4.12	4.14	320	-315.86
High	7115	4.13	4.09	320	-315.87





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	6.25	6.21	320	-313.75
Mid	6995	6.16	6.19	320	-313.81
High	7115	6.17	6.20	320	-313.80





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	8.49	8.31	320	-311.51
Mid	6995	8.38	8.37	320	-311.62
High	7115	8.31	8.32	320	-311.68





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	10.92	10.85	320	-309.09
Mid	6995	10.89	10.89	320	-309.11
High	7115	10.84	10.87	320	-309.13



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	19.00	19.01	320	-300.99
Mid	6995	18.96	18.97	320	-301.03
High	7115	19.00	18.97	320	-301.00









**10.4.21. 802.11be EHT80 MODE 2TX IN THE UNII-8 BAND**



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	58.46	58.28	320	-261.54
Mid	6945	58.41	58.32	320	-261.60
High	7025	58.44	58.53	320	-261.47





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	76.30	76.30	320	-243.70
Mid	6945	78.03	77.73	320	-241.97
High	7025	77.48	77.79	320	-242.21





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	77.84	77.94	320	-242.06
Mid	6945	77.74	77.89	320	-242.11
High	7025	77.51	77.99	320	-242.01



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	77.55	77.64	320	-242.36
Mid	6945	77.63	77.64	320	-242.36
High	7025	77.56	77.62	320	-242.38



**10.4.22. 802.11be EHT160 MODE 2TX IN THE UNII-8 BAND**



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	116.98	116.70	320	-203.02
High	6985	117.12	117.11	320	-202.88





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.76	155.53	320	-162.24
High	6985	157.91	157.65	320	-162.09



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.40	157.65	320	-162.35
High	6985	157.87	157.88	320	-162.12





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	156.77	156.77	320	-163.23
High	6985	156.59	156.66	320	-163.34











**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	237.24	237.65	320	-82.35
High	6905	237.02	237.03	320	-82.97





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	236.36	236.11	320	-83.64
High	6905	233.31	233.06	320	-86.69





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	316.50	316.56	320	-3.44
High	6905	315.65	315.49	320	-4.35





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.56	315.54	320	-4.44
High	6905	315.71	315.06	320	-4.29



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS)**



Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	275.71	275.29	320	-44.29
High	6905	275.10	275.11	320	-44.89







**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	314.94	314.91	320	-5.06
High	6905	314.61	315.05	320	-4.95





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T+2x996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	314.56	315.75	320	-4.25
High	6905	314.13	314.07	320	-5.87





**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 99T+484T+2x996T (NON-CONTIGUOUS 2)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.46	315.13	320	-4.54
High	6905	314.90	314.85	320	-5.10



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	314.74	315.17	320	-4.83
High	6905	313.85	314.17	320	-5.83



**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)**

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	314.15	314.87	320	-5.13
High	6905	314.39	315.28	320	-4.72

