




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


10.5.4. 802.11be EHT80 MODE 2TX IN THE UNII-5 BAND

Note: These results leveraged from R14932101-E10a


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

10.5.5. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND


Note: These results leveraged from R14932101-E10a

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76652	-51.49	RMS	9.9	3.6	-37.99	-36.33	-1.66
2	6.0196	-10.32	RMS	9.9	3.6	3.18	3.46	-.28
3	6.28672	-58.83	RMS	9.9	3.6	-45.33	-36.54	-8.79

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7622	-55.23	RMS	9.8	2.5	-42.93	-37.71	-5.22
2	6.02068	-10.27	RMS	9.8	2.5	2.03	2.29	-.26
3	6.2896	-59.99	RMS	9.8	2.5	-47.69	-37.71	-9.98

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92688	-53.73	RMS	9.9	3.6	-40.23	-36.76	-3.47
2	6.17096	-10.97	RMS	9.9	3.6	2.53	2.98	-4.45
3	6.44744	-58.53	RMS	9.9	3.6	-45.03	-37.02	-8.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92652	-54.1	RMS	9.8	2.5	-41.8	-37.25	-4.55
2	6.176	-10.28	RMS	9.8	2.5	2.02	2.54	-52
3	6.45032	-58.87	RMS	9.8	2.5	-46.57	-37.46	-9.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0858	-60.74	RMS	9.9	3.6	-47.24	-37.9	-9.34
2	6.34212	-11.59	RMS	9.9	3.6	1.91	1.99	-0.08
3	6.60636	-59.73	RMS	9.9	3.6	-46.23	-38.01	-8.22


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-57.09	RMS	9.8	2.5	-44.79	-37.12	-7.67
2	6.33852	-9.94	RMS	9.8	2.5	2.36	2.88	-5.2
3	6.6114	-56.69	RMS	9.8	2.5	-44.39	-37.12	-7.27


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74816	-73.38	RMS	9.9	3.6	-59.88	-48.58	-11.3
2	6.03112	-22.3	RMS	9.9	3.6	-8.8	-8.58	-22
3	6.1186	-69.23	RMS	9.9	3.6	-55.73	-29.11	-26.62

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-71.4	RMS	9.8	3.5	-58.1	-48.87	-9.23
2	6.02932	-22.28	RMS	9.8	3.5	-8.98	-8.87	-.11
3	6.2968	-71.81	RMS	9.8	3.5	-58.51	-48.87	-9.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9042	-71.96	RMS	9.9	3.6	-58.46	-47.62	-10.84
2	6.19328	-21.25	RMS	9.9	3.6	-7.75	-7.62	-.13
3	6.45392	-72.54	RMS	9.9	3.6	-59.04	-47.62	-11.42

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91572	-71.27	RMS	9.8	3.5	-57.97	-47.06	-10.91
2	6.1904	-20.66	RMS	9.8	3.5	-7.36	-7.06	-.3
3	6.45284	-71.76	RMS	9.8	3.5	-58.46	-47.06	-11.4

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08508	-72.33	RMS	9.9	3.6	-58.83	-47.62	-11.21
2	6.34212	-21.73	RMS	9.9	3.6	-8.23	-7.63	-.6
3	6.606	-73.04	RMS	9.9	3.6	-59.54	-47.63	-11.91


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08544	-71.57	RMS	9.8	3.5	-58.27	-46.22	-12.05
2	6.33888	-19.81	RMS	9.8	3.5	-6.51	-6.28	-.23
3	6.4728	-67.16	RMS	9.8	3.5	-53.86	-30.04	-23.82


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76508	-52.89	RMS	9.9	3.6	-39.39	-36.55	-2.84
2	6.00916	-10.59	RMS	9.9	3.6	2.91	3.44	-.53
3	6.28636	-54.69	RMS	9.9	3.6	-41.19	-36.56	-4.63

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7514	-52.84	RMS	9.8	2.5	-40.54	-37.82	-2.72
2	6.01132	-10.19	RMS	9.8	2.5	2.11	2.18	-0.07
3	6.286	-54.92	RMS	9.8	2.5	-42.62	-37.82	-4.8

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92436	-51.97	RMS	9.9	3.6	-38.47	-36.88	-1.59
2	6.16556	-11.17	RMS	9.9	3.6	2.33	3.12	-.79
3	6.45428	-53.33	RMS	9.9	3.6	-39.83	-36.88	-2.95

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92436	-50.09	RMS	9.8	2.5	-37.79	-37.67	-.12
2	5.9726	-45.61	RMS	9.8	2.5	-33.31	-31.08	-2.23
3	6.167	-10.11	RMS	9.8	2.5	2.19	2.33	-.14
4	6.39452	-44.46	RMS	9.8	2.5	-32.16	-30.73	-1.43
5	6.44708	-52.34	RMS	9.8	2.5	-40.04	-37.67	-2.37

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08688	-55.3	RMS	9.9	3.6	-41.8	-37.57	-4.23
2	6.32808	-11.5	RMS	9.9	3.6	2	2.17	-1.17
3	6.61068	-58.5	RMS	9.9	3.6	-45	-37.83	-7.17


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0822	-50.5	RMS	9.8	2.5	-38.2	-37.38	-0.82
2	6.32628	-10.33	RMS	9.8	2.5	1.97	2.62	-0.65
3	6.60492	-53.44	RMS	9.8	2.5	-41.14	-37.37	-3.77


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.78956	-72.51	RMS	9.9	3.6	-59.01	-44.48	-14.53
2	6.01996	-21.54	RMS	9.9	3.6	-8.04	-7.89	-.15
3	6.12436	-64.47	RMS	9.9	3.6	-50.97	-28.97	-22

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75968	-70.28	RMS	9.8	3.5	-56.98	-47.73	-9.25
2	6.0214	-21.44	RMS	9.8	3.5	-8.14	-7.73	-.41
3	6.14272	-69.12	RMS	9.8	3.5	-55.82	-30.54	-25.28

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07088	-66.42	RMS	9.9	3.6	-52.92	-29.86	-23.06
2	6.18212	-21.13	RMS	9.9	3.6	-7.63	-7.41	-.22
3	6.27536	-59.34	RMS	9.9	3.6	-45.84	-27.63	-18.21

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.87504	-70.66	RMS	9.8	3.5	-57.36	-47.11	-10.25
2	6.18176	-20.71	RMS	9.8	3.5	-7.41	-7.11	-.3
3	6.31172	-68.69	RMS	9.8	3.5	-55.39	-30.77	-24.62

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.19632	-66.67	RMS	9.9	3.6	-53.17	-33.54	-19.63
2	6.3396	-21.62	RMS	9.9	3.6	-8.12	-7.84	-.28
3	6.47784	-67.61	RMS	9.9	3.6	-54.11	-32.07	-22.04


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23088	-68.18	RMS	9.8	3.5	-54.88	-28.95	-25.93
2	6.33996	-20.25	RMS	9.8	3.5	-6.95	-6.5	-.45
3	6.45516	-67.65	RMS	9.8	3.5	-54.35	-28.6	-25.75


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76832	-52.64	RMS	9.9	3.6	-39.14	-36.02	-3.12
2	6.04192	-10.25	RMS	9.9	3.6	3.25	3.52	-.27
3	6.23488	-45.07	RMS	9.9	3.6	-31.57	-29.59	-1.98
4	6.29284	-53.74	RMS	9.9	3.6	-40.24	-36.48	-3.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.77264	-49.38	RMS	9.8	2.5	-37.08	-36.36	-.72
2	6.03796	-10.2	RMS	9.8	2.5	2.1	2.58	-.48
3	6.232	-45.32	RMS	9.8	2.5	-33.02	-30.13	-2.89
4	6.30796	-54.4	RMS	9.8	2.5	-42.1	-37.42	-4.68

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91932	-51.43	RMS	9.9	3.6	-37.93	-36.62	-1.31
2	6.1958	-10.63	RMS	9.9	3.6	2.87	3.38	-5.51
3	6.38768	-42.72	RMS	9.9	3.6	-29.22	-28.73	-4.49
4	6.3974	-44.09	RMS	9.9	3.6	-30.59	-30.07	-5.52
5	6.44996	-50.78	RMS	9.9	3.6	-37.28	-36.62	-6.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.90996	-50.75	RMS	9.8	3.5	-37.45	-36.3	-1.15
2	5.93264	-48.65	RMS	9.8	3.5	-35.35	-35.24	-1.11
3	6.19184	-9.6	RMS	9.8	3.5	3.7	3.7	-8.88
4	6.455	-51.52	RMS	9.8	3.5	-38.22	-36.3	-1.92

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08256	-55.92	RMS	9.9	3.6	-42.42	-37.56	-4.86
2	6.35328	-12.13	RMS	9.9	3.6	1.37	2.44	-1.07
3	6.55524	-46.42	RMS	9.9	3.6	-32.92	-30.72	-2.2
4	6.6078	-53.8	RMS	9.9	3.6	-40.3	-37.56	-2.74


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.06672	-49.94	RMS	9.8	3.5	-36.64	-36.16	-.48
2	6.0966	-47.94	RMS	9.8	3.5	-34.64	-34.55	-.09
3	6.35328	-9.84	RMS	9.8	3.5	3.46	3.84	-.38
4	6.6276	-50.71	RMS	9.8	3.5	-37.41	-36.16	-1.25


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75824	-72.62	RMS	9.9	3.6	-59.12	-47.99	-11.13
2	6.0322	-21.7	RMS	9.9	3.6	-8.2	-7.99	-.21
3	6.2086	-70.79	RMS	9.9	3.6	-57.29	-37.46	-19.83

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76112	-70.4	RMS	9.8	3.5	-57.1	-48.27	-8.83
2	6.03148	-21.7	RMS	9.8	3.5	-8.4	-8.27	-.13
3	6.12976	-67	RMS	9.8	3.5	-53.7	-29.86	-23.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.04712	-69.18	RMS	9.9	3.6	-55.68	-32.17	-23.51
2	6.19364	-21.15	RMS	9.9	3.6	-7.65	-7.49	-.16
3	6.27788	-60.93	RMS	9.9	3.6	-47.43	-27.95	-19.48

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.05	-67.8	RMS	9.8	3.5	-54.5	-31.63	-22.87
2	6.19076	-20.65	RMS	9.8	3.5	-7.35	-7.22	-.13
3	6.29048	-66.64	RMS	9.8	3.5	-53.34	-28.87	-24.47

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25716	-57.99	RMS	9.9	3.6	-44.49	-24.78	-19.71
2	6.34788	-21.87	RMS	9.9	3.6	-8.37	-7.98	-.39
3	6.60492	-72.62	RMS	9.9	3.6	-59.12	-47.97	-11.15


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.20352	-68.92	RMS	9.8	3.5	-55.62	-31.45	-24.17
2	6.3486	-20.03	RMS	9.8	3.5	-6.73	-6.43	-.3
3	6.4494	-66.8	RMS	9.8	3.5	-53.5	-27.98	-25.52


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76148	-62.74	RMS	9.9	3.6	-49.24	-40.94	-8.3
2	6.03832	-14.88	RMS	9.9	3.6	-1.38	-.94	-.44
3	6.29032	-62.05	RMS	9.9	3.6	-48.55	-40.94	-7.61

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-61.54	RMS	9.8	9.8	-41.94	-35.09	-6.85
2	6.03976	-15.3	RMS	9.8	9.8	4.3	4.91	-6.1
3	6.28852	-61.92	RMS	9.8	9.8	-42.32	-35.09	-7.23

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-62.13	RMS	9.9	3.6	-48.63	-41.38	-7.25
2	6.19724	-15.11	RMS	9.9	3.6	-1.61	-1.38	-2.3
3	6.44708	-62.24	RMS	9.9	3.6	-48.74	-41.38	-7.36

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92148	-61.52	RMS	9.8	2.5	-49.22	-41.96	-7.26
2	6.20048	-14.44	RMS	9.8	2.5	-2.14	-1.96	-1.18
3	6.44924	-61.99	RMS	9.8	2.5	-49.69	-41.96	-7.73

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0822	-57.06	RMS	9.9	3.6	-43.56	-39.06	-4.5
2	6.33528	-12.56	RMS	9.9	3.6	.94	.94	-4.44
3	6.6096	-57.56	RMS	9.9	3.6	-44.06	-39.06	-5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08112	-53.72	RMS	9.8	2.5	-41.42	-38.93	-2.49
2	6.36372	-11.63	RMS	9.8	2.5	.67	1.07	-.4
3	6.60528	-55.39	RMS	9.8	2.5	-43.09	-38.93	-4.16


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7802	-72.6	RMS	9.9	3.6	-59.1	-46.63	-12.47
2	6.03004	-22.51	RMS	9.9	3.6	-9.01	-8.74	-.27
3	6.11608	-63.14	RMS	9.9	3.6	-49.64	-29.03	-20.61

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75896	-70.07	RMS	9.8	3.5	-56.77	-49.02	-7.75
2	6.03184	-22.55	RMS	9.8	3.5	-9.25	-9.02	-.23
3	6.13912	-71.64	RMS	9.8	3.5	-58.34	-31.49	-26.85

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91644	-71.5	RMS	9.9	3.6	-58	-49.89	-8.11
3	6.1904	-23.58	RMS	9.9	3.6	-10.08	-9.89	-.19
2	6.45608	-71.33	RMS	9.9	3.6	-57.83	-49.89	-7.94

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92688	-71.76	RMS	9.8	3.5	-58.46	-49.37	-9.09
3	6.19184	-23.24	RMS	9.8	3.5	-9.94	-9.63	-.31
2	6.45068	-71.78	RMS	9.8	3.5	-58.48	-49.63	-8.85

RMS - RMS detection



Marker	Frequency(GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08868	-71.82	RMS	9.9	3.6	-58.32	-49.94	-8.38
3	6.35004	-24.1	RMS	9.9	3.6	-10.6	-10.45	-.15
2	6.59268	-72.85	RMS	9.9	3.6	-59.35	-48.76	-10.59


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08184	-71.42	RMS	9.8	3.5	-58.12	-48.94	-9.18
3	6.34104	-22.45	RMS	9.8	3.5	-9.15	-8.94	-.21
2	6.60384	-72.4	RMS	9.8	3.5	-59.1	-48.78	-10.32


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76256	-61.47	RMS	9.9	3.6	-47.97	-39.12	-8.85
2	6.01492	-12.75	RMS	9.9	3.6	.75	.88	-.13
3	6.28888	-61.52	RMS	9.9	3.6	-48.02	-39.12	-8.9

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76292	-60.27	RMS	9.8	3.5	-46.97	-39.21	-7.76
2	6.01204	-12.81	RMS	9.8	3.5	.49	.79	-.3
3	6.29212	-61.7	RMS	9.8	3.5	-48.4	-39.21	-9.19

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92004	-59.98	RMS	9.9	3.6	-46.48	-39.23	-7.25
2	6.17816	-13.42	RMS	9.9	3.6	.08	.77	-.69
3	6.44744	-60.23	RMS	9.9	3.6	-46.73	-39.23	-7.5

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92364	-58.44	RMS	9.8	3.5	-45.14	-38.85	-6.29
2	6.194	-12.51	RMS	9.8	3.5	.79	1.15	-.36
3	6.45284	-59.67	RMS	9.8	3.5	-46.37	-38.85	-7.52

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08472	-59.19	RMS	9.9	3.6	-45.69	-39.27	-6.42
2	6.33672	-13.09	RMS	9.9	3.6	.41	.73	-.32
3	6.60816	-60.99	RMS	9.9	3.6	-47.49	-39.27	-8.22


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08436	-56.83	RMS	9.8	3.5	-43.53	-37.73	-5.8
2	6.33708	-11.46	RMS	9.8	3.5	1.84	2.27	-4.3
3	6.60816	-59.36	RMS	9.8	3.5	-46.06	-37.73	-8.33


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: SU LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76328	-73.05	RMS	9.9	3.6	-59.55	-50.46	-9.09
3	6.02176	-24.15	RMS	9.9	3.6	-10.65	-10.46	-.19
2	6.28636	-71.79	RMS	9.9	3.6	-58.29	-50.46	-7.83

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-71.26	RMS	9.8	3.5	-57.96	-50.4	-7.56
3	6.02104	-23.87	RMS	9.8	3.5	-10.57	-10.4	-.17
2	6.29248	-71.96	RMS	9.8	3.5	-58.66	-50.4	-8.26

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92652	-72.35	RMS	9.9	3.6	-58.85	-49.94	-8.91
3	6.1904	-23.72	RMS	9.9	3.6	-10.22	-10.15	-.07
2	6.43916	-71.97	RMS	9.9	3.6	-58.47	-49.35	-9.12

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-72.1	RMS	9.8	3.5	-58.8	-49.64	-9.16
3	6.1886	-23.13	RMS	9.8	3.5	-9.83	-9.64	-.19
2	6.43628	-71.83	RMS	9.8	3.5	-58.53	-48.44	-10.09

RMS - RMS detection



Marker	Frequency(GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-71.65	RMS	9.9	3.6	-58.15	-50.32	-7.83
2	6.33708	-24.2	RMS	9.9	3.6	-10.7	-10.32	-38
3	6.46848	-69.54	RMS	9.9	3.6	-56.04	-33.67	-22.37

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2226	-68.88	RMS	9.8	3.5	-55.58	-32.28	-23.3
3	6.33888	-22.62	RMS	9.8	3.5	-9.32	-9.06	-.26
2	6.51492	-69.79	RMS	9.8	3.5	-56.49	-36.77	-19.72

RMS - RMS detection

10.5.6. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND


Note: These results leveraged from R14932101-E10a

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6238	-53.5	RMS	9.9	3.6	-40	-37.01	-2.99
2	6.0816	-12.28	RMS	9.9	3.6	1.22	1.61	-.39
3	6.5838	-53.3	RMS	9.9	3.6	-39.8	-36.87	-2.93

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten (dB)	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6304	-57.39	RMS	9.8	3.5	-44.09	-37.22	-6.87
2	6.1164	-12.51	RMS	9.8	3.5	.79	.92	-.13
3	6.5856	-51.37	RMS	9.8	3.5	-38.07	-37.69	-.38
4	6.6216	-62.93	RMS	9.8	3.5	-49.63	-39.08	-10.55

RMS - RMS detection