



**802.11ax HEW40_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3272G	50.72	54.00	-3.28	36.09	3	Vertical	71	1.08	-	14.63	27.85	8.24	-
AV	2.4204G	90.16	Inf	-Inf	35.88	3	Vertical	71	1.08	-	54.28	27.58	8.30	-
AV	2.4852G	50.63	54.00	-3.37	35.75	3	Vertical	71	1.08	-	14.88	27.40	8.35	-
PK	2.3512G	62.15	74.00	-11.85	36.05	3	Vertical	71	1.08	-	26.10	27.80	8.25	-
PK	2.42G	101.83	Inf	-Inf	35.88	3	Vertical	71	1.08	-	65.95	27.58	8.30	-
PK	2.4876G	61.94	74.00	-12.06	35.75	3	Vertical	71	1.08	-	26.19	27.40	8.35	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3272G	50.72	54.00	-3.28	36.09	3	Horizontal	57	1.63	-	14.63	27.85	8.24	-
AV	2.4208G	89.33	Inf	-Inf	35.88	3	Horizontal	57	1.63	-	53.45	27.58	8.30	-
AV	2.4868G	50.63	54.00	-3.37	35.75	3	Horizontal	57	1.63	-	14.88	27.40	8.35	-
PK	2.3332G	62.88	74.00	-11.12	36.07	3	Horizontal	57	1.63	-	26.81	27.83	8.24	-
PK	2.432G	101.25	Inf	-Inf	35.82	3	Horizontal	57	1.63	-	65.43	27.51	8.31	-
PK	2.4892G	61.80	74.00	-12.20	35.75	3	Horizontal	57	1.63	-	26.05	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82808G	31.62	54.00	-22.38	6.66	3	Vertical	3	1.60	-	24.96	31.16	9.68	34.18
AV	7.26432G	38.82	54.00	-15.18	13.14	3	Vertical	85	1.40	-	25.68	36.33	11.31	34.50
PK	4.84008G	44.12	74.00	-29.88	6.69	3	Vertical	3	1.60	-	37.43	31.18	9.69	34.18
PK	7.28432G	51.10	74.00	-22.90	13.19	3	Vertical	85	1.40	-	37.91	36.37	11.32	34.50


802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82752G	31.62	54.00	-22.38	6.66	3	Horizontal	130	2.72	-	24.96	31.16	9.68	34.18
AV	7.2676G	38.79	54.00	-15.21	13.15	3	Horizontal	259	1.95	-	25.64	36.34	11.31	34.50
PK	4.84824G	43.24	74.00	-30.76	6.72	3	Horizontal	130	2.72	-	36.52	31.20	9.69	34.17
PK	7.25384G	50.37	74.00	-23.63	13.12	3	Horizontal	259	1.95	-	37.25	36.31	11.31	34.50

**802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.37	54.00	-1.63	36.00	3	Vertical	120	1.01	-	16.37	27.72	8.28	-
AV	2.4258G	102.03	Inf	-Inf	35.86	3	Vertical	120	1.01	-	66.17	27.55	8.31	-
AV	2.485G	50.89	54.00	-3.11	35.75	3	Vertical	120	1.01	-	15.14	27.40	8.35	-
PK	2.3894G	62.93	74.00	-11.07	36.00	3	Vertical	120	1.01	-	26.93	27.72	8.28	-
PK	2.437G	113.63	Inf	-Inf	35.79	3	Vertical	120	1.01	-	77.84	27.48	8.31	-
PK	2.4966G	62.53	74.00	-11.47	35.75	3	Vertical	120	1.01	-	26.78	27.40	8.35	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	51.70	54.00	-2.30	36.01	3	Horizontal	56	1.60	-	15.69	27.73	8.28	-
AV	2.4258G	100.81	Inf	-Inf	35.86	3	Horizontal	56	1.60	-	64.95	27.55	8.31	-
AV	2.485G	50.89	54.00	-3.11	35.75	3	Horizontal	56	1.60	-	15.14	27.40	8.35	-
PK	2.3886G	63.05	74.00	-10.95	36.00	3	Horizontal	56	1.60	-	27.05	27.72	8.28	-
PK	2.4366G	111.72	Inf	-Inf	35.79	3	Horizontal	56	1.60	-	75.93	27.48	8.31	-
PK	2.4842G	62.08	74.00	-11.92	35.74	3	Horizontal	56	1.60	-	26.34	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8668G	31.65	54.00	-22.35	6.74	3	Vertical	64	1.44	-	24.91	31.20	9.70	34.16
AV	7.26484G	38.81	54.00	-15.19	13.14	3	Vertical	32	2.17	-	25.67	36.33	11.31	34.50
PK	4.86264G	44.22	74.00	-29.78	6.73	3	Vertical	64	1.44	-	37.49	31.20	9.70	34.17
PK	7.27796G	50.88	74.00	-23.12	13.18	3	Vertical	32	2.17	-	37.70	36.36	11.32	34.50


802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86656G	31.65	54.00	-22.35	6.74	3	Horizontal	150	2.32	-	24.91	31.20	9.70	34.16
AV	7.26548G	38.81	54.00	-15.19	13.14	3	Horizontal	10	2.14	-	25.67	36.33	11.31	34.50
PK	4.84648G	43.65	74.00	-30.35	6.71	3	Horizontal	150	2.32	-	36.94	31.19	9.69	34.17
PK	7.26316G	50.57	74.00	-23.43	13.14	3	Horizontal	10	2.14	-	37.43	36.33	11.31	34.50

**802.11ax HEW40_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	50.99	54.00	-3.01	36.01	3	Vertical	120	1.16	-	14.98	27.73	8.28	-
AV	2.4454G	102.73	Inf	-Inf	35.75	3	Vertical	120	1.16	-	66.98	27.43	8.32	-
AV	2.485G	52.30	54.00	-1.70	35.75	3	Vertical	120	1.16	-	16.55	27.40	8.35	-
PK	2.3878G	62.79	74.00	-11.21	36.00	3	Vertical	120	1.16	-	26.79	27.72	8.28	-
PK	2.4454G	114.64	Inf	-Inf	35.75	3	Vertical	120	1.16	-	78.89	27.43	8.32	-
PK	2.4838G	63.80	74.00	-10.20	35.74	3	Vertical	120	1.16	-	28.06	27.40	8.34	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.74	54.00	-3.26	36.00	3	Horizontal	57	1.54	-	14.74	27.72	8.28	-
AV	2.4358G	101.50	Inf	-Inf	35.80	3	Horizontal	57	1.54	-	65.70	27.49	8.31	-
AV	2.4854G	51.39	54.00	-2.61	35.75	3	Horizontal	57	1.54	-	15.64	27.40	8.35	-
PK	2.3858G	62.79	74.00	-11.21	36.01	3	Horizontal	57	1.54	-	26.78	27.73	8.28	-
PK	2.4474G	113.37	Inf	-Inf	35.74	3	Horizontal	57	1.54	-	77.63	27.42	8.32	-
PK	2.4874G	63.08	74.00	-10.92	35.75	3	Horizontal	57	1.54	-	27.33	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86816G	31.55	54.00	-22.45	6.74	3	Vertical	281	1.89	-	24.81	31.20	9.70	34.16
AV	7.2954G	38.67	54.00	-15.33	13.21	3	Vertical	146	2.56	-	25.46	36.39	11.32	34.50
PK	4.87368G	42.91	74.00	-31.09	6.74	3	Vertical	281	1.89	-	36.17	31.20	9.70	34.16
PK	7.30452G	51.48	74.00	-22.52	13.21	3	Vertical	146	2.56	-	38.27	36.39	11.32	34.50


802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.866G	31.65	54.00	-22.35	6.74	3	Horizontal	108	2.38	-	24.91	31.20	9.70	34.16
AV	7.297G	38.65	54.00	-15.35	13.21	3	Horizontal	138	1.07	-	25.44	36.39	11.32	34.50
PK	4.88864G	43.72	74.00	-30.28	6.76	3	Horizontal	108	2.38	-	36.96	31.20	9.71	34.15
PK	7.32572G	51.64	74.00	-22.36	13.18	3	Horizontal	138	1.07	-	38.46	36.35	11.33	34.50

**802.11ax HEW40_Nss1,(MCS0)_2TX
2447MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.74	54.00	-3.26	36.00	3	Vertical	120	1.00	-	14.74	27.72	8.28	-
AV	2.4454G	103.13	Inf	-Inf	35.75	3	Vertical	120	1.00	-	67.38	27.43	8.32	-
AV	2.485G	52.30	54.00	-1.70	35.75	3	Vertical	120	1.00	-	16.55	27.40	8.35	-
PK	2.3886G	62.41	74.00	-11.59	36.00	3	Vertical	120	1.00	-	26.41	27.72	8.28	-
PK	2.4462G	115.14	Inf	-Inf	35.74	3	Vertical	120	1.00	-	79.40	27.42	8.32	-
PK	2.4922G	63.55	74.00	-10.45	35.75	3	Vertical	120	1.00	-	27.80	27.40	8.35	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2447MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3474G	50.58	54.00	-3.42	36.06	3	Horizontal	57	1.50	-	14.52	27.81	8.25	-
AV	2.4462G	100.66	Inf	-Inf	35.74	3	Horizontal	57	1.50	-	64.92	27.42	8.32	-
AV	2.485G	51.39	54.00	-2.61	35.75	3	Horizontal	57	1.50	-	15.64	27.40	8.35	-
PK	2.3882G	62.92	74.00	-11.08	36.00	3	Horizontal	57	1.50	-	26.92	27.72	8.28	-
PK	2.4462G	111.84	Inf	-Inf	35.74	3	Horizontal	57	1.50	-	76.10	27.42	8.32	-
PK	2.4835G	64.35	74.00	-9.65	35.74	3	Horizontal	57	1.50	-	28.61	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9128G	31.76	54.00	-22.24	6.83	3	Vertical	22	2.92	-	24.93	31.25	9.72	34.14
AV	7.34156G	38.86	54.00	-15.14	13.15	3	Vertical	158	1.01	-	25.71	36.32	11.33	34.50
PK	4.90104G	44.40	74.00	-29.60	6.76	3	Vertical	22	2.92	-	37.64	31.20	9.71	34.15
PK	7.34332G	52.00	74.00	-22.00	13.14	3	Vertical	158	1.01	-	38.86	36.31	11.33	34.50


802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91376G	31.78	54.00	-22.22	6.84	3	Horizontal	360	1.50	-	24.94	31.26	9.72	34.14
AV	7.34708G	38.76	54.00	-15.24	13.14	3	Horizontal	233	1.50	-	25.62	36.31	11.33	34.50
PK	4.90896G	45.36	74.00	-28.64	6.81	3	Horizontal	360	1.50	-	38.55	31.24	9.71	34.14
PK	7.35708G	51.21	74.00	-22.79	13.13	3	Horizontal	233	1.50	-	38.08	36.29	11.33	34.49

**802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	50.99	54.00	-3.01	36.00	3	Vertical	119	1.01	-	14.99	27.72	8.28	-
AV	2.4504G	102.80	Inf	-Inf	35.72	3	Vertical	119	1.01	-	67.08	27.40	8.32	-
AV	2.4835G	52.07	54.00	-1.93	35.74	3	Vertical	119	1.01	-	16.33	27.40	8.34	-
PK	2.3884G	62.67	74.00	-11.33	36.00	3	Vertical	119	1.01	-	26.67	27.72	8.28	-
PK	2.4404G	113.73	Inf	-Inf	35.78	3	Vertical	119	1.01	-	77.95	27.46	8.32	-
PK	2.4868G	65.42	74.00	-8.58	35.75	3	Vertical	119	1.01	-	29.67	27.40	8.35	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	50.74	54.00	-3.26	36.00	3	Horizontal	58	1.50	-	14.74	27.72	8.28	-
AV	2.442G	100.29	Inf	-Inf	35.77	3	Horizontal	58	1.50	-	64.52	27.45	8.32	-
AV	2.4835G	51.85	54.00	-2.15	35.74	3	Horizontal	58	1.50	-	16.11	27.40	8.34	-
PK	2.3532G	61.92	74.00	-12.08	36.04	3	Horizontal	58	1.50	-	25.88	27.79	8.25	-
PK	2.4508G	111.25	Inf	-Inf	35.72	3	Horizontal	58	1.50	-	75.53	27.40	8.32	-
PK	2.4835G	65.46	74.00	-8.54	35.74	3	Horizontal	58	1.50	-	29.72	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9016G	31.82	54.00	-22.18	6.77	3	Vertical	46	2.76	-	25.05	31.21	9.71	34.15
AV	7.35032G	38.76	54.00	-15.24	13.14	3	Vertical	275	1.50	-	25.62	36.30	11.33	34.49
PK	4.91992G	44.46	74.00	-29.54	6.86	3	Vertical	46	2.76	-	37.60	31.28	9.72	34.14
PK	7.35848G	51.31	74.00	-22.69	13.12	3	Vertical	275	1.50	-	38.19	36.28	11.33	34.49


802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9156G	31.80	54.00	-22.20	6.84	3	Horizontal	104	1.50	-	24.96	31.26	9.72	34.14
AV	7.34144G	38.76	54.00	-15.24	13.15	3	Horizontal	237	1.50	-	25.61	36.32	11.33	34.50
PK	4.9008G	44.35	74.00	-29.65	6.76	3	Horizontal	104	1.50	-	37.59	31.20	9.71	34.15
PK	7.3552G	51.32	74.00	-22.68	13.13	3	Horizontal	237	1.50	-	38.19	36.29	11.33	34.49

**802.11ax HEW40_Nss1,(MCS0)_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3606G	48.19	54.00	-5.81	36.04	3	Vertical	114	1.05	-	12.15	27.78	8.26	-
AV	2.455G	93.24	Inf	-Inf	35.73	3	Vertical	114	1.05	-	57.51	27.40	8.33	-
AV	2.4846G	48.49	54.00	-5.51	35.74	3	Vertical	114	1.05	-	12.75	27.40	8.34	-
PK	2.3874G	59.58	74.00	-14.42	36.01	3	Vertical	114	1.05	-	23.57	27.73	8.28	-
PK	2.4654G	104.89	Inf	-Inf	35.73	3	Vertical	114	1.05	-	69.16	27.40	8.33	-
PK	2.4846G	59.19	74.00	-14.81	35.74	3	Vertical	114	1.05	-	23.45	27.40	8.34	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3574G	48.19	54.00	-5.81	36.05	3	Horizontal	48	1.11	-	12.14	27.79	8.26	-
AV	2.4582G	91.03	Inf	-Inf	35.73	3	Horizontal	48	1.11	-	55.30	27.40	8.33	-
AV	2.4866G	47.95	54.00	-6.05	35.75	3	Horizontal	48	1.11	-	12.20	27.40	8.35	-
PK	2.3682G	60.18	74.00	-13.82	36.03	3	Horizontal	48	1.11	-	24.15	27.76	8.27	-
PK	2.4578G	101.69	Inf	-Inf	35.73	3	Horizontal	48	1.11	-	65.96	27.40	8.33	-
PK	2.4902G	58.91	74.00	-15.09	35.75	3	Horizontal	48	1.11	-	23.16	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91648G	30.17	54.00	-23.83	6.85	3	Vertical	293	2.34	-	23.32	31.27	9.72	34.14
AV	7.379G	36.65	54.00	-17.35	13.09	3	Vertical	207	2.86	-	23.56	36.24	11.34	34.49
PK	4.92144G	42.74	74.00	-31.26	6.87	3	Vertical	293	2.34	-	35.87	31.29	9.72	34.14
PK	7.3778G	50.37	74.00	-23.63	13.09	3	Vertical	207	2.86	-	37.28	36.24	11.34	34.49


802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9192G	30.18	54.00	-23.82	6.86	3	Horizontal	132	1.66	-	23.32	31.28	9.72	34.14
AV	7.3782G	36.59	54.00	-17.41	13.09	3	Horizontal	349	1.26	-	23.50	36.24	11.34	34.49
PK	4.89872G	43.53	74.00	-30.47	6.76	3	Horizontal	132	1.66	-	36.77	31.20	9.71	34.15
PK	7.3766G	49.21	74.00	-24.79	13.10	3	Horizontal	349	1.26	-	36.11	36.25	11.34	34.49

**802.11ax HEW40_Nss1,(MCS0)_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3672G	48.17	54.00	-5.83	36.04	3	Vertical	114	1.00	-	12.13	27.77	8.27	-
AV	2.4604G	87.68	Inf	-Inf	35.73	3	Vertical	114	1.00	-	51.95	27.40	8.33	-
AV	2.4835G	49.07	54.00	-4.93	35.74	3	Vertical	114	1.00	-	13.33	27.40	8.34	-
PK	2.3804G	58.52	74.00	-15.48	36.02	3	Vertical	114	1.00	-	22.50	27.74	8.28	-
PK	2.4596G	99.63	Inf	-Inf	35.73	3	Vertical	114	1.00	-	63.90	27.40	8.33	-
PK	2.484G	62.46	74.00	-11.54	35.74	3	Vertical	114	1.00	-	26.72	27.40	8.34	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3624G	48.14	54.00	-5.86	36.04	3	Horizontal	48	1.10	-	12.10	27.78	8.26	-
AV	2.4632G	85.36	Inf	-Inf	35.73	3	Horizontal	48	1.10	-	49.63	27.40	8.33	-
AV	2.4835G	48.72	54.00	-5.28	35.74	3	Horizontal	48	1.10	-	12.98	27.40	8.34	-
PK	2.3652G	59.25	74.00	-14.75	36.03	3	Horizontal	48	1.10	-	23.22	27.77	8.26	-
PK	2.4632G	97.58	Inf	-Inf	35.73	3	Horizontal	48	1.10	-	61.85	27.40	8.33	-
PK	2.4835G	60.18	74.00	-13.82	35.74	3	Horizontal	48	1.10	-	24.44	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91336G	30.14	54.00	-23.86	6.83	3	Vertical	103	1.20	-	23.31	31.25	9.72	34.14
AV	7.40128G	36.81	54.00	-17.19	13.05	3	Vertical	22	2.08	-	23.76	36.20	11.34	34.49
PK	4.90528G	43.44	74.00	-30.56	6.78	3	Vertical	103	1.20	-	36.66	31.22	9.71	34.15
PK	7.38168G	49.28	74.00	-24.72	13.09	3	Vertical	22	2.08	-	36.19	36.24	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92176G	30.16	54.00	-23.84	6.87	3	Horizontal	73	2.07	-	23.29	31.29	9.72	34.14
AV	7.40024G	36.84	54.00	-17.16	13.05	3	Horizontal	142	2.94	-	23.79	36.20	11.34	34.49
PK	4.918G	43.55	74.00	-30.45	6.85	3	Horizontal	73	2.07	-	36.70	31.27	9.72	34.14
PK	7.38048G	49.82	74.00	-24.18	13.09	3	Horizontal	142	2.94	-	36.73	36.24	11.34	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	45.52M	33.95	40.00	-6.05	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	423.82M	38.10	46.00	-7.90	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	45.52M	33.95	40.00	-6.05	3	Vertical	360	1.00	-
2437MHz	Pass	PK	134.76M	25.82	43.50	-17.68	3	Vertical	360	1.00	-
2437MHz	Pass	PK	299.66M	29.83	46.00	-16.17	3	Vertical	360	1.00	-
2437MHz	Pass	PK	328.76M	32.30	46.00	-13.70	3	Vertical	360	1.00	-
2437MHz	Pass	PK	418M	35.07	46.00	-10.93	3	Vertical	360	1.00	-
2437MHz	Pass	PK	470.38M	30.89	46.00	-15.11	3	Vertical	360	1.00	-
2437MHz	Pass	PK	45.52M	31.19	40.00	-8.81	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	167.74M	27.70	43.50	-15.80	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	268.62M	33.90	46.00	-12.10	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	299.66M	34.12	46.00	-11.88	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	394.72M	36.33	46.00	-9.67	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	416.06M	38.03	46.00	-7.97	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	9.846k	63.41	127.72	-64.31	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	35.226k	63.01	116.65	-53.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	74.424k	53.30	110.15	-56.85	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	388.8k	58.04	95.80	-37.76	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	926.1k	46.42	68.28	-21.86	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	2.06M	43.34	69.50	-26.16	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	55.22M	31.40	40.00	-8.60	3	Vertical	0	1.00	-
2437MHz	Pass	PK	231.76M	23.76	46.00	-22.24	3	Vertical	0	1.00	-
2437MHz	Pass	PK	332.64M	32.09	46.00	-13.91	3	Vertical	0	1.00	-
2437MHz	Pass	PK	416.06M	35.59	46.00	-10.41	3	Vertical	0	1.00	-
2437MHz	Pass	PK	433.52M	35.40	46.00	-10.60	3	Vertical	0	1.00	-
2437MHz	Pass	PK	553.8M	30.27	46.00	-15.73	3	Vertical	0	1.00	-
2437MHz	Pass	PK	49.4M	29.36	40.00	-10.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	167.74M	26.64	43.50	-16.86	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	198.78M	25.30	43.50	-18.20	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	295.78M	35.38	46.00	-10.62	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	423.82M	38.10	46.00	-7.90	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	485.9M	30.73	46.00	-15.27	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	10.128k	61.65	127.46	-65.81	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	35.226k	62.25	116.65	-54.40	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	74.142k	54.77	110.19	-55.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	388.8k	57.59	95.80	-38.21	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	985.8k	46.55	67.74	-21.19	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	5.165M	43.34	69.50	-26.16	3	Horizontal	360	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.95	40.00	-6.05	-11.58	3	Vertical	360	1.00	-	45.53	14.97	1.03	27.58
PK	134.76M	25.82	43.50	-17.68	-9.24	3	Vertical	360	1.00	-	35.06	16.80	1.61	27.65
PK	299.66M	29.83	46.00	-16.17	-6.37	3	Vertical	360	1.00	-	36.20	18.33	2.36	27.06
PK	328.76M	32.30	46.00	-13.70	-5.89	3	Vertical	360	1.00	-	38.19	18.86	2.47	27.22
PK	418M	35.07	46.00	-10.93	-3.31	3	Vertical	360	1.00	-	38.38	21.77	2.80	27.88
PK	470.38M	30.89	46.00	-15.11	-2.71	3	Vertical	360	1.00	-	33.60	22.50	2.97	28.18

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	31.19	40.00	-8.81	-11.58	3	Horizontal	0	1.00	-	42.77	14.97	1.03	27.58
PK	167.74M	27.70	43.50	-15.80	-10.73	3	Horizontal	0	1.00	-	38.43	14.97	1.80	27.50
PK	268.62M	33.90	46.00	-12.10	-6.59	3	Horizontal	0	1.00	-	40.49	18.21	2.23	27.03
PK	299.66M	34.12	46.00	-11.88	-6.37	3	Horizontal	0	1.00	-	40.49	18.33	2.36	27.06
PK	394.72M	36.33	46.00	-9.67	-4.35	3	Horizontal	0	1.00	-	40.68	20.66	2.72	27.73
PK	416.06M	38.03	46.00	-7.97	-3.34	3	Horizontal	0	1.00	-	41.37	21.74	2.79	27.87

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	63.41	127.72	-64.31	19.14	3	Horizontal	360	1.00	-	44.27	18.96	0.18	-
PK	35.226k	63.01	116.65	-53.64	21.59	3	Horizontal	360	1.00	-	41.42	21.35	0.24	-
PK	74.424k	53.30	110.15	-56.85	20.45	3	Horizontal	360	1.00	-	32.85	20.17	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	58.04	95.80	-37.76	20.50	3	Horizontal	0	1.00	-	37.54	20.20	0.30	-
PK	926.1k	46.42	68.28	-21.86	20.66	3	Horizontal	0	1.00	-	25.76	20.29	0.37	-
PK	2.06M	43.34	69.50	-26.16	20.29	3	Horizontal	0	1.00	-	23.05	19.84	0.45	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	55.22M	31.40	40.00	-8.60	-14.62	3	Vertical	0	1.00	-	46.02	12.01	1.10	27.73
PK	231.76M	23.76	46.00	-22.24	-9.52	3	Vertical	0	1.00	-	33.28	15.53	2.08	27.13
PK	332.64M	32.09	46.00	-13.91	-5.82	3	Vertical	0	1.00	-	37.91	18.94	2.48	27.24
PK	416.06M	35.59	46.00	-10.41	-3.34	3	Vertical	0	1.00	-	38.93	21.74	2.79	27.87
PK	433.52M	35.40	46.00	-10.60	-3.36	3	Vertical	0	1.00	-	38.76	21.76	2.85	27.97
PK	553.8M	30.27	46.00	-15.73	-1.14	3	Vertical	0	1.00	-	31.41	23.99	3.20	28.33

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	29.36	40.00	-10.64	-13.19	3	Horizontal	360	1.00	-	42.55	13.45	1.06	27.70
PK	167.74M	26.64	43.50	-16.86	-10.73	3	Horizontal	360	1.00	-	37.37	14.97	1.80	27.50
PK	198.78M	25.30	43.50	-18.20	-10.83	3	Horizontal	360	1.00	-	36.13	14.55	1.95	27.33
PK	295.78M	35.38	46.00	-10.62	-6.46	3	Horizontal	360	1.00	-	41.84	18.26	2.34	27.06
PK	423.82M	38.10	46.00	-7.90	-3.29	3	Horizontal	360	1.00	-	41.39	21.81	2.82	27.92
PK	485.9M	30.73	46.00	-15.27	-2.50	3	Horizontal	360	1.00	-	33.23	22.74	3.03	28.27

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	61.65	127.46	-65.81	19.12	3	Horizontal	0	1.00	-	42.53	18.93	0.19	-
PK	35.226k	62.25	116.65	-54.40	21.59	3	Horizontal	0	1.00	-	40.66	21.35	0.24	-
PK	74.142k	54.77	110.19	-55.42	20.46	3	Horizontal	0	1.00	-	34.31	20.18	0.28	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.59	95.80	-38.21	20.50	3	Horizontal	360	1.00	-	37.09	20.20	0.30	-
PK	985.8k	46.55	67.74	-21.19	20.68	3	Horizontal	360	1.00	-	25.87	20.30	0.38	-
PK	5.165M	43.34	69.50	-26.16	20.99	3	Horizontal	360	1.00	-	22.35	20.38	0.61	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26.#RU 0_2TX	Pass	AV	2.3728G	48.30	54.00	-5.70	3	Vertical	21	1.32	-
802.11ax HEW20_Nss1,(MCS0),RU 26.#RU 4_2TX	Pass	AV	2.3402G	48.45	54.00	-5.55	3	Horizontal	59	1.50	-
802.11ax HEW20_Nss1,(MCS0),RU 26.#RU 8_2TX	Pass	PK	2.4835G	71.65	74.00	-2.35	3	Horizontal	337	1.50	-
802.11ax HEW20_Nss1,(MCS0),RU 52.#RU 37_2TX	Pass	AV	2.3894G	47.54	54.00	-6.46	3	Horizontal	50	1.50	-
802.11ax HEW20_Nss1,(MCS0),RU 52.#RU 40_2TX	Pass	PK	2.4835G	71.32	74.00	-2.68	3	Vertical	88	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 106.#RU 53_2TX	Pass	AV	2.39G	48.02	54.00	-5.98	3	Horizontal	50	1.52	-
802.11ax HEW20_Nss1,(MCS0),RU 106.#RU 54_2TX	Pass	PK	2.4835G	72.26	74.00	-1.74	3	Vertical	308	1.22	-
802.11ax HEW40_Nss1,(MCS0),RU 242.#RU 61_2TX	Pass	AV	2.39G	51.86	54.00	-2.14	3	Vertical	87	1.03	-
802.11ax HEW40_Nss1,(MCS0),RU 242.#RU 62_2TX	Pass	PK	2.4835G	71.79	74.00	-2.21	3	Horizontal	59	3.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3632G	47.19	54.00	-6.81	3	Vertical	19	1.61	-
2412MHz	Pass	AV	2.4032G	103.68	Inf	-Inf	3	Vertical	19	1.61	-
2412MHz	Pass	PK	2.3804G	59.50	74.00	-14.50	3	Vertical	19	1.61	-
2412MHz	Pass	PK	2.404G	116.52	Inf	-Inf	3	Vertical	19	1.61	-
2412MHz	Pass	AV	2.3894G	47.24	54.00	-6.76	3	Horizontal	325	1.21	-
2412MHz	Pass	AV	2.4038G	105.58	Inf	-Inf	3	Horizontal	325	1.21	-
2412MHz	Pass	PK	2.3864G	60.41	74.00	-13.59	3	Horizontal	325	1.21	-
2412MHz	Pass	PK	2.404G	118.77	Inf	-Inf	3	Horizontal	325	1.21	-
2412MHz	Pass	AV	4.82291G	30.54	54.00	-23.46	3	Vertical	129	1.09	-
2412MHz	Pass	PK	4.82281G	43.65	74.00	-30.35	3	Vertical	129	1.09	-
2412MHz	Pass	AV	4.82512G	30.03	54.00	-23.97	3	Horizontal	75	2.32	-
2412MHz	Pass	PK	4.82413G	42.59	74.00	-31.41	3	Horizontal	75	2.32	-
2417MHz	Pass	AV	2.3728G	48.30	54.00	-5.70	3	Vertical	21	1.32	-
2417MHz	Pass	AV	2.4084G	104.39	Inf	-Inf	3	Vertical	21	1.32	-
2417MHz	Pass	PK	2.3734G	60.57	74.00	-13.43	3	Vertical	21	1.32	-
2417MHz	Pass	PK	2.4086G	116.18	Inf	-Inf	3	Vertical	21	1.32	-
2417MHz	Pass	AV	2.3898G	48.27	54.00	-5.73	3	Horizontal	53	1.34	-
2417MHz	Pass	AV	2.408G	107.31	Inf	-Inf	3	Horizontal	53	1.34	-
2417MHz	Pass	PK	2.3698G	60.76	74.00	-13.24	3	Horizontal	53	1.34	-
2417MHz	Pass	PK	2.4078G	119.09	Inf	-Inf	3	Horizontal	53	1.34	-
2417MHz	Pass	AV	4.83563G	30.65	54.00	-23.35	3	Vertical	175	1.44	-
2417MHz	Pass	AV	7.25149G	37.41	54.00	-16.59	3	Vertical	78	2.91	-
2417MHz	Pass	PK	4.83366G	43.24	74.00	-30.76	3	Vertical	175	1.44	-
2417MHz	Pass	PK	7.25204G	49.94	74.00	-24.06	3	Vertical	78	2.91	-
2417MHz	Pass	AV	4.83268G	30.60	54.00	-23.40	3	Horizontal	83	1.84	-
2417MHz	Pass	AV	7.2518G	37.37	54.00	-16.63	3	Horizontal	186	1.89	-
2417MHz	Pass	PK	4.8349G	43.59	74.00	-30.41	3	Horizontal	83	1.84	-
2417MHz	Pass	PK	7.25045G	50.13	74.00	-23.87	3	Horizontal	186	1.89	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 4_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.347G	48.42	54.00	-5.58	3	Vertical	72	1.15	-
2437MHz	Pass	AV	2.4362G	107.61	Inf	-Inf	3	Vertical	72	1.15	-
2437MHz	Pass	AV	2.4854G	47.96	54.00	-6.04	3	Vertical	72	1.15	-
2437MHz	Pass	PK	2.3598G	61.08	74.00	-12.92	3	Vertical	72	1.15	-
2437MHz	Pass	PK	2.4362G	119.20	Inf	-Inf	3	Vertical	72	1.15	-
2437MHz	Pass	PK	2.4854G	60.50	74.00	-13.50	3	Vertical	72	1.15	-
2437MHz	Pass	AV	2.3402G	48.45	54.00	-5.55	3	Horizontal	59	1.50	-
2437MHz	Pass	AV	2.4362G	106.49	Inf	-Inf	3	Horizontal	59	1.50	-
2437MHz	Pass	AV	2.4835G	47.99	54.00	-6.01	3	Horizontal	59	1.50	-
2437MHz	Pass	PK	2.3386G	60.60	74.00	-13.40	3	Horizontal	59	1.50	-
2437MHz	Pass	PK	2.4362G	117.84	Inf	-Inf	3	Horizontal	59	1.50	-
2437MHz	Pass	PK	2.4842G	59.90	74.00	-14.10	3	Horizontal	59	1.50	-
2437MHz	Pass	AV	4.87139G	30.68	54.00	-23.32	3	Vertical	249	2.81	-
2437MHz	Pass	AV	7.307G	37.30	54.00	-16.70	3	Vertical	122	1.89	-
2437MHz	Pass	PK	4.87296G	43.18	74.00	-30.82	3	Vertical	249	2.81	-
2437MHz	Pass	PK	7.30745G	50.44	74.00	-23.56	3	Vertical	122	1.89	-
2437MHz	Pass	AV	4.87429G	30.61	54.00	-23.39	3	Horizontal	322	2.38	-
2437MHz	Pass	AV	7.31382G	37.40	54.00	-16.60	3	Horizontal	117	1.78	-
2437MHz	Pass	PK	4.87042G	43.45	74.00	-30.55	3	Horizontal	322	2.38	-
2437MHz	Pass	PK	7.30937G	50.44	74.00	-23.56	3	Horizontal	117	1.78	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 8_2TX	-	-	-	-	-	-	-	-	-	-	-
2457MHz	Pass	AV	2.4654G	108.85	Inf	-Inf	3	Vertical	73	1.00	-
2457MHz	Pass	AV	2.4846G	48.41	54.00	-5.59	3	Vertical	73	1.00	-
2457MHz	Pass	PK	2.4656G	120.61	Inf	-Inf	3	Vertical	73	1.00	-
2457MHz	Pass	PK	2.4858G	60.69	74.00	-13.31	3	Vertical	73	1.00	-
2457MHz	Pass	AV	2.4658G	108.00	Inf	-Inf	3	Horizontal	60	1.78	-
2457MHz	Pass	AV	2.4852G	48.09	54.00	-5.91	3	Horizontal	60	1.78	-
2457MHz	Pass	PK	2.4656G	119.65	Inf	-Inf	3	Horizontal	60	1.78	-
2457MHz	Pass	PK	2.4894G	60.91	74.00	-13.09	3	Horizontal	60	1.78	-
2457MHz	Pass	AV	4.91451G	30.89	54.00	-23.11	3	Vertical	155	1.84	-
2457MHz	Pass	AV	7.3729G	37.10	54.00	-16.90	3	Vertical	357	2.31	-



RSE TX above 1GHz_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	4.91539G	43.90	74.00	-30.10	3	Vertical	155	1.84	-
2457MHz	Pass	PK	7.37212G	49.94	74.00	-24.06	3	Vertical	357	2.31	-
2457MHz	Pass	AV	4.91474G	30.82	54.00	-23.18	3	Horizontal	174	2.66	-
2457MHz	Pass	AV	7.37476G	37.25	54.00	-16.75	3	Horizontal	103	1.17	-
2457MHz	Pass	PK	4.91378G	44.06	74.00	-29.94	3	Horizontal	174	2.66	-
2457MHz	Pass	PK	7.37081G	50.06	74.00	-23.94	3	Horizontal	103	1.17	-
2462MHz	Pass	AV	2.4706G	105.99	Inf	-Inf	3	Vertical	36	1.54	-
2462MHz	Pass	AV	2.4836G	47.01	54.00	-6.99	3	Vertical	36	1.54	-
2462MHz	Pass	PK	2.4702G	118.96	Inf	-Inf	3	Vertical	36	1.54	-
2462MHz	Pass	PK	2.4842G	60.07	74.00	-13.93	3	Vertical	36	1.54	-
2462MHz	Pass	AV	2.4708G	104.72	Inf	-Inf	3	Horizontal	340	1.25	-
2462MHz	Pass	AV	2.4846G	47.00	54.00	-7.00	3	Horizontal	340	1.25	-
2462MHz	Pass	PK	2.4702G	117.49	Inf	-Inf	3	Horizontal	340	1.25	-
2462MHz	Pass	PK	2.4835G	59.67	74.00	-14.33	3	Horizontal	340	1.25	-
2462MHz	Pass	AV	4.9271G	30.03	54.00	-23.97	3	Vertical	283	2.10	-
2462MHz	Pass	AV	7.38467G	36.79	54.00	-17.21	3	Vertical	313	2.84	-
2462MHz	Pass	PK	4.9221G	43.00	74.00	-31.00	3	Vertical	283	2.10	-
2462MHz	Pass	PK	7.38806G	49.64	74.00	-24.36	3	Vertical	313	2.84	-
2462MHz	Pass	AV	4.92699G	30.02	54.00	-23.98	3	Horizontal	83	2.72	-
2462MHz	Pass	AV	7.38482G	37.37	54.00	-16.63	3	Horizontal	341	2.54	-
2462MHz	Pass	PK	4.92771G	43.02	74.00	-30.98	3	Horizontal	83	2.72	-
2462MHz	Pass	PK	7.38944G	51.15	74.00	-22.85	3	Horizontal	341	2.54	-
2467MHz	Pass	AV	2.4756G	102.02	Inf	-Inf	3	Vertical	34	1.47	-
2467MHz	Pass	AV	2.4835G	47.58	54.00	-6.42	3	Vertical	34	1.47	-
2467MHz	Pass	PK	2.4756G	113.99	Inf	-Inf	3	Vertical	34	1.47	-
2467MHz	Pass	PK	2.4836G	66.48	74.00	-7.52	3	Vertical	34	1.47	-
2467MHz	Pass	AV	2.4756G	101.62	Inf	-Inf	3	Horizontal	338	1.50	-
2467MHz	Pass	AV	2.4835G	47.62	54.00	-6.38	3	Horizontal	338	1.50	-
2467MHz	Pass	PK	2.4756G	113.63	Inf	-Inf	3	Horizontal	338	1.50	-
2467MHz	Pass	PK	2.4835G	67.31	74.00	-6.69	3	Horizontal	338	1.50	-
2467MHz	Pass	AV	4.91456G	29.92	54.00	-24.08	3	Vertical	92	1.80	-
2467MHz	Pass	AV	7.41412G	36.30	54.00	-17.70	3	Vertical	0	2.63	-
2467MHz	Pass	PK	4.92792G	44.35	74.00	-29.65	3	Vertical	92	1.80	-
2467MHz	Pass	PK	7.39188G	50.61	74.00	-23.39	3	Vertical	0	2.63	-
2467MHz	Pass	AV	4.92704G	29.59	54.00	-24.41	3	Horizontal	85	1.50	-
2467MHz	Pass	AV	7.41404G	36.30	54.00	-17.70	3	Horizontal	93	2.64	-
2467MHz	Pass	PK	4.92804G	43.57	74.00	-30.43	3	Horizontal	85	1.50	-
2467MHz	Pass	PK	7.40772G	50.10	74.00	-23.90	3	Horizontal	93	2.64	-
2472MHz	Pass	AV	2.4802G	83.25	Inf	-Inf	3	Vertical	38	2.08	-
2472MHz	Pass	AV	2.4835G	49.46	54.00	-4.54	3	Vertical	38	2.08	-
2472MHz	Pass	PK	2.48G	95.24	Inf	-Inf	3	Vertical	38	2.08	-
2472MHz	Pass	PK	2.4835G	70.09	74.00	-3.91	3	Vertical	38	2.08	-
2472MHz	Pass	AV	2.4808G	83.40	Inf	-Inf	3	Horizontal	337	1.50	-
2472MHz	Pass	AV	2.4835G	50.07	54.00	-3.93	3	Horizontal	337	1.50	-
2472MHz	Pass	PK	2.4806G	95.05	Inf	-Inf	3	Horizontal	337	1.50	-
2472MHz	Pass	PK	2.4835G	71.65	74.00	-2.35	3	Horizontal	337	1.50	-
2472MHz	Pass	AV	4.946G	29.58	54.00	-24.42	3	Vertical	226	1.79	-
2472MHz	Pass	AV	7.40904G	36.10	54.00	-17.90	3	Vertical	229	1.50	-
2472MHz	Pass	PK	4.94372G	43.28	74.00	-30.72	3	Vertical	226	1.79	-
2472MHz	Pass	PK	7.42552G	49.61	74.00	-24.39	3	Vertical	229	1.50	-
2472MHz	Pass	AV	4.94376G	29.60	54.00	-24.40	3	Horizontal	155	1.50	-
2472MHz	Pass	AV	7.41816G	36.09	54.00	-17.91	3	Horizontal	0	1.50	-
2472MHz	Pass	PK	4.94808G	42.94	74.00	-31.06	3	Horizontal	155	1.50	-
2472MHz	Pass	PK	7.42308G	49.79	74.00	-24.21	3	Horizontal	0	1.50	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3682G	47.44	54.00	-6.56	3	Vertical	176	1.42	-
2412MHz	Pass	AV	2.4046G	92.22	Inf	-Inf	3	Vertical	176	1.42	-
2412MHz	Pass	PK	2.3758G	60.07	74.00	-13.93	3	Vertical	176	1.42	-
2412MHz	Pass	PK	2.4058G	104.78	Inf	-Inf	3	Vertical	176	1.42	-
2412MHz	Pass	AV	2.3894G	47.54	54.00	-6.46	3	Horizontal	50	1.50	-
2412MHz	Pass	AV	2.4032G	103.21	Inf	-Inf	3	Horizontal	50	1.50	-
2412MHz	Pass	PK	2.3654G	60.11	74.00	-13.89	3	Horizontal	50	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.4034G	114.84	Inf	-Inf	3	Horizontal	50	1.50	-
2412MHz	Pass	AV	4.81776G	31.86	54.00	-22.14	3	Vertical	313	2.38	-
2412MHz	Pass	PK	4.829G	45.66	74.00	-28.34	3	Vertical	313	2.38	-
2412MHz	Pass	AV	4.81716G	31.80	54.00	-22.20	3	Horizontal	239	1.43	-
2412MHz	Pass	PK	4.83244G	45.38	74.00	-28.62	3	Horizontal	239	1.43	-
2417MHz	Pass	AV	2.3894G	47.48	54.00	-6.52	3	Vertical	176	1.42	-
2417MHz	Pass	AV	2.4084G	102.84	Inf	-Inf	3	Vertical	176	1.42	-
2417MHz	Pass	PK	2.3808G	60.20	74.00	-13.80	3	Vertical	176	1.42	-
2417MHz	Pass	PK	2.4088G	114.55	Inf	-Inf	3	Vertical	176	1.42	-
2417MHz	Pass	AV	2.3892G	47.52	54.00	-6.48	3	Horizontal	50	1.51	-
2417MHz	Pass	AV	2.4082G	103.65	Inf	-Inf	3	Horizontal	50	1.51	-
2417MHz	Pass	PK	2.3888G	60.33	74.00	-13.67	3	Horizontal	50	1.51	-
2417MHz	Pass	PK	2.4086G	115.23	Inf	-Inf	3	Horizontal	50	1.51	-
2417MHz	Pass	AV	4.84388G	31.59	54.00	-22.41	3	Vertical	138	2.94	-
2417MHz	Pass	AV	7.25172G	37.14	54.00	-16.86	3	Vertical	323	1.16	-
2417MHz	Pass	PK	4.83824G	45.17	74.00	-28.83	3	Vertical	138	2.94	-
2417MHz	Pass	PK	7.25076G	50.58	74.00	-23.42	3	Vertical	323	1.16	-
2417MHz	Pass	AV	4.84352G	31.68	54.00	-22.32	3	Horizontal	269	1.73	-
2417MHz	Pass	AV	7.25196G	37.30	54.00	-16.70	3	Horizontal	324	2.12	-
2417MHz	Pass	PK	4.82632G	44.91	74.00	-29.09	3	Horizontal	269	1.73	-
2417MHz	Pass	PK	7.25028G	50.96	74.00	-23.04	3	Horizontal	324	2.12	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3534G	47.47	54.00	-6.53	3	Vertical	130	1.31	-
2437MHz	Pass	AV	2.4454G	105.95	Inf	-Inf	3	Vertical	130	1.31	-
2437MHz	Pass	AV	2.4835G	48.08	54.00	-5.92	3	Vertical	130	1.31	-
2437MHz	Pass	PK	2.3682G	60.00	74.00	-14.00	3	Vertical	130	1.31	-
2437MHz	Pass	PK	2.4454G	117.55	Inf	-Inf	3	Vertical	130	1.31	-
2437MHz	Pass	PK	2.4974G	60.32	74.00	-13.68	3	Vertical	130	1.31	-
2437MHz	Pass	AV	2.341G	47.48	54.00	-6.52	3	Horizontal	59	2.45	-
2437MHz	Pass	AV	2.4458G	104.08	Inf	-Inf	3	Horizontal	59	2.45	-
2437MHz	Pass	AV	2.4835G	48.01	54.00	-5.99	3	Horizontal	59	2.45	-
2437MHz	Pass	PK	2.3542G	60.12	74.00	-13.88	3	Horizontal	59	2.45	-
2437MHz	Pass	PK	2.4454G	115.48	Inf	-Inf	3	Horizontal	59	2.45	-
2437MHz	Pass	PK	2.4934G	59.70	74.00	-14.30	3	Horizontal	59	2.45	-
2437MHz	Pass	AV	4.8646G	31.76	54.00	-22.24	3	Vertical	297	1.38	-
2437MHz	Pass	AV	7.31996G	36.68	54.00	-17.32	3	Vertical	52	1.22	-
2437MHz	Pass	PK	4.88332G	45.26	74.00	-28.74	3	Vertical	297	1.38	-
2437MHz	Pass	PK	7.31692G	50.33	74.00	-23.67	3	Vertical	52	1.22	-
2437MHz	Pass	AV	4.86424G	31.78	54.00	-22.22	3	Horizontal	187	2.29	-
2437MHz	Pass	AV	7.3202G	36.68	54.00	-17.32	3	Horizontal	83	2.91	-
2437MHz	Pass	PK	4.87832G	45.27	74.00	-28.73	3	Horizontal	187	2.29	-
2437MHz	Pass	PK	7.30512G	49.95	74.00	-24.05	3	Horizontal	83	2.91	-
2457MHz	Pass	AV	2.4634G	105.00	Inf	-Inf	3	Vertical	208	1.26	-
2457MHz	Pass	AV	2.4835G	48.09	54.00	-5.91	3	Vertical	208	1.26	-
2457MHz	Pass	PK	2.463G	117.05	Inf	-Inf	3	Vertical	208	1.26	-
2457MHz	Pass	PK	2.4962G	60.15	74.00	-13.85	3	Vertical	208	1.26	-
2457MHz	Pass	AV	2.4654G	105.00	Inf	-Inf	3	Horizontal	64	2.68	-
2457MHz	Pass	AV	2.4838G	48.13	54.00	-5.87	3	Horizontal	64	2.68	-
2457MHz	Pass	PK	2.4646G	117.03	Inf	-Inf	3	Horizontal	64	2.68	-
2457MHz	Pass	PK	2.4888G	60.03	74.00	-13.97	3	Horizontal	64	2.68	-
2457MHz	Pass	AV	4.91276G	32.00	54.00	-22.00	3	Vertical	333	1.25	-
2457MHz	Pass	AV	7.37792G	36.80	54.00	-17.20	3	Vertical	256	1.61	-
2457MHz	Pass	PK	4.91092G	45.44	74.00	-28.56	3	Vertical	333	1.25	-
2457MHz	Pass	PK	7.37884G	50.44	74.00	-23.56	3	Vertical	256	1.61	-
2457MHz	Pass	AV	4.91276G	32.00	54.00	-22.00	3	Horizontal	229	2.90	-
2457MHz	Pass	AV	7.37976G	36.84	54.00	-17.16	3	Horizontal	117	2.39	-
2457MHz	Pass	PK	4.91708G	45.42	74.00	-28.58	3	Horizontal	229	2.90	-
2457MHz	Pass	PK	7.37664G	49.95	74.00	-24.05	3	Horizontal	117	2.39	-
2462MHz	Pass	AV	2.4684G	105.54	Inf	-Inf	3	Vertical	208	1.23	-
2462MHz	Pass	AV	2.4835G	48.08	54.00	-5.92	3	Vertical	208	1.23	-
2462MHz	Pass	PK	2.468G	117.73	Inf	-Inf	3	Vertical	208	1.23	-
2462MHz	Pass	PK	2.4842G	62.26	74.00	-11.74	3	Vertical	208	1.23	-



RSE TX above 1GHz_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.4702G	105.24	Inf	-Inf	3	Horizontal	59	3.00	-
2462MHz	Pass	AV	2.4835G	48.24	54.00	-5.76	3	Horizontal	59	3.00	-
2462MHz	Pass	PK	2.4696G	116.90	Inf	-Inf	3	Horizontal	59	3.00	-
2462MHz	Pass	PK	2.4866G	60.00	74.00	-14.00	3	Horizontal	59	3.00	-
2462MHz	Pass	AV	4.91428G	32.00	54.00	-22.00	3	Vertical	46	2.09	-
2462MHz	Pass	AV	7.37868G	36.81	54.00	-17.19	3	Vertical	171	1.85	-
2462MHz	Pass	PK	4.92324G	46.43	74.00	-27.57	3	Vertical	46	2.09	-
2462MHz	Pass	PK	7.37896G	50.34	74.00	-23.66	3	Vertical	171	1.85	-
2462MHz	Pass	AV	4.91428G	31.98	54.00	-22.02	3	Horizontal	57	3.00	-
2462MHz	Pass	AV	7.3804G	36.80	54.00	-17.20	3	Horizontal	1	1.28	-
2462MHz	Pass	PK	4.92836G	46.07	74.00	-27.93	3	Horizontal	57	3.00	-
2462MHz	Pass	PK	7.38476G	50.16	74.00	-23.84	3	Horizontal	1	1.28	-
2467MHz	Pass	AV	2.4734G	101.72	Inf	-Inf	3	Vertical	211	1.23	-
2467MHz	Pass	AV	2.4835G	48.36	54.00	-5.64	3	Vertical	211	1.23	-
2467MHz	Pass	PK	2.473G	113.76	Inf	-Inf	3	Vertical	211	1.23	-
2467MHz	Pass	PK	2.4835G	65.01	74.00	-8.99	3	Vertical	211	1.23	-
2467MHz	Pass	AV	2.4754G	102.22	Inf	-Inf	3	Horizontal	60	2.69	-
2467MHz	Pass	AV	2.4835G	48.65	54.00	-5.35	3	Horizontal	60	2.69	-
2467MHz	Pass	PK	2.4752G	114.21	Inf	-Inf	3	Horizontal	60	2.69	-
2467MHz	Pass	PK	2.4835G	67.45	74.00	-6.55	3	Horizontal	60	2.69	-
2467MHz	Pass	AV	4.9252G	31.91	54.00	-22.09	3	Vertical	42	1.09	-
2467MHz	Pass	AV	7.40024G	36.92	54.00	-17.08	3	Vertical	320	2.77	-
2467MHz	Pass	PK	4.9428G	46.21	74.00	-27.79	3	Vertical	42	1.09	-
2467MHz	Pass	PK	7.40116G	50.32	74.00	-23.68	3	Vertical	320	2.77	-
2467MHz	Pass	AV	4.92556G	31.94	54.00	-22.06	3	Horizontal	342	1.76	-
2467MHz	Pass	AV	7.40188G	36.92	54.00	-17.08	3	Horizontal	219	2.78	-
2467MHz	Pass	PK	4.92536G	45.23	74.00	-28.77	3	Horizontal	342	1.76	-
2467MHz	Pass	PK	7.3982G	50.49	74.00	-23.51	3	Horizontal	219	2.78	-
2472MHz	Pass	AV	2.4802G	82.90	Inf	-Inf	3	Vertical	88	1.00	-
2472MHz	Pass	AV	2.4835G	50.12	54.00	-3.88	3	Vertical	88	1.00	-
2472MHz	Pass	PK	2.4798G	94.47	Inf	-Inf	3	Vertical	88	1.00	-
2472MHz	Pass	PK	2.4835G	71.32	74.00	-2.68	3	Vertical	88	1.00	-
2472MHz	Pass	AV	2.4782G	75.55	Inf	-Inf	3	Horizontal	62	2.69	-
2472MHz	Pass	AV	2.4836G	48.04	54.00	-5.96	3	Horizontal	62	2.69	-
2472MHz	Pass	PK	2.478G	87.89	Inf	-Inf	3	Horizontal	62	2.69	-
2472MHz	Pass	PK	2.4835G	62.30	74.00	-11.70	3	Horizontal	62	2.69	-
2472MHz	Pass	AV	4.94288G	32.07	54.00	-21.93	3	Vertical	318	1.61	-
2472MHz	Pass	AV	7.40856G	37.01	54.00	-16.99	3	Vertical	326	2.21	-
2472MHz	Pass	PK	4.94788G	45.14	74.00	-28.86	3	Vertical	318	1.61	-
2472MHz	Pass	PK	7.40648G	51.09	74.00	-22.91	3	Vertical	326	2.21	-
2472MHz	Pass	AV	4.94448G	32.04	54.00	-21.96	3	Horizontal	12	1.71	-
2472MHz	Pass	AV	7.40628G	37.04	54.00	-16.96	3	Horizontal	115	1.44	-
2472MHz	Pass	PK	4.95196G	44.82	74.00	-29.18	3	Horizontal	12	1.71	-
2472MHz	Pass	PK	7.41076G	49.92	74.00	-24.08	3	Horizontal	115	1.44	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.98	54.00	-6.02	3	Vertical	132	1.35	-
2412MHz	Pass	AV	2.41G	101.84	Inf	-Inf	3	Vertical	132	1.35	-
2412MHz	Pass	PK	2.39G	59.97	74.00	-14.03	3	Vertical	132	1.35	-
2412MHz	Pass	PK	2.4096G	113.65	Inf	-Inf	3	Vertical	132	1.35	-
2412MHz	Pass	AV	2.39G	48.02	54.00	-5.98	3	Horizontal	50	1.52	-
2412MHz	Pass	AV	2.4034G	100.16	Inf	-Inf	3	Horizontal	50	1.52	-
2412MHz	Pass	PK	2.3898G	61.14	74.00	-12.86	3	Horizontal	50	1.52	-
2412MHz	Pass	PK	2.4038G	112.02	Inf	-Inf	3	Horizontal	50	1.52	-
2412MHz	Pass	AV	4.81832G	31.74	54.00	-22.26	3	Vertical	147	1.28	-
2412MHz	Pass	PK	4.8302G	45.12	74.00	-28.88	3	Vertical	147	1.28	-
2412MHz	Pass	AV	4.81852G	31.71	54.00	-22.29	3	Horizontal	338	1.65	-
2412MHz	Pass	PK	4.82852G	45.90	74.00	-28.10	3	Horizontal	338	1.65	-
2417MHz	Pass	AV	2.3898G	47.87	54.00	-6.13	3	Vertical	86	1.05	-
2417MHz	Pass	AV	2.415G	104.13	Inf	-Inf	3	Vertical	86	1.05	-
2417MHz	Pass	PK	2.3888G	60.22	74.00	-13.78	3	Vertical	86	1.05	-
2417MHz	Pass	PK	2.415G	116.02	Inf	-Inf	3	Vertical	86	1.05	-
2417MHz	Pass	AV	2.39G	47.60	54.00	-6.40	3	Horizontal	52	1.88	-



RSE TX above 1GHz_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.4082G	101.84	Inf	-Inf	3	Horizontal	52	1.88	-
2417MHz	Pass	PK	2.388G	60.01	74.00	-13.99	3	Horizontal	52	1.88	-
2417MHz	Pass	PK	2.408G	113.57	Inf	-Inf	3	Horizontal	52	1.88	-
2417MHz	Pass	AV	4.84396G	31.66	54.00	-22.34	3	Vertical	302	1.97	-
2417MHz	Pass	AV	7.25192G	37.37	54.00	-16.63	3	Vertical	99	2.83	-
2417MHz	Pass	PK	4.8398G	46.98	74.00	-27.02	3	Vertical	302	1.97	-
2417MHz	Pass	PK	7.25076G	50.71	74.00	-23.29	3	Vertical	99	2.83	-
2417MHz	Pass	AV	4.84084G	31.78	54.00	-22.22	3	Horizontal	156	1.47	-
2417MHz	Pass	AV	7.25216G	37.34	54.00	-16.66	3	Horizontal	360	1.50	-
2417MHz	Pass	PK	4.83136G	44.91	74.00	-29.09	3	Horizontal	156	1.47	-
2417MHz	Pass	PK	7.2552G	51.19	74.00	-22.81	3	Horizontal	360	1.50	-
802.11ax HEW20_Nss1,(MCS0),RU 106#RU 54_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3898G	47.43	54.00	-6.57	3	Vertical	126	1.30	-
2437MHz	Pass	AV	2.445G	103.82	Inf	-Inf	3	Vertical	126	1.30	-
2437MHz	Pass	AV	2.4835G	48.03	54.00	-5.97	3	Vertical	126	1.30	-
2437MHz	Pass	PK	2.3466G	60.51	74.00	-13.49	3	Vertical	126	1.30	-
2437MHz	Pass	PK	2.4446G	115.56	Inf	-Inf	3	Vertical	126	1.30	-
2437MHz	Pass	PK	2.485G	60.22	74.00	-13.78	3	Vertical	126	1.30	-
2437MHz	Pass	AV	2.3594G	47.47	54.00	-6.53	3	Horizontal	58	2.44	-
2437MHz	Pass	AV	2.4458G	101.78	Inf	-Inf	3	Horizontal	58	2.44	-
2437MHz	Pass	AV	2.4838G	48.06	54.00	-5.94	3	Horizontal	58	2.44	-
2437MHz	Pass	PK	2.379G	59.86	74.00	-14.14	3	Horizontal	58	2.44	-
2437MHz	Pass	PK	2.4462G	113.48	Inf	-Inf	3	Horizontal	58	2.44	-
2437MHz	Pass	PK	2.4878G	60.81	74.00	-13.19	3	Horizontal	58	2.44	-
2437MHz	Pass	AV	4.8642G	31.85	54.00	-22.15	3	Vertical	80	1.84	-
2437MHz	Pass	AV	7.31424G	36.70	54.00	-17.30	3	Vertical	343	1.32	-
2437MHz	Pass	PK	4.8644G	45.12	74.00	-28.88	3	Vertical	80	1.84	-
2437MHz	Pass	PK	7.30164G	50.99	74.00	-23.01	3	Vertical	343	1.32	-
2437MHz	Pass	AV	4.86612G	31.85	54.00	-22.15	3	Horizontal	357	1.82	-
2437MHz	Pass	AV	7.32076G	36.70	54.00	-17.30	3	Horizontal	268	2.90	-
2437MHz	Pass	PK	4.87036G	45.56	74.00	-28.44	3	Horizontal	357	1.82	-
2437MHz	Pass	PK	7.3182G	50.03	74.00	-23.97	3	Horizontal	268	2.90	-
2457MHz	Pass	AV	2.4626G	103.12	Inf	-Inf	3	Vertical	207	1.25	-
2457MHz	Pass	AV	2.4835G	48.45	54.00	-5.55	3	Vertical	207	1.25	-
2457MHz	Pass	PK	2.462G	114.70	Inf	-Inf	3	Vertical	207	1.25	-
2457MHz	Pass	PK	2.484G	61.26	74.00	-12.74	3	Vertical	207	1.25	-
2457MHz	Pass	AV	2.4656G	102.76	Inf	-Inf	3	Horizontal	62	2.69	-
2457MHz	Pass	AV	2.4835G	48.44	54.00	-5.56	3	Horizontal	62	2.69	-
2457MHz	Pass	PK	2.4656G	114.68	Inf	-Inf	3	Horizontal	62	2.69	-
2457MHz	Pass	PK	2.4856G	62.46	74.00	-11.54	3	Horizontal	62	2.69	-
2457MHz	Pass	AV	4.91256G	32.03	54.00	-21.97	3	Vertical	227	1.05	-
2457MHz	Pass	AV	7.37856G	36.89	54.00	-17.11	3	Vertical	360	1.50	-
2457MHz	Pass	PK	4.9158G	45.57	74.00	-28.43	3	Vertical	227	1.05	-
2457MHz	Pass	PK	7.38076G	51.61	74.00	-22.39	3	Vertical	360	1.50	-
2457MHz	Pass	AV	4.91264G	32.04	54.00	-21.96	3	Horizontal	340	1.01	-
2457MHz	Pass	AV	7.37768G	36.83	54.00	-17.17	3	Horizontal	245	1.94	-
2457MHz	Pass	PK	4.917G	46.04	74.00	-27.96	3	Horizontal	340	1.01	-
2457MHz	Pass	PK	7.3798G	50.83	74.00	-23.17	3	Horizontal	245	1.94	-
2462MHz	Pass	AV	2.467G	103.84	Inf	-Inf	3	Vertical	207	1.24	-
2462MHz	Pass	AV	2.4854G	48.51	54.00	-5.49	3	Vertical	207	1.24	-
2462MHz	Pass	PK	2.4676G	116.70	Inf	-Inf	3	Vertical	207	1.24	-
2462MHz	Pass	PK	2.4838G	66.82	74.00	-7.18	3	Vertical	207	1.24	-
2462MHz	Pass	AV	2.4702G	102.97	Inf	-Inf	3	Horizontal	61	2.68	-
2462MHz	Pass	AV	2.4835G	49.25	54.00	-4.75	3	Horizontal	61	2.68	-
2462MHz	Pass	PK	2.4702G	116.09	Inf	-Inf	3	Horizontal	61	2.68	-
2462MHz	Pass	PK	2.486G	65.95	74.00	-8.05	3	Horizontal	61	2.68	-
2462MHz	Pass	AV	4.9142G	32.01	54.00	-21.99	3	Vertical	156	1.81	-
2462MHz	Pass	AV	7.37908G	36.85	54.00	-17.15	3	Vertical	312	2.92	-
2462MHz	Pass	PK	4.922G	45.11	74.00	-28.89	3	Vertical	156	1.81	-
2462MHz	Pass	PK	7.38176G	50.81	74.00	-23.19	3	Vertical	312	2.92	-
2462MHz	Pass	AV	4.91484G	32.02	54.00	-21.98	3	Horizontal	152	2.50	-
2462MHz	Pass	AV	7.37752G	36.84	54.00	-17.16	3	Horizontal	358	1.66	-



RSE TX above 1GHz_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	4.91428G	45.27	74.00	-28.73	3	Horizontal	152	2.50	-
2462MHz	Pass	PK	7.38024G	50.40	74.00	-23.60	3	Horizontal	358	1.66	-
2467MHz	Pass	AV	2.4718G	99.61	Inf	-Inf	3	Vertical	206	1.23	-
2467MHz	Pass	AV	2.4835G	48.71	54.00	-5.29	3	Vertical	206	1.23	-
2467MHz	Pass	PK	2.4726G	111.62	Inf	-Inf	3	Vertical	206	1.23	-
2467MHz	Pass	PK	2.4835G	63.85	74.00	-10.15	3	Vertical	206	1.23	-
2467MHz	Pass	AV	2.4692G	97.90	Inf	-Inf	3	Horizontal	47	1.10	-
2467MHz	Pass	AV	2.4835G	48.24	54.00	-5.76	3	Horizontal	47	1.10	-
2467MHz	Pass	PK	2.469G	110.08	Inf	-Inf	3	Horizontal	47	1.10	-
2467MHz	Pass	PK	2.4836G	63.15	74.00	-10.85	3	Horizontal	47	1.10	-
2467MHz	Pass	AV	4.9254G	31.97	54.00	-22.03	3	Vertical	41	2.85	-
2467MHz	Pass	AV	7.40344G	36.94	54.00	-17.06	3	Vertical	71	1.27	-
2467MHz	Pass	PK	4.926G	45.08	74.00	-28.92	3	Vertical	41	2.85	-
2467MHz	Pass	PK	7.398G	51.18	74.00	-22.82	3	Vertical	71	1.27	-
2467MHz	Pass	AV	4.92532G	31.95	54.00	-22.05	3	Horizontal	242	1.65	-
2467MHz	Pass	AV	7.40184G	36.94	54.00	-17.06	3	Horizontal	72	2.34	-
2467MHz	Pass	PK	4.92704G	45.19	74.00	-28.81	3	Horizontal	242	1.65	-
2467MHz	Pass	PK	7.40992G	50.03	74.00	-23.97	3	Horizontal	72	2.34	-
2472MHz	Pass	AV	2.4796G	82.50	Inf	-Inf	3	Vertical	308	1.22	-
2472MHz	Pass	AV	2.4835G	50.08	54.00	-3.92	3	Vertical	308	1.22	-
2472MHz	Pass	PK	2.4792G	94.52	Inf	-Inf	3	Vertical	308	1.22	-
2472MHz	Pass	PK	2.4835G	72.26	74.00	-1.74	3	Vertical	308	1.22	-
2472MHz	Pass	AV	2.474G	81.52	Inf	-Inf	3	Horizontal	47	1.11	-
2472MHz	Pass	AV	2.4835G	49.21	54.00	-4.79	3	Horizontal	47	1.11	-
2472MHz	Pass	PK	2.474G	93.59	Inf	-Inf	3	Horizontal	47	1.11	-
2472MHz	Pass	PK	2.4835G	67.33	74.00	-6.67	3	Horizontal	47	1.11	-
2472MHz	Pass	AV	4.94628G	31.94	54.00	-22.06	3	Vertical	244	2.93	-
2472MHz	Pass	AV	7.40872G	36.92	54.00	-17.08	3	Vertical	354	1.83	-
2472MHz	Pass	PK	4.94716G	45.24	74.00	-28.76	3	Vertical	244	2.93	-
2472MHz	Pass	PK	7.40984G	50.12	74.00	-23.88	3	Vertical	354	1.83	-
2472MHz	Pass	AV	4.94564G	31.94	54.00	-22.06	3	Horizontal	76	1.63	-
2472MHz	Pass	AV	7.40904G	36.89	54.00	-17.11	3	Horizontal	81	1.83	-
2472MHz	Pass	PK	4.95332G	45.56	74.00	-28.44	3	Horizontal	76	1.63	-
2472MHz	Pass	PK	7.42244G	51.47	74.00	-22.53	3	Horizontal	81	1.83	-
802.11ax HEW40_Nss1_(MCS0)_RU 242_#RU 61_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	51.86	54.00	-2.14	3	Vertical	87	1.03	-
2422MHz	Pass	AV	2.4104G	100.64	Inf	-Inf	3	Vertical	87	1.03	-
2422MHz	Pass	AV	2.4864G	48.48	54.00	-5.52	3	Vertical	87	1.03	-
2422MHz	Pass	PK	2.39G	68.53	74.00	-5.47	3	Vertical	87	1.03	-
2422MHz	Pass	PK	2.41G	112.43	Inf	-Inf	3	Vertical	87	1.03	-
2422MHz	Pass	PK	2.4868G	62.97	74.00	-11.03	3	Vertical	87	1.03	-
2422MHz	Pass	AV	2.39G	50.61	54.00	-3.39	3	Horizontal	54	2.60	-
2422MHz	Pass	AV	2.4208G	97.66	Inf	-Inf	3	Horizontal	54	2.60	-
2422MHz	Pass	AV	2.484G	48.33	54.00	-5.67	3	Horizontal	54	2.60	-
2422MHz	Pass	PK	2.3876G	66.07	74.00	-7.93	3	Horizontal	54	2.60	-
2422MHz	Pass	PK	2.4212G	110.71	Inf	-Inf	3	Horizontal	54	2.60	-
2422MHz	Pass	PK	2.4835G	62.65	74.00	-11.35	3	Horizontal	54	2.60	-
2422MHz	Pass	AV	4.84484G	31.73	54.00	-22.27	3	Vertical	141	2.58	-
2422MHz	Pass	AV	7.25644G	37.08	54.00	-16.92	3	Vertical	201	2.48	-
2422MHz	Pass	PK	4.835G	44.97	74.00	-29.03	3	Vertical	141	2.58	-
2422MHz	Pass	PK	7.25824G	50.67	74.00	-23.33	3	Vertical	201	2.48	-
2422MHz	Pass	AV	4.84528G	31.71	54.00	-22.29	3	Horizontal	195	2.58	-
2422MHz	Pass	AV	7.2562G	37.10	54.00	-16.90	3	Horizontal	8	2.92	-
2422MHz	Pass	PK	4.84672G	44.94	74.00	-29.06	3	Horizontal	195	2.58	-
2422MHz	Pass	PK	7.26588G	49.84	74.00	-24.16	3	Horizontal	8	2.92	-
2427MHz	Pass	AV	2.3898G	48.61	54.00	-5.39	3	Vertical	86	1.06	-
2427MHz	Pass	AV	2.4154G	100.16	Inf	-Inf	3	Vertical	86	1.06	-
2427MHz	Pass	AV	2.4854G	47.06	54.00	-6.94	3	Vertical	86	1.06	-
2427MHz	Pass	PK	2.3898G	67.93	74.00	-6.07	3	Vertical	86	1.06	-
2427MHz	Pass	PK	2.415G	112.19	Inf	-Inf	3	Vertical	86	1.06	-
2427MHz	Pass	PK	2.4866G	61.23	74.00	-12.77	3	Vertical	86	1.06	-
2427MHz	Pass	AV	2.3898G	48.41	54.00	-5.59	3	Horizontal	54	2.46	-



RSE TX above 1GHz_Partial RU

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	2.4258G	98.63	Inf	-Inf	3	Horizontal	54	2.46	-
2427MHz	Pass	AV	2.485G	48.35	54.00	-5.65	3	Horizontal	54	2.46	-
2427MHz	Pass	PK	2.3898G	64.64	74.00	-9.36	3	Horizontal	54	2.46	-
2427MHz	Pass	PK	2.4258G	111.52	Inf	-Inf	3	Horizontal	54	2.46	-
2427MHz	Pass	PK	2.4874G	60.22	74.00	-13.78	3	Horizontal	54	2.46	-
2427MHz	Pass	AV	4.8636G	31.81	54.00	-22.19	3	Vertical	284	1.09	-
2427MHz	Pass	AV	7.27228G	36.85	54.00	-17.15	3	Vertical	274	2.17	-
2427MHz	Pass	PK	4.86284G	44.80	74.00	-29.20	3	Vertical	284	1.09	-
2427MHz	Pass	PK	7.27236G	50.57	74.00	-23.43	3	Vertical	274	2.17	-
2427MHz	Pass	AV	4.86356G	31.83	54.00	-22.17	3	Horizontal	190	1.15	-
2427MHz	Pass	AV	7.271G	36.86	54.00	-17.14	3	Horizontal	360	1.50	-
2427MHz	Pass	PK	4.845G	45.27	74.00	-28.73	3	Horizontal	190	1.15	-
2427MHz	Pass	PK	7.27968G	50.20	74.00	-23.80	3	Horizontal	360	1.50	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.337G	47.08	54.00	-6.92	3	Vertical	128	1.31	-
2437MHz	Pass	AV	2.4454G	100.61	Inf	-Inf	3	Vertical	128	1.31	-
2437MHz	Pass	AV	2.4835G	47.49	54.00	-6.51	3	Vertical	128	1.31	-
2437MHz	Pass	PK	2.3898G	65.42	74.00	-8.58	3	Vertical	128	1.31	-
2437MHz	Pass	PK	2.4462G	112.77	Inf	-Inf	3	Vertical	128	1.31	-
2437MHz	Pass	PK	2.4858G	67.95	74.00	-6.05	3	Vertical	128	1.31	-
2437MHz	Pass	AV	2.3894G	47.65	54.00	-6.35	3	Horizontal	52	2.10	-
2437MHz	Pass	AV	2.4382G	100.21	Inf	-Inf	3	Horizontal	52	2.10	-
2437MHz	Pass	AV	2.4835G	48.58	54.00	-5.42	3	Horizontal	52	2.10	-
2437MHz	Pass	PK	2.3894G	65.71	74.00	-8.29	3	Horizontal	52	2.10	-
2437MHz	Pass	PK	2.4378G	113.24	Inf	-Inf	3	Horizontal	52	2.10	-
2437MHz	Pass	PK	2.4835G	70.53	74.00	-3.47	3	Horizontal	52	2.10	-
2437MHz	Pass	AV	4.8642G	31.87	54.00	-22.13	3	Vertical	250	1.88	-
2437MHz	Pass	AV	7.32044G	36.76	54.00	-17.24	3	Vertical	49	1.50	-
2437MHz	Pass	PK	4.86604G	45.48	74.00	-28.52	3	Vertical	250	1.88	-
2437MHz	Pass	PK	7.30244G	50.11	74.00	-23.89	3	Vertical	49	1.50	-
2437MHz	Pass	AV	4.86564G	31.85	54.00	-22.15	3	Horizontal	299	2.57	-
2437MHz	Pass	AV	7.31296G	36.78	54.00	-17.22	3	Horizontal	76	1.50	-
2437MHz	Pass	PK	4.87048G	45.55	74.00	-28.45	3	Horizontal	299	2.57	-
2437MHz	Pass	PK	7.3114G	50.08	74.00	-23.92	3	Horizontal	76	1.50	-
2447MHz	Pass	AV	2.3894G	47.06	54.00	-6.94	3	Vertical	209	1.25	-
2447MHz	Pass	AV	2.4634G	98.55	Inf	-Inf	3	Vertical	209	1.25	-
2447MHz	Pass	AV	2.4838G	48.08	54.00	-5.92	3	Vertical	209	1.25	-
2447MHz	Pass	PK	2.3894G	64.13	74.00	-9.87	3	Vertical	209	1.25	-
2447MHz	Pass	PK	2.4634G	111.56	Inf	-Inf	3	Vertical	209	1.25	-
2447MHz	Pass	PK	2.485G	69.92	74.00	-4.08	3	Vertical	209	1.25	-
2447MHz	Pass	AV	2.3886G	47.57	54.00	-6.43	3	Horizontal	55	2.45	-
2447MHz	Pass	AV	2.4574G	99.15	Inf	-Inf	3	Horizontal	55	2.45	-
2447MHz	Pass	AV	2.4858G	48.68	54.00	-5.32	3	Horizontal	55	2.45	-
2447MHz	Pass	PK	2.3898G	62.30	74.00	-11.70	3	Horizontal	55	2.45	-
2447MHz	Pass	PK	2.4562G	111.44	Inf	-Inf	3	Horizontal	55	2.45	-
2447MHz	Pass	PK	2.4835G	68.40	74.00	-5.60	3	Horizontal	55	2.45	-
2447MHz	Pass	AV	4.89412G	32.13	54.00	-21.87	3	Vertical	205	2.58	-
2447MHz	Pass	AV	7.348G	37.26	54.00	-16.74	3	Vertical	284	2.02	-
2447MHz	Pass	PK	4.90004G	45.09	74.00	-28.91	3	Vertical	205	2.58	-
2447MHz	Pass	PK	7.34992G	51.22	74.00	-22.78	3	Vertical	284	2.02	-
2447MHz	Pass	AV	4.8942G	32.14	54.00	-21.86	3	Horizontal	126	2.41	-
2447MHz	Pass	AV	7.3462G	37.22	54.00	-16.78	3	Horizontal	0	1.44	-
2447MHz	Pass	PK	4.88908G	46.19	74.00	-27.81	3	Horizontal	126	2.41	-
2447MHz	Pass	PK	7.34552G	50.50	74.00	-23.50	3	Horizontal	0	1.44	-
2452MHz	Pass	AV	2.39G	47.09	54.00	-6.91	3	Vertical	208	1.25	-
2452MHz	Pass	AV	2.468G	98.17	Inf	-Inf	3	Vertical	208	1.25	-
2452MHz	Pass	AV	2.4848G	47.76	54.00	-6.24	3	Vertical	208	1.25	-
2452MHz	Pass	PK	2.3556G	59.57	74.00	-14.43	3	Vertical	208	1.25	-
2452MHz	Pass	PK	2.4672G	111.58	Inf	-Inf	3	Vertical	208	1.25	-
2452MHz	Pass	PK	2.4844G	70.49	74.00	-3.51	3	Vertical	208	1.25	-
2452MHz	Pass	AV	2.3896G	47.56	54.00	-6.44	3	Horizontal	57	2.08	-
2452MHz	Pass	AV	2.4628G	98.24	Inf	-Inf	3	Horizontal	57	2.08	-




RSE TX above 1GHz_Partial RU

Appendix F.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	2.4835G	50.89	54.00	-3.31	3	Horizontal	57	2.08	-
2452MHz	Pass	PK	2.3612G	60.64	74.00	-13.36	3	Horizontal	57	2.08	-
2452MHz	Pass	PK	2.464G	109.95	Inf	-Inf	3	Horizontal	57	2.08	-
2452MHz	Pass	PK	2.4835G	70.30	74.00	-3.70	3	Horizontal	57	2.08	-
2452MHz	Pass	AV	4.89404G	32.19	54.00	-21.81	3	Vertical	9	2.77	-
2452MHz	Pass	AV	7.34768G	37.01	54.00	-16.99	3	Vertical	346	1.42	-
2452MHz	Pass	PK	4.89984G	45.62	74.00	-28.38	3	Vertical	9	2.77	-
2452MHz	Pass	PK	7.34888G	50.94	74.00	-23.06	3	Vertical	346	1.42	-
2452MHz	Pass	AV	4.89472G	32.15	54.00	-21.85	3	Horizontal	62	2.36	-
2452MHz	Pass	AV	7.34776G	37.02	54.00	-16.98	3	Horizontal	31	1.71	-
2452MHz	Pass	PK	4.90676G	46.33	74.00	-27.67	3	Horizontal	62	2.36	-
2452MHz	Pass	PK	7.34816G	50.01	74.00	-23.99	3	Horizontal	31	1.71	-
2457MHz	Pass	AV	2.3642G	47.02	54.00	-6.98	3	Vertical	205	1.24	-
2457MHz	Pass	AV	2.4714G	97.18	Inf	-Inf	3	Vertical	205	1.24	-
2457MHz	Pass	AV	2.4835G	50.25	54.00	-3.75	3	Vertical	205	1.24	-
2457MHz	Pass	PK	2.387G	59.04	74.00	-14.96	3	Vertical	205	1.24	-
2457MHz	Pass	PK	2.4722G	110.17	Inf	-Inf	3	Vertical	205	1.24	-
2457MHz	Pass	PK	2.4838G	68.14	74.00	-5.86	3	Vertical	205	1.24	-
2457MHz	Pass	AV	2.3898G	47.70	54.00	-6.30	3	Horizontal	55	2.28	-
2457MHz	Pass	AV	2.4674G	97.77	Inf	-Inf	3	Horizontal	55	2.28	-
2457MHz	Pass	AV	2.485G	49.80	54.00	-4.20	3	Horizontal	55	2.28	-
2457MHz	Pass	PK	2.3658G	59.69	74.00	-14.31	3	Horizontal	55	2.28	-
2457MHz	Pass	PK	2.4682G	109.74	Inf	-Inf	3	Horizontal	55	2.28	-
2457MHz	Pass	PK	2.4835G	70.03	74.00	-3.97	3	Horizontal	55	2.28	-
2457MHz	Pass	AV	4.91276G	32.11	54.00	-21.89	3	Vertical	170	2.93	-
2457MHz	Pass	AV	7.37916G	36.87	54.00	-17.13	3	Vertical	315	2.13	-
2457MHz	Pass	PK	4.9094G	45.36	74.00	-28.64	3	Vertical	170	2.93	-
2457MHz	Pass	PK	7.37856G	49.98	74.00	-24.02	3	Vertical	315	2.13	-
2457MHz	Pass	AV	4.9126G	32.07	54.00	-21.93	3	Horizontal	203	1.39	-
2457MHz	Pass	AV	7.37848G	36.87	54.00	-17.13	3	Horizontal	227	1.88	-
2457MHz	Pass	PK	4.91608G	45.32	74.00	-28.68	3	Horizontal	203	1.39	-
2457MHz	Pass	PK	7.37844G	50.15	74.00	-23.85	3	Horizontal	227	1.88	-
2462MHz	Pass	AV	2.3724G	46.96	54.00	-7.04	3	Vertical	209	1.24	-
2462MHz	Pass	AV	2.468G	83.28	Inf	-Inf	3	Vertical	209	1.24	-
2462MHz	Pass	AV	2.4835G	47.54	54.00	-6.46	3	Vertical	209	1.24	-
2462MHz	Pass	PK	2.3668G	59.14	74.00	-14.86	3	Vertical	209	1.24	-
2462MHz	Pass	PK	2.4772G	94.57	Inf	-Inf	3	Vertical	209	1.24	-
2462MHz	Pass	PK	2.4835G	67.98	74.00	-6.02	3	Vertical	209	1.24	-
2462MHz	Pass	AV	2.3628G	47.46	54.00	-6.54	3	Horizontal	59	3.00	-
2462MHz	Pass	AV	2.4704G	83.46	Inf	-Inf	3	Horizontal	59	3.00	-
2462MHz	Pass	AV	2.4835G	49.19	54.00	-4.81	3	Horizontal	59	3.00	-
2462MHz	Pass	PK	2.3784G	60.26	74.00	-13.74	3	Horizontal	59	3.00	-
2462MHz	Pass	PK	2.4704G	95.44	Inf	-Inf	3	Horizontal	59	3.00	-
2462MHz	Pass	PK	2.4835G	71.79	74.00	-2.21	3	Horizontal	59	3.00	-
2462MHz	Pass	AV	4.914G	32.03	54.00	-21.97	3	Vertical	183	1.30	-
2462MHz	Pass	AV	7.37892G	36.84	54.00	-17.16	3	Vertical	304	1.91	-
2462MHz	Pass	PK	4.91448G	45.22	74.00	-28.78	3	Vertical	183	1.30	-
2462MHz	Pass	PK	7.38188G	49.79	74.00	-24.21	3	Vertical	304	1.91	-
2462MHz	Pass	AV	4.91424G	32.04	54.00	-21.96	3	Horizontal	283	1.43	-
2462MHz	Pass	AV	7.37884G	36.87	54.00	-17.13	3	Horizontal	299	2.57	-
2462MHz	Pass	PK	4.92092G	45.86	74.00	-28.14	3	Horizontal	283	1.43	-
2462MHz	Pass	PK	7.39412G	51.39	74.00	-22.61	3	Horizontal	299	2.57	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2412MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3632G	47.19	54.00	-6.81	35.01	3	Vertical	19	1.61	-	12.18	27.77	7.24	-
AV	2.4032G	103.68	Inf	-Inf	34.94	3	Vertical	19	1.61	-	68.74	27.68	7.26	-
PK	2.3804G	59.50	74.00	-14.50	34.99	3	Vertical	19	1.61	-	24.51	27.74	7.25	-
PK	2.404G	116.52	Inf	-Inf	34.94	3	Vertical	19	1.61	-	81.58	27.68	7.26	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2412MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.24	54.00	-6.76	34.98	3	Horizontal	325	1.21	-	12.26	27.72	7.26	-
AV	2.4038G	105.58	Inf	-Inf	34.94	3	Horizontal	325	1.21	-	70.64	27.68	7.26	-
PK	2.3864G	60.41	74.00	-13.59	34.98	3	Horizontal	325	1.21	-	25.43	27.73	7.25	-
PK	2.404G	118.77	Inf	-Inf	34.94	3	Horizontal	325	1.21	-	83.83	27.68	7.26	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82291G	30.54	54.00	-23.46	6.64	3	Vertical	129	1.09	-	23.90	31.15	9.68	34.19
PK	4.82281G	43.65	74.00	-30.35	6.64	3	Vertical	129	1.09	-	37.01	31.15	9.68	34.19


**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82512G	30.03	54.00	-23.97	6.65	3	Horizontal	75	2.32	-	23.38	31.15	9.68	34.18
PK	4.82413G	42.59	74.00	-31.41	6.65	3	Horizontal	75	2.32	-	35.94	31.15	9.68	34.18

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3728G	48.30	54.00	-5.70	36.02	3	Vertical	21	1.32	-	12.28	27.75	8.27	-
AV	2.4084G	104.39	Inf	-Inf	35.95	3	Vertical	21	1.32	-	68.44	27.65	8.30	-
PK	2.3734G	60.57	74.00	-13.43	36.02	3	Vertical	21	1.32	-	24.55	27.75	8.27	-
PK	2.4086G	116.18	Inf	-Inf	35.95	3	Vertical	21	1.32	-	80.23	27.65	8.30	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.27	54.00	-5.73	36.00	3	Horizontal	53	1.34	-	12.27	27.72	8.28	-
AV	2.408G	107.31	Inf	-Inf	35.95	3	Horizontal	53	1.34	-	71.36	27.65	8.30	-
PK	2.3698G	60.76	74.00	-13.24	36.03	3	Horizontal	53	1.34	-	24.73	27.76	8.27	-
PK	2.4078G	119.09	Inf	-Inf	35.95	3	Horizontal	53	1.34	-	83.14	27.65	8.30	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83563G	30.65	54.00	-23.35	6.67	3	Vertical	175	1.44	-	23.98	31.17	9.68	34.18
AV	7.25149G	37.41	54.00	-16.59	13.11	3	Vertical	78	2.91	-	24.30	36.30	11.31	34.50
PK	4.83366G	43.24	74.00	-30.76	6.67	3	Vertical	175	1.44	-	36.57	31.17	9.68	34.18
PK	7.25204G	49.94	74.00	-24.06	13.11	3	Vertical	78	2.91	-	36.83	36.30	11.31	34.50


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83268G	30.60	54.00	-23.40	6.67	3	Horizontal	83	1.84	-	23.93	31.17	9.68	34.18
AV	7.2518G	37.37	54.00	-16.63	13.11	3	Horizontal	186	1.89	-	24.26	36.30	11.31	34.50
PK	4.8349G	43.59	74.00	-30.41	6.67	3	Horizontal	83	1.84	-	36.92	31.17	9.68	34.18
PK	7.25045G	50.13	74.00	-23.87	13.11	3	Horizontal	186	1.89	-	37.02	36.30	11.31	34.50

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX
2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.347G	48.42	54.00	-5.58	36.06	3	Vertical	72	1.15	-	12.36	27.81	8.25	-
AV	2.4362G	107.61	Inf	-Inf	35.79	3	Vertical	72	1.15	-	71.82	27.48	8.31	-
AV	2.4854G	47.96	54.00	-6.04	35.75	3	Vertical	72	1.15	-	12.21	27.40	8.35	-
PK	2.3598G	61.08	74.00	-12.92	36.04	3	Vertical	72	1.15	-	25.04	27.78	8.26	-
PK	2.4362G	119.20	Inf	-Inf	35.79	3	Vertical	72	1.15	-	83.41	27.48	8.31	-
PK	2.4854G	60.50	74.00	-13.50	35.75	3	Vertical	72	1.15	-	24.75	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX
2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3402G	48.45	54.00	-5.55	36.07	3	Horizontal	59	1.50	-	12.38	27.82	8.25	-
AV	2.4362G	106.49	Inf	-Inf	35.79	3	Horizontal	59	1.50	-	70.70	27.48	8.31	-
AV	2.4835G	47.99	54.00	-6.01	35.74	3	Horizontal	59	1.50	-	12.25	27.40	8.34	-
PK	2.3386G	60.60	74.00	-13.40	36.06	3	Horizontal	59	1.50	-	24.54	27.82	8.24	-
PK	2.4362G	117.84	Inf	-Inf	35.79	3	Horizontal	59	1.50	-	82.05	27.48	8.31	-
PK	2.4842G	59.90	74.00	-14.10	35.74	3	Horizontal	59	1.50	-	24.16	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87139G	30.68	54.00	-23.32	6.74	3	Vertical	249	2.81	-	23.94	31.20	9.70	34.16
AV	7.307G	37.30	54.00	-16.70	13.21	3	Vertical	122	1.89	-	24.09	36.39	11.32	34.50
PK	4.87296G	43.18	74.00	-30.82	6.74	3	Vertical	249	2.81	-	36.44	31.20	9.70	34.16
PK	7.30745G	50.44	74.00	-23.56	13.21	3	Vertical	122	1.89	-	37.23	36.39	11.32	34.50


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87429G	30.61	54.00	-23.39	6.74	3	Horizontal	322	2.38	-	23.87	31.20	9.70	34.16
AV	7.31382G	37.40	54.00	-16.60	13.19	3	Horizontal	117	1.78	-	24.21	36.37	11.32	34.50
PK	4.87042G	43.45	74.00	-30.55	6.74	3	Horizontal	322	2.38	-	36.71	31.20	9.70	34.16
PK	7.30937G	50.44	74.00	-23.56	13.20	3	Horizontal	117	1.78	-	37.24	36.38	11.32	34.50

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4654G	108.85	Inf	-Inf	35.73	3	Vertical	73	1.00	-	73.12	27.40	8.33	-
AV	2.4846G	48.41	54.00	-5.59	35.74	3	Vertical	73	1.00	-	12.67	27.40	8.34	-
PK	2.4656G	120.61	Inf	-Inf	35.73	3	Vertical	73	1.00	-	84.88	27.40	8.33	-
PK	2.4858G	60.69	74.00	-13.31	35.75	3	Vertical	73	1.00	-	24.94	27.40	8.35	-


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4658G	108.00	Inf	-Inf	35.73	3	Horizontal	60	1.78	-	72.27	27.40	8.33	-
AV	2.4852G	48.09	54.00	-5.91	35.75	3	Horizontal	60	1.78	-	12.34	27.40	8.35	-
PK	2.4656G	119.65	Inf	-Inf	35.73	3	Horizontal	60	1.78	-	83.92	27.40	8.33	-
PK	2.4894G	60.91	74.00	-13.09	35.75	3	Horizontal	60	1.78	-	25.16	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91451G	30.89	54.00	-23.11	6.84	3	Vertical	155	1.84	-	24.05	31.26	9.72	34.14
AV	7.3729G	37.10	54.00	-16.90	13.09	3	Vertical	357	2.31	-	24.01	36.25	11.33	34.49
PK	4.91539G	43.90	74.00	-30.10	6.84	3	Vertical	155	1.84	-	37.06	31.26	9.72	34.14
PK	7.37212G	49.94	74.00	-24.06	13.10	3	Vertical	357	2.31	-	36.84	36.26	11.33	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91474G	30.82	54.00	-23.18	6.84	3	Horizontal	174	2.66	-	23.98	31.26	9.72	34.14
AV	7.37476G	37.25	54.00	-16.75	13.09	3	Horizontal	103	1.17	-	24.16	36.25	11.33	34.49
PK	4.91378G	44.06	74.00	-29.94	6.84	3	Horizontal	174	2.66	-	37.22	31.26	9.72	34.14
PK	7.37081G	50.06	74.00	-23.94	13.10	3	Horizontal	103	1.17	-	36.96	36.26	11.33	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	105.99	Inf	-Inf	34.72	3	Vertical	36	1.54	-	71.27	27.40	7.32	-
AV	2.4836G	47.01	54.00	-6.99	34.73	3	Vertical	36	1.54	-	12.28	27.40	7.33	-
PK	2.4702G	118.96	Inf	-Inf	34.72	3	Vertical	36	1.54	-	84.24	27.40	7.32	-
PK	2.4842G	60.07	74.00	-13.93	34.73	3	Vertical	36	1.54	-	25.34	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4708G	104.72	Inf	-Inf	34.72	3	Horizontal	340	1.25	-	70.00	27.40	7.32	-
AV	2.4846G	47.00	54.00	-7.00	34.73	3	Horizontal	340	1.25	-	12.27	27.40	7.33	-
PK	2.4702G	117.49	Inf	-Inf	34.72	3	Horizontal	340	1.25	-	82.77	27.40	7.32	-
PK	2.4835G	59.67	74.00	-14.33	34.73	3	Horizontal	340	1.25	-	24.94	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9271G	30.03	54.00	-23.97	6.90	3	Vertical	283	2.10	-	23.13	31.31	9.72	34.13
AV	7.38467G	36.79	54.00	-17.21	13.08	3	Vertical	313	2.84	-	23.71	36.23	11.34	34.49
PK	4.9221G	43.00	74.00	-31.00	6.87	3	Vertical	283	2.10	-	36.13	31.29	9.72	34.14
PK	7.38806G	49.64	74.00	-24.36	13.07	3	Vertical	313	2.84	-	36.57	36.22	11.34	34.49


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92699G	30.02	54.00	-23.98	6.89	3	Horizontal	83	2.72	-	23.13	31.31	9.72	34.14
AV	7.38482G	37.37	54.00	-16.63	13.08	3	Horizontal	341	2.54	-	24.29	36.23	11.34	34.49
PK	4.92771G	43.02	74.00	-30.98	6.90	3	Horizontal	83	2.72	-	36.12	31.31	9.72	34.13
PK	7.38944G	51.15	74.00	-22.85	13.07	3	Horizontal	341	2.54	-	38.08	36.22	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4756G	102.02	Inf	-Inf	34.72	3	Vertical	34	1.47	-	67.30	27.40	7.32	-
AV	2.4835G	47.58	54.00	-6.42	34.73	3	Vertical	34	1.47	-	12.85	27.40	7.33	-
PK	2.4756G	113.99	Inf	-Inf	34.72	3	Vertical	34	1.47	-	79.27	27.40	7.32	-
PK	2.4836G	66.48	74.00	-7.52	34.73	3	Vertical	34	1.47	-	31.75	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4756G	101.62	Inf	-Inf	34.72	3	Horizontal	338	1.50	-	66.90	27.40	7.32	-
AV	2.4835G	47.62	54.00	-6.38	34.73	3	Horizontal	338	1.50	-	12.89	27.40	7.33	-
PK	2.4756G	113.63	Inf	-Inf	34.72	3	Horizontal	338	1.50	-	78.91	27.40	7.32	-
PK	2.4835G	67.31	74.00	-6.69	34.73	3	Horizontal	338	1.50	-	32.58	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91456G	29.92	54.00	-24.08	6.11	3	Vertical	92	1.80	-	23.81	31.26	8.99	34.14
AV	7.41412G	36.30	54.00	-17.70	12.45	3	Vertical	0	2.63	-	23.85	36.23	10.71	34.49
PK	4.92792G	44.35	74.00	-29.65	6.18	3	Vertical	92	1.80	-	38.17	31.31	9.00	34.13
PK	7.39188G	50.61	74.00	-23.39	12.43	3	Vertical	0	2.63	-	38.18	36.22	10.70	34.49


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92704G	29.59	54.00	-24.41	6.17	3	Horizontal	85	1.50	-	23.42	31.31	9.00	34.14
AV	7.41404G	36.30	54.00	-17.70	12.45	3	Horizontal	93	2.64	-	23.85	36.23	10.71	34.49
PK	4.92804G	43.57	74.00	-30.43	6.18	3	Horizontal	85	1.50	-	37.39	31.31	9.00	34.13
PK	7.40772G	50.10	74.00	-23.90	12.44	3	Horizontal	93	2.64	-	37.66	36.22	10.71	34.49

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2472MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	83.25	Inf	-Inf	34.72	3	Vertical	38	2.08	-	48.53	27.40	7.32	-
AV	2.4835G	49.46	54.00	-4.54	34.73	3	Vertical	38	2.08	-	14.73	27.40	7.33	-
PK	2.48G	95.24	Inf	-Inf	34.72	3	Vertical	38	2.08	-	60.52	27.40	7.32	-
PK	2.4835G	70.09	74.00	-3.91	34.73	3	Vertical	38	2.08	-	35.36	27.40	7.33	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2472MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4808G	83.40	Inf	-Inf	34.72	3	Horizontal	337	1.50	-	48.68	27.40	7.32	-
AV	2.4835G	50.07	54.00	-3.93	34.73	3	Horizontal	337	1.50	-	15.34	27.40	7.33	-
PK	2.4806G	95.05	Inf	-Inf	34.72	3	Horizontal	337	1.50	-	60.33	27.40	7.32	-
PK	2.4835G	71.65	74.00	-2.35	34.73	3	Horizontal	337	1.50	-	36.92	27.40	7.33	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.946G	29.58	54.00	-24.42	6.26	3	Vertical	226	1.79	-	23.32	31.38	9.01	34.13
AV	7.40904G	36.10	54.00	-17.90	12.44	3	Vertical	229	1.50	-	23.66	36.22	10.71	34.49
PK	4.94372G	43.28	74.00	-30.72	6.25	3	Vertical	226	1.79	-	37.03	31.37	9.01	34.13
PK	7.42552G	49.61	74.00	-24.39	12.47	3	Vertical	229	1.50	-	37.14	36.25	10.71	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX
2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94376G	29.60	54.00	-24.40	6.26	3	Horizontal	155	1.50	-	23.34	31.38	9.01	34.13
AV	7.41816G	36.09	54.00	-17.91	12.46	3	Horizontal	0	1.50	-	23.63	36.24	10.71	34.49
PK	4.94808G	42.94	74.00	-31.06	6.28	3	Horizontal	155	1.50	-	36.66	31.39	9.01	34.12
PK	7.42308G	49.79	74.00	-24.21	12.47	3	Horizontal	0	1.50	-	37.32	36.25	10.71	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3682G	47.44	54.00	-6.56	35.51	3	Vertical	176	1.42	-	11.93	27.24	8.27	-
AV	2.4046G	92.22	Inf	-Inf	35.61	3	Vertical	176	1.42	-	56.61	27.32	8.29	-
PK	2.3758G	60.07	74.00	-13.93	35.52	3	Vertical	176	1.42	-	24.55	27.25	8.27	-
PK	2.4058G	104.78	Inf	-Inf	35.61	3	Vertical	176	1.42	-	69.17	27.32	8.29	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.54	54.00	-6.46	35.56	3	Horizontal	50	1.50	-	11.98	27.28	8.28	-
AV	2.4032G	103.21	Inf	-Inf	35.60	3	Horizontal	50	1.50	-	67.61	27.31	8.29	-
PK	2.3654G	60.11	74.00	-13.89	35.49	3	Horizontal	50	1.50	-	24.62	27.23	8.26	-
PK	2.4034G	114.84	Inf	-Inf	35.60	3	Horizontal	50	1.50	-	79.24	27.31	8.29	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2412MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81776G	31.86	54.00	-22.14	8.03	3	Vertical	313	2.38	-	23.83	32.54	9.68	34.19
PK	4.829G	45.66	74.00	-28.34	8.06	3	Vertical	313	2.38	-	37.60	32.56	9.68	34.18

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2412MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81716G	31.80	54.00	-22.20	8.02	3	Horizontal	239	1.43	-	23.78	32.53	9.68	34.19
PK	4.83244G	45.38	74.00	-28.62	8.06	3	Horizontal	239	1.43	-	37.32	32.56	9.68	34.18

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2417MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.48	54.00	-6.52	35.56	3	Vertical	176	1.42	-	11.92	27.28	8.28	-
AV	2.4084G	102.84	Inf	-Inf	35.63	3	Vertical	176	1.42	-	67.21	27.33	8.30	-
PK	2.3808G	60.20	74.00	-13.80	35.54	3	Vertical	176	1.42	-	24.66	27.26	8.28	-
PK	2.4088G	114.55	Inf	-Inf	35.64	3	Vertical	176	1.42	-	78.91	27.34	8.30	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2417MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.52	54.00	-6.48	35.56	3	Horizontal	50	1.51	-	11.96	27.28	8.28	-
AV	2.4082G	103.65	Inf	-Inf	35.63	3	Horizontal	50	1.51	-	68.02	27.33	8.30	-
PK	2.3888G	60.33	74.00	-13.67	35.56	3	Horizontal	50	1.51	-	24.77	27.28	8.28	-
PK	2.4086G	115.23	Inf	-Inf	35.63	3	Horizontal	50	1.51	-	79.60	27.33	8.30	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84388G	31.59	54.00	-22.41	8.11	3	Vertical	138	2.94	-	23.48	32.59	9.69	34.17
AV	7.25172G	37.14	54.00	-16.86	13.51	3	Vertical	323	1.16	-	23.63	36.70	11.31	34.50
PK	4.83824G	45.17	74.00	-28.83	8.09	3	Vertical	138	2.94	-	37.08	32.58	9.69	34.18
PK	7.25076G	50.58	74.00	-23.42	13.51	3	Vertical	323	1.16	-	37.07	36.70	11.31	34.50

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX
2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84352G	31.68	54.00	-22.32	8.10	3	Horizontal	269	1.73	-	23.58	32.59	9.69	34.18
AV	7.25196G	37.30	54.00	-16.70	13.51	3	Horizontal	324	2.12	-	23.79	36.70	11.31	34.50
PK	4.82632G	44.91	74.00	-29.09	8.05	3	Horizontal	269	1.73	-	36.86	32.55	9.68	34.18
PK	7.25028G	50.96	74.00	-23.04	13.51	3	Horizontal	324	2.12	-	37.45	36.70	11.31	34.50

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2437MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3534G	47.47	54.00	-6.53	35.47	3	Vertical	130	1.31	-	12.00	27.21	8.26	-
AV	2.4454G	105.95	Inf	-Inf	35.80	3	Vertical	130	1.31	-	70.15	27.48	8.32	-
AV	2.4835G	48.08	54.00	-5.92	36.04	3	Vertical	130	1.31	-	12.04	27.70	8.34	-
PK	2.3682G	60.00	74.00	-14.00	35.51	3	Vertical	130	1.31	-	24.49	27.24	8.27	-
PK	2.4454G	117.55	Inf	-Inf	35.80	3	Vertical	130	1.31	-	81.75	27.48	8.32	-
PK	2.4974G	60.32	74.00	-13.68	36.13	3	Vertical	130	1.31	-	24.19	27.78	8.35	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2437MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.341G	47.48	54.00	-6.52	35.41	3	Horizontal	59	2.45	-	12.07	27.16	8.25	-
AV	2.4458G	104.08	Inf	-Inf	35.80	3	Horizontal	59	2.45	-	68.28	27.48	8.32	-
AV	2.4835G	48.01	54.00	-5.99	36.04	3	Horizontal	59	2.45	-	11.97	27.70	8.34	-
PK	2.3542G	60.12	74.00	-13.88	35.47	3	Horizontal	59	2.45	-	24.65	27.21	8.26	-
PK	2.4454G	115.48	Inf	-Inf	35.80	3	Horizontal	59	2.45	-	79.68	27.48	8.32	-
PK	2.4934G	59.70	74.00	-14.30	36.11	3	Horizontal	59	2.45	-	23.59	27.76	8.35	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2437MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8646G	31.76	54.00	-22.24	8.17	3	Vertical	297	1.38	-	23.59	32.63	9.70	34.16
AV	7.31996G	36.68	54.00	-17.32	13.46	3	Vertical	52	1.22	-	23.22	36.64	11.32	34.50
PK	4.88332G	45.26	74.00	-28.74	8.21	3	Vertical	297	1.38	-	37.05	32.67	9.70	34.16
PK	7.31692G	50.33	74.00	-23.67	13.45	3	Vertical	52	1.22	-	36.88	36.63	11.32	34.50

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2437MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86424G	31.78	54.00	-22.22	8.16	3	Horizontal	187	2.29	-	23.62	32.63	9.70	34.17
AV	7.3202G	36.68	54.00	-17.32	13.46	3	Horizontal	83	2.91	-	23.22	36.64	11.32	34.50
PK	4.87832G	45.27	74.00	-28.73	8.20	3	Horizontal	187	2.29	-	37.07	32.66	9.70	34.16
PK	7.30512G	49.95	74.00	-24.05	13.43	3	Horizontal	83	2.91	-	36.52	36.61	11.32	34.50

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2457MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	105.00	Inf	-Inf	35.91	3	Vertical	208	1.26	-	69.09	27.58	8.33	-
AV	2.4835G	48.09	54.00	-5.91	36.04	3	Vertical	208	1.26	-	12.05	27.70	8.34	-
PK	2.463G	117.05	Inf	-Inf	35.91	3	Vertical	208	1.26	-	81.14	27.58	8.33	-
PK	2.4962G	60.15	74.00	-13.85	36.13	3	Vertical	208	1.26	-	24.02	27.78	8.35	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2457MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4654G	105.00	Inf	-Inf	35.92	3	Horizontal	64	2.68	-	69.08	27.59	8.33	-
AV	2.4838G	48.13	54.00	-5.87	36.04	3	Horizontal	64	2.68	-	12.09	27.70	8.34	-
PK	2.4646G	117.03	Inf	-Inf	35.92	3	Horizontal	64	2.68	-	81.11	27.59	8.33	-
PK	2.4888G	60.03	74.00	-13.97	36.08	3	Horizontal	64	2.68	-	23.95	27.73	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91276G	32.00	54.00	-22.00	8.33	3	Vertical	333	1.25	-	23.67	32.75	9.72	34.14
AV	7.37792G	36.80	54.00	-17.20	13.38	3	Vertical	256	1.61	-	23.42	36.53	11.34	34.49
PK	4.91092G	45.44	74.00	-28.56	8.31	3	Vertical	333	1.25	-	37.13	32.74	9.71	34.14
PK	7.37884G	50.44	74.00	-23.56	13.38	3	Vertical	256	1.61	-	37.06	36.53	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91276G	32.00	54.00	-22.00	8.33	3	Horizontal	229	2.90	-	23.67	32.75	9.72	34.14
AV	7.37976G	36.84	54.00	-17.16	13.37	3	Horizontal	117	2.39	-	23.47	36.52	11.34	34.49
PK	4.91708G	45.42	74.00	-28.58	8.35	3	Horizontal	229	2.90	-	37.07	32.77	9.72	34.14
PK	7.37664G	49.95	74.00	-24.05	13.39	3	Horizontal	117	2.39	-	36.56	36.54	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4684G	105.54	Inf	-Inf	35.94	3	Vertical	208	1.23	-	69.60	27.61	8.33	-
AV	2.4835G	48.08	54.00	-5.92	36.04	3	Vertical	208	1.23	-	12.04	27.70	8.34	-
PK	2.468G	117.73	Inf	-Inf	35.94	3	Vertical	208	1.23	-	81.79	27.61	8.33	-
PK	2.4842G	62.26	74.00	-11.74	36.05	3	Vertical	208	1.23	-	26.21	27.71	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	105.24	Inf	-Inf	35.96	3	Horizontal	59	3.00	-	69.28	27.62	8.34	-
AV	2.4835G	48.24	54.00	-5.76	36.04	3	Horizontal	59	3.00	-	12.20	27.70	8.34	-
PK	2.4696G	116.90	Inf	-Inf	35.96	3	Horizontal	59	3.00	-	80.94	27.62	8.34	-
PK	2.4866G	60.00	74.00	-14.00	36.07	3	Horizontal	59	3.00	-	23.93	27.72	8.35	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2462MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91428G	32.00	54.00	-22.00	8.34	3	Vertical	46	2.09	-	23.66	32.76	9.72	34.14
AV	7.37868G	36.81	54.00	-17.19	13.38	3	Vertical	171	1.85	-	23.43	36.53	11.34	34.49
PK	4.92324G	46.43	74.00	-27.57	8.37	3	Vertical	46	2.09	-	38.06	32.79	9.72	34.14
PK	7.37896G	50.34	74.00	-23.66	13.38	3	Vertical	171	1.85	-	36.96	36.53	11.34	34.49

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2462MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91428G	31.98	54.00	-22.02	8.34	3	Horizontal	57	3.00	-	23.64	32.76	9.72	34.14
AV	7.3804G	36.80	54.00	-17.20	13.37	3	Horizontal	1	1.28	-	23.43	36.52	11.34	34.49
PK	4.92836G	46.07	74.00	-27.93	8.40	3	Horizontal	57	3.00	-	37.67	32.81	9.72	34.13
PK	7.38476G	50.16	74.00	-23.84	13.34	3	Horizontal	1	1.28	-	36.82	36.49	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4734G	101.72	Inf	-Inf	35.98	3	Vertical	211	1.23	-	65.74	27.64	8.34	-
AV	2.4835G	48.36	54.00	-5.64	36.04	3	Vertical	211	1.23	-	12.32	27.70	8.34	-
PK	2.473G	113.76	Inf	-Inf	35.98	3	Vertical	211	1.23	-	77.78	27.64	8.34	-
PK	2.4835G	65.01	74.00	-8.99	36.04	3	Vertical	211	1.23	-	28.97	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4754G	102.22	Inf	-Inf	35.99	3	Horizontal	60	2.69	-	66.23	27.65	8.34	-
AV	2.4835G	48.65	54.00	-5.35	36.04	3	Horizontal	60	2.69	-	12.61	27.70	8.34	-
PK	2.4752G	114.21	Inf	-Inf	35.99	3	Horizontal	60	2.69	-	78.22	27.65	8.34	-
PK	2.4835G	67.45	74.00	-6.55	36.04	3	Horizontal	60	2.69	-	31.41	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9252G	31.91	54.00	-22.09	8.38	3	Vertical	42	1.09	-	23.53	32.80	9.72	34.14
AV	7.40024G	36.92	54.00	-17.08	13.25	3	Vertical	320	2.77	-	23.67	36.40	11.34	34.49
PK	4.9428G	46.21	74.00	-27.79	8.47	3	Vertical	42	1.09	-	37.74	32.87	9.73	34.13
PK	7.40116G	50.32	74.00	-23.68	13.25	3	Vertical	320	2.77	-	37.07	36.40	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2467MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92556G	31.94	54.00	-22.06	8.38	3	Horizontal	342	1.76	-	23.56	32.80	9.72	34.14
AV	7.40188G	36.92	54.00	-17.08	13.24	3	Horizontal	219	2.78	-	23.68	36.39	11.34	34.49
PK	4.92536G	45.23	74.00	-28.77	8.38	3	Horizontal	342	1.76	-	36.85	32.80	9.72	34.14
PK	7.3982G	50.49	74.00	-23.51	13.26	3	Horizontal	219	2.78	-	37.23	36.41	11.34	34.49

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2472MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	82.90	Inf	-Inf	36.02	3	Vertical	88	1.00	-	46.88	27.68	8.34	-
AV	2.4835G	50.12	54.00	-3.88	36.04	3	Vertical	88	1.00	-	14.08	27.70	8.34	-
PK	2.4798G	94.47	Inf	-Inf	36.02	3	Vertical	88	1.00	-	58.45	27.68	8.34	-
PK	2.4835G	71.32	74.00	-2.68	36.04	3	Vertical	88	1.00	-	35.28	27.70	8.34	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2472MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4782G	75.55	Inf	-Inf	36.01	3	Horizontal	62	2.69	-	39.54	27.67	8.34	-
AV	2.4836G	48.04	54.00	-5.96	36.04	3	Horizontal	62	2.69	-	12.00	27.70	8.34	-
PK	2.478G	87.89	Inf	-Inf	36.01	3	Horizontal	62	2.69	-	51.88	27.67	8.34	-
PK	2.4835G	62.30	74.00	-11.70	36.04	3	Horizontal	62	2.69	-	26.26	27.70	8.34	-

**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2472MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94288G	32.07	54.00	-21.93	8.47	3	Vertical	318	1.61	-	23.60	32.87	9.73	34.13
AV	7.40856G	37.01	54.00	-16.99	13.21	3	Vertical	326	2.21	-	23.80	36.37	11.33	34.49
PK	4.94788G	45.14	74.00	-28.86	8.49	3	Vertical	318	1.61	-	36.65	32.89	9.73	34.13
PK	7.40648G	51.09	74.00	-22.91	13.21	3	Vertical	326	2.21	-	37.88	36.37	11.33	34.49


**802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX
2472MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94448G	32.04	54.00	-21.96	8.48	3	Horizontal	12	1.71	-	23.56	32.88	9.73	34.13
AV	7.40628G	37.04	54.00	-16.96	13.21	3	Horizontal	115	1.44	-	23.83	36.37	11.33	34.49
PK	4.95196G	44.82	74.00	-29.18	8.52	3	Horizontal	12	1.71	-	36.30	32.91	9.73	34.12
PK	7.41076G	49.92	74.00	-24.08	13.20	3	Horizontal	115	1.44	-	36.72	36.36	11.33	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.98	54.00	-6.02	35.56	3	Vertical	132	1.35	-	12.42	27.28	8.28	-
AV	2.41G	101.84	Inf	-Inf	35.64	3	Vertical	132	1.35	-	66.20	27.34	8.30	-
PK	2.39G	59.97	74.00	-14.03	35.56	3	Vertical	132	1.35	-	24.41	27.28	8.28	-
PK	2.4096G	113.65	Inf	-Inf	35.64	3	Vertical	132	1.35	-	78.01	27.34	8.30	-


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.02	54.00	-5.98	35.56	3	Horizontal	50	1.52	-	12.46	27.28	8.28	-
AV	2.4034G	100.16	Inf	-Inf	35.60	3	Horizontal	50	1.52	-	64.56	27.31	8.29	-
PK	2.3898G	61.14	74.00	-12.86	35.56	3	Horizontal	50	1.52	-	25.58	27.28	8.28	-
PK	2.4038G	112.02	Inf	-Inf	35.61	3	Horizontal	50	1.52	-	76.41	27.32	8.29	-

**802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81832G	31.74	54.00	-22.26	8.03	3	Vertical	147	1.28	-	23.71	32.54	9.68	34.19
PK	4.8302G	45.12	74.00	-28.88	8.06	3	Vertical	147	1.28	-	37.06	32.56	9.68	34.18


**802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81852G	31.71	54.00	-22.29	8.03	3	Horizontal	338	1.65	-	23.68	32.54	9.68	34.19
PK	4.82852G	45.90	74.00	-28.10	8.06	3	Horizontal	338	1.65	-	37.84	32.56	9.68	34.18

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.87	54.00	-6.13	35.56	3	Vertical	86	1.05	-	12.31	27.28	8.28	-
AV	2.415G	104.13	Inf	-Inf	35.66	3	Vertical	86	1.05	-	68.47	27.36	8.30	-
PK	2.3888G	60.22	74.00	-13.78	35.56	3	Vertical	86	1.05	-	24.66	27.28	8.28	-
PK	2.415G	116.02	Inf	-Inf	35.66	3	Vertical	86	1.05	-	80.36	27.36	8.30	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.60	54.00	-6.40	35.56	3	Horizontal	52	1.88	-	12.04	27.28	8.28	-
AV	2.4082G	101.84	Inf	-Inf	35.63	3	Horizontal	52	1.88	-	66.21	27.33	8.30	-
PK	2.388G	60.01	74.00	-13.99	35.56	3	Horizontal	52	1.88	-	24.45	27.28	8.28	-
PK	2.408G	113.57	Inf	-Inf	35.63	3	Horizontal	52	1.88	-	77.94	27.33	8.30	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84396G	31.66	54.00	-22.34	8.11	3	Vertical	302	1.97	-	23.55	32.59	9.69	34.17
AV	7.25192G	37.37	54.00	-16.63	13.51	3	Vertical	99	2.83	-	23.86	36.70	11.31	34.50
PK	4.8398G	46.98	74.00	-27.02	8.09	3	Vertical	302	1.97	-	38.89	32.58	9.69	34.18
PK	7.25076G	50.71	74.00	-23.29	13.51	3	Vertical	99	2.83	-	37.20	36.70	11.31	34.50


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84084G	31.78	54.00	-22.22	8.09	3	Horizontal	156	1.47	-	23.69	32.58	9.69	34.18
AV	7.25216G	37.34	54.00	-16.66	13.51	3	Horizontal	360	1.50	-	23.83	36.70	11.31	34.50
PK	4.83136G	44.91	74.00	-29.09	8.06	3	Horizontal	156	1.47	-	36.85	32.56	9.68	34.18
PK	7.2552G	51.19	74.00	-22.81	13.50	3	Horizontal	360	1.50	-	37.69	36.69	11.31	34.50

**802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.43	54.00	-6.57	35.56	3	Vertical	126	1.30	-	11.87	27.28	8.28	-
AV	2.445G	103.82	Inf	-Inf	35.80	3	Vertical	126	1.30	-	68.02	27.48	8.32	-
AV	2.4835G	48.03	54.00	-5.97	36.04	3	Vertical	126	1.30	-	11.99	27.70	8.34	-
PK	2.3466G	60.51	74.00	-13.49	35.44	3	Vertical	126	1.30	-	25.07	27.19	8.25	-
PK	2.4446G	115.56	Inf	-Inf	35.80	3	Vertical	126	1.30	-	79.76	27.48	8.32	-
PK	2.485G	60.22	74.00	-13.78	36.06	3	Vertical	126	1.30	-	24.16	27.71	8.35	-


**802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	47.47	54.00	-6.53	35.48	3	Horizontal	58	2.44	-	11.99	27.22	8.26	-
AV	2.4458G	101.78	Inf	-Inf	35.80	3	Horizontal	58	2.44	-	65.98	27.48	8.32	-
AV	2.4838G	48.06	54.00	-5.94	36.04	3	Horizontal	58	2.44	-	12.02	27.70	8.34	-
PK	2.379G	59.86	74.00	-14.14	35.53	3	Horizontal	58	2.44	-	24.33	27.26	8.27	-
PK	2.4462G	113.48	Inf	-Inf	35.80	3	Horizontal	58	2.44	-	77.68	27.48	8.32	-
PK	2.4878G	60.81	74.00	-13.19	36.08	3	Horizontal	58	2.44	-	24.73	27.73	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8642G	31.85	54.00	-22.15	8.16	3	Vertical	80	1.84	-	23.69	32.63	9.70	34.17
AV	7.31424G	36.70	54.00	-17.30	13.45	3	Vertical	343	1.32	-	23.25	36.63	11.32	34.50
PK	4.8644G	45.12	74.00	-28.88	8.16	3	Vertical	80	1.84	-	36.96	32.63	9.70	34.17
PK	7.30164G	50.99	74.00	-23.01	13.42	3	Vertical	343	1.32	-	37.57	36.60	11.32	34.50

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86612G	31.85	54.00	-22.15	8.17	3	Horizontal	357	1.82	-	23.68	32.63	9.70	34.16
AV	7.32076G	36.70	54.00	-17.30	13.46	3	Horizontal	268	2.90	-	23.24	36.64	11.32	34.50
PK	4.87036G	45.56	74.00	-28.44	8.18	3	Horizontal	357	1.82	-	37.38	32.64	9.70	34.16
PK	7.3182G	50.03	74.00	-23.97	13.46	3	Horizontal	268	2.90	-	36.57	36.64	11.32	34.50

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4626G	103.12	Inf	-Inf	35.91	3	Vertical	207	1.25	-	67.21	27.58	8.33	-
AV	2.4835G	48.45	54.00	-5.55	36.04	3	Vertical	207	1.25	-	12.41	27.70	8.34	-
PK	2.462G	114.70	Inf	-Inf	35.90	3	Vertical	207	1.25	-	78.80	27.57	8.33	-
PK	2.484G	61.26	74.00	-12.74	36.04	3	Vertical	207	1.25	-	25.22	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	102.76	Inf	-Inf	35.92	3	Horizontal	62	2.69	-	66.84	27.59	8.33	-
AV	2.4835G	48.44	54.00	-5.56	36.04	3	Horizontal	62	2.69	-	12.40	27.70	8.34	-
PK	2.4656G	114.68	Inf	-Inf	35.92	3	Horizontal	62	2.69	-	78.76	27.59	8.33	-
PK	2.4856G	62.46	74.00	-11.54	36.06	3	Horizontal	62	2.69	-	26.40	27.71	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91256G	32.03	54.00	-21.97	8.33	3	Vertical	227	1.05	-	23.70	32.75	9.72	34.14
AV	7.37856G	36.89	54.00	-17.11	13.38	3	Vertical	360	1.50	-	23.51	36.53	11.34	34.49
PK	4.9158G	45.57	74.00	-28.43	8.34	3	Vertical	227	1.05	-	37.23	32.76	9.72	34.14
PK	7.38076G	51.61	74.00	-22.39	13.37	3	Vertical	360	1.50	-	38.24	36.52	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91264G	32.04	54.00	-21.96	8.33	3	Horizontal	340	1.01	-	23.71	32.75	9.72	34.14
AV	7.37768G	36.83	54.00	-17.17	13.38	3	Horizontal	245	1.94	-	23.45	36.53	11.34	34.49
PK	4.917G	46.04	74.00	-27.96	8.35	3	Horizontal	340	1.01	-	37.69	32.77	9.72	34.14
PK	7.3798G	50.83	74.00	-23.17	13.37	3	Horizontal	245	1.94	-	37.46	36.52	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.467G	103.84	Inf	-Inf	35.93	3	Vertical	207	1.24	-	67.91	27.60	8.33	-
AV	2.4854G	48.51	54.00	-5.49	36.06	3	Vertical	207	1.24	-	12.45	27.71	8.35	-
PK	2.4676G	116.70	Inf	-Inf	35.94	3	Vertical	207	1.24	-	80.76	27.61	8.33	-
PK	2.4838G	66.82	74.00	-7.18	36.04	3	Vertical	207	1.24	-	30.78	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	102.97	Inf	-Inf	35.96	3	Horizontal	61	2.68	-	67.01	27.62	8.34	-
AV	2.4835G	49.25	54.00	-4.75	36.04	3	Horizontal	61	2.68	-	13.21	27.70	8.34	-
PK	2.4702G	116.09	Inf	-Inf	35.96	3	Horizontal	61	2.68	-	80.13	27.62	8.34	-
PK	2.486G	65.95	74.00	-8.05	36.07	3	Horizontal	61	2.68	-	29.88	27.72	8.35	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9142G	32.01	54.00	-21.99	8.34	3	Vertical	156	1.81	-	23.67	32.76	9.72	34.14
AV	7.37908G	36.85	54.00	-17.15	13.38	3	Vertical	312	2.92	-	23.47	36.53	11.34	34.49
PK	4.922G	45.11	74.00	-28.89	8.37	3	Vertical	156	1.81	-	36.74	32.79	9.72	34.14
PK	7.38176G	50.81	74.00	-23.19	13.36	3	Vertical	312	2.92	-	37.45	36.51	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91484G	32.02	54.00	-21.98	8.34	3	Horizontal	152	2.50	-	23.68	32.76	9.72	34.14
AV	7.37752G	36.84	54.00	-17.16	13.38	3	Horizontal	358	1.66	-	23.46	36.53	11.34	34.49
PK	4.91428G	45.27	74.00	-28.73	8.34	3	Horizontal	152	2.50	-	36.93	32.76	9.72	34.14
PK	7.38024G	50.40	74.00	-23.60	13.37	3	Horizontal	358	1.66	-	37.03	36.52	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4718G	99.61	Inf	-Inf	35.97	3	Vertical	206	1.23	-	63.64	27.63	8.34	-
AV	2.4835G	48.71	54.00	-5.29	36.04	3	Vertical	206	1.23	-	12.67	27.70	8.34	-
PK	2.4726G	111.62	Inf	-Inf	35.98	3	Vertical	206	1.23	-	75.64	27.64	8.34	-
PK	2.4835G	63.85	74.00	-10.15	36.04	3	Vertical	206	1.23	-	27.81	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	97.90	Inf	-Inf	35.95	3	Horizontal	47	1.10	-	61.95	27.62	8.33	-
AV	2.4835G	48.24	54.00	-5.76	36.04	3	Horizontal	47	1.10	-	12.20	27.70	8.34	-
PK	2.469G	110.08	Inf	-Inf	35.94	3	Horizontal	47	1.10	-	74.14	27.61	8.33	-
PK	2.4836G	63.15	74.00	-10.85	36.04	3	Horizontal	47	1.10	-	27.11	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9254G	31.97	54.00	-22.03	8.38	3	Vertical	41	2.85	-	23.59	32.80	9.72	34.14
AV	7.40344G	36.94	54.00	-17.06	13.24	3	Vertical	71	1.27	-	23.70	36.39	11.34	34.49
PK	4.926G	45.08	74.00	-28.92	8.38	3	Vertical	41	2.85	-	36.70	32.80	9.72	34.14
PK	7.398G	51.18	74.00	-22.82	13.26	3	Vertical	71	1.27	-	37.92	36.41	11.34	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92532G	31.95	54.00	-22.05	8.38	3	Horizontal	242	1.65	-	23.57	32.80	9.72	34.14
AV	7.40184G	36.94	54.00	-17.06	13.24	3	Horizontal	72	2.34	-	23.70	36.39	11.34	34.49
PK	4.92704G	45.19	74.00	-28.81	8.39	3	Horizontal	242	1.65	-	36.80	32.81	9.72	34.14
PK	7.40992G	50.03	74.00	-23.97	13.20	3	Horizontal	72	2.34	-	36.83	36.36	11.33	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4796G	82.50	Inf	-Inf	36.02	3	Vertical	308	1.22	-	46.48	27.68	8.34	-
AV	2.4835G	50.08	54.00	-3.92	36.04	3	Vertical	308	1.22	-	14.04	27.70	8.34	-
PK	2.4792G	94.52	Inf	-Inf	36.02	3	Vertical	308	1.22	-	58.50	27.68	8.34	-
PK	2.4835G	72.26	74.00	-1.74	36.04	3	Vertical	308	1.22	-	36.22	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.474G	81.52	Inf	-Inf	35.98	3	Horizontal	47	1.11	-	45.54	27.64	8.34	-
AV	2.4835G	49.21	54.00	-4.79	36.04	3	Horizontal	47	1.11	-	13.17	27.70	8.34	-
PK	2.474G	93.59	Inf	-Inf	35.98	3	Horizontal	47	1.11	-	57.61	27.64	8.34	-
PK	2.4835G	67.33	74.00	-6.67	36.04	3	Horizontal	47	1.11	-	31.29	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94628G	31.94	54.00	-22.06	8.49	3	Vertical	244	2.93	-	23.45	32.89	9.73	34.13
AV	7.40872G	36.92	54.00	-17.08	13.21	3	Vertical	354	1.83	-	23.71	36.37	11.33	34.49
PK	4.94716G	45.24	74.00	-28.76	8.49	3	Vertical	244	2.93	-	36.75	32.89	9.73	34.13
PK	7.40984G	50.12	74.00	-23.88	13.20	3	Vertical	354	1.83	-	36.92	36.36	11.33	34.49


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94564G	31.94	54.00	-22.06	8.48	3	Horizontal	76	1.63	-	23.46	32.88	9.73	34.13
AV	7.40904G	36.89	54.00	-17.11	13.20	3	Horizontal	81	1.83	-	23.69	36.36	11.33	34.49
PK	4.95332G	45.56	74.00	-28.44	8.52	3	Horizontal	76	1.63	-	37.04	32.91	9.73	34.12
PK	7.42244G	51.47	74.00	-22.53	13.14	3	Horizontal	81	1.83	-	38.33	36.31	11.32	34.49

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.86	54.00	-2.14	35.56	3	Vertical	87	1.03	-	16.30	27.28	8.28	-
AV	2.4104G	100.64	Inf	-Inf	35.64	3	Vertical	87	1.03	-	65.00	27.34	8.30	-
AV	2.4864G	48.48	54.00	-5.52	36.07	3	Vertical	87	1.03	-	12.41	27.72	8.35	-
PK	2.39G	68.53	74.00	-5.47	35.56	3	Vertical	87	1.03	-	32.97	27.28	8.28	-
PK	2.41G	112.43	Inf	-Inf	35.64	3	Vertical	87	1.03	-	76.79	27.34	8.30	-
PK	2.4868G	62.97	74.00	-11.03	36.07	3	Vertical	87	1.03	-	26.90	27.72	8.35	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.61	54.00	-3.39	35.56	3	Horizontal	54	2.60	-	15.05	27.28	8.28	-
AV	2.4208G	97.66	Inf	-Inf	35.68	3	Horizontal	54	2.60	-	61.98	27.38	8.30	-
AV	2.484G	48.33	54.00	-5.67	36.04	3	Horizontal	54	2.60	-	12.29	27.70	8.34	-
PK	2.3876G	66.07	74.00	-7.93	35.56	3	Horizontal	54	2.60	-	30.51	27.28	8.28	-
PK	2.4212G	110.71	Inf	-Inf	35.68	3	Horizontal	54	2.60	-	75.03	27.38	8.30	-
PK	2.4835G	62.65	74.00	-11.35	36.04	3	Horizontal	54	2.60	-	26.61	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84484G	31.73	54.00	-22.27	8.11	3	Vertical	141	2.58	-	23.62	32.59	9.69	34.17
AV	7.25644G	37.08	54.00	-16.92	13.50	3	Vertical	201	2.48	-	23.58	36.69	11.31	34.50
PK	4.835G	44.97	74.00	-29.03	8.07	3	Vertical	141	2.58	-	36.90	32.57	9.68	34.18
PK	7.25824G	50.67	74.00	-23.33	13.49	3	Vertical	201	2.48	-	37.18	36.68	11.31	34.50


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84528G	31.71	54.00	-22.29	8.11	3	Horizontal	195	2.58	-	23.60	32.59	9.69	34.17
AV	7.2562G	37.10	54.00	-16.90	13.50	3	Horizontal	8	2.92	-	23.60	36.69	11.31	34.50
PK	4.84672G	44.94	74.00	-29.06	8.11	3	Horizontal	195	2.58	-	36.83	32.59	9.69	34.17
PK	7.26588G	49.84	74.00	-24.16	13.48	3	Horizontal	8	2.92	-	36.36	36.67	11.31	34.50

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX
2427MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.61	54.00	-5.39	34.98	3	Vertical	86	1.06	-	13.63	27.72	7.26	-
AV	2.4154G	100.16	Inf	-Inf	34.88	3	Vertical	86	1.06	-	65.28	27.61	7.27	-
AV	2.4854G	47.06	54.00	-6.94	34.73	3	Vertical	86	1.06	-	12.33	27.40	7.33	-
PK	2.3898G	67.93	74.00	-6.07	34.98	3	Vertical	86	1.06	-	32.95	27.72	7.26	-
PK	2.415G	112.19	Inf	-Inf	34.88	3	Vertical	86	1.06	-	77.31	27.61	7.27	-
PK	2.4866G	61.23	74.00	-12.77	34.73	3	Vertical	86	1.06	-	26.50	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX
2427MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.41	54.00	-5.59	35.56	3	Horizontal	54	2.46	-	12.85	27.28	8.28	-
AV	2.4258G	98.63	Inf	-Inf	35.71	3	Horizontal	54	2.46	-	62.92	27.40	8.31	-
AV	2.485G	48.35	54.00	-5.65	36.06	3	Horizontal	54	2.46	-	12.29	27.71	8.35	-
PK	2.3898G	64.64	74.00	-9.36	35.56	3	Horizontal	54	2.46	-	29.08	27.28	8.28	-
PK	2.4258G	111.52	Inf	-Inf	35.71	3	Horizontal	54	2.46	-	75.81	27.40	8.31	-
PK	2.4874G	60.22	74.00	-13.78	36.07	3	Horizontal	54	2.46	-	24.15	27.72	8.35	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8636G	31.81	54.00	-22.19	8.16	3	Vertical	284	1.09	-	23.65	32.63	9.70	34.17
AV	7.27228G	36.85	54.00	-17.15	13.47	3	Vertical	274	2.17	-	23.38	36.66	11.31	34.50
PK	4.86284G	44.80	74.00	-29.20	8.16	3	Vertical	284	1.09	-	36.64	32.63	9.70	34.17
PK	7.27236G	50.57	74.00	-23.43	13.47	3	Vertical	274	2.17	-	37.10	36.66	11.31	34.50


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86356G	31.83	54.00	-22.17	8.16	3	Horizontal	190	1.15	-	23.67	32.63	9.70	34.17
AV	7.271G	36.86	54.00	-17.14	13.47	3	Horizontal	360	1.50	-	23.39	36.66	11.31	34.50
PK	4.845G	45.27	74.00	-28.73	8.11	3	Horizontal	190	1.15	-	37.16	32.59	9.69	34.17
PK	7.27968G	50.20	74.00	-23.80	13.46	3	Horizontal	360	1.50	-	36.74	36.64	11.32	34.50

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.337G	47.08	54.00	-6.92	35.06	3	Vertical	128	1.31	-	12.02	27.83	7.23	-
AV	2.4454G	100.61	Inf	-Inf	34.73	3	Vertical	128	1.31	-	65.88	27.43	7.30	-
AV	2.4835G	47.49	54.00	-6.51	34.73	3	Vertical	128	1.31	-	12.76	27.40	7.33	-
PK	2.3898G	65.42	74.00	-8.58	34.98	3	Vertical	128	1.31	-	30.44	27.72	7.26	-
PK	2.4462G	112.77	Inf	-Inf	34.72	3	Vertical	128	1.31	-	78.05	27.42	7.30	-
PK	2.4858G	67.95	74.00	-6.05	34.73	3	Vertical	128	1.31	-	33.22	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.65	54.00	-6.35	35.56	3	Horizontal	52	2.10	-	12.09	27.28	8.28	-
AV	2.4382G	100.21	Inf	-Inf	35.76	3	Horizontal	52	2.10	-	64.45	27.45	8.31	-
AV	2.4835G	48.58	54.00	-5.42	36.04	3	Horizontal	52	2.10	-	12.54	27.70	8.34	-
PK	2.3894G	65.71	74.00	-8.29	35.56	3	Horizontal	52	2.10	-	30.15	27.28	8.28	-
PK	2.4378G	113.24	Inf	-Inf	35.76	3	Horizontal	52	2.10	-	77.48	27.45	8.31	-
PK	2.4835G	70.53	74.00	-3.47	36.04	3	Horizontal	52	2.10	-	34.49	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8642G	31.87	54.00	-22.13	8.16	3	Vertical	250	1.88	-	23.71	32.63	9.70	34.17
AV	7.32044G	36.76	54.00	-17.24	13.46	3	Vertical	49	1.50	-	23.30	36.64	11.32	34.50
PK	4.86604G	45.48	74.00	-28.52	8.17	3	Vertical	250	1.88	-	37.31	32.63	9.70	34.16
PK	7.30244G	50.11	74.00	-23.89	13.42	3	Vertical	49	1.50	-	36.69	36.60	11.32	34.50


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86564G	31.85	54.00	-22.15	8.17	3	Horizontal	299	2.57	-	23.68	32.63	9.70	34.16
AV	7.31296G	36.78	54.00	-17.22	13.45	3	Horizontal	76	1.50	-	23.33	36.63	11.32	34.50
PK	4.87048G	45.55	74.00	-28.45	8.18	3	Horizontal	299	2.57	-	37.37	32.64	9.70	34.16
PK	7.3114G	50.08	74.00	-23.92	13.44	3	Horizontal	76	1.50	-	36.64	36.62	11.32	34.50

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2447MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.06	54.00	-6.94	34.98	3	Vertical	209	1.25	-	12.08	27.72	7.26	-
AV	2.4634G	98.55	Inf	-Inf	34.71	3	Vertical	209	1.25	-	63.84	27.40	7.31	-
AV	2.4838G	48.08	54.00	-5.92	34.73	3	Vertical	209	1.25	-	13.35	27.40	7.33	-
PK	2.3894G	64.13	74.00	-9.87	34.98	3	Vertical	209	1.25	-	29.15	27.72	7.26	-
PK	2.4634G	111.56	Inf	-Inf	34.71	3	Vertical	209	1.25	-	76.85	27.40	7.31	-
PK	2.485G	69.92	74.00	-4.08	34.73	3	Vertical	209	1.25	-	35.19	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2447MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	47.57	54.00	-6.43	35.56	3	Horizontal	55	2.45	-	12.01	27.28	8.28	-
AV	2.4574G	99.15	Inf	-Inf	35.87	3	Horizontal	55	2.45	-	63.28	27.54	8.33	-
AV	2.4858G	48.68	54.00	-5.32	36.06	3	Horizontal	55	2.45	-	12.62	27.71	8.35	-
PK	2.3898G	62.30	74.00	-11.70	35.56	3	Horizontal	55	2.45	-	26.74	27.28	8.28	-
PK	2.4562G	111.44	Inf	-Inf	35.87	3	Horizontal	55	2.45	-	75.57	27.54	8.33	-
PK	2.4835G	68.40	74.00	-5.60	36.04	3	Horizontal	55	2.45	-	32.36	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89412G	32.13	54.00	-21.87	8.25	3	Vertical	205	2.58	-	23.88	32.69	9.71	34.15
AV	7.348G	37.26	54.00	-16.74	13.53	3	Vertical	284	2.02	-	23.73	36.70	11.33	34.50
PK	4.90004G	45.09	74.00	-28.91	8.26	3	Vertical	205	2.58	-	36.83	32.70	9.71	34.15
PK	7.34992G	51.22	74.00	-22.78	13.53	3	Vertical	284	2.02	-	37.69	36.70	11.33	34.50


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8942G	32.14	54.00	-21.86	8.25	3	Horizontal	126	2.41	-	23.89	32.69	9.71	34.15
AV	7.3462G	37.22	54.00	-16.78	13.52	3	Horizontal	0	1.44	-	23.70	36.69	11.33	34.50
PK	4.88908G	46.19	74.00	-27.81	8.24	3	Horizontal	126	2.41	-	37.95	32.68	9.71	34.15
PK	7.34552G	50.50	74.00	-23.50	13.52	3	Horizontal	0	1.44	-	36.98	36.69	11.33	34.50

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.09	54.00	-6.91	34.98	3	Vertical	208	1.25	-	12.11	27.72	7.26	-
AV	2.468G	98.17	Inf	-Inf	34.71	3	Vertical	208	1.25	-	63.46	27.40	7.31	-
AV	2.4848G	47.76	54.00	-6.24	34.73	3	Vertical	208	1.25	-	13.03	27.40	7.33	-
PK	2.3556G	59.57	74.00	-14.43	35.03	3	Vertical	208	1.25	-	24.54	27.79	7.24	-
PK	2.4672G	111.58	Inf	-Inf	34.71	3	Vertical	208	1.25	-	76.87	27.40	7.31	-
PK	2.4844G	70.49	74.00	-3.51	34.73	3	Vertical	208	1.25	-	35.76	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.56	54.00	-6.44	35.56	3	Horizontal	57	2.08	-	12.00	27.28	8.28	-
AV	2.4628G	98.24	Inf	-Inf	35.91	3	Horizontal	57	2.08	-	62.33	27.58	8.33	-
AV	2.4835G	50.69	54.00	-3.31	36.04	3	Horizontal	57	2.08	-	14.65	27.70	8.34	-
PK	2.3612G	60.64	74.00	-13.36	35.48	3	Horizontal	57	2.08	-	25.16	27.22	8.26	-
PK	2.464G	109.95	Inf	-Inf	35.91	3	Horizontal	57	2.08	-	74.04	27.58	8.33	-
PK	2.4835G	70.30	74.00	-3.70	36.04	3	Horizontal	57	2.08	-	34.26	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89404G	32.19	54.00	-21.81	8.25	3	Vertical	9	2.77	-	23.94	32.69	9.71	34.15
AV	7.34768G	37.01	54.00	-16.99	13.53	3	Vertical	346	1.42	-	23.48	36.70	11.33	34.50
PK	4.89984G	45.62	74.00	-28.38	8.26	3	Vertical	9	2.77	-	37.36	32.70	9.71	34.15
PK	7.34888G	50.94	74.00	-23.06	13.53	3	Vertical	346	1.42	-	37.41	36.70	11.33	34.50


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89472G	32.15	54.00	-21.85	8.25	3	Horizontal	62	2.36	-	23.90	32.69	9.71	34.15
AV	7.34776G	37.02	54.00	-16.98	13.53	3	Horizontal	31	1.71	-	23.49	36.70	11.33	34.50
PK	4.90676G	46.33	74.00	-27.67	8.30	3	Horizontal	62	2.36	-	38.03	32.73	9.71	34.14
PK	7.34816G	50.01	74.00	-23.99	13.53	3	Horizontal	31	1.71	-	36.48	36.70	11.33	34.50

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3642G	47.02	54.00	-6.98	35.01	3	Vertical	205	1.24	-	12.01	27.77	7.24	-
AV	2.4714G	97.18	Inf	-Inf	34.72	3	Vertical	205	1.24	-	62.46	27.40	7.32	-
AV	2.4835G	50.25	54.00	-3.75	34.73	3	Vertical	205	1.24	-	15.52	27.40	7.33	-
PK	2.387G	59.04	74.00	-14.96	34.98	3	Vertical	205	1.24	-	24.06	27.73	7.25	-
PK	2.4722G	110.17	Inf	-Inf	34.72	3	Vertical	205	1.24	-	75.45	27.40	7.32	-
PK	2.4838G	68.14	74.00	-5.86	34.73	3	Vertical	205	1.24	-	33.41	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.70	54.00	-6.30	35.56	3	Horizontal	55	2.28	-	12.14	27.28	8.28	-
AV	2.4674G	97.77	Inf	-Inf	35.93	3	Horizontal	55	2.28	-	61.84	27.60	8.33	-
AV	2.485G	49.80	54.00	-4.20	36.06	3	Horizontal	55	2.28	-	13.74	27.71	8.35	-
PK	2.3658G	59.69	74.00	-14.31	35.49	3	Horizontal	55	2.28	-	24.20	27.23	8.26	-
PK	2.4682G	109.74	Inf	-Inf	35.94	3	Horizontal	55	2.28	-	73.80	27.61	8.33	-
PK	2.4835G	70.03	74.00	-3.97	36.04	3	Horizontal	55	2.28	-	33.99	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91276G	32.11	54.00	-21.89	8.33	3	Vertical	170	2.93	-	23.78	32.75	9.72	34.14
AV	7.37916G	36.87	54.00	-17.13	13.38	3	Vertical	315	2.13	-	23.49	36.53	11.34	34.49
PK	4.9094G	45.36	74.00	-28.64	8.31	3	Vertical	170	2.93	-	37.05	32.74	9.71	34.14
PK	7.37856G	49.98	74.00	-24.02	13.38	3	Vertical	315	2.13	-	36.60	36.53	11.34	34.49


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9126G	32.07	54.00	-21.93	8.33	3	Horizontal	203	1.39	-	23.74	32.75	9.72	34.14
AV	7.37848G	36.87	54.00	-17.13	13.38	3	Horizontal	227	1.88	-	23.49	36.53	11.34	34.49
PK	4.91608G	45.32	74.00	-28.68	8.34	3	Horizontal	203	1.39	-	36.98	32.76	9.72	34.14
PK	7.37844G	50.15	74.00	-23.85	13.38	3	Horizontal	227	1.88	-	36.77	36.53	11.34	34.49

**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3724G	46.96	54.00	-7.04	35.01	3	Vertical	209	1.24	-	11.95	27.76	7.25	-
AV	2.468G	83.28	Inf	-Inf	34.71	3	Vertical	209	1.24	-	48.57	27.40	7.31	-
AV	2.4835G	47.54	54.00	-6.46	34.73	3	Vertical	209	1.24	-	12.81	27.40	7.33	-
PK	2.3668G	59.14	74.00	-14.86	35.02	3	Vertical	209	1.24	-	24.12	27.77	7.25	-
PK	2.4772G	94.57	Inf	-Inf	34.72	3	Vertical	209	1.24	-	59.85	27.40	7.32	-
PK	2.4835G	67.98	74.00	-6.02	34.73	3	Vertical	209	1.24	-	33.25	27.40	7.33	-


**802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3628G	47.46	54.00	-6.54	35.49	3	Horizontal	59	3.00	-	11.97	27.23	8.26	-
AV	2.4704G	83.46	Inf	-Inf	35.96	3	Horizontal	59	3.00	-	47.50	27.62	8.34	-
AV	2.4835G	49.19	54.00	-4.81	36.04	3	Horizontal	59	3.00	-	13.15	27.70	8.34	-
PK	2.3784G	60.26	74.00	-13.74	35.53	3	Horizontal	59	3.00	-	24.73	27.26	8.27	-
PK	2.4704G	95.44	Inf	-Inf	35.96	3	Horizontal	59	3.00	-	59.48	27.62	8.34	-
PK	2.4835G	71.79	74.00	-2.21	36.04	3	Horizontal	59	3.00	-	35.75	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	32.03	54.00	-21.97	8.34	3	Vertical	183	1.30	-	23.69	32.76	9.72	34.14
AV	7.37892G	36.84	54.00	-17.16	13.38	3	Vertical	304	1.91	-	23.46	36.53	11.34	34.49
PK	4.91448G	45.22	74.00	-28.78	8.34	3	Vertical	183	1.30	-	36.88	32.76	9.72	34.14
PK	7.38188G	49.79	74.00	-24.21	13.36	3	Vertical	304	1.91	-	36.43	36.51	11.34	34.49

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91424G	32.04	54.00	-21.96	8.34	3	Horizontal	283	1.43	-	23.70	32.76	9.72	34.14
AV	7.37884G	36.87	54.00	-17.13	13.38	3	Horizontal	299	2.57	-	23.49	36.53	11.34	34.49
PK	4.92092G	45.86	74.00	-28.14	8.36	3	Horizontal	283	1.43	-	37.50	32.78	9.72	34.14
PK	7.39412G	51.39	74.00	-22.61	13.29	3	Horizontal	299	2.57	-	38.10	36.44	11.34	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	PK	404.42M	39.74	46.00	-6.26	3	Horizontal	0	1.00	-
802.11b_Nss1,(1Mbps)_2TX	Pass	PK	414.12M	39.83	46.00	-6.17	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	39.7M	33.24	40.00	-6.76	3	Vertical	360	1.00	-
2437MHz	Pass	PK	165.8M	36.53	43.50	-6.97	3	Vertical	360	1.00	-
2437MHz	Pass	PK	229.82M	34.83	46.00	-11.17	3	Vertical	360	1.00	-
2437MHz	Pass	QP	408.3M	39.04	46.00	-6.96	3	Vertical	202	1.18	-
2437MHz	Pass	QP	542.16M	39.25	46.00	-6.75	3	Vertical	196	1.00	-
2437MHz	Pass	QP	660.5M	38.86	46.00	-7.14	3	Vertical	217	1.00	-
2437MHz	Pass	PK	49.4M	32.07	40.00	-7.93	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	165.8M	35.63	43.50	-7.87	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	258.92M	37.58	46.00	-8.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	404.42M	39.74	46.00	-6.26	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	542.16M	38.96	46.00	-7.04	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	650.8M	39.37	46.00	-6.63	3	Horizontal	356	1.00	-
2437MHz	Pass	PK	9.846k	62.04	127.72	-65.68	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	35.508k	63.06	116.59	-53.53	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	74.142k	52.15	110.19	-58.04	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	388.8k	57.27	95.80	-38.53	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	806.7k	46.42	69.48	-23.06	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	2.06M	43.04	69.50	-26.46	3	Horizontal	360	1.00	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	30M	33.33	40.00	-6.67	3	Vertical	0	1.00	-
2437MHz	Pass	PK	171.62M	36.16	43.50	-7.34	3	Vertical	0	1.00	-
2437MHz	Pass	PK	258.92M	35.24	46.00	-10.76	3	Vertical	0	1.00	-
2437MHz	Pass	PK	544.1M	39.76	46.00	-6.24	3	Vertical	0	1.00	-
2437MHz	Pass	QP	408.3M	39.77	46.00	-6.23	3	Vertical	195	1.22	-
2437MHz	Pass	QP	652.74M	37.15	46.00	-8.85	3	Vertical	346	1.00	-
2437MHz	Pass	PK	47.46M	29.22	40.00	-10.78	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	161.92M	34.76	43.50	-8.74	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	260.86M	36.72	46.00	-9.28	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	414.12M	39.83	46.00	-6.17	3	Horizontal	360	1.00	-
2437MHz	Pass	QP	656.62M	36.22	46.00	-9.78	3	Horizontal	356	1.00	-
2437MHz	Pass	QP	955.38M	37.07	46.00	-8.93	3	Horizontal	168	1.59	-
2437MHz	Pass	PK	10.128k	61.60	127.46	-65.86	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	35.226k	62.12	116.65	-54.53	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	111.366k	51.71	106.65	-54.94	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	388.8k	57.03	95.80	-38.77	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	806.7k	47.33	69.48	-22.15	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	2.12M	41.69	69.50	-27.81	3	Horizontal	0	1.00	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	33.24	40.00	-6.76	-8.42	3	Vertical	360	1.00	-	41.66	17.92	1.03	27.37
PK	165.8M	36.53	43.50	-6.97	-10.60	3	Vertical	360	1.00	-	47.13	15.08	1.82	27.50
PK	229.82M	34.83	46.00	-11.17	-9.67	3	Vertical	360	1.00	-	44.50	15.30	2.17	27.14
QP	408.3M	39.04	46.00	-6.96	-3.47	3	Vertical	202	1.18	-	42.51	21.45	2.91	27.83
QP	542.16M	39.25	46.00	-6.75	-1.55	3	Vertical	196	1.00	-	40.80	23.38	3.39	28.32
QP	660.5M	38.86	46.00	-7.14	-0.30	3	Vertical	217	1.00	-	39.16	24.19	3.72	28.21

802.11b_Nss1,(1Mbps)_1TX(Port1)

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	32.07	40.00	-7.93	-13.21	3	Horizontal	0	1.00	-	45.28	13.45	1.04	27.70
PK	165.8M	35.63	43.50	-7.87	-10.60	3	Horizontal	0	1.00	-	46.23	15.08	1.82	27.50
PK	258.92M	37.58	46.00	-8.42	-6.09	3	Horizontal	0	1.00	-	43.67	18.64	2.30	27.03
PK	404.42M	39.74	46.00	-6.26	-3.67	3	Horizontal	0	1.00	-	43.41	21.24	2.90	27.81
PK	542.16M	38.96	46.00	-7.04	-1.55	3	Horizontal	0	1.00	-	40.51	23.38	3.39	28.32
QP	650.8M	39.37	46.00	-6.63	-0.31	3	Horizontal	356	1.00	-	39.68	24.19	3.70	28.20

802.11b_Nss1,(1Mbps)_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	62.04	127.72	-65.68	19.14	3	Horizontal	0	1.00	-	42.90	18.96	0.18	-
PK	35.508k	63.06	116.59	-53.53	21.58	3	Horizontal	0	1.00	-	41.48	21.34	0.24	-
PK	74.142k	52.15	110.19	-58.04	20.46	3	Horizontal	0	1.00	-	31.69	20.18	0.28	-

802.11b_Nss1,(1Mbps)_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.27	95.80	-38.53	20.50	3	Horizontal	360	1.00	-	36.77	20.20	0.30	-
PK	806.7k	46.42	69.48	-23.06	20.63	3	Horizontal	360	1.00	-	25.79	20.27	0.36	-
PK	2.06M	43.04	69.50	-26.46	20.29	3	Horizontal	360	1.00	-	22.75	19.84	0.45	-

802.11b_Nss1,(1Mbps)_2TX
2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.33	40.00	-6.67	-2.71	3	Vertical	0	1.00	-	36.04	23.26	1.02	26.99
PK	171.62M	36.16	43.50	-7.34	-10.81	3	Vertical	0	1.00	-	46.97	14.82	1.86	27.49
PK	258.92M	35.24	46.00	-10.76	-6.09	3	Vertical	0	1.00	-	41.33	18.64	2.30	27.03
PK	544.1M	39.76	46.00	-6.24	-1.40	3	Vertical	0	1.00	-	41.16	23.52	3.40	28.32
QP	408.3M	39.77	46.00	-6.23	-3.47	3	Vertical	195	1.22	-	43.24	21.45	2.91	27.83
QP	652.74M	37.15	46.00	-8.85	-0.31	3	Vertical	346	1.00	-	37.46	24.18	3.71	28.20

802.11b_Nss1,(1Mbps)_2TX
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	29.22	40.00	-10.78	-12.46	3	Horizontal	360	1.00	-	41.68	14.15	1.03	27.64
PK	161.92M	34.76	43.50	-8.74	-10.62	3	Horizontal	360	1.00	-	45.38	15.10	1.79	27.51
PK	260.86M	36.72	46.00	-9.28	-5.97	3	Horizontal	360	1.00	-	42.69	18.75	2.31	27.03
PK	414.12M	39.83	46.00	-6.17	-3.22	3	Horizontal	360	1.00	-	43.05	21.70	2.94	27.86
QP	656.62M	36.22	46.00	-9.78	-0.32	3	Horizontal	356	1.00	-	36.54	24.18	3.71	28.21
QP	955.38M	37.07	46.00	-8.93	3.40	3	Horizontal	168	1.59	-	33.67	26.14	4.52	27.26

802.11b_Nss1,(1Mbps)_2TX
2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	61.60	127.46	-65.86	19.12	3	Horizontal	360	1.00	-	42.48	18.93	0.19	-
PK	35.226k	62.12	116.65	-54.53	21.59	3	Horizontal	360	1.00	-	40.53	21.35	0.24	-
PK	111.366k	51.71	106.65	-54.94	20.04	3	Horizontal	360	1.00	-	31.67	19.75	0.29	-

802.11b_Nss1,(1Mbps)_2TX
2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.03	95.80	-38.77	20.50	3	Horizontal	0	1.00	-	36.53	20.20	0.30	-
PK	806.7k	47.33	69.48	-22.15	20.63	3	Horizontal	0	1.00	-	26.70	20.27	0.36	-
PK	2.12M	41.69	69.50	-27.81	20.28	3	Horizontal	0	1.00	-	21.41	19.82	0.46	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	425.76M	39.76	46.00	-6.24	3	Vertical	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	945.68M	39.72	46.00	-6.28	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	39.7M	32.90	40.00	-7.10	3	Vertical	0	1.00	-
2437MHz	Pass	PK	227.88M	35.31	46.00	-10.69	3	Vertical	0	1.00	-
2437MHz	Pass	PK	425.76M	39.76	46.00	-6.24	3	Vertical	0	1.00	-
2437MHz	Pass	PK	544.1M	38.95	46.00	-7.05	3	Vertical	0	1.00	-
2437MHz	Pass	PK	625.58M	38.98	46.00	-7.02	3	Vertical	0	1.00	-
2437MHz	Pass	QP	159.98M	32.73	43.50	-10.77	3	Vertical	33	1.00	-
2437MHz	Pass	PK	30M	31.82	40.00	-8.18	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	161.92M	36.65	43.50	-6.85	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	258.92M	37.04	46.00	-8.96	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	398.6M	39.38	46.00	-6.62	3	Horizontal	360	1.00	-
2437MHz	Pass	QP	652.74M	36.54	46.00	-9.46	3	Horizontal	350	1.00	-
2437MHz	Pass	QP	903M	35.76	46.00	-10.24	3	Horizontal	261	1.02	-
2437MHz	Pass	PK	9.564k	62.40	127.96	-65.56	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	35.508k	62.04	116.59	-54.55	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	74.424k	52.17	110.15	-57.98	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	388.8k	57.33	95.80	-38.47	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	985.8k	46.41	67.74	-21.33	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	4.986M	42.15	69.50	-27.35	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	33.23	40.00	-6.77	3	Vertical	360	1.00	-
2437MHz	Pass	PK	156.1M	36.99	43.50	-6.51	3	Vertical	360	1.00	-
2437MHz	Pass	PK	258.92M	38.18	46.00	-7.82	3	Vertical	360	1.00	-
2437MHz	Pass	PK	546.04M	38.59	46.00	-7.41	3	Vertical	360	1.00	-
2437MHz	Pass	PK	629.46M	39.21	46.00	-6.79	3	Vertical	360	1.00	-
2437MHz	Pass	QP	437.4M	39.27	46.00	-6.73	3	Vertical	202	1.00	-
2437MHz	Pass	PK	45.52M	30.61	40.00	-9.39	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	161.92M	36.57	43.50	-6.93	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	396.66M	39.61	46.00	-6.39	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	547.98M	37.98	46.00	-8.02	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	945.68M	39.72	46.00	-6.28	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	652.74M	38.21	46.00	-7.79	3	Horizontal	1	1.00	-
2437MHz	Pass	PK	9.564k	60.86	127.96	-67.10	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	35.508k	61.34	116.59	-55.25	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	73.86k	51.77	110.23	-58.46	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	388.8k	57.25	95.80	-38.55	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	806.7k	45.85	69.48	-23.63	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	2.359M	47.12	69.50	-22.38	3	Horizontal	360	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.90	40.00	-7.10	-8.42	3	Vertical	0	1.00	-	41.32	17.92	1.03	27.37
PK	227.88M	35.31	46.00	-10.69	-9.90	3	Vertical	0	1.00	-	45.21	15.09	2.16	27.15
PK	425.76M	39.76	46.00	-6.24	-3.15	3	Vertical	0	1.00	-	42.91	21.80	2.98	27.93
PK	544.1M	38.95	46.00	-7.05	-1.40	3	Vertical	0	1.00	-	40.35	23.52	3.40	28.32
PK	625.58M	38.98	46.00	-7.02	-0.36	3	Vertical	0	1.00	-	39.34	24.30	3.65	28.31
QP	159.98M	32.73	43.50	-10.77	-10.52	3	Vertical	33	1.00	-	43.25	15.22	1.78	27.52

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	31.82	40.00	-8.18	-2.71	3	Horizontal	360	1.00	-	34.53	23.26	1.02	26.99
PK	161.92M	36.65	43.50	-6.85	-10.62	3	Horizontal	360	1.00	-	47.27	15.10	1.79	27.51
PK	258.92M	37.04	46.00	-8.96	-6.09	3	Horizontal	360	1.00	-	43.13	18.64	2.30	27.03
PK	398.6M	39.38	46.00	-6.62	-3.97	3	Horizontal	360	1.00	-	43.35	20.92	2.88	27.77
QP	652.74M	36.54	46.00	-9.46	-0.31	3	Horizontal	350	1.00	-	36.85	24.18	3.71	28.20
QP	903M	35.76	46.00	-10.24	2.69	3	Horizontal	261	1.02	-	33.07	25.68	4.50	27.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.564k	62.40	127.96	-65.56	19.25	3	Horizontal	360	1.00	-	43.15	19.07	0.18	-
PK	35.508k	62.04	116.59	-54.55	21.58	3	Horizontal	360	1.00	-	40.46	21.34	0.24	-
PK	74.424k	52.17	110.15	-57.98	20.45	3	Horizontal	360	1.00	-	31.72	20.17	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)
2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.33	95.80	-38.47	20.50	3	Horizontal	0	1.00	-	36.83	20.20	0.30	-
PK	985.8k	46.41	67.74	-21.33	20.68	3	Horizontal	0	1.00	-	25.73	20.30	0.38	-
PK	4.986M	42.15	69.50	-27.35	20.90	3	Horizontal	0	1.00	-	21.25	20.30	0.60	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	33.23	40.00	-6.77	-7.22	3	Vertical	360	1.00	-	40.45	19.02	1.03	27.27
PK	156.1M	36.99	43.50	-6.51	-10.46	3	Vertical	360	1.00	-	47.45	15.32	1.76	27.54
PK	258.92M	38.18	46.00	-7.82	-6.09	3	Vertical	360	1.00	-	44.27	18.64	2.30	27.03
PK	546.04M	38.59	46.00	-7.41	-1.27	3	Vertical	360	1.00	-	39.86	23.65	3.40	28.32
PK	629.46M	39.21	46.00	-6.79	-0.31	3	Vertical	360	1.00	-	39.52	24.33	3.65	28.29
QP	437.4M	39.27	46.00	-6.73	-3.20	3	Vertical	202	1.00	-	42.47	21.77	3.03	28.00

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	30.61	40.00	-9.39	-11.58	3	Horizontal	0	1.00	-	42.19	14.97	1.03	27.58
PK	161.92M	36.57	43.50	-6.93	-10.62	3	Horizontal	0	1.00	-	47.19	15.10	1.79	27.51
PK	396.66M	39.61	46.00	-6.39	-4.09	3	Horizontal	0	1.00	-	43.70	20.79	2.87	27.75
PK	547.98M	37.98	46.00	-8.02	-1.14	3	Horizontal	0	1.00	-	39.12	23.77	3.41	28.32
PK	945.68M	39.72	46.00	-6.28	3.25	3	Horizontal	0	1.00	-	36.47	26.05	4.50	27.30
QP	652.74M	38.21	46.00	-7.79	-0.31	3	Horizontal	1	1.00	-	38.52	24.18	3.71	28.20

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.564k	60.86	127.96	-67.10	19.25	3	Horizontal	0	1.00	-	41.61	19.07	0.18	-
PK	35.508k	61.34	116.59	-55.25	21.58	3	Horizontal	0	1.00	-	39.76	21.34	0.24	-
PK	73.86k	51.77	110.23	-58.46	20.46	3	Horizontal	0	1.00	-	31.31	20.18	0.28	-

**802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
2437MHz_Adapter**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.25	95.80	-38.55	20.50	3	Horizontal	360	1.00	-	36.75	20.20	0.30	-
PK	806.7k	45.85	69.48	-23.63	20.63	3	Horizontal	360	1.00	-	25.22	20.27	0.36	-
PK	2.359M	47.12	69.50	-22.38	20.23	3	Horizontal	360	1.00	-	26.89	19.75	0.48	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.31776G	40.10	54.00	-13.90	Horizontal
Mode 2	Pass	AV	7.31754G	38.06	54.00	-15.94	Vertical
Mode 3	Pass	AV	15.58542G	46.82	54.00	-7.18	Horizontal
Mode 4	Pass	AV	15.591G	46.61	54.00	-7.39	Vertical
Mode 5	Pass	AV	15.58647G	46.72	54.00	-7.28	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87395G	33.19	54.00	-20.81	3	Vertical	113	1.50	-
Mode 1	Pass	AV	4.88047G	31.80	54.00	-22.20	3	Vertical	216	1.50	-
Mode 1	Pass	AV	7.31179G	39.48	54.00	-14.52	3	Vertical	160	2.50	-
Mode 1	Pass	AV	7.31894G	39.88	54.00	-14.12	3	Vertical	219	1.50	-
Mode 1	Pass	PK	4.87384G	46.76	74.00	-27.24	3	Vertical	113	1.50	-
Mode 1	Pass	PK	4.8797G	46.16	74.00	-27.84	3	Vertical	216	1.50	-
Mode 1	Pass	PK	7.31024G	53.90	74.00	-20.10	3	Vertical	160	2.50	-
Mode 1	Pass	PK	7.32189G	54.00	74.00	-20.00	3	Vertical	219	1.50	-
Mode 1	Pass	AV	4.87409G	32.78	54.00	-21.22	3	Horizontal	360	2.50	-
Mode 1	Pass	AV	4.88052G	33.89	54.00	-20.11	3	Horizontal	94	1.65	-
Mode 1	Pass	AV	7.31298G	39.16	54.00	-14.84	3	Horizontal	294	1.50	-
Mode 1	Pass	AV	7.31776G	40.10	54.00	-13.90	3	Horizontal	360	1.50	-
Mode 1	Pass	PK	4.87379G	46.39	74.00	-27.61	3	Horizontal	360	2.50	-
Mode 1	Pass	PK	4.88116G	47.52	74.00	-26.48	3	Horizontal	94	1.65	-
Mode 1	Pass	PK	7.31109G	53.13	74.00	-20.87	3	Horizontal	294	1.50	-
Mode 1	Pass	PK	7.32078G	53.22	74.00	-20.78	3	Horizontal	360	1.50	-
Mode 2	Pass	AV	4.87256G	30.42	54.00	-23.58	3	Vertical	62	2.08	-
Mode 2	Pass	AV	4.87976G	30.46	54.00	-23.54	3	Vertical	273	2.01	-
Mode 2	Pass	AV	7.3133G	36.87	54.00	-17.13	3	Vertical	333	1.50	-
Mode 2	Pass	AV	7.31754G	38.06	54.00	-15.94	3	Vertical	163	1.50	-
Mode 2	Pass	PK	4.87369G	44.46	74.00	-29.54	3	Vertical	62	2.08	-
Mode 2	Pass	PK	4.87998G	44.57	74.00	-29.43	3	Vertical	273	2.01	-
Mode 2	Pass	PK	7.30694G	50.80	74.00	-23.20	3	Vertical	333	1.50	-
Mode 2	Pass	PK	7.3223G	50.48	74.00	-23.52	3	Vertical	163	1.50	-
Mode 2	Pass	AV	4.87545G	30.41	54.00	-23.59	3	Horizontal	326	1.50	-
Mode 2	Pass	AV	4.87977G	31.70	54.00	-22.30	3	Horizontal	272	1.50	-
Mode 2	Pass	AV	7.31265G	36.81	54.00	-17.19	3	Horizontal	45	1.50	-
Mode 2	Pass	AV	7.32062G	38.03	54.00	-15.97	3	Horizontal	294	2.24	-
Mode 2	Pass	PK	4.87478G	44.81	74.00	-29.19	3	Horizontal	326	1.50	-
Mode 2	Pass	PK	4.88011G	44.64	74.00	-29.36	3	Horizontal	272	1.50	-
Mode 2	Pass	PK	7.31344G	50.90	74.00	-23.10	3	Horizontal	45	1.50	-
Mode 2	Pass	PK	7.31895G	51.03	74.00	-22.97	3	Horizontal	294	2.24	-
Mode 3	Pass	AV	4.87394G	39.35	54.00	-14.65	3	Vertical	120	1.46	-
Mode 3	Pass	AV	7.31196G	36.85	54.00	-17.15	3	Vertical	78	1.80	-
Mode 3	Pass	AV	10.3973G	41.20	68.20	-27.00	3	Vertical	0	2.36	-
Mode 3	Pass	AV	15.58644G	46.75	54.00	-7.25	3	Vertical	65	1.39	-
Mode 3	Pass	PK	4.87376G	45.14	74.00	-28.86	3	Vertical	120	1.46	-
Mode 3	Pass	PK	7.32546G	50.14	74.00	-23.86	3	Vertical	78	1.80	-
Mode 3	Pass	PK	10.40504G	54.69	68.20	-13.51	3	Vertical	0	2.36	-
Mode 3	Pass	PK	15.5877G	60.52	74.00	-13.48	3	Vertical	65	1.39	-
Mode 3	Pass	AV	4.874G	36.05	54.00	-17.95	3	Horizontal	118	1.80	-
Mode 3	Pass	AV	7.3101G	37.56	54.00	-16.44	3	Horizontal	321	2.94	-
Mode 3	Pass	AV	10.38962G	41.17	68.20	-27.03	3	Horizontal	310	1.09	-
Mode 3	Pass	AV	15.58542G	46.82	54.00	-7.18	3	Horizontal	296	1.25	-
Mode 3	Pass	PK	4.87388G	44.72	74.00	-29.28	3	Horizontal	118	1.80	-
Mode 3	Pass	PK	7.30494G	47.32	74.00	-26.68	3	Horizontal	321	2.94	-
Mode 3	Pass	PK	10.39838G	54.69	68.20	-13.51	3	Horizontal	310	1.09	-
Mode 3	Pass	PK	15.60312G	59.76	74.00	-14.24	3	Horizontal	296	1.25	-
Mode 4	Pass	AV	4.88196G	30.58	54.00	-23.42	3	Vertical	51	1.94	-
Mode 4	Pass	AV	7.31176G	36.95	54.00	-17.05	3	Vertical	167	1.16	-




Radiated Emissions Co-location

Appendix G


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	AV	10.39705G	41.29	68.20	-26.91	3	Vertical	331	1.81	-
Mode 4	Pass	AV	15.591G	46.61	54.00	-7.39	3	Vertical	16	1.96	-
Mode 4	Pass	PK	4.88147G	44.54	74.00	-29.46	3	Vertical	51	1.94	-
Mode 4	Pass	PK	7.31155G	50.03	74.00	-23.97	3	Vertical	167	1.16	-
Mode 4	Pass	PK	10.40958G	55.23	68.20	-12.97	3	Vertical	331	1.81	-
Mode 4	Pass	PK	15.59129G	59.96	74.00	-14.04	3	Vertical	16	1.96	-
Mode 4	Pass	AV	4.87439G	30.05	54.00	-23.95	3	Horizontal	312	2.71	-
Mode 4	Pass	AV	7.31445G	36.84	54.00	-17.16	3	Horizontal	288	2.18	-
Mode 4	Pass	AV	10.39224G	41.33	68.20	-26.87	3	Horizontal	80	1.07	-
Mode 4	Pass	AV	15.59591G	46.53	54.00	-7.47	3	Horizontal	54	1.12	-
Mode 4	Pass	PK	4.86682G	44.40	74.00	-29.60	3	Horizontal	312	2.71	-
Mode 4	Pass	PK	7.30957G	51.16	74.00	-22.84	3	Horizontal	288	2.18	-
Mode 4	Pass	PK	10.40306G	55.09	68.20	-13.11	3	Horizontal	80	1.07	-
Mode 4	Pass	PK	15.60167G	59.69	74.00	-14.31	3	Horizontal	54	1.12	-
Mode 5	Pass	AV	4.88813G	30.46	54.00	-23.54	3	Vertical	360	2.16	-
Mode 5	Pass	AV	7.31565G	36.91	54.00	-17.09	3	Vertical	273	2.44	-
Mode 5	Pass	AV	10.39477G	41.58	68.20	-26.62	3	Vertical	280	1.44	-
Mode 5	Pass	AV	15.59286G	46.66	54.00	-7.34	3	Vertical	217	1.42	-
Mode 5	Pass	PK	4.87693G	43.93	74.00	-30.07	3	Vertical	360	2.16	-
Mode 5	Pass	PK	7.31829G	50.07	74.00	-23.93	3	Vertical	273	2.44	-
Mode 5	Pass	PK	10.39067G	55.36	68.20	-12.84	3	Vertical	280	1.44	-
Mode 5	Pass	PK	15.60812G	60.19	74.00	-13.81	3	Vertical	217	1.42	-
Mode 5	Pass	AV	4.88779G	30.53	54.00	-23.47	3	Horizontal	360	1.50	-
Mode 5	Pass	AV	7.31279G	36.82	54.00	-17.18	3	Horizontal	11	1.41	-
Mode 5	Pass	AV	10.38722G	41.50	68.20	-26.70	3	Horizontal	248	2.34	-
Mode 5	Pass	AV	15.58647G	46.72	54.00	-7.28	3	Horizontal	186	1.51	-
Mode 5	Pass	PK	4.88738G	44.36	74.00	-29.64	3	Horizontal	360	1.50	-
Mode 5	Pass	PK	7.31433G	50.83	74.00	-23.17	3	Horizontal	11	1.41	-
Mode 5	Pass	PK	10.3927G	54.83	68.20	-13.37	3	Horizontal	248	2.34	-
Mode 5	Pass	PK	15.59496G	60.04	74.00	-13.96	3	Horizontal	186	1.51	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87395G	33.19	54.00	-20.81	6.74	3	Vertical	113	1.50	-	26.45	31.20	9.70	34.16
AV	4.88047G	31.80	54.00	-22.20	6.74	3	Vertical	216	1.50	-	25.06	31.20	9.70	34.16
AV	7.31179G	39.48	54.00	-14.52	13.20	3	Vertical	160	2.50	-	26.28	36.38	11.32	34.50
AV	7.31894G	39.88	54.00	-14.12	13.18	3	Vertical	219	1.50	-	26.70	36.36	11.32	34.50
PK	4.87384G	46.76	74.00	-27.24	6.74	3	Vertical	113	1.50	-	40.02	31.20	9.70	34.16
PK	4.8797G	46.16	74.00	-27.84	6.74	3	Vertical	216	1.50	-	39.42	31.20	9.70	34.16
PK	7.31024G	53.90	74.00	-20.10	13.20	3	Vertical	160	2.50	-	40.70	36.38	11.32	34.50
PK	7.32189G	54.00	74.00	-20.00	13.18	3	Vertical	219	1.50	-	40.82	36.36	11.32	34.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87409G	32.78	54.00	-21.22	6.74	3	Horizontal	360	2.50	-	26.04	31.20	9.70	34.16
AV	4.88052G	33.89	54.00	-20.11	6.74	3	Horizontal	94	1.65	-	27.15	31.20	9.70	34.16
AV	7.31298G	39.16	54.00	-14.84	13.19	3	Horizontal	294	1.50	-	25.97	36.37	11.32	34.50
AV	7.31776G	40.10	54.00	-13.90	13.18	3	Horizontal	360	1.50	-	26.92	36.36	11.32	34.50
PK	4.87379G	46.39	74.00	-27.61	6.74	3	Horizontal	360	2.50	-	39.65	31.20	9.70	34.16
PK	4.88116G	47.52	74.00	-26.48	6.74	3	Horizontal	94	1.65	-	40.78	31.20	9.70	34.16
PK	7.31109G	53.13	74.00	-20.87	13.20	3	Horizontal	294	1.50	-	39.93	36.38	11.32	34.50
PK	7.32078G	53.22	74.00	-20.78	13.18	3	Horizontal	360	1.50	-	40.04	36.36	11.32	34.50

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87256G	30.42	54.00	-23.58	6.74	3	Vertical	62	2.08	-	23.68	31.20	9.70	34.16
AV	4.87976G	30.46	54.00	-23.54	6.74	3	Vertical	273	2.01	-	23.72	31.20	9.70	34.16
AV	7.3133G	36.87	54.00	-17.13	13.19	3	Vertical	333	1.50	-	23.68	36.37	11.32	34.50
AV	7.31754G	38.06	54.00	-15.94	13.18	3	Vertical	163	1.50	-	24.88	36.36	11.32	34.50
PK	4.87369G	44.46	74.00	-29.54	6.74	3	Vertical	62	2.08	-	37.72	31.20	9.70	34.16
PK	4.87998G	44.57	74.00	-29.43	6.74	3	Vertical	273	2.01	-	37.83	31.20	9.70	34.16
PK	7.30694G	50.80	74.00	-23.20	13.21	3	Vertical	333	1.50	-	37.59	36.39	11.32	34.50
PK	7.3223G	50.48	74.00	-23.52	13.18	3	Vertical	163	1.50	-	37.30	36.36	11.32	34.50

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87545G	30.41	54.00	-23.59	6.74	3	Horizontal	326	1.50	-	23.67	31.20	9.70	34.16
AV	4.87977G	31.70	54.00	-22.30	6.74	3	Horizontal	272	1.50	-	24.96	31.20	9.70	34.16
AV	7.31265G	36.81	54.00	-17.19	13.19	3	Horizontal	45	1.50	-	23.62	36.37	11.32	34.50
AV	7.32062G	38.03	54.00	-15.97	13.18	3	Horizontal	294	2.24	-	24.85	36.36	11.32	34.50
PK	4.87478G	44.81	74.00	-29.19	6.74	3	Horizontal	326	1.50	-	38.07	31.20	9.70	34.16
PK	4.88011G	44.64	74.00	-29.36	6.74	3	Horizontal	272	1.50	-	37.90	31.20	9.70	34.16
PK	7.31344G	50.90	74.00	-23.10	13.19	3	Horizontal	45	1.50	-	37.71	36.37	11.32	34.50
PK	7.31895G	51.03	74.00	-22.97	13.18	3	Horizontal	294	2.24	-	37.85	36.36	11.32	34.50

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	39.35	54.00	-14.65	6.74	3	Vertical	120	1.46	-	32.61	31.20	9.70	34.16
AV	7.31196G	36.85	54.00	-17.15	13.20	3	Vertical	78	1.80	-	23.65	36.38	11.32	34.50
AV	10.3973G	41.20	68.20	-27.00	17.61	3	Vertical	0	2.36	-	23.59	39.49	12.68	34.56
AV	15.58644G	46.75	54.00	-7.25	18.93	3	Vertical	65	1.39	-	27.82	37.68	15.71	34.46
PK	4.87376G	45.14	74.00	-28.86	6.74	3	Vertical	120	1.46	-	38.40	31.20	9.70	34.16
PK	7.32546G	50.14	74.00	-23.86	13.18	3	Vertical	78	1.80	-	36.96	36.35	11.33	34.50
PK	10.40504G	54.69	68.20	-13.51	17.64	3	Vertical	0	2.36	-	37.05	39.51	12.69	34.56
PK	15.5877G	60.52	74.00	-13.48	18.92	3	Vertical	65	1.39	-	41.60	37.67	15.71	34.46

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	36.05	54.00	-17.95	6.74	3	Horizontal	118	1.80	-	29.31	31.20	9.70	34.16
AV	7.3101G	37.56	54.00	-16.44	13.20	3	Horizontal	321	2.94	-	24.36	36.38	11.32	34.50
AV	10.38962G	41.17	68.20	-27.03	17.57	3	Horizontal	310	1.09	-	23.60	39.46	12.68	34.57
AV	15.58542G	46.82	54.00	-7.18	18.94	3	Horizontal	296	1.25	-	27.88	37.69	15.71	34.46
PK	4.87388G	44.72	74.00	-29.28	6.74	3	Horizontal	118	1.80	-	37.98	31.20	9.70	34.16
PK	7.30494G	47.32	74.00	-26.68	13.21	3	Horizontal	321	2.94	-	34.11	36.39	11.32	34.50
PK	10.39838G	54.69	68.20	-13.51	17.62	3	Horizontal	310	1.09	-	37.07	39.49	12.69	34.56
PK	15.60312G	59.76	74.00	-14.24	18.86	3	Horizontal	296	1.25	-	40.90	37.60	15.73	34.47

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88196G	30.58	54.00	-23.42	6.74	3	Vertical	51	1.94	-	23.84	31.20	9.70	34.16
AV	7.31176G	36.95	54.00	-17.05	13.20	3	Vertical	167	1.16	-	23.75	36.38	11.32	34.50
AV	10.39705G	41.29	68.20	-26.91	17.61	3	Vertical	331	1.81	-	23.68	39.49	12.68	34.56
AV	15.591G	46.61	54.00	-7.39	18.91	3	Vertical	16	1.96	-	27.70	37.65	15.72	34.46
PK	4.88147G	44.54	74.00	-29.46	6.74	3	Vertical	51	1.94	-	37.80	31.20	9.70	34.16
PK	7.31155G	50.03	74.00	-23.97	13.20	3	Vertical	167	1.16	-	36.83	36.38	11.32	34.50
PK	10.40958G	55.23	68.20	-12.97	17.65	3	Vertical	331	1.81	-	37.58	39.52	12.69	34.56
PK	15.59129G	59.96	74.00	-14.04	18.91	3	Vertical	16	1.96	-	41.05	37.65	15.72	34.46

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87439G	30.05	54.00	-23.95	6.74	3	Horizontal	312	2.71	-	23.31	31.20	9.70	34.16
AV	7.31445G	36.84	54.00	-17.16	13.19	3	Horizontal	288	2.18	-	23.65	36.37	11.32	34.50
AV	10.39224G	41.33	68.20	-26.87	17.58	3	Horizontal	80	1.07	-	23.75	39.47	12.68	34.57
AV	15.59591G	46.53	54.00	-7.47	18.88	3	Horizontal	54	1.12	-	27.65	37.62	15.72	34.46
PK	4.86682G	44.40	74.00	-29.60	6.74	3	Horizontal	312	2.71	-	37.66	31.20	9.70	34.16
PK	7.30957G	51.16	74.00	-22.84	13.20	3	Horizontal	288	2.18	-	37.96	36.38	11.32	34.50
PK	10.40306G	55.09	68.20	-13.11	17.64	3	Horizontal	80	1.07	-	37.45	39.51	12.69	34.56
PK	15.60167G	59.69	74.00	-14.31	18.86	3	Horizontal	54	1.12	-	40.83	37.60	15.73	34.47

Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88813G	30.46	54.00	-23.54	6.76	3	Vertical	360	2.16	-	23.70	31.20	9.71	34.15
AV	7.31565G	36.91	54.00	-17.09	13.19	3	Vertical	273	2.44	-	23.72	36.37	11.32	34.50
AV	10.39477G	41.58	68.20	-26.62	17.59	3	Vertical	280	1.44	-	23.99	39.48	12.68	34.57
AV	15.59286G	46.66	54.00	-7.34	18.90	3	Vertical	217	1.42	-	27.76	37.64	15.72	34.46
PK	4.87693G	43.93	74.00	-30.07	6.74	3	Vertical	360	2.16	-	37.19	31.20	9.70	34.16
PK	7.31829G	50.07	74.00	-23.93	13.18	3	Vertical	273	2.44	-	36.89	36.36	11.32	34.50
PK	10.39067G	55.36	68.20	-12.84	17.57	3	Vertical	280	1.44	-	37.79	39.46	12.68	34.57
PK	15.60812G	60.19	74.00	-13.81	18.87	3	Vertical	217	1.42	-	41.32	37.61	15.73	34.47

Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88779G	30.53	54.00	-23.47	6.76	3	Horizontal	360	1.50	-	23.77	31.20	9.71	34.15
AV	7.31279G	36.82	54.00	-17.18	13.19	3	Horizontal	11	1.41	-	23.63	36.37	11.32	34.50
AV	10.38722G	41.50	68.20	-26.70	17.56	3	Horizontal	248	2.34	-	23.94	39.45	12.68	34.57
AV	15.58647G	46.72	54.00	-7.28	18.93	3	Horizontal	186	1.51	-	27.79	37.68	15.71	34.46
PK	4.88738G	44.36	74.00	-29.64	6.75	3	Horizontal	360	1.50	-	37.61	31.20	9.70	34.15
PK	7.31433G	50.83	74.00	-23.17	13.19	3	Horizontal	11	1.41	-	37.64	36.37	11.32	34.50
PK	10.3927G	54.83	68.20	-13.37	17.58	3	Horizontal	248	2.34	-	37.25	39.47	12.68	34.57
PK	15.59496G	60.04	74.00	-13.96	18.89	3	Horizontal	186	1.51	-	41.15	37.63	15.72	34.46