

APPENDIX H: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

All conducted power measurements for Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (Plimit, maximum tune up output power Pmax).

Note: Some bands do not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

H.1 LTE Lower Bandwidth RF Conducted Powers

H.1.1 LTE Band 71 Antenna 4

Table H-1
LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133297 (680.5 MHz) Conducted Power [dBm]			
QPSK	1	0	23.71	0	0	
	1	36	24.26		0	
	1	74	23.88		0	
	QPSK	36	0	23.01	0-1	1
		36	18	23.00		1
		36	37	22.91		1
		75	0	22.96		1
16QAM	1	0	22.98	0-1	1	
	1	36	23.14		1	
	1	74	23.02		1	
	16QAM	36	0	21.82	0-2	2
		36	18	22.07		2
		36	37	22.03		2
		75	0	22.00		2
64QAM	1	0	22.05	0-2	2	
	1	36	22.07		2	
	1	74	21.74		2	
	64QAM	36	0	21.00	0-3	3
		36	18	20.99		3
		36	37	20.97		3
		75	0	21.00		3
256QAM	1	0	19.03	0-5	5	
	1	36	18.98		5	
	1	74	19.09		5	
	36	0	18.91		5	
	36	18	18.96		5	
	36	37	19.06		5	
	75	0	18.96		5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 1 of 181

Table H-2

LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.14	24.10	24.13	0	0
	1	25	23.83	24.20	24.05		0
	1	49	23.87	24.07	23.88		0
	25	0	22.94	23.20	23.00	0-1	1
	25	12	23.06	23.15	23.05		1
	25	25	22.96	23.16	23.07		1
16QAM	50	0	22.94	23.12	23.06	0-1	1
	1	0	23.26	23.19	23.48		1
	1	25	23.20	23.23	23.34		1
	1	49	23.12	23.09	23.13	0-2	1
	25	0	21.96	22.22	22.07		2
	25	12	22.02	22.11	22.08		2
64QAM	25	25	22.09	22.23	22.10	0-2	2
	50	0	22.00	22.12	21.97		2
	1	0	22.06	22.17	22.21		0-2
	1	25	22.16	22.24	22.22	2	
	1	49	21.98	22.34	21.96	2	
	256QAM	25	0	20.89	21.21	21.13	0-3
25		12	21.05	21.12	21.11	3	
25		25	21.02	21.19	21.00	3	
50		0	21.03	21.19	21.04	0-5	3
1		0	19.05	19.13	19.17		5
1		25	18.99	19.33	19.16		5
256QAM	1	49	18.96	19.14	19.05	0-5	5
	25	0	18.93	19.16	19.06		5
	25	12	19.00	19.17	19.04		5
	25	25	19.00	19.22	19.06	5	
	50	0	18.93	19.13	19.04	5	

Table H-3

LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.73	24.18	23.92	0	0	
	1	12	23.88	24.18	24.00		0	
	1	24	23.81	23.99	23.81		0	
	12	0	22.82	23.16	23.01	0-1	1	
	12	6	22.98	23.12	23.12		1	
	12	13	22.96	23.21	23.00		1	
16QAM	25	0	22.99	23.14	23.04	0-1	1	
	1	0	23.08	23.29	23.18		0-1	1
	1	12	22.94	23.43	23.33			1
	1	24	23.06	23.22	22.99	0-2		1
	12	0	21.94	22.11	22.00		2	
	12	6	22.00	22.19	22.12		2	
64QAM	12	13	21.88	22.23	22.11	0-2	2	
	25	0	21.98	22.12	22.04		2	
	1	0	21.96	22.26	22.05		0-2	2
	1	12	21.97	22.36	22.25	2		
	1	24	21.96	22.17	22.29	2		
	256QAM	12	0	20.86	21.19	21.04	0-3	3
12		6	20.94	21.19	21.07	3		
12		13	20.94	21.19	21.05	3		
25		0	20.89	21.12	21.09	0-5	3	
1		0	19.03	19.20	19.19		5	
1		12	18.84	19.30	19.17		5	
256QAM	1	24	18.83	19.15	18.95	0-5	5	
	12	0	18.93	19.11	19.02		5	
	12	6	18.95	19.18	19.11		5	
	12	13	18.91	19.16	19.06	5		
	25	0	18.90	19.07	19.08	5		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 2 of 181

Table H-4
LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz) Conducted Power [dBm]		
QPSK	1	0	16.30	0	0
	1	36	16.19		0
	1	74	16.17		0
	36	0	16.16	0-1	0
	36	18	16.23		0
	36	37	16.24		0
	75	0	16.25		0
16QAM	1	0	16.25	0-1	0
	1	36	16.48		0
	1	74	16.47		0
	36	0	16.20	0-2	0
	36	18	16.25		0
	36	37	16.30		0
	75	0	16.19		0
64QAM	1	0	16.56	0-2	0
	1	36	16.56		0
	1	74	16.17		0
	36	0	16.16	0-3	0
	36	18	16.27		0
	36	37	16.28		0
	75	0	16.21		0
256QAM	1	0	16.25	0-5	0
	1	36	16.34		0
	1	74	16.28		0
	36	0	16.15		0
	36	18	16.31		0
	36	37	16.24		0
	75	0	16.24		0

Table H-5
LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.24	16.35	16.30	0	0
	1	25	16.32	16.50	16.26		0
	1	49	16.28	16.33	16.13		0
	25	0	16.27	16.39	16.33	0-1	0
	25	12	16.33	16.41	16.36		0
	25	25	16.37	16.38	16.25		0
	50	0	16.28	16.32	16.30		0
16QAM	1	0	16.42	16.55	16.72	0-1	0
	1	25	16.50	16.60	16.55		0
	1	49	16.77	16.47	16.39		0
	25	0	16.35	16.38	16.29	0-2	0
	25	12	16.34	16.39	16.29		0
	25	25	16.34	16.43	16.31		0
	50	0	16.29	16.36	16.30		0
64QAM	1	0	16.29	16.54	16.47	0-2	0
	1	25	16.46	16.57	16.43		0
	1	49	16.35	16.55	16.40		0
	25	0	16.28	16.40	16.30	0-3	0
	25	12	16.34	16.46	16.33		0
	25	25	16.34	16.44	16.30		0
	50	0	16.23	16.28	16.27		0
256QAM	1	0	16.30	16.44	16.34	0-5	0
	1	25	16.32	16.51	16.34		0
	1	49	16.38	16.43	16.22		0
	25	0	16.22	16.42	16.25		0
	25	12	16.33	16.36	16.34		0
	25	25	16.40	16.34	16.18		0
	50	0	16.33	16.27	16.26		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 3 of 181

Table H-6
LTE Band 71 Antenna 4 Measured P_{Max} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	16.27	16.41	16.21	0	0	
	1	12	16.30	16.50	16.25		0	
	1	24	16.19	16.27	16.16		0	
	12	0	16.22	16.37	16.16	0-1	0	
	12	6	16.32	16.35	16.30		0	
	12	13	16.30	16.35	16.17		0	
16QAM	25	0	16.25	16.39	16.24	0-1	0	
	1	0	16.48	16.59	16.37		0	
	1	12	16.52	16.74	16.39		0	
	1	24	16.41	16.44	16.34	0-2	0	
	12	0	16.16	16.39	16.09		0	
	12	6	16.30	16.42	16.31		0	
64QAM	12	13	16.27	16.39	16.24	0-2	0	
	25	0	16.26	16.34	16.20		0	
	1	0	16.53	16.66	16.19		0	
	1	12	16.37	16.62	16.43	0-2	0	
	1	24	16.38	16.41	16.34		0	
	12	0	16.26	16.42	16.23		0-3	0
12	6	16.33	16.46	16.26	0			
12	13	16.30	16.48	16.28	0			
256QAM	25	0	16.19	16.36	16.27	0-3	0	
	1	0	16.38	16.48	16.21		0-5	0
	1	12	16.34	16.52	16.27			0
	1	24	16.16	16.41	16.21	0-5		0
	12	0	16.24	16.35	16.08		0	
	12	6	16.33	16.39	16.26		0	
256QAM	12	13	16.28	16.34	16.21	0-5	0	
	25	0	16.26	16.27	16.24		0	

H.1.2 LTE Band 12 Antenna 4

Table H-7
LTE Band 12 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.49	24.44	24.34	0	0
	1	12	24.64	24.60	24.32		0
	1	24	24.42	24.34	24.11		0
	12	0	23.51	23.52	23.35	0-1	1
	12	6	23.57	23.46	23.35		1
	12	13	23.53	23.42	23.14		1
16QAM	25	0	23.52	23.46	23.35	0-1	1
	1	0	23.76	23.68	23.64		1
	1	12	23.84	23.72	23.62		1
	1	24	23.70	23.67	23.37	0-2	1
	12	0	22.59	22.55	22.31		2
	12	6	22.55	22.47	22.37		2
64QAM	12	13	22.56	22.39	22.23	0-2	2
	25	0	22.58	22.45	22.28		2
	1	0	22.58	22.79	22.50		0-2
	1	12	22.71	22.66	22.67	2	
	1	24	22.65	22.64	22.41	2	
	256QAM	12	0	21.48	21.54	21.38	0-3
12		6	21.61	21.47	21.36	3	
12		13	21.57	21.40	21.17	3	
25		0	21.63	21.47	21.30	0-5	3
1		0	19.75	19.59	19.61		5
1		12	19.72	19.65	19.46		5
256QAM	1	24	19.67	19.45	19.34	0-5	5
	12	0	19.64	19.61	19.46		5
	12	6	19.70	19.55	19.54		5
	12	13	19.61	19.57	19.39	5	
	25	0	19.69	19.55	19.40	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 4 of 181

Table H-8
LTE Band 12 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.51	24.33	24.15	0	0
	1	7	24.61	24.57	24.21		0
	1	14	24.43	24.24	24.09		0
	8	0	23.60	23.48	23.31	0-1	1
	8	4	23.60	23.45	23.32		1
	8	7	23.59	23.44	23.30		1
	15	0	23.49	23.43	23.23		1
16QAM	1	0	23.89	23.74	23.51	0-1	1
	1	7	23.80	23.84	23.52		1
	1	14	23.49	23.58	23.50		1
	8	0	22.53	22.46	22.32	0-2	2
	8	4	22.65	22.49	22.38		2
	8	7	22.63	22.47	22.33		2
	15	0	22.57	22.48	22.29		2
64QAM	1	0	22.68	22.72	22.46	0-2	2
	1	7	22.67	22.93	22.40		2
	1	14	22.59	22.50	22.25		2
	8	0	21.56	21.44	21.39	0-3	3
	8	4	21.62	21.50	21.33		3
	8	7	21.57	21.49	21.34		3
	15	0	21.61	21.47	21.25		3
256QAM	1	0	19.70	19.65	19.31	0-5	5
	1	7	19.78	19.79	19.53		5
	1	14	19.66	19.42	19.25		5
	8	0	19.71	19.60	19.45		5
	8	4	19.72	19.55	19.42		5
	8	7	19.65	19.50	19.38		5
	15	0	19.63	19.51	19.37		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 5 of 181

Table H-9
LTE Band 12 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.54	24.42	24.16	0	0
	1	2	24.49	24.50	24.22		0
	1	5	24.70	24.49	24.19		0
	3	0	24.59	24.52	24.24		0
	3	2	24.64	24.48	24.19		0
	3	3	24.53	24.44	24.18		0
	6	0	23.55	23.38	23.20		0-1
16QAM	1	0	23.82	23.58	23.30	0-1	1
	1	2	23.86	23.96	23.41		1
	1	5	23.74	23.57	23.44		1
	3	0	23.73	23.75	23.35		1
	3	2	23.58	23.68	23.29		1
	3	3	23.76	23.52	23.29		1
	6	0	22.52	22.51	22.31		0-2
64QAM	1	0	22.77	22.58	22.31	0-2	2
	1	2	22.62	22.74	22.23		2
	1	5	22.70	22.62	22.42		2
	3	0	22.79	22.49	22.31		2
	3	2	22.54	22.66	22.24		2
	3	3	22.62	22.44	22.27		2
	6	0	21.61	21.42	21.30		0-3
256QAM	1	0	19.65	19.62	19.35	0-5	5
	1	2	19.75	19.67	19.47		5
	1	5	19.63	19.72	19.50		5
	3	0	19.64	19.58	19.35		5
	3	2	19.66	19.63	19.42		5
	3	3	19.69	19.66	19.35		5
	6	0	19.63	19.52	19.33		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 6 of 181

Table H-10
LTE Band 12 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	17.28	17.34	17.21	0	0
	1	12	17.48	17.43	17.27		0
	1	24	17.34	17.25	17.17		0
	12	0	17.38	17.32	17.22	0-1	0
	12	6	17.45	17.34	17.35		0
	12	13	17.41	17.30	17.26		0
16QAM	25	0	17.43	17.29	17.24	0-1	0
	1	0	17.69	17.68	17.32		0
	1	12	17.68	17.74	17.50		0
	1	24	17.49	17.33	17.31	0-2	0
	12	0	17.50	17.38	17.38		0
	12	6	17.51	17.33	17.28		0
64QAM	12	13	17.41	17.34	17.23	0-2	0
	25	0	17.45	17.34	17.25		0
	1	0	17.45	17.65	17.46		0
	1	12	17.50	17.71	17.36	0-2	0
	1	24	17.52	17.47	17.25		0
	12	0	17.32	17.43	17.31		0
256QAM	12	6	17.46	17.33	17.30	0-3	0
	12	13	17.38	17.32	17.16		0
	25	0	17.41	17.41	17.21		0
	1	0	17.44	17.32	17.24	0-5	0
	1	12	17.57	17.46	17.30		0
	1	24	17.47	17.29	17.18		0
12	0	17.39	17.39	17.23	0		
12	6	17.48	17.36	17.24	0		
12	13	17.32	17.30	17.25	0		
25	0	17.48	17.37	17.24	0		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 7 of 181

Table H-11
LTE Band 12 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.37	17.39	17.16	0	0
	1	7	17.47	17.41	17.18		0
	1	14	17.31	17.21	17.07		0
	8	0	17.38	17.36	17.26	0-1	0
	8	4	17.46	17.37	17.22		0
	8	7	17.46	17.31	17.24		0
	15	0	17.44	17.34	17.15	0	
16QAM	1	0	17.54	17.51	17.43	0-1	0
	1	7	17.63	17.62	17.41		0
	1	14	17.71	17.56	17.40		0
	8	0	17.53	17.42	17.31	0-2	0
	8	4	17.52	17.37	17.30		0
	8	7	17.47	17.34	17.27		0
	15	0	17.42	17.38	17.25	0	
64QAM	1	0	17.41	17.42	17.30	0-2	0
	1	7	17.64	17.64	17.35		0
	1	14	17.45	17.37	17.35		0
	8	0	17.53	17.32	17.24	0-3	0
	8	4	17.47	17.39	17.30		0
	8	7	17.44	17.30	17.22		0
	15	0	17.42	17.32	17.20	0	
256QAM	1	0	17.39	17.46	17.38	0-5	0
	1	7	17.58	17.46	17.34		0
	1	14	17.50	17.24	17.29		0
	8	0	17.50	17.33	17.22		0
	8	4	17.46	17.38	17.21		0
	8	7	17.43	17.30	17.24		0
	15	0	17.44	17.38	17.23	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 8 of 181

Table H-12
LTE Band 12 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.33	17.31	17.11	0	0
	1	2	17.37	17.38	17.19		0
	1	5	17.46	17.27	17.10		0
	3	0	17.43	17.37	17.25		0
	3	2	17.35	17.37	17.19		0
	3	3	17.47	17.31	17.22		0
16QAM	6	0	17.39	17.27	17.09	0-1	0
	1	0	17.65	17.65	17.28	0-1	0
	1	2	17.65	17.57	17.38		0
	1	5	17.66	17.59	17.17		0
	3	0	17.62	17.59	17.25		0
	3	2	17.66	17.54	17.28		0
3	3	17.61	17.46	17.31	0		
64QAM	6	0	17.48	17.29	17.23	0-2	0
	1	0	17.43	17.69	17.36	0-2	0
	1	2	17.72	17.52	17.28		0
	1	5	17.42	17.45	17.15		0
	3	0	17.55	17.45	17.30		0
	3	2	17.48	17.51	17.28		0
3	3	17.59	17.42	17.18	0		
256QAM	6	0	17.45	17.35	17.23	0-3	0
	1	0	17.53	17.30	17.19	0-5	0
	1	2	17.47	17.41	17.19		0
	1	5	17.36	17.52	17.21		0
	3	0	17.42	17.29	17.19		0
	3	2	17.47	17.43	17.14		0
3	3	17.50	17.32	17.21	0		
	6	0	17.36	17.28	17.18		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 9 of 181

H.1.3 LTE Band 13 Antenna 4

Table H-13
LTE Band 13 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.20	0	0
	1	12	24.31		0
	1	24	24.11		0
	12	0	23.12	0-1	1
	12	6	23.19		1
	12	13	23.19		1
	25	0	23.09		1
16QAM	1	0	23.49	0-1	1
	1	12	23.59		1
	1	24	23.32		1
	12	0	22.10	0-2	2
	12	6	22.09		2
	12	13	22.21		2
	25	0	22.11		2
64QAM	1	0	22.32	0-2	2
	1	12	22.45		2
	1	24	22.27		2
	12	0	21.15	0-3	3
	12	6	21.20		3
	12	13	21.17		3
	25	0	21.10		3
256QAM	1	0	19.29	0-5	5
	1	12	19.41		5
	1	24	19.13		5
	12	0	19.21		5
	12	6	19.22		5
	12	13	19.26		5
	25	0	19.19		5

Table H-14
LTE Band 13 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.45	0	0
	1	12	17.60		0
	1	24	17.38		0
	12	0	17.40	0-1	0
	12	6	17.44		0
	12	13	17.53		0
	25	0	17.41		0
16QAM	1	0	17.69	0-1	0
	1	12	18.02		0
	1	24	17.69		0
	12	0	17.46	0-2	0
	12	6	17.52		0
	12	13	17.44		0
	25	0	17.45		0
64QAM	1	0	17.68	0-2	0
	1	12	17.61		0
	1	24	17.71		0
	12	0	17.51	0-3	0
	12	6	17.52		0
	12	13	17.50		0
	25	0	17.36		0
256QAM	1	0	17.46	0-5	0
	1	12	17.66		0
	1	24	17.64		0
	12	0	17.48		0
	12	6	17.48		0
	12	13	17.51		0
	25	0	17.45		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 11 of 181

H.1.4 LTE Band 14 Antenna 4

Table H-15
LTE Band 14 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.16	0	0
	1	12	24.12		0
	1	24	24.11		0
	12	0	23.08	0-1	1
	12	6	23.10		1
	12	13	23.09		1
	25	0	23.06		1
16QAM	1	0	23.30	0-1	1
	1	12	23.29		1
	1	24	23.28		1
	12	0	22.05	0-2	2
	12	6	22.10		2
	12	13	22.18		2
	25	0	22.07		2
64QAM	1	0	22.29	0-2	2
	1	12	22.33		2
	1	24	22.24		2
	12	0	21.11	0-3	3
	12	6	21.15		3
	12	13	21.18		3
	25	0	21.00		3
256QAM	1	0	19.06	0-5	5
	1	12	19.18		5
	1	24	19.22		5
	12	0	19.17		5
	12	6	19.08		5
	12	13	19.12		5
	25	0	19.02		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 12 of 181

Table H-16
LTE Band 14 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.99	0	0
	1	12	17.91		0
	1	24	17.90		0
	12	0	17.82	0-1	0
	12	6	17.87		0
	12	13	17.94		0
	25	0	17.84		0
16QAM	1	0	18.04	0-1	0
	1	12	18.26		0
	1	24	18.07		0
	12	0	17.81	0-2	0
	12	6	17.89		0
	12	13	17.90		0
	25	0	17.90		0
64QAM	1	0	18.13	0-2	0
	1	12	18.16		0
	1	24	17.96		0
	12	0	17.95	0-3	0
	12	6	17.95		0
	12	13	17.95		0
	25	0	17.86		0
256QAM	1	0	17.96	0-5	0
	1	12	18.22		0
	1	24	18.01		0
	12	0	17.94		0
	12	6	17.92		0
	12	13	17.92		0
	25	0	17.83		0

H.1.5 LTE Band 26 Antenna 4

Table H-17
LTE Band 26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.15	24.37	24.29	0	0
	1	25	24.33	24.37	24.31		0
	1	49	24.19	24.35	24.33		0
	25	0	23.20	23.25	23.34	0-1	1
	25	12	23.39	23.40	23.39		1
	25	25	23.26	23.38	23.41		1
16QAM	50	0	23.27	23.34	23.35	0-1	1
	1	0	23.42	23.62	23.51		1
	1	25	23.44	23.53	23.49		1
	1	49	23.42	23.57	23.74	0-2	1
	25	0	22.16	22.32	22.34		2
	25	12	22.32	22.36	22.39		2
64QAM	25	25	22.35	22.50	22.37	0-2	2
	50	0	22.26	22.28	22.39		2
	1	0	22.27	22.34	22.52		0-2
	1	25	22.35	22.65	22.46	2	
	1	49	22.58	22.43	22.37	0-3	
	25	0	21.17	21.35	21.30		3
25	12	21.27	21.38	21.44	3		
256QAM	25	25	21.24	21.45	21.40	0-3	3
	50	0	21.26	21.31	21.42		3
	1	0	19.20	19.23	19.35		0-5
	1	25	19.52	19.48	19.44	5	
	1	49	19.46	19.42	19.31	5	
	25	0	19.27	19.36	19.35	5	
25	12	19.32	19.36	19.43	5		
25	25	19.28	19.37	19.38	5		
50	0	19.22	19.35	19.42	5		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 14 of 181

Table H-18
LTE Band 26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.09	24.23	24.35	0	0
	1	12	24.17	24.34	24.45		0
	1	24	24.13	24.25	24.33		0
	12	0	22.70	22.75	22.78	0-1	1
	12	6	22.75	22.71	22.76		1
	12	13	22.72	22.69	22.72		1
16QAM	25	0	22.79	22.73	22.69	0-1	1
	1	0	23.45	23.44	23.41		1
	1	12	23.42	23.56	23.64		1
	1	24	23.38	23.62	23.45	0-2	1
	12	0	22.20	22.37	22.38		2
	12	6	22.31	22.38	22.32		2
64QAM	12	13	22.24	22.45	22.46	0-2	2
	25	0	22.19	22.28	22.31		2
	1	0	22.42	22.50	22.53		0-2
	1	12	22.32	22.49	22.50	2	
	1	24	22.35	22.54	22.57	2	
	256QAM	12	0	21.21	21.33	21.32	0-3
12		6	21.33	21.40	21.37	3	
12		13	21.27	21.43	21.39	3	
25		0	21.19	21.32	21.27	0-5	3
1		0	19.23	19.44	19.33		5
1		12	19.38	19.45	19.46		5
256QAM	1	24	19.22	19.36	19.44	0-5	5
	12	0	19.16	19.29	19.30		5
	12	6	19.23	19.35	19.32		5
	12	13	19.16	19.37	19.38	5	
	25	0	19.21	19.31	19.28	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 15 of 181

Table H-19
LTE Band 26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 26 (Cell)							
3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.01	24.19	24.13	0	0
	1	7	24.22	24.32	24.38		0
	1	14	24.06	24.22	24.33		0
	8	0	23.26	23.32	23.24	0-1	1
	8	4	23.24	23.37	23.38		1
	8	7	23.23	23.33	23.35		1
	15	0	23.18	23.27	23.39		1
16QAM	1	0	23.22	23.45	23.39	0-1	1
	1	7	23.33	23.70	23.66		1
	1	14	23.36	23.44	23.46		1
	8	0	22.22	22.42	22.40	0-2	2
	8	4	22.26	22.35	22.45		2
	8	7	22.26	22.50	22.39		2
	15	0	22.27	22.32	22.39		2
64QAM	1	0	22.31	22.39	22.51	0-2	2
	1	7	22.43	22.50	22.48		2
	1	14	22.36	22.46	22.37		2
	8	0	21.25	21.39	21.39	0-3	3
	8	4	21.24	21.41	21.42		3
	8	7	21.22	21.39	21.30		3
	15	0	21.20	21.28	21.36		3
256QAM	1	0	19.16	19.39	19.41	0-5	5
	1	7	19.38	19.35	19.44		5
	1	14	19.23	19.48	19.37		5
	8	0	19.23	19.30	19.36		5
	8	4	19.23	19.37	19.43		5
	8	7	19.24	19.40	19.39		5
	15	0	19.17	19.30	19.35		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 16 of 181

Table H-20
LTE Band 26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.18	24.15	24.23	0	0
	1	2	24.13	24.36	24.22		0
	1	5	24.10	24.31	24.20		0
	3	0	24.21	24.27	24.29		0
	3	2	24.09	24.42	24.30		0
	3	3	24.13	24.36	24.33		0
16QAM	6	0	23.00	23.27	23.31	0-1	1
	1	0	23.57	23.71	23.70	0-1	1
	1	2	23.40	23.53	23.63		1
	1	5	23.44	23.54	23.47		1
	3	0	23.19	23.38	23.44		1
	3	2	23.24	23.53	23.44		1
3	3	23.27	23.44	23.48	1		
64QAM	6	0	22.23	22.40	22.32	0-2	2
	1	0	22.31	22.35	22.40	0-2	2
	1	2	22.32	22.62	22.44		2
	1	5	22.30	22.58	22.51		2
	3	0	22.20	22.30	22.31		2
	3	2	22.29	22.46	22.41		2
3	3	22.24	22.44	22.40	2		
256QAM	6	0	21.20	21.28	21.31	0-3	3
	1	0	19.21	19.35	19.38	0-5	5
	1	2	19.32	19.40	19.48		5
	1	5	19.16	19.46	19.34		5
	3	0	19.24	19.32	19.39		5
	3	2	19.22	19.41	19.41		5
3	3	19.22	19.38	19.39	5		
	6	0	19.14	19.29	19.35		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 17 of 181

Table H-21
LTE Band 26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.59	17.67	18.02	0	0
	1	25	17.69	17.77	17.77		0
	1	49	17.66	17.72	17.64		0
	25	0	17.62	17.76	17.77	0-1	0
	25	12	17.72	17.81	17.75		0
	25	25	17.73	17.88	17.74		0
	50	0	17.74	17.77	17.75		0
16QAM	1	0	17.68	17.84	17.94	0-1	0
	1	25	17.95	18.03	17.80		0
	1	49	18.06	18.04	17.96		0
	25	0	17.72	17.79	17.76	0-2	0
	25	12	17.81	17.80	17.79		0
	25	25	17.73	17.92	17.84		0
	50	0	17.75	17.84	17.74		0
64QAM	1	0	17.62	18.02	18.16	0-2	0
	1	25	17.82	17.96	17.96		0
	1	49	17.77	18.03	17.89		0
	25	0	17.61	17.81	17.74	0-3	0
	25	12	17.73	17.79	17.69		0
	25	25	17.70	17.86	17.79		0
	50	0	17.68	17.76	17.72		0
256QAM	1	0	17.64	17.85	17.71	0-5	0
	1	25	17.67	18.01	17.93		0
	1	49	17.77	17.83	17.71		0
	25	0	17.66	17.78	17.74		0
	25	12	17.71	17.73	17.80		0
	25	25	17.66	17.84	17.75		0
	50	0	17.69	17.84	17.74		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 18 of 181

Table H-22
LTE Band 26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 26 (Cell)							
5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.77	17.71	18.00	0	0
	1	12	17.72	17.85	17.79		0
	1	24	17.56	17.79	17.67		0
	12	0	17.62	17.81	17.71	0-1	0
	12	6	17.68	17.77	17.78		0
	12	13	17.65	17.77	17.75		0
	25	0	17.65	17.70	17.70		0
16QAM	1	0	17.82	17.90	17.96	0-1	0
	1	12	17.82	17.94	18.15		0
	1	24	17.87	18.00	18.04		0
	12	0	17.65	17.77	17.79	0-2	0
	12	6	17.73	17.80	17.86		0
	12	13	17.69	17.88	17.92		0
	25	0	17.64	17.74	17.73		0
64QAM	1	0	17.72	18.00	17.85	0-2	0
	1	12	17.71	18.09	17.95		0
	1	24	17.75	17.79	17.91		0
	12	0	17.67	17.80	17.74	0-3	0
	12	6	17.66	17.81	17.81		0
	12	13	17.66	17.81	17.76		0
	25	0	17.66	17.75	17.72		0
256QAM	1	0	17.60	17.73	17.81	0-5	0
	1	12	17.70	17.92	17.99		0
	1	24	17.70	17.92	17.79		0
	12	0	17.57	17.74	17.81		0
	12	6	17.79	17.79	17.75		0
	12	13	17.65	17.85	17.87		0
	25	0	17.66	17.75	17.71		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 19 of 181

Table H-23
LTE Band 26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.83	17.71	17.66	0	0
	1	7	17.61	17.75	17.74		0
	1	14	17.54	17.75	17.69		0
	8	0	17.62	17.80	17.74	0-1	0
	8	4	17.63	17.91	17.80		0
	8	7	17.66	17.78	17.81		0
	15	0	17.63	17.68	17.80		0
16QAM	1	0	17.79	17.89	17.87	0-1	0
	1	7	17.89	17.99	18.15		0
	1	14	17.72	17.98	17.90		0
	8	0	17.75	17.76	17.78	0-2	0
	8	4	17.78	17.87	17.80		0
	8	7	17.70	17.80	17.80		0
	15	0	17.64	17.71	17.78		0
64QAM	1	0	17.87	17.83	17.83	0-2	0
	1	7	17.85	18.04	17.88		0
	1	14	17.83	17.94	17.91		0
	8	0	17.66	17.80	17.74	0-3	0
	8	4	17.71	17.90	17.83		0
	8	7	17.66	17.81	17.85		0
	15	0	17.65	17.73	17.82		0
256QAM	1	0	17.61	17.71	17.77	0-5	0
	1	7	17.73	17.91	17.76		0
	1	14	17.64	17.84	17.89		0
	8	0	17.63	17.81	17.77		0
	8	4	17.70	17.91	17.85		0
	8	7	17.63	17.83	17.78		0
	15	0	17.67	17.72	17.85		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 20 of 181

Table H-24
LTE Band 26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 26 (Cell)							
1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.53	17.66	17.69	0	0
	1	2	17.57	17.80	17.82		0
	1	5	17.54	17.71	17.69		0
	3	0	17.60	17.70	17.73		0
	3	2	17.59	17.71	17.73		0
	3	3	17.57	17.77	17.74	0	
	6	0	17.64	17.68	17.78	0-1	0
16QAM	1	0	17.88	18.08	18.01	0-1	0
	1	2	17.91	18.07	18.00		0
	1	5	17.86	18.04	17.86		0
	3	0	17.71	17.84	17.88		0
	3	2	17.81	17.98	17.84		0
	3	3	17.77	17.92	17.79	0	
	6	0	17.62	17.75	17.77	0-2	0
64QAM	1	0	17.68	17.82	17.94	0-2	0
	1	2	17.84	17.88	17.96		0
	1	5	17.75	17.77	17.83		0
	3	0	17.73	17.80	17.88		0
	3	2	17.67	17.82	17.87		0
	3	3	17.73	17.87	17.73	0	
	6	0	17.59	17.79	17.74	0-3	0
256QAM	1	0	17.63	17.81	17.85	0-5	0
	1	2	17.76	17.82	18.01		0
	1	5	17.70	17.86	17.83		0
	3	0	17.71	17.75	17.90		0
	3	2	17.61	17.85	17.82		0
	3	3	17.66	17.86	17.76	0	
	6	0	17.60	17.73	17.78		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 21 of 181

H.1.6 LTE Band 5 Antenna 4

Table H-25
LTE Band 5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	24.11	24.29	24.39	0	0	
	1	12	24.32	24.48	24.46		0	
	1	24	24.15	24.29	24.34		0	
	12	0	23.19	23.29	23.30	0-1	1	
	12	6	23.31	23.32	23.35		1	
	12	13	23.26	23.36	23.37		1	
16QAM	25	0	23.28	23.28	23.31	0-1	1	
	1	0	23.52	23.55	23.64		0-1	1
	1	12	23.66	23.72	23.77			1
	1	24	23.57	23.55	23.62	0-2		1
	12	0	22.26	22.34	22.42		2	
	12	6	22.39	22.29	22.47		2	
64QAM	12	13	22.36	22.31	22.50	0-2	2	
	25	0	22.27	22.30	22.38		2	
	1	0	22.47	22.55	22.72		0-2	2
	1	12	22.50	22.68	22.75	0-2		2
	1	24	22.45	22.56	22.65			0-3
	12	0	21.17	21.33	21.35		3	
256QAM	12	6	21.31	21.38	21.38	0-3	3	
	12	13	21.25	21.41	21.40		3	
	25	0	21.34	21.32	21.36		3	
	1	0	19.32	19.42	19.60	0-5	5	
	1	12	19.52	19.55	19.71		5	
	1	24	19.42	19.36	19.60		5	
12	0	19.25	19.29	19.37	5			
12	6	19.35	19.36	19.37	5			
12	13	19.31	19.38	19.44	5			
25	0	19.31	19.30	19.39	5			

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 22 of 181

Table H-26
LTE Band 5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	24.14	24.31	24.23	0	0	
	1	7	24.23	24.42	24.40		0	
	1	14	24.15	24.29	24.25		0	
	8	0	23.26	23.31	23.30	0-1	1	
	8	4	23.28	23.35	23.41		1	
	8	7	23.26	23.36	23.38		1	
16QAM	15	0	23.25	23.30	23.27	0-1	1	
	1	0	23.40	23.61	23.66		0-1	1
	1	7	23.56	23.71	23.81			1
	1	14	23.42	23.59	23.67	0-2		1
	8	0	22.35	22.40	22.37		2	
	8	4	22.37	22.39	22.46		2	
64QAM	8	7	22.35	22.41	22.42	0-2	2	
	15	0	22.29	22.38	22.31		2	
	1	0	22.50	22.41	22.51		0-2	2
	1	7	22.61	22.55	22.58	0-3		2
	1	14	22.51	22.46	22.48			2
	8	0	21.28	21.39	21.43		3	
256QAM	8	4	21.32	21.52	21.54	0-3	3	
	8	7	21.28	21.54	21.51		3	
	15	0	21.30	21.33	21.34		3	
	1	0	19.24	19.44	19.49	0-5	5	
	1	7	19.41	19.68	19.64		5	
	1	14	19.32	19.55	19.49		5	
8	0	19.31	19.35	19.36	5			
8	4	19.33	19.43	19.51	5			
8	7	19.28	19.45	19.46	5			
15	0	19.29	19.39	19.37	5			

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 23 of 181

Table H-27
LTE Band 5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 5 (Cell)							
1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.23	24.45	24.33	0	0
	1	2	24.22	24.40	24.36		0
	1	5	24.20	24.36	24.34		0
	3	0	24.17	24.35	24.34		0
	3	2	24.23	24.44	24.33		0
	3	3	24.19	24.37	24.32		0
	6	0	23.21	23.28	23.36	0-1	1
16QAM	1	0	23.48	23.63	23.64	0-1	1
	1	2	23.56	23.64	23.65		1
	1	5	23.57	23.66	23.67		1
	3	0	23.39	23.52	23.52		1
	3	2	23.41	23.55	23.55		1
	3	3	23.37	23.56	23.55		1
	6	0	22.36	22.32	22.47	0-2	2
64QAM	1	0	22.45	22.51	22.62	0-2	2
	1	2	22.51	22.56	22.63		2
	1	5	22.45	22.49	22.62		2
	3	0	22.35	22.46	22.47		2
	3	2	22.36	22.49	22.51		2
	3	3	22.36	22.48	22.47		2
	6	0	21.20	21.34	21.29	0-3	3
256QAM	1	0	19.15	19.52	19.49	0-5	5
	1	2	19.25	19.62	19.57		5
	1	5	19.16	19.59	19.45		5
	3	0	19.19	19.34	19.52		5
	3	2	19.39	19.41	19.57		5
	3	3	19.39	19.40	19.48		5
	6	0	19.24	19.41	19.44		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 24 of 181

Table H-28
LTE Band 5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.54	17.59	17.56	0	0
	1	12	17.68	17.77	17.68		0
	1	24	17.56	17.63	17.55		0
	12	0	17.56	17.63	17.60	0-1	0
	12	6	17.68	17.68	17.73		0
	12	13	17.64	17.71	17.67		0
16QAM	25	0	17.61	17.62	17.66	0-1	0
	1	0	17.98	17.95	18.01		0
	1	12	18.09	18.11	18.09		0
	1	24	17.99	17.96	17.98	0-2	0
	12	0	17.63	17.60	17.54		0
	12	6	17.74	17.63	17.66		0
64QAM	12	13	17.67	17.67	17.61	0-2	0
	25	0	17.61	17.68	17.72		0
	1	0	17.96	17.92	17.95		0
	1	12	18.04	18.04	17.97	0-3	0
	1	24	17.94	17.95	17.95		0
	12	0	17.58	17.66	17.50		0
256QAM	12	6	17.68	17.71	17.61	0-3	0
	12	13	17.67	17.72	17.55		0
	25	0	17.65	17.62	17.68		0
	1	0	17.70	17.73	17.85	0-5	0
	1	12	17.76	17.86	17.98		0
	1	24	17.68	17.78	17.84		0
12	0	17.57	17.64	17.63	0		
12	6	17.67	17.68	17.72	0		
12	13	17.63	17.69	17.67	0		
25	0	17.70	17.64	17.69	0		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 25 of 181

Table H-29
LTE Band 5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.55	17.54	17.55	0	0
	1	7	17.65	17.68	17.65		0
	1	14	17.56	17.58	17.56		0
	8	0	17.63	17.61	17.56	0-1	0
	8	4	17.65	17.72	17.69		0
	8	7	17.63	17.70	17.63		0
	15	0	17.62	17.61	17.65		0
16QAM	1	0	17.84	18.02	17.82	0-1	0
	1	7	17.93	18.12	18.02		0
	1	14	17.85	18.06	17.88		0
	8	0	17.68	17.79	17.71	0-2	0
	8	4	17.70	17.91	17.83		0
	8	7	17.70	17.85	17.77		0
	15	0	17.69	17.68	17.71		0
64QAM	1	0	17.66	17.82	17.88	0-2	0
	1	7	17.77	17.88	17.96		0
	1	14	17.64	17.80	17.95		0
	8	0	17.75	17.67	17.57	0-3	0
	8	4	17.79	17.77	17.68		0
	8	7	17.76	17.73	17.61		0
	15	0	17.68	17.65	17.68		0
256QAM	1	0	17.68	17.75	17.65	0-5	0
	1	7	17.88	17.92	17.83		0
	1	14	17.78	17.84	17.76		0
	8	0	17.61	17.68	17.60		0
	8	4	17.67	17.79	17.72		0
	8	7	17.65	17.75	17.70		0
	15	0	17.63	17.65	17.68		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 26 of 181

Table H-30
LTE Band 5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.61	17.61	17.55	0	0
	1	2	17.65	17.68	17.64		0
	1	5	17.60	17.62	17.63		0
	3	0	17.62	17.62	17.67		0
	3	2	17.59	17.67	17.63		0
	3	3	17.61	17.65	17.61		0
	6	0	17.57	17.55	17.57	0-1	0
16QAM	1	0	17.83	17.76	17.78	0-1	0
	1	2	17.88	17.82	17.89		0
	1	5	17.89	17.85	17.81		0
	3	0	17.77	17.87	17.81		0
	3	2	17.84	17.91	17.82		0
	3	3	17.76	17.90	17.79		0
	6	0	17.67	17.71	17.74	0-2	0
64QAM	1	0	17.68	17.89	17.85	0-2	0
	1	2	17.72	17.97	17.88		0
	1	5	17.61	17.85	17.83		0
	3	0	17.74	17.81	17.73		0
	3	2	17.71	17.80	17.72		0
	3	3	17.68	17.78	17.71		0
	6	0	17.75	17.61	17.62	0-3	0
256QAM	1	0	17.73	17.88	17.72	0-5	0
	1	2	17.77	17.94	17.78		0
	1	5	17.75	17.92	17.73		0
	3	0	17.66	17.74	17.82		0
	3	2	17.67	17.81	17.81		0
	3	3	17.65	17.79	17.82		0
	6	0	17.56	17.55	17.64	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 27 of 181

H.1.7 LTE Band 66 Antenna 1

Table H-31
LTE Band 66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	24.29	24.12	23.96	0	0	
	1	36	24.12	24.16	23.97		0	
	1	74	24.32	24.20	24.22		0	
	QPSK	36	0	23.22	23.21	23.15	0-1	1
		36	18	23.22	23.23	23.09		1
		36	37	23.37	23.31	23.13		1
		75	0	23.32	23.25	23.10		1
16QAM	1	0	23.43	23.24	23.13	0-1	1	
	1	36	23.56	23.49	23.39		1	
	1	74	23.63	23.40	23.08		1	
	16QAM	36	0	22.29	22.25	22.15	0-2	2
		36	18	22.39	22.24	22.14		2
		36	37	22.33	22.39	22.16		2
		75	0	22.33	22.30	22.15		2
64QAM	1	0	22.31	22.28	22.40	0-2	2	
	1	36	22.47	22.43	22.25		2	
	1	74	22.31	22.35	22.38		2	
	64QAM	36	0	21.19	21.28	21.18	0-3	3
		36	18	21.28	21.22	21.13		3
		36	37	21.37	21.29	21.12		3
		75	0	21.27	21.29	21.19		3
256QAM	1	0	19.45	19.26	19.09	0-5	5	
	1	36	19.19	19.35	19.04		5	
	1	74	19.29	19.45	19.26		5	
	36	0	19.26	19.22	19.13		5	
	36	18	19.31	19.24	19.17		5	
	36	37	19.29	19.36	19.07		5	
	75	0	19.29	19.26	19.11		5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 28 of 181

Table H-32
LTE Band 66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.45	24.43	24.11	0	0
	1	25	24.41	24.47	24.18		0
	1	49	24.23	24.26	24.16		0
	25	0	23.30	23.36	23.16	0-1	1
	25	12	23.40	23.32	23.16		1
	25	25	23.40	23.48	23.26		1
16QAM	50	0	23.36	23.35	23.15	0-1	1
	1	0	23.60	23.36	23.64		1
	1	25	23.79	23.61	23.39		1
	1	49	23.61	23.65	23.40	0-2	1
	25	0	22.23	22.36	22.15		2
	25	12	22.47	22.39	22.17		2
64QAM	25	25	22.50	22.41	22.24	0-2	2
	50	0	22.34	22.33	22.08		2
	1	0	22.64	22.36	22.34		0-2
	1	25	22.42	22.48	22.38	2	
	1	49	22.59	22.63	22.54	2	
	256QAM	25	0	21.39	21.35	21.07	0-3
25		12	21.44	21.36	21.14	3	
25		25	21.41	21.46	21.15	3	
50		0	21.40	21.33	21.11	3	
256QAM	1	0	19.42	19.34	19.08	0-5	5
	1	25	19.41	19.55	19.31		5
	1	49	19.54	19.53	19.26		5
	25	0	19.28	19.35	19.15		5
	25	12	19.46	19.38	19.19		5
	25	25	19.43	19.39	19.27		5
	50	0	19.47	19.43	19.15		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 29 of 181

Table H-33
LTE Band 66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.32	24.63	24.15	0	0
	1	12	24.45	24.42	24.20		0
	1	24	24.36	24.31	24.10		0
	12	0	23.36	23.36	23.16	0-1	1
	12	6	23.43	23.37	23.21		1
	12	13	23.35	23.42	23.18		1
16QAM	25	0	23.42	23.31	23.10	0-1	1
	1	0	23.47	23.46	23.35		1
	1	12	23.68	23.69	23.47		1
	1	24	23.48	23.57	23.24	0-2	1
	12	0	22.42	22.28	22.18		2
	12	6	22.43	22.38	22.21		2
64QAM	12	13	22.49	22.47	22.15	0-2	2
	25	0	22.37	22.27	22.14		2
	1	0	22.42	22.47	22.30		0-2
	1	12	22.50	22.54	22.64	2	
	1	24	22.40	22.48	22.35	2	
	256QAM	12	0	21.35	21.37	21.19	0-3
12		6	21.49	21.34	21.29	3	
12		13	21.41	21.45	21.15	3	
25		0	21.42	21.28	21.18	3	
1		0	19.40	19.48	19.28	0-5	
1	12	19.44	19.48	19.29	5		
1	24	19.40	19.58	19.15	5		
12	0	19.36	19.30	19.25	5		
12	6	19.46	19.37	19.22	5		
12	13	19.44	19.36	19.18	5		
25	0	19.45	19.38	19.18	5		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 30 of 181

Table H-34
LTE Band 66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.18	24.38	24.38	0	0
	1	7	24.37	24.37	24.15		0
	1	14	24.19	24.27	24.01		0
	8	0	23.38	23.31	23.21	0-1	1
	8	4	23.42	23.45	23.22		1
	8	7	23.42	23.40	23.14		1
16QAM	15	0	23.31	23.34	23.21	0-1	1
	1	0	23.57	23.74	23.35		1
	1	7	23.65	23.58	23.53		1
	1	14	23.51	23.64	23.24	0-2	1
	8	0	22.39	22.32	22.24		2
	8	4	22.42	22.55	22.31		2
64QAM	8	7	22.42	22.40	22.24	0-2	2
	15	0	22.35	22.29	22.18		2
	1	0	22.45	22.58	22.38		0-2
	1	7	22.64	22.55	22.39	2	
	1	14	22.50	22.51	22.29	2	
	256QAM	8	0	21.40	21.34	21.29	0-3
8		4	21.46	21.49	21.26	3	
8		7	21.40	21.40	21.15	3	
15		0	21.42	21.31	21.18	0-5	3
1		0	19.50	19.38	19.24		5
1		7	19.54	19.48	19.42		5
256QAM	1	14	19.46	19.43	19.22	0-5	5
	8	0	19.45	19.42	19.19		5
	8	4	19.45	19.47	19.20		5
	8	7	19.41	19.43	19.18	0-5	5
	15	0	19.41	19.36	19.26		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 31 of 181

Table H-35
LTE Band 66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.37	24.28	24.12	0	0
	1	2	24.37	24.45	24.23		0
	1	5	24.40	24.36	24.07		0
	3	0	24.44	24.34	24.19		0
	3	2	24.37	24.38	24.29		0
	3	3	24.35	24.48	24.14		0
	6	0	23.40	23.35	23.21		0-1
16QAM	1	0	23.54	23.44	23.23	0-1	1
	1	2	23.59	23.65	23.51		1
	1	5	23.53	23.78	23.14		1
	3	0	23.41	23.46	23.36		1
	3	2	23.52	23.46	23.30		1
	3	3	23.49	23.61	23.34		1
	6	0	22.43	22.46	22.23		0-2
64QAM	1	0	22.49	22.42	22.18	0-2	2
	1	2	22.40	22.62	22.45		2
	1	5	22.43	22.40	22.24		2
	3	0	22.35	22.54	22.21		2
	3	2	22.43	22.48	22.30		2
	3	3	22.47	22.60	22.19		2
	6	0	21.35	21.41	21.15		0-3
256QAM	1	0	19.47	19.51	19.13	0-5	5
	1	2	19.53	19.49	19.29		5
	1	5	19.41	19.47	19.16		5
	3	0	19.45	19.39	19.16		5
	3	2	19.49	19.44	19.19		5
	3	3	19.46	19.47	19.23		5
	6	0	19.46	19.42	19.20		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 32 of 181

Table H-36
LTE Band 66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	12.98	12.95	12.83	0	0	
	1	36	13.09	13.08	12.82		0	
	1	74	13.14	13.12	12.78		0	
	QPSK	36	0	13.00	13.00	12.90	0-1	0
		36	18	13.16	13.01	12.89		0
		36	37	13.14	13.14	12.91		0
		75	0	13.12	12.98	12.92		0
16QAM	1	0	13.23	13.07	12.97	0-1	0	
	1	36	13.19	13.11	13.07		0	
	1	74	13.31	13.29	12.98		0	
	16QAM	36	0	13.02	13.04	12.92	0-2	0
		36	18	13.16	13.08	12.91		0
		36	37	13.11	13.11	12.85		0
		75	0	13.15	13.04	12.92		0
64QAM	1	0	13.11	13.02	13.07	0-2	0	
	1	36	13.24	13.20	13.04		0	
	1	74	13.23	13.33	12.95		0	
	64QAM	36	0	13.11	12.93	12.93	0-3	0
		36	18	13.14	13.00	12.97		0
		36	37	13.14	13.12	12.90		0
		75	0	13.13	13.11	12.94		0
256QAM	1	0	13.07	12.94	13.06	0-5	0	
	1	36	13.18	13.20	12.89		0	
	1	74	13.00	13.18	12.99		0	
	36	0	13.13	13.07	12.93		0	
	36	18	13.11	13.05	12.87		0	
	36	37	13.12	13.08	12.91		0	
	75	0	13.17	13.10	12.97		0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 33 of 181

Table H-37
LTE Band 66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.18	13.34	12.94	0	0
	1	25	13.26	13.18	13.05		0
	1	49	13.10	13.15	13.02		0
	25	0	13.12	13.08	13.02	0-1	0
	25	12	13.21	13.15	13.02		0
	25	25	13.18	13.25	12.98		0
16QAM	50	0	13.19	13.08	13.02	0-1	0
	1	0	13.26	13.26	13.23		0
	1	25	13.49	13.57	13.31		0
	1	49	13.45	13.31	13.11	0-2	0
	25	0	13.26	13.14	13.03		0
	25	12	13.30	13.19	13.12		0
64QAM	25	25	13.25	13.28	13.06	0-2	0
	50	0	13.18	13.14	13.01		0
	1	0	13.37	13.31	13.09		0-2
	1	25	13.41	13.25	13.20	0	
	1	49	13.34	13.33	13.08	0	
	256QAM	25	0	13.15	13.13	13.04	0-3
25		12	13.31	13.16	13.10	0	
25		25	13.28	13.22	13.04	0	
50		0	13.20	13.11	13.00	0-5	0
1		0	13.22	13.23	13.20		0
1		25	13.31	13.45	13.00		0
256QAM	1	49	13.34	13.27	13.06	0-5	0
	25	0	13.18	13.17	13.07		0
	25	12	13.32	13.16	13.02		0
	25	25	13.23	13.22	13.01	0	
	50	0	13.27	13.09	13.02	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 34 of 181

Table H-38
LTE Band 66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.14	13.07	12.93	0	0
	1	12	13.24	13.21	12.99		0
	1	24	13.16	13.20	12.96		0
	12	0	13.18	13.14	12.97	0-1	0
	12	6	13.25	13.15	13.01		0
	12	13	13.16	13.19	12.96		0
16QAM	25	0	13.15	13.10	13.01	0-1	0
	1	0	13.43	13.37	13.12		0
	1	12	13.47	13.35	13.31		0
	1	24	13.38	13.46	13.22	0-2	0
	12	0	13.28	13.16	13.02		0
	12	6	13.27	13.19	13.10		0
64QAM	12	13	13.25	13.22	12.97	0-2	0
	25	0	13.25	13.17	12.95		0
	1	0	13.29	13.29	13.17		0-2
	1	12	13.40	13.33	13.25	0	
	1	24	13.34	13.27	13.04	0-3	
	12	0	13.25	13.14	12.98		0
12	6	13.28	13.16	13.01	0		
256QAM	12	13	13.29	13.17	13.03	0-3	0
	25	0	13.27	13.11	12.99		0
	1	0	13.23	13.15	13.15		0-5
	1	12	13.38	13.22	13.24	0	
	1	24	13.18	13.15	13.01	0	
	12	0	13.19	13.11	13.00	0	
12	6	13.26	13.17	13.14	0		
12	13	13.23	13.17	12.98	0		
25	0	13.24	13.14	12.98	0		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 35 of 181

Table H-39

LTE Band 66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.07	13.00	12.85	0	0
	1	7	13.19	13.21	12.99		0
	1	14	13.11	13.11	12.87		0
	8	0	13.23	13.08	12.95	0-1	0
	8	4	13.17	13.22	13.00		0
	8	7	13.13	13.19	13.00		0
16QAM	15	0	13.16	13.11	12.96	0-1	0
	1	0	13.31	13.16	13.10		0
	1	7	13.38	13.42	13.14		0
	1	14	13.41	13.31	13.02	0-2	0
	8	0	13.26	13.18	13.03		0
	8	4	13.26	13.29	12.99		0
64QAM	8	7	13.28	13.24	13.01	0-2	0
	15	0	13.18	13.14	12.94		0
	1	0	13.27	13.19	13.03		0-2
	1	7	13.45	13.35	13.14	0	
	1	14	13.34	13.38	13.06	0	
	256QAM	8	0	13.19	13.14	12.97	0-3
8		4	13.32	13.26	13.04	0	
8		7	13.17	13.27	13.02	0	
15		0	13.25	13.15	13.04	0-5	0
1		0	13.25	13.14	12.99		0
1		7	13.29	13.17	12.98		0
256QAM	1	14	13.27	13.12	12.89	0-5	0
	8	0	13.18	13.07	12.97		0
	8	4	13.25	13.21	13.01		0
	8	7	13.26	13.17	12.96	0-5	0
	15	0	13.26	13.11	12.99		0
	15	0	13.26	13.11	12.99		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 36 of 181

Table H-40
LTE Band 66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.09	13.07	12.92	0	0
	1	2	13.17	13.17	13.00		0
	1	5	13.12	13.10	12.88		0
	3	0	13.19	13.17	12.97		0
	3	2	13.16	13.14	12.91		0
	3	3	13.13	13.12	12.90		0
16QAM	6	0	13.09	13.14	12.95	0-1	0
	1	0	13.37	13.26	13.12	0-1	0
	1	2	13.44	13.34	13.03		0
	1	5	13.32	13.28	13.13		0
	3	0	13.19	13.22	13.03		0
	3	2	13.29	13.28	13.03		0
3	3	13.25	13.22	13.00	0		
64QAM	6	0	13.22	13.20	12.95	0-2	0
	1	0	13.25	13.21	13.08	0-2	0
	1	2	13.25	13.29	13.03		0
	1	5	13.33	13.31	13.16		0
	3	0	13.27	13.15	13.04		0
	3	2	13.17	13.27	13.05		0
3	3	13.20	13.21	12.98	0		
256QAM	6	0	13.15	13.19	12.96	0-3	0
	1	0	13.21	13.14	12.89	0-5	0
	1	2	13.33	13.30	12.98		0
	1	5	13.29	13.10	13.01		0
	3	0	13.25	13.23	12.99		0
	3	2	13.18	13.23	13.01		0
3	3	13.17	13.18	12.97	0		
	6	0	13.19	13.18	12.96		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 37 of 181

H.1.8 LTE Band 2 Antenna 1

Table H-41
LTE Band 2 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 2 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18675 (1857.5 MHz)	18900 (1880.0 MHz)	19125 (1902.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.21	24.09	24.07	0	0
	1	36	24.10	24.15	24.10		0
	1	74	24.20	24.14	24.08		0
	36	0	23.02	23.06	23.13	0-1	1
	36	18	23.13	23.13	23.13		1
	36	37	23.13	23.15	23.26		1
	75	0	23.11	23.11	23.12	1	
16QAM	1	0	23.18	23.42	23.33	0-1	1
	1	36	23.26	23.34	23.44		1
	1	74	23.29	23.36	23.42		1
	36	0	22.04	22.08	22.14	0-2	2
	36	18	22.12	22.14	22.16		2
	36	37	22.12	22.16	22.25		2
	75	0	22.11	22.15	22.15	2	
64QAM	1	0	22.26	22.22	22.23	0-2	2
	1	36	22.31	22.27	22.35		2
	1	74	22.35	22.15	22.28		2
	36	0	20.99	21.05	21.12	0-3	3
	36	18	21.11	21.12	21.16		3
	36	37	21.11	21.17	21.24		3
	75	0	21.13	21.14	21.14	3	
256QAM	1	0	19.09	19.06	19.24	0-5	5
	1	36	19.13	19.24	19.33		5
	1	74	19.28	19.28	19.42		5
	36	0	19.02	19.07	19.14		5
	36	18	19.12	19.15	19.13		5
	36	37	19.14	19.15	19.22		5
	75	0	19.15	19.14	19.15	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 38 of 181

Table H-42
LTE Band 2 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 2 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18650 (1855.0 MHz)	18900 (1880.0 MHz)	19150 (1905.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.11	24.09	24.29	0	0
	1	25	24.18	24.10	24.28		0
	1	49	24.21	24.21	24.28		0
	25	0	23.08	23.11	23.23	0-1	1
	25	12	23.18	23.22	23.26		1
	25	25	23.17	23.19	23.35		1
16QAM	50	0	23.16	23.20	23.24	0-1	1
	1	0	23.29	23.38	23.59		1
	1	25	23.28	23.32	23.51		1
	1	49	23.37	23.35	23.66	0-2	1
	25	0	22.11	22.16	22.23		2
	25	12	22.21	22.24	22.29		2
64QAM	25	25	22.19	22.23	22.37	0-2	2
	50	0	22.19	22.22	22.25		2
	1	0	22.32	22.29	22.37		0-2
	1	25	22.35	22.33	22.51	2	
	1	49	22.33	22.36	22.55	2	
	256QAM	25	0	21.08	21.13	21.24	0-3
25		12	21.22	21.27	21.28	3	
25		25	21.19	21.20	21.34	3	
50		0	21.18	21.23	21.22	3	
256QAM	1	0	19.12	19.25	19.28	0-5	5
	1	25	19.29	19.41	19.43		5
	1	49	19.21	19.33	19.44		5
	25	0	19.13	19.14	19.23		5
	25	12	19.24	19.26	19.26		5
	25	25	19.21	19.25	19.31		5
	50	0	19.19	19.24	19.23		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 39 of 181

Table H-43
LTE Band 2 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 2 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18625 (1852.5 MHz)	18900 (1880.0 MHz)	19175 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.12	24.18	24.12	0	0
	1	12	24.27	24.40	24.32		0
	1	24	24.16	24.22	24.21		0
	12	0	23.14	23.09	23.22	0-1	1
	12	6	23.22	23.23	23.26		1
	12	13	23.16	23.15	23.31		1
16QAM	25	0	23.15	23.18	23.20	0-1	1
	1	0	23.38	23.43	23.54		1
	1	12	23.52	23.58	23.70		1
	1	24	23.44	23.48	23.64	0-2	1
	12	0	22.24	22.14	22.28		2
	12	6	22.27	22.26	22.29		2
64QAM	12	13	22.22	22.22	22.36	0-2	2
	25	0	22.15	22.20	22.26		2
	1	0	22.27	22.35	22.35		0-2
	1	12	22.41	22.46	22.49	2	
	1	24	22.35	22.41	22.40	2	
	256QAM	12	0	21.18	21.16	21.26	0-3
12		6	21.21	21.30	21.33	3	
12		13	21.17	21.25	21.36	3	
25		0	21.19	21.18	21.26	3	
1		0	19.19	19.19	19.30	0-5	
1	12	19.33	19.37	19.46	5		
1	24	19.29	19.28	19.34	5		
12	0	19.18	19.13	19.24	5		
12	6	19.23	19.25	19.25	5		
12	13	19.18	19.22	19.29	5		
25	0	19.19	19.23	19.25	5		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 40 of 181

Table H-44
LTE Band 2 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 2 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18615 (1851.5 MHz)	18900 (1880.0 MHz)	19185 (1908.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.15	23.96	24.26	0	0
	1	7	24.24	24.12	24.28		0
	1	14	24.11	24.05	24.17		0
	8	0	23.14	23.09	23.23	0-1	1
	8	4	23.19	23.16	23.25		1
	8	7	23.13	23.15	23.31		1
16QAM	15	0	23.13	23.13	23.22	0-1	1
	1	0	23.34	23.28	23.38		1
	1	7	23.43	23.32	23.55		1
	1	14	23.31	23.26	23.46	0-2	1
	8	0	22.19	22.15	22.29		2
	8	4	22.25	22.21	22.32		2
64QAM	8	7	22.22	22.21	22.38	0-2	2
	15	0	22.18	22.13	22.28		2
	1	0	22.31	22.23	22.37		0-2
	1	7	22.40	22.37	22.57	2	
	1	14	22.37	22.27	22.49	2	
	256QAM	8	0	21.19	21.14	21.23	0-3
8		4	21.26	21.21	21.28	3	
8		7	21.22	21.19	21.34	3	
15		0	21.20	21.18	21.27	3	
1		0	19.26	19.13	19.31	0-5	
1	7	19.30	19.27	19.50	5		
1	14	19.14	19.22	19.34	5		
8	0	19.17	19.13	19.22	5		
8	4	19.22	19.25	19.27	5		
8	7	19.19	19.21	19.32	5		
15	0	19.17	19.18	19.23	5		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 41 of 181

Table H-45
LTE Band 2 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 2 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18607 (1850.7 MHz)	18900 (1880.0 MHz)	19193 (1909.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	24.30	24.26	24.27	0	0
	1	2	24.32	24.30	24.35		0
	1	5	24.31	24.29	24.29		0
	3	0	24.17	24.22	24.28		0
	3	2	24.16	24.23	24.28		0
	3	3	24.16	24.24	24.29		0
16QAM	6	0	23.14	23.12	23.28	0-1	1
	1	0	23.40	23.44	23.57	0-1	1
	1	2	23.46	23.49	23.50		1
	1	5	23.42	23.38	23.44		1
	3	0	23.29	23.36	23.38		1
	3	2	23.26	23.27	23.45		1
3	3	23.25	23.28	23.43	1		
64QAM	6	0	22.22	22.18	22.38	0-2	2
	1	0	22.24	22.35	22.39	0-2	2
	1	2	22.26	22.44	22.46		2
	1	5	22.33	22.30	22.49		2
	3	0	22.37	22.35	22.29		2
	3	2	22.29	22.27	22.33		2
3	3	22.32	22.30	22.39	2		
256QAM	6	0	21.20	21.20	21.32	0-3	3
	1	0	19.34	19.28	19.21	0-5	5
	1	2	19.36	19.31	19.26		5
	1	5	19.33	19.28	19.27		5
	3	0	19.17	19.25	19.31		5
	3	2	19.14	19.27	19.33		5
3	3	19.18	19.27	19.28	5		
	6	0	19.19	19.16	19.27		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 42 of 181

Table H-46
LTE Band 2 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 2 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18675 (1857.5 MHz)	18900 (1880.0 MHz)	19125 (1902.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.21	11.27	11.21	0	0
	1	36	11.22	11.32	11.27		0
	1	74	11.32	11.29	11.27		0
	36	0	11.17	11.25	11.30	0-1	0
	36	18	11.23	11.34	11.34		0
	36	37	11.26	11.35	11.42		0
	75	0	11.25	11.34	11.35		0
16QAM	1	0	11.32	11.40	11.51	0-1	0
	1	36	11.46	11.53	11.63		0
	1	74	11.48	11.51	11.55		0
	36	0	11.21	11.23	11.29	0-2	0
	36	18	11.28	11.29	11.32		0
	36	37	11.31	11.30	11.42		0
	75	0	11.30	11.32	11.33		0
64QAM	1	0	11.32	11.36	11.41	0-2	0
	1	36	11.38	11.49	11.45		0
	1	74	11.48	11.44	11.49		0
	36	0	11.19	11.25	11.29	0-3	0
	36	18	11.26	11.30	11.30		0
	36	37	11.28	11.30	11.39		0
	75	0	11.27	11.30	11.34		0
256QAM	1	0	11.28	11.33	11.31	0-5	0
	1	36	11.34	11.40	11.45		0
	1	74	11.44	11.39	11.46		0
	36	0	11.22	11.25	11.30		0
	36	18	11.29	11.30	11.34		0
	36	37	11.31	11.34	11.42		0
	75	0	11.28	11.33	11.32		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 43 of 181

Table H-47
LTE Band 2 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 2 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18650 (1855.0 MHz)	18900 (1880.0 MHz)	19150 (1905.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.40	11.23	11.49	0	0
	1	25	11.44	11.36	11.48		0
	1	49	11.37	11.33	11.47		0
	25	0	11.37	11.32	11.42	0-1	0
	25	12	11.49	11.47	11.46		0
	25	25	11.42	11.43	11.54		0
16QAM	50	0	11.45	11.41	11.46	0-1	0
	1	0	11.54	11.50	11.74		0
	1	25	11.61	11.60	11.79		0
	1	49	11.64	11.58	11.86	0-2	0
	25	0	11.33	11.31	11.44		0
	25	12	11.43	11.48	11.52		0
64QAM	25	25	11.41	11.42	11.57	0-2	0
	50	0	11.44	11.41	11.47		0
	1	0	11.51	11.40	11.64		0-3
	1	25	11.59	11.55	11.73	0	
	1	49	11.54	11.50	11.62	0	
	256QAM	25	0	11.37	11.36	11.47	0-5
25		12	11.48	11.45	11.48	0	
25		25	11.41	11.47	11.55	0	
50		0	11.43	11.45	11.44	0-5	0
1		0	11.45	11.40	11.44		0
1		25	11.60	11.51	11.74		0
256QAM	1	49	11.57	11.53	11.53	0-5	0
	25	0	11.32	11.40	11.42		0
	25	12	11.45	11.48	11.48		0
	25	25	11.43	11.47	11.53	0-5	0
	50	0	11.43	11.42	11.46		0
	50	0	11.43	11.42	11.46		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 44 of 181

Table H-48
LTE Band 2 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 2 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18625 (1852.5 MHz)	18900 (1880.0 MHz)	19175 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.33	11.44	11.40	0	0
	1	12	11.46	11.59	11.49		0
	1	24	11.41	11.39	11.45		0
	12	0	11.38	11.33	11.42	0-1	0
	12	6	11.41	11.47	11.46		0
	12	13	11.40	11.38	11.48		0
	25	0	11.44	11.38	11.42	0	
16QAM	1	0	11.62	11.53	11.69	0-1	0
	1	12	11.72	11.75	11.81		0
	1	24	11.65	11.68	11.79		0
	12	0	11.41	11.32	11.43	0-2	0
	12	6	11.45	11.47	11.47		0
	12	13	11.41	11.41	11.55		0
	25	0	11.39	11.39	11.44	0	
64QAM	1	0	11.46	11.51	11.49	0-2	0
	1	12	11.58	11.67	11.74		0
	1	24	11.53	11.62	11.69		0
	12	0	11.39	11.36	11.46	0-3	0
	12	6	11.44	11.48	11.48		0
	12	13	11.40	11.42	11.52		0
	25	0	11.41	11.36	11.44	0	
256QAM	1	0	11.48	11.41	11.49	0-5	0
	1	12	11.59	11.56	11.59		0
	1	24	11.60	11.52	11.51		0
	12	0	11.45	11.33	11.44		0
	12	6	11.46	11.49	11.49		0
	12	13	11.43	11.46	11.53		0
	25	0	11.39	11.42	11.48	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 45 of 181

Table H-49
LTE Band 2 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 2 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18615 (1851.5 MHz)	18900 (1880.0 MHz)	19185 (1908.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.37	11.28	11.36	0	0
	1	7	11.46	11.33	11.48		0
	1	14	11.34	11.30	11.37		0
	8	0	11.42	11.31	11.42	0-1	0
	8	4	11.46	11.40	11.43		0
	8	7	11.40	11.37	11.47		0
16QAM	15	0	11.42	11.39	11.38	0-1	0
	1	0	11.52	11.52	11.67		0
	1	7	11.61	11.58	11.70		0
	8	0	11.44	11.32	11.43	0-2	0
	8	4	11.52	11.43	11.48		0
	8	7	11.44	11.38	11.54		0
64QAM	15	0	11.42	11.40	11.42	0-2	0
	1	0	11.53	11.44	11.60		0
	1	7	11.62	11.55	11.67		0
	1	14	11.55	11.56	11.63	0-3	0
	8	0	11.40	11.33	11.42		0
	8	4	11.46	11.44	11.43		0
256QAM	8	7	11.40	11.39	11.52	0-5	0
	15	0	11.43	11.38	11.45		0
	1	0	11.49	11.33	11.42		0-5
	1	7	11.62	11.53	11.65	0	
	1	14	11.46	11.44	11.58	0	
	8	0	11.43	11.34	11.45	0	
8	4	11.46	11.49	11.47	0		
8	7	11.42	11.45	11.50	0		
15	0	11.41	11.37	11.43	0		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 46 of 181

Table H-50
LTE Band 2 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 2 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18607 (1850.7 MHz)	18900 (1880.0 MHz)	19193 (1909.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.41	11.38	11.52	0	0
	1	2	11.45	11.34	11.55		0
	1	5	11.43	11.30	11.50		0
	3	0	11.38	11.37	11.47		0
	3	2	11.40	11.38	11.50		0
	3	3	11.39	11.38	11.50		0
16QAM	6	0	11.37	11.34	11.43	0-1	0
	1	0	11.60	11.49	11.74	0-1	0
	1	2	11.61	11.54	11.75		0
	1	5	11.54	11.51	11.65		0
	3	0	11.52	11.49	11.61		0
	3	2	11.52	11.46	11.57		0
3	3	11.56	11.49	11.65	0		
64QAM	6	0	11.43	11.45	11.51	0-2	0
	1	0	11.55	11.49	11.64	0-2	0
	1	2	11.56	11.52	11.67		0
	1	5	11.55	11.55	11.57		0
	3	0	11.44	11.41	11.59		0
	3	2	11.48	11.41	11.58		0
3	3	11.51	11.40	11.62	0		
256QAM	6	0	11.42	11.37	11.49	0-3	0
	1	0	11.49	11.54	11.73	0-5	0
	1	2	11.56	11.56	11.80		0
	1	5	11.51	11.51	11.72		0
	3	0	11.47	11.43	11.62		0
	3	2	11.48	11.45	11.64		0
3	3	11.47	11.46	11.62	0		
	6	0	11.39	11.40	11.47		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 47 of 181

H.1.9 LTE Band 25 Antenna 1

Table H-51
LTE Band 25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	24.12	24.13	24.18	0	0	
	1	36	24.31	24.44	24.19		0	
	1	74	24.48	24.10	24.09		0	
	36	0	23.24	23.20	23.18	0-1	1	
	36	18	23.28	23.26	23.28		1	
	36	37	23.26	23.17	23.29		1	
16QAM	75	0	23.24	23.24	23.28	0-1	1	
	1	0	23.56	23.35	23.28		0-1	1
	1	36	23.46	23.31	23.44			1
	1	74	23.59	23.45	23.11	0-2		1
	36	0	22.20	22.24	22.12		2	
	36	18	22.23	22.26	22.25		2	
64QAM	36	37	22.28	22.20	22.25	0-2	2	
	75	0	22.27	22.25	22.21		2	
	1	0	22.39	22.35	22.40		0-2	2
	1	36	22.32	22.30	22.21	0-3		2
	1	74	22.45	22.26	22.01			2
	36	0	21.18	21.19	21.20		0-3	3
36	18	21.19	21.27	20.97	3			
36	37	21.25	21.20	21.24	3			
256QAM	75	0	21.29	21.20	21.24	0-5	3	
	1	0	19.18	19.20	19.30		0-5	5
	1	36	19.19	19.31	19.30			5
	1	74	19.41	19.28	19.17	0-5		5
	36	0	19.24	19.15	19.13		5	
	36	18	19.23	19.25	19.26		5	
	36	37	19.28	19.28	19.23		5	
	75	0	19.30	19.27	19.32		5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 48 of 181

Table H-52
LTE Band 25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.32	24.38	24.28	0	0
	1	25	24.35	24.40	24.36		0
	1	49	24.38	24.24	24.33		0
	25	0	23.39	23.29	23.33	0-1	1
	25	12	23.45	23.41	23.37		1
	25	25	23.44	23.35	23.42		1
16QAM	50	0	23.37	23.34	23.30	0-1	1
	1	0	23.40	23.62	23.42		1
	1	25	23.56	23.52	23.62		1
	1	49	23.55	23.47	23.70	0-2	1
	25	0	22.39	22.25	22.34		2
	25	12	22.45	22.40	22.35		2
64QAM	25	25	22.49	22.36	22.40	0-2	2
	50	0	22.37	22.38	22.31		2
	1	0	22.52	22.44	22.66		0-3
	1	25	22.73	22.63	22.56	2	
	1	49	22.58	22.46	22.56	2	
	256QAM	25	0	21.26	21.32	21.37	0-5
25		12	21.40	21.38	21.36	3	
25		25	21.50	21.34	21.45	3	
50		0	21.47	21.37	21.39	0-5	3
1		0	19.38	19.32	19.50		5
1		25	19.59	19.55	19.56		5
256QAM	1	49	19.40	19.36	19.43	0-5	5
	25	0	19.30	19.26	19.30		5
	25	12	19.47	19.37	19.34		5
	25	25	19.39	19.34	19.38	5	
	50	0	19.30	19.33	19.29	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 49 of 181

Table H-53
LTE Band 25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	24.37	24.29	24.27	0	0	
	1	12	24.51	24.47	24.50		0	
	1	24	24.48	24.37	24.40		0	
	12	0	23.44	23.19	23.35	0-1	1	
	12	6	23.47	23.48	23.38		1	
	12	13	23.47	23.41	23.45		1	
16QAM	25	0	23.45	23.42	23.38	0-1	1	
	1	0	23.48	23.50	23.62		0-1	1
	1	12	23.64	23.68	23.63			1
	1	24	23.62	23.55	23.64	0-2		1
	12	0	22.54	22.41	22.41		2	
	12	6	22.52	22.44	22.45		2	
64QAM	12	13	22.52	22.46	22.44	0-2	2	
	25	0	22.43	22.39	22.32		2	
	1	0	22.55	22.44	22.73		0-2	2
	1	12	22.57	22.62	22.58	2		
	1	24	22.55	22.54	22.48	2		
	256QAM	12	0	21.61	21.37	21.37	0-3	3
12		6	21.46	21.47	21.39	3		
12		13	21.45	21.39	21.43	3		
25		0	21.47	21.36	21.31	0-5	3	
1		0	19.57	19.35	19.49		0-5	5
1		12	19.54	19.44	19.65			5
1	24	19.51	19.35	19.41	5			
256QAM	12	0	19.43	19.22	19.40	0-5	5	
	12	6	19.52	19.40	19.35		5	
	12	13	19.42	19.37	19.45		5	
	25	0	19.44	19.38	19.30	0-5	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 50 of 181

Table H-54
LTE Band 25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.35	24.22	24.19	0	0
	1	7	24.45	24.37	24.45		0
	1	14	24.27	24.26	24.28		0
	8	0	23.44	23.37	23.33	0-1	1
	8	4	23.46	23.41	23.33		1
	8	7	23.43	23.39	23.45		1
16QAM	15	0	23.41	23.35	23.42	0-1	1
	1	0	23.76	23.48	23.48		1
	1	7	23.66	23.47	23.56		1
	1	14	23.55	23.50	23.55	0-2	1
	8	0	22.45	22.40	22.45		2
	8	4	22.52	22.47	22.40		2
64QAM	8	7	22.44	22.41	22.51	0-2	2
	15	0	22.46	22.36	22.36		2
	1	0	22.54	22.65	22.40		0-2
	1	7	22.68	22.56	22.67	2	
	1	14	22.60	22.45	22.58	2	
	256QAM	8	0	21.47	21.29	21.38	0-3
8		4	21.53	21.41	21.44	3	
8		7	21.41	21.43	21.44	3	
15		0	21.40	21.34	21.38	0-5	3
1		0	19.38	19.35	19.24		5
1		7	19.64	19.47	19.49		5
256QAM	1	14	19.38	19.42	19.58	0-5	5
	8	0	19.41	19.31	19.36		5
	8	4	19.54	19.45	19.39		5
	8	7	19.41	19.39	19.43	0-5	5
	15	0	19.43	19.41	19.35		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 51 of 181

Table H-55

LTE Band 25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) – 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.34	24.27	24.42	0	0
	1	2	24.46	24.34	24.52		0
	1	5	24.40	24.27	24.37		0
	3	0	24.37	24.33	24.49		0
	3	2	24.48	24.27	24.36		0
	3	3	24.37	24.39	24.42		0
16QAM	6	0	23.39	23.34	23.37	0-1	1
	1	0	23.55	23.52	23.46	0-1	1
	1	2	23.67	23.52	23.66		1
	1	5	23.57	23.56	23.61		1
	3	0	23.77	23.63	23.63		1
	3	2	23.53	23.45	23.53		1
3	3	23.55	23.62	23.43	1		
64QAM	6	0	22.44	22.47	22.40	0-2	2
	1	0	22.43	22.51	22.54	0-2	2
	1	2	22.59	22.57	22.46		2
	1	5	22.73	22.58	22.49		2
	3	0	22.45	22.47	22.43		2
	3	2	22.49	22.54	22.64		2
3	3	22.48	22.43	22.52	2		
256QAM	6	0	21.43	21.35	21.51	0-3	3
	1	0	19.39	19.45	19.42	0-5	5
	1	2	19.54	19.38	19.51		5
	1	5	19.52	19.40	19.42		5
	3	0	19.47	19.36	19.53		5
	3	2	19.48	19.43	19.50		5
3	3	19.42	19.48	19.49	5		
	6	0	19.40	19.36	19.44		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 52 of 181

Table H-56
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	11.64	11.45	11.94	0	0
	1	36	11.50	11.59	11.72		0
	1	74	11.62	11.57	11.52		0
	36	0	11.54	11.64	11.64	0-1	0
	36	18	11.72	11.68	11.67		0
	36	37	11.68	11.61	11.81		0
	75	0	11.71	11.67	11.74		0
16QAM	1	0	11.78	11.72	11.77	0-1	0
	1	36	11.88	11.59	11.80		0
	1	74	11.88	11.82	11.77		0
	36	0	11.63	11.59	11.66	0-2	0
	36	18	11.61	11.69	11.67		0
	36	37	11.67	11.68	11.73		0
	75	0	11.71	11.57	11.73		0
64QAM	1	0	11.63	11.71	11.69	0-2	0
	1	36	11.75	11.55	11.84		0
	1	74	11.75	11.65	11.78		0
	36	0	11.58	11.50	11.64	0-3	0
	36	18	11.70	11.61	11.69		0
	36	37	11.53	11.60	11.69		0
	75	0	11.65	11.70	11.75		0
256QAM	1	0	11.67	11.59	11.66	0-5	0
	1	36	11.77	11.72	11.86		0
	1	74	11.84	11.71	11.80		0
	36	0	11.60	11.60	11.68		0
	36	18	11.65	11.65	11.64		0
	36	37	11.65	11.63	11.75		0
	75	0	11.67	11.70	11.83		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 53 of 181

Table H-57
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.78	11.67	12.01	0	0
	1	25	11.75	11.75	11.84		0
	1	49	11.77	11.81	11.85		0
	25	0	11.73	11.65	11.85	0-1	0
	25	12	11.85	11.84	11.86		0
	25	25	11.80	11.80	11.77		0
	50	0	11.76	11.77	11.86		0
16QAM	1	0	11.97	12.05	11.96	0-1	0
	1	25	12.06	12.06	12.01		0
	1	49	11.90	11.90	12.16		0
	25	0	11.69	11.68	11.80	0-2	0
	25	12	11.88	11.77	11.87		0
	25	25	11.81	11.70	11.89		0
	50	0	11.77	11.79	11.87		0
64QAM	1	0	11.84	11.82	11.82	0-2	0
	1	25	11.98	11.89	11.97		0
	1	49	11.84	11.87	12.06		0
	25	0	11.68	11.69	11.75	0-3	0
	25	12	11.84	11.83	11.90		0
	25	25	11.85	11.76	11.89		0
	50	0	11.82	11.82	11.85		0
256QAM	1	0	11.83	11.75	11.83	0-5	0
	1	25	11.91	11.88	12.06		0
	1	49	11.89	11.96	11.82		0
	25	0	11.74	11.73	11.83		0
	25	12	11.81	11.85	11.88		0
	25	25	11.84	11.86	11.86		0
	50	0	11.82	11.83	11.90		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 54 of 181

Table H-58
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.70	11.82	11.76	0	0
	1	12	11.83	11.75	11.85		0
	1	24	11.77	11.71	11.75		0
	12	0	11.75	11.65	11.78	0-1	0
	12	6	11.77	11.77	11.81		0
	12	13	11.73	11.75	11.86		0
	25	0	11.76	11.70	11.71	0	
16QAM	1	0	11.91	11.92	11.98	0-1	0
	1	12	12.02	11.91	12.16		0
	1	24	11.94	11.93	11.99		0
	12	0	11.79	11.78	11.83	0-2	0
	12	6	11.88	11.81	11.78		0
	12	13	11.82	11.79	11.86		0
	25	0	11.79	11.72	11.78	0	
64QAM	1	0	12.00	11.83	11.99	0-2	0
	1	12	11.87	11.88	12.04		0
	1	24	11.94	11.87	11.89		0
	12	0	11.82	11.74	11.82	0-3	0
	12	6	11.79	11.87	11.82		0
	12	13	11.74	11.73	11.88		0
	25	0	11.71	11.78	11.78	0	
256QAM	1	0	11.73	11.80	11.91	0-5	0
	1	12	11.91	12.00	11.99		0
	1	24	11.95	11.87	11.77		0
	12	0	11.79	11.70	11.82		0
	12	6	11.81	11.75	11.85		0
	12	13	11.80	11.77	11.90		0
	25	0	11.75	11.75	11.80	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 55 of 181

Table H-59
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.66	11.58	11.72	0	0
	1	7	11.73	11.71	11.77		0
	1	14	11.71	11.66	11.70		0
	8	0	11.75	11.64	11.74	0-1	0
	8	4	11.77	11.74	11.72		0
	8	7	11.78	11.77	11.82		0
16QAM	15	0	11.77	11.71	11.84	0-1	0
	1	0	11.88	11.88	11.82		0
	1	7	11.94	12.01	12.11		0
	1	14	11.92	11.90	11.93	0-2	0
	8	0	11.82	11.68	11.79		0
	8	4	11.82	11.76	11.87		0
64QAM	8	7	11.83	11.81	11.87	0-2	0
	15	0	11.80	11.73	11.80		0
	1	0	11.91	11.78	11.94		0-3
	1	7	11.98	11.91	12.03	0	
	1	14	11.94	11.88	11.93	0	
	8	0	11.74	11.73	11.76	0	
256QAM	8	4	11.78	11.82	11.83	0-5	0
	8	7	11.72	11.79	11.90		0
	15	0	11.71	11.77	11.76		0
	1	0	11.82	11.76	11.75	0-5	0
	1	7	11.87	11.83	11.90		0
	1	14	11.72	11.83	11.80		0
8	0	11.76	11.63	11.76	0		
8	4	11.77	11.80	11.76	0		
8	7	11.78	11.78	11.85	0		
15	0	11.77	11.72	11.80	0		

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 56 of 181

Table H-60
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)– 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.36	11.17	11.42	0	0
	1	2	11.39	11.22	11.43		0
	1	5	11.36	11.19	11.41		0
	3	0	11.32	11.28	11.42		0
	3	2	11.35	11.28	11.44		0
	3	3	11.33	11.31	11.44		0
16QAM	6	0	11.31	11.27	11.39	0-1	0
	1	0	11.56	11.45	11.65	0-1	0
	1	2	11.63	11.54	11.72		0
	1	5	11.60	11.46	11.68		0
	3	0	11.56	11.42	11.62		0
	3	2	11.59	11.43	11.57		0
3	3	11.57	11.41	11.60	0		
64QAM	6	0	11.48	11.40	11.46	0-2	0
	1	0	11.62	11.52	11.54	0-2	0
	1	2	11.66	11.57	11.56		0
	1	5	11.63	11.56	11.53		0
	3	0	11.51	11.47	11.49		0
	3	2	11.54	11.51	11.54		0
3	3	11.50	11.45	11.51	0		
256QAM	6	0	11.38	11.38	11.53	0-3	0
	1	0	11.49	11.45	11.57	0-5	0
	1	2	11.52	11.48	11.67		0
	1	5	11.40	11.43	11.54		0
	3	0	11.52	11.24	11.53		0
	3	2	11.53	11.23	11.57		0
3	3	11.52	11.22	11.55	0		
	6	0	11.35	11.31	11.31		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 57 of 181

H.1.10 LTE Band 30 Antenna 1

Table H-61

LTE Band 30 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	22.00	0	0
	1	12	22.10		0
	1	24	22.00		0
	12	0	20.94	0-1	1
	12	6	20.99		1
	12	13	21.03		1
	25	0	20.96		1
16QAM	1	0	21.29	0-1	1
	1	12	21.46		1
	1	24	21.35		1
	12	0	19.99	0-2	2
	12	6	20.02		2
	12	13	20.09		2
	25	0	20.00		2
64QAM	1	0	20.22	0-2	2
	1	12	20.28		2
	1	24	20.27		2
	12	0	18.97	0-3	3
	12	6	19.02		3
	12	13	19.06		3
	25	0	18.99		3
256QAM	1	0	17.04	0-5	5
	1	12	17.22		5
	1	24	17.15		5
	12	0	16.99		5
	12	6	17.05		5
	12	13	17.13		5
	25	0	17.01		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 58 of 181

Table H-62
LTE Band 25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.14	0	0
	1	12	11.14		0
	1	24	11.07		0
	12	0	11.15	0-1	0
	12	6	11.07		0
	12	13	10.99		0
	25	0	11.08		0
16QAM	1	0	11.25	0-1	0
	1	12	11.43		0
	1	24	11.24		0
	12	0	11.11	0-2	0
	12	6	11.19		0
	12	13	11.12		0
	25	0	11.01		0
64QAM	1	0	11.37	0-2	0
	1	12	11.38		0
	1	24	11.27		0
	12	0	11.13	0-3	0
	12	6	11.21		0
	12	13	11.12		0
	25	0	11.02		0
256QAM	1	0	11.10	0-5	0
	1	12	11.32		0
	1	24	11.14		0
	12	0	11.17		0
	12	6	11.14		0
	12	13	11.08		0
	25	0	11.06		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 59 of 181

H.1.11 LTE Band 41 Antenna 1

Table H-63

LTE Band 41 PC3 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	24.18	24.06	24.08	23.39	24.39	0	0
	1	36	24.20	24.11	24.09	23.39	24.40		0
	1	74	24.06	24.11	24.07	23.77	24.37		0
	36	0	23.35	23.19	23.20	22.49	23.52	0-1	1
	36	18	23.37	23.22	23.16	22.53	23.54		1
	36	37	23.31	23.24	23.21	22.75	23.45		1
	75	0	23.32	23.22	23.14	22.64	23.51		1
16QAM	1	0	23.35	23.19	23.25	22.38	23.42	0-1	1
	1	36	23.24	23.16	23.01	22.38	23.43		1
	1	74	23.17	23.22	23.09	22.79	23.43		1
	36	0	22.37	22.22	22.23	21.48	22.54	0-2	2
	36	18	22.32	22.20	22.17	21.52	22.55		2
	36	37	22.31	22.24	22.22	21.76	22.46		2
	75	0	22.33	22.20	22.15	21.63	22.51		2
64QAM	1	0	22.32	22.17	22.28	21.55	22.61	0-2	2
	1	36	22.29	22.18	22.22	21.58	22.54		2
	1	74	22.17	22.16	22.17	21.95	22.54		2
	36	0	21.36	21.24	21.17	20.47	21.60	0-3	3
	36	18	21.30	21.18	21.22	20.49	21.59		3
	36	37	21.30	21.22	21.19	20.74	21.49		3
	75	0	21.38	21.18	21.15	20.62	21.57		3
256QAM	1	0	19.22	19.15	19.12	18.36	19.62	0-5	5
	1	36	19.21	19.10	19.13	18.18	19.39		5
	1	74	19.23	19.24	19.05	18.76	19.51		5
	36	0	19.37	19.24	19.21	18.34	19.61		5
	36	18	19.35	19.22	19.14	18.35	19.57		5
	36	37	19.34	19.20	19.19	18.62	19.48		5
	75	0	19.34	19.21	19.19	18.53	19.56		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 60 of 181

Table H-64

LTE Band 41 PC3 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	24.38	24.17	24.25	23.41	24.48	0	0	
	1	25	24.37	24.25	24.27	23.40	24.43		0	
	1	49	24.28	24.19	24.18	23.62	24.50		0	
	25	0	23.48	23.34	23.31	22.53	23.60	0-1	1	
	25	12	23.48	23.38	23.30	22.55	23.53		1	
	25	25	23.42	23.34	23.36	22.64	23.59		1	
16QAM	50	0	23.45	23.33	23.32	22.54	23.51	0-1	1	
	1	0	23.45	23.21	23.31	22.35	23.45		0-1	1
	1	25	23.35	23.19	23.30	22.36	23.42			1
	25	0	22.46	22.35	22.29	21.54	22.64	0-2		2
	25	12	22.49	22.38	22.31	21.56	22.56		2	
	25	25	22.42	22.33	22.35	21.65	22.64		2	
64QAM	50	0	22.47	22.34	22.31	21.55	22.55	0-2	2	
	1	0	22.47	22.32	22.40	21.55	22.69		0-2	2
	1	25	22.45	22.43	22.35	21.58	22.57			2
	25	0	21.47	21.34	21.32	20.53	21.63	0-3		3
	25	12	21.48	21.38	21.31	20.56	21.57		3	
	25	25	21.41	21.32	21.34	20.64	21.63		3	
256QAM	50	0	21.46	21.33	21.30	20.54	21.56	0-3	3	
	1	0	19.18	19.14	19.13	18.36	19.62		0-5	5
	1	25	19.45	19.28	19.39	18.23	19.47			5
	1	49	19.42	19.20	19.25	18.74	19.58	5		
	25	0	19.48	19.32	19.27	18.42	19.64	5		
	25	12	19.47	19.36	19.30	18.42	19.52	5		
25	25	19.44	19.32	19.33	18.54	19.63	5			
50	0	19.48	19.35	19.29	18.46	19.54	5			

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by:
DUT Type: Portable Computing Device		Technical Manager
		APPENDIX H: Page 61 of 181

Table H-65

LTE Band 41 PC3 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	24.34	24.19	24.20	23.45	24.44	0	0	
	1	12	24.36	24.25	24.28	23.44	24.42		0	
	1	24	24.30	24.18	24.21	23.58	24.45		0	
	16QAM	12	0	23.42	23.33	23.27	22.54	23.49	0-1	1
		12	6	23.50	23.35	23.29	22.57	23.49		1
		12	13	23.41	23.35	23.32	22.60	23.50		1
		64QAM	25	0	23.45	23.30	23.26	22.55	23.46	0-1
1			0	23.30	23.24	23.30	22.51	23.48	1	
1			12	23.29	23.31	23.46	22.48	23.46	1	
256QAM			1	24	23.26	23.18	23.31	22.66	23.48	0-2
	12		0	22.42	22.30	22.31	21.56	22.51	2	
	12		6	22.44	22.34	22.29	21.53	22.51	2	
	QPSK		12	13	22.39	22.28	22.36	21.58	22.51	0-2
		25	0	22.45	22.31	22.28	21.56	22.48	2	
		1	0	22.49	22.37	22.33	21.63	22.65	2	
		16QAM	1	12	22.53	22.39	22.40	21.59	22.55	0-2
1			24	22.44	22.32	22.27	21.79	22.67	2	
12			0	21.41	21.36	21.29	20.49	21.56	3	
64QAM			12	6	21.49	21.36	21.29	20.58	21.50	0-3
	12		13	21.39	21.35	21.36	20.60	21.54	3	
	25		0	21.46	21.28	21.24	20.54	21.51	3	
	256QAM		1	0	19.22	19.15	19.13	18.35	19.53	0-5
		1	12	19.41	19.33	19.29	18.39	19.43	5	
		1	24	19.34	19.29	19.17	18.70	19.54	5	
		QPSK	12	0	19.44	19.26	19.26	18.41	19.52	0-5
12			6	19.46	19.33	19.24	18.43	19.48	5	
12			13	19.43	19.30	19.32	18.49	19.49	5	
16QAM			25	0	19.42	19.30	19.25	18.44	19.48	0-5

Table H-66

LTE Band 41 PC3 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	12.86	12.56	12.76	12.48	12.55	0	0	
	1	36	12.78	12.57	12.66	12.48	12.22		0	
	1	74	12.69	12.66	12.65	12.56	12.22		0	
	16QAM	36	0	12.64	12.71	12.68	12.47	12.53	0-1	0
		36	18	12.87	12.72	12.80	12.53	12.44		0
		36	37	12.85	12.71	12.74	12.48	12.37		0
		64QAM	75	0	12.84	12.69	12.78	12.53	12.48	0-1
1			0	12.75	12.50	12.73	12.54	12.77	0	
1			36	12.67	12.55	12.71	12.41	12.25	0	
256QAM			1	74	12.68	12.59	12.65	12.24	12.29	0-1
	36		0	12.89	12.72	12.78	12.62	12.72	0	
	36		18	12.87	12.72	12.79	12.58	12.54	0	
	QPSK		36	37	12.85	12.72	12.78	12.51	12.47	0-2
		75	0	12.86	12.73	12.80	12.55	12.58	0	
		1	0	12.90	12.68	12.81	12.74	13.07	0	
		16QAM	1	36	12.91	12.72	12.74	12.49	12.54	0-2
1			74	12.77	12.78	12.84	12.42	12.51	0	
36			0	12.85	12.67	12.73	12.72	12.96	0	
64QAM			36	18	12.87	12.75	12.71	12.66	12.79	0-3
	36		37	12.82	12.73	12.75	12.57	12.69	0	
	75		0	12.88	12.75	12.73	12.64	12.83	0	
	256QAM		1	0	12.70	12.53	12.72	13.10	12.95	0-5
		1	36	12.77	12.63	12.66	12.72	12.68	0	
		1	74	12.66	12.61	12.60	12.75	12.57	0	
		QPSK	36	0	12.77	12.63	12.71	12.86	12.93	0-5
36			18	12.85	12.69	12.69	12.79	12.87	0	
36			37	12.78	12.71	12.74	12.71	12.63	0	
16QAM			75	0	12.79	12.70	12.67	12.78	12.89	0-5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by:
DUT Type: Portable Computing Device		Technical Manager
		APPENDIX H: Page 62 of 181

Table H-67
LTE Band 41 PC3 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	12.81	12.78	12.76	12.71	12.55	0	0
	1	25	12.93	12.75	12.96	12.58	12.26		0
	1	49	12.84	12.71	12.76	12.58	12.34		0
	25	0	13.01	12.81	12.83	12.67	12.64	0-1	0
	25	12	12.99	12.84	12.91	12.62	12.50		0
	25	25	12.95	12.83	12.87	12.59	12.48		0
50	0	12.97	12.80	12.88	12.64	12.57	0	0	
16QAM	1	0	12.85	12.70	12.83	12.74	12.66	0-1	0
	1	25	12.98	12.79	12.88	12.57	12.30		0
	1	49	12.82	12.75	12.76	12.53	12.38		0
	25	0	13.01	12.83	12.84	12.73	12.74	0-2	0
	25	12	12.99	12.83	12.95	12.67	12.60		0
	25	25	12.96	12.83	12.88	12.65	12.57		0
50	0	12.96	12.83	12.90	12.67	12.67	0	0	
64QAM	1	0	13.02	12.77	12.88	12.66	12.92	0-2	0
	1	25	12.96	12.90	12.99	12.57	12.55		0
	1	49	13.01	12.89	12.82	12.59	12.56		0
	25	0	13.01	12.82	12.83	12.79	12.98	0-3	0
	25	12	13.01	12.85	12.84	12.72	12.82		0
	25	25	12.96	12.85	12.87	12.68	12.80		0
50	0	12.99	12.85	12.83	12.74	12.90	0	0	
256QAM	1	0	12.81	12.70	12.82	13.04	13.15	0-5	0
	1	25	12.86	12.86	12.87	12.85	12.63		0
	1	49	12.79	12.69	12.74	12.85	12.74		0
	25	0	13.01	12.80	12.82	12.93	13.05		0
	25	12	13.01	12.89	12.83	12.87	12.85		0
	25	25	12.97	12.81	12.88	12.84	12.82		0
50	0	12.97	12.83	12.82	12.88	12.88	0	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 63 of 181

Table H-68
LTE Band 41 PC3 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
Conducted Power [dBm]										
QPSK	1	0	12.72	12.68	12.54	12.58	12.26	0	0	
	1	12	12.94	12.78	12.84	12.48	12.37		0	
	1	24	12.86	12.68	12.78	12.48	12.26		0	
	QPSK	12	0	12.86	12.78	12.86	12.57	12.50	0-1	0
		12	6	12.97	12.81	12.91	12.55	12.36		0
		12	13	12.92	12.78	12.84	12.53	12.34		0
		25	0	12.93	12.82	12.86	12.54	12.38		0
1		0	12.88	12.68	12.82	12.67	12.41	0		
16QAM	1	12	12.95	12.79	12.77	12.54	12.20	0-1	0	
	1	24	12.84	12.63	12.74	12.54	12.25		0	
	12	0	12.95	12.79	12.88	12.59	12.53		0	
	16QAM	12	6	12.96	12.83	12.90	12.58	12.46	0-2	0
		12	13	12.94	12.82	12.84	12.57	12.45		0
		25	0	12.94	12.80	12.88	12.60	12.49		0
		1	0	12.99	12.78	12.78	12.67	12.64		0
1		12	12.95	12.87	12.97	12.56	12.44	0		
64QAM	1	24	12.96	12.83	12.82	12.57	12.53	0-2	0	
	12	0	12.98	12.81	12.78	12.64	12.78		0	
	12	6	12.95	12.87	12.80	12.63	12.73		0	
	64QAM	12	13	12.97	12.82	12.85	12.59	12.68	0-3	0
		25	0	12.94	12.82	12.76	12.65	12.72		0
		1	0	12.77	12.63	12.75	12.96	12.92		0
		1	12	12.92	12.80	12.80	12.86	12.62		0
1		24	12.78	12.68	12.76	12.88	12.64	0		
256QAM	12	0	12.96	12.78	12.81	12.83	12.79	0-5	0	
	12	6	12.98	12.83	12.81	12.81	12.72		0	
	12	13	12.93	12.83	12.83	12.78	12.66		0	
	25	0	12.96	12.81	12.77	12.80	12.72		0	
	12	0	12.96	12.81	12.77	12.80	12.72		0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 64 of 181

H.1.12 LTE Band 48 Antenna 2

Table H-69
LTE Band 48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	20.07	20.29	20.28	20.11	0	0
	1	36	20.15	20.18	20.38	20.15		0
	1	74	20.17	20.18	20.32	20.07		0
	36	0	19.19	19.33	19.38	19.28	0-1	1
	36	18	19.25	19.33	19.39	19.28		1
	36	37	19.28	19.37	19.42	19.29		1
	75	0	19.22	19.34	19.37	19.28		1
16QAM	1	0	18.98	19.14	19.29	19.14	0-1	1
	1	36	19.15	19.24	19.32	19.21		1
	1	74	19.16	19.20	19.30	19.12		1
	36	0	18.21	18.32	18.39	18.26	0-2	2
	36	18	18.23	18.37	18.42	18.29		2
	36	37	18.29	18.41	18.44	18.31		2
	75	0	18.21	18.36	18.41	18.30		2
64QAM	1	0	18.10	18.18	18.38	18.26	0-2	2
	1	36	18.19	18.29	18.33	18.15		2
	1	74	18.18	18.25	18.35	18.10		2
	36	0	17.21	17.32	17.39	17.30	0-3	3
	36	18	17.25	17.33	17.40	17.29		3
	36	37	17.28	17.39	17.44	17.28		3
	75	0	17.27	17.36	17.41	17.28		3
256QAM	1	0	15.11	15.17	15.28	15.26	0-5	5
	1	36	15.14	15.28	15.28	15.32		5
	1	74	15.28	15.40	15.32	15.27		5
	36	0	15.20	15.30	15.38	15.27		5
	36	18	15.24	15.34	15.38	15.27		5
	36	37	15.26	15.37	15.42	15.28		5
	75	0	15.24	15.38	15.38	15.28		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 65 of 181

Table H-70
LTE Band 48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	20.26	20.36	20.45	20.39	0	0
	1	25	20.30	20.43	20.52	20.41		0
	1	49	20.32	20.39	20.45	20.34		0
	25	0	19.33	19.46	19.52	19.44	0-1	1
	25	12	19.38	19.52	19.57	19.47		1
	25	25	19.39	19.50	19.55	19.44		1
	50	0	19.36	19.47	19.53	19.44		1
16QAM	1	0	19.29	19.32	19.27	19.45	0-1	1
	1	25	19.42	19.45	19.32	19.42		1
	1	49	19.38	19.41	19.37	19.37		1
	25	0	18.35	18.45	18.52	18.45	0-2	2
	25	12	18.39	18.50	18.55	18.49		2
	25	25	18.40	18.51	18.55	18.48		2
	50	0	18.37	18.49	18.54	18.46		2
64QAM	1	0	18.36	18.39	18.53	18.39	0-2	2
	1	25	18.33	18.45	18.59	18.42		2
	1	49	18.30	18.55	18.54	18.39		2
	25	0	17.37	17.47	17.54	17.46	0-3	3
	25	12	17.41	17.49	17.56	17.48		3
	25	25	17.41	17.51	17.56	17.44		3
	50	0	17.40	17.51	17.57	17.46		3
256QAM	1	0	15.26	15.43	15.50	15.38	0-5	5
	1	25	15.36	15.51	15.59	15.43		5
	1	49	15.36	15.47	15.46	15.33		5
	25	0	15.36	15.45	15.55	15.45		5
	25	12	15.39	15.52	15.59	15.48		5
	25	25	15.39	15.53	15.59	15.45		5
	50	0	15.35	15.48	15.52	15.44		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 66 of 181

Table H-71
LTE Band 48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	20.30	20.26	20.38	20.37	0	0
	1	12	20.43	20.35	20.45	20.49		0
	1	24	20.33	20.30	20.42	20.37		0
	12	0	19.33	19.39	19.47	19.42	0-1	1
	12	6	19.37	19.47	19.54	19.46		1
	12	13	19.34	19.44	19.51	19.43		1
16QAM	25	0	19.32	19.43	19.48	19.43	0-1	1
	1	0	19.31	19.36	19.39	19.38		1
	1	12	19.40	19.44	19.47	19.52		1
	1	24	19.35	19.37	19.40	19.40	0-2	1
	12	0	18.32	18.41	18.45	18.40		2
	12	6	18.38	18.46	18.53	18.44		2
64QAM	12	13	18.38	18.45	18.49	18.43	0-2	2
	25	0	18.36	18.43	18.46	18.43		2
	1	0	18.30	18.37	18.28	18.43		0-2
	1	12	18.42	18.49	18.46	18.47	2	
	1	24	18.36	18.42	18.39	18.46	2	
	256QAM	12	0	17.35	17.40	17.47	17.40	0-3
12		6	17.39	17.42	17.53	17.46	3	
12		13	17.38	17.40	17.50	17.45	3	
25		0	17.34	17.44	17.50	17.43	0-5	3
1		0	15.32	15.37	15.42	15.33		5
1		12	15.40	15.52	15.48	15.42		5
256QAM	1	24	15.37	15.45	15.46	15.42	0-5	5
	12	0	15.33	15.42	15.47	15.41		5
	12	6	15.39	15.47	15.50	15.44		5
	12	13	15.39	15.43	15.49	15.42	5	
	25	0	15.34	15.44	15.49	15.41	5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 67 of 181

Table H-72
LTE Band 48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	10.77	10.93	11.21	11.11	0	0
	1	36	10.83	11.05	11.31	11.19		0
	1	74	10.80	11.07	11.27	11.16		0
	36	0	10.84	11.04	11.39	11.31	0-1	0
	36	18	10.94	11.15	11.42	11.33		0
	36	37	10.93	11.19	11.44	11.36		0
16QAM	75	0	10.93	11.16	11.42	11.34	0-1	0
	1	0	10.73	10.96	11.32	11.18		0
	1	36	10.86	11.11	11.28	11.29		0
	1	74	10.73	11.08	11.28	11.20	0-2	0
	36	0	10.82	11.04	11.41	11.33		0
	36	18	10.94	11.14	11.43	11.31		0
64QAM	36	37	10.96	11.21	11.43	11.33	0-2	0
	75	0	10.92	11.16	11.46	11.31		0
	1	0	10.86	10.99	11.42	11.27		0-2
	1	36	11.02	11.18	11.43	11.23	0	
	1	74	10.87	11.15	11.38	11.30	0	
	256QAM	36	0	10.87	11.09	11.42	11.31	0-3
36		18	10.90	11.15	11.44	11.32	0	
36		37	10.94	11.20	11.48	11.33	0	
75		0	10.94	11.19	11.43	11.34	0-5	0
1		0	10.70	10.85	11.17	11.21		0
1		36	10.73	11.06	11.23	11.21		0
256QAM	1	74	10.80	11.11	11.28	11.16	0-5	0
	36	0	10.82	11.01	11.33	11.26		0
	36	18	10.91	11.12	11.40	11.24		0
	36	37	10.93	11.18	11.31	11.22	0	
	75	0	10.92	11.15	11.39	11.29	0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 68 of 181

Table H-73
LTE Band 48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	10.91	11.12	11.42	11.34	0	0
	1	25	10.99	11.23	11.51	11.39		0
	1	49	10.99	11.20	11.44	11.34		0
	25	0	11.02	11.16	11.54	11.43	0-1	0
	25	12	11.09	11.29	11.60	11.45		0
	25	25	11.04	11.28	11.54	11.42		0
16QAM	50	0	11.04	11.30	11.56	11.45	0-1	0
	1	0	10.94	11.05	11.42	11.34		0
	1	25	11.02	11.24	11.46	11.33		0
	1	49	10.92	11.21	11.38	11.31	0-2	0
	25	0	11.06	11.19	11.55	11.43		0
	25	12	11.04	11.27	11.55	11.47		0
64QAM	25	25	11.09	11.26	11.59	11.47	0-2	0
	50	0	11.06	11.29	11.56	11.43		0
	1	0	11.05	11.23	11.58	11.40		0-2
	1	25	11.08	11.37	11.64	11.47	0	
	1	49	11.11	11.32	11.60	11.45	0	
	256QAM	25	0	11.06	11.19	11.55	11.42	0-3
25		12	11.06	11.35	11.60	11.48	0	
25		25	11.07	11.32	11.60	11.45	0	
50		0	11.06	11.29	11.56	11.43	0-5	0
1		0	10.73	11.02	11.49	11.25		0
1		25	10.97	11.22	11.40	11.34		0
256QAM	1	49	10.93	11.19	11.34	11.26	0-5	0
	25	0	10.96	11.25	11.51	11.33		0
	25	12	11.03	11.28	11.53	11.34		0
	25	25	10.99	11.27	11.45	11.27	0-5	0
	50	0	10.99	11.28	11.52	11.36		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 69 of 181

Table H-74
LTE Band 48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	10.95	11.14	11.40	11.25	0	0
	1	12	11.03	11.20	11.49	11.36		0
	1	24	10.98	11.19	11.42	11.30		0
	12	0	11.08	11.24	11.52	11.37	0-1	0
	12	6	11.12	11.30	11.54	11.42		0
	12	13	11.09	11.29	11.51	11.33		0
	25	0	11.09	11.25	11.51	11.38		0
16QAM	1	0	10.99	11.12	11.37	11.26	0-1	0
	1	12	11.02	11.22	11.54	11.37		0
	1	24	10.97	11.14	11.40	11.32		0
	12	0	11.08	11.25	11.53	11.39	0-2	0
	12	6	11.11	11.26	11.56	11.45		0
	12	13	11.08	11.27	11.56	11.35		0
	25	0	11.10	11.24	11.54	11.42		0
64QAM	1	0	11.11	11.23	11.51	11.41	0-2	0
	1	12	11.09	11.40	11.65	11.48		0
	1	24	11.13	11.32	11.54	11.39		0
	12	0	11.09	11.30	11.54	11.40	0-3	0
	12	6	11.15	11.27	11.58	11.44		0
	12	13	11.13	11.27	11.54	11.34		0
	25	0	11.12	11.28	11.54	11.41		0
256QAM	1	0	10.89	11.09	11.36	11.25	0-5	0
	1	12	10.93	11.19	11.44	11.31		0
	1	24	10.85	11.07	11.30	11.20		0
	12	0	11.01	11.21	11.51	11.34		0
	12	6	11.10	11.26	11.53	11.32		0
	12	13	11.03	11.24	11.53	11.32		0
	25	0	11.02	11.25	11.53	11.34		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 70 of 181

H.1.13 LTE Band 48 Antenna 3

Table H-75

LTE Band 48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
Conducted Power [dBm]								
QPSK	1	0	20.01	19.89	19.80	19.96	0	0
	1	36	20.03	19.93	19.89	20.07		0
	1	74	20.03	19.82	19.98	19.97		0
	36	0	19.15	18.89	18.80	18.85	0-1	1
	36	18	19.18	18.99	18.84	18.93		1
	36	37	19.14	18.71	18.87	18.88		1
	75	0	19.15	18.81	18.87	18.79		1
16QAM	1	0	18.92	18.60	18.44	18.44	0-1	1
	1	36	18.98	18.51	18.25	18.45		1
	1	74	18.93	18.53	18.44	18.41		1
	36	0	18.21	17.92	18.03	17.87	0-2	2
	36	18	18.17	17.93	17.93	17.93		2
	36	37	18.18	17.85	18.02	17.90		2
	75	0	18.19	17.83	17.82	17.84		2
64QAM	1	0	18.10	18.37	17.93	18.22	0-2	2
	1	36	18.22	18.21	17.96	18.08		2
	1	74	18.20	18.29	17.83	18.20		2
	36	0	17.18	16.93	16.90	16.81	0-3	3
	36	18	17.24	16.89	16.87	16.88		3
	36	37	17.20	16.87	16.94	16.83		3
	75	0	17.19	16.90	16.87	16.87		3
256QAM	1	0	15.11	14.82	14.53	14.66	0-5	5
	1	36	15.12	14.71	14.58	14.58		5
	1	74	15.10	14.66	14.58	14.50		5
	36	0	15.23	14.99	15.02	14.92		5
	36	18	15.21	14.97	14.98	14.88		5
	36	37	15.29	14.89	15.03	14.84		5
	75	0	15.19	14.85	15.01	14.84		5

Table H-76

LTE Band 48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
Conducted Power [dBm]								
QPSK	1	0	19.75	19.78	19.46	19.33	0	0
	1	25	19.84	19.89	19.50	19.49		0
	1	49	19.78	19.80	19.44	19.35		0
	25	0	18.80	18.61	18.52	18.47	0-1	1
	25	12	18.90	18.65	18.60	18.58		1
	25	25	18.76	18.63	18.55	18.48		1
	50	0	18.79	18.61	18.57	18.48		1
16QAM	1	0	19.08	19.07	18.64	18.90	0-1	1
	1	25	19.05	19.15	18.57	18.89		1
	1	49	18.98	19.03	18.58	18.77		1
	25	0	17.77	17.64	17.55	17.44	0-2	2
	25	12	17.84	17.70	17.55	17.49		2
	25	25	17.80	17.62	17.57	17.48		2
	50	0	17.80	17.62	17.46	17.47		2
64QAM	1	0	17.72	17.57	17.50	17.50	0-2	2
	1	25	17.76	17.48	17.55	17.61		2
	1	49	17.71	17.50	17.52	17.50		2
	25	0	16.76	16.64	16.55	16.57	0-3	3
	25	12	16.83	16.71	16.60	16.58		3
	25	25	16.82	16.70	16.61	16.52		3
	50	0	16.82	16.67	16.56	16.43		3
256QAM	1	0	14.69	14.50	14.34	14.29	0-5	5
	1	25	14.78	14.47	14.45	14.21		5
	1	49	14.64	14.67	14.32	14.07		5
	25	0	14.76	14.62	14.50	14.45		5
	25	12	14.83	14.68	14.60	14.44		5
	25	25	14.77	14.62	14.51	14.40		5
	50	0	14.82	14.62	14.53	14.48		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 71 of 181

Table H-77
LTE Band 48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.65	19.40	19.45	19.54	0	0
	1	12	19.77	19.46	19.59	19.56		0
	1	24	19.63	19.36	19.55	19.49		0
	12	0	18.77	18.59	18.51	18.47	0-1	1
	12	6	18.90	18.58	18.57	18.51		1
	12	13	18.84	18.60	18.58	18.41		1
	25	0	18.88	18.57	18.58	18.42		1
16QAM	1	0	18.76	18.83	18.79	18.84	0-1	1
	1	12	18.84	18.79	18.89	18.92		1
	1	24	18.70	19.02	18.92	18.97		1
	12	0	17.78	17.59	17.53	17.53	0-2	2
	12	6	17.84	17.60	17.70	17.50		2
	12	13	17.78	17.58	17.63	17.49		2
	25	0	17.79	17.59	17.55	17.41		2
64QAM	1	0	17.98	17.42	17.59	17.33	0-2	2
	1	12	18.04	17.40	17.73	17.59		2
	1	24	17.98	17.51	17.75	17.38		2
	12	0	16.87	16.74	16.59	16.44	0-3	3
	12	6	16.98	16.77	16.66	16.42		3
	12	13	16.87	16.81	16.62	16.40		3
	25	0	16.80	16.71	16.62	16.46		3
256QAM	1	0	14.49	14.58	14.20	14.21	0-5	5
	1	12	14.52	14.42	14.31	14.07		5
	1	24	14.46	14.55	14.27	14.08		5
	12	0	14.78	14.66	14.59	14.50		5
	12	6	14.85	14.71	14.62	14.58		5
	12	13	14.79	14.71	14.60	14.58		5
	25	0	14.87	14.63	14.48	14.38		5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 72 of 181

Table H-78
LTE Band 48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.21	10.62	10.44	10.66	0	0
	1	36	11.15	10.60	10.54	10.69		0
	1	74	11.20	10.75	10.51	10.74		0
	36	0	11.19	10.84	10.62	10.80	0-1	0
	36	18	11.18	10.84	10.63	10.78		0
	36	37	11.15	10.85	10.62	10.73		0
	75	0	11.15	10.84	10.65	10.74		0
16QAM	1	0	11.38	10.92	10.41	11.05	0-1	0
	1	36	11.23	10.72	10.41	10.99		0
	1	74	11.38	10.98	10.64	10.93		0
	36	0	11.28	10.90	10.62	10.67	0-2	0
	36	18	11.24	10.82	10.65	10.66		0
	36	37	11.23	10.78	10.66	10.60		0
	75	0	11.28	10.81	10.60	10.74		0
64QAM	1	0	11.39	10.92	11.15	10.91	0-2	0
	1	36	11.38	11.11	11.16	10.88		0
	1	74	11.41	11.15	11.39	10.95		0
	36	0	11.26	10.83	10.62	10.72	0-3	0
	36	18	11.17	10.86	10.63	10.71		0
	36	37	11.20	10.88	10.66	10.77		0
	75	0	11.04	10.80	10.68	10.74		0
256QAM	1	0	11.39	11.05	10.55	10.95	0-5	0
	1	36	11.32	10.91	10.73	10.98		0
	1	74	11.36	11.10	10.68	11.15		0
	36	0	11.42	10.85	10.71	10.73		0
	36	18	11.34	10.72	10.65	10.74		0
	36	37	11.37	10.78	10.72	10.76		0
	75	0	11.32	10.93	10.73	10.73		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 73 of 181

Table H-79
LTE Band 48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.33	10.92	10.55	10.88	0	0
	1	25	11.36	10.98	10.61	10.72		0
	1	49	11.35	10.93	10.60	10.84		0
	25	0	11.43	10.89	10.81	10.82	0-1	0
	25	12	11.48	11.00	10.86	10.81		0
	25	25	11.40	10.97	10.79	10.78		0
	50	0	11.47	10.99	10.85	10.88		0
16QAM	1	0	11.40	10.62	10.62	11.02	0-1	0
	1	25	11.40	10.75	10.85	11.18		0
	1	49	11.38	10.68	10.70	11.07		0
	25	0	11.46	11.01	10.73	10.82	0-2	0
	25	12	11.53	11.02	10.80	10.88		0
	25	25	11.49	10.99	10.81	10.89		0
	50	0	11.41	10.91	10.72	10.85		0
64QAM	1	0	11.66	10.94	11.02	10.82	0-2	0
	1	25	11.74	11.01	11.05	10.93		0
	1	49	11.74	10.85	11.03	10.96		0
	25	0	11.43	10.94	10.82	10.83	0-3	0
	25	12	11.45	11.00	10.92	10.90		0
	25	25	11.46	11.01	10.82	10.83		0
	50	0	11.49	10.93	10.83	10.86		0
256QAM	1	0	11.72	11.00	10.78	10.99	0-5	0
	1	25	11.71	11.08	10.85	11.03		0
	1	49	11.75	10.98	10.80	10.94		0
	25	0	11.48	11.02	10.83	10.84		0
	25	12	11.48	11.08	10.84	10.87		0
	25	25	11.45	11.01	10.82	10.85		0
	50	0	11.46	11.02	10.78	10.84		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 74 of 181

Table H-80
LTE Band 48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.27	10.62	10.61	10.75	0	0
	1	12	11.35	10.80	10.72	10.82		0
	1	24	11.32	10.70	10.68	10.72		0
	12	0	11.40	10.99	10.75	10.89	0-1	0
	12	6	11.42	10.95	10.78	10.87		0
	12	13	11.45	10.94	10.82	10.90		0
	25	0	11.38	10.90	10.78	10.83		0
16QAM	1	0	11.41	11.02	10.73	10.80	0-1	0
	1	12	11.42	11.12	10.91	10.86		0
	1	24	11.38	10.99	10.73	10.79		0
	12	0	11.47	10.92	10.83	10.86	0-2	0
	12	6	11.55	10.99	10.82	10.82		0
	12	13	11.52	10.89	10.84	10.81		0
	25	0	11.42	10.98	10.78	10.88		0
64QAM	1	0	11.56	11.21	11.08	11.06	0-2	0
	1	12	11.46	11.41	11.15	11.24		0
	1	24	11.53	11.40	10.86	11.02		0
	12	0	11.44	11.04	10.88	10.89	0-3	0
	12	6	11.51	11.03	10.96	10.98		0
	12	13	11.41	11.01	10.98	10.92		0
	25	0	11.46	10.99	10.83	10.80		0
256QAM	1	0	11.42	11.17	10.74	10.93	0-5	0
	1	12	11.55	11.23	11.02	10.98		0
	1	24	11.55	11.03	10.79	10.83		0
	12	0	11.45	10.92	10.89	10.80		0
	12	6	11.50	10.99	10.91	10.90		0
	12	13	11.56	11.02	10.90	10.81		0
	25	0	11.50	10.98	10.83	10.92		0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 75 of 181

H.2 NR Lower Bandwidth RF Conducted Powers

H.2.1 NR Band n71 Antenna 4

Table H-81
NR Band n71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			136100 (680.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.22	0	0.0	
	1	40	24.26		0.0	
	1	77	24.24		0.0	
		36	0	23.29	0-1	1.0
		36	22	24.37	0	0.0
		36	43	23.25	0-1	1.0
		75	0	23.33		1.0
DFT-s-OFDM 16QAM	1	1	23.16	0-1	1.0	
CP-OFDM QPSK	1	1	22.69	0-1.5	1.5	

Table H-82
NR Band n71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	24.23	24.13	24.10	0	0.0	
	1	26	24.25	24.18	24.15		0.0	
	1	50	24.14	24.12	24.01		0.0	
		25	0	23.17	23.17	23.05	0-1	1.0
		25	14	24.18	24.16	24.05	0	0.0
		25	27	23.19	23.15	23.06	0-1	1.0
		50	0	23.23	23.18	23.06		1.0
DFT-s-OFDM 16QAM	1	1	23.24	23.07	23.06	0-1	1.0	
CP-OFDM QPSK	1	1	22.69	22.60	22.52	0-1.5	1.5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 76 of 181

Table H-83
NR Band n71 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.28	24.14	24.13	0	0.0
	1	13	24.20	24.22	24.11		0.0
	1	23	24.15	24.16	24.00		0.0
	12	0	23.26	23.13	23.09	0-1	1.0
	12	7	24.18	24.17	24.10	0	0.0
	12	13	23.21	23.15	23.06	0-1	1.0
	25	0	23.21	23.19	23.08		1.0
DFT-s-OFDM 16QAM	1	1	23.24	23.05	23.13	0-1	1.0
CP-OFDM QPSK	1	1	22.64	22.44	22.51	0-1.5	1.5

Table H-84
NR Band n71 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.11	0	0.0
	1	40	16.10		0.0
	1	77	16.08		0.0
	36	0	16.18	0-1	0.0
	36	22	16.18	0	0.0
	36	43	16.12	0-1	0.0
	75	0	16.17		0.0
DFT-s-OFDM 16QAM	1	1	15.96	0-1	0.0
CP-OFDM QPSK	1	1	16.04	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 77 of 181

Table H-85
NR Band n71 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.02	15.93	15.95	0	0.0
	1	26	16.06	16.08	15.97		0.0
	1	50	15.92	15.97	15.89		0.0
	25	0	16.02	15.98	15.89	0-1	0.0
	25	14	16.02	16.00	15.91	0	0.0
	25	27	15.95	15.96	15.89	0-1	0.0
	50	0	16.01	15.99	15.91		0.0
DFT-s-OFDM 16QAM	1	1	15.80	16.00	15.89	0-1	0.0
CP-OFDM QPSK	1	1	15.99	15.85	15.91	0-1.5	0.0

Table H-86
NR Band n71 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.03	16.04	15.96	0	0.0
	1	13	16.12	16.00	16.02		0.0
	1	23	16.02	16.04	15.86		0.0
	12	0	15.95	16.04	15.97	0-1	0.0
	12	7	15.92	15.96	15.93	0	0.0
	12	13	16.04	15.95	15.87	0-1	0.0
	25	0	15.99	15.99	15.90		0.0
DFT-s-OFDM 16QAM	1	1	15.89	15.95	15.96	0-1	0.0
CP-OFDM QPSK	1	1	15.88	15.97	15.89	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 78 of 181

H.2.2 NR Band n12 Antenna 4

Table H-87
NR Band n12 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.68		0	0.0
	1	26	24.67			0.0
	1	50	24.44			0.0
	25	0	23.75		0-1	1.0
	25	14	24.68		0	0.0
	25	27	23.62		0-1	1.0
	50	0	23.67			1.0
DFT-s-OFDM 16QAM	1	1	23.62		0-1	1.0
CP-OFDM QPSK	1	1	23.06		0-1.5	1.5

Table H-88
NR Band n12 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.67	24.71	24.36	0	0.0
	1	13	24.66	24.67	24.33		0.0
	1	23	24.64	24.63	24.28		0.0
	12	0	23.69	23.74	23.39	0-1	1.0
	12	7	24.62	24.60	24.34	0	0.0
	12	13	23.63	23.65	23.34	0-1	1.0
	25	0	23.68	23.66	23.39		1.0
DFT-s-OFDM 16QAM	1	1	23.67	23.64	23.35	0-1	1.0
CP-OFDM QPSK	1	1	23.12	23.09	22.75	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 79 of 181

Table H-89
NR Band n12 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)	Conducted Power [dBm]		
			DFT-s-OFDM QPSK			
	1	26	17.11		0.0	
	1	50	17.09		0.0	
	25	0	17.20	0-1	0.0	
	25	14	17.18	0	0.0	
	25	27	17.12	0-1	0.0	
	50	0	17.18		0.0	
DFT-s-OFDM 16QAM	1	1	17.10	0-1	0.0	
CP-OFDM QPSK	1	1	17.11	0-1.5	0.0	

Table H-90
NR Band n12 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.18	17.23	17.00	0	0.0	
	1	13	17.21	17.17	16.89		0.0	
	1	23	17.13	17.13	16.82		0.0	
		12	0	17.22	17.20	16.91	0-1	0.0
		12	7	17.14	17.15	16.83	0	0.0
		12	13	17.14	17.08	16.80	0-1	0.0
		25	0	17.18	17.13	16.88		0.0
DFT-s-OFDM 16QAM	1	1	17.12	17.09	16.81	0-1	0.0	
CP-OFDM QPSK	1	1	17.15	17.05	16.85	0-1.5	0.0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 80 of 181

H.2.3 NR Band n14 Antenna 4

Table H-91
NR Band n14 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.91	23.99	0	0.0
	1	13	23.81	23.87		0.0
	1	23	23.76	23.87		0.0
	12	0	22.96	23.02	0-1	1.0
	12	7	23.77	23.79	0	0.0
	12	13	22.80	22.89	0-1	1.0
	25	0	22.93	22.98		1.0
DFT-s-OFDM 16QAM	1	1	22.90	22.98	0-1	1.0
CP-OFDM QPSK	1	1	22.36	22.42	0-1.5	1.5

Table H-92
NR Band n14 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.58	17.60	0	0.0
	1	13	17.50	17.53		0.0
	1	23	17.48	17.44		0.0
	12	0	17.56	17.64	0-1	0.0
	12	7	17.49	17.52	0	0.0
	12	13	17.45	17.47	0-1	0.0
	25	0	17.48	17.57		0.0
DFT-s-OFDM 16QAM	1	1	17.48	17.54	0-1	0.0
CP-OFDM QPSK	1	1	17.47	17.55	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 81 of 181

H.2.4 NR Band n5 Antenna 4

Table H-93
NR Band n5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.15	0	0.0
	1	40	24.16		0.0
	1	77	24.15		0.0
	36	0	23.23	0-1	1.0
	36	22	24.25	0	0.0
	36	43	23.20	0-1	1.0
	75	0	23.26		1.0
DFT-s-OFDM 16QAM	1	1	23.09	0-1	1.0
CP-OFDM QPSK	1	1	22.61	0-1.5	1.5

Table H-94
NR Band n5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.08	0	0.0
	1	26	23.98		0.0
	1	50	23.88		0.0
	25	0	23.09	0-1	1.0
	25	14	24.10	0	0.0
	25	27	23.09	0-1	1.0
	50	0	23.12		1.0
DFT-s-OFDM 16QAM	1	1	22.91	0-1	1.0
CP-OFDM QPSK	1	1	22.80	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 82 of 181

Table H-95
NR Band n5 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]
			165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)	
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.15	24.07	24.05	0
	1	13	24.05	24.08	24.11	
	1	23	24.23	24.15	24.10	
	12	0	23.11	23.06	23.03	0-1
	12	7	24.02	24.06	23.95	0
	12	13	23.03	23.09	23.08	0-1
	25	0	23.06	23.12	23.10	
DFT-s-OFDM 16QAM	1	1	23.08	23.00	22.99	0-1
CP-OFDM QPSK	1	1	22.60	22.48	22.53	0-1.5

Table H-96
NR Band n5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.26	0	0.0
	1	40	17.15		0.0
	1	77	17.12		0.0
	36	0	17.30	0-1	0.0
	36	22	17.25	0	0.0
	36	43	17.22	0-1	0.0
	75	0	17.19		0.0
DFT-s-OFDM 16QAM	1	1	17.04	0-1	0.0
CP-OFDM QPSK	1	1	17.23	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 83 of 181

Table H-97
NR Band n5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]
			167300 (836.5 MHz)	Conducted Power [dBm]	
DFT-s-OFDM QPSK	1	1	17.05	0	0.0
	1	26	17.06		0.0
	1	50	17.05		0.0
	25	0	17.15	0-1	0.0
	25	14	17.13	0	0.0
	25	27	17.07	0-1	0.0
	50	0	17.08		0.0
DFT-s-OFDM 16QAM	1	1	16.86	0-1	0.0
CP-OFDM QPSK	1	1	17.01	0-1.5	0.0

Table H-98
NR Band n5 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]
			165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)	
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.10	17.15	17.15	0
	1	13	17.14	17.11	17.03	
	1	23	17.07	17.09	17.17	
	12	0	17.05	17.12	17.10	0-1
	12	7	17.06	17.05	17.04	0
	12	13	17.10	17.05	17.09	0-1
	25	0	17.14	17.08	17.10	
DFT-s-OFDM 16QAM	1	1	17.01	17.00	17.06	0-1
CP-OFDM QPSK	1	1	17.04	17.09	17.09	0-1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 84 of 181

H.2.5 NR Band n26 Antenna 4

Table H-99
NR Band n26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.01	24.26	0	0.0
	1	40	24.14	24.23		0.0
	1	77	24.28	24.24		0.0
	36	0	23.20	23.33	0-1	1.0
	36	22	24.22	24.26	0	0.0
	36	43	23.33	23.40	0-1	1.0
	75	0	23.26	23.39		1.0
DFT-s-OFDM 16QAM	1	1	23.10	23.29	0-1	1.0
CP-OFDM QPSK	1	1	22.62	22.78	0-1.5	1.5

Table H-100
NR Band n26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.04	24.00	24.17	0	0.0
	1	26	24.17	24.26	24.18		0.0
	1	50	24.04	24.13	24.17		0.0
	25	0	23.15	23.28	23.24	0-1	1.0
	25	14	24.09	24.19	24.19	0	0.0
	25	27	23.21	23.28	23.29	0-1	1.0
	50	0	23.22	23.23	23.28		1.0
DFT-s-OFDM 16QAM	1	1	23.14	23.18	23.27	0-1	1.0
CP-OFDM QPSK	1	1	22.52	22.58	22.77	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 85 of 181

Table H-101
NR Band n26 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.06	24.12	24.27	0	0.0
	1	13	24.15	24.16	24.34		0.0
	1	23	24.06	24.20	24.28		0.0
	12	0	23.19	23.28	23.30	0-1	1.0
	12	7	24.10	24.12	24.17	0	0.0
	12	13	23.24	23.20	23.27	0-1	1.0
	25	0	23.25	23.27	23.33		1.0
DFT-s-OFDM 16QAM	1	1	23.13	23.24	23.37	0-1	1.0
CP-OFDM QPSK	1	1	22.50	22.59	22.71	0-1.5	1.5

Table H-102
NR Band n26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.51	17.63	0	0.0
	1	40	17.60	17.62		0.0
	1	77	17.75	17.64		0.0
	36	0	17.51	17.72	0-1	0.0
	36	22	17.65	17.73	0	0.0
	36	43	17.76	17.70	0-1	0.0
	75	0	17.68	17.69		0.0
DFT-s-OFDM 16QAM	1	1	17.35	17.47	0-1	0.0
CP-OFDM QPSK	1	1	17.46	17.61	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 86 of 181

Table H-103
NR Band n26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.45	17.45	17.57	0	0.0
	1	26	17.49	17.56	17.60		0.0
	1	50	17.45	17.51	17.63		0.0
	25	0	17.46	17.54	17.66	0-1	0.0
	25	14	17.48	17.60	17.61	0	0.0
	25	27	17.49	17.59	17.57	0-1	0.0
	50	0	17.57	17.62	17.57		0.0
DFT-s-OFDM 16QAM	1	1	17.31	17.39	17.43	0-1	0.0
CP-OFDM QPSK	1	1	17.40	17.46	17.52	0-1.5	0.0

Table H-104
NR Band n26 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.43	17.60	17.77	0	0.0
	1	13	17.55	17.62	17.73		0.0
	1	23	17.52	17.62	17.71		0.0
	12	0	17.44	17.56	17.67	0-1	0.0
	12	7	17.37	17.52	17.67	0	0.0
	12	13	17.52	17.59	17.67	0-1	0.0
	25	0	17.53	17.59	17.71		0.0
DFT-s-OFDM 16QAM	1	1	17.33	17.49	17.71	0-1	0.0
CP-OFDM QPSK	1	1	17.30	17.55	17.65	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 87 of 181

H.2.6 NR Band n66 Antenna 1

Table H-105

NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.37	0	0.0
	1	80	24.39		0.0
	1	158	24.38		0.0
	80	0	23.47	0-1	1.0
	80	40	24.40	0	0.0
	80	80	23.50	0-1	1.0
	160	0	23.45		1.0
DFT-s-OFDM 16QAM	1	1	23.34	0-1	1.0
CP-OFDM QPSK	1	1	22.82	0-1.5	1.5

Table H-106

NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.34	0	0.0
	1	67	24.36		0.0
	1	131	24.29		0.0
	64	0	23.42	0-1	1.0
	64	35	24.31	0	0.0
	64	69	23.33	0-1	1.0
	128	0	23.40		1.0
DFT-s-OFDM 16QAM	1	1	23.33	0-1	1.0
CP-OFDM QPSK	1	1	22.95	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 88 of 181

Table H-107
NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth
NR Band n66
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.49	24.41	24.39	0	0.0
	1	53	24.39	24.31	24.42		0.0
	1	104	24.46	24.28	24.36		0.0
	50	0	23.42	23.42	23.37	0-1	1.0
	50	28	24.45	24.34	24.48	0	0.0
	50	56	23.39	23.30	23.41	0-1	1.0
	100	0	23.43	23.36	23.37		1.0
DFT-s-OFDM 16QAM	1	1	23.37	23.33	23.31	0-1	1.0
CP-OFDM QPSK	1	1	22.93	22.87	22.88	0-1.5	1.5

Table H-108
NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth
NR Band n66
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.55	24.46	24.38	0	0.0
	1	40	24.41	24.40	24.41		0.0
	1	77	24.44	24.29	24.36		0.0
	36	0	23.54	23.45	23.36	0-1	1.0
	36	22	24.44	24.37	24.46	0	0.0
	36	43	23.46	23.35	23.42	0-1	1.0
	75	0	23.47	23.38	23.45		1.0
DFT-s-OFDM 16QAM	1	1	23.42	23.42	23.31	0-1	1.0
CP-OFDM QPSK	1	1	22.90	22.92	22.80	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 89 of 181

Table H-109
NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.31	24.17	24.27	0	0.0
	1	26	24.28	24.12	24.20		0.0
	1	50	24.20	24.20	24.22		0.0
	25	0	23.33	23.18	23.29	0-1	1.0
	25	14	24.29	24.10	24.26	0	0.0
	25	27	23.35	23.24	23.24	0-1	1.0
	50	0	23.29	23.21	23.25		1.0
DFT-s-OFDM 16QAM	1	1	23.32	23.07	23.20	0-1	1.0
CP-OFDM QPSK	1	1	22.78	22.62	22.71	0-1.5	1.5

Table H-110
NR Band n66 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.31	24.29	24.18	0	0.0
	1	13	24.21	24.19	24.24		0.0
	1	23	24.26	24.25	24.28		0.0
	12	0	23.24	23.12	23.19	0-1	1.0
	12	7	24.17	24.17	24.13	0	0.0
	12	13	23.21	23.26	23.25	0-1	1.0
	25	0	23.24	23.23	23.20		1.0
DFT-s-OFDM 16QAM	1	1	23.23	23.22	23.11	0-1	1.0
CP-OFDM QPSK	1	1	22.72	22.82	22.50	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 90 of 181

Table H-111
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.99	0	0.0
	1	80	13.07		0.0
	1	158	12.97		0.0
	80	0	13.01	0-1	0.0
	80	40	13.08	0	0.0
	80	80	13.12	0-1	0.0
	160	0	13.14		0.0
DFT-s-OFDM 16QAM	1	1	12.95	0-1	0.0
CP-OFDM QPSK	1	1	13.06	0-1.5	0.0

Table H-112
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.22	0	0.0
	1	67	12.91		0.0
	1	131	13.25		0.0
	64	0	12.98	0-1	0.0
	64	35	12.95	0	0.0
	64	69	12.98	0-1	0.0
	128	0	13.03		0.0
DFT-s-OFDM 16QAM	1	1	13.16	0-1	0.0
CP-OFDM QPSK	1	1	13.24	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 91 of 181

Table H-113
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth
NR Band n66
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.98	13.01	12.85	0	0.0
	1	53	12.88	12.94	12.73		0.0
	1	104	12.97	12.94	12.80		0.0
	50	0	12.96	12.96	12.84	0-1	0.0
	50	28	12.94	12.96	12.78	0	0.0
	50	56	13.00	12.92	12.81	0-1	0.0
	100	0	12.93	12.94	12.78		0.0
DFT-s-OFDM 16QAM	1	1	13.15	13.10	12.99	0-1	0.0
CP-OFDM QPSK	1	1	13.00	12.94	12.76	0-1.5	0.0

Table H-114
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth
NR Band n66
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.00	12.98	12.79	0	0.0
	1	40	12.90	12.88	12.75		0.0
	1	77	13.06	12.98	12.78		0.0
	36	0	12.99	12.98	12.81	0-1	0.0
	36	22	13.01	12.94	12.74	0	0.0
	36	43	12.98	12.92	12.79	0-1	0.0
	75	0	12.97	12.92	12.73		0.0
DFT-s-OFDM 16QAM	1	1	13.13	13.13	12.89	0-1	0.0
CP-OFDM QPSK	1	1	12.99	12.88	12.67	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 92 of 181

Table H-115
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.88	12.87	12.76	0	0.0
	1	26	12.84	12.92	12.77		0.0
	1	50	12.95	12.85	12.74		0.0
	25	0	12.79	12.85	12.68	0-1	0.0
	25	14	12.82	12.85	12.75	0	0.0
	25	27	12.83	12.86	12.72	0-1	0.0
	50	0	12.80	12.80	12.69		0.0
DFT-s-OFDM 16QAM	1	1	13.01	13.04	13.01	0-1	0.0
CP-OFDM QPSK	1	1	12.83	12.86	12.72	0-1.5	0.0

Table H-116
NR Band n66 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.69	12.82	12.70	0	0.0
	1	13	12.74	12.86	12.70		0.0
	1	23	12.70	12.84	12.66		0.0
	12	0	12.79	12.89	12.74	0-1	0.0
	12	7	12.82	12.85	12.70	0	0.0
	12	13	12.78	12.91	12.73	0-1	0.0
	25	0	12.77	12.90	12.67		0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.98	12.91	0-1	0.0
CP-OFDM QPSK	1	1	12.78	12.75	12.65	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 93 of 181

H.2.7 NR Band n66 Antenna 4

Table H-117

NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.65	0	0.0
	1	80	24.86		0.0
	1	158	24.68		0.0
	80	0	23.79	0-1	1.0
	80	40	24.77	0	0.0
	80	80	23.84	0-1	1.0
	160	0	23.84		1.0
DFT-s-OFDM 16QAM	1	1	23.58	0-1	1.0
CP-OFDM QPSK	1	1	23.20	0-1.5	1.5

Table H-118

NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.98	0	0.0
	1	67	24.75		0.0
	1	131	24.98		0.0
	64	0	23.82	0-1	1.0
	64	35	24.88	0	0.0
	64	69	23.93	0-1	1.0
	128	0	23.82		1.0
DFT-s-OFDM 16QAM	1	1	23.87	0-1	1.0
CP-OFDM QPSK	1	1	23.39	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 94 of 181

Table H-119
NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth
NR Band n66
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.90	24.71	24.65	0	0.0
	1	53	24.96	24.72	24.89		0.0
	1	104	24.70	24.72	24.93		0.0
	50	0	23.68	23.97	23.95	0-1	1.0
	50	28	24.86	24.81	24.76	0	0.0
	50	56	23.80	23.91	23.92	0-1	1.0
	100	0	23.98	23.89	23.92		1.0
DFT-s-OFDM 16QAM	1	1	23.86	23.99	23.78	0-1	1.0
CP-OFDM QPSK	1	1	23.30	23.11	23.36	0-1.5	1.5

Table H-120
NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth
NR Band n66
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.89	24.96	24.96	0	0.0
	1	40	24.96	24.66	24.89		0.0
	1	77	24.85	24.77	24.87		0.0
	36	0	23.91	23.78	23.61	0-1	1.0
	36	22	24.93	24.70	24.83	0	0.0
	36	43	23.68	23.86	23.96	0-1	1.0
	75	0	23.76	23.93	23.70		1.0
DFT-s-OFDM 16QAM	1	1	23.85	23.35	23.45	0-1	1.0
CP-OFDM QPSK	1	1	23.39	23.15	23.24	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 95 of 181

Table H-121
NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	24.86	24.50	24.96	0	0.0	
	1	26	24.72	24.66	24.90		0.0	
	1	50	24.66	24.56	24.75		0.0	
		25	0	23.57	23.73	23.95	0-1	1.0
		25	14	24.47	24.90	24.84	0	0.0
		25	27	23.66	23.74	23.85	0-1	1.0
		50	0	23.64	23.74	23.92		1.0
DFT-s-OFDM 16QAM	1	1	23.79	23.65	23.71	0-1	1.0	
CP-OFDM QPSK	1	1	23.44	23.39	23.10	0-1.5	1.5	

Table H-122
NR Band n66 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	25.00	24.92	24.74	0	0.0	
	1	13	24.55	24.96	24.65		0.0	
	1	23	24.48	24.88	24.82		0.0	
		12	0	23.55	23.70	23.89	0-1	1.0
		12	7	24.45	24.86	24.87	0	0.0
		12	13	23.55	23.75	23.96	0-1	1.0
		25	0	23.56	23.98	23.97		1.0
DFT-s-OFDM 16QAM	1	1	23.91	23.99	23.95	0-1	1.0	
CP-OFDM QPSK	1	1	23.45	23.31	23.29	0-1.5	1.5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 96 of 181

Table H-123
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.30	0	0.0
	1	80	15.38		0.0
	1	158	15.34		0.0
	80	0	15.37	0-1	0.0
	80	40	15.42	0	0.0
	80	80	15.41	0-1	0.0
	160	0	15.37		0.0
DFT-s-OFDM 16QAM	1	1	15.66	0-1	0.0
CP-OFDM QPSK	1	1	15.52	0-1.5	0.0

Table H-124
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.58	0	0.0
	1	67	15.45		0.0
	1	131	15.70		0.0
	64	0	15.47	0-1	0.0
	64	35	15.54	0	0.0
	64	69	15.53	0-1	0.0
	128	0	15.44		0.0
DFT-s-OFDM 16QAM	1	1	15.70	0-1	0.0
CP-OFDM QPSK	1	1	15.55	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 97 of 181

Table H-125
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.25	15.51	15.49	0	0.0
	1	53	15.26	15.52	15.39		0.0
	1	104	15.49	15.55	15.39		0.0
	50	0	15.37	15.45	15.41	0-1	0.0
	50	28	15.32	15.51	15.37	0	0.0
	50	56	15.42	15.52	15.37	0-1	0.0
	100	0	15.32	15.50	15.41		0.0
DFT-s-OFDM 16QAM	1	1	15.38	15.35	15.61	0-1	0.0
CP-OFDM QPSK	1	1	15.22	15.52	15.69	0-1.5	0.0

Table H-126
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.31	15.42	15.37	0	0.0
	1	40	15.33	15.39	15.31		0.0
	1	77	15.46	15.43	15.29		0.0
	36	0	15.23	15.43	15.27	0-1	0.0
	36	22	15.31	15.49	15.26	0	0.0
	36	43	15.28	15.46	15.28	0-1	0.0
	75	0	15.33	15.54	15.31		0.0
DFT-s-OFDM 16QAM	1	1	15.39	15.15	15.16	0-1	0.0
CP-OFDM QPSK	1	1	15.25	15.22	15.19	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 98 of 181

Table H-127
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.27	15.34	15.27	0	0.0
	1	26	15.39	15.39	15.25		0.0
	1	50	15.33	15.28	15.23		0.0
	25	0	15.23	15.36	15.20	0-1	0.0
	25	14	15.30	15.33	15.16	0	0.0
	25	27	15.28	15.32	15.14	0-1	0.0
	50	0	15.30	15.35	15.13		0.0
DFT-s-OFDM 16QAM	1	1	15.23	15.11	15.30	0-1	0.0
CP-OFDM QPSK	1	1	15.45	15.36	15.20	0-1.5	0.0

Table H-128
NR Band n66 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.13	15.34	15.11	0	0.0
	1	13	15.29	15.42	15.19		0.0
	1	23	15.25	15.37	15.11		0.0
	12	0	15.19	15.38	15.15	0-1	0.0
	12	7	15.32	15.31	15.12	0	0.0
	12	13	15.21	15.38	15.15	0-1	0.0
	25	0	15.31	15.35	15.16		0.0
DFT-s-OFDM 16QAM	1	1	15.06	15.51	15.56	0-1	0.0
CP-OFDM QPSK	1	1	15.33	15.53	15.27	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 99 of 181

H.2.8 NR Band n25 Antenna 1

Table H-129

NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.31	0	0.0
	1	80	24.36		0.0
	1	158	24.32		0.0
	80	0	23.61	0-1	1.0
	80	40	24.51	0	0.0
	80	80	23.60	0-1	1.0
	160	0	23.56		1.0
DFT-s-OFDM 16QAM	1	1	23.80	0-1	1.0
CP-OFDM QPSK	1	1	23.23	0-1.5	1.5

Table H-130

NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.26	0	0.0
	1	67	24.28		0.0
	1	131	24.17		0.0
	64	0	23.53	0-1	1.0
	64	35	24.51	0	0.0
	64	69	23.41	0-1	1.0
	128	0	23.50		1.0
DFT-s-OFDM 16QAM	1	1	23.80	0-1	1.0
CP-OFDM QPSK	1	1	22.93	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 100 of 181

Table H-131
NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.36	24.32	24.34	0	0.0
	1	53	24.32	24.29	24.38		0.0
	1	104	24.25	24.17	24.25		0.0
	50	0	23.58	23.55	23.54	0-1	1.0
	50	28	24.53	24.46	24.59	0	0.0
	50	56	23.50	23.43	23.55	0-1	1.0
	100	0	23.54	23.47	23.49		1.0
DFT-s-OFDM 16QAM	1	1	23.78	23.84	23.83	0-1	1.0
CP-OFDM QPSK	1	1	22.90	22.92	22.92	0-1.5	1.5

Table H-132
NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.44	24.39	24.31	0	0.0
	1	40	24.45	24.25	24.30		0.0
	1	77	24.41	24.24	24.24		0.0
	36	0	23.68	23.52	23.47	0-1	1.0
	36	22	24.63	24.43	24.54	0	0.0
	36	43	23.58	23.44	23.49	0-1	1.0
	75	0	23.65	23.50	23.55		1.0
DFT-s-OFDM 16QAM	1	1	23.93	23.87	23.77	0-1	1.0
CP-OFDM QPSK	1	1	23.02	22.96	22.88	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 101 of 181

Table H-133
NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.30	24.13	24.22	0	0.0
	1	26	24.26	24.07	24.17		0.0
	1	50	24.20	24.11	24.15		0.0
	25	0	23.46	23.30	23.42	0-1	1.0
	25	14	24.46	24.26	24.39	0	0.0
	25	27	23.40	23.24	23.37	0-1	1.0
	50	0	23.45	23.31	23.40		1.0
DFT-s-OFDM 16QAM	1	1	23.78	23.58	23.73	0-1	1.0
CP-OFDM QPSK	1	1	22.83	22.71	22.77	0-1.5	1.5

Table H-134
NR Band n25 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.25	24.16	24.17	0	0.0
	1	13	24.14	24.10	24.10		0.0
	1	23	24.17	24.09	24.07		0.0
	12	0	23.27	23.25	23.31	0-1	1.0
	12	7	24.23	24.19	24.25	0	0.0
	12	13	23.25	23.22	23.30	0-1	1.0
	25	0	23.31	23.26	23.31		1.0
DFT-s-OFDM 16QAM	1	1	23.69	23.62	23.66	0-1	1.0
CP-OFDM QPSK	1	1	22.84	22.74	22.67	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 102 of 181

Table H-135
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.78	0	0.0
	1	80	11.69		0.0
	1	158	11.65		0.0
	80	0	11.76	0-1	0.0
	80	40	11.75	0	0.0
	80	80	11.74	0-1	0.0
	160	0	11.73		0.0
DFT-s-OFDM 16QAM	1	1	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.66	0-1.5	0.0

Table H-136
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.68	0	0.0
	1	67	11.61		0.0
	1	131	11.55		0.0
	64	0	11.60	0-1	0.0
	64	35	11.59	0	0.0
	64	69	11.57	0-1	0.0
	128	0	11.55		0.0
DFT-s-OFDM 16QAM	1	1	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.60	0-1.5	0.0

Table H-137
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.71	11.60	11.62	0	0.0
	1	53	11.80	11.65	11.72		0.0
	1	104	11.66	11.58	11.77		0.0
	50	0	11.75	11.57	11.66	0-1	0.0
	50	28	11.76	11.56	11.69	0	0.0
	50	56	11.69	11.61	11.65	0-1	0.0
	100	0	11.73	11.58	11.71		0.0
DFT-s-OFDM 16QAM	1	1	11.98	11.87	11.93	0-1	0.0
CP-OFDM QPSK	1	1	11.61	11.52	11.54	0-1.5	0.0

Table H-138
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.76	11.67	11.56	0	0.0
	1	40	11.73	11.60	11.66		0.0
	1	77	11.73	11.49	11.61		0.0
	36	0	11.72	11.58	11.53	0-1	0.0
	36	22	11.66	11.57	11.65	0	0.0
	36	43	11.63	11.51	11.55	0-1	0.0
	75	0	11.68	11.56	11.58		0.0
DFT-s-OFDM 16QAM	1	1	11.88	11.85	11.78	0-1	0.0
CP-OFDM QPSK	1	1	11.68	11.53	11.41	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 104 of 181

Table H-139
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.71	11.50	11.55	0	0.0
	1	26	11.63	11.49	11.51		0.0
	1	50	11.57	11.47	11.57		0.0
	25	0	11.68	11.48	11.52	0-1	0.0
	25	14	11.64	11.47	11.44	0	0.0
	25	27	11.60	11.48	11.58	0-1	0.0
	50	0	11.61	11.45	11.42		0.0
DFT-s-OFDM 16QAM	1	1	11.87	11.69	11.71	0-1	0.0
CP-OFDM QPSK	1	1	11.54	11.40	11.42	0-1.5	0.0

Table H-140
NR Band n25 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)	
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.62	11.53	11.49	0
	1	13	11.53	11.41	11.48	
	1	23	11.64	11.47	11.49	
	12	0	11.63	11.49	11.51	0-1
	12	7	11.60	11.47	11.47	0
	12	13	11.61	11.50	11.47	0-1
	25	0	11.55	11.46	11.41	
DFT-s-OFDM 16QAM	1	1	11.84	11.75	11.62	0-1
CP-OFDM QPSK	1	1	11.58	11.40	11.37	0-1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 105 of 181

H.2.9 NR Band n25 Antenna 4

Table H-141

NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.58	0	0.0
	1	80	24.79		0.0
	1	158	24.73		0.0
	80	0	23.72	0-1	1.0
	80	40	24.68	0	0.0
	80	80	23.77	0-1	1.0
	160	0	23.79		1.0
DFT-s-OFDM 16QAM	1	1	23.45	0-1	1.0
CP-OFDM QPSK	1	1	23.31	0-1.5	1.5

Table H-142

NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.72	0	0.0
	1	67	24.79		0.0
	1	131	24.78		0.0
	64	0	23.75	0-1	1.0
	64	35	24.73	0	0.0
	64	69	23.79	0-1	1.0
	128	0	23.85		1.0
DFT-s-OFDM 16QAM	1	1	23.68	0-1	1.0
CP-OFDM QPSK	1	1	23.18	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 106 of 181

Table H-143
NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.58	24.55	24.69	0	0.0
	1	53	24.63	24.63	24.77		0.0
	1	104	24.75	24.61	24.74		0.0
	50	0	23.69	23.85	23.80	0-1	1.0
	50	28	24.59	24.72	24.78	0	0.0
	50	56	23.75	23.79	23.81	0-1	1.0
	100	0	23.71	23.85	23.91		1.0
DFT-s-OFDM 16QAM	1	1	23.49	23.95	24.00	0-1	1.0
CP-OFDM QPSK	1	1	23.09	23.15	23.35	0-1.5	1.5

Table H-144
NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.56	24.85	24.75	0	0.0
	1	40	24.57	24.88	24.77		0.0
	1	77	24.61	24.83	24.76		0.0
	36	0	23.62	23.84	23.82	0-1	1.0
	36	22	24.52	24.68	24.71	0	0.0
	36	43	23.65	23.79	23.78	0-1	1.0
	75	0	23.67	23.82	23.86		1.0
DFT-s-OFDM 16QAM	1	1	23.36	23.97	23.79	0-1	1.0
CP-OFDM QPSK	1	1	23.09	23.44	23.45	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 107 of 181

Table H-145
NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.39	24.48	24.68	0	0.0
	1	26	24.35	24.53	24.63		0.0
	1	50	24.32	24.56	24.66		0.0
	25	0	23.57	23.61	23.83	0-1	1.0
	25	14	24.46	24.51	24.62	0	0.0
	25	27	23.54	23.61	23.74	0-1	1.0
	50	0	23.56	23.66	23.78		1.0
DFT-s-OFDM 16QAM	1	1	23.25	23.76	23.74	0-1	1.0
CP-OFDM QPSK	1	1	23.10	23.05	23.25	0-1.5	1.5

Table H-146
NR Band n25 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.68	24.55	24.58	0	0.0
	1	13	24.71	24.49	24.64		0.0
	1	23	24.65	24.54	24.68		0.0
	12	0	23.50	23.65	23.71	0-1	1.0
	12	7	24.45	24.51	24.59	0	0.0
	12	13	23.57	23.62	23.71	0-1	1.0
	25	0	23.53	23.67	23.69		1.0
DFT-s-OFDM 16QAM	1	1	23.36	23.96	23.73	0-1	1.0
CP-OFDM QPSK	1	1	23.11	23.19	23.18	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 108 of 181

Table H-147
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.55	0	0.0
	1	80	14.59		0.0
	1	158	14.66		0.0
	80	0	14.46	0-1	0.0
	80	40	14.55	0	0.0
	80	80	14.58	0-1	0.0
	160	0	14.54		0.0
DFT-s-OFDM 16QAM	1	1	14.32	0-1	0.0
CP-OFDM QPSK	1	1	14.58	0-1.5	0.0

Table H-148
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.56	0	0.0
	1	67	14.61		0.0
	1	131	14.62		0.0
	64	0	14.55	0-1	0.0
	64	35	14.56	0	0.0
	64	69	14.53	0-1	0.0
	128	0	14.57		0.0
DFT-s-OFDM 16QAM	1	1	14.45	0-1	0.0
CP-OFDM QPSK	1	1	14.49	0-1.5	0.0

Table H-149
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.42	14.40	14.59	0	0.0
	1	53	14.53	14.55	14.62		0.0
	1	104	14.60	14.49	14.56		0.0
	50	0	14.43	14.63	14.57	0-1	0.0
	50	28	14.38	14.61	14.63	0	0.0
	50	56	14.49	14.59	14.65	0-1	0.0
	100	0	14.44	14.61	14.66		0.0
DFT-s-OFDM 16QAM	1	1	14.33	14.55	14.72	0-1	0.0
CP-OFDM QPSK	1	1	14.41	14.51	14.62	0-1.5	0.0

Table H-150
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.41	14.66	14.57	0	0.0
	1	40	14.39	14.73	14.61		0.0
	1	77	14.55	14.74	14.61		0.0
	36	0	14.49	14.60	14.65	0-1	0.0
	36	22	14.44	14.59	14.55	0	0.0
	36	43	14.45	14.57	14.59	0-1	0.0
	75	0	14.43	14.58	14.58		0.0
DFT-s-OFDM 16QAM	1	1	14.29	14.75	14.45	0-1	0.0
CP-OFDM QPSK	1	1	14.42	14.63	14.71	0-1.5	0.0

Table H-151
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.27	14.35	14.48	0	0.0
	1	26	14.20	14.32	14.55		0.0
	1	50	14.17	14.39	14.54		0.0
	25	0	14.33	14.37	14.51	0-1	0.0
	25	14	14.29	14.35	14.48	0	0.0
	25	27	14.28	14.44	14.54	0-1	0.0
	50	0	14.33	14.42	14.58		0.0
DFT-s-OFDM 16QAM	1	1	14.11	14.61	14.41	0-1	0.0
CP-OFDM QPSK	1	1	14.39	14.23	14.50	0-1.5	0.0

Table H-152
NR Band n25 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.51	14.35	14.47	0	0.0
	1	13	14.58	14.43	14.59		0.0
	1	23	14.51	14.48	14.51		0.0
	12	0	14.31	14.35	14.51	0-1	0.0
	12	7	14.32	14.38	14.53	0	0.0
	12	13	14.25	14.36	14.57	0-1	0.0
	25	0	14.29	14.41	14.56		0.0
DFT-s-OFDM 16QAM	1	1	14.28	14.76	14.66	0-1	0.0
CP-OFDM QPSK	1	1	14.33	14.55	14.52	0-1.5	0.0

H.2.10 NR Band n30 Antenna 1

Table H-153

NR Band n30 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.29	0	0.0
	1	13	22.30		0.0
	1	23	22.20		0.0
	12	0	21.29	0-1	1.0
	12	7	22.29	0	0.0
	12	13	21.30	0-1	1.0
	25	0	21.27		1.0
DFT-s-OFDM 16QAM	1	1	21.19	0-1	1.0
CP-OFDM QPSK	1	1	20.60	0-1.5	1.5

Table H-154

NR Band n30 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.47	0	0.0
	1	13	10.54		0.0
	1	23	10.50		0.0
	12	0	10.51	0-1	0.0
	12	7	10.57	0	0.0
	12	13	10.52	0-1	0.0
	25	0	10.52		0.0
DFT-s-OFDM 16QAM	1	1	10.48	0-1	0.0
CP-OFDM QPSK	1	1	10.52	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 112 of 181

H.2.11 NR Band n30 Antenna 4

Table H-155

NR Band n30 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth				
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]
			462000 (2310 MHz)	
			Conducted Power [dBm]	
DFT-s-OFDM QPSK	1	1	23.53	0
	1	13	23.63	
	1	23	23.61	
	12	0	22.72	0-1
	12	7	23.66	0
	12	13	22.73	0-1
	25	0	22.77	
DFT-s-OFDM 16QAM	1	1	22.86	0-1
CP-OFDM QPSK	1	1	22.25	0-1.5

Table H-156

NR Band n30 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth				
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]
			462000 (2310 MHz)	
			Conducted Power [dBm]	
DFT-s-OFDM QPSK	1	1	11.98	0
	1	13	12.05	
	1	23	11.99	
	12	0	11.93	0-1
	12	7	11.95	0
	12	13	11.99	0-1
	25	0	11.94	
DFT-s-OFDM 16QAM	1	1	11.90	0-1
CP-OFDM QPSK	1	1	11.98	0-1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 113 of 181

H.2.12 NR Band n41 Antenna 1

Table H-157

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.25	24.10	0	0.0
	1	123	24.21	23.95		0.0
	1	243	24.29	23.98		0.0
	120	0	23.37	22.91	0-1	1.0
	120	63	24.25	24.01	0	0.0
	120	125	23.28	22.88	0-1	1.0
	243	0	23.31	22.96		1.0
DFT-s-OFDM 16QAM	1	1	23.55	23.01	0-1	1.0
CP-OFDM QPSK	1	1	23.01	22.74	0-1.5	1.5

Table H-158

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.92	23.85	0	0.0
	1	109	23.80	23.88		0.0
	1	215	23.82	24.12		0.0
	108	0	23.12	23.08	0-1	1.0
	108	55	23.88	23.92	0	0.0
	108	109	22.97	23.04	0-1	1.0
	216	0	22.98	23.03		1.0
DFT-s-OFDM 16QAM	1	1	22.96	22.91	0-1	1.0
CP-OFDM QPSK	1	1	22.74	22.40	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 114 of 181

Table H-159

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.67	24.59	0	0.0
	1	95	24.48	24.39		0.0
	1	187	24.41	24.06		0.0
	90	0	23.69	23.61	0-1	1.0
	90	50	24.52	24.34	0	0.0
	90	99	23.53	23.22	0-1	1.0
	180	0	23.66	23.26		1.0
DFT-s-OFDM 16QAM	1	1	23.79	23.65	0-1	1.0
CP-OFDM QPSK	1	1	23.22	23.03	0-1.5	1.5

Table H-160

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.16	24.30	23.98	0	0.0
	1	81	24.14	24.28	24.09		0.0
	1	160	24.12	24.14	24.22		0.0
	81	0	23.26	23.43	23.11	0-1	1.0
	81	41	24.12	24.29	24.05	0	0.0
	81	81	23.22	23.30	23.19	0-1	1.0
	162	0	23.19	23.39	23.20		1.0
DFT-s-OFDM 16QAM	1	1	23.15	23.51	23.19	0-1	1.0
CP-OFDM QPSK	1	1	22.86	22.91	22.54	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 115 of 181

Table H-161

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.23	24.49	24.15	0	0.0
	1	67	24.26	24.50	24.21		0.0
	1	131	24.12	24.34	24.34		0.0
	64	0	23.20	23.43	23.20	0-1	1.0
	64	35	24.05	24.38	24.16	0	0.0
	64	69	23.23	23.29	23.28	0-1	1.0
	128	0	23.21	23.40	23.19		1.0
DFT-s-OFDM 16QAM	1	1	23.45	23.63	23.36	0-1	1.0
CP-OFDM QPSK	1	1	22.82	22.93	22.62	0-1.5	1.5

Table H-162

NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	24.45	24.62	24.57	24.39	0	0.0
	1	53	24.17	24.47	24.31	24.30		0.0
	1	104	24.32	24.63	24.49	24.41		0.0
	50	0	23.40	23.61	23.43	23.26	0-1	1.0
	50	28	24.23	24.47	24.24	24.12	0	0.0
	50	56	23.31	23.61	23.42	23.38	0-1	1.0
	100	0	23.38	23.62	23.40	23.36		1.0
DFT-s-OFDM 16QAM	1	1	23.39	23.89	23.82	23.51	0-1	1.0
CP-OFDM QPSK	1	1	22.92	23.19	23.26	22.95	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 116 of 181

Table H-163
NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	24.66	24.57	24.61	24.46	24.26	0	0.0	
	1	39	24.52	24.49	24.56	24.39	24.34		0.0	
	1	76	24.57	24.63	24.54	24.51	24.59		0.0	
		36	0	23.71	23.59	23.71	23.57	23.41	0-1	1.0
		36	21	24.54	24.44	24.61	24.35	24.42	0	0.0
		36	42	23.68	23.58	23.74	23.58	23.61	0-1	1.0
		75	0	23.67	23.56	23.70	23.54	23.55		1.0
DFT-s-OFDM 16QAM	1	1	23.99	23.57	23.85	23.74	23.38	0-1	1.0	
CP-OFDM QPSK	1	1	23.22	22.99	23.10	22.99	22.98	0-1.5	1.5	

Table H-164
NR Band n41 Antenna 1 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	24.67	24.57	24.66	24.36	24.20	0	0.0	
	1	26	24.59	24.61	24.57	24.28	24.26		0.0	
	1	49	24.61	24.60	24.55	24.36	24.38		0.0	
		25	0	23.74	23.60	23.64	23.40	23.38	0-1	1.0
		25	13	24.63	24.47	24.55	24.24	24.30	0	0.0
		25	26	23.75	23.59	23.65	23.40	23.38	0-1	1.0
		50	0	23.72	23.59	23.69	23.47	23.39		1.0
DFT-s-OFDM 16QAM	1	1	23.85	23.69	23.75	23.49	23.32	0-1	1.0	
CP-OFDM QPSK	1	1	23.30	23.15	23.11	23.01	22.79	0-1.5	1.5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 117 of 181

Table H-165
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.71	10.53	0	0.0
	1	123	10.69	10.32		0.0
	1	243	10.70	10.61		0.0
	120	0	10.69	10.46	0-1	0.0
	120	63	10.65	10.36	0	0.0
	120	125	10.53	10.50	0-1	0.0
	243	0	10.69	10.40		0.0
DFT-s-OFDM 16QAM	1	1	10.81	10.62	0-1	0.0
CP-OFDM QPSK	1	1	10.74	10.49	0-1.5	0.0

Table H-166
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.51	10.34	0	0.0
	1	109	10.37	10.31		0.0
	1	215	10.35	10.45		0.0
	108	0	10.43	10.32	0-1	0.0
	108	55	10.42	10.27	0	0.0
	108	109	10.30	10.29	0-1	0.0
	216	0	10.41	10.35		0.0
DFT-s-OFDM 16QAM	1	1	10.43	10.23	0-1	0.0
CP-OFDM QPSK	1	1	10.61	10.35	0-1.5	0.0

Table H-167
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.94	10.98	0	0.0
	1	95	10.84	10.79		0.0
	1	187	10.77	11.06		0.0
	90	0	10.95	10.87	0-1	0.0
	90	50	10.92	10.82	0	0.0
	90	99	10.85	10.86	0-1	0.0
	180	0	10.95	10.90		0.0
DFT-s-OFDM 16QAM	1	1	11.08	10.88	0-1	0.0
CP-OFDM QPSK	1	1	10.93	10.92	0-1.5	0.0

Table H-168
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.65	10.75	10.51	0	0.0
	1	81	10.59	10.69	10.48		0.0
	1	160	10.54	10.56	10.62		0.0
	81	0	10.67	10.76	10.49	0-1	0.0
	81	41	10.61	10.64	10.46	0	0.0
	81	81	10.63	10.64	10.49	0-1	0.0
	162	0	10.56	10.74	10.50		0.0
DFT-s-OFDM 16QAM	1	1	10.48	10.78	10.56	0-1	0.0
CP-OFDM QPSK	1	1	10.72	10.74	10.45	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 119 of 181

Table H-169
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.65	10.85	10.46	0	0.0
	1	67	10.63	10.73	10.49		0.0
	1	131	10.54	10.67	10.65		0.0
	64	0	10.65	10.76	10.48	0-1	0.0
	64	35	10.59	10.69	10.43	0	0.0
	64	69	10.53	10.68	10.46	0-1	0.0
	128	0	10.57	10.73	10.49		0.0
DFT-s-OFDM 16QAM	1	1	10.71	11.03	10.69	0-1	0.0
CP-OFDM QPSK	1	1	10.62	10.73	10.41	0-1.5	0.0

Table H-170
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.84	11.12	10.88	10.79	0	0.0
	1	53	10.67	10.94	10.71	10.64		0.0
	1	104	10.72	11.06	10.77	10.88		0.0
	50	0	10.75	10.88	10.75	10.65	0-1	0.0
	50	28	10.76	10.89	10.68	10.61	0	0.0
	50	56	10.74	10.96	10.68	10.79	0-1	0.0
	100	0	10.72	10.89	10.70	10.64		0.0
DFT-s-OFDM 16QAM	1	1	10.77	11.20	11.15	10.88	0-1	0.0
CP-OFDM QPSK	1	1	10.74	11.00	10.97	10.75	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 120 of 181

Table H-171
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	11.03	10.99	10.98	10.81	10.79	0	0.0	
	1	39	10.97	10.84	10.92	10.71	10.68		0.0	
	1	76	11.07	11.00	10.92	10.78	10.80		0.0	
		36	0	11.03	10.89	10.94	10.77	10.94	0-1	0.0
		36	21	10.99	10.87	10.93	10.69	10.84	0	0.0
		36	42	11.02	10.89	10.95	10.83	10.78	0-1	0.0
		75	0	11.05	10.91	10.91	10.77	10.80		0.0
DFT-s-OFDM 16QAM	1	1	11.24	10.95	11.08	10.98	10.89	0-1	0.0	
CP-OFDM QPSK	1	1	10.96	10.85	10.91	10.74	10.79	0-1.5	0.0	

Table H-172
NR Band n41 Antenna 1 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	11.06	10.93	10.96	10.75	10.69	0	0.0	
	1	26	11.03	10.92	10.94	10.67	10.70		0.0	
	1	49	11.05	10.83	10.89	10.71	10.84		0.0	
		25	0	11.07	10.92	10.94	10.69	10.73	0-1	0.0
		25	13	11.01	10.84	10.91	10.63	10.77	0	0.0
		25	26	11.02	10.87	10.83	10.72	10.76	0-1	0.0
		50	0	11.03	10.88	10.87	10.69	10.78		0.0
DFT-s-OFDM 16QAM	1	1	11.18	11.05	11.04	10.80	10.61	0-1	0.0	
CP-OFDM QPSK	1	1	11.03	10.82	10.91	10.72	10.68	0-1.5	0.0	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 121 of 181

H.2.13 NR Band n41 Antenna 4

Table H-173

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.01	23.98	0	0.0
	1	123	24.04	23.97		0.0
	1	243	24.27	23.91		0.0
	120	0	23.19	23.05	0-1	1.0
	120	63	23.98	23.94	0	0.0
	120	125	23.12	22.91	0-1	1.0
	243	0	23.16	23.10		1.0
DFT-s-OFDM 16QAM	1	1	23.11	23.02	0-1	1.0
CP-OFDM QPSK	1	1	22.69	22.61	0-1.5	1.5

Table H-174

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.23	24.04	0	0.0
	1	109	24.14	23.99		0.0
	1	215	24.27	23.79		0.0
	108	0	23.21	23.16	0-1	1.0
	108	55	24.12	24.04	0	0.0
	108	109	23.23	23.13	0-1	1.0
	216	0	23.29	23.11		1.0
DFT-s-OFDM 16QAM	1	1	23.25	23.17	0-1	1.0
CP-OFDM QPSK	1	1	22.61	22.71	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 122 of 181

Table H-175

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.30	24.41	0	0.0
	1	95	24.26	24.38		0.0
	1	187	24.32	24.26		0.0
	90	0	23.39	23.54	0-1	1.0
	90	50	24.25	24.35	0	0.0
	90	99	23.38	23.12	0-1	1.0
	180	0	23.39	23.47		1.0
DFT-s-OFDM 16QAM	1	1	23.18	23.46	0-1	1.0
CP-OFDM QPSK	1	1	22.75	23.06	0-1.5	1.5

Table H-176

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.27	24.19	24.19	0	0.0
	1	81	24.29	24.33	24.18		0.0
	1	160	24.19	24.16	24.28		0.0
	81	0	23.37	23.38	23.17	0-1	1.0
	81	41	24.25	24.31	24.16	0	0.0
	81	81	23.26	23.37	23.31	0-1	1.0
	162	0	23.37	23.38	23.30		1.0
DFT-s-OFDM 16QAM	1	1	23.23	23.41	23.09	0-1	1.0
CP-OFDM QPSK	1	1	23.14	22.71	22.82	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 123 of 181

Table H-177

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.31	24.29	24.11	0	0.0
	1	67	24.24	24.35	24.20		0.0
	1	131	24.14	24.26	24.21		0.0
	64	0	23.34	23.37	23.22	0-1	1.0
	64	35	24.24	24.29	24.10	0	0.0
	64	69	23.27	23.36	23.28	0-1	1.0
	128	0	23.26	23.37	23.21		1.0
DFT-s-OFDM 16QAM	1	1	23.41	23.11	23.19	0-1	1.0
CP-OFDM QPSK	1	1	23.02	22.92	22.65	0-1.5	1.5

Table H-178

NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	24.30	24.26	24.32	24.19	0	0.0
	1	53	24.13	24.15	24.24	24.00		0.0
	1	104	24.28	24.28	24.26	24.21		0.0
	50	0	23.41	23.27	23.26	23.17	0-1	1.0
	50	28	24.21	24.14	24.17	24.08	0	0.0
	50	56	23.39	23.34	23.27	23.27	0-1	1.0
	100	0	23.34	23.28	23.32	23.20		1.0
DFT-s-OFDM 16QAM	1	1	23.17	23.48	23.41	23.30	0-1	1.0
CP-OFDM QPSK	1	1	22.94	22.82	22.77	22.97	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 124 of 181

Table H-179
NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	24.41	24.19	24.26	24.23	24.18	0	0.0	
	1	39	24.40	24.17	24.21	24.31	24.15		0.0	
	1	76	24.43	24.42	24.26	24.34	24.35		0.0	
		36	0	23.49	23.36	23.32	23.29	23.26	0-1	1.0
		36	21	24.33	24.22	24.22	24.22	24.20	0	0.0
		36	42	23.43	23.44	23.38	23.33	23.39	0-1	1.0
		75	0	23.46	23.33	23.34	23.34	23.28		1.0
DFT-s-OFDM 16QAM	1	1	23.10	23.36	23.25	23.24	23.36	0-1	1.0	
CP-OFDM QPSK	1	1	22.98	22.74	22.90	22.74	22.69	0-1.5	1.5	

Table H-180
NR Band n41 Antenna 4 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	24.62	24.44	24.40	24.30	24.33	0	0.0	
	1	26	24.45	24.32	24.35	24.35	24.34		0.0	
	1	49	24.49	24.48	24.41	24.31	24.39		0.0	
		25	0	23.58	23.52	23.54	23.45	23.39	0-1	1.0
		25	13	24.43	24.41	24.46	24.32	24.31	0	0.0
		25	26	23.60	23.51	23.52	23.41	23.40	0-1	1.0
		50	0	23.52	23.50	23.52	23.47	23.38		1.0
DFT-s-OFDM 16QAM	1	1	23.77	23.62	23.50	23.38	23.19	0-1	1.0	
CP-OFDM QPSK	1	1	23.19	23.00	23.03	22.92	22.80	0-1.5	1.5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 125 of 181

Table H-181
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.85	11.74	0	0.0
	1	123	11.73	11.74		0.0
	1	243	12.02	11.87		0.0
	120	0	11.80	11.84	0-1	0.0
	120	63	11.76	11.77	0	0.0
	120	125	11.74	11.74	0-1	0.0
	243	0	11.81	11.72		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.71	0-1	0.0
CP-OFDM QPSK	1	1	11.79	11.91	0-1.5	0.0

Table H-182
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.94	11.77	0	0.0
	1	109	11.76	11.73		0.0
	1	215	11.99	11.82		0.0
	108	0	11.87	11.79	0-1	0.0
	108	55	11.87	11.79	0	0.0
	108	109	11.84	11.80	0-1	0.0
	216	0	11.91	11.78		0.0
DFT-s-OFDM 16QAM	1	1	12.03	11.89	0-1	0.0
CP-OFDM QPSK	1	1	11.76	11.95	0-1.5	0.0

Table H-183
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.12	12.24	0	0.0
	1	95	12.08	12.12		0.0
	1	187	12.13	12.28		0.0
	90	0	12.17	12.08	0-1	0.0
	90	50	12.18	12.08	0	0.0
	90	99	12.05	12.11	0-1	0.0
	180	0	12.09	12.15		0.0
DFT-s-OFDM 16QAM	1	1	11.85	12.09	0-1	0.0
CP-OFDM QPSK	1	1	11.86	12.06	0-1.5	0.0

Table H-184
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.04	12.04	11.93	0	0.0
	1	81	12.03	12.07	12.00		0.0
	1	160	12.05	11.96	12.06		0.0
	81	0	12.00	12.09	12.00	0-1	0.0
	81	41	11.98	12.11	11.95	0	0.0
	81	81	12.02	12.06	11.99	0-1	0.0
	162	0	11.99	12.04	11.98		0.0
DFT-s-OFDM 16QAM	1	1	11.92	12.16	11.64	0-1	0.0
CP-OFDM QPSK	1	1	12.22	11.91	11.93	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 127 of 181

Table H-185
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.06	12.07	11.86	0	0.0
	1	67	11.96	12.13	11.95		0.0
	1	131	11.99	12.05	12.00		0.0
	64	0	12.05	12.01	11.91	0-1	0.0
	64	35	11.97	12.06	11.85	0	0.0
	64	69	12.00	12.01	11.94	0-1	0.0
	128	0	12.01	12.04	11.88		0.0
DFT-s-OFDM 16QAM	1	1	12.14	11.82	11.84	0-1	0.0
CP-OFDM QPSK	1	1	12.23	12.12	11.97	0-1.5	0.0

Table H-186
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.09	12.12	12.19	11.98	0	0.0
	1	53	12.01	11.99	11.97	11.79		0.0
	1	104	12.02	12.23	12.09	12.03		0.0
	50	0	12.01	11.99	12.01	11.84	0-1	0.0
	50	28	12.03	12.01	11.96	11.81	0	0.0
	50	56	11.99	12.09	12.01	11.95	0-1	0.0
	100	0	12.09	12.07	12.00	11.85		0.0
DFT-s-OFDM 16QAM	1	1	11.88	12.31	12.19	11.97	0-1	0.0
CP-OFDM QPSK	1	1	12.09	12.03	12.08	12.14	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 128 of 181

Table H-187
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.23	11.97	12.11	11.88	11.98	0	0.0
	1	39	12.08	12.03	12.05	11.85	12.01		0.0
	1	76	12.13	12.13	12.15	11.94	12.11		0.0
	36	0	12.07	11.98	12.07	11.97	11.97	0-1	0.0
	36	21	12.05	12.09	12.05	11.98	12.00	0	0.0
	36	42	12.13	12.08	12.15	12.01	12.09	0-1	0.0
	75	0	12.08	12.06	12.10	11.99	11.99		0.0
DFT-s-OFDM 16QAM	1	1	11.87	12.08	12.02	11.92	12.05	0-1	0.0
CP-OFDM QPSK	1	1	12.22	12.03	12.15	12.05	11.84	0-1.5	0.0

Table H-188
NR Band n41 Antenna 4 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.32	12.24	12.28	12.05	12.10	0	0.0
	1	26	12.29	12.36	12.28	12.01	12.13		0.0
	1	49	12.25	12.30	12.31	12.07	12.16		0.0
	25	0	12.29	12.12	12.29	12.06	11.99	0-1	0.0
	25	13	12.32	12.30	12.31	12.13	12.11	0	0.0
	25	26	12.24	12.24	12.31	12.05	12.10	0-1	0.0
	50	0	12.24	12.23	12.26	12.14	12.09		0.0
DFT-s-OFDM 16QAM	1	1	12.49	12.18	12.26	12.04	11.90	0-1	0.0
CP-OFDM QPSK	1	1	12.33	12.15	12.30	12.06	12.03	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 129 of 181

H.2.14 NR Band n48 Antenna 2

Table H-189

NR Band n48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.37	20.16	20.22	20.37	0	0.0
	1	39	20.21	20.15	20.13	20.24		0.0
	1	76	20.16	20.04	20.19	20.09		0.0
	36	0	19.33	19.15	19.10	19.22	0-1	1.0
	36	21	20.30	20.15	20.06	20.20	0	0.0
	36	42	19.18	19.09	19.06	19.11	0-1	1.0
75	0	19.25	19.08	19.05	19.10	1.0		
DFT-s-OFDM 16QAM	1	1	19.05	19.13	19.30	19.18	0-1	1.0
CP-OFDM QPSK	1	1	18.87	18.68	18.62	18.68	0-1.5	1.5

Table H-190

NR Band n48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.41	20.07	20.17	20.14	0	0.0
	1	26	20.32	20.06	19.91	20.06		0.0
	1	49	20.20	20.09	20.05	20.04		0.0
	25	0	19.26	18.98	18.94	19.03	0-1	1.0
	25	13	20.28	19.98	19.96	19.97	0	0.0
	25	26	19.18	19.02	18.96	19.00	0-1	1.0
50	0	19.21	19.02	18.91	18.98	1.0		
DFT-s-OFDM 16QAM	1	1	19.32	19.11	18.83	18.86	0-1	1.0
CP-OFDM QPSK	1	1	18.81	18.60	18.52	18.60	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 130 of 181

Table H-191

NR Band n48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.31	20.05	20.05	20.11	0	0.0
	1	19	20.37	20.11	20.14	20.14		0.0
	1	36	20.37	19.99	20.17	20.16		0.0
	18	0	19.34	18.96	19.12	19.11	0-1	1.0
	18	10	20.36	20.16	20.13	20.10	0	0.0
	18	20	19.30	19.10	19.05	19.03	0-1	1.0
	36	0	19.37	19.16	19.12	19.02		1.0
DFT-s-OFDM 16QAM	1	1	19.46	19.10	19.18	19.15	0-1	1.0
CP-OFDM QPSK	1	1	18.73	18.40	18.13	18.60	0-1.5	1.5

Table H-192

NR Band n48 Antenna 2 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.15	19.91	19.86	19.99	0	0.0
	1	12	20.02	19.90	20.04	20.34		0.0
	1	22	20.16	20.03	19.90	20.58		0.0
	12	0	19.16	18.92	18.97	19.07	0-1	1.0
	12	6	20.19	19.94	20.04	19.91	0	0.0
	12	12	19.13	18.94	18.88	18.91	0-1	1.0
	24	0	19.14	18.91	18.92	18.92		1.0
DFT-s-OFDM 16QAM	1	1	19.13	18.72	19.06	19.27	0-1	1.0
CP-OFDM QPSK	1	1	18.50	18.31	18.30	18.26	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 131 of 181

Table H-193
NR Band n48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.65	9.47	9.51	9.57	0	0.0
	1	39	9.48	9.51	9.32	9.40		0.0
	1	76	9.41	9.41	9.46	9.38		0.0
	36	0	9.56	9.42	9.48	9.46	0-1	0.0
	36	21	9.52	9.32	9.35	9.27	0	0.0
	36	42	9.43	9.31	9.41	9.24	0-1	0.0
	75	0	9.51	9.34	9.29	9.42		0.0
DFT-s-OFDM 16QAM	1	1	9.32	9.39	9.55	9.59	0-1	0.0
CP-OFDM QPSK	1	1	9.61	9.46	9.42	9.35	0-1.5	0.0

Table H-194
NR Band n48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.64	9.30	9.31	9.39	0	0.0
	1	26	9.64	9.36	9.21	9.27		0.0
	1	49	9.58	9.40	9.20	9.38		0.0
	25	0	9.53	9.28	9.27	9.34	0-1	0.0
	25	13	9.53	9.27	9.24	9.26	0	0.0
	25	26	9.46	9.26	9.20	9.28	0-1	0.0
	50	0	9.46	9.27	9.18	9.24		0.0
DFT-s-OFDM 16QAM	1	1	9.61	9.67	9.23	9.31	0-1	0.0
CP-OFDM QPSK	1	1	9.60	9.28	9.05	9.57	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 132 of 181

Table H-195
NR Band n48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.65	9.31	9.46	9.39	0	0.0
	1	19	9.64	9.32	9.36	9.26		0.0
	1	36	9.60	9.36	9.25	9.24		0.0
	18	0	9.58	9.31	9.45	9.36	0-1	0.0
	18	10	9.58	9.41	9.31	9.24	0	0.0
	18	20	9.52	9.36	9.35	9.26	0-1	0.0
	36	0	9.59	9.35	9.40	9.42		0.0
DFT-s-OFDM 16QAM	1	1	9.62	9.51	9.49	9.49	0-1	0.0
CP-OFDM QPSK	1	1	9.45	9.46	9.34	9.41	0-1.5	0.0

Table H-196
NR Band n48 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.44	9.25	9.12	9.48	0	0.0
	1	12	9.45	9.23	9.26	9.35		0.0
	1	22	9.41	9.21	9.15	9.38		0.0
	12	0	9.41	9.19	9.24	9.33	0-1	0.0
	12	6	9.43	9.21	9.28	9.18	0	0.0
	12	12	9.39	9.22	9.32	9.21	0-1	0.0
	24	0	9.39	9.27	9.32	9.21		0.0
DFT-s-OFDM 16QAM	1	1	9.46	9.02	9.35	9.41	0-1	0.0
CP-OFDM QPSK	1	1	9.23	9.16	9.17	9.16	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 133 of 181

H.2.15 NR Band n48 Antenna 3

Table H-197

NR Band n48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth									
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.69	19.60	19.78	20.33	0	0.0	
	1	39	19.65	19.54	19.69	20.25		0.0	
	1	76	19.65	19.53	19.74	20.24		0.0	
		36	0	19.20	19.10	19.16	19.31	0-1	1.0
		36	21	19.62	19.65	19.58	20.23	0	0.0
		36	42	19.13	19.14	19.12	19.17	0-1	1.0
		75	0	19.13	19.11	19.08	19.22		1.0
DFT-s-OFDM 16QAM	1	1	19.23	19.24	19.15	19.34	0-1	1.0	
CP-OFDM QPSK	1	1	18.70	18.67	18.58	18.83	0-1.5	1.5	

Table H-198

NR Band n48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth									
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	20.37	20.09	19.96	20.06	0	0.0	
	1	26	20.36	19.97	20.02	20.05		0.0	
	1	49	20.40	20.02	20.00	19.95		0.0	
		25	0	19.26	19.09	18.98	18.99	0-1	1.0
		25	13	20.27	20.12	19.97	19.98	0	0.0
		25	26	19.30	19.06	19.04	18.95	0-1	1.0
		50	0	19.26	19.08	19.00	18.92		1.0
DFT-s-OFDM 16QAM	1	1	19.35	19.19	19.16	19.10	0-1	1.0	
CP-OFDM QPSK	1	1	18.73	18.44	18.36	18.39	0-1.5	1.5	

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 134 of 181

Table H-199
NR Band n48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.32	19.81	19.72	19.88	0	0.0
	1	19	20.36	19.95	19.78	19.86		0.0
	1	36	20.35	19.78	19.89	19.92		0.0
	18	0	19.26	18.82	18.71	18.97	0-1	1.0
	18	10	20.29	19.74	19.72	19.92	0	0.0
	18	20	19.26	18.93	18.76	18.91	0-1	1.0
	36	0	19.26	18.85	18.66	18.94		1.0
DFT-s-OFDM 16QAM	1	1	19.37	18.76	18.96	18.86	0-1	1.0
CP-OFDM QPSK	1	1	18.73	18.46	18.23	18.44	0-1.5	1.5

Table H-200
NR Band n48 Antenna 3 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.07	19.98	19.77	19.87	0	0.0
	1	12	20.01	20.01	19.82	19.87		0.0
	1	22	20.05	20.03	19.85	19.98		0.0
	12	0	18.96	18.79	18.74	18.84	0-1	1.0
	12	6	19.95	19.89	19.74	19.79	0	0.0
	12	12	19.00	18.89	18.78	18.69	0-1	1.0
	24	0	19.04	18.82	18.77	18.79		1.0
DFT-s-OFDM 16QAM	1	1	18.94	18.77	18.66	19.05	0-1	1.0
CP-OFDM QPSK	1	1	18.43	18.34	18.30	18.38	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 135 of 181

Table H-201
NR Band n48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.00	8.99	9.12	9.70	0	0.0
	1	39	8.87	8.95	8.97	9.52		0.0
	1	76	8.89	8.91	8.85	9.46		0.0
	36	0	8.99	8.98	8.87	9.64	0-1	0.0
	36	21	8.91	8.98	8.83	9.44	0	0.0
	36	42	8.94	8.87	8.77	9.38	0-1	0.0
	75	0	8.96	9.01	8.78	9.48		0.0
DFT-s-OFDM 16QAM	1	1	9.08	9.12	9.04	9.57	0-1	0.0
CP-OFDM QPSK	1	1	9.02	8.91	9.01	9.59	0-1.5	0.0

Table H-202
NR Band n48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.56	9.43	9.23	9.48	0	0.0
	1	26	9.62	9.45	9.31	9.41		0.0
	1	49	9.53	9.35	9.35	9.36		0.0
	25	0	9.67	9.35	9.24	9.37	0-1	0.0
	25	13	9.60	9.33	9.23	9.34	0	0.0
	25	26	9.57	9.37	9.27	9.26	0-1	0.0
	50	0	9.63	9.32	9.23	9.36		0.0
DFT-s-OFDM 16QAM	1	1	9.56	9.57	9.45	9.51	0-1	0.0
CP-OFDM QPSK	1	1	9.46	9.32	9.28	9.14	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 136 of 181

Table H-203
NR Band n48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.58	9.29	9.24	9.31	0	0.0
	1	19	9.68	9.19	9.29	9.32		0.0
	1	36	9.63	9.37	9.19	9.38		0.0
	18	0	9.59	9.25	9.13	9.26	0-1	0.0
	18	10	9.64	9.30	9.21	9.24	0	0.0
	18	20	9.54	9.29	9.25	9.29	0-1	0.0
	36	0	9.63	9.21	9.12	9.27		0.0
DFT-s-OFDM 16QAM	1	1	9.58	9.13	9.43	9.41	0-1	0.0
CP-OFDM QPSK	1	1	9.55	9.36	9.24	9.39	0-1.5	0.0

Table H-204
NR Band n48 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.30	9.19	9.08	9.12	0	0.0
	1	12	9.35	9.11	9.25	9.06		0.0
	1	22	9.37	9.21	9.04	9.14		0.0
	12	0	9.26	8.98	9.07	8.99	0-1	0.0
	12	6	9.28	9.05	9.04	9.04	0	0.0
	12	12	9.25	9.13	9.02	9.16	0-1	0.0
	24	0	9.25	9.07	9.04	9.05		0.0
DFT-s-OFDM 16QAM	1	1	9.18	8.84	8.73	9.28	0-1	0.0
CP-OFDM QPSK	1	1	9.25	8.96	8.86	9.08	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 137 of 181

H.2.16 NR Band n48 Antenna 5 & 8

Table H-205

NR Band n48 SRS Antennas 5 & 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	19.41	19.58	19.65	19.56
SRS #3 Ant 8	19.17	19.06	19.00	18.82

Table H-206

NR Band n48 SRS Antennas 5 & 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	19.43	19.55	19.66	19.54
SRS #3 Ant 8	19.25	19.14	18.98	18.88

Table H-207

NR Band n48 SRS Antennas 5 & 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	19.52	19.60	19.66	19.48
SRS #3 Ant 8	19.29	19.04	19.01	18.88

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 138 of 181

Table H-208
NR Band n48 SRS Antennas 5 & 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	19.35	19.32	19.40	19.23
SRS #3 Ant 8	19.07	18.90	18.85	18.62

Table H-209
NR Band n48 SRS Antennas 5 & 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	0.76	0.95	0.95	0.85
SRS #3 Ant 8	-1.37	-1.36	-1.43	-1.68

Table H-210
NR Band n48 SRS Antennas 5 & 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	0.91	0.98	0.92	0.86
SRS #3 Ant 8	-1.21	-1.35	-1.46	-1.64

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 139 of 181

Table H-211
NR Band n48 SRS Antennas 5 & 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	0.87	0.82	0.91	0.81
SRS #3 Ant 8	-1.15	-1.36	-1.41	-1.60

Table H-212
NR Band n48 SRS Antennas 5 & 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 5	0.68	0.71	0.70	0.50
SRS #3 Ant 8	-1.43	-1.49	-1.58	-1.86

H.2.17 NR Band n77 C-Band Antenna 2

Table H-213

NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.57	24.73	0	0.0
	1	123	24.58	24.78		0.0
	1	243	24.59	24.76		0.0
	120	0	24.68	24.81	0-1	0.0
	120	63	24.67	24.83	0	0.0
	120	125	24.69	24.80	0-1	0.0
	243	0	24.54	24.73		0.0
DFT-s-OFDM 16QAM	1	1	24.39	24.43	0-1	0.0
CP-OFDM QPSK	1	1	24.16	24.38	0-1.5	0.0

Table H-214

NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.65	24.75	0	0.0
	1	109	24.62	24.77		0.0
	1	215	24.63	24.75		0.0
	108	0	24.59	24.75	0-1	0.0
	108	55	24.59	24.75	0	0.0
	108	109	24.59	24.75	0-1	0.0
	216	0	24.65	24.82		0.0
DFT-s-OFDM 16QAM	1	1	24.42	24.58	0-1	0.0
CP-OFDM QPSK	1	1	24.17	24.39	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 141 of 181

Table H-215
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.62	24.78	0	0.0
	1	95	24.61	24.79		0.0
	1	187	24.61	24.76		0.0
	90	0	24.60	24.76	0-1	0.0
	90	50	24.57	24.75	0	0.0
	90	99	24.59	24.77	0-1	0.0
	180	0	24.52	24.70		0.0
DFT-s-OFDM 16QAM	1	1	24.49	24.58	0-1	0.0
CP-OFDM QPSK	1	1	24.18	24.38	0-1.5	0.0

Table H-216
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.64	24.73	0	0.0
	1	81	24.61	24.74		0.0
	1	160	24.62	24.72		0.0
	81	0	24.70	24.84	0-1	0.0
	81	41	24.69	24.84	0	0.0
	81	81	24.70	24.85	0-1	0.0
	162	0	24.59	24.77		0.0
DFT-s-OFDM 16QAM	1	1	24.32	24.53	0-1	0.0
CP-OFDM QPSK	1	1	24.16	24.38	0-1.5	0.0

Table H-217
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.56	24.76	0	0.0
	1	67	24.57	24.76		0.0
	1	131	24.55	24.75		0.0
	64	0	24.70	24.85	0-1	0.0
	64	35	24.68	24.85	0	0.0
	64	69	24.69	24.85	0-1	0.0
	128	0	24.67	24.84		0.0
DFT-s-OFDM 16QAM	1	1	24.34	24.49	0-1	0.0
CP-OFDM QPSK	1	1	24.16	24.38	0-1.5	0.0

Table H-218
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.64	24.77	0	0.0
	1	53	24.61	24.77		0.0
	1	104	24.62	24.76		0.0
	50	0	24.73	24.90	0-1	0.0
	50	28	24.72	24.89	0	0.0
	50	56	24.73	24.90	0-1	0.0
	100	0	24.72	24.87		0.0
DFT-s-OFDM 16QAM	1	1	24.48	24.62	0-1	0.0
CP-OFDM QPSK	1	1	24.17	24.38	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 143 of 181

Table H-219
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.67	24.78	0	0.0
	1	39	24.67	24.78		0.0
	1	76	24.68	24.76		0.0
	36	0	24.66	24.83	0-1	0.0
	36	21	24.65	24.82	0	0.0
	36	42	24.67	24.83	0-1	0.0
	75	0	24.62	24.78		0.0
DFT-s-OFDM 16QAM	1	1	24.24	24.58	0-1	0.0
CP-OFDM QPSK	1	1	24.17	24.38	0-1.5	0.0

Table H-220
NR Band n77 Antenna 2 Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.49	24.75	0	0.0
	1	26	24.48	24.77		0.0
	1	49	24.49	24.76		0.0
	25	0	24.71	24.85	0-1	0.0
	25	13	24.71	24.86	0	0.0
	25	26	24.71	24.86	0-1	0.0
	50	0	24.72	24.87		0.0
DFT-s-OFDM 16QAM	1	1	24.40	24.61	0-1	0.0
CP-OFDM QPSK	1	1	24.16	24.46	0-1.5	0.0

Table H-221
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.31	9.15	0	0.0
	1	123	8.93	9.07		0.0
	1	243	8.94	8.89		0.0
	120	0	9.19	9.04	0-1	0.0
	120	63	8.95	9.06	0	0.0
	120	125	8.83	8.93	0-1	0.0
	243	0	8.95	9.01		0.0
DFT-s-OFDM 16QAM	1	1	9.28	9.38	0-1	0.0
CP-OFDM QPSK	1	1	9.31	9.42	0-1.5	0.0

Table H-222
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.38	9.20	0	0.0
	1	109	9.09	9.18		0.0
	1	215	8.94	8.98		0.0
	108	0	9.18	9.20	0-1	0.0
	108	55	9.08	9.07	0	0.0
	108	109	8.99	9.02	0-1	0.0
	216	0	9.09	9.04		0.0
DFT-s-OFDM 16QAM	1	1	9.02	9.27	0-1	0.0
CP-OFDM QPSK	1	1	9.22	9.36	0-1.5	0.0

Table H-223
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.41	9.11	0	0.0
	1	95	9.05	9.07		0.0
	1	187	8.97	8.93		0.0
	90	0	9.20	9.14	0-1	0.0
	90	50	9.07	9.04	0	0.0
	90	99	9.03	8.93	0-1	0.0
	180	0	9.10	9.02		0.0
DFT-s-OFDM 16QAM	1	1	9.32	9.16	0-1	0.0
CP-OFDM QPSK	1	1	9.12	8.99	0-1.5	0.0

Table H-224
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.23	9.21	0	0.0
	1	81	9.14	9.12		0.0
	1	160	9.24	8.94		0.0
	81	0	9.11	9.20	0-1	0.0
	81	41	9.14	9.23	0	0.0
	81	81	9.03	9.07	0-1	0.0
	162	0	9.09	9.15		0.0
DFT-s-OFDM 16QAM	1	1	9.14	9.26	0-1	0.0
CP-OFDM QPSK	1	1	9.05	9.14	0-1.5	0.0

Table H-225
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.39	9.31	0	0.0
	1	67	9.40	9.19		0.0
	1	131	9.20	9.11		0.0
	64	0	9.23	9.22	0-1	0.0
	64	35	9.29	9.05	0	0.0
	64	69	9.18	9.04	0-1	0.0
	128	0	9.23	9.05		0.0
DFT-s-OFDM 16QAM	1	1	9.27	9.00	0-1	0.0
CP-OFDM QPSK	1	1	9.43	9.15	0-1.5	0.0

Table H-226
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.56	9.51	0	0.0
	1	53	9.44	9.21		0.0
	1	104	9.62	9.20		0.0
	50	0	9.37	9.41	0-1	0.0
	50	28	9.40	9.29	0	0.0
	50	56	9.43	9.25	0-1	0.0
	100	0	9.43	9.32		0.0
DFT-s-OFDM 16QAM	1	1	9.45	9.79	0-1	0.0
CP-OFDM QPSK	1	1	9.58	9.69	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 147 of 181

Table H-227
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.43	9.41	0	0.0
	1	39	9.29	9.28		0.0
	1	76	9.36	9.32		0.0
	36	0	9.38	9.45	0-1	0.0
	36	21	9.24	9.23	0	0.0
	36	42	9.31	9.30	0-1	0.0
	75	0	9.39	9.32		0.0
DFT-s-OFDM 16QAM	1	1	9.18	9.52	0-1	0.0
CP-OFDM QPSK	1	1	9.47	9.33	0-1.5	0.0

Table H-228
NR Band n77 Antenna 2 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.32	9.41	0	0.0
	1	26	9.21	9.32		0.0
	1	49	9.35	9.38		0.0
	25	0	9.34	9.29	0-1	0.0
	25	13	9.32	9.27	0	0.0
	25	26	9.33	9.28	0-1	0.0
	50	0	9.24	9.26		0.0
DFT-s-OFDM 16QAM	1	1	9.22	9.42	0-1	0.0
CP-OFDM QPSK	1	1	9.31	9.28	0-1.5	0.0

H.2.18 NR Band n77 DoD Antenna 2

Table H-229

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.58	0	0.0
	1	123	24.71		0.0
	1	243	24.77		0.0
	120	0	24.71	0-1	0.0
	120	63	24.78	0	0.0
	120	125	24.79	0-1	0.0
	243	0	24.60		0.0
DFT-s-OFDM 16QAM	1	1	24.23	0-1	0.0
CP-OFDM QPSK	1	1	23.99	0-1.5	0.0

Table H-230

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.61	0	0.0
	1	109	24.73		0.0
	1	215	24.76		0.0
	108	0	24.62	0-1	0.0
	108	55	24.68	0	0.0
	108	109	24.68	0-1	0.0
	216	0	24.71		0.0
DFT-s-OFDM 16QAM	1	1	24.36	0-1	0.0
CP-OFDM QPSK	1	1	23.97	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 149 of 181

Table H-231

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.70	0	0.0
	1	95	24.73		0.0
	1	187	24.84		0.0
	90	0	24.65	0-1	0.0
	90	50	24.70	0	0.0
	90	99	24.70	0-1	0.0
	180	0	24.56		0.0
DFT-s-OFDM 16QAM	1	1	24.32	0-1	0.0
CP-OFDM QPSK	1	1	23.90	0-1.5	0.0

Table H-232

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.67	0	0.0
	1	81	24.73		0.0
	1	160	24.80		0.0
	81	0	24.75	0-1	0.0
	81	41	24.78	0	0.0
	81	81	24.80	0-1	0.0
	162	0	24.63		0.0
DFT-s-OFDM 16QAM	1	1	24.30	0-1	0.0
CP-OFDM QPSK	1	1	23.88	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 150 of 181

Table H-233

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.66	0	0.0
	1	67	24.72		0.0
	1	131	24.76		0.0
	64	0	24.74	0-1	0.0
	64	35	24.77	0	0.0
	64	69	24.78	0-1	0.0
	128	0	24.70		0.0
DFT-s-OFDM 16QAM	1	1	24.39	0-1	0.0
CP-OFDM QPSK	1	1	23.89	0-1.5	0.0

Table H-234

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.73	0	0.0
	1	53	24.73		0.0
	1	104	24.78		0.0
	50	0	24.78	0-1	0.0
	50	28	24.81	0	0.0
	50	56	24.84	0-1	0.0
	100	0	24.80		0.0
DFT-s-OFDM 16QAM	1	1	24.30	0-1	0.0
CP-OFDM QPSK	1	1	23.92	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 151 of 181

Table H-235

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.73	0	0.0
	1	39	24.73		0.0
	1	76	24.77		0.0
	36	0	24.76	0-1	0.0
	36	21	24.78	0	0.0
	36	42	24.80	0-1	0.0
	75	0	24.72		0.0
DFT-s-OFDM 16QAM	1	1	24.24	0-1	0.0
CP-OFDM QPSK	1	1	24.22	0-1.5	0.0

Table H-236

NR Band n77 Antenna 2 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.77	0	0.0
	1	26	24.73		0.0
	1	49	24.79		0.0
	25	0	24.79	0-1	0.0
	25	13	24.82	0	0.0
	25	26	24.82	0-1	0.0
	50	0	24.84		0.0
DFT-s-OFDM 16QAM	1	1	24.33	0-1	0.0
CP-OFDM QPSK	1	1	24.09	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 152 of 181

Table H-237
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.23	0	0.0
	1	123	9.27		0.0
	1	243	9.14		0.0
	120	0	9.23	0-1	0.0
	120	63	9.24	0	0.0
	120	125	9.21	0-1	0.0
	243	0	9.22		0.0
DFT-s-OFDM 16QAM	1	1	8.83	0-1	0.0
CP-OFDM QPSK	1	1	9.06	0-1.5	0.0

Table H-238
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.21	0	0.0
	1	109	9.19		0.0
	1	215	9.15		0.0
	108	0	9.35	0-1	0.0
	108	55	9.25	0	0.0
	108	109	9.24	0-1	0.0
	216	0	9.21		0.0
DFT-s-OFDM 16QAM	1	1	9.36	0-1	0.0
CP-OFDM QPSK	1	1	9.13	0-1.5	0.0

Table H-239
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.33	0	0.0
	1	95	9.28		0.0
	1	187	9.12		0.0
	90	0	9.26	0-1	0.0
	90	50	9.28	0	0.0
	90	99	9.26	0-1	0.0
	180	0	9.23		0.0
DFT-s-OFDM 16QAM	1	1	9.39	0-1	0.0
CP-OFDM QPSK	1	1	9.34	0-1.5	0.0

Table H-240
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.41	0	0.0
	1	81	9.42		0.0
	1	160	9.22		0.0
	81	0	9.41	0-1	0.0
	81	41	9.40	0	0.0
	81	81	9.35	0-1	0.0
	162	0	9.38		0.0
DFT-s-OFDM 16QAM	1	1	9.43	0-1	0.0
CP-OFDM QPSK	1	1	9.42	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 154 of 181

Table H-241
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.33	0	0.0
	1	67	9.30		0.0
	1	131	9.14		0.0
	64	0	9.42	0-1	0.0
	64	35	9.38	0	0.0
	64	69	9.35	0-1	0.0
	128	0	9.34		0.0
DFT-s-OFDM 16QAM	1	1	9.58	0-1	0.0
CP-OFDM QPSK	1	1	9.37	0-1.5	0.0

Table H-242
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.65	0	0.0
	1	53	9.50		0.0
	1	104	9.64		0.0
	50	0	9.63	0-1	0.0
	50	28	9.54	0	0.0
	50	56	9.52	0-1	0.0
	100	0	9.53		0.0
DFT-s-OFDM 16QAM	1	1	9.67	0-1	0.0
CP-OFDM QPSK	1	1	9.68	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 155 of 181

Table H-243
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.63	0	0.0
	1	39	9.45		0.0
	1	76	9.66		0.0
	36	0	9.50	0-1	0.0
	36	21	9.48	0	0.0
	36	42	9.50	0-1	0.0
	75	0	9.54		0.0
DFT-s-OFDM 16QAM	1	1	9.67	0-1	0.0
CP-OFDM QPSK	1	1	9.59	0-1.5	0.0

Table H-244
NR Band n77 Antenna 2 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.52	0	0.0
	1	26	9.56		0.0
	1	49	9.57		0.0
	25	0	9.51	0-1	0.0
	25	13	9.52	0	0.0
	25	26	9.55	0-1	0.0
	50	0	9.55		0.0
DFT-s-OFDM 16QAM	1	1	9.67	0-1	0.0
CP-OFDM QPSK	1	1	9.51	0-1.5	0.0

H.2.19 NR Band n77 C-Band Antenna 3

Table H-245

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.87	25.59	0	0.0
	1	123	25.57	25.74		0.0
	1	243	25.47	25.60		0.0
	120	0	24.85	24.80	0-1	1.0
	120	63	25.59	25.73	0	0.0
	120	125	24.58	24.76	0-1	1.0
	243	0	24.74	24.77		1.0
DFT-s-OFDM 16QAM	1	1	24.90	24.59	0-1	1.0
CP-OFDM QPSK	1	1	24.47	24.30	0-1.5	1.5

Table H-246

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.83	25.82	0	0.0
	1	109	25.66	25.78		0.0
	1	215	25.50	25.62		0.0
	108	0	24.87	24.76	0-1	1.0
	108	55	25.62	25.71	0	0.0
	108	109	24.61	24.75	0-1	1.0
	216	0	24.74	24.76		1.0
DFT-s-OFDM 16QAM	1	1	24.91	24.78	0-1	1.0
CP-OFDM QPSK	1	1	24.28	24.22	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 157 of 181

Table H-247

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.79	25.65	0	0.0
	1	95	25.56	25.82		0.0
	1	187	25.39	25.53		0.0
	90	0	24.86	24.76	0-1	1.0
	90	50	25.60	25.68	0	0.0
	90	99	24.70	24.74	0-1	1.0
	180	0	24.71	24.77		1.0
DFT-s-OFDM 16QAM	1	1	24.77	24.90	0-1	1.0
CP-OFDM QPSK	1	1	24.32	24.22	0-1.5	1.5

Table H-248

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.94	25.68	0	0.0
	1	81	25.57	25.73		0.0
	1	160	25.68	25.60		0.0
	81	0	24.92	24.83	0-1	1.0
	81	41	25.68	25.74	0	0.0
	81	81	24.77	24.83	0-1	1.0
	162	0	24.85	24.82		1.0
DFT-s-OFDM 16QAM	1	1	25.04	24.61	0-1	1.0
CP-OFDM QPSK	1	1	24.54	24.12	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 158 of 181

Table H-249

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.95	25.98	0	0.0
	1	67	25.80	26.03		0.0
	1	131	25.72	26.01		0.0
	64	0	24.91	25.08	0-1	1.0
	64	35	25.74	25.89	0	0.0
	64	69	24.86	25.00	0-1	1.0
	128	0	24.92	25.04		1.0
DFT-s-OFDM 16QAM	1	1	25.02	25.00	0-1	1.0
CP-OFDM QPSK	1	1	24.76	24.71	0-1.5	1.5

Table H-250

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	26.10	26.14	0	0.0
	1	53	26.00	26.03		0.0
	1	104	25.95	26.08		0.0
	50	0	25.15	25.23	0-1	1.0
	50	28	26.10	26.15	0	0.0
	50	56	25.12	25.21	0-1	1.0
	100	0	25.11	25.15		1.0
DFT-s-OFDM 16QAM	1	1	25.30	25.36	0-1	1.0
CP-OFDM QPSK	1	1	24.70	24.74	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 159 of 181

Table H-251

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	26.02	26.04	0	0.0
	1	39	25.93	25.97		0.0
	1	76	25.91	25.87		0.0
	36	0	25.05	25.10	0-1	1.0
	36	21	25.96	26.03	0	0.0
	36	42	25.04	25.14	0-1	1.0
	75	0	25.05	25.16		1.0
DFT-s-OFDM 16QAM	1	1	25.09	24.97	0-1	1.0
CP-OFDM QPSK	1	1	24.79	24.68	0-1.5	1.5

Table H-252

NR Band n77 Antenna 3 Measured P_{max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.92	25.87	0	0.0
	1	26	26.02	25.94		0.0
	1	49	26.01	25.86		0.0
	25	0	25.03	24.95	0-1	1.0
	25	13	25.98	25.97	0	0.0
	25	26	24.98	25.00	0-1	1.0
	50	0	24.99	25.05		1.0
DFT-s-OFDM 16QAM	1	1	24.79	24.81	0-1	1.0
CP-OFDM QPSK	1	1	24.54	24.56	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 160 of 181

Table H-253
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.16	10.97	0	0.0
	1	123	10.93	11.19		0.0
	1	243	10.78	10.88		0.0
	120	0	11.12	11.06	0-1	0.0
	120	63	10.93	11.11	0	0.0
	120	125	10.80	10.96	0-1	0.0
	243	0	10.97	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.12	11.15	0-1	0.0
CP-OFDM QPSK	1	1	11.23	11.03	0-1.5	0.0

Table H-254
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.29	11.12	0	0.0
	1	109	10.90	11.18		0.0
	1	215	10.78	10.84		0.0
	108	0	11.08	11.02	0-1	0.0
	108	55	10.94	11.12	0	0.0
	108	109	10.86	10.88	0-1	0.0
	216	0	10.92	11.01		0.0
DFT-s-OFDM 16QAM	1	1	11.29	11.07	0-1	0.0
CP-OFDM QPSK	1	1	11.03	10.97	0-1.5	0.0

Table H-255
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.32	11.01	0	0.0
	1	95	11.02	11.02		0.0
	1	187	10.82	10.85		0.0
	90	0	11.09	11.05	0-1	0.0
	90	50	10.90	11.08	0	0.0
	90	99	10.84	10.93	0-1	0.0
	180	0	10.96	11.06		0.0
DFT-s-OFDM 16QAM	1	1	11.03	11.15	0-1	0.0
CP-OFDM QPSK	1	1	11.24	11.01	0-1.5	0.0

Table H-256
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.39	11.07	0	0.0
	1	81	11.00	11.12		0.0
	1	160	11.01	11.02		0.0
	81	0	11.18	11.02	0-1	0.0
	81	41	11.07	11.13	0	0.0
	81	81	10.96	10.99	0-1	0.0
	162	0	11.06	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.37	10.98	0-1	0.0
CP-OFDM QPSK	1	1	11.49	10.85	0-1.5	0.0

Table H-257
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.35	11.11	0	0.0
	1	67	11.27	11.15		0.0
	1	131	11.11	11.10		0.0
	64	0	11.15	11.08	0-1	0.0
	64	35	11.14	11.17	0	0.0
	64	69	11.03	11.08	0-1	0.0
	128	0	11.12	11.16		0.0
DFT-s-OFDM 16QAM	1	1	11.19	11.40	0-1	0.0
CP-OFDM QPSK	1	1	11.32	11.16	0-1.5	0.0

Table H-258
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.53	11.44	0	0.0
	1	53	11.20	11.33		0.0
	1	104	11.26	11.31		0.0
	50	0	11.37	11.45	0-1	0.0
	50	28	11.23	11.40	0	0.0
	50	56	11.26	11.40	0-1	0.0
	100	0	11.23	11.41		0.0
DFT-s-OFDM 16QAM	1	1	11.57	11.54	0-1	0.0
CP-OFDM QPSK	1	1	11.66	11.50	0-1.5	0.0

Table H-259
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.39	11.51	0	0.0
	1	39	11.25	11.34		0.0
	1	76	11.36	11.38		0.0
	36	0	11.31	11.46	0-1	0.0
	36	21	11.29	11.27	0	0.0
	36	42	11.22	11.38	0-1	0.0
	75	0	11.27	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.25	11.30	0-1	0.0
CP-OFDM QPSK	1	1	11.49	11.46	0-1.5	0.0

Table H-260
NR Band n77 Antenna 3 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.29	11.26	0	0.0
	1	26	11.14	11.32		0.0
	1	49	11.13	11.38		0.0
	25	0	11.14	11.29	0-1	0.0
	25	13	11.15	11.10	0	0.0
	25	26	11.12	11.24	0-1	0.0
	50	0	11.15	11.20		0.0
DFT-s-OFDM 16QAM	1	1	11.00	11.01	0-1	0.0
CP-OFDM QPSK	1	1	11.13	11.30	0-1.5	0.0

H.2.20 NR Band n77 DoD Antenna 3

Table H-261

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.48	0	0.0
	1	123	25.72		0.0
	1	243	25.75		0.0
	120	0	24.67	0-1	1.0
	120	63	25.64	0	0.0
	120	125	24.72	0-1	1.0
	243	0	24.70		1.0
DFT-s-OFDM 16QAM	1	1	24.54	0-1	1.0
CP-OFDM QPSK	1	1	24.05	0-1.5	1.5

Table H-262

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.64	0	0.0
	1	109	25.73		0.0
	1	215	25.75		0.0
	108	0	24.69	0-1	1.0
	108	55	25.63	0	0.0
	108	109	24.80	0-1	1.0
	216	0	24.70		1.0
DFT-s-OFDM 16QAM	1	1	24.52	0-1	1.0
CP-OFDM QPSK	1	1	24.08	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 165 of 181

Table H-263

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.59	0	0.0
	1	95	25.71		0.0
	1	187	25.73		0.0
	90	0	24.74	0-1	1.0
	90	50	25.62	0	0.0
	90	99	24.74	0-1	1.0
180	0	24.72	1.0		
DFT-s-OFDM 16QAM	1	1	24.62	0-1	1.0
CP-OFDM QPSK	1	1	24.20	0-1.5	1.5

Table H-264

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.87	0	0.0
	1	81	25.95		0.0
	1	160	25.92		0.0
	81	0	24.96	0-1	1.0
	81	41	25.85	0	0.0
	81	81	24.92	0-1	1.0
	162	0	24.91		1.0
DFT-s-OFDM 16QAM	1	1	24.58	0-1	1.0
CP-OFDM QPSK	1	1	24.40	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 166 of 181

Table H-265

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.87	0	0.0
	1	67	25.88		0.0
	1	131	25.84		0.0
	64	0	24.95	0-1	1.0
	64	35	25.79	0	0.0
	64	69	24.91	0-1	1.0
	128	0	24.90		1.0
DFT-s-OFDM 16QAM	1	1	24.65	0-1	1.0
CP-OFDM QPSK	1	1	24.56	0-1.5	1.5

Table H-266

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.15	0	0.0
	1	53	26.04		0.0
	1	104	26.29		0.0
	50	0	25.26	0-1	1.0
	50	28	26.12	0	0.0
	50	56	25.21	0-1	1.0
	100	0	25.24		1.0
DFT-s-OFDM 16QAM	1	1	25.22	0-1	1.0
CP-OFDM QPSK	1	1	24.69	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 167 of 181

Table H-267

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.15	0	0.0
	1	39	26.16		0.0
	1	76	26.23		0.0
	36	0	25.17	0-1	1.0
	36	21	26.16	0	0.0
	36	42	25.23	0-1	1.0
	75	0	25.18		1.0
DFT-s-OFDM 16QAM	1	1	25.01	0-1	1.0
CP-OFDM QPSK	1	1	24.73	0-1.5	1.5

Table H-268

NR Band n77 Antenna 3 DoD Measured P_{limit} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.01	0	0.0
	1	26	26.03		0.0
	1	49	26.10		0.0
	25	0	25.16	0-1	1.0
	25	13	26.06	0	0.0
	25	26	25.17	0-1	1.0
	50	0	25.18		1.0
DFT-s-OFDM 16QAM	1	1	25.04	0-1	1.0
CP-OFDM QPSK	1	1	24.58	0-1.5	1.5

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 168 of 181

Table H-269
NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.79	0	0.0
	1	123	10.95		0.0
	1	243	11.13		0.0
	120	0	10.97	0-1	0.0
	120	63	10.98	0	0.0
	120	125	10.98	0-1	0.0
	243	0	10.96		0.0
DFT-s-OFDM 16QAM	1	1	10.92	0-1	0.0
CP-OFDM QPSK	1	1	10.85	0-1.5	0.0

Table H-270
NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.98	0	0.0
	1	109	11.10		0.0
	1	215	11.05		0.0
	108	0	10.99	0-1	0.0
	108	55	11.03	0	0.0
	108	109	11.02	0-1	0.0
	216	0	11.01		0.0
DFT-s-OFDM 16QAM	1	1	10.92	0-1	0.0
CP-OFDM QPSK	1	1	10.84	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 169 of 181

Table H-271

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.99	0	0.0
	1	95	11.02		0.0
	1	187	10.97		0.0
	90	0	10.96	0-1	0.0
	90	50	10.97	0	0.0
	90	99	11.06	0-1	0.0
	180	0	11.03		0.0
DFT-s-OFDM 16QAM	1	1	10.92	0-1	0.0
CP-OFDM QPSK	1	1	11.01	0-1.5	0.0

Table H-272

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.10	0	0.0
	1	81	11.22		0.0
	1	160	11.24		0.0
	81	0	11.24	0-1	0.0
	81	41	11.22	0	0.0
	81	81	11.19	0-1	0.0
	162	0	11.17		0.0
DFT-s-OFDM 16QAM	1	1	10.93	0-1	0.0
CP-OFDM QPSK	1	1	11.12	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 170 of 181

Table H-273

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.25	0	0.0
	1	67	11.20		0.0
	1	131	11.16		0.0
	64	0	11.14	0-1	0.0
	64	35	11.13	0	0.0
	64	69	11.12	0-1	0.0
	128	0	11.13		0.0
DFT-s-OFDM 16QAM	1	1	10.92	0-1	0.0
CP-OFDM QPSK	1	1	11.24	0-1.5	0.0

Table H-274

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.49	0	0.0
	1	53	11.36		0.0
	1	104	11.52		0.0
	50	0	11.37	0-1	0.0
	50	28	11.34	0	0.0
	50	56	11.35	0-1	0.0
	100	0	11.35		0.0
DFT-s-OFDM 16QAM	1	1	11.57	0-1	0.0
CP-OFDM QPSK	1	1	11.38	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 171 of 181

Table H-275

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.45	0	0.0
	1	39	11.30		0.0
	1	76	11.40		0.0
	36	0	11.36	0-1	0.0
	36	21	11.25	0	0.0
	36	42	11.35	0-1	0.0
	75	0	11.32		0.0
DFT-s-OFDM 16QAM	1	1	11.22	0-1	0.0
CP-OFDM QPSK	1	1	11.46	0-1.5	0.0

Table H-276

NR Band n77 Antenna 3 DoD Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.31	0	0.0
	1	26	11.40		0.0
	1	49	11.36		0.0
	25	0	11.34	0-1	0.0
	25	13	11.25	0	0.0
	25	26	11.35	0-1	0.0
	50	0	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.18	0-1	0.0
CP-OFDM QPSK	1	1	11.27	0-1.5	0.0

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 172 of 181

H.2.21 NR Band n77 C-Band Antenna 5 & 8

Table H-277

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.47	24.46
SRS #3 Ant 8	24.00	24.15

Table H-278

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.52	24.39
SRS #3 Ant 8	23.99	24.10

Table H-279

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.52	24.43
SRS #3 Ant 8	24.00	24.13

Table H-280

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.53	24.47
SRS #3 Ant 8	23.98	24.18

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 173 of 181

Table H-281

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.61	24.50
SRS #3 Ant 8	24.11	24.17

Table H-282

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS Ant 5	24.73	24.63
SRS Ant 8	24.21	24.42

Table H-283

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.66	24.64
SRS #3 Ant 8	24.17	24.38

Table H-284

NR Band n77 SRS Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	24.79	24.71
SRS #3 Ant 8	24.20	24.43

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 174 of 181

Table H-285

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.47	0.35
SRS #3 Ant 8	-2.13	-2.03

Table H-286

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.49	0.31
SRS #3 Ant 8	-2.17	-2.04

Table H-287

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.51	0.32
SRS #3 Ant 8	-2.19	-2.03

Table H-288

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.58	0.46
SRS #3 Ant 8	-2.21	-2.08

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 175 of 181

Table H-289

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.56	0.44
SRS #3 Ant 8	-2.13	-1.98

Table H-290

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS Ant 5	0.79	0.64
SRS #3 Ant 8	-1.94	-1.75

Table H-291

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.75	0.68
SRS #3 Ant 8	-1.95	-1.74

Table H-292

NR Band n77 SRS Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 5	0.77	0.67
SRS #3 Ant 8	-1.91	-1.71

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 176 of 181

H.2.22 NR Band n77 DoD Antenna 5 & 8

Table H-293

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.76
SRS #3 Ant 8	24.45

Table H-294

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.73
SRS #3 Ant 8	24.43

Table H-295

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.73
SRS #3 Ant 8	24.42

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 177 of 181

Table H-296

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.95
SRS #3 Ant 8	24.55

Table H-297

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.89
SRS #3 Ant 8	24.49

Table H-298

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS Ant 5	24.95
SRS Ant 8	24.74

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 178 of 181

Table H-299

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.98
SRS #3 Ant 8	24.70

Table H-300

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Max} for DSI = 3 (No Motion and/or Laptop) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	24.99
SRS #3 Ant 8	24.63

Table H-301

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	0.84
SRS #3 Ant 8	-1.69

Table H-302

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	0.76
SRS #3 Ant 8	-1.72

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 179 of 181

Table H-303

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	0.76
SRS #3 Ant 8	-1.68

Table H-304

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	0.96
SRS #3 Ant 8	-1.54

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 180 of 181

Table H-305

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	0.93
SRS #3 Ant 8	-1.61

Table H-306

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS Ant 5	1.14
SRS #3 Ant 8	-1.41

Table H-307

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	1.05
SRS #3 Ant 8	-1.46

Table H-308

NR Band n77 SRS DoD Antennas 5, 8 Measured P_{Limit} for DSI = 6 (Motion and Tablet)- 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 5	1.21
SRS #3 Ant 8	-1.49

FCC ID: C3K2077	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX H: Page 181 of 181