



Worst Case Mode: 802.11be OFDMA
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-213. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 242 Tones)




Plot 7-214. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 242 Tones)

Worst Case Mode: 802.11be OFDMA
 Worst Case Transfer Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13




Plot 7-215. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 242 Tones)




Plot 7-216. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 242 Tones)

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 122 of 127

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2422MHz
Channel:	3




Plot 7-217. Radiated Restricted Lower Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-218. Radiated Restricted Lower Band Edge Measurement MIMO (Peak – 484 Tones)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2427MHz
Channel:	4




Plot 7-219. Radiated Restricted Lower Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-220. Radiated Restricted Lower Band Edge Measurement MIMO (Peak – 484 Tones)

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 123 of 127

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2432MHz
Channel:	5




Plot 7-221. Radiated Restricted Lower Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-222. Radiated Restricted Lower Band Edge Measurement MIMO (Peak – 484 Tones)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2442MHz
Channel:	7




Plot 7-223. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-224. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 484 Tones)

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 124 of 127

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2447MHz
Channel:	8




Plot 7-225. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-226. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 484 Tones)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	2452MHz
Channel:	9




Plot 7-227. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-228. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 484 Tones)

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 125 of 127

Worst Case Mode: 802.11be OFDMA
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10




Plot 7-229. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 484 Tones)




Plot 7-230. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 484 Tones)

Worst Case Mode: 802.11be OFDMA
 Worst Case Transfer Rate: MCS0
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-231. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 484 Tones)



Plot 7-232. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 484 Tones)

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 126 of 127

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Microsoft Corporation Portable Computing Device FCC ID: C3K2085 / IC: 3048A-2085** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the ISED rules.

FCC ID: C3K2085 IC: 3048A-2085	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2311170118-08.C3K	Test Dates: 01/03/2024 - 03/18/2024	EUT Type: Portable Computing Device	Page 127 of 127