



FRONT VIEW(DOOR CLOSE)



FRONT VIEW(DOOR OPEN)



REAR VIEW



DAERWOO
MADE IN CHINA

POWER INPUT: 100V AC, 50/60Hz
POWER OUTPUT: 100W
FCC ID: C5F7NF86MO1000
EQUIPMENT MODEL: D5000

CAUTION THIS DEVICE IS TO BE SERVICED ONLY BY PROPERLY TRAINED SERVICE PERSONNEL. CONSULT THE SERVICE MANUAL FOR PROPER SAFETY PROCEDURES TO AVOID DAMAGE TO THE DEVICE OR PERSONAL INJURY. THE SERVICE MANUAL IS AVAILABLE AT THE FOLLOWING URL: www.daerwoo.com

WARNING DISCONNECT AND UNPLUG BEFORE SERVICING. REMOVAL OF THE COVER IS PROHIBITED. EXPOSED ELECTRICAL PARTS MAY BE HOT. DO NOT TOUCH. TO PREVENT ELECTRIC SHOCK, DISCONNECT THE POWER CORD FROM THE WALL OUTLET BEFORE SERVICING. DO NOT RECONNECT THE POWER CORD UNTIL YOU ARE SURE THE APPLIANCE IS COMPLETELY DEENERGIZED. THE APPLIANCE IS EQUIPPED WITH AN OVERCURRENT PROTECTION DEVICE (OCPD) WHICH WILL TRIP THE APPLIANCE IN THE EVENT OF AN OVERCURRENT CONDITION. THE OCPD IS NOT A FUSE AND IS NOT REMOVABLE. FUSES ARE PROVIDED BECAUSE OF AVERAGE RISK OF ELECTRICAL SHOCK. THE REMOVABLE FUSES ARE PROVIDED BECAUSE OF AVERAGE RISK OF ELECTRICAL SHOCK. DO NOT REMOVE FUSES.

SIDE VIEW(LEFT)

