

ID Label Location

DAEWOO	MODEL MW-700
CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE BACK. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.	POWER 100-240Vac 50/60Hz 2.0-1.0A
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.	SERIAL NO.
FCC ID: C6F7NFCMW700 MADE IN SEOUL, KOREA	MANUFACTURED
COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS. 21 CFR SUBCHAPTER J. APPLICABLE AT DATE OF MANUFACTURE.	CHASSIS NO. 712B
Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt. Beschleunigungsspannung: Max. 29Kv.	DHHS CODE: G7NF
This class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la class B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada. Apparatet må kun tilkobles jordet stikkontakt. Apparatet skall anslutas till jordat uttag när den ansluts till ett nätverk.	S N H D
DAEWOO ELECTRONICS CO., LTD. 541, S-GA, NAMDAEMOON-RO, JUNG-GU, SEOUL, KOREA	S/N: 9975427120A
UL LISTED 5499 FUSION MONITOR LF 50008 CE TÜV SÜD CERTIFIED TO ISO 9241-3 ISO 9241-8	TUV GS PRODUCT SERVICE



ID Label Sample

DAEWOO

MODEL MW-700

CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE BACK. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

POWER
100-240Vac 50/60Hz 2.0-1.0A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

SERIAL NO.

FCC ID: C5F7NFCMW700 MADE IN SEOUL, KOREA

MANUFACTURED

COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21 CFR SUBCHAPTER J, APPLICABLE AT DATE OF MANUFACTURE.

Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt. Beschleunigungsspannung: Max. 29Kv.

CHASSIS NO. **712B**

This class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la class B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada. Apparatet må kun tilkobles jordet stikkontakt. Apparatet skall anslutas till jordat uttag när den ansluts till ett nätverk.

DHHS CODE: G7NF



DAEWOO ELECTRONICS CO., LTD.
541, 5-GA, NAMDAEMOON-RO, JUNG-GU, SEOUL, KOREA

S/N: 9975427120A (H)



Certified to
ISO 9241-3
ISO 9241-8

