Maximum power spectral density	
802.11n ht20 Lowest Channel	
802.11n ht20 Middle Channel	
802.11n ht20 Highest Channel	

Maximum power spectral density	
802.11n ht40 Lowest Channel	
802.11n ht40 Highest Channel	
802.11ac vht80 Middle Channel	

5250-5350 MHz:

Maximum power spectral density	
802.11a Lowest Channel	
802.11a Middle Channel	
802.11a Highest Channel	

Maximum power spectral density	
802.11n ht20 Lowest Channel	
802.11n ht20 Middle Channel	
802.11n ht20 Highest Channel	

Maximum power spectral density	
802.11n ht40 Lowest Channel	
802.11n ht40 Highest Channel	
802.11ac vht80 Middle Channel	

5470-5725 MHz:

Maximum power spectral density	
802.11a Lowest Channel	
802.11a Middle Channel	
802.11a Highest Channel	

Maximum power spectral density	
802.11a Additional Channel	
802.11n ht20 Lowest Channel	
802.11n ht20 Middle Channel	

Maximum power spectral density	
802.11n ht20 Highest Channel	
802.11n ht20 Additional Channel	
802.11n ht40 Lowest Channel	

Maximum power spectral density	
802.11n ht40 Middle Channel	
802.11n ht40 Highest Channel	
802.11n ht40 Additional Channel	

Maximum power spectral density	
802.11ac vht80 Lowest Channel	
802.11ac vht80 Middle Channel	
802.11ac vht80 Additional Channel	

5725-5850MHz

Maximum power spectral density	
802.11a Lowest Channel	
802.11a Middle Channel	
802.11a Highest Channel	

Maximum power spectral density	
802.11n ht20 Lowest Channel	
802.11n ht20 Middle Channel	
802.11n ht20 Highest Channel	

Maximum power spectral density	
802.11n ht40 Lowest Channel	
802.11n ht40 Highest Channel	
802.11ac vht80 Middle Channel	

4.6 Duty Cycle:

Serial Number:	CR21110026-RF-S1	Test Date:	2021-12-10
Test Site:	RF	Test Mode:	Transmitting
Tester:	LE Qiao	Test Result:	N/A

Environmental Conditions:					
Temperature: (℃)	22.8	Relative Humidity: (%)	49	ATM Pressure: (kPa)	101.6

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2021/7/22	2022/7/21
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)
802.11a	1.476	1.482	99.60
802.11n ht20	1.372	1.382	99.28
802.11n ht40	0.689	0.705	97.73
802.11ac vht80	0.346	0.377	91.78

Duty Cycle	
802.11a	

Duty Cycle	
802.11n ht20	
802.11n ht40	
802.11ac vht80 Middle Channel	

******* END OF REPORT *******