



NOTES:

- 1 ASSEMBLER IS TO PRINT LABEL INFORMATION AS SHOWN, USING ADHESIVE LABEL.
- 2 LAY OUT PATENT NUMBERS TO FILL SPACE AVAILABLE, BUT NATION/ORGANIZATION OF ORIGIN HEADINGS MUST BE MAINTAINED FOR CORRESPONDING PATENT NUMBERS AS SHOWN ON LATEST REVISION OF DRAWING 1535474 PATENT GROUP [AK].

SPECIFICATIONS	
PERFORMANCE:	<input checked="" type="checkbox"/> PART MUST MEET TSM0500G <input checked="" type="checkbox"/> PART MUST MEET TSZ0001G
MATERIAL:	.
FINISH:	.
THIRD ANGLE PROJECTION ASME Y14.5M 1994	
GENERAL PART STANDARD NOTES UNLESS OTHERWISE SPECIFIED	
A. DIMENSIONS ARE IN MILLIMETERS. B. ELECTRONIC PART IS DATA MASTER. ELECTRONIC DRAWING IS MASTER FOR REQUIREMENTS, SPECIFICATIONS, AND TOLERANCES ONLY. -ALL GRAPHIC MEASURED DATA IS TO BE TAKEN FROM THE NOMINAL PART FILE AT ITS LATEST REVISION LEVEL. -UNDIMENSIONED FEATURES ARE TO MATCH THE CAD PART WITHIN: X GENERAL MOLDING TOLERANCES PER DIN 16901 AS MEASURED FROM DATUMS C. ANY PERMANENT OR TEMPORARY MATERIALS (LUBRICANTS, CUTTING OILS, MOLD RELEASE, RUST INHIBITORS, FASTENER COATINGS, PVC, ETC) USED ON THIS PART MUST BE COMPATIBLE WITH THE MATERIAL IN THIS COMPONENT AND ITS MATING COMPONENTS. D. SUBSTANCE USE RESTRICTIONS: THE GLOBAL AUTOMOTIVE DECLARABLE SUBSTANCES LIST (SEE http://www.gads1.org) REGARDING PROHIBITED AND DECLARABLE SUBSTANCES APPLIES TO ALL MATERIALS USED IN THIS PART.	
CHARACTERISTIC SYMBOLS	
<input checked="" type="checkbox"/> DESIGNATES SIGNIFICANT CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN.	<input checked="" type="checkbox"/> DESIGNATES PART MUST MEET FMVSS 302
<input checked="" type="checkbox"/> DESIGNATES SIGNIFICANT CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN USING ATTRIBUTE GAUGING METHODS.	<input checked="" type="checkbox"/> DESIGNATES CRITICAL CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN.
<input checked="" type="checkbox"/> DESIGNATES SIGNIFICANT CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN USING VARIABLE GAUGING METHODS.	<input checked="" type="checkbox"/> DESIGNATES CRITICAL CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN USING ATTRIBUTE GAUGING METHODS.
<input type="checkbox"/> DESIGNATES CHARACTERISTIC TO BE CHECKED AT INITIAL/SUBSEQUENT CUSTOMER PART SUBMISSION (ONE TIME CAPABILITY)	<input checked="" type="checkbox"/> DESIGNATES CRITICAL CHARACTERISTIC TO BE MONITORED PER CONTROL PLAN USING VARIABLE MEASUREMENT OR GAUGING METHOD

2A LABEL		UPDATE LABEL CONTENT			
REV	ECO No.	DRAWN	CHECKED	APPROVED	DATE
2	6227548	ALEMMEC	AGOODMS	AROGALB	14JAN13
RELEASE FOR PRODUCTION					
REV	ECO No.	DRAWN	CHECKED	APPROVED	DATE
1	5685689	ALEMMEC	AWEISSM	AROGALB	26MAR12
REVISION HISTORY					
		<small>© Copyright 2012 Johnson Controls, Inc. All rights reserved. Confidential and Proprietary to Johnson Controls, Inc. Disclosure of any confidential/proprietary information contained in this document/material without the express written permission of Johnson Controls, Inc. is strictly prohibited.</small>			
NAME: LBL.440A HMLK					
CPP CODE	MASS	SCALE	PART No.	REV	
N/A	1.0 g	4:1	2300878	2	
SIZE	PROGRAM No.	SHEET	DWG No.	REV	
C	1014064	1 OF 1	2300878	2	
CUSTOMER: TOYOTA					