


DWG. NO.  
VJ0058

4 X R.100[2.54]  
APPROX.



- NOTES:
- REFER TO DOCUMENT V30745 FOR MANUFACTURER OF THE PART.
  - MATERIAL - HIGH TEMPERATURE POLYESTER (WHITE, MATTE)
  - TEMPERATURE RANGE:
 

MINIMUM TEMP	-40°C	-40°F
MAXIMUM TEMP	204°C	400°F
  - ADHESIVE TYPE: ACRYLIC
 

MINIMUM APPLY	10°C	50°F
MAXIMUM APPLY	60°C	140°F
  - TOTAL LABEL THICKNESS = .0072[.18]
  - SHELF LIFE: SIX (6) MONTHS AT 70°F (21°C) AND 50% R.H.
  - THIS LABEL IS REFERENCED TO ON ELECTRONIC ASSEMBLY DRAWING VJ0057.

REVISION BLOCK					
REV	SIZE	DESCRIPTION	P.C.N.	BY	DATE
A		RELEASE FOR PRODUCTION	5A253	AT	10FEB00

ELECTRONICS STD. UNLESS OTHERWISE SPECIFIED					
THIRD ANGLE PROJECTION					
DD NOT SCALE					
X.X DECIMAL TOLER1 ANGULAR ± 2.0° X.XX DECIMAL TOLER2 DRAFT ANGLES NOTED X.XXX DECIMAL TOLER3 SPECIFIES FEATURES REQUIRING SPECIAL CONSIDERATIONS. SEE PRODUCT CONTROL PLAN. DIMENSIONS ARE INCHES WITH EQUIVALENT MILLIMETERS SHOWN IN BRACKETS.					

**JOHNSON CONTROLS** AUTOMOTIVE INTERIORS  
 PRODUCT ENGINEERING  
 HOLLAND, MICHIGAN

LABEL, BARCODE/PATENT  
 (HOMELINK III)

PROJECT	01 HOMELINK III	DRWN. BY	AARON HOEVENAAR	DATE	29FEB00
CUSTOMER	HONDA	CHD. BY	AARON DENBOW	DATE	29FEB00
SCALE	4/1	ENGR. APPR	TROY REDDER	DATE	29FEB00
SIZE	B	TOOL. NO. REF.		SHEET	1 OF 1
DATA FORMAT	ACAD	DWG. NO.	VJ0058	REV.	A