


DWG. NO.
VH8162

4 X R.100[2.54]
APPROX.



NOTES:

1. REFER TO DOCUMENT V30745 FOR MANUFACTURER OF THE PART.
2. MATERIAL – HIGH TEMPERATURE POLYESTER (WHITE, MATTE)
3. TEMPERATURE RANGE:

MINIMUM TEMP	-40°C	-40°F
MAXIMUM TEMP	204°C	400°F
4. ADHESIVE TYPE: ACRYLIC

MINIMUM APPLY	10°C	50°F
MAXIMUM APPLY	60°C	140°F
5. TOTAL LABEL THICKNESS = .0072[.18]
6. SHELF LIFE: SIX (6) MONTHS AT 70°F (21°C) AND 50% R.H.

REVISION BLOCK

REV	SIZE	DESCRIPTION	P.C.N.	BY	DATE	BY
A		RELEASE FOR PRODUCTION	53815	47	31 JAN00	EDICT

ELECTRONICS STD. UNLESS OTHERWISE SPECIFIED
 THIRD ANGLE PROJECTION

DD NOT SCALE

X.X	DECIMAL	± 0.040 [± 1.0]	ANGULAR	± 2° 0'
X.XX	DECIMAL	± 0.020 [± .50]	DRAFT ANGLES	NOTED
X.XXX	DECIMAL	± 0.006 [± .15]		

SPECIFIES FEATURES REQUIRING SPECIAL CONSIDERATIONS.
SEE PRODUCT CONTROL PLAN.

DIMENSIONS ARE INCHES WITH EQUIVALENT MILLIMETERS SHOWN IN BRACKETS.

JOHNSON CONTROLS
 AUTOMOTIVE INTERIORS
 PRODUCT ENGINEERING
 HOLLAND, MICHIGAN

NAME
 LABEL, HMLK BARCODE/PATENT

PROJECT	DRWN. BY	DATE
HOMELINK III OH		
CUSTOMER	CHKD. BY	DATE
GENERAL		
SCALE	ENGR. APPR	DATE
4/1		

SIZE	TOOL NO. REF.	DWG. NO.	SHEET	REV.
B	ACAD	VH8162	1 OF 1	A