


16:49:02 MAY 09, 2000  
 R-8512-3 AH1 Occupied Bandwidth ND  
 REF 99.7 dB $\mu$ V AT 10 dB



CENTER 803.751 MHz  
 #RES BW 300 Hz  
 #VBW 1 kHz  
 SPAN 1.000 MHz  
 SWP 33.3 sec


Customer:	Samson Technologies		
Test Sample:	UHF Wireless Transmitter		
Model No.:	AH1	S/N: 78U400001	FCC ID: CCRAH1M
Test Method:	FCC 74.601 (e)(5) Occupied Bandwidth		
Notes:	Audio Input: 1 kHz at 50% modulation +16dB (-45dBm +16dB = -29dBm)		
Date:	May 9, 2000	Tech:	N. Dragotta
		Sheet:	1 of 3



**Retlif Testing Laboratories**

Report No. R-8512-3

16:45:00 MAY 09, 2000  
 R-8512-3 AH1 Occupied Bandwidth ND  
 REF 99.7 dBμV AT 10 dB



CENTER 803.751 MHz  
 #RES BW 300 Hz  
 #VBW 1 kHz  
 SWP 33.3 sec  
 SPAN 1.000 MHz


Customer:	Samson Technologies		
Test Sample:	UHF Wireless Transmitter		
Model No.:	AH1	SN: 78U400001	FCC ID: CCR4H1M
Test Method:	FCC 74.861 (e)(5) Occupied Bandwidth		
Notes:	Audio Input: 2.5 kHz at 50% modulation + 16dB (-50dBm + 16dB = -34dBm)		
Date:	May 9, 2000	Tech:	N. Dragotta
		Sheet:	2 of 3



**Retlif Testing Laboratories**

Report No. R-8512-3

16:40:05 MAY 09, 2000  
 R-8512-3 AH1 Occupied Bandwidth ND  
 REF 99.7 dBµV AT 10 dB



CENTER 803.751 MHz  
 #RES BW 300 Hz  
 #VBW 1 kHz  
 SWP 33.3 sec  
 SPAN 1.000 MHz

Customer:	Samson Technologies		
Test Sample:	UHF Wireless Transmitter		
Model No.:	AH1	S/N: 78U400001	FCC ID: C0RAH1M
Test Method:	FCC 74.861 (e)(2) Occupied Bandwidth		
Notes:	Audio Input: 15 kHz @ 50% modulation + 16dB (-77dBm + 16dB = -61dBm)		
Date:	May 5, 2000	Tech:	N. Dragotta
		Sheet:	3 of 3



Retlif Testing Laboratories

Report No. R-8512-3