


16:13:32 MAY 09, 2000
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.6 dBμV AT 10 dB



CENTER 803.758 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SWP 33.3 sec
 SPAN 1.000 MHz

PEAK
 LOG
 10
 dB/

VA VB
 SC FC
 CORR


Customer:	Samson Technologies
Test Sample:	UHF Wireless Transmitter
Model No.:	AL1 FCC ID: CCRAL1M
Test Method:	FCC 74.861 (a)(5) Occupied Bandwidth
Notes:	Direct Audio Input: 1 kHz at 50% modulation + 16dB (-45dBm + 16dB = -29dBm)
Date:	May 9, 2000
Tech:	N. Dragotta
Sheet:	1 of 4



Retlif Testing Laboratories

Report No. R-8512-4

16:19:04 MAY 09, 2000
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.6 dB μ V AT 10 dB



CENTER 803.758 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SWP 33.3 sec
 SPAN 1.000 MHz

PEAK
 LOG
 10
 dB/

VA VB
 SC FC
 CORR


Customer:	Samson Technologies
Test Sample:	UHF Wireless Transmitter
Model No.:	AL1 FCC ID: CCRAL1M
Test Method:	FCC 74.661 (e)(5) Occupied Bandwidth
Notes:	Direct Audio Input: 2.5 kHz at 50% modulation + 16dB (-50dBm + 16dB = -34dBm)
Date:	May 9, 2000
Tech:	N. Dragotta
Sheet:	2 of 3



Retlif Testing Laboratories

Report No. R-8512-4

16:22:08 MAY 09, 2000
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.6 dB μ V AT 10 dB



PEAK
 LOG
 10
 dB/

VA VB
 SC FC
 CORR

Customer: Samson Technologies
 Test Sample: UHF Wireless Transmitter
 Model No.: AL1 FCC ID: CCRAL1M
 Test Method: FCC 74.861 (e)(5) Occupied Bandwidth
 Notes: Direct Audio Input: 15 kHz at 50% modulation + 16dB
 (-77dBm +16dB = -61dBm)


Date: May 9, 2000 Tech: N. Dragotta Sheet 3 of 3



Retlif Testing Laboratories

Report No. R-8512-4

15:52:20 MAY 09, 2000
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.3 dB μ W AT 10 dB



CENTER 803.753 MHz
 #RES BW 300 Hz
 SPAN 1.000 MHz
 SWP 33.3 sec
 #VBW 1 kHz


Customer:	Samson Technologies
Test Sample:	UHF Wireless Transmitter
Model No.:	AL1 FCC ID: CCRAL1M
Test Method:	FCC 74.861 (a)(5) Occupied Bandwidth
Notes:	Microphone Audio Input: 1 kHz at 100 dB SPL (-22 dBm)
Date:	May 9, 2000
Tech:	N. Dragotta
Sheet:	4 of 4



Retlif Testing Laboratories

Report No. R-8512-4

15:45:54 MAY 09, 2008
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.3 dB μ W AT 10 dB



PEAK
 LOG
 10
 dB/

VA VB
 SC FC
 CORR

CENTER 803.753 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 1.000 MHz
 SWP 33.3 sec


Customer:	Samson Technologies
Test Sample:	UHF Wireless Transmitter
Model No.:	AL1 FCC ID: OCRAL1M
Test Method:	FCC 74.861 (e)(5) Occupied Bandwidth
Notes:	Microphone Audio Input: 2.5 kHz at 100 dB SPL (-11 dBm)
Date:	May 9, 2008
Tech:	N. Dragotta
Sheet:	5 of 5



Retlif Testing Laboratories

Report No. R-8512-4

15:49:17 MAY 09, 2000
 R-8512-4 AL1 Occupied Bandwidth ND
 REF 98.3 dB μ W AT 10 dB



CENTER 803.753 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SWP 33.3 sec
 SPAN 1.000 MHz

Customer:	Samson Technologies
Test Sample:	UHF Wireless Transmitter
Model No.:	AL1 FCC ID: CCRAL1M
Test Method:	FCC 74.86* (e)(5) Occupied Bandwidth
Notes:	Microphone Audio Input: 5 kHz at 100 dB SPL (-16 dBm)
Date:	May 9, 2000
Tech:	N. Dragons
Sheet:	5 of 5



Retlif Testing Laboratories

Report No. R-8512-4