RETLIF TESTING LABORATORIES

TABULAR DATA SHEET									
TEST METHO	OD: Frequency Stability (-30°C to +50°C)								
CUSTOMER:	TOMER: Samson Technologies			JOB No	JOB No.:		R-8512-2		
TEST SAMPLE:	UHF Wire	UHF Wireless Transmitter							
MODEL No.:	AX1	X1			SERIAL No.: N/A FCC ID: CCRAX1				
TEST SPECIFICATIO		FCC Part 74, Subpart H;Experimental Radio, Auxiliary Special Broadcast, & other Program Distributional Services, Subpart H; Low Power Auxiliary Stations. PARAGRAPH: 74.861 (e) (4)							
OPERATING		Transmitting on channel U4 (803.75 MHz)							
MODE:									
TECHNICIAN:	N. Drago	N. Dragotta DATE: April 27, 2000							
NOTES:	Tolerance	Tolerance: +/- 0.005% (+/040188 MHz)							
Channel	Channel Frequency	Act. Transmit Frequency	Tem	perature	Lower Limit		Meter Reading	Upper Limit	Pass / Fail
	MHz	MHz	De	grees C.	ı	MHz	MHz	MHz	
04	803.75	803.7737		-30	80	3.79	803.7211	803.71	Pass
				-20		<u> </u>	803.7394		Pass
				-10		<u> </u>	803.7563		Pass
				0			803.7679		Pass
1				10 20		1	803.7741		Pass
l l			roor	m temp		1	803.7736 803.7737		Pass Pass
			1001	30		 	803.7673		Pass
V	V	V		40		V	803.7546	V	Pass
04	803.75	803.7737		50		3.79	803.7362	803.71	Pass
		ļ							
		1							
		+ +		-					
		+							
		†							
		<u> </u>	i						
	The test sample performed within the limits specified by the above listed specification.								
	+								
									<u> </u>

R-8512-2