



### Spectrum plot of worst value


**802.11ac/20MHz/MCS0/5260/52**




**802.11ac/20MHz/MCS0/5300/60**




**802.11ac/20MHz/MCS0/5320/64**




**802.11ac/20MHz/MCS0/5500/100**



**802.11ac/20MHz/MCS0/5580/116**




**802.11ac/20MHz/MCS0/5700/140**




### Spectrum plot of worst value


**802.11ac/40MHz/MCS0/5190/38**




**802.11ac/40MHz/MCS0/5230/46**




**802.11ac/40MHz/MCS0/5270/54**




**802.11ac/40MHz/MCS0/5310/62**



**802.11ac/40MHz/MCS0/5510/102**




**802.11ac/40MHz/MCS0/5550/110**




### Spectrum plot of worst value


**802.11ac/40MHz/MCS0/5670/134**




**802.11ac/80MHz/MCS0/5210/42**




**802.11ac/80MHz/MCS0/5290/58**



**802.11ac/80MHz/MCS0/5530/106**




**802.11ac/80MHz/MCS0/5610/122**




**For DTS Bandwidth:**

**Spectrum plot of worst value**


**802.11a/20MHz/6M/5745/149/Ant.1**



**802.11a/20MHz/6M/5785/157/Ant.1**




**802.11a/20MHz/6M/5825/165/Ant.1**




### Spectrum plot of worst value

802.11ac/20MHz/MCS0/5745/149/Ant.1




Date: 25.MAY.2024 14:23:45

802.11ac/20MHz/MCS0/5745/149/Ant.2




Date: 25.MAY.2024 14:23:51

802.11ac/20MHz/MCS0/5785/157/Ant.1




Date: 25.MAY.2024 14:27:02

802.11ac/20MHz/MCS0/5785/157/Ant.1




Date: 25.MAY.2024 14:27:09

802.11ac/20MHz/MCS0/5825/165/Ant.1



Date: 25.MAY.2024 14:29:32


802.11ac/20MHz/MCS0/5825/165/Ant.2



Date: 25.MAY.2024 14:29:38


### Spectrum plot of worst value

802.11ac/40MHz/MCS0/5755/151/Ant.1




Date: 25.MAY.2024 15:21:24

802.11ac/40MHz/MCS0/5755/151/Ant.2




Date: 25.MAY.2024 15:21:30

802.11ac/40MHz/MCS0/5795/159/Ant.1




Date: 25.MAY.2024 15:22:48

802.11ac/40MHz/MCS0/5795/159/Ant.1




Date: 25.MAY.2024 15:22:54

802.11ac/80MHz/MCS0/5775/155/Ant.1



Date: 25.MAY.2024 15:59:13

802.11ac/80MHz/MCS0/5775/155/Ant.2



Date: 25.MAY.2024 15:59:19

---

**Appendix C. Test Result of Maximum Conducted Output Power**

| Modulation | Frequency (MHz) | Maximum Conducted Output Power (dBm) | Limit (dBm) | Result |
|------------|-----------------|--------------------------------------|-------------|--------|
| 802.11a    | 5180            | 20.44                                | 24          | Pass   |
|            | 5220            | 20.67                                | 24          | Pass   |
|            | 5240            | 20.68                                | 24          | Pass   |
|            | 5260            | 20.06                                | 24          | Pass   |
|            | 5300            | 20.24                                | 24          | Pass   |
|            | 5320            | 20.07                                | 24          | Pass   |
|            | 5500            | 19.67                                | 24          | Pass   |
|            | 5580            | 20.22                                | 24          | Pass   |
|            | 5700            | 19.78                                | 24          | Pass   |
|            | 5745            | 20.74                                | 30          | Pass   |
|            | 5785            | 20.67                                | 30          | Pass   |
|            | 5825            | 20.84                                | 30          | Pass   |

| Modulation       | Frequency (MHz) | Maximum Conducted Output Power (dBm) |        |       | Limit (dBm) | Result |
|------------------|-----------------|--------------------------------------|--------|-------|-------------|--------|
|                  |                 | Ant. 1                               | Ant. 2 | Total |             |        |
| 802.11ac (20MHz) | 5180            | 18.67                                | 18.64  | 21.66 | 24          | Pass   |
|                  | 5220            | 18.79                                | 18.51  | 21.67 | 24          | Pass   |
|                  | 5240            | 18.55                                | 17.98  | 21.28 | 24          | Pass   |
|                  | 5260            | 18.54                                | 18.06  | 21.32 | 24          | Pass   |
|                  | 5300            | 18.19                                | 18.17  | 21.19 | 24          | Pass   |
|                  | 5320            | 18.01                                | 18.06  | 21.04 | 24          | Pass   |
|                  | 5500            | 17.77                                | 19.72  | 21.86 | 23.90       | Pass   |
|                  | 5580            | 18.65                                | 20.23  | 22.53 | 24          | Pass   |
|                  | 5700            | 17.14                                | 18.78  | 21.05 | 24          | Pass   |
|                  | 5745            | 19.47                                | 21.03  | 23.33 | 30          | Pass   |
|                  | 5785            | 19.53                                | 21.19  | 23.45 | 30          | Pass   |
|                  | 5825            | 19.66                                | 20.96  | 23.37 | 30          | Pass   |
| 802.11ac (40MHz) | 5190            | 16.95                                | 17.39  | 20.19 | 24          | Pass   |
|                  | 5230            | 19.79                                | 20.46  | 23.15 | 24          | Pass   |
|                  | 5270            | 18.77                                | 19.95  | 22.41 | 24          | Pass   |
|                  | 5310            | 18.33                                | 19.63  | 22.04 | 24          | Pass   |
|                  | 5510            | 17.15                                | 19.75  | 21.65 | 24          | Pass   |
|                  | 5550            | 18.91                                | 21.67  | 23.52 | 24          | Pass   |
|                  | 5670            | 18.82                                | 21.46  | 23.35 | 24          | Pass   |
|                  | 5755            | 19.62                                | 22.02  | 23.99 | 30          | Pass   |
|                  | 5795            | 19.36                                | 21.72  | 23.71 | 30          | Pass   |
| 802.11ac (80MHz) | 5210            | 17.50                                | 18.52  | 21.05 | 24          | Pass   |
|                  | 5290            | 17.56                                | 19.85  | 21.86 | 24          | Pass   |
|                  | 5530            | 16.74                                | 19.39  | 21.27 | 24          | Pass   |
|                  | 5610            | 19.28                                | 21.99  | 23.85 | 24          | Pass   |
|                  | 5775            | 19.99                                | 22.23  | 24.26 | 30          | Pass   |



## Appendix D. Test Result of Maximum Power Spectral Density

For 5G UNII-1~UNII-2C:

| Modulation | Frequency (MHz) | Power Spectral Density dBm/MHz |       | Limit dBm/MHz | Result |
|------------|-----------------|--------------------------------|-------|---------------|--------|
|            |                 | Ant. 1                         | Total |               |        |
| 802.11a    | 5180            | 7.39                           | 7.72  | 17.000        | Pass   |
|            | 5220            | 7.51                           | 7.84  | 17.000        | Pass   |
|            | 5240            | 7.49                           | 7.82  | 17.000        | Pass   |
|            | 5260            | 6.47                           | 6.80  | 11.000        | Pass   |
|            | 5300            | 6.75                           | 7.08  | 11.000        | Pass   |
|            | 5320            | 6.74                           | 7.07  | 11.000        | Pass   |
|            | 5500            | 6.41                           | 6.74  | 11.000        | Pass   |
|            | 5580            | 7.03                           | 7.36  | 11.000        | Pass   |
|            | 5700            | 6.53                           | 6.86  | 11.000        | Pass   |

| Modulation       | Frequency (MHz) | Power Spectral Density dBm/MHz |        |       | Limit dBm/MHz | Result |
|------------------|-----------------|--------------------------------|--------|-------|---------------|--------|
|                  |                 | Ant. 1                         | Ant. 2 | Total |               |        |
| 802.11ac (20MHz) | 5180            | 5.49                           | 6.12   | 8.83  | 14.857        | Pass   |
|                  | 5220            | 4.81                           | 5.95   | 8.81  | 14.857        | Pass   |
|                  | 5240            | 5.37                           | 5.82   | 8.68  | 14.857        | Pass   |
|                  | 5260            | 5.16                           | 5.59   | 8.60  | 8.857         | Pass   |
|                  | 5300            | 4.55                           | 6.53   | 8.72  | 8.857         | Pass   |
|                  | 5320            | 4.77                           | 6.04   | 8.64  | 8.857         | Pass   |
|                  | 5500            | 4.30                           | 6.68   | 8.69  | 9.781         | Pass   |
|                  | 5580            | 4.64                           | 7.61   | 9.62  | 9.781         | Pass   |
|                  | 5700            | 3.91                           | 6.19   | 8.47  | 9.781         | Pass   |
| 802.11ac (40MHz) | 5190            | 0.69                           | 0.78   | 4.28  | 8.857         | Pass   |
|                  | 5230            | 3.74                           | 2.96   | 6.88  | 8.857         | Pass   |
|                  | 5270            | 2.37                           | 2.62   | 5.93  | 8.857         | Pass   |
|                  | 5310            | 2.17                           | 2.28   | 5.65  | 8.857         | Pass   |
|                  | 5510            | 0.43                           | 2.91   | 5.31  | 9.781         | Pass   |
|                  | 5550            | 2.75                           | 4.53   | 7.20  | 9.781         | Pass   |
|                  | 5670            | 2.68                           | 4.02   | 6.89  | 9.781         | Pass   |
| 802.11ac (80MHz) | 5210            | -1.93                          | -1.85  | 2.38  | 8.857         | Pass   |
|                  | 5290            | -1.84                          | 0.09   | 3.52  | 8.857         | Pass   |
|                  | 5530            | -3.66                          | -0.53  | 2.36  | 9.781         | Pass   |
|                  | 5610            | -0.05                          | 2.29   | 5.26  | 9.781         | Pass   |


**For 5G UNII-3:**

| Modulation | Frequency (MHz) | Power Spectral Density dBm/500kHz |       | Limit dBm/500kHz | Result |
|------------|-----------------|-----------------------------------|-------|------------------|--------|
|            |                 | Ant. 1                            | Total |                  |        |
| 802.11a    | 5745            | 4.63                              | 4.96  | 30.000           | Pass   |
|            | 5785            | 4.58                              | 4.91  | 30.000           | Pass   |
|            | 5825            | 4.79                              | 5.12  | 30.000           | Pass   |


| Modulation       | Frequency (MHz) | Power Spectral Density dBm/500kHz |        |       | Limit dBm/500kHz | Result |
|------------------|-----------------|-----------------------------------|--------|-------|------------------|--------|
|                  |                 | Ant. 1                            | Ant. 2 | Total |                  |        |
| 802.11ac (20MHz) | 5745            | 2.42                              | 5.65   | 7.52  | 28.355           | Pass   |
|                  | 5785            | 3.01                              | 5.33   | 7.51  | 28.355           | Pass   |
|                  | 5825            | 3.58                              | 5.02   | 7.48  | 28.355           | Pass   |
| 802.11ac (40MHz) | 5755            | -0.21                             | 2.81   | 4.81  | 28.355           | Pass   |
|                  | 5795            | 0.10                              | 2.26   | 4.73  | 28.355           | Pass   |
| 802.11ac (80MHz) | 5775            | -2.96                             | -0.39  | 2.86  | 28.355           | Pass   |

### Spectrum plot of worst value


802.11a/20MHz/6M/5180/36/Ant.1




802.11a/20MHz/6M/5220/44/Ant.1




802.11a/20MHz/6M/5240/48/Ant.1




802.11a/20MHz/6M/5260/52/Ant.1



802.11a/20MHz/6M/5300/60/Ant.1




802.11a/20MHz/6M/5320/64/Ant.1




### Spectrum plot of worst value


802.11a/20MHz/6M/5500/100/Ant.1




802.11a/20MHz/6M/5580/116/Ant.1




802.11a/20MHz/6M/5700/140/Ant.1




802.11ac/20MHz/MCS0/5180/36



802.11ac/20MHz/MCS0/5220/44




802.11ac/20MHz/MCS0/5240/48




### Spectrum plot of worst value


802.11ac/20MHz/MCS0/5260/52




802.11ac/20MHz/MCS0/5300/60




802.11ac/20MHz/MCS0/5320/64




802.11ac/20MHz/MCS0/5500/100



802.11ac/20MHz/MCS0/5580/116




802.11ac/20MHz/MCS0/5700/140




### Spectrum plot of worst value


802.11ac/40MHz/MCS0/5190/38




802.11ac/40MHz/MCS0/5230/46




802.11ac/40MHz/MCS0/5270/54




802.11ac/40MHz/MCS0/5310/62



802.11ac/40MHz/MCS0/5510/102




802.11ac/40MHz/MCS0/5550/110




### Spectrum plot of worst value


**802.11ac/40MHz/MCS0/5670/134**




**802.11ac/80MHz/MCS0/5210/42**




**802.11ac/80MHz/MCS0/5290/58**




**802.11ac/80MHz/MCS0/5530/106**



**802.11ac/80MHz/MCS0/5610/122**




**802.11a/20MHz/6M/5745/149/Ant.1**




### Spectrum plot of worst value


**802.11a/20MHz/6M/5785/157/Ant.1**




**802.11a/20MHz/6M/5825/165/Ant.1**




**802.11ac/20MHz/MCS0/5745/149**




**802.11ac/20MHz/MCS0/5785/157**



**802.11ac/20MHz/MCS0/5825/165**




**802.11ac/40MHz/MCS0/5755/151**






### Spectrum plot of worst value

**802.11ac/40MHz/MCS0/5795/159**



| Port   | Type | Ref | Trc | X-value      | Y-value  | Function    | Function Result |
|--------|------|-----|-----|--------------|----------|-------------|-----------------|
| Port 1 | M1   | 1   |     | 5.799999 GHz | 0.10 dBm |             |                 |
| Port 2 | M2   | 2   |     | 5.786261 GHz | 2.26 dBm |             |                 |
| Sum    | M3   | Sum |     | 5.786261 GHz | 4.73 dBm | duty factor | 0.62            |

**802.11ac/80MHz/MCS0/5775/155**




| Port   | Type | Ref | Trc | X-value      | Y-value   | Function    | Function Result |
|--------|------|-----|-----|--------------|-----------|-------------|-----------------|
| Port 1 | M1   | 1   |     | 5.781101 GHz | -2.56 dBm |             |                 |
| Port 2 | M2   | 2   |     | 5.789346 GHz | -0.39 dBm |             |                 |
| Sum    | M3   | Sum |     | 5.789346 GHz | 2.86 dBm  | duty factor | 1.49            |

## Appendix E. Test Result of Transmitter Radiated Spurious Emission

### 30 MHz ~ 1 GHz

Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :ac80\_TX\_5775MHz  
 Test By :Cyril




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 60.070           | 29.79           | 46.00                   | -16.21              | 33.02                 | -3.23        | QP     |
| 2   | 116.912          | 24.20           | 46.00                   | -21.80              | 29.96                 | -5.76        | QP     |
| 3   | 352.040          | 20.80           | 46.00                   | -25.20              | 22.57                 | -1.77        | QP     |
| 4   | 652.061          | 26.04           | 46.00                   | -19.96              | 28.89                 | 5.15         | QP     |
| 5   | 809.686          | 28.95           | 46.00                   | -17.05              | 21.85                 | 7.10         | QP     |
| 6   | 933.846          | 30.41           | 46.00                   | -15.59              | 21.71                 | 8.70         | QP     |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :ac80\_TX\_5775MHz  
 Test By :Cyril




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 92.662           | 27.48           | 46.00                   | -18.52              | 36.57                 | -9.09        | QP     |
| 2   | 277.835          | 28.36           | 46.00                   | -17.64              | 23.72                 | -3.36        | QP     |
| 3   | 579.117          | 25.41           | 46.00                   | -20.59              | 21.89                 | 3.52         | QP     |
| 4   | 636.638          | 26.67           | 46.00                   | -19.33              | 21.73                 | 4.94         | QP     |
| 5   | 825.594          | 28.79           | 46.00                   | -17.21              | 21.42                 | 7.37         | QP     |
| 6   | 902.612          | 30.58           | 46.00                   | -15.42              | 22.36                 | 8.22         | QP     |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

### Above 1 GHz


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5146.550  | 59.42  | 74.00  | -14.58 | 37.98 | 21.44  | Peak   |
| 2   | 5181.800  | 108.09 | -----  | -----  | 86.63 | 21.46  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5150.000  | 44.06  | 54.00  | -9.94 | 22.62 | 21.44  | Average |
| 2   | 5183.900  | 98.77  | -----  | ----- | 77.31 | 21.46  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5149.100  | 55.93  | 74.00  | -18.07 | 34.49 | 21.44  | Peak   |
| 2   | 5184.200  | 105.17 | -----  | -----  | 83.71 | 21.46  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5150.000  | 42.13  | 54.00  | -11.87 | 20.69 | 21.44  | Average |
| 2   | 5183.900  | 95.97  | -----  | -----  | 74.51 | 21.46  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10360.000 | 55.04  | 68.20  | -13.16 | 63.04 | -8.00  | Peak    |
| 2   | 15540.000 | 53.31  | 54.00  | -0.69  | 56.52 | -3.21  | Average |
| 3   | 15540.000 | 66.53  | 74.00  | -7.47  | 69.74 | -3.21  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5180MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10360.000 | 55.66  | 68.20  | -12.54 | 63.66 | -8.00  | Peak    |
| 2   | 15540.000 | 53.74  | 54.00  | -0.26  | 56.95 | -3.21  | Average |
| 3   | 15540.000 | 67.06  | 74.00  | -6.94  | 70.27 | -3.21  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5056.100  | 52.46  | 74.00  | -21.54 | 31.07 | 21.39  | Peak   |
| 2   | 5216.750  | 108.28 | -----  | -----  | 86.80 | 21.48  | Peak   |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5128.700  | 39.70  | 54.00  | -14.30 | 18.27 | 21.43  | Average |
| 2   | 5215.250  | 98.42  | -----  | -----  | 76.94 | 21.48  | Average |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5142.500  | 51.69  | 74.00  | -22.31 | 30.25 | 21.44  | Peak   |
| 2   | 5213.900  | 105.62 | -----  | -----  | 84.14 | 21.48  | Peak   |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5136.050  | 39.29  | 54.00  | -14.71 | 17.86 | 21.43  | Average |
| 2   | 5217.050  | 96.05  | -----  | -----  | 74.57 | 21.48  | Average |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10440.000 | 55.62  | 68.20  | -12.58 | 63.46 | -7.84  | Peak    |
| 2   | 15660.000 | 52.54  | 54.00  | -1.46  | 55.70 | -3.16  | Average |
| 3   | 15660.000 | 66.87  | 74.00  | -7.13  | 70.03 | -3.16  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5220MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10440.000 | 55.76  | 68.20  | -12.44 | 63.60 | -7.84  | Peak    |
| 2   | 15660.000 | 53.57  | 54.00  | -0.43  | 56.73 | -3.16  | Average |
| 3   | 15660.000 | 68.07  | 74.00  | -5.93  | 71.23 | -3.16  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5074.550  | 53.45  | 74.00  | -20.55 | 32.05 | 21.40  | Peak   |
| 2   | 5242.400  | 108.74 | -----  | -----  | 87.25 | 21.49  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5135.300  | 40.35  | 54.00  | -13.65 | 18.92 | 21.43  | Average |
| 2   | 5237.450  | 99.02  | -----  | -----  | 77.53 | 21.49  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5140.550  | 52.86  | 74.00  | -21.14 | 31.42 | 21.44  | Peak   |
| 2   | 5246.150  | 106.17 | -----  | -----  | 84.68 | 21.49  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5130.350  | 39.79  | 54.00  | -14.21 | 18.36 | 21.43  | Average |
| 2   | 5241.050  | 96.45  | -----  | -----  | 74.96 | 21.49  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10480.000 | 54.82  | 68.20  | -13.38 | 62.59 | -7.77  | Peak    |
| 2   | 15720.000 | 52.93  | 54.00  | -1.07  | 56.05 | -3.12  | Average |
| 3   | 15720.000 | 67.04  | 74.00  | -6.96  | 70.16 | -3.12  | Peak    |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5240MHz  
 Test By :Cyril




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10480.000 | 56.20  | 68.20  | -12.00 | 63.97 | -7.77  | Peak    |
| 2   | 15720.000 | 53.46  | 54.00  | -0.54  | 56.58 | -3.12  | Average |
| 3   | 15720.000 | 68.11  | 74.00  | -5.89  | 71.23 | -3.12  | Peak    |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5256.300  | 108.08 | -----  | -----  | 86.57 | 21.51  | Peak   |
| 2   | 5373.450  | 53.07  | 74.00  | -20.93 | 31.50 | 21.57  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5258.250  | 98.13  | -----  | -----  | 76.62 | 21.51  | Average |
| 2   | 5363.700  | 48.60  | 54.00  | -13.40 | 19.03 | 21.57  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5255.700  | 105.38 | -----  | -----  | 83.87 | 21.51  | Peak   |
| 2   | 5373.600  | 52.36  | 74.00  | -21.64 | 30.79 | 21.57  | Peak   |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5257.650  | 95.68  | -----  | -----  | 74.17 | 21.51  | Average |
| 2   | 5372.850  | 39.62  | 54.00  | -14.38 | 18.05 | 21.57  | Average |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10520.000 | 55.26  | 68.20  | -12.94 | 62.97 | -7.71  | Peak    |
| 2   | 15780.000 | 51.35  | 54.00  | -2.65  | 54.44 | -3.09  | Average |
| 3   | 15780.000 | 64.51  | 74.00  | -9.49  | 67.60 | -3.09  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5260MHz  
 Test By :Cyril




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10520.000 | 54.59  | 68.20  | -13.61 | 62.30 | -7.71  | Peak    |
| 2   | 15780.000 | 53.83  | 54.00  | -0.17  | 56.92 | -3.09  | Average |
| 3   | 15780.000 | 67.38  | 74.00  | -6.62  | 70.47 | -3.09  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.




Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|--------|
|     | Mhz       | dBuV/m | dBuV/m     | dB         | dBuV       | dB     |        |
| 1   | 5304.600  | 107.91 | -----      | -----      | 86.38      | 21.53  | Peak   |
| 2   | 5377.950  | 54.28  | 74.00      | -19.72     | 32.71      | 21.57  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit Line | Over Limit | Read Level | Factor | Remark  |
|-----|-----------|--------|------------|------------|------------|--------|---------|
|     | Mhz       | dBuV/m | dBuV/m     | dB         | dBuV       | dB     |         |
| 1   | 5305.350  | 97.95  | -----      | -----      | 76.42      | 21.53  | Average |
| 2   | 5376.150  | 41.01  | 54.00      | -12.99     | 19.44      | 21.57  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit Line | Over Limit | Read Level | Factor | Remark |
|-----|-----------|--------|------------|------------|------------|--------|--------|
|     | Mhz       | dBuV/m | dBuV/m     | dB         | dBuV       | dB     |        |
| 1   | 5304.150  | 105.62 | -----      | -----      | 84.09      | 21.53  | Peak   |
| 2   | 5445.750  | 53.47  | 74.00      | -20.53     | 31.86      | 21.61  | Peak   |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit Line | Over Limit | Read Level | Factor | Remark  |
|-----|-----------|--------|------------|------------|------------|--------|---------|
|     | Mhz       | dBuV/m | dBuV/m     | dB         | dBuV       | dB     |         |
| 1   | 5307.000  | 94.77  | -----      | -----      | 73.23      | 21.54  | Average |
| 2   | 5450.250  | 39.57  | 54.00      | -14.43     | 17.96      | 21.61  | Average |

- Note:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor
  3. Over Limit = Level - Limit Line
  4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
  5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10600.000 | 43.22  | 54.00  | -10.78 | 50.84 | -7.62  | Average |
| 2   | 10600.000 | 55.44  | 74.00  | -18.56 | 63.06 | -7.62  | Peak    |
| 3   | 15900.000 | 51.10  | 54.00  | -2.90  | 54.13 | -3.03  | Average |
| 4   | 15900.000 | 65.60  | 74.00  | -8.40  | 68.63 | -3.03  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Vertical  
 Mode :a\_TX\_5300MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 10600.000 | 43.87  | 54.00  | -10.13 | 51.49 | -7.62  | Average |
| 2   | 10600.000 | 55.62  | 74.00  | -18.38 | 63.24 | -7.62  | Peak    |
| 3   | 15900.000 | 52.32  | 54.00  | -1.68  | 55.35 | -3.03  | Average |
| 4   | 15900.000 | 66.53  | 74.00  | -7.47  | 69.56 | -3.03  | Peak    |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.


Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5320MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5324.250  | 107.95 | -----  | -----  | 86.40 | 21.55  | Peak   |
| 2   | 5350.500  | 58.82  | 74.00  | -15.18 | 37.26 | 21.56  | Peak   |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.

Site :HC-CB04  
 Condition :3m ,Horizontal  
 Mode :a\_TX\_5320MHz  
 Test By :Cyril



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5323.500  | 97.48  | -----  | -----  | 75.94 | 21.54  | Average |
| 2   | 5350.350  | 42.98  | 54.00  | -11.02 | 21.42 | 21.56  | Average |

Note:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
 3. Over Limit = Level - Limit Line  
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
 5. The other emission levels were very low against the limit.