



Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5317.050	104.62	-----	-----	83.08	21.54	Peak
2	5350.200	52.93	74.00	-21.07	31.37	21.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5318.100	94.50	-----	-----	72.96	21.54	Average
2	5350.500	40.14	54.00	-13.86	18.58	21.56	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	42.80	54.00	-11.20	50.36	-7.56	Average
2	10640.000	55.49	74.00	-18.51	63.05	-7.56	Peak
3	15960.000	49.62	54.00	-4.38	52.62	-3.00	Average
4	15960.000	64.55	74.00	-9.45	67.55	-3.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	44.34	54.00	-9.66	51.90	-7.56	Average
2	10640.000	57.31	74.00	-16.69	64.87	-7.56	Peak
3	15960.000	50.33	54.00	-3.67	53.33	-3.00	Average
4	15960.000	64.28	74.00	-9.72	67.28	-3.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5500MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.325	54.59	74.00	-19.41	32.97	21.62	Peak
2	5470.000	61.96	68.20	-6.24	40.34	21.62	Peak
3	5503.250	106.70	-----	-----	85.05	21.65	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5500MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5422.575	41.17	54.00	-12.83	19.57	21.60	Average
2	5501.325	97.14	-----	-----	75.50	21.64	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5500MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5429.750	52.60	74.00	-21.40	31.00	21.60	Peak
2	5468.425	58.73	68.20	-9.47	37.11	21.62	Peak
3	5503.425	105.73	-----	-----	84.08	21.65	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5500MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	39.86	54.00	-14.14	18.24	21.62	Average
2	5501.675	95.99	-----	-----	74.35	21.64	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	44.50	54.00	-9.50	51.66	-7.16	Average
2	11000.000	57.62	74.00	-16.38	64.78	-7.16	Peak
3	16500.000	64.78	68.20	-3.42	68.22	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	47.51	54.00	-6.49	54.67	-7.16	Average
2	11000.000	61.22	74.00	-12.78	68.38	-7.16	Peak
3	16500.000	67.76	68.20	-0.44	71.20	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5580MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5422.050	52.25	74.00	-21.75	30.65	21.60	Peak
2	5469.300	51.98	68.20	-16.22	30.36	21.62	Peak
3	5575.000	108.02	-----	-----	86.14	21.88	Peak
4	5733.725	54.80	68.20	-13.40	32.41	22.39	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5580MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5418.550	39.69	54.00	-14.31	18.09	21.60	Average
2	5578.150	98.13	-----	-----	76.24	21.89	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5444.625	52.41	74.00	-21.59	30.80	21.61	Peak
2	5577.800	105.44	-----	-----	83.55	21.89	Peak
3	5731.625	53.98	68.20	-14.22	31.59	22.39	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5455.650	39.44	54.00	-14.56	17.82	21.62	Average
2	5577.275	96.15	-----	-----	74.26	21.89	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	46.89	54.00	-7.11	53.69	-6.80	Average
2	11160.000	60.64	74.00	-13.36	67.44	-6.80	Peak
3	16740.000	64.60	68.20	-3.60	68.14	-3.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	51.36	54.00	-2.64	58.16	-6.80	Average
2	11160.000	64.12	74.00	-9.88	70.92	-6.80	Peak
3	16740.000	66.82	68.20	-1.38	70.36	-3.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5700MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5698.725	106.77	-----	-----	84.49	22.28	Peak
2	5726.725	67.06	68.20	-1.14	44.68	22.38	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5700MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5702.050	105.98	-----	-----	83.68	22.30	Peak
2	5725.325	67.40	68.20	-0.80	45.03	22.37	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5700MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	50.90	54.00	-3.10	57.19	-6.29	Average
2	11400.000	63.78	74.00	-10.22	70.07	-6.29	Peak
3	17100.000	59.04	68.20	-9.16	62.57	-3.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5700MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	53.50	54.00	-0.50	59.79	-6.29	Average
2	11400.000	65.99	74.00	-8.01	72.28	-6.29	Peak
3	17100.000	62.49	68.20	-5.71	66.02	-3.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5745MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5589.250	52.46	68.20	-15.74	30.53	21.93	Peak
2	5651.750	52.33	69.50	-17.17	30.21	22.12	Peak
3	5724.500	76.14	121.06	-44.92	53.78	22.36	Peak
4	5740.250	107.47	-----	-----	85.05	22.42	Peak
5	5911.750	55.39	78.01	-22.62	32.41	22.98	Peak
6	5921.750	53.53	70.61	-17.08	30.52	23.01	Peak
7	6010.500	54.36	68.20	-13.84	31.05	23.31	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5745MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5580.000	52.57	68.20	-15.63	30.67	21.90	Peak
2	5652.000	51.46	69.69	-18.23	29.34	22.12	Peak
3	5724.500	73.68	121.06	-47.38	51.32	22.36	Peak
4	5750.500	103.73	-----	-----	81.27	22.46	Peak
5	5898.500	54.90	87.81	-32.91	31.96	22.94	Peak
6	5922.000	53.72	70.43	-16.71	30.71	23.01	Peak
7	5965.000	53.46	68.20	-14.74	30.31	23.15	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5745MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	46.82	54.00	-7.18	52.91	-6.09	Average
2	11490.000	59.15	74.00	-14.85	65.24	-6.09	Peak
3	17235.000	64.84	68.20	-3.36	68.21	-3.37	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5745MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	50.16	54.00	-3.84	56.25	-6.09	Average
2	11490.000	64.80	74.00	-9.20	70.89	-6.09	Peak
3	17235.000	66.98	68.20	-1.22	70.35	-3.37	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5622.500	52.56	68.20	-15.64	30.52	22.04	Peak
2	5654.500	52.70	71.54	-18.84	30.55	22.15	Peak
3	5703.750	54.48	106.25	-51.77	32.17	22.31	Peak
4	5788.500	106.18	-----	-----	83.60	22.58	Peak
5	5850.000	55.74	122.20	-66.46	32.96	22.78	Peak
6	5922.000	53.36	70.43	-17.07	30.35	23.01	Peak
7	5992.000	54.83	68.20	-13.37	31.59	23.24	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5565.750	53.30	68.20	-14.90	31.45	21.85	Peak
2	5651.000	52.37	68.95	-16.58	30.25	22.12	Peak
3	5665.250	53.59	79.49	-25.90	31.41	22.18	Peak
4	5787.250	106.17	-----	-----	83.59	22.58	Peak
5	5850.750	55.27	120.49	-65.22	32.49	22.78	Peak
6	5920.000	54.92	71.91	-16.99	31.92	23.00	Peak
7	5950.500	54.51	68.20	-13.69	31.41	23.10	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	47.82	54.00	-6.18	53.86	-6.04	Average
2	11570.000	61.00	74.00	-13.00	67.04	-6.04	Peak
3	17355.000	65.71	68.20	-2.49	68.94	-3.23	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	50.81	54.00	-3.19	56.85	-6.04	Average
2	11570.000	64.62	74.00	-9.38	70.66	-6.04	Peak
3	17355.000	66.52	68.20	-1.68	69.75	-3.23	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5637.250	53.04	68.20	-15.16	30.95	22.09	Peak
2	5654.000	51.34	71.17	-19.83	29.19	22.15	Peak
3	5711.500	53.04	108.42	-55.38	30.72	22.32	Peak
4	5823.250	105.97	-----	-----	83.28	22.69	Peak
5	5850.500	72.29	121.06	-48.77	49.51	22.78	Peak
6	5923.000	53.25	69.69	-16.44	30.24	23.01	Peak
7	5988.500	54.67	68.20	-13.53	31.45	23.22	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5614.000	52.73	68.20	-15.47	30.72	22.01	Peak
2	5652.750	52.24	70.24	-18.00	30.11	22.13	Peak
3	5677.250	53.42	88.37	-34.95	31.20	22.22	Peak
4	5822.500	105.34	-----	-----	82.66	22.68	Peak
5	5853.750	72.13	113.65	-41.52	49.34	22.79	Peak
6	5920.000	54.19	71.91	-17.72	31.19	23.00	Peak
7	6031.750	55.03	68.20	-13.17	31.62	23.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :a_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	47.87	54.00	-6.13	53.86	-5.99	Average
2	11650.000	61.13	74.00	-12.87	67.12	-5.99	Peak
3	17475.000	64.74	68.20	-3.46	67.82	-3.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :a_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	51.61	54.00	-2.39	57.60	-5.99	Average
2	11650.000	64.51	74.00	-9.49	70.50	-5.99	Peak
3	17475.000	67.40	68.20	-0.80	70.48	-3.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	66.92	74.00	-7.08	45.48	21.44	Peak
2	5184.350	113.04	-----	-----	91.58	21.46	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	47.75	54.00	-6.25	26.31	21.44	Average
2	5183.900	103.19	-----	-----	81.73	21.46	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.700	60.44	74.00	-13.56	39.00	21.44	Peak
2	5184.200	109.32	-----	-----	87.86	21.46	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.700	43.53	54.00	-10.47	22.09	21.44	Average
2	5183.300	99.54	-----	-----	78.08	21.46	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	57.86	68.20	-10.34	65.86	-8.00	Peak
2	15540.000	53.62	54.00	-0.38	56.83	-3.21	Average
3	15540.000	68.83	74.00	-5.17	72.04	-3.21	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5180MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	59.41	68.20	-8.79	67.41	-8.00	Peak
2	15540.000	53.66	54.00	-0.34	56.87	-3.21	Average
3	15540.000	69.05	74.00	-4.95	72.26	-3.21	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5116.700	52.85	74.00	-21.15	31.43	21.42	Peak
2	5214.350	112.66	-----	-----	91.18	21.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5133.950	40.16	54.00	-13.84	18.73	21.43	Average
2	5216.750	102.29	-----	-----	80.81	21.48	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5123.150	51.84	74.00	-22.16	30.41	21.43	Peak
2	5213.300	107.80	-----	-----	86.32	21.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5131.550	39.48	54.00	-14.52	18.05	21.43	Average
2	5217.050	97.88	-----	-----	76.40	21.48	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	56.73	68.20	-11.47	64.57	-7.84	Peak
2	15660.000	52.83	54.00	-1.17	55.99	-3.16	Average
3	15660.000	68.14	74.00	-5.86	71.30	-3.16	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5220MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	60.05	68.20	-8.15	67.89	-7.84	Peak
2	15660.000	53.60	54.00	-0.40	56.76	-3.16	Average
3	15660.000	67.08	74.00	-6.92	70.24	-3.16	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5089.250	51.99	74.00	-22.01	30.58	21.41	Peak
2	5237.750	111.78	-----	-----	90.29	21.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5131.550	39.94	54.00	-14.06	18.51	21.43	Average
2	5237.900	102.33	-----	-----	80.84	21.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5118.500	52.13	74.00	-21.87	30.71	21.42	Peak
2	5236.850	107.64	-----	-----	86.15	21.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5132.000	39.54	54.00	-14.46	18.11	21.43	Average
2	5237.750	98.07	-----	-----	76.58	21.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	59.04	68.20	-9.16	66.81	-7.77	Peak
2	15720.000	52.37	54.00	-1.63	55.49	-3.12	Average
3	15720.000	66.53	74.00	-7.47	69.65	-3.12	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5240MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	58.66	68.20	-9.54	66.43	-7.77	Peak
2	15720.000	53.83	54.00	-0.17	56.95	-3.12	Average
3	15720.000	66.21	74.00	-7.79	69.33	-3.12	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.250	112.68	-----	-----	91.17	21.51	Peak
2	5357.850	54.00	74.00	-20.00	32.44	21.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.400	103.02	-----	-----	81.51	21.51	Average
2	5422.350	48.79	54.00	-13.21	19.19	21.60	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5263.800	108.91	-----	-----	87.40	21.51	Peak
2	5452.500	52.44	74.00	-21.56	30.83	21.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5263.200	99.13	-----	-----	77.62	21.51	Average
2	5360.850	39.64	54.00	-14.36	18.08	21.56	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	60.22	68.20	-7.98	67.93	-7.71	Peak
2	15780.000	51.46	54.00	-2.54	54.55	-3.09	Average
3	15780.000	66.66	74.00	-7.34	69.75	-3.09	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5260MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	60.73	68.20	-7.47	68.44	-7.71	Peak
2	15780.000	52.30	54.00	-1.70	55.39	-3.09	Average
3	15780.000	67.17	74.00	-6.83	70.26	-3.09	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5300MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5304.000	112.39	-----	-----	90.86	21.53	Peak
2	5357.400	53.37	74.00	-20.63	31.81	21.56	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5300MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5304.000	102.70	-----	-----	81.17	21.53	Average
2	5459.250	40.99	54.00	-13.01	19.37	21.62	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5300MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5305.050	108.07	-----	-----	86.54	21.53	Peak
2	5447.850	53.85	74.00	-20.15	32.24	21.61	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5300MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5305.350	98.31	-----	-----	76.78	21.53	Average
2	5456.400	39.54	54.00	-14.46	17.92	21.62	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5300MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	48.11	54.00	-5.89	55.73	-7.62	Average
2	10600.000	60.68	74.00	-13.32	68.30	-7.62	Peak
3	15900.000	50.84	54.00	-3.16	53.87	-3.03	Average
4	15900.000	65.13	74.00	-8.87	68.16	-3.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5300MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	48.70	54.00	-5.30	56.32	-7.62	Average
2	10600.000	62.05	74.00	-11.95	69.67	-7.62	Peak
3	15900.000	51.55	54.00	-2.45	54.58	-3.03	Average
4	15900.000	65.03	74.00	-8.97	68.06	-3.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5320MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5312.850	112.47	-----	-----	90.93	21.54	Peak
2	5350.950	65.15	74.00	-8.85	43.59	21.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5320MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5323.650	102.33	-----	-----	80.79	21.54	Average
2	5350.200	48.48	54.00	-5.52	26.92	21.56	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5314.800	107.89	74.00	-16.43	86.35	21.54	Peak
2	5350.350	57.57	74.00	-16.43	36.01	21.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5315.250	97.93	74.00	-13.10	76.39	21.54	Average
2	5351.400	40.90	74.00	-13.10	19.34	21.56	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	47.69	54.00	-6.31	55.25	-7.56	Average
2	10640.000	60.61	74.00	-13.39	68.17	-7.56	Peak
3	15960.000	50.62	54.00	-3.38	53.62	-3.00	Average
4	15960.000	64.48	74.00	-9.52	67.48	-3.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5320MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	48.61	54.00	-5.39	56.17	-7.56	Average
2	10640.000	61.60	74.00	-12.40	69.16	-7.56	Peak
3	15960.000	49.23	54.00	-4.77	52.23	-3.00	Average
4	15960.000	63.69	74.00	-10.31	66.69	-3.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	60.90	74.00	-13.10	39.28	21.62	Peak
2	5468.775	67.89	68.20	-0.31	46.27	21.62	Peak
3	5496.425	111.66	-----	-----	90.02	21.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.150	42.46	54.00	-11.54	20.84	21.62	Average
2	5498.700	102.15	-----	-----	80.51	21.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5430.800	52.34	74.00	-21.66	30.74	21.60	Peak
2	5469.825	60.48	68.20	-7.72	38.86	21.62	Peak
3	5495.025	107.26	-----	-----	85.62	21.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.800	39.91	54.00	-14.09	18.29	21.62	Average
2	5502.725	98.12	-----	-----	76.48	21.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	48.57	54.00	-5.43	55.73	-7.16	Average
2	11000.000	61.12	74.00	-12.88	68.28	-7.16	Peak
3	16500.000	67.34	68.20	-0.86	70.78	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5500MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	50.97	54.00	-3.03	58.13	-7.16	Average
2	11000.000	64.41	74.00	-9.59	71.57	-7.16	Peak
3	16500.000	67.79	68.20	-0.41	71.23	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5580MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5442.175	52.58	74.00	-21.42	30.97	21.61	Peak
2	5464.400	53.50	68.20	-14.70	31.88	21.62	Peak
3	5574.475	112.46	-----	-----	90.58	21.88	Peak
4	5739.850	54.71	68.20	-13.49	32.29	22.42	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5580MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5422.225	40.19	54.00	-13.81	18.59	21.60	Average
2	5576.050	102.80	-----	-----	80.91	21.89	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5450.225	39.54	54.00	-14.46	17.93	21.61	Average
2	5578.500	99.09	-----	-----	77.20	21.89	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5442.175	52.58	74.00	-21.42	30.97	21.61	Peak
2	5464.400	53.50	68.20	-14.70	31.88	21.62	Peak
3	5574.475	112.46	-----	-----	90.58	21.88	Peak
4	5739.850	54.71	68.20	-13.49	32.29	22.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	48.19	54.00	-5.81	54.99	-6.80	Average
2	11160.000	61.90	74.00	-12.10	68.70	-6.80	Peak
3	16740.000	65.15	68.20	-3.05	68.69	-3.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5580MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	52.59	54.00	-1.41	59.39	-6.80	Average
2	11160.000	66.77	74.00	-7.23	73.57	-6.80	Peak
3	16740.000	66.29	68.20	-1.91	69.83	-3.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5700MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5695.750	109.21	-----	-----	86.94	22.27	Peak
2	5726.025	67.59	68.20	-0.61	45.21	22.38	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5700MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5698.550	107.17	-----	-----	84.89	22.28	Peak
2	5725.325	64.70	68.20	-3.50	42.33	22.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5700MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	49.20	54.00	-4.80	55.49	-6.29	Average
2	11400.000	62.66	74.00	-11.34	68.95	-6.29	Peak
3	17100.000	60.63	68.20	-7.57	64.16	-3.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5700MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	53.85	54.00	-0.15	60.14	-6.29	Average
2	11400.000	67.91	74.00	-6.09	74.20	-6.29	Peak
3	17100.000	61.68	68.20	-6.52	65.21	-3.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5745MHz
 Test By :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5547.500	53.69	68.20	-14.51	31.89	21.80	Peak
2	5652.000	51.60	69.69	-18.09	29.48	22.12	Peak
3	5724.000	81.38	119.92	-38.54	59.02	22.36	Peak
4	5741.250	111.61	-----	-----	89.19	22.42	Peak
5	5907.250	55.01	81.34	-26.33	32.06	22.95	Peak
6	5922.000	54.37	70.43	-16.06	31.36	23.01	Peak
7	6032.250	55.51	68.20	-12.69	32.10	23.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5745MHz
 Test By :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5641.250	52.44	68.20	-15.76	30.34	22.10	Peak
2	5652.000	51.92	69.69	-17.77	29.80	22.12	Peak
3	5724.000	73.23	119.92	-46.69	50.87	22.36	Peak
4	5749.750	107.69	-----	-----	85.25	22.44	Peak
5	5908.750	55.44	80.23	-24.79	32.47	22.97	Peak
6	5923.500	53.29	69.32	-16.03	30.28	23.01	Peak
7	6002.250	54.82	68.20	-13.38	31.55	23.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5745MHz
 Test By :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	48.95	54.00	-5.05	55.04	-6.09	Average
2	11490.000	62.35	74.00	-11.65	68.44	-6.09	Peak
3	17235.000	64.77	68.20	-3.43	68.14	-3.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5745MHz
 Test By :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	51.29	54.00	-2.71	57.38	-6.09	Average
2	11490.000	63.81	74.00	-10.19	69.90	-6.09	Peak
3	17235.000	67.39	68.20	-0.81	70.76	-3.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5617.750	52.93	68.20	-15.27	30.91	22.02	Peak
2	5654.750	51.90	71.72	-19.82	29.75	22.15	Peak
3	5711.000	53.59	108.28	-54.69	31.27	22.32	Peak
4	5787.500	107.90	-----	-----	85.32	22.58	Peak
5	5867.750	54.61	107.23	-52.62	31.78	22.83	Peak
6	5920.750	53.32	71.35	-18.03	30.31	23.01	Peak
7	5990.250	54.83	68.20	-13.37	31.61	23.22	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5538.000	54.07	68.20	-14.13	32.31	21.76	Peak
2	5651.500	51.79	69.32	-17.53	29.67	22.12	Peak
3	5708.000	53.65	107.44	-53.79	31.34	22.31	Peak
4	5821.000	110.68	-----	-----	88.00	22.68	Peak
5	5850.000	76.49	122.20	-45.71	53.71	22.78	Peak
6	5921.250	54.06	70.98	-16.92	31.05	23.01	Peak
7	5994.250	55.28	68.20	-12.92	32.03	23.25	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	49.00	54.00	-5.00	55.04	-6.04	Average
2	11570.000	62.44	74.00	-11.56	68.48	-6.04	Peak
3	17355.000	64.84	68.20	-3.36	68.07	-3.23	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5785MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	52.50	54.00	-1.50	58.54	-6.04	Average
2	11570.000	65.48	74.00	-8.52	71.52	-6.04	Peak
3	17355.000	67.84	68.20	-0.36	71.07	-3.23	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5538.000	54.07	68.20	-14.13	32.31	21.76	Peak
2	5651.500	51.79	69.32	-17.53	29.67	22.12	Peak
3	5708.000	53.65	107.44	-53.79	31.34	22.31	Peak
4	5821.000	110.68	-----	-----	88.00	22.68	Peak
5	5850.000	76.49	122.20	-45.71	53.71	22.78	Peak
6	5921.250	54.06	70.98	-16.92	31.05	23.01	Peak
7	5994.250	55.28	68.20	-12.92	32.03	23.25	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5589.250	52.55	68.20	-15.65	30.62	21.93	Peak
2	5653.250	51.80	70.61	-18.81	29.65	22.15	Peak
3	5711.250	53.80	108.35	-54.55	31.48	22.32	Peak
4	5819.500	107.79	-----	-----	85.11	22.68	Peak
5	5854.000	72.99	113.00	-40.00	50.20	22.79	Peak
6	5921.000	53.18	71.17	-17.99	30.17	23.01	Peak
7	6012.500	55.06	68.20	-13.14	31.74	23.32	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac20_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	48.78	54.00	-5.22	54.77	-5.99	Average
2	11650.000	62.14	74.00	-11.86	68.13	-5.99	Peak
3	17475.000	63.90	68.20	-4.30	66.98	-3.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac20_TX_5825MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	52.76	54.00	-1.24	58.75	-5.99	Average
2	11650.000	65.95	74.00	-8.05	71.94	-5.99	Peak
3	17475.000	67.89	68.20	-0.31	70.97	-3.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5190MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.650	66.53	74.00	-7.47	45.09	21.44	Peak
2	5187.050	107.74	-----	-----	86.28	21.46	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5190MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.850	53.44	54.00	-0.56	32.00	21.44	Average
2	5186.750	99.22	-----	-----	77.76	21.46	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5190MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.500	58.82	74.00	-15.18	37.38	21.44	Peak
2	5187.650	103.01	-----	-----	81.55	21.46	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5190MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.550	45.50	54.00	-8.50	24.06	21.44	Average
2	5184.500	93.91	-----	-----	72.45	21.46	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5190MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	50.15	68.20	-18.05	58.10	-7.95	Peak
2	15570.000	50.60	54.00	-3.40	53.80	-3.20	Average
3	15570.000	64.96	74.00	-9.04	68.16	-3.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5190MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	54.79	68.20	-13.41	62.74	-7.95	Peak
2	15570.000	50.98	54.00	-3.02	54.18	-3.20	Average
3	15570.000	65.15	74.00	-8.85	68.35	-3.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5230MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.800	62.77	74.00	-11.23	41.33	21.44	Peak
2	5234.900	110.85	-----	-----	89.36	21.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5230MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.550	42.75	54.00	-11.25	21.31	21.44	Average
2	5235.950	101.02	-----	-----	79.53	21.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5230MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5123.600	54.02	74.00	-19.98	32.59	21.43	Peak
2	5234.450	105.84	-----	-----	84.35	21.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5230MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5134.100	40.54	54.00	-13.46	19.11	21.43	Average
2	5236.100	96.64	-----	-----	75.15	21.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5230MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	51.75	68.20	-16.45	59.56	-7.81	Peak
2	15690.000	51.17	54.00	-2.83	54.30	-3.13	Average
3	15690.000	64.83	74.00	-9.17	67.96	-3.13	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5230MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	55.29	68.20	-12.91	63.10	-7.81	Peak
2	15690.000	51.01	54.00	-2.99	54.14	-3.13	Average
3	15690.000	64.75	74.00	-9.25	67.88	-3.13	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5270MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.900	109.66	-----	-----	88.15	21.51	Peak
2	5350.350	58.33	74.00	-15.67	36.77	21.56	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5270MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5264.100	99.52	-----	-----	78.01	21.51	Average
2	5354.850	41.12	54.00	-12.88	19.56	21.56	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5270MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.600	106.08	-----	-----	84.57	21.51	Peak
2	5456.100	52.79	74.00	-21.21	31.17	21.62	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5270MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5261.250	96.62	-----	-----	75.11	21.51	Average
2	5439.750	39.92	54.00	-14.08	18.31	21.61	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5270MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10540.000	56.38	68.20	-11.82	64.06	-7.68	Peak
2	15810.000	49.04	54.00	-4.96	52.12	-3.08	Average
3	15810.000	62.02	74.00	-11.98	65.10	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5270MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10540.000	58.29	68.20	-9.91	65.97	-7.68	Peak
2	15810.000	49.81	54.00	-4.19	52.89	-3.08	Average
3	15810.000	62.70	74.00	-11.30	65.78	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5310MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5303.850	109.90	-----	-----	88.37	21.53	Peak
2	5352.300	72.45	74.00	-1.55	50.89	21.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5310MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5305.950	100.43	-----	-----	78.89	21.54	Average
2	5350.350	53.96	54.00	-0.04	32.40	21.56	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5310MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5306.550	106.27	-----	-----	84.73	21.54	Peak
2	5350.000	60.49	74.00	-13.51	38.93	21.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5310MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5307.450	96.53	-----	-----	74.99	21.54	Average
2	5351.100	43.97	54.00	-10.03	22.41	21.56	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5310MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10620.000	45.28	54.00	-8.72	52.88	-7.60	Average
2	10620.000	58.04	74.00	-15.96	65.64	-7.60	Peak
3	15930.000	48.85	54.00	-5.15	51.87	-3.02	Average
4	15930.000	62.69	74.00	-11.31	65.71	-3.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5310MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10620.000	45.49	54.00	-8.51	53.09	-7.60	Average
2	10620.000	58.51	74.00	-15.49	66.11	-7.60	Peak
3	15930.000	48.77	54.00	-5.23	51.79	-3.02	Average
4	15930.000	62.16	74.00	-11.84	65.18	-3.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.150	65.19	74.00	-8.81	43.57	21.62	Peak
2	5467.025	68.17	68.20	-0.03	46.55	21.62	Peak
3	5514.625	107.83	-----	-----	86.14	21.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.150	50.29	54.00	-3.71	28.67	21.62	Average
2	5504.125	98.15	-----	-----	76.50	21.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5456.525	54.60	74.00	-19.40	32.98	21.62	Peak
2	5468.425	58.97	68.20	-9.23	37.35	21.62	Peak
3	5506.925	104.64	-----	-----	82.98	21.66	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	41.65	54.00	-12.35	20.03	21.62	Average
2	5504.825	94.65	-----	-----	73.00	21.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	45.86	54.00	-8.14	52.98	-7.12	Average
2	11020.000	58.74	74.00	-15.26	65.86	-7.12	Peak
3	16530.000	62.68	68.20	-5.52	66.13	-3.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5510MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	48.25	54.00	-5.75	55.37	-7.12	Average
2	11020.000	62.60	74.00	-11.40	69.72	-7.12	Peak
3	16530.000	63.55	68.20	-4.65	67.00	-3.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.800	57.08	74.00	-16.92	35.46	21.62	Peak
2	5467.725	62.68	68.20	-5.52	41.06	21.62	Peak
3	5548.575	108.72	-----	-----	86.92	21.80	Peak
4	5736.525	54.06	68.20	-14.14	31.65	22.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.050	41.91	54.00	-12.09	20.29	21.62	Average
2	5544.900	100.08	-----	-----	78.29	21.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5456.350	52.48	74.00	-21.52	30.86	21.62	Peak
2	5469.475	52.38	68.20	-15.82	30.76	21.62	Peak
3	5552.600	107.40	-----	-----	85.60	21.80	Peak
4	5731.625	53.38	68.20	-14.82	30.99	22.39	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5446.900	40.15	54.00	-13.85	18.54	21.61	Average
2	5551.725	97.70	-----	-----	75.90	21.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11100.000	45.50	54.00	-8.50	52.44	-6.94	Average
2	11100.000	59.10	74.00	-14.90	66.04	-6.94	Peak
3	16650.000	62.88	68.20	-5.32	66.38	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5550MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11100.000	49.41	54.00	-4.59	56.35	-6.94	Average
2	11100.000	64.07	74.00	-9.93	71.01	-6.94	Peak
3	16650.000	63.50	68.20	-4.70	67.00	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5670MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5675.100	109.21	-----	-----	87.00	22.21	Peak
2	5732.500	66.59	68.20	-1.61	44.20	22.39	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5670MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5668.100	106.84	-----	-----	84.66	22.18	Peak
2	5732.675	62.63	68.20	-5.57	40.24	22.39	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac40_TX_5670MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11340.000	46.11	54.00	-7.89	52.53	-6.42	Average
2	11340.000	62.44	74.00	-11.56	68.86	-6.42	Peak
3	17010.000	58.01	68.20	-10.19	61.66	-3.65	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac40_TX_5670MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11340.000	52.29	54.00	-1.71	58.71	-6.42	Average
2	11340.000	65.36	74.00	-8.64	71.78	-6.42	Peak
3	17010.000	59.83	68.20	-8.37	63.48	-3.65	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :rac40_TX_5755MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5639.000	55.05	68.20	-13.15	32.96	22.09	Peak
2	5652.750	56.99	70.24	-13.25	34.86	22.13	Peak
3	5721.250	83.33	113.65	-30.32	60.97	22.36	Peak
4	5760.250	109.75	-----	-----	87.27	22.48	Peak
5	5855.750	61.38	110.59	-49.21	38.59	22.79	Peak
6	5923.000	54.90	69.69	-14.79	31.89	23.01	Peak
7	6014.000	55.67	68.20	-12.53	32.34	23.33	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :rac40_TX_5755MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5638.250	53.78	68.20	-14.42	31.69	22.09	Peak
2	5651.250	52.37	69.13	-16.76	30.25	22.12	Peak
3	5724.000	77.47	119.92	-42.45	55.11	22.36	Peak
4	5759.750	105.60	-----	-----	83.12	22.48	Peak
5	5853.250	55.70	114.79	-59.09	32.91	22.79	Peak
6	5922.500	53.82	70.06	-16.24	30.81	23.01	Peak
7	5970.250	56.09	68.20	-12.11	32.92	23.17	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :rac40_TX_5755MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	46.19	54.00	-7.81	52.25	-6.06	Average
2	11510.000	59.89	74.00	-14.11	65.95	-6.06	Peak
3	17265.000	62.55	68.20	-5.65	65.88	-3.33	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :rac40_TX_5755MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	49.72	54.00	-4.28	55.78	-6.06	Average
2	11510.000	62.53	74.00	-11.47	68.59	-6.06	Peak
3	17265.000	64.36	68.20	-3.84	67.69	-3.33	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :rac40_TX_5795MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5640.500	53.29	68.20	-14.91	31.19	22.10	Peak
2	5652.750	52.23	70.24	-18.01	30.10	22.13	Peak
3	5713.250	62.60	108.91	-46.31	40.28	22.32	Peak
4	5791.750	109.75	-----	-----	87.16	22.59	Peak
5	5851.000	70.01	119.92	-49.91	47.23	22.78	Peak
6	5920.250	53.73	71.72	-17.99	30.73	23.00	Peak
7	5942.500	54.91	68.20	-13.29	31.84	23.07	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :rac40_TX_5795MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5548.750	52.60	68.20	-15.60	30.80	21.80	Peak
2	5651.750	51.60	69.50	-17.90	29.48	22.12	Peak
3	5719.250	56.87	110.59	-53.72	34.52	22.35	Peak
4	5790.250	106.50	-----	-----	83.92	22.58	Peak
5	5854.500	63.04	111.94	-48.10	41.05	22.79	Peak
6	5923.750	53.19	69.13	-15.94	30.18	23.01	Peak
7	6030.500	55.22	68.20	-12.98	31.82	23.40	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :rac40_TX_5795MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	46.27	54.00	-7.73	52.30	-6.03	Average
2	11590.000	59.53	74.00	-14.47	65.56	-6.03	Peak
3	17385.000	62.63	68.20	-5.57	65.82	-3.19	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :rac40_TX_5795MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	50.44	54.00	-3.56	56.47	-6.03	Average
2	11590.000	63.45	74.00	-10.55	69.48	-6.03	Peak
3	17385.000	64.11	68.20	-4.09	67.30	-3.19	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5210MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	65.39	74.00	-8.61	43.95	21.44	Peak
2	5212.550	104.10	-----	-----	82.63	21.47	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5210MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	53.66	54.00	-0.34	32.22	21.44	Average
2	5211.650	94.96	-----	-----	73.49	21.47	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5210MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	68.11	74.00	-5.89	46.67	21.44	Peak
2	5214.200	102.25	-----	-----	80.77	21.48	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5210MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.450	53.65	54.00	-0.35	32.21	21.44	Average
2	5212.100	93.22	-----	-----	71.75	21.47	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5210MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	51.55	68.20	-16.65	59.43	-7.88	Peak
2	15630.000	49.13	54.00	-4.87	52.30	-3.17	Average
3	15630.000	62.47	74.00	-11.53	65.64	-3.17	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5210MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	54.62	68.20	-13.58	62.50	-7.88	Peak
2	15630.000	49.15	54.00	-4.85	52.32	-3.17	Average
3	15630.000	62.39	74.00	-11.61	65.56	-3.17	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5290MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5135.240	53.39	74.00	-20.61	31.96	21.43	Peak
2	5308.890	105.88	-----	-----	84.34	21.54	Peak
3	5359.950	71.39	74.00	-2.61	49.83	21.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5290MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5143.980	41.62	54.00	-12.38	20.18	21.44	Average
2	5305.670	96.85	-----	-----	75.31	21.54	Average
3	5351.900	53.31	54.00	-0.69	31.75	21.56	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5290MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5020.700	52.32	74.00	-21.68	30.95	21.37	Peak
2	5308.200	101.42	74.00	27.42	79.88	21.54	Peak
3	5350.750	66.57	74.00	-7.43	45.01	21.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5290MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5137.080	40.21	54.00	-13.79	18.78	21.43	Average
2	5283.130	92.35	74.00	18.35	70.83	21.52	Average
3	5350.290	46.95	54.00	-7.05	25.39	21.56	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5290MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	54.99	68.20	-13.21	62.63	-7.64	Peak
2	15870.000	46.82	54.00	-7.18	49.87	-3.05	Average
3	15870.000	60.79	74.00	-13.21	63.84	-3.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5290MHz
 Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	56.46	68.20	-11.74	64.10	-7.64	Peak
2	15870.000	47.82	54.00	-6.18	50.87	-3.05	Average
3	15870.000	60.87	74.00	-13.13	63.92	-3.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5451.975	66.17	74.00	-7.83	44.56	21.61	Peak
2	5466.150	68.09	68.20	-0.11	46.47	21.62	Peak
3	5513.925	103.17	-----	-----	81.48	21.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	51.89	54.00	-2.11	30.27	21.62	Average
2	5519.350	94.16	-----	-----	72.46	21.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.925	59.60	74.00	-14.40	37.98	21.62	Peak
2	5470.000	62.63	68.20	-5.57	41.01	21.62	Peak
3	5515.850	100.55	-----	-----	78.86	21.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	48.31	54.00	-5.69	26.69	21.62	Average
2	5522.325	90.73	-----	-----	69.02	21.71	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11060.000	42.97	54.00	-11.03	50.00	-7.03	Average
2	11060.000	55.42	74.00	-18.58	62.45	-7.03	Peak
3	16590.000	59.48	68.20	-8.72	62.95	-3.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5530MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11060.000	45.25	54.00	-8.75	52.28	-7.03	Average
2	11060.000	58.85	74.00	-15.15	65.88	-7.03	Peak
3	16590.000	60.50	68.20	-7.70	63.97	-3.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.675	57.13	74.00	-16.87	35.51	21.62	Peak
2	5465.975	58.59	68.20	-9.61	36.97	21.62	Peak
3	5593.900	107.19	-----	-----	85.24	21.95	Peak
4	5727.075	64.36	68.20	-3.84	41.98	22.38	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.150	43.72	54.00	-10.28	22.10	21.62	Average
2	5598.100	98.13	-----	-----	76.17	21.96	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.050	54.58	74.00	-19.42	32.96	21.62	Peak
2	5465.625	56.33	68.20	-11.87	34.71	21.62	Peak
3	5593.900	102.90	-----	-----	80.95	21.95	Peak
4	5728.475	61.60	68.20	-6.60	39.22	22.38	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.575	42.51	54.00	-11.49	20.89	21.62	Average
2	5595.825	93.99	-----	-----	72.04	21.95	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	45.39	54.00	-8.61	52.07	-6.68	Average
2	11220.000	58.43	74.00	-15.57	65.11	-6.68	Peak
3	16830.000	59.40	68.20	-8.80	62.97	-3.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5610MHz
 Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	48.57	54.00	-5.43	55.25	-6.68	Average
2	11220.000	62.55	74.00	-11.45	69.23	-6.68	Peak
3	16830.000	60.41	68.20	-7.79	63.98	-3.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5775MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5645.750	63.87	68.20	-4.33	41.76	22.11	Peak
2	5654.750	62.43	71.72	-9.29	40.28	22.15	Peak
3	5719.250	81.45	110.59	-29.14	59.10	22.35	Peak
4	5797.500	106.81	-----	-----	84.21	22.60	Peak
5	5852.500	78.87	116.50	-38.43	55.29	22.78	Peak
6	5922.500	64.80	70.06	-5.26	41.79	23.01	Peak
7	5927.250	62.55	68.20	-5.65	39.53	23.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5775MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5647.750	56.42	68.20	-11.78	34.30	22.12	Peak
2	5654.000	53.72	71.17	-17.45	31.57	22.15	Peak
3	5725.000	75.93	122.20	-46.27	53.57	22.36	Peak
4	5785.500	103.68	-----	-----	81.12	22.56	Peak
5	5854.000	73.44	113.00	-39.64	50.65	22.79	Peak
6	5924.000	55.61	68.95	-13.34	32.60	23.01	Peak
7	5926.500	57.16	68.20	-11.04	34.14	23.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :ac80_TX_5775MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	44.62	54.00	-9.38	50.66	-6.04	Average
2	11550.000	58.02	74.00	-15.98	64.06	-6.04	Peak
3	17325.000	60.67	68.20	-7.53	63.93	-3.26	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :ac80_TX_5775MHz
 Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	48.00	54.00	-6.00	54.04	-6.04	Average
2	11550.000	60.64	74.00	-13.36	66.68	-6.04	Peak
3	17325.000	62.50	68.20	-5.70	65.76	-3.26	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.