

# FCC EMC TEST REPORT

COMMUNICATIONS SPECIALISTS TRANSMITTER Model: PT-1 Transmitter

1 of 21

# **GARWOOD LABORATORIES, INC.**

**TESTING AND ENGINEERING SERVICES** 



# FCC PART 15 SUBPART C § 15.209 Intentional Radiators EVALUATION REPORT RADIO FREQUENCY INTERFERENCE TEST

Prepared for: COMMUNICATIONS SPECIALISTS

> Product Description: **TRANSMITTER** Model: **PT-1 Transmitter**



Test Completion Date: January 19, 2004



"Excellence Built On Integrity"

Report No: FR26031SE

EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

# TABLE OF CONTENTS

- 1.0 INTRODUCTORY SUMMARY
- 2.0 SUMMARY OF TEST
  - 2.1 ADMINISTRATIVE DATA AND TEST DESCRIPTION
  - 2.2 TEST RESULT CONDUCTED EMISSIONS
  - 2.3 TEST RESULT RADIATED EMISSIONS
  - 2.4 MODIFICATIONS
  - 2.5 INTENT TO INCORPORATE ENGINEERING REWORK
  - 2.6 **RECOMMENDATIONS**
- 3.0 TEST CONFIGURATION AND DESCRIPTION OF EUT
  - 3.1 SKETCH OF EQUIPMENT AND CABLE CONFIGURATION
  - 3.2.1 DESCRIPTION OF EUT
  - 3.2.2 DESCRIPTION OF PERIPHERAL EQUIPMENT
  - 3.3 TYPES OF CABLES USED
  - 3.4 **OPERATION MODES**
  - 3.5 PHOTOGRAPHS OF TEST SETUP AND EUT
  - 3.6 DETAILED BLOCK DIAGRAM OF EUT
- 4.0 TEST EQUIPMENT AND TEST SETUPS
  - 4.1 LIST OF TEST EQUIPMENT USED AND CALIBRATION DATES
  - 4.2 CONDUCTED EMISSIONS TEST SETUP
  - 4.3 RADIATED EMISSIONS TEST SETUP
- 5.0 TEST PROCEDURE
  - 5.1 CONDUCTED EMISSIONS TEST
  - 5.2 RADIATED PRELIMINARY TEST
  - 5.3 RADIATED EMISSIONS TEST
  - 5.4 FINAL RADIATED TESTING
- 6.0 SAMPLE CALCULATIONS
- 7.0 MEASUREMENTS AND UNCERTAINTIES
- 8.0 LABELING AND NOTIFICATION REQUIREMENTS



Report No: FR26031SE

EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

# 1.0 INTRODUCTORY SUMMARY

# **Responsible Signatures**

This report is intended for the use by the organization to whom it is addressed, and will not be made available to any other parties without the expressed written consent of the aforementioned organization. This report shall not be reproduced, except in full, without the written approval of Garwood Laboratories, Inc.

WRITTEN BY:	<b>REVIEWED BY:</b>	<b>REVIEWED BY:</b>
Stephen Heyron	Amitty tip	Tong Mason
Stephen Heyman EMC Technical Writer	Arnulfo Tapia Senior EMC Test Engineer	Tony Masone EMC Manager

DOCUMENT HISTORY										
Revision	Issue Date	Affected Page(s)	Description Of Modifications	Revised By	Approved By					
N/C	January 19, 2004		Initial release							



"Excellence Built On Integrity"

Report No: FR26031SE

EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

<b>CLIENT INFORMATION</b>						
Purchase Order	121703-SP					
EUT Arrival Date	January 19, 2004					
Company Name	Communications Specialist, Inc.					
Address	426 West Taft Ave					
City, State Zip	Orange, CA 92865					
Contact Name	Spence Porter					
Phone	714-998-3021					
Fax	714-974-3420					

GA	RWOOD INFORMATION
EMC Test Laboratory	Garwood Laboratories, Inc.
Address	950 Calle Negocio
City, State, Zip Code	San Clemente, CA 92673
Phone	(949) 361-9189
Fax	(949) 361-9597
Web Site	www.garwoodtestlabs.com
Contact Name Title Contact Phone	EMC Manager
Contact Phone	(562) 949-2727
Contact Fax	(562) 949-8757

Test Personnel	Test Dates
Terry Reysbergen – EMC Test Engineer	19 January 2004



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

# **Accreditations:**

The Open Area Test Site (OATS) and measurement facilities used to collect the test data are located at Garwood Laboratories, Incorporated test facility in San Clemente, California.

The test facility is recognized, certified, or accredited by the following organizations:



**Garwood Laboratories, Inc.** is accredited by the U.S. National Institute Standards Technology under NVLAP as suppliers of test results to the criteria established by ISO/IEC 17025 and ISO 9002. The accreditation is valid through September 30, 2004.

# BSMI

**Garwood Laboratories, Inc.** has been validated by the Chinese Taipei Bureau of Standards, Metrology and Inspection (BSMI) under the Asia Pacific Economic Cooperation Mutual Recognition Arrangement (APEC MRA). Garwood Laboratories is now provisionally designated to act as a Conformity Assessment Body (CAB) under Appendix B, Phase 1 Procedures of the APEC MRA. The BSMI assigned number is SL2-IN-E-059R.

# TUV

**Garwood Laboratories, Inc.** is approved by TUV Product Services as a test facility testing to the EMC DIRECTIVE 89/336/EEC.

**Garwood Laboratories, Inc.** is approved as a contractor to Radio Frequency investigation LTD, a UK Competent Body and by Radio Frequency Technologies LTD, a Competent Body of Ireland.



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

# 2.0 SUMMARY OF TEST

#### 2.1A ADMINISTRATIVE DATA

- DEVICE TESTED: Description: Transmitter
  - Model: PT-1 Transmitter
- ACCESSORIES: N/A
- APPLICANT: Communications Specialists
- CONTACT: Spence Porter

MANUFACTURER: Communications Specialists

### 2.1B TEST DESCRIPTION

FREQUENCY RANGES:	Conducted: 0.45 - 30.0 MHz Radiated: 30.0 - 1000 MHz Radiated: All Harmonics of Fundamental frequency
TEST LOCATION:	950 Calle Negocio, San Clemente, Calif. 92673
TEST DATES:	January 19, 2004
PURPOSE OF TEST:	To demonstrate compliance with the limits of FCC Part 15C §15.209
TESTS PERFORMED:	<ol> <li>Conducted Emissions Per ANSI C63.4.</li> <li>Radiated Emissions Per ANSI C63.4 at 3 Meters.</li> <li>Engineering Evaluations</li> </ol>

3. Engineering Evaluations

All Measurement Data is acquired according to the content of ANSI C63.4. The Test Site Data and performance complies with ANSI C63.4, unless supplemented with additional requirements as noted in the test report.



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

2.2 TEST RESULTS - CONDUCTED EMISSIONS Conducted Emission Results - High or Supply Lead

\*\*\*N/A Battery Powered



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

2.2 TEST RESULTS - CONDUCTED EMISSIONS Conducted Emission Results – Low or Return Lead

\*\*\*N/A Battery Powered




"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 



Measurements taken at 3 Meters.





"Excellence Built On Integrity"

Report No: FR26031SE

#### EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

PRODUCT EMISSIONS

	EMISSION	SPEC	MEA	SUREME	NTS	80 -	SIT	E	CORR	
No	FREQUENCY	LIMIT	ABS	dLIM	MODE	FOL	HGT	AZM	FACTOR	COMMENTS
	MHz	d8u	W∕m	dB			GM	deg	36	
								a) - 62 alfa - 50 - 56, 50		
1	216.025	46.0	44.4	-1.6	QP	H	193	17	-6.7	
2	432.050	46.0	20.7	-25.3	PK	v	139	18	0.6	
3	648.061	46.0	28.4	-17.6	PK	v	139	18	6.B	
4	864,100	46.0	17.1	-28.9	PK	v	139	18	10.	

#### PRODUCT EMISSIONS

	EMISSION	SPEC	MER	SUREME	NTS		SIT	E	CORR	
No	FREQUENCY	LIMIT	ABS	dLIM	MODE	POL	HGT	AZM	FACTOR	COMMENTS
	MHz	dBu	iV∕m	dB			сm	deg	dB	
1	225.022	46.0	44.7	-1.3	QP	н	193	17	-6.	
2	450.050	46.0	20.8	-25.2	PK	v	123	22	0.9	
3	675.07	46.0	37.1	-8.9	PK	v	123	22	6.1	
4	900.100	46.0	28.3	-17.7	PK	v	123	22	8.9	

#### PRODUCT EMISSIONS

	EMISSION	SPEC	MER	SUREME	NTS		SIT	E	CORR	
No	FREQUENCY	LIMIT	ABS	dLIM	MODE	POL	HGT	AZM	FACTOR	COMMENTS
	MHz	dBu	V/m	dB			CM	deg	dB	
1	235.031	46.0	45.4	-0.6	QP	н	193	17	-6,	
2	470.05	46.0	20.3	-25.7	PK	н	107	18	1.5	
3	705.07	45.0	25.7	-20.3	PK	H	107	18	5.9	
4	940.100	46.0	-10.	-56.8	PK	H	107	18	-13.8	



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC T EST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

#### 2.4 MODIFICATIONS

None required todemonstrate compliance.

#### 2.5 INTENT TO INCORPORATE ENGINEERING REWORK (If required by 2.4 above)

INTENT TO INCORPORATE ENGINEERING REWORK

This is a letter of Intent to Incorporate the Engineering Rework as described in the above referenced PDE Laboratories. Test Report, Section 2.4, to achieve compliance with the intent of the testing as documented. I, the undersigned have the responsibility for marketing the device tested, and have implemented procedures to monitor the quality of the product (device tested), during continued manufacturing processes and possible product changes or enhancements, and take the responsibility to monitor continued compliance through periodic re-testing during the life of product (device tested), and re-testing any new configuration which might alter the status of the product's continued compliance to the applicable Rules and Regulations.

### [ NOT APPLICABLE FOR THIS TEST REPORT ]

Signature

Date

Name

Title



"Excellence Built On Integrity"


Report No: FR26031SE

EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

# 3.0 DESCRIPTION OF EUT CONFIGURATION

# 3.1 SKETCH OF EQUIPMENT AND CABLE CONFIGURATION

**Battery Powered** 





"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

#### 3.2 DESCRIPTION OF EUT AND PERIPHERAL EQUIPMENT

#### 3.2.1 DESCRIPTION OF EUT

The PT-1 transmitter generates a very low power pulsed CW signal on one operating frequency between 216.025Mhz and 235.000Mhz. The PT-1 is a synthesized design referenced to a .2PPM TCXO. The CPU controls the transmitter on/off switching and the PLL, which locks the VCO on the proper frequency. The output of the VCO feeds a single stage of amplification followed by a 5th order low pass filter connected to the antenna. The unit is powered by a CR2032 lithium battery.

Equipment:	Transmitter
Manufacturer:	Communications Specialists
Model No.:	PT-1 Transmitter
Serial No.:	N/A

Power Supply: Internal Battery Powered

**RFI** Suppression Features:

Powerline Filter:	N/A
Ferrite chokes:	N/A

Internal Components: N/A

Equipment:	N/A
Manufacturer:	
Model No.:	
Serial No.:	
Located:	



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

#### 3.2.2 DESCRIPTION OF PERIPHERAL EQUIPMENT

1) Equipment N/A Manufacturer: Model No.: Serial No:

#### 3.3 TYPES OF CABLES USED:

#### **Power Cords**

1) Unit: N/A Manufacturer: Shielded: Length:

#### I/O Cables - External

1) Connection: N/A Manufacturer: Shielded: Connectors: Length:



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC T EST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

#### 3.4 **OPERATING MODES**

The Transmitter, Model: PT-1 Transmitter operated continuously during all tests. EUT transmitted at 16ms burst, twice every minute.

Absolute emission level measurements were made with various orientations of the unit relative to the receiving antenna. Prior to actual OATS testing, a near-field RF probe was used to exhaustively survey the EUT for their internal Local Oscillator and clock frequencies. The emissions were quite weak.

All final data was taken with the EUT in the above mode of operation. The position of the peripherals (if required in the test set up) and interconnect cables (if required in the test set up) were varied to provide generally the highest emissions prior to the final tests.

Absolute emission level measurements were made in an automatic orientation fashion such that the EUT was uniquely positioned for each of the significant emissions detected in the prescan evaluation. Those data are hereby recorded.



"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

### 3.5 **PHOTOGRAPHS OF TEST SETUP AND EUT (Conducted)**

\*\*\*\*N/A Battery Powered



"Excellence Built On Integrity"

Report No: FR26031SE

EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.

## 3.5 PHOTOGRAPHS OF TEST SETUP AND EUT (Radiated)





"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

# 3.5 PHOTOGRAPHS OF TEST SETUP AND EUT (Radiated)





"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

#### 3.5 PHOTOGRAPHS OF TEST SETUP AND EUT





"Excellence Built On Integrity"

Report No: FR26031SE

**EMC TEST REPORT FOR COMMUNICATIONS SPECIALIST, INC.** 

## 4.0 TEST EQUIPMENT AND TEST SET UPS

**4.1 LIST OF EQUIPMENT USED IN TESTS.** An "X" in the used column denotes applicability and use.

TEST EQUIPMENT			CALIBRATION		Q
DEVICE / MANUFACTURER	MODEL	SERIAL NO	DATE	DUE	USED
SITE NUMBER 2 (outside stack)	OATS		8-8-03	8-8-04	X
SPECTRUM ANALYZER HEWLETT PACKARD	8566B	2427A04639	2-26-03	2-26-04	X
ANALYZER DISPLAY HEWLETT PACKARD	85662A	2848A17070	2-26-03	2-26-04	X
PRE SELECTOR HEWLETT PACKARD	85685A	2901A00858	2-26-03	2-26-04	X
QUASI-PEAK ADAPTOR HEWLETT PACKARD	85650A	2811A01210	2-26-03	2-26-04	X
PRE-AMP HEWLETT PACKARD	8447F	2805A03163	2-26-03	2-26-04	X
ANTENNA LOG PERIODICAL A. H. SYSTEMS	SAS-200-512	116	4-12-03	4-12-04	X
ANTENNA BICON A.H. SYSTEMS	SAS-200-540	343	4-12-03	4-12-04	X
ANTENNA HORN A.H. SYSTEMS	SAS-200/571	145	9-28-03	9-28-04	X
SITE NUMBER 3 (roof stack)	OATS		5-02-03	5-02-04	
SPECTRUM ANALYZER HEWLETT PACKARD	8567A	2727A00415	9-22-03	9-22-04	
ANALYZER DISPLAY HEWLETT PACKARD	85662A	264815252	9-22-03	9-22-04	
PRE SELECTOR HEWLETT PACKARD	85685A	2837A00827	9-22-03	9-22-04	
QUASI-PEAK ADAPTOR HEWLETT PACKARD	85650A	2521A00678	9-22-03	9-22-04	
PRE-AMP HEWLETT PACKARD	8447F	1937A01214	9-22-03	9-22-04	
ANTENNA BICONILOG EMCO	3142	9603-1025	5-06-03	5-06-04	