

**PHOTOGRAPHS OF THE TESTSETUP OF A
INDUCTIVE PROXIMITY TAG READER
OPERATING AT 134.2 kHz INCLUDING A MOTOR
AND SENSOR CONTROL UNIT
BRAND Nedap, MODEL VC4 TWIN 2 ISO FDX-B**

12021502.p02_Rev01
June 28, 2012

FCC listed : 90828
Industry Canada : 2932G-2
VCCI Registered : R-1518, C-1598
R&TTE, LVD, EMC Notified Body : 1856

TÜV Rheinland EPS B.V.
Eiberkamp 10
9351VT Leek
The Netherlands

Telephone: +31 594 505005
Telefax: +31 594 504804
Internet: www.tuv.com/nl
E-mail: info@tuv-eps.com



Description of test item

Test item : Inductive RFID tag reader, operating on 134.2 kHz including a motor and sensor control unit.
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"
Brand : Nedap
Model : VC4 TWIN 2 ISO FDX-B
Serial number : C125 C 0001
FCC ID : CGD-TF2
IC : 1444A-TF2

Applicant information

Applicant's representative : Mr. J. Hulshof
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
Country : The Netherlands
Telephone number : +31 544 471 162
Telefax number : +31 544 466 475

Report written by : R. van der Meer

Report date : June 28, 2012



Table of contents


1	PHOTOGRAPHS OF THE TESTSETUP	4
1.1	RADIATED EMISSIONS	4
1.1.1	<i>Radiated emissions setup</i>	4
1.1.2	<i>Radiated emissions setup detail</i>	5
1.2	CONDUCTED EMISSIONS	6
1.2.1	<i>Conducted emissions testsetup overview</i>	6



1 Photographs of the testsetup.


1.1 Radiated emissions.

1.1.1 Radiated emissions setup





1.1.2 Radiated emissions setup detail



Setup showing EUT in combination with Single Loop Walk Trough antenna



Setup showing EUT in combination with Single Loop Over Trough antenna



1.2 Conducted emissions

1.2.1 Conducted emissions testsetup overview




Photo . Basic test set-up conducted emission



Photo . Detail test set-up conducted emission




Photo . dummy load instead of antenna