



**47 CFR PART 15 TEST SETUP PHOTOGRAPHS OF AN
INDUCTIVE PROXIMITY CARD READER,
BRAND NEDAP,
MODEL SMARTCARD/TRANSITION-BOOSTER**

FCC listed : 90828
Industry Canada : IC3501
VCCI registered : R-1518, C-1598

TNO Electronic Products & Services (EPS) B.V.
P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)

Telephone: +31 594 505005
Telefax: +31 594 504804

E-mail: info@tno-eps.com
Web: www.tno-eps.com



Description of EUT: Inductive proximity card reader
Manufacturer: N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand mark: Nedap
Model: Smartcard/Transition-Booster
FCC ID: CGDBOOSTER2

Description of test item

Test item : Inductive proximity card reader (120 - 125 kHz)
Manufacturer : N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand : Nedap
Model : Smartcard/Transition-Booster
Serial number(s) : Not available
Revision : Not available
Receipt date : January 25, 2007

Applicant information

Applicant's representative : Mr. J. Hulshof
Company : N.V. Nederlandsche Apparatenfabriek "NEDAP"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
PO-box : 6
Postal code : 7140 AA
City : Groenlo
Country : The Netherlands
Telephone number : +31 (0) 544 471111
Telefax number : +31 (0) 544 463475



Description of EUT: Inductive proximity card reader
Manufacturer: N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand mark: Nedap
Model: Smartcard/Transition-Booster
FCC ID: CGDBOOSTER2

Table of contents

1	Test setup photographs of radiated emission measurements	4
1.1	Smartcard/Transition-Booster with antenna used for testing	4
1.2	Smartcard/Transition-Booster front side view	5
1.3	Smartcard/Transition-Booster back side view	6

1 Test setup photographs of radiated emission measurements.

1.1 Smartcard/Transition-Booster with antenna used for testing



Photo 1: Radiated emission measurement set up

1.2 Smartcard/Transition-Booster front side view



Photo 2: Radiated emission measurement set up; front side view

1.3 Smartcard/Transition-Booster back side view



Photo 3: Radiated emission measurement set up; back side view