

---

**A Doorframe i7 anti-pilferage system operating in the  
band 7.400 – 8.800 MHz including a metal detection  
module operating on 127 kHz with an option to  
communicate with the outside world via LAN  
Brand Nedap  
Model: ASSY FC180R RF  
Exterior Photographs**

Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN  
Manufacturer: N.V. Nederlandse Apparatenfabriek “Nedap”  
Brand mark: Nedap  
Model: ASSY FC180R RF  
FCC ID: CGDFC180RRF  
IC: 1444A-FC180RRF  
Type of Application: New Application

---

**Description of item**

Description of EUT : A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN  
Manufacturer : N.V. Nederlandsche Apparatenfabriek “Nedap”  
Brand : Nedap  
Model : ASSY FC180R RF  
FCC ID : CGD FC180RRF  
IC : 1444A- FC180RRF  
Type of Service : New Application

**Applicant information**

Applicant's representative : Mr. Jacques Hulshof  
Company : N.V. Nederlandsche Apparatenfabriek “Nedap”  
Address : Parallelweg 2  
Postal code : 7141 DC  
City : Groenlo  
PO-box : 6  
Postal code : 7140 AA  
City : Groenlo  
Country : The Netherlands  
Telephone number : +31 (0) 544 471111  
Telefax number : +31 (0) 544 463475

26 July 2015

Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN  
Manufacturer: N.V. Nederlandse Apparatenfabriek “Nedap”  
Brand mark: Nedap  
Model: ASSY FC180R RF  
FCC ID: CGDFC180RRF  
IC: 1444A-FC180RRF  
Type of Application: New Application

---

## **Table of contents**

1	EXTERNAL PHOTOGRAPH FRONT SIDE, TOTAL OVERVIEW .....	4
2	LEFT SIDE VIEW.....	5
3	RIGHT SIDE VIEW .....	6
4	LOWER SIDE OF TE ANTENNA.....	7
5	LABELING OF THE POWER INSERTER .....	7

Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN  
Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"  
Brand mark: Nedap  
Model: ASSY FC180R RF  
FCC ID: CGDFC180RRF  
IC: 1444A-FC180RRF  
Type of Application: New Application

---

## 1 External photograph front side, total overview



Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN

Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"

Brand mark: Nedap

Model: ASSY FC180R RF

FCC ID: CGDFC180RRF

IC: 1444A-FC180RRF

Type of Application: New Application

---

## 2 Left side view



Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN  
Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"  
Brand mark: Nedap  
Model: ASSY FC180R RF  
FCC ID: CGDFC180RRF  
IC: 1444A-FC180RRF  
Type of Application: New Application

---

### 3 Right side view



Description of EUT: A Doorframe i7 anti-pilferage system operating in the band 7.400 – 8.800 MHz including a metal detection module operating on 127 kHz with an option to communicate with the outside world via LAN

Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"  
 Brand mark: Nedap  
 Model: ASSY FC180R RF  
 FCC ID: CGDFC180RRF  
 IC: 1444A-FC180RRF  
 Type of Application: New Application

---

#### 4 Lower side of te antenna



#### 5 Labeling of the Power Inserter

