

**PHOTOGRAPHS OF THE TESTSETUP OF A
INDUCTIVE RFID CARD READER,
OPERATING ON 13.56 MHz.
BRAND Nedap, MODEL PG45i**

**16121902.p01
February 07, 2017**

FCC listed : 90828
Industry Canada : 2932G-2
:

TÜV Rheinland Nederland B.V.
Eiberkamp 10
9351VT Leek
The Netherlands

Telephone: +31 594 505005
Telefax: +31 594 504804
Internet: www.tuv.com/nl
E-mail: products@nl.tuv.com



Description of test item

Test item : Inductive RFID Card Reader
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"
Brand : Nedap
Model(s) : PG45i
Serial number(s) : --
Revision : --

Applicant information

Applicant's representative : Mr. J. Hulshof / Mr. G. Heinen
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
Country : The Netherlands
Telephone number : +31 544 471 162

Report written by : R. van der Meer

Report date : February 07, 2017



Table of contents


1	PHOTOGRAPHS OF THE TESTSETUP	4
1.1	RADIATED EMISSIONS.....	4
1.1.1	<i>Radiated emissions setup below 30 MHz.</i>	<i>4</i>
1.1.2	<i>Radiated emissions setup 30 MHz - 1000 MHz.</i>	<i>5</i>
1.1.3	<i>Radiated emissions setup detail, front and rear side.</i>	<i>6</i>
2	AC POWER LINE CONDUCTED EMISSIONS	7
3	FREQUENCY STABILITY TEST SETUP.....	8



1 Photographs of the testsetup.


1.1 Radiated emissions.

1.1.1 Radiated emissions setup below 30 MHz.






1.1.2 Radiated emissions setup 30 MHz - 1000 MHz.








1.1.3 Radiated emissions setup detail, front and rear side.






2 AC Power line conducted emissions





3 Frequency stability test setup



< END OF REPORT >