

13.56 MHz Inductive Proximity RFID Card reader
Brand Nedap
Model PROX1356
Label Location incl. text

Description of EUT: 13.56 MHz Inductive Proximity RFID Card reader
Manufacturer: N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand mark: NEDAP
Model: PROX1356

Description of item

Description of EUT : 13.56 MHz Inductive RFID Card reader
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"
Brand : Nedap
Model : PROX1356
FCC ID : CGDPROX1356
IC ID : 1444A-PROX1356

Applicant information

Applicant's representative : Mr. Jacques Hulshof
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
PO-box : 6
Postal code : 7140 AA
City : Groenlo
Country : The Netherlands
Telephone number : +31 (0) 544 471111
Telefax number : +31 (0) 544 463475

26 April 2011
Revised 13 May 2011

Table of contents

1	Label location on the device.....	4
2	Photographs of the label text.....	5
2.1	ID label text.....	5
2.2	Warning text English.....	5
2.3	Warning Text French.....	6
3	Label artwork.....	6
3.1	ID label.....	6
3.2	English warning text artwork.....	7
3.3	French warning text artwork.....	7

Description of EUT: 13.56 MHz Inductive Proximity RFID Card reader
Manufacturer: N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand mark: NEDAP
Model: PROX1356

1 Label location on the device




Description of EUT: 13.56 MHz Inductive Proximity RFID Card reader
Manufacturer: N.V. Nederlandsche Apparatenfabriek "NEDAP"
Brand mark: NEDAP
Model: PROX1356

2 Photographs of the label text


2.1 ID label text



2.2 Warning text English



2.3 Warning Text French



3 Label artwork

3.1 ID label



MODEL : PROX1356

PART. NO : 9956883 **CE!**

COUNTRY OF ORIGIN: THE NETHERLANDS

FCC ID: CGDPROX1356

IC: 1444A-PROX1356

3.2 English warning text artwork

This device complies with part 15 of the FCC Rules and to RSS210 Industry Canada. Operation is subject to the following two conditions:

- (1) This device may not cause interference, and
- 2) This device must accept any interference, including interference that may cause undesired operation of the device.

3.3 French warning text artwork

Cet appareil se conforme aux normes RSE 210 exemptés de licence du Industry Canada. L'opération est soumise aux deux conditions suivantes :

- (1) cet appareil ne doit causer aucune interférence, et
- (2) cet appareil doit accepter n'importe quelle interférence, y inclus interférence qui peut causer une opération non pas voulu ce cet appareil.