



**PHOTOGRAPHS OF THE TESTSETUP OF A  
7.4 - 8.8 MHz DEACTIVATOR OF DISPOSABLE TAGS,  
BRAND NEDAP, MODEL SMART DEAC.**

**09091401.po1\_Rev02  
October 26, 2009**

FCC listed : 90828  
Industry Canada : 2932G-1  
VCCI Registered : R-1518, C-1598  
R&TTE, LVD, EMC Notified Body : 1856

**TÜV Rheinland EPS B.V.  
P.O. Box 15  
9822 ZG Niekerk (NL)  
Smidshornerweg 18  
9822 TL Niekerk (NL)**

Telephone: +31 594 505005  
Telefax: +31 594 504804

Internet: [www.tuv-eps.com](http://www.tuv-eps.com)  
E-mail: [info@tuv-eps.com](mailto:info@tuv-eps.com)



**Description of test item**

Test item : Deactivator of disposable tags  
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"  
Brand : Nedap  
Model(s) : SMART DEAC  
Serial number(s) : X902 163  
Revision : Firmware version: X9 V6.6

**Applicant information**

Applicant's representative : Mr. J.A.M. Hulshof  
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"  
Address : Parallelweg 2  
Postal code : 7141 DC  
City : Groenlo  
Country : The Netherlands  
Telephone number : +31 544 471 162  
Telefax number : +31 544 463 475



## Table of contents

<b>1</b>	<b>PHOTOGRAPHS OF THE TESTSETUP</b> .....	<b>4</b>
1.1	RADIATED EMISSIONS.....	4
1.1.1	<i>Radiated emissions H-field @ 3m</i> .....	4
1.1.2	<i>Radiated emissions E-field @ 3m</i> .....	7
1.1.3	<i>EUT and Auxiliaries tabletopsetup</i> .....	9
1.2	CONDUCTED EMISSIONS .....	15
1.2.1	<i>Conducted emissions testsetup overview</i> .....	15
1.2.2	<i>Conducted emissions EUT detail</i> .....	16

## 1 Photographs of the testsetup.

### 1.1 Radiated emissions.

#### 1.1.1 Radiated emissions H-field @ 3m



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Vertical and Aux2 vertical, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Vertical and Aux2 vertical-rotated, shown as example)




Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux1 vertical, shown as example)

### 1.1.2 Radiated emissions E-field @ 3m



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux1 vertical, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux1 Horizontal, shown as example)




### 1.1.3 EUT and Auxiliaries tabletopsetup



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Vertical and Aux1 Horizontal, shown as example)




Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux1 Horizontal, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux1 Vertical, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux2 Vertical, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Horizontal and Aux2 Horizontal, shown as example)



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT Vertical and Aux3 Vertical, shown as example)

## 1.2 Conducted emissions

### 1.2.1 Conducted emissions testsetup overview



Typical setup for all combinations of EUT and Auxiliary equipment  
(EUT and Aux1, shown as example)

### 1.2.2 Conducted emissions EUT detail

