

# Label location and artwork

Long-range vehicle and driver identification reader  
operating on 2.45 GHz, 433 MHz and 120 kHz  
Brand: Nedap  
Model: TRANSIT ULTIMATE

Author	RH
Date	21 August 2017
Status	Final

**N.V. Nederlandsche Apparatenfabriek "Nedap"**  
Parallelweg 2  
7141 DC Groenlo  
The Netherlands

**Description of EUT**

Description of EUT	Long-range vehicle and driver identification reader operating on 2.45 GHz, 433 MHz and 120 kHz
Manufacturer	Nedap N.V.
Brand	Nedap
Model	TRANSIT ULTIMATE
FCC ID	CGDTRANSITULT2
IC	1444A-TRANSITULT2
Type of service	New Application


**Applicant Information**

Applicant's representative	Mr. Reinold Hubers
Company	N.V. Nederlandsche Apparatenfabriek "Nedap"
Address	Parallelweg 2
Postal code	7141 DC
City	Groenlo
PO Box	6
Postal code	7140 AA
City	Groenlo
Country	The Netherlands
Telephone number	+31 (0) 544 471111
Telefax number	+31 (0) 544 463475






## 0. CONTENTS


1. Location of product label \_\_\_\_\_ 4
2. Product label \_\_\_\_\_ 5

# 1. Location of product label



## 2. Product label

  
**Parallelweg 2**  
**7141DC Groenlo**  
**Netherlands**  
**ACC Control Reader**  
**MODEL : TRANSIT ULTIMATE**  
**PART NO. : 9215689**  
**SERIAL NO. : J821 ? ???**  
**LOT NO. : ????????????????????**  
**RATINGS**  
**100-240Vac, 50-60Hz, 0.6-0.3A**  
**24 Vdc, 700mA**  
**FCC ID : CGDTRANSITULT2**  
**IC : 1444A-TRANSITULT2**  
**CAN ICES-3(B)/NMB-3(B)**  
**CMIIT ID:2016DJ0295**  
   
 **5481104-4.**  
**Made in the Netherlands NN** 

  
 This device complies with part 15 of the FCC Rules and to RSS210 industry Canada. Operation of this device is subject to the following two instructions.  
 (1) This device may not cause harmful interference.  
 (2) This device must accept any interference that may cause undersired operation.  
  
 Cet appareil se conforme aux normes CNR 210 exemptés de license du Industry Canada. L'opération est soumis aux duex conditions suivantes  
 (1) cet appareil ne doit causer aucune interférence, et  
 (2) cet appareil doit accepter n'importe quelle interférence, y inclus interférence qui peut causer une opération non pas voulu de cet appareil.