
**Long-range vehicle and driver identification reader
operating on 2.45 GHz, 433 MHz and 120 kHz
Brand Nedap
Model: TRANSIT ULTIMATE
Label location and artwork**

Description of EUT: Long-range vehicle and driver identification reader operating on 2.45 GHz, 433 MHz and 120 kHz
Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"
Brand mark: Nedap
Model: TRANSIT ULTIMATE
FCC ID: CGDTRANSITULTI
IC: 1444A-TRANSITULTI
Type of Application: New Application

Description of item

Description of EUT : Long-range vehicle and driver identification reader operating on 2.45 GHz, 433 MHz and 120 kHz
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"
Brand : Nedap
Model : TRANSIT ULTIMATE
FCC ID : CGDTRANSITULTI
IC : 1444A-TRANSITULTI
Type of Service : New Application

Applicant information

Applicant's representative : Mr. Jacques Hulshof
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
PO-box : 6
Postal code : 7140 AA
City : Groenlo
Country : The Netherlands
Telephone number : +31 (0) 544 471111
Telefax number : +31 (0) 544 463475

25 Augustus 2015

Description of EUT: Long-range vehicle and driver identification reader operating on 2.45 GHz, 433 MHz and 120 kHz
Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"
Brand mark: Nedap
Model: TRANSIT ULTIMATE
FCC ID: CGDTRANSITULTI
IC: 1444A- TRANSITULTI
Type of Application: New Application

Table of contents

1	LEFT SIDE	4
2	LABEL ARTWORK.....	4

Description of EUT: Long-range vehicle and driver identification reader operating on 2.45 GHz, 433 MHz and 120 kHz
 Manufacturer: N.V. Nederlandse Apparatenfabriek "Nedap"
 Brand mark: Nedap
 Model: TRANSIT ULTIMATE
 FCC ID: CGDTRANSITULTI
 IC: 1444A-TRANSITULTI
 Type of Application: New Application

1 Left side



2 Label artwork



Parallelweg 2
7141DC Groenlo
Netherlands

MODEL : TRANSIT ULTIMATE
PART NO. : 9215689
SERIAL NO. : F709 ??????
LOT NO. : V-115206-10000

RATINGS
100-240Vac, 50-60Hz, 0.6-0.3A
24 Vdc, 700mA

FCC ID : CGDTRANSITULTI
IC : 1444A-TRANSITULTI

This device complies with part 15 of the FCC Rules and to RSS210 industry Canada.
 Operation of this device is subject to the following two instruction.
 (1) This device may not cause harmful interference.
 (2) This device must accept any interference that may cause undesired operation.

Cet appareil se conforme aux normes RSS 210 exemptés de licence du Industry Canada. L'opération est soumis aux deux condition s suivantes (1) cet appareil ne doit cau ser aucune interféren ce, et (2) cet appareil doit accepter n'importe quelle interféren ce, y inclus interféren ce qui peut causer une opération non pas voulu de cet appareil.



SECURITY

LISTED
