



**PHOTOGRAPHS OF THE TESTSETUP OF A
INDUCTIVE TAG READER OPERATING ON 134KHZ,
BRAND NEDAP, MODEL VP1101.**

FCC listed : 90828
Industry Canada : 2932G-1
VCCI Registered : R-1518, C-1598
R&TTE, LVD, EMC Notified Body : 1856

TÜV Rheinland EPS B.V.
P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)

Telephone: +31 594 505005
Telefax: +31 594 504804

Internet: www.tuv-eps.com
E-mail: info@tuv-eps.com



Description of test item

Test item : Inductive tag reader operating on 134 kHz
Manufacturer : N.V. Nederlandsche Apparatenfabriek "Nedap"
Brand : Nedap
Model(s) : VP1101
Serial number(s) : X126 0002
Revision : Not applicable

Applicant information

Applicant's representative : Mr. J.A.M. Hulshof
Company : N.V. Nederlandsche Apparatenfabriek "Nedap"
Address : Parallelweg 2
Postal code : 7141 DC
City : Groenlo
Country : The Netherlands
Telephone number : +31 544 471 162
Telefax number : +31 544 463 475



Table of contents

1	PHOTOGRAPHS OF THE TESTSETUP	4
1.1	RADIATED EMISSIONS	4
1.1.1	<i>Radiated emissions H-field @ 3m</i>	4
1.1.2	<i>Radiated emissions H-field @ 10m</i>	5
1.1.3	<i>Radiated emissions E-field @3m</i>	6
1.2	CONDUCTED EMISSIONS	7
1.2.1	<i>Conducted emissions testsetup overview</i>	7
1.2.2	<i>Conducted emissions EUT detail</i>	8
1.3	FREQUENCY/CARRIER STABILITY	9

1 Photographs of the testsetup.

1.1 Radiated emissions.

1.1.1 Radiated emissions H-field @ 3m



1.1.2 Radiated emissions H-field @ 10m




1.1.3 Radiated emissions E-field @3m



1.2 Conducted emissions

1.2.1 Conducted emissions testsetup overview



1.2.2 Conducted emissions EUT detail



1.3 Frequency/Carrier stability

1.3.1. Frequency/Carrier stability testsetup overview



1.3.2 Frequency/Carrier stability, testsetup detail

