

Prepared (also subject responsible if other)		No.		
EMN/ERH/TG R.H. Linde		Uen		
Approved	Checked	Date	Rev	Reference
		1-5-00	PA1	

### Measurements on the PC-module

## 20dB bandwidth plots:

Following 3 plots show the 20dB channel bandwidth at the lowest channel, mid channel and the highest channel.




Figure 1: 20 dB bandwidth channel 2 (active mode)




Figure 2: 20 dB bandwidth channel 40 (active mode)




Figure 3: 20 dB bandwidth channel 80 (active mode)

## **Dwell time plots**

To show the dwell times 3 plots are made for both page mode and inquiry mode. The 13 second time frame shows the number of blocks of activity on a channel. The 100ms plot shows the number of multiple transmissions in one block. The 300us plot shows the time period of one transmission. From these plots it is easy to derive that the dwell time is within the FCC requirements.



Prepared (also subject responsible if other)		No.		· , ,
EMN/ERH/TG R.H. Linde		Uen		
Approved	Checked	Date	Rev	Reference
		1-5-00	PA1	

#### Page mode:

There are 5 blocks of 1.28 sec in the first plot (figure 4). In the plot of figure 5 it can be seen that every 10 msec there is a transmission. That means that in the time of 12.8 sec there are 5 (blocks)\* 128 (transmissions per block) = 640 transmissions.

Every transmission lasts 182 usec. (see figure 6) So the active time on a channel is: 640\*182u = 116.5 ms. This is well within the spec of 400msec max.




Figure 4: 13 second plot of activity on one channel in page mode




Figure 5: 100 millisecond plot of activity on one channel in page mode




Figure 6: 300 microsecond plot of activity on one channel in page mode



Prepared (also subject responsible if other)		No.		· , ,
EMN/ERH/TG R.H. Linde		Uen		
Approved	Checked	Date	Rev	Reference
		1-5-00	PA1	

### Inquiry mode:

There are 2 blocks of 2.56 sec in the first plot (figure 7). In the plot of figure 8 it can be seen that every 10 msec there is a transmission. That means that in the time of 12.8 sec there are 2 (blocks)\* 256 (transmissions per block) = 512 transmissions.

Every transmission lasts 182 usec. (figure 9) So the active time on a channel is: 512\*182u = 98.3 ms. This is well within the spec of 400msec max.




Figure 7: 13 second plot of activity on one channel in inquiry mode





Figure 8: 100 millisecond plot of activity on one channel in inquiry mode

24.MAY.2000 15:49:49

Date:



24.MAY.2000 15:46:24

Date:

Figure 9: 300 microsecond plot of activity on one channel in inquiry mode



Prepared (also subject responsible if other)		No.		· · · · ·
EMN/ERH/TG R.H. Linde		Uen		
Approved	Checked	Date	Rev	Reference
		1-5-00	PA1	

# Power density plot

The plots are given on the following figures of the power density in page and inquiry mode:




Figure 10: power density in page mode




Figure 11: power density in inquiry mode

24.MAY.2000 16:18:07

Date:



Prepared (also subject responsible if other)		No.		
EMN/ERH/TG R.H. Linde		Uen		
Approved	Checked	Date	Rev	Reference
		1-5-00	PA1	

# Plots FCC 20 dB bandwidth in page and inquiry modes




Figure 12: FCC 20 dB bandwidth in page mode



Figure 13: FCC 20 dB bandwidth in inquiry mode