Westell® | Multiband Omnidirectional Antenna



General Information

Westell's multiband omnidirectional antenna is a wireless transmitting / receiving antenna that works exceptionally well in all horizontal directions. Used in most RF wireless devices such as mobile phone devices and wireless routers.

Product Highlights

- Multiband design
- Flexible mounting options
- Symmetric construction
- · Suitable for wall mounting

Applications

- CDMA, GSM, DCS, 3G/UMTS, LTE
- · In-building coverage

Frequency Range

- 698-960 MHz
- 1710-2690 MHz

Electrical Specifications

Omnidirectional	
2 dBi	
1 to 2 dBi	
1 to 2 dBi	
2 to 4 dBi	
Vertical	
50 Ohm	
VSWR/return loss	
2.0/9.5 dB	
1.8/10.9 dB	
1.5/14.0 dB	
1.4/15.5 dB	
-153 dBc	
50 Watts (2W typical)	

Specifications subject to change without notice.



Multiband Omnidirectional Antenna

Ordering Information

Part Number:	Description:	
CS03-011-429	ClearLink-O/698-2.7K/N	
CS03-011-429-02	ClearLink-O/698-2.7K/4310	
750-2021-001	Drywall ceiling antenna mounting bracket	
CS03-011-429-BK	Antenna mounting bracket bundle includes CS03-011-429 antenna and 750-2021-001, drywall ceiling antenna mounting bracket.	
Universal right angle bracket, part #750-2018-001, included for additional mounting options.		

Mechanical Specifications


Case material	ABS with UV protection
Operating temperature	-40° to +70° C
Dimensions	8 Dia. x 4.5 H in.
Color	Porcelain white
Weight	1.6 lbs
Connectors	N-Female or 4.3-10 Female
Pigtail	Low PIM plenum rated cable
Standard mounting style	Ceiling




Westell® | Multiband Omnidirectional Antenna





Sample Antenna Patterns*




Drywall Ceiling Mount, #750-2021-001









^{*} Additional patterns with enlarged images are available upon request.



WESTELL.COM