INSTRUCTIONS FOR OPERATION

SETING THE OPERATING CONTROLS

1. This device which one of black lines series with AC 120V power supply. Now, we take 60Hz power supply to afford power supply of transmitter when it trough rectify. So, there is no troubles with change batteries forever.

control.

- 2. Store the controller away from excess heat or humidity.
- 3. Operation buttons on the panel of transmitter.



key - For fan speed Reverse.



OR



OR



 $key-For\ light\ brightness\ and\ light\ ON/OFF$



key - For fan HIGH speed control.



key - For fan MEDIUM speed control.



key - For fan LOW speed control.



OR



key - For fan OFF control.



POWER SWITCH - for POWER ON/OFF

4. Fan control:

Turn the FAN on or off by only touching the FAN SPEED button. Keep pressing the button in excess of 0.7 second it becomes a Press the selected speed button to run the fan at the desired. By press the speed up-down button to select the needed speed.

5. Fan reverse control:

Press the REV button Change the direction of the fan to run

6. Light control:

Turn the light on or off by only touching the LIGHT button. Keep pressing the button in excess of 0.7 second it becomes a dimmer, the light varies cyclically in 0.8 second.

One of the important feature of this control is AUTO-RESUME. After power on, it allows the light return to where it was off.

7. Power switch
Turn off the power for Fan and Light

GENERAL INFORMATION:

This remote controller is designed to separately control your ceiling fan speed and light brightness.

INSTRUCTIONS FOR INSTALLATION AND OPERATION OF FAN SPEED CONTROLLER

Setup for ceiling fan controller

- 1. Turn off the power. (In order to make sure the electricity is entirely released, please press any button on the controller till no LED display showing)
- 2. Turn on the power
- 3. Press the FAN OFF button for more than 3 sec. The ceiling fan controller will has 2 blinks. It means the setup is successful. You could start to control the ceiling fan light and fan speed.

NOTICE:

The changes or modifications not expressly approved by the party responsible for compliance could void user's authority to operate the equipment.

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/ TV technician for help.

CAUTION:

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference

received, including interference that may cause

Canada, Industry Canada (IC) Notices

This device complies with Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Canada, avis d'Industry Canada (IC)

Cet appareil est conforme avec Industrie Canada exemptes de licence RSS standard(s).

Son fonctionnement est soumis aux deux conditions suivantes : (1) cet appareil ne doit pas causer d'interférence et (2) cet appareil doit accepter toute interférence, notamment les interférences qui peuvent affecter son fonctionnement.