

4

3

2


1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-SEE SHEET #1-			

TARGET
(RED)

LOCK
(YELLOW)

PATROL
(GREEN)



4

3


2

1

UNLESS OTHERWISE SPECIFIED:
1. ALL CAPACITOR VALUES ARE IN MICROFARADS.
2. ALL RESISTOR VALUES ARE IN OHMS


PWB ASSY, DISPLAY/DRIVER, BEE III			
SIZE	CAGE NO.	DWG NO.	REV.
C	49147	950831	A
SCALE	N/A	SCHEMATIC	SHEET 3 OF 3

PWB 907160B



SIZE C	CAGE NO. 49147	DWG NO. 950832	REV A
SCALE N/A	SCHEMATIC		SHEET 3 OF 3

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
	- SEE SHEET #1 -		




+5V — ○ E3

-5V — ○ E4


PWB ASSY, KA, BEE III PREAMP/FILTER BD

UNLESS OTHERWISE SPECIFIED:
1. ALL CAPACITOR VALUES ARE IN MICROFARADS.
2. ALL RESISTOR VALUES ARE IN OHMS, 1/4W.

SIZE	CAGE NO.	DWG. NO.	REV.
B	49147	950895	B
SCALE	N/A	SCHEMATIC	SHEET 3 OF 3




PWB ASSY, FILTER, ANT., BEE III, K α BAND 950896 REV A



PWB 907169B

PWB ASSY, CONTROLLER, BEE III
950897 REV B


R.W. MOORE
08/18/00



NOTES:
1. DIGITAL AND ANALOG GROUNDS
TIED TOGETHER WITH 0 OHM RESISTOR R26.

UNLESS OTHERWISE SPECIFIED:
1. ALL CAPACITOR VALUES ARE IN MICROFARADS
2. ALL RESISTOR VALUES ARE IN OHMS

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



PWB ASSY, GUNN SUPPLY, ANT., BEE III, K α BAND

R.G.PLUCKNETT
00-07-20
PCAD 2000 FILE 950905

SIZE	CAGE NO.	DWG. NO.	REV.
B		950905 REV B	
SCALE		SHEET 3	



DWG. NO.

SH

REV.


REVISIONS

REV.

DESCRIPTION

DATE

APPROVED



NOTES:

UNLESS OTHERWISE SPECIFIED:

1. ALL RESISTOR VALUES ARE IN OHMS.
2. ALL CAPACITOR VALUES ARE IN MICROFARADS.

PWB 907173B

PWB ASSY, FILTER SUPPLY, ANT., BEE III, Ka BAND

SIZE	CAGE NO.	DWG. NO.	REV.
B		950907 REV B	
SCALE		SHEET 3	FINAL

